

University of South Florida Scholar Commons

Graduate Theses and Dissertations

Graduate School

3-22-2017

Reduction of Airborne Silica Concentration Using a Novel Sand Coating Technology

Elizabeth Rains Lloyd University of South Florida, erains@mail.usf.edu

Follow this and additional works at: http://scholarcommons.usf.edu/etd



Part of the Public Health Commons

Scholar Commons Citation

Lloyd, Elizabeth Rains, "Reduction of Airborne Silica Concentration Using a Novel Sand Coating Technology" (2017). Graduate Theses and Dissertations.

http://scholarcommons.usf.edu/etd/6661

This Thesis is brought to you for free and open access by the Graduate School at Scholar Commons. It has been accepted for inclusion in Graduate Theses and Dissertations by an authorized administrator of Scholar Commons. For more information, please contact scholarcommons@usf.edu.

Reduction of Airborne Silica Concentration Using a Novel Sand Coating Technology

by

Elizabeth Rains Lloyd

A thesis submitted in partial fulfillment of the requirements for the degree of Master of Science in Public Health Department of Industrial Hygiene College of Public Health University of South Florida

Co-Major Professor: Steven Mlynarek, Ph.D. Co-Major Professor: Thomas Bernard, Ph.D. Yehia Hammad, Sc.D.

Date of Approval: March 10, 2017

Keywords: Occupational Silica Exposure, Novel Sand Coating Technology, Reduced Exposure

Copyright © 2017, Elizabeth Rains Lloyd

Dedication

This thesis is dedicated to my husband, Gregory Lloyd. Without your love, patience, and support, I would not have successfully completed this part of my adventure. Thank you for enduring my educational endeavor whilst undertaking additional hair-brained schemes with me.

Acknowledgements

A great deal of gratitude must be bestowed on Dr. Steven Mlynarek, for supporting me throughout my time at the university and for encouraging me to persevere. When I wanted to give-up, his guidance and support helped me to see my education through to the end. I also owe gratitude to Drs. Thomas Bernard, Yehia Hammad, and John Smyth for educating and inspiring me. I would like to thank Autumn Dent for acting as my editor-in-chief and serving as my grammar guru. I must also thank the company which developed the novel sand coating technology for allowing me the ability to participate in this research. I would also like to extend my gratitude to those I had the pleasure of working with over the course of this research.

Table of Contents

List of Tables	ii
List of Figures	iii
List of Abbreviations and Acronyms	iv
Abstract	vi
Introduction	1
Literature ReviewAssessment of Exposure in Epidemiological Studies: The Example of Silica Dust Occupational Exposure to Respirable Crystalline Silica During Hydraulic Fracture	6
Methods	9
Weather	
Site Diagram	12
Results	14
Respirable Silica Area Sampling Results: Quartz Concentration	14
Percent Reduction of Respirable Silica	16
Discussion	18
Potential Influencing Factors	
Study Limitations	
Future Research	21
Conclusions	23
Reference List	24
Appendix A: IRB Determination Letter	26
Appendix B: Safety Data Sheet	28
Appendix C: List of Equipment and Instrumentation	36
Appendix D. Air Monitoring Data	38

List of Tables

Table I:	Average Meteorological Data for Days Sampled	11
Table II:	Respirable Silica Area Sampling Results Quartz Concentration NIOSH Method 0600/7500 & OSHA ID 142	14
Table III:	Percent Reduction of Respirable Silica when Handling Coated Sand	16

List of Figures

Figure 1:	Site Schematic for area air sample locations		
Figure 2:	View of site	13	

List of Abbreviations and Acronyms

ACGIH® American Conference of Governmental Industrial Hygienists

AIHA® American Industrial Hygiene Association

AL Action Level

COPD Chronic Obstructive Pulmonary Disease

DOL Department of Labor

FT Feet

IARC International Agency for Cancer Research

L Liter(s)

lbs/ton Pounds per Ton

mg/m³ Milligrams per Cubic Meter of Air

μg/m³ Micrograms per Cubic Meter of Air

μm Micrometer

mph Miles per Hour

NIOSH National Institutes for Occupational Safety and Health

NMAM NIOSH Manual of Analytical Methods

OEL Occupational Exposure Limit

OSHA Occupational Safety and Health Administration

PBZ Personal Breathing Zone

PEL Permissible Exposure Limit

PPE Personal Protective Equipment

R&D Research and Development

TLV Threshold Limit Value

TWA Time Weighted Average

SiO₂ Silicon Dioxide

US United States

WHO World Health Organization

Abstract

The health effects of silica and the connection to occupational exposure has been known for years. In March of 2016, the Occupational Safety and Health Administration (OSHA) of the Department of Labor (DOL) published a new standard meant to reduce workers' exposure to silica. The standard update was set forth to further protect workers; OSHA estimates this revision will prevent more than 600 silica-related deaths each year.

A key feature of the updated OSHA standard emphasizes the use of engineering controls and work practices in certain industries. Material handling of industrial sand is a known cause of silica overexposure in many industries. A novel sand coating technology designed as an engineering control has been tested to reduce worker exposure to airborne silica. This study looked at whether the airborne silica concentrations could be reduced by applying this technology. Area air samples were collected for baseline samples along with coated samples, which were analyzed for respirable dust. The percent reduction was calculated to determine if the coating was able to reduce the airborne silica concentration.

This study found that the application of the coating was able to reduce the airborne silica concentration, but the reduction did not meet the benchmark of 80% as set forth for the study. Additional studies to refine application and dosage of the sand coating may result in meeting this benchmark in future studies. Study limitations include small sample size and the truncated sampling time period for some of the samples collected, along with meteorological and site conditions.

Introduction

Silica or silicon dioxide (SiO₂) is a naturally occurring compound found on earth. Silica is a basic component of sand, soil, and other materials found in nature. The most common forms of silica include quartz, cristobalite, and tridymite (OSHA, 2002). The main route of exposure to respirable silica is through inhalation, causing adverse health effects. Silicosis, lung cancer, chronic obstructive pulmonary disease (COPD), and kidney disease have been linked to silica exposures (NIOSH, 2016). The International Agency for Cancer Research (IARC) has classified silica as a Group 1 carcinogen – "carcinogenic to humans" (IARC, 1997). Silicosis is a lung disease that can be characterized by the inhalation of particulate matter containing silica that is deposited deep into the lungs. The respirable fraction is important when studying exposure to particulate matter. This portion is made up of particles that are up to 10 µm in aerodynamic diameter and that can settle deep into lung tissue (Dahmann, 2008). Once this particulate matter has been deposited into the lung tissue, the body does not have the ability to expel or remove the material; this material ultimately damages the lung tissue.

There are three types of silicosis that can be developed, dependent upon the airborne concentration of respirable silica to which an individual is exposed. Chronic silicosis often occurs 10 or more years after exposure to a low concentration over a greater length of time.

Accelerated silicosis can occur between five to 10 years after the first exposure. Acute silicosis is often brought on by exposure to high concentrations of respirable silica and can manifest as early as four to five weeks from exposure (WHO, 2000).

The general population may be exposed to silica; however, the exposures of greatest concern are those of an occupational nature. The US National Institute for Occupational Safety and Health (NIOSH) estimated that about 1.7 million United States (US) workers are potentially exposed to respirable crystalline silica (NIOSH, 2016). Exposures can occur, but are not limited to when workers cut, grind, drill, saw, or crush materials such as rock, concrete, or sand. Workers in a large variety of industries have the potential to be exposed to silica, including individuals working in mining, construction, foundry operations, and those in the oil and gas industry. Onshore drilling and extraction activities employed by the oil and gas sector fall within the jurisdiction of OSHA. In recent years, OSHA has seen a decrease in silica exposure levels within some high-risk construction industries. Hydraulic fracturing employs a solid material called a proppant, which is injected into wells to hold open fissures underground to recover hydrocarbons (JOEH, 2013). With continued growth of industries such as the oil and gas sector and their use of silica-containing sand as a proppant, the risk of silica exposure must be considered when conducting these operations, as well as the mining, material handling, and transport of this sand (JOEH, 2013).

In order to further protect the workforce, OSHA amended the existing standards for occupational exposure to respirable silica (OSHA, 2016). The standard was published in March 2016 and will be phased in over five years, beginning in June 2017. The new standard reduced the permissible exposure limit (PEL) for workers from a calculated value based on the silica content of the sand to a total of $50 \,\mu\text{g/m}^3$, or $0.05 \,\text{mg/m}^3$ of dust, averaged over an eight-hour shift. The previous standard calculated the time weighted average (TWA) concentration for the OSHA PEL of respirable dust containing less than 1% silica, the percentage of silica in the sample was determined by dividing the quartz results for each sample by amount of respirable

dust and multiplying by 100. A PEL was previously calculated for each sample using the formula for general industry: $10\text{mg/m}^3 \div (\% \text{SiO}_2 + 2)$. This value was determined to be outdated and inadequate for protecting workers' health. The agency determined that occupational exposure to respirable crystalline silica at the previous PELs would still result in a significant risk of developing or dying from silica related diseases and that compliance with a $50 \,\mu\text{g/m}^3$ PEL would substantially reduce that risk (OSHA, 2016). This new limit will still carry hazards, but OSHA determined compliance with the new PEL to be the lowest level that can reasonably be achieved through use of engineering controls and work practices in most affected operations (OSHA, 2016). The American Conference of Governmental Industrial Hygienists (ACGIH®) Threshold Limit Values (TLVs®) (Current Edition) recommends an even lower exposure limit of $25 \,\mu\text{g/m}^3$. The OSHA PEL is currently enforceable as a governmental regulation while the ACGIH® TLVs® are recommended practices.

In addition to the reduced PEL, the update to the standard also includes added requirements, including monitoring and medical surveillance requirements when exposure levels may exceed the action level (AL) for 30 or more days in a year. Once the standard has been implemented, employers will be responsible for training workers about the dangers of respirable crystalline silica exposure and how to limit these potential exposures. If measured exposures reach or exceed the AL of 25 µg/m³ (0.025 mg/m³) as an eight hour TWA for more than 30 days, medical surveillance including pulmonary function testing and chest x-rays must be made available to employees every three years. Medical records from employees must then be maintained for the necessary number of years, including medical examinations used to determine employees' ability to wear respiratory protection. OSHA employers covered by the general industry and maritime standard have until June 2018 to comply with most requirements. Industry

responsible for hydraulic fracturing must comply by June 2018 for all provisions except engineering controls, which has a compliance date of June 2021 (OSHA, 2016).

Dust suppression techniques have been utilized in the past to minimize worker exposure to dust, including respirable crystalline silica. Techniques have included the use of equipment with integrated exhaust shrouds or water to reduce the airborne dust. There are applications where the use of water is an acceptable method for dust suppression, but in some cases the addition of water may not be feasible. When water is not an option, water soluble additives can be utilized as dust suppressing agents. A previous study published in the Journal of Occupational and Environmental Hygiene examined the use of a water soluble additive when cutting concrete. The article by Summers et al. (2015), determined that the additive had a practical application for reducing respirable dust when water was in short supply. There are additional situations where the use of water as a suppressant technology may not be advised. The novel sand coating that was examined in this research was developed to reduce the potential exposure risk to respirable crystalline silica in the oil and gas sector. Material handling operations for the industrial sands, which are used in the oil and gas sector are one of the largest exposure potentials for respirable crystalline silica. Product development for the coating focused on the ability to reduce the airborne concentrations of respirable silica without affecting the functionality of the sand or introducing additional environmental or health and safety concerns.

The purpose of this study was to examine if a novel sand coating technology could reduce the airborne silica concentration when applied to silica sand. Area air samples were collected to determine of an 80% reduction of airborne silica concentration was achieved.

The University of South Florida's Institutional Review Board (IRB) determined this study did not constitute research under their definition, since no human subjects were studied. A copy of this determination can be found in Appendix A.

Literature Review

Assessment of Exposure in Epidemiological Studies: The Example of Silica Dust

Occupational exposure to respirable crystalline silica is a well-established hazard. IARC has labelled silica as a human carcinogen, and ranks it among the more recurrent occupational exposures to an environmental carcinogen, just below tobacco smoke and ambient UV light (Kauppinen et al., 2000). Dahmann et al states that silica dust is so prevalent in industrial settings that baseline exposure cannot be avoided (Dahmann, 2008). The review published in the Journal of Exposure Science and Environmental Epidemiology (2008) looked at the specific methodologies used to assess exposure in several studies. This study was considered to be a high priority in regards to estimating exposures and controlling potential risks, since uncertainties in exposure assessment may have serious implications on workers' health. Previous studies have looked at dust as an agent; however, re-assessment was necessary since there were differences in the measuring devices used, the different sampling strategies used across countries, industries, and overtime (Dahmann, 2008).

This exposure assessment was conducted to develop a comprehensive exposure metric for respirable crystalline silica. Information was used to construct a database in regards to exposure situations in order to improve the risk estimation and to decrease uncertainties in the exposure assessment. The study stated that the two important considerations when looking at the exposure assessment were the occupational setting and the mineral characteristics of the silica (Dahmann, 2008).

Occupational Exposure to Respirable Crystalline Silica During Hydraulic Fracturing

With the emergence of hydraulic fracturing ("fracking"), workers continue to join the oil and gas industry. The process of fracking involves the injection of large volumes of water and proppant, along with smaller amounts of treatment chemicals, into a well in order to fracture rock formations (Esswein, 2013). The fracturing of the rock formations allows for the extraction of hydrocarbons from a petroleum-bearing reservoir. The use of the proppant serves to hold the fractures open to increase the efficient collection of the hydrocarbon materials (Esswein, 2013). Aluminum pellets, man-made ceramics, and silica sand can be used as a proppant during the fracking process. Most commonly, fracking employs sand, referred to as "frac sand". The crystalline silica content in the "frac sand" introduces an exposure risk to the oil and gas workers, as well as any workers responsible for the material handling prior to use, such as members of the mining or transport sectors.

A study published in the Journal of Occupational and Environmental Hygiene (JOEH) by Esswein, et al (2013) described the previously uncharacterized occupational exposures to respirable crystalline silica for oil and gas workers during fracking activities. During this study, 111 personal breathing zone (PBZ) samples were collected across 11 sites to evaluate exposures to respirable crystalline silica. Full-shift samples at all 11 sites exceeded the exposure criteria (OSHA calculated PEL, NIOSH REL, and /or ACGIH TLV). Based on the data, it was determined that an occupational exposure to respirable crystalline silica exists during fracking activities. Using the data collected in the study, dust generation points were identified for the work activities, as well as from the sites themselves. Recommendations for controls were given in the study including material substitution (when feasible), engineering controls including modifications to

the sand handling machinery, administrative controls, and the use of personal protective equipment (PPE).

The novel sand coating technology was developed to reduce the potential exposure risk to respirable crystalline silica when handling and working around sand that has been coated. Additionally the coating should not affect the functionality of the sand or introduce additional environmental or health and safety concerns. According to the patent filed in March 2015, the material was developed to provide surface protection in order to "[reduce] the generation of dust/fumes from the proppant caused by abrasion and impingement during transportation and conveyance, particularly pneumatic transfer." The patent claims that not only does this coating improve the recovery of oil and gas, but that additional desirable effects allows for users of the coated proppant to be in compliance with applicable regulatory standards. The patent states that the coating can reduce the airborne silica concentration by 70%. In addition to worker safety issues, the patent claims that the coating will not adversely impact the environment, and can be considered as "sustainable" and "green" in reference to being environmentally friendly. A confidential product Safety Data Sheet was provided to confirm the claims that there are no additional hazards arising from the use of the coating; a copy can be found in Appendix B.

Methods

Sampling activities were conducted during material handling operations at a barge loading site in the state of Missouri. Five monitoring areas were sampled over four days in May 2016. Sample locations are shown in Figure 1 and an aerial view of the site is found in Figure 2 below. $40/70~(210~\mu m - 420~\mu m)$ mesh sand was brought in by truck, loaded onto conveyor belts, and transferred into a barge. The coating was applied at the plant location using five spray nozzles for a targeted coating rate of 2.8 lbs/ton. The spray was applied directly to the sand as it traveled down the conveyor to the truck loading area. The sand was not mechanically mixed at the time of application, but was allowed to agitate as it traveled over the conveyor systems, loaded into trucks, and transported to the barge loading site. A single round of deliveries could range from as few as five trucks to as many as twenty-five but was typically around ten. Once the trucks were unloaded, they returned to the plant to receive another load of sand. Round trip delivery time for the trucks could vary from one and a half hours to four hours.

Full-shift (typically 8 hour) area air samples were collected from the five monitoring areas. Each monitoring area was sampled for respirable silica using GilAir personal sampling pumps (Sensidyne, LP, St. Petersburg, FL) connected to pre-weighted, 5-µm polyvinyl chloride filters in three-piece, 37 mm sampling cassettes (provided by SGS Galson Laboratories, East Syracuse, NY). The respirable fractions were captured using aluminum cyclones (provided by SGS Galson Laboratories, East Syracuse, NY). Sampling trains were calibrated in-line to the recommended flow rate for respirable particulate using an aluminum cyclone at 2.5 L/min and post-calibrated with a Dry Cal Defender 510- M (Bios International, Bulter Park, NJ). Cyclones

and cassettes were affixed to a stationary tripod approximately four to five feet off the ground, to mimic the height of a workers' breathing zone.

All samples were submitted to an AIHA®- accredited laboratory, and analyzed according to the NIOSH Manual of Analytical Methods (NMAM) method 0600, for gravimetric analysis of respirable silica, NMAM method 7500 and a modified OSHA ID-142, X-ray diffraction analysis for crystalline silica (quartz, cristobalite, and tridymite). For the purpose of this research only the quartz concentrations were examined as part of the study.

The study had an assigned benchmark of an 80% airborne reduction of respirable silica, this benchmark was not derived by any methodical designation, rather was set forth by the potential consumer of the coating technology. Because the samples collected were area samples, the results cannot directly be compared to the OSHA PEL for any regulatory standpoint; the values are relevant to studying the potential protective properties of the coating.

Weather

A handheld Kestrel 5400 WBGT Heat Stress Tracker (Nielsen-Kellerman Co., Minneapolis, MN) was used to record environmental parameters including temperature, relative humidity, barometric pressure, and estimated wind speed for each day sampled and is provided in Table I.

Table I: Average Meteorological Data for Days Sampled					
Environmental Conditions	Temperature (°F)	Relative humidity (%)	Barometric pressure (inHg)	Estimated wind speed (mph)	
Sampling Day 1	58.9	55	29.84	7	
Sampling Day 2	59.7	76	29.81	7	
Sampling Day 3	70.0	44	29.77	7	
Sampling Day 4	61.0	72	29.64	2	

Overcast site conditions were observed during Sampling Day 1. Light and sporadic rain showers occurred for the first half of the day. Winds originated predominantly from the east and northeast at an estimated seven miles per hour (mph). This sampling activity was conducted as baseline sampling - no sand coating was applied to the materials sampled during this day.

During Sampling Day 2, the winds originated predominantly from the north and northeast, with speeds around seven mph. Sampling Day 3 included winds originating

predominantly from the north and northeast, with speeds around seven mph. Coating was applied during these two days of the sampling period.

During Sampling Day 4 the winds were originating predominantly from the North, with speeds around two mph. Overcast skies with light and sporadic rain was observed during the sampling period. This concluded as baseline sampling - no sand coating was applied to the materials sampled during this day.

Site Diagram




Figure 1: Site Schematic for area air sample locations



Figure 2: View of site – North facing

Results

The analytical result provided by the laboratory and the calculated percent reduction of airborne silica are presented in the tables below.

Table II: Respirable Silica Area Sampling Results Quartz Concentration NIOSH Method 0600/7500 & OSHA ID 142				
			Coated	Uncoated
Date	Sample ID	Sample Location	(mg/m ³)	(mg/m³)
Sampling Day 1				
	976916	North Truck Loading Area		0.052
	976926	On Barge, East of Chute Area		<0.0044
	976946	On Barge, West of Chute Area		0.049
	976838	South Truck Loading Area		0.25
	976949	Truck Tailgate Loading Area		0.073
Sampling Day 2				
	976935	North Truck Loading Area	0.02	
	976950	On Barge, East of Chute Area	0.017	
	976952	On Barge, West of Chute Area	0.066	
	976957	South Truck Loading Area	0.062	
	976937	Truck Tailgate Loading Area	0.13	
Sampling Day 3				
	976940	North Truck Loading Area	0.066	
	976948	On Barge, East of Chute Area	0.084	
	976956	On Barge, West of Chute Area	< 0.0044	
	976951	South Truck Loading Area	0.18	
	976947	Truck Tailgate Loading Area	0.0071	

Table II: Respirable Silica Area Sampling Results Quartz Concentration NIOSH Method 0600/7500 & OSHA ID 142 (Continued)

Date	Sample ID	Sample Location	Coated (mg/m³)	Uncoated (mg/m³)
Sampling Day 4				
	976954	North Truck Loading Area		0.19*
	976958	On Barge, East of Chute Area		<0.013*
	976953	On Barge, West of Chute Area		0.072*
	976955	South Truck Loading Area		0.2*
	976934	Truck Tailgate Loading Area		0.25*

Lab results provided by Galson Laboratories that contain "<" were found to have a sample concentration that was at least below the indicated level of detection (LOD). For the purposes of reporting data, the concentration were reported as the value determined to be the LOD and calculations were based on that value.

^{*:} Denotes sampling volumes that were below the recommended minimum sampling of 400 liters for the NIOSH method 7500.

Table III: Percent Reduction of Respirable Silica when Handling Coated Sand Coated Uncoated Min Max Min Max Percent Average Average **Site Location** (mg/m^3) (mg/m^3) (mg/m^3) (mg/m^3) (mg/m^3) (mg/m^3) Reduction North Truck Loading 0.02 0.066 0.043 0.052 0.19 0.121 64% Area On Barge, East of 0.017 0.084 0.0505 < 0.0044 < 0.013 0.0087 -480% Chute Area On Barge, West of < 0.0044 0.066 0.0352 0.049 0.072 0.0605 42% Chute Area South Truck Loading 0.062 0.18 0.121 0.2 0.25 0.225 46% Area Truck Tailgate 0.0071 0.13 0.06855 0.073 0.25 0.1615 58% Loading Area Average for All 0.0221 0.1052 0.06365 0.075680.155 0.11534 45% Locations Average Excluding 0.0669375 0.1905 0.023375 0.1105 0.0935 0.142 53% East of Chute data

Lab results provided by Galson Laboratories that contain "<" were found to have a sample concentration that was at least below the indicated level of detection (LOD). For the purposes of reporting data, the concentration were reported as the value determined to be the LOD and calculations were based on that value.

Percent Reduction of Respirable Silica

An overall percent reduction of 45% for airborne respirable silica was observed when averaging results for all locations when handling the coated sand as compared to the baseline (Table III). The sample concentrations were averaged at each location for both the coated and the uncoated samples. These averaged values were used to calculate a percent reduction of respirable silica.

^{-:} Denotes an increase in the Respirable Crystalline Silica concentrations measured (values shown in red).

Excluding the "On Barge, East of Chute Area", the individual locations ranged from a percent reduction of 42% at the "On Barge West of Chute Area" to 64% at the "North Truck Loading Area". The "On Barge, East of Chute Area" was the only area to show an increase in the amount of respirable silica captured on the days in which the coated sand was handled (increase of 480%). Excluding the "On Barge, East of Chute Area", an overall reduction of 53% was observed when handling the coated sand.

Discussion

The samples examined in this study were area air samples only, and thereby cannot be used to determine personal exposure or regulatory compliance. Area air samples cannot be compared to the regulatory standards, but may be used as illustrative values when looking at the performance of the coating. In previous studies it has been thought that personal samples are of greater experimental value than area samples (Dahmann, 2008). This was in large part because of the respirable dust concentration in the PBZ, and the considerably lower suction rates of personal samplers than that of the area samplers. In recent studies it has been noted that if the same standards are followed for area sampling that are employed during personal sampling, the personal samples cannot be considered to have more significance than area samples (Dahmann, 2008). The data collected in this study may provide an initial overview of potential risk reduction for respirable silica, but it must be noted that future research would be necessary to accurately portray specific benefits to worker protection. The research was conducted to compare baseline concentration data to the concentrations of coated samples in order to examine the airborne silica reduction capacity of the coating as tested.

Potential Influencing Factors

Several factors may have caused the sampling results to appear unrepresentative of typical exposures, including the predominant wind direction on sampling days preventing capture of particulates on the cassette media, along with the rainy conditions on Sampling Day 1.

The lack of documentation of the coated sand deliveries and the gas blower usage to remove

sand from the lid of the barge on Sampling Day 2-4, that may have resulted in higher levels of particulates, and lower than recommended sample volume collected due to a shorter period of loading on Sampling Day 4.

Percent reduction calculations were completed for all locations and also calculated excluding the data from the "On Barge, East of Chute Area" due to concerns of unrepresentative data. The data collected from "On Barge, East of Chute Area" was not typical of the overall results. With the wind originating from the east, it is likely that the particulate matter was carried away from sampling equipment and not captured on the sampling media, resulting in lower or undetected sample concentrations during the uncoated sampling days. This low baseline concentration would not provide representative data when compared to the coated samples. While the monitoring stations were stationary, the wind speed and direction varied throughout the course of the sampling and these conditions may have influenced the amount of particulate collected during sampling. It should also be noted that rainy conditions will decrease the levels of particulates suspended in the air and may not be representative of sampling occurring during dry conditions.

The application process used to apply the sand coating for the field sampling was different from the application process previously s in the research and development (R&D) phase. Inadequate mixing and coating of the sand with the novel sand coating technology may have diminished the coating's ability to reduce the airborne silica concentration. The original application was designed to use five spray nozzles at the plant with a targeted coating rate of 2.8 lbs/ton via spray nozzles. An issue with the location of one spray nozzle required that nozzle to be shut down around 11:00 am on Sampling Day 2, and the coating was applied with only four nozzles for the remaining application. The sand was not mechanically mixed at the time of

application; however during the R&D phase, the coating was mixed to ensure coating on all sides. During Sampling Day 3, the coating system was only run intermittently. The coating system was started when the conveyors belt were started up and was turned off once the belts were shut down. The coating application may not have been evenly distributed to the outside of the sand and may not have presented optimal dust suppression during sand handling as a result. It was not well documented at the plant load out area which trucks received the coating during the first deliveries of the Sampling Day 2 and 3. Since the trucks were loaded at the plant and travelled almost 45 minutes to unload at the barge site, the order in which the trucks were loaded and unloaded may potentially have changed during transit. The possibility that uncoated sand were unloaded during the coated sand sampling period could not be eliminated without specific documentation.

During all sampling days, with the exception of Sampling Day 1, the barge lid was cleaned of excess sand debris. The activities used to clean the barge lid included the use of a high powered blower to remove the sand debris. Visible dust was observed being blown off the barge lid, with some of the emissions carried back to the area where the sampling equipment was located. This visible emissions observed may have resulted in higher than normal results on those days.

The sample duration was truncated on Sampling Day 4 due to the limited deliveries that occurred during this day. The typical duration for deliveries extend over an 8 hour work shift, on this day the delivery duration was approximately two hours, which was not representative in terms of length of the sampling period. Concentrations from short interval sampling may overestimate the total shift exposure, as it does not account for the periods of zero or low

exposures (Dahmann, 2008). The NMAM for 7500 recommends a minimum of 400 liters (L) be collected during the sampling period; the minimum volumes were not collected during Sampling Day 4 activities. The low sample volumes collected increases the chances of non-detection for respirable silica particulates, as observed in this area on Sampling Day 4.

Study Limitations

This study was limited due to small sample size and the truncated sampling time period for some of the samples collected. Observed factors that may have influenced the data collected during the study include weather, wind direction and speed, and the coating application method.

It should be noted that results of sampling at this site location may not correspond to the exposures at other locations; this data was dependent on the site configuration, equipment, and weather conditions at the time of sampling. The area sampling results in this study are not indicative of personal samples or other potential situations or environments.

Future Research

Although the use of the sand coating did show a reduction in the concentration of airborne silica, it did not meet the 80% reduction assigned for this study. Refinement of the application process for the coating may be a primary factor for not meeting the assigned benchmark. Application of the coating as it was studied in the R&D phase, so that the coating is thoroughly applied to the sand and mixed in order to ensure even distribution would need to be studied. Application of the coating in the field in same manner in which it was tested in the laboratory may illustrate reduction in future research. Additional future research - including the collection of

additional samples and the collection of personal samples - may offer a more accurate idea of the ability of the coating to reduce airborne silica.

Conclusion

Based on the comparison between the uncoated and coated area air samples collected during this study, the novel sand coating technology was able to show a 45% reduction of airborne silica concentration. The results achieved during this study did not meet the benchmark of 80% set forth for this study, but did illustrate that with more research which could include technical improvements to the product and refinement to the application process, the desired reduction values may be possible.

Reference List

- ACGIH[®]: 2012 TLVs and BEIs: Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices Cincinnati, Ohio: ACGIH, 2012.
- Dahmann, D., Taeger, D., Kappler, M., Büchte, S., Morfeld, P., Brüning, T., Pesch, B., (2008)

 Assessment of Exposure in Epidemiological Studies: The Example of Silica Dust,

 Journal of Exposure Science and Environmental Epidemiology, 18, 452-461,

 DOI:10.1038/sj.jes.7500636
- Esswein, E., Breitenstein, M., Snawder J., Kiefer M., Sieber W. K., (2013) Occupational
 Exposures to Respirable Crystalline Silica During Hydraulic Fracturing, *Journal of Occupational and Environmental Hygiene*, 10:7, 347-356,
 DOI:10.1080/15459624.2013.788352
- Kauppinen T., Toikkanen J., Pedersen D., Young R., Ahrens W., Boffetta P., et al. Occupational exposure to carcinogens in the European Union. *Occup Environ Med* 2000: 57: 10–18.
- National Institute for Occupational Safety and Health (NIOSH): NIOSH Hazard Review: Health Effects of Occupational Exposure to Respirable Silica. DHHS (NIOSH) Pub. No. 2002-129. Cincinnati, Ohio: NIOSH, 2002.

- National Institute for Occupational Safety and Health (NIOSH): "NIOSH Pocket Guide to Chemical Hazards." Available at http://www.cdc.gov/niosh/npg (accessed June 11, 2016).
- Occupational Safety and Health Administration. "Exposure to Respirable Crystalline Silica:

 Final Rule" Available at https://www.federalregister.gov/documents/2016/03/25/2016-04800/occupational-exposure-to-respirable-crystalline-silica (accessed December 18, 2016).
- "Particulates not Otherwise Regulated, Respirable." Available at http://www.cdc.gov/niosh/docs/2003-154/pdfs/0600.pdf (accessed October 19, 2016).
- "Particulates not Otherwise Regulated, Total." Available at http://www.cdc.gov/niosh/docs/2003-154/pdfs/0500.pdf (accessed October 19, 2016).
- Summers, M. P., Parmigiani, J. P., (2015) A Water Soluble Additive to Suppress Respirable Dust from Concrete-Cutting Chainsaws: A Case Study, *Journal of Occupational and Environmental Hygiene*, 12:4, D29-D34, DOI: 10.1080/15459624.2014.989360
- "Silica, Crystalline, by XRD (filter redeposition)." Available at http://www.cdc.gov/niosh/docs/2003-154/pdfs/7500.pdf (accessed October 19, 2016).
- World Health Organization. Concise International Chemical Assessment Document 24:

 Crystalline Silica, Quartz. Available at

 http://www.who.int/ipcs/publications/cicad/en/cicad24.pdf (accessed December 1, 2016).

Appendix A:

IRB Determination Letter



RESEARCH INTEGRITY AND COMPLIANCE Institutional Review Boards, FWA No. 00001669 12901 Bruce B, Downs Blvd., MDC035 • Tampa, FL 33612-4799 (813) 974-3638 • FAX(813) 974-7091

1/12/2017

Elizabeth Lloyd Environmental and Occupational Health Tampa, FL 33612

RE: Not Human Subjects Research Determination

IRB#: Pro00028921

Title: Reduction of Airborne Silica Concentration Using a Novel Sand Coating Technology

Dear Mrs. Lloyd:

The Institutional Review Board (IRB) has reviewed your application and determined the activities do not meet the definition of human subjects research. Therefore, this project is not under the purview of the USF IRB and approval is not required. If the scope of your project changes in the future, please contact the IRB for further guidance.

All research activities, regardless of the level of IRB oversight, must be conducted in a manner that is consistent with the ethical principles of your profession. Please note that there may be requirements under the HIPAA Privacy Rule that apply to the information/data you will utilize. For further information, please contact a HIPAA Program administrator at 813-974-5638.

We appreciate your dedication to the ethical conduct of research at the University of South Florida. If you have any questions regarding this matter, please call 813-974-5638.

Sincerely,

E. Verena Jorgensen, M.D., Chairperson

USF Institutional Review Board

Vforgensen MD

Appendix B:

Safety Data Sheet

SAFETY DATA SHEET

1. Identification

Product identifier Novel Sand Coating Technology

Other means of identification

Product Code N/A

Recommended use Coating agent for sand.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Proprietary Company

Address

E-mail

Telephone

Proprietary Information Proprietary Information Proprietary Information

Emergency phone number

2. Hazard(s) identification

Physical hazards
Health hazards
Environmental hazards
OSHA defined hazards
Not classified.
Not classified.
Not classified.
Not classified.

Label elements

Hazard symbol None. Signal word None.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

None known.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Aliphatic Alcohol		56-81-5	50 - < 95
Aqueous Attrition Resistant	Agent	Proprietary	5 - < 50

29

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Material name: Novel Sand Coating Technology
Version #: 05 Revision date: 06-03-2016 Issue date: 01-08-2016

SDS US

1/7

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Take off

contaminated clothing and wash before reuse.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

General information

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Headache, Irritation of eyes and mucous membranes, Nausea, vomiting, Skin irritation,

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Avoid discharge into drains, water courses or onto the ground.

Conditions for safe storage. including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aliphatic Alcohol (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Material name: Novel Sand Coating Technology

SDS US

Version #: 05 Revision date: 06-03-2016 Issue date: 01-08-2016

2/7

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Colorless to Light Amber Liquid.

Physical state Liquid. Form Liquid.

Color Colorless to Light Amber

Odor Minimal.
Odor threshold Not available.
pH 7 - 7.5
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point > 350 °F (> 177 °C)
Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Complete.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 60 - 90 cP

Viscosity temperature 77 °F (25 °C)

Other information

 Density
 9.59 - 10.35 lb/gal

 Density temperature
 77 °F (25 °C)

 Specific gravity
 1.15 - 1.24

 Specific gravity
 77 °F (25 °C)

temperature

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Material name: Novel Sand Coating Technology

sos us

Version #: 05 Revision date: 06-03-2016 Issue date: 01-08-2016

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the flash point. Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidizing agents.

Hazardous decomposition Carbon oxides. Irritating and/or toxic fumes and gases may be emitted upon the products

products

decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation Not classified. Prolonged inhalation may be harmful.

Skin contact Not classified. Frequent or prolonged contact may defat and dry the skin, leading to discomfort

and dermatitis.

Eye contact Not classified. Direct contact with eyes may cause temporary irritation.

Not classified. May cause discomfort if swallowed. Ingestion

Symptoms related to the physical, chemical and

toxicological characteristics Headache. Nausea, vomiting. Skin irritation. Irritation of eyes and mucous membranes.

Information on toxicological effects

Acute toxicity Not available.

Skin corrosion/irritation Not classified. Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Not classified. Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified. Skin sensitization Not classified.

Not classified. No data available to indicate product or any components present at greater than Germ cell mutagenicity

0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Not classified. This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ

toxicity - single exposure

Specific target organ

Not classified.

Not classified.

toxicity - repeated exposure

Aspiration hazard

Not classified.

Chronic effects

Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

Aliphatic Alcohol (CAS 56-81-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 51000 - 57000 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

Material name: Novel Sand Coating Technology

SDS US

Version #: 05 Revision date: 06-03-2016 Issue date: 01-08-2016

^{*} Estimates for product may be based on additional component data not shown.

Bioaccumulative potential No data available. Partition coefficient n-octanol / water (log Kow)

Aliphatic Alcohol -1.76

Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. Other adverse effects

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

Not regulated as dangerous goods.

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Material name: Novel Sand Coating Technology

SDS US 5/7

Version #: 05 Revision date: 06-03-2016 Issue date: 01-08-2016

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Aliphatic Alcohol (CAS 56-81-5) Other Flavoring Substances with OSHA PEL's

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Aliphatic Alcohol (CAS 56-81-5)

US. New Jersey Worker and Community Right-to-Know Act

Aliphatic Alcohol (CAS 56-81-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Aliphatic Alcohol (CAS 56-81-5)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

[&]quot;A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 01-08-2016

Revision date 06-03-2016

Version # 05

HMIS® ratings Health: 1
Flammability: 1
Physical hazard: 0
Personal protection: X

r eraonar prote

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: SDS US

Version #: 05 Revision date: 06-03-2016 Issue date: 01-08-2016

6/7

Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Revision information

Material name: Novel Sand Coating Technology
Version #: 05 Revision date: 06-03-2016 Issue date: 01-08-2016

SDS US 7/7

Appendix C:

List of Equipment and Instrumentation

2 piece 37 mm diameter 5-µm PVC Membrane Filter Sampling Cassette

3 piece 37 mm diameter 5-µm PVC Membrane Filter Sampling Cassette

Aluminum Cyclone and Calibration Chamber

Bios DryCal Defender 510-M primary calibrator

Serial Number: 127807

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG679

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG541

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG667

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG727

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG744

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG1515

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG658

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG726

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG176

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG256

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG679

Gilian GilAir-5 Air Sampling Pump

Pump Number: PG249

Nielsen-Kellerman Kestrel 5400 Heat Stress Tracker

SKU family: 0854

Stationary Sampling Tripods

TSI DustTrak DRX Aerosol Monitor 8533

Serial Number: 8533153303

Tygon tubing and Cassette holders

Appendix D:

Air Monitoring Data

MONITORING EVENT INFORMATION						
Site	Proprietary		Date	5/16/16		
Area Name	Barge Unloading		Pump #	PG667		
Title	North Truck Unloading Area		Cyclone #	CY1584		
	Denote whether Routine TWA Monitoring or Task Specific Monitoring					
Routine TWA M	onitoringI	Task Spe	Task Specific Monitoring			
			List GROUP/TA	SK if task specific		
Uncoated Sand Sa	amples					

SAMPLING MEDIA/ANALYSIS INFORMATION						
Sampling Media	3 pc 37-mm, 5-µr	n PVC cassette	Assigne	d Number	976916	
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142	
ANALY	TES	Lab Results			Units	
Dust		0.14		mg/m³		
Quartz		0.052		mg/m³		
Cristobalite			mg/m ³			
Tridymite		<0.019		mg/m³		
Calculated PEL		0.26		mg/m ³		

CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument				Dat Cal	e ibrated	7/10)/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AVG (l/min) 2		2.50)
End Flow Rate (1/min)				AVG (l/min)		2.57	1
Average Flow rate fo	Average Flow rate for sampling period (l/min)						
Start Time	9:54 am	End time	4:42 pm Total sampling time (mins)		408		
Volume Collected (liters)					1036.3		

WEATHER INFORMATION					
Wind Direction East - SE- SW Wind velocity (mph) 7 mph					
Temperature (F)	58.9-59.4 F	Humidity	55%		

JOB TASK INFORMATION					
Job Task Description	Duration (mins)				

MONITORING EVENT INFORMATION						
Site	Proprietary		Date	5/16/16		
Area Name	Barge Unloading		Pump #	PG727		
Title	On Barge, East of Chute		Cyclone #	CY2089		
	Denote whether Routine TWA Mon	itoring or	Task Specific Mo	nitoring		
Routine TWA M	onitoringx	Task Specific Monitoring				
	List GROUP/TASK if task specific					
Uncoated Sand Sa	mples					

	SAMPLING MEDIA/ANALYSIS INFORMATION						
Sampling Media	3 pc 37-mm, 5-µr	n PVC cassette	Assigne	i Number	976926		
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142		
ANALY	ANALYTES				Units		
Dust		<0.044		mg/m ³			
Quartz		<0.0044		mg/m ³			
Cristobalite		<0.0044 mg/m ³					
Tridymite		<0.018		mg/m³			
Calculated PEL		5.0		mg/m³			

CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument	Bios Defender 510-M			Dat Cal	e ibrated	7/10)/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AVG (l/min)		2.50)
End Flow Rate (l/min)			AVG (l/min)		2.54	ŀ	
Average Flow rate for sampling period (l/min) 2.52							
Start Time	9:15 am	End time	4:48 pm Total sampling time (mins)		ling s)	453	
Volume Collected (lit	Volume Collected (liters)			1141.6			

WEATHER INFORMATION						
Wind Direction East - SE- SW Wind velocity (mph) 7 mph						
Temperature (F) 58.9-59.4 F Humidity 55%						

JOB TASK INFORMATION	
Job Task Description	Duration (mins)

	MONITORING EVENT INFORMATION					
Site	Proprietary		Date	5/16/16		
Area Name	Barge Unloading		Pump#	PG679		
Title On Barge, West of Chute			Cyclone #	CY220		
	Denote whether Routine TWA Mon	itoring or	Task Specific Mo	nitoring		
Routine TWA M	onitoringx	Task Spe	cific Monitoring			
			List GROUP/TAS	SK if task specific		
Uncoated Sand Sa	mples					

	SAMPLING MEDIA/ANALYSIS INFORMATION							
Sampling Media	3 pc 37-mm, 5-µr	n PVC cassette	Assigned Number 976946		976946			
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142			
ANALY	ANALYTES Lab Resul				Units			
Dust		0.15		mg/m ³				
Quartz		0.049		mg/m ³				
Cristobalite	Cristobalite <0.0048			mg/m³				
Tridymite		<0.019		mg/m³				
Calculated PEL		0.29		mg/m³	·			

	CALIBRATION and SAMPLING DATA						
Calibration Method/Instrument				Dat Cal	e ibrated	7/10	/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AV	G (l/min)	2.50	
End Flow Rate (1/min)			AVG (l/min)		2.52	l	
Average Flow rate for sampling period (l'min)			2.51				
Start Time	10:00 am	End time	4:55 pm Total sampli time (mins)		ling (S)	415	
Volume Collected (liters)					1041.7		

WEATHER INFORMATION							
Wind Direction	Wind Direction East - SE- SW Wind velocity (mph) 7 mph						
Temperature (F)							

JOB TASK INFORMATION				
Job Task Description	Duration (mins)			

	MONITORING EVENT INFORMATION					
Site	Proprietary		Date	5/16/16		
Area Name	Barge Unloading		Pump #	PG726		
Title	Title South Truck Unloading Area		Cyclone #	CY2088		
	Denote whether Routine TWA Mon	itoring or	Task Specific Mo	nitoring		
Routine TWA M	onitoringx	Task Spe	cific Monitoring			
			List GROUP/TAS	SK if task specific		
Uncoated Sand Sa	mples					

	SAMPLING MEDIA/ANALYSIS INFORMATION							
Sampling Media	3 pc 37-mm, 5-μr	n PVC cassette	Assigned Number		976838			
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142			
ANALY	ANALYTES		5		Units			
Dust		0.66		mg/m³				
Quartz		0.25		mg/m³				
Cristobalite	Cristobalite		< 0.0053					
Tridymite		<0.021		mg/m³				
Calculated PEL		0.25		mg/m³				

	CALIBRATION and SAMPLING DATA						
Calibration Method/Instrument				Dat Cal	e ibrated	7/10	/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AVG (l/min)		2.43	
End Flow Rate (l/min)			AVG (l/min)		2.21		
Average Flow rate fo	r sampling perio	d (l/min)	2.32				
Start Time	9:52 am	End time	4:38 pm Total samplin time (mins)			ling (s)	406
Volume Collected (lit	ers)				941.9		

WEATHER INFORMATION							
Wind Direction	Wind Direction East - SE- SW Wind velocity (mph) 7 mph						
Temperature (F) 58.9-59.4 F Humidity 55%							

JOB TASK INFORMATION				
Job Task Description	Duration (mins)			

	MONITORING EVENT INFORMATION						
Site	Proprietary		Date	5/16/16			
Area Name	Barge Unloading		Pump #	PG249			
Title	Title Truck Tailgate Unloading Area		Cyclone #	CY1972			
	Denote whether Routine TWA Mon	itoring or 1	Task Specific Mo	nitoring			
Routine TWA M	onitoringx	Task Spec	rific Monitoring				
Lis	t SEG Name if routine	1	List GROUP/TAS	SK if task specific			
Uncoated Sand Sa	mples						

	SAMPLING MEDIA/ANALYSIS INFORMATION										
Sampling Media	3 pc 37-mm, 5-µr	n PVC cassette	Assigne	976949							
Analysis type	Respirable Dust	Respirable Dust			0600/7500 & ID 142						
ANALY	TES	Lab Results			Units						
Dust		0.23		mg/m³							
Quartz		0.073		mg/m³							
Cristobalite		< 0.0047		mg/m ³							
Tridymite		<0.019		mg/m³							
Calculated PEL		0.29		mg/m³							

	CALIBRATION and SAMPLING DATA										
Calibration Method/Instrument	Bios Defender 5	Bios Defender 510-M					7/10/2015				
Calibrator Serial #	127807										
Starting Flow rate (1/min)				AV	G (l/min)	2.50					
End Flow Rate (1/min)				AV	G (l/min)	2.30					
Average Flow rate fo	r sampling perio	d (l/min)	2.40								
Start Time	9:11 am	End time	4:32 pm	Total samp time (min		ling s)	441				
Volume Collected (lit	1058.4										

WEATHER INFORMATION										
Wind Direction	Wind Direction East - SE-SW Wind velocity (mph) 7 mph									
Temperature (F)	55%									

JOB TASK INFORMATION									
Job Task Description	Duration (mins)								

	MONI	TORING EVE	NT INFO	DRM	(AI	TION				
Site	Proprietary			Dat	te			5/1	6/16	
Area Name	Barge Unloadin	g		Pur	mp#			PG.	256	
Title	North Truck Un	loading Area		Cyc	clone	#				
D	enote whether R	outine TWA Mon	itoring or 1	Task	Spe	cific Mo	nitoria	ıg		
Routine TWA Monit			Task Spec							
			List GROUP/TASK if task specific							
					Onc	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		LIN-JU	Specialic	
Uncoated Sand Sampl	es									
•										
	SAMPLING	G MEDIA/AN	ALYSIS I	INF	OR	MATIC	ON .			
Sampling Media	2 pc 37-mm, 5-y	ım PVC cassette		Ass	igne	d Numbe	er	972	303	
Analysis type							#	050	0	
ANALY	TES	Lat	Results					U	nits	
Dust		0.38				mg/m³				
		BRATION and	ISAMPL	INC						
Calibration Method/Instrument	Bios Defender 5	510-M			Date Calibrated			7/1	7/10/2015	
Calibrator Serial #	127807			_						
Starting Flow rate (1/min)					AV	G (l/min))	2.0	0	
End Flow Rate (1/min)					AV	G (l/min))	2.0	5	
Average Flow rate fo	r sampling perio	d (l/min)	2.03							
Start Time	9:54 am	End time	4:45	pm		Total s time	ampli (mins)	ng)	411	
Volume Collected (lit	ers)	1				834	4.3			
		the Educate De		b d C						
WEATHER INFORMATION Wind Direction East - SE- SW Wind velocity (mph) 7 m								h		
Temperature (F)	58.9-59.4		Humidity		,-,-		55%			
		JOB TASK IN	FORMA	TIC	N					
		Task Description						Ŧ	Duration (mins)	
								+		
								\downarrow		
								+		

	MONII	OKINGEVE	IN I IINE		VLAL	LION		
Site	Proprietary			Da			5/1	6/16
Area Name	Barge Unloading				mp#		PG	658
Title	On Barge, East o				clone			
	enote whether Ro		itoring or				ring	
Routine TWA Monit		dille I WA MIGH	Task Spe				-	
				List	GRO	UP/TASK	if tasl	k specific
Uncoated Sand Sampl	es							
	SAMPLING	MEDIA/ANA	ALYSIS	INF	OR	MATION		
Sampling Media	2 pc 37-mm, 5-μ	m PVC cassette	Assigned Number					2282
Analysis type	Total Dust			NIOSH method#			050	00
ANALY	TES	Lab	Results				Ū	nits
Dust	<0.051				mg/m³			
	CALIB	RATION and	SAMPL	INC	3 D	ATA		
Calibration Method/Instrument	Bios Defender 51	10-M		Date Calibrated			7/1	0/2015
Calibrator Serial #	127807							
Starting Flow rate (1/min)					AVG (l/min)		2.20	
End Flow Rate (l/min)					AV	G (l/min)	2.1	0
Average Flow rate fo	r sampling period	l (l/min)	2.15					
Start Time	9:15 am	End time	4:47	рm		Total samp	oling ns)	452
Volume Collected (lit	ters)					971.8		1
(la sè d				
Wind Direction	East - SE-	VEATHER IN	Wind vel			h) 71	nph	
Temperature (F)	58.9-59.41	F	Humidity		122	55	%	
		OB TASK IN	FORMA	117	N			
		Task Description						Duration (mins)
							\dashv	
							\dashv	
							\Box	
							\dashv	
Revision Date: May 1, 201	16							

	MONIT	ORING EVE	NT INFO	ORN	ſAT	ION				
Site	Proprietary			Dat	e		5/16	5/16		
Area Name	Barge Unloading			Pun	np#		PG7	744		
Title	On Barge - West	of Chute Area		Cyclone #						
D	enote whether Ro	utine TWA Mon	itoring or	Task	Spec	ific Monitor	ing			
Routine TWA Monit	oringx		Task Spe	cific !	Mon	itoring	_			
				Tiet (CRO	UP/TASK i	ftack	specific		
				Lin	OILO	OI/IMBIL I	i tasa	Special		
Uncoated Sand Sample	es									
	SAMPLING	MEDIA/ANA	ALYSIS	INF	OR	MATION				
Sampling Media	2 pc 37-mm, 5-μr	n PVC cassette		Ass	igne	d Number	972	280		
Analysis type	Total Dust			NIC	OSH	method#	050	0		
ANALY	TES	Lab	Results				Uı	nits		
Dust		0.72				mg/m ³				
					_					
		RATION and	SAMPL	ING						
Calibration Method/Instrument	Bios Defender 51	0-M		\dashv	Date Calibrated			7/10/2015		
Calibrator Serial #	127807			_						
Starting Flow rate (1/min)					AV	G (l/min)	2.00)		
End Flow Rate (l/min)					AV	G (l/min)	2.03	3		
Average Flow rate fo	r sampling period	(l/min)	2.01							
Start Time	10:00 am	End time	4:52	pm		Total samp time (min	ling (s)	412		
Volume Collected (lit	ers)					828.1				
,	,		POPMS	hara.						
Wind Direction	East - SE-	SW	Wind vel	ocity	(mp	h) 7 m	ph			
Temperature (F)	58.9-59.4 I		Humidity			55%				
	J	OB TASK IN	FORMA	T10	N					
	Job '	Task Description	1				\mp	Duration (mins)		
							\pm			
							\bot			
							\pm			
	<u> </u>									

	, A	IONIT	ORING EVE	NT INFO	DRN	(A1	ION				
Site	Proprieta	ıry			Dat	te		5/	16	/16	
Area Name	Barge Ur	nloading			Pu	mp#		P	Gl	76	
Title	South Tr	uck Unk	oading Area		Cy	clone	#				
D	enote whe	ther Ro	utine TWA Mon	itoring or '	Task	Spe	cific Mor	nitoring			
Routine TWA Monit	oring	x		Task Spec	cific	Mon	itoring _				
				,	T int	CPC	UP/TAS	T if to	-1-	enocific	
				<u> </u>	LIST	GRU	OFITAS	K II ta	SK.	specific	
Uncoated Sand Sampl	ac .										
Oncoured Same Sample											
	SAM	PLING	MEDIA/AN	ALYSIS I	INF	OR	MATIO	N			
Sampling Media			n PVC cassette		$\overline{}$		d Numbe	-	/22	270	
Analysis type	Total Du	Total Dust			NI	OSH	method	# 05	500)	
ANALY	Lat	Results				,	Un	iits			
Dust			2.1				mg/m³				
		ALIB	RATION and	SAMPL	INC	- D.	ATA				
Calibration Method/Instrument	Bios Def	ender 51	0-M		Date Calibrated			7/	7/10/2015		
Calibrator Serial #	127807										
Starting Flow rate (1/min)						AV	G (1/min)	2.	00		
End Flow Rate (l/min)						AV	G (1/min)	1.	99		
Average Flow rate fo	r samplin	g period	(l/min)	1.99							
Start Time	9:52	am.	End time	4:36	pm		Total s time	ampling (mins)	5	404	
Volume Collected (lit	ters)						800	5.4	_		
			EATHER IN		997						
Wind Direction	Wind velo			h)	7 mph	_					
Temperature (F)							55%				
		J	OB TASK IN	FORMA	TIC	N			_		
		Job	Task Description	1						Duration (mins)	
									H		
									\vdash		
									\vdash		

	N	ONI	ORING EVE	NT INFO	ORN	(A)	TION			
Site	Proprieta				Dat			5/	16/16	
Area Name	Barge Un	loading	;		Pur	mp#		P(31515	
Title	Truck Ta	ilgate U	Inloading Area		Cyc	clone	#			
D	enote whe	ther Ro	utine TWA Mon	itoring or	Task	Spe	cific Mo	nitoring		
Routine TWA Monit	oring	I		Task Spe	cific	Mon	itoring _			
					List	GRO	UP/TAS	K if ta	sk speci	fic
Uncoated Sand Sample	es									
			MEDIA/AN	ALYSIS .	_			-		
Sampling Media	-		m PVC cassette		_		d Numbe		2278	
Analysis type	Total Du	st			NI	OSH	method	# 05	00	
ANALY	TES		Lat	Results					Units	
Dust			0.53				mg/m³			
	(ALIE	RATION and	I SAMPI.	INC	2 D	ATA			
Calibration Method/Instrument	Bios Def					Dat		7/	7/10/2015	
Calibrator Serial #	127807									
Starting Flow rate (1/min)						AV	G (l/min)	2.0	00	
End Flow Rate (Vmin)						AV	G (l/min)	2.0	06	
Average Flow rate fo	r sampling	g perio	d (l/min)	2.03						
Start Time	9:11 :	ım	End time	4:29	pm		Total s time	ampling (mins)		438
Volume Collected (lit	ers)						889	9.1		
			VEATHER IN	HANDAY C	h tr	181				
Wind Direction	Fa	st – SE		Wind vel			h)	7 mph		
Temperature (F)		9-59.4		Humidity		بوس.		55%		
			OB TASK IN	FARMIN	117					
			Task Description		110	/11			Dura	tion (mins)
										(=.20)

	MONITORING EVE	NT INFO	ORMATION				
Site	Proprietary		Date	5/18/16			
Area Name	Barge Unloading		Pump #	PG667			
Title	North Truck Unloading Area		Cyclone #	CY1584			
	Denote whether Routine TWA Mon	nitoring or Task Specific Monitoring					
Routine TWA Mo	onitoringx	Task Specific Monitoring					
		List GROUP/TASK if task specific					
Coated Sand Samp	les						

SAMPLING MEDIA/ANALYSIS INFORMATION										
Sampling Media	3 pc 37-mm, 5-µr	n PVC cassette	Assigne	976935						
Analysis type	Respirable Dust		NIOSH	0600/7500 & ID 142						
ANALY	TES	Lab Results			Units					
Dust		0.064		mg/m ³						
Quartz		0.020		mg/m ³						
Cristobalite		< 0.0057		mg/m ³						
Tridymite		<0.023		mg/m³						
Calculated PEL		0.30		mg/m³						

	CALIBRATION and SAMPLING DATA									
Calibration Method/Instrument	Bios Defender 5			Dat		7/10/2015				
Calibrator Serial #	127807									
Starting Flow rate (1/min)				AV	G (l/min)	2.49				
End Flow Rate (Vmin)				AV	G (l/min)	2.41				
Average Flow rate fo	r sampling perio	d (l/min)	2.45							
Start Time	9:52 am	End time	3:54 pm		Total sampling time (mins)		361			
Volume Collected (lit	884.5									

WEATHER INFORMATION				
Wind Direction	N/NE	Wind velocity (mph)	7-8 mph	
Temperature (F)	59.7-70F	Humidity	76%	

JOB TASK INFORMATION	
Job Task Description	Duration (mins)

MONITORING EVENT INFORMATION					
Site	Proprietary		Date	5/18/16	
Area Name	Barge Unloading		Pump #	PG679	
Title	On Barge, East of Chute Area		Cyclone #	CY2088	
	Denote whether Routine TWA M	Conitoring or	Task Specific Mo	nitoring	
Routine TWA M	onitoringx	Task Spe	cific Monitoring		
			List GROUP/TA	SK if task specific	
Coated Sand Sam	ples				

	SAMPLING MEDIA/ANALYSIS INFORMATION						
Sampling Media	3 pc 37-mm, 5-µ1	n PVC cassette	Assigned Number		976950		
Analysis type	Respirable Dust		NIOSH method#		0600/7500 & ID 142		
ANALY	TES	Lab Results	•		Units		
Dust		<0.060		mg/m³			
Quartz	Ouartz 0.017		mg/m³				
Cristobalite	istobalite <0.0060			mg/m ³			
Tridymite		<0.024		mg/m ³			
Calculated PEL		0.098		mg/m³			

	CALIBRATION and SAMPLING DATA						
Calibration Method/Instrument	Bios Defender 510-M			Date Calibrated		7/10	/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AV	G (l/min)	2.49)
End Flow Rate (l/min)			AVG (l/min)		2.19)	
Average Flow rate fo	r sampling perio	d (l/min)	2.34				
Start Time	9:43 am	End time	3:42 pm Total sampling time (mins)		357		
Volume Collected (liters)					835.38		

WEATHER INFORMATION					
Wind Direction N/NE Wind velocity (mph) 7-8 mph					
Temperature (F) 59.7-70F Humidity 76%					

JOB TASK INFORMATION				
Job Task Description	Duration (mins)			

	MONITORING EVENT INFORMATION					
Site	Proprietary		Date	5/18/16		
Area Name	Barge Unloading		Pump #	PG541		
Title	On Barge, West of Chute Area		Cyclone #	CY2146		
D	itoring or	Task Specific Monit	toring			
Routine TWA Monit	toringx	Task Spe	cific Monitoring	_		
		List GROUP/TASK	if task specific			
			·	_		
Coated Sand Samples						

	SAMPLING MEDIA/ANALYSIS INFORMATION					
Sampling Media	3 pc 37-mm, 5-μr	n PVC cassette	Assigned Number 976		976952	
Analysis type	Respirable Dust		NIOSH method # 0600/7500		0600/7500 & ID 142	
ANALY	TES	Lab Results			Units	
Dust		0.16		mg/m³		
Quartz	0.066 mg/m		mg/m³			
Cristobalite		<0.0058		mg/m³		
Tridymite		<0.023		mg/m³		
Calculated PEL		0.23		mg/m³	·	

CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument				Dat Cal	e ibrated	7/10	/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AV	G (l/min)	2.48	
End Flow Rate (1/min)				AVG (l/min)		2.37	1
Average Flow rate fo	r sampling perio	d (l/min)	2.43				
Start Time	9:42 am	End time	3:37 pm		Total samp time (min	ling s)	354
Volume Collected (liters)					860.2		

WEATHER INFORMATION				
Wind Direction N/NE Wind velocity (mph) 7-8 mph				
Temperature (F)	59.7-70F	Humidity	76%	

JOB TASK INFORMATION	
Job Task Description	Duration (mins)

MONITORING EVENT INFORMATION							
Site	Proprietary	Proprietary		5/18/16			
Area Name	Barge Unloading	Barge Unloading		Pump #		PG727	
Title	South Truck Unloading Area		Cyclone #	CY2089			
Denote whether Routine TWA Monitoring or Task Specific Monitoring							
Routine TWA Mor	uitoringx	Task Specific Monitoring					
			List GROUP/TAS	SK if task specific			
Coated Sand Sampl	es						

SAMPLING MEDIA/ANALYSIS INFORMATION								
Sampling Media	3 pc 37-mm, 5-μr	n PVC cassette	Assigne	d Number	976957			
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142			
ANALY	YTES	Lab Results	Units		Units			
Dust		0.23		mg/m³				
Quartz		0.062		mg/m³				
Cristobalite		< 0.0054		mg/m³				
Tridymite		<0.022		mg/m³				
Calculated PEL		0.34		mg/m³				

CALIBRATION and SAMPLING DATA								
Calibration Method/Instrument				Dat Cal	e ibrated	7/10/2015		
Calibrator Serial #	127807							
Starting Flow rate (1/min)				AVG (l/min)		n) 2.53		
End Flow Rate (1/min)				AVG (l/min)		2.47		
Average Flow rate fo	r sampling perio	d (l/min)	2.50					
Start Time	9:52 am	End time	4:01 pm To		Total sampling time (mins)		368	
Volume Collected (liters)			920.0					

WEATHER INFORMATION							
Wind Direction N/NE Wind velocity (mph) 7-8 mph							
Temperature (F)	59.7-70F	Humidity	76%				

JOB TASK INFORMATION						
	Job Task Description		Duration (mins)			

	MONITORING EVENT INFORMATION							
Site	Proprietary	Proprietary		Date		5/18/16		
Area Name	Barge Unloading	Barge Unloading		Pump #		PG249		
Title	Truck Tailgate Unloading Area		Cyclone #	CY1972				
	Denote whether Routine TWA Mon	nitoring or Task Specific Monitoring						
Routine TWA M	onitoringx	Task Specific Monitoring						
			List GROUP/TAS	SK if task specific				
Coated Sand Sam	ples							

SAMPLING MEDIA/ANALYSIS INFORMATION								
Sampling Media	3 pc 37-mm, 5-μr	n PVC cassette	Assigne	i Number	976937			
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142			
ANALY	TES	Lab Results		Units				
Dust		0.40		mg/m³				
Quartz		0.13		mg/m³				
Cristobalite		< 0.0056		mg/m³				
Tridymite		<0.022		mg/m³				
Calculated PEL		0.29		mg/m³	·			

CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument				Date Calibrated		7/10	/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AVG (l/min)		2.52	
End Flow Rate (l/min)				AVG (l/min)		2.45	
Average Flow rate fo	r sampling perio	d (l/min)	2.49		,		
Start Time	9:51 am	End time	3:50 pm	Total sampl time (min		ling (S)	360
Volume Collected (liters)			896.4				

WEATHER INFORMATION							
Wind Direction	Wind Direction N/NE Wind velocity (mph) 7-8 mph						
Temperature (F)	59.7-70F	Humidity	76%				

JOB TASK INFORMATION						
Job Task Description	Duration (mins)					

	MONT	FORING EVE	NT INFO	ORN	MA7	TION		
Site	Proprietary			Da			5/1	8/16
Area Name	Barge Unloading	ž		Pu	mp#		PG	176
Title	North Truck Uni			-	clone			
D	enote whether Ro		itoring or				nitoring	
Routine TWA Monit			Task Spe					
								:e-
				List	GKU	JUP/IAS	K II tas	k specific
Coated Sand Samples								
Coated Sand Samples								
	SAMPLING	MEDIA/AN	ALYSIS	INF	OR	MATIO	N	
Sampling Media	2 pc 37-mm, 5-μ					d Numbe		2314
Analysis type	Total Dust			_		method		00
ANALY	TES	Lab	Results	_		T	_	nits
Dust		0.40				mg/m³		
		•						
		RATION and	ISAMPL	INC				
Calibration Method/Instrument	Bios Defender 5	10-M		Date Calibrated			7/1	0/2015
Calibrator Serial #	127807				-			
Starting Flow rate					AV	G (l/min)	1.9	0
(l/min)						0 (11111)		
End Flow Rate					AV	G (l/min)	2.0	5
(l/min)		100>	2.02					
Average Flow rate fo	r sampling perio	d (l'min)	2.02					1
Start Time	9:52 am	End time	3:57	рm		Total s	ampling (mins)	365
Volume Collected (lit	ters)					73	7.3	
		VEATHER IN						
Wind Direction Temperature (F)	Wind vel Humidity		(mp	(h)				
remperature (1)								
		Task Description		TIC)N			Duration (mins)
	300	Task Description	ш					Duration (mins)
Revision Date: May 1 201	16							

	MONIT	ORING EVE	NT INFO	ORM.	AT	ION		
Site	Proprietary			Date			5/1	8/16
Area Name	Barge Unloading			Pum	р#		PG	1515
Title	On Barge, East of	f Chute Area		Cycle	one	#		
D	enote whether Ro	utine TWA Mon	itoring or	Task S	Spec	ific Mon	itoring	
Routine TWA Monit			Task Spe					
				List G	RO	UP/TAS	K if tasl	k specific
Coated Sand Samples								
	SAMPLING	MEDIA/ANA	ALYSIS	INFO	RN	ATIO	N	
Sampling Media	2 pc 37-mm, 5-μr	n PVC cassette		Assig	gned	Numbe	r 972	2274
Analysis type	Total Dust			NIOS	SHı	nethod #	050	00
ANALY	TES	Lab	Results		_		U	nits
Dust		0.30				mg/m^3		
					\neg			
		<u>'</u>			_			
	CALIB	RATION and	SAMPL	ING	DA	ATA		
Calibration Method/Instrument	Bios Defender 51	0-M		Date Calibrated			7/1	0/2015
Calibrator Serial #	127807							
Starting Flow rate (l/min)				I	AVG	- (1/min)	2.0	3
End Flow Rate (l/min)				I	AVG	; (1/min)	1.9	8
Average Flow rate fo	r sampling period	l (l/min)	2.00					
Start Time	9:43 am	End time	3:45	pm		Total sa time (ampling (mins)	361
Volume Collected (lit	Volume Collected (liters) 723.8						.8	
	"	FATHERIN	EORMA	TIO	V			
WEATHER INFORMATION Wind Direction N/NE Wind velocity (mph) 7-8 mpl						1		
Temperature (F) 59.7-70F Humidity 76%								
	J	OB TASK IN	FORMA	TION	N			
	Job '	Task Description	1					Duration (mins)
							-	

	1.0377	ODING FUT	NIT TAIT	an.		1031			
		ORING EVE	NT INFO			ION	т.		
Site	Proprietary			Dat				/18/16	
Area Name	Barge Unloading			_	np#		P	G744	
Title	On Barge - West	of Chute Area		Cyc	lone	#			
	enote whether Ro	utine TWA Mon							
Routine TWA Monit	oringx		Task Spe	cific !	Mon	itoring_			
				List (GRO	UP/TAS	K if ta	isk spe	ecific
Coated Sand Samples									
			•						
	SAMPLING	MEDIA/ANA	ALYSIS	INF	OR	MATIO	ON		
Sampling Media	2 pc 37-mm, 5-μι			$\overline{}$		d Numbe	-	72302	
Analysis type	Total Dust					method		500	
ANALY	TES	Lal	Results					Units	
Dust		1.3	- Lecount			mg/m³		-	
243									
		l .							
	CALIB	RATION and	SAMPL	ING	D.	ATA			
Calibration	Bios Defender 51			\Box	Dat		7	/10/20	15
Method/Instrument				_	Cal	ibrated			
Calibrator Serial #	127807			_					
Starting Flow rate (1/min)					AV	G (1/min)) 2	.02	
End Flow Rate					AV	G (1/min) 2	.02	
(l/min)			2.02						
Average Flow rate fo	r sampling period	(l'min)	2.02						
Start Time	9:42 am	End time	3:35	pm		Total s time	amplin (mins)	g	352
Volume Collected (lit	ers)					71	1.0		
,	WEATHER INFORMATION								
Wind Direction	N/NE	VEATHER IN	Wind vel	ocity	(mp	h)	7-8 m	oh	
Temperature (F)	59.7-70F		Humidity				76%		
	J	OB TASK IN	FORMA	TIO	N				
	Job '	Task Description	1					Du	ration (mins)
								-	
								+	
Revision Date: May 1, 201	16							•	

56

	MONI	FORING EVE	NT INFO	DRN	MAT	ION		
Site	Proprietary			Dat	te		5/18	8/16
Area Name	Barge Unloading			Pump #			PG658	
Title	South Truck Unl	oading Area	Cyclone #					
D	enote whether Ro	utine TWA Mon	itoring or	Task	Spe	cific Monitor	ing	
Routine TWA Monit	oringx		Task Spe	cific	Mon	itoring	-	
			1	List	GRO	UP/TASK i	f task	specific
Coated Sand Samples								
	SAMPLING	MEDIA/AN	ALYSIS I	INF	OR	MATION		
Sampling Media	2 pc 37-mm, 5-μ			-		d Number	972	293
Analysis type	Total Dust			_		method #	050	0
ANALY	TES	Lab	Results				U	uits
Dust		2.3				mg/m³		
	CALIB	RATION and	SAMPL	INC	3 D.	ATA		
Calibration Method/Instrument	Bios Defender 5	10-M		Date Calibrated			7/10/2015	
Calibrator Serial #	127807							
Starting Flow rate (1/min)					AV	G (l/min)	2.05	
End Flow Rate (1/min)					AV	G (l/min)	2.05	5
Average Flow rate fo	r sampling period	d (l/min)	2.05					
Start Time	9:52am	End time	3:59	pm		Total samp time (min	ling (s)	366
Volume Collected (lit	ters)					750.3		•
	,	VEATHER IN	TO PAGE	hiifi	W			
Wind Direction	N/NE	VEATHERIN	Wind vel	ocity	(mp	h) 7-8	mph	
Temperature (F)	59.7-70F		Humidity			769		
		OB TASK IN	FORMA	TIC	N			
		Task Description					T	Duration (mins)
							+	
							\perp	
							+	
Parision Date: March 201	14							

	MONIT	ORING EVE	NT INFO	OR!	MAT	TION			
Site	Proprietary			Da				5/18	8/16
Area Name	Barge Unloading			Pu	mp#			PG:	256
Title	Truck Tailgate Unloading Area Cyclone #			#					
D	enote whether Ro	utine TWA Mon	itoring or	Tasl	: Spe	cific Mo	nitoria	ıg	
Routine TWA Monit	oringx		Task Spe	cific	Mon	itoring _			
				List	GRO	UP/TAS	K if	task	specific
Coated Sand Samples									
	SAMPLING	MEDIA/ANA	ALVSIS	INF	OR	MATIC	N		
Sampling Media	2 pc 37-mm, 5-μ		121010	-		d Numbe	$\overline{}$	972	306
Analysis type	Total Dust					method	$\overline{}$	050	
ANALY		Lab	Results	_				U	nits
Dust		4.1				mg/m³			
	CALIB	PATION I	CANCET	TNI	~ D	ATA			
Calibration	Bios Defender 51	RATION and	SAMPL	шч	Dat		Т	7/1/	0/2015
Method/Instrument	Dios Detelluer 5	10-111				ibrated		//10	W2015
Calibrator Serial #	127807								
Starting Flow rate (1/min)					AV	G (l/min)	2.02	2
End Flow Rate (1/min)					AV	G (l/min)	2.02	2
Average Flow rate fo	r sampling period	l (l/min)	2.02						
Start Time	12:14 pm	End time	3:48	pm		Total s time	ampli (mins	ng)	214
Volume Collected (lit	ers)					43.	2.3		•
		VEATHER IN	EORAG		ON				
Wind Direction	N/NE	VEATHERIN	Wind vel			h)	7-8 r	mph	
Temperature (F)	59.7-70F		Humidity			_,	76%	-	
		OB TASK IN	FUBULA	117					
	J ob	Task Description	IOKMA	110	<i>)</i> 11			T	Duration (mins)
								Ŧ	
								+	
								士	
								\perp	
Revision Date: May 1, 20	16								

58

	MONITORING EVENT INFORMATION								
Site	Proprietary		Date	5/19/16					
Area Name	Barge Unloading	Barge Unloading		PG679					
Title	North Truck Unloading Area		Cyclone #	CY2088					
	Denote whether Routine TWA Monitoring or Task Specific Monitoring								
Routine TWA M	onitoringx	Task Spe	Task Specific Monitoring						
			List GROUP/TASK if task specific						
Coated Sand Sam	ples								

	SAMPLING MEDIA/ANALYSIS INFORMATION							
Sampling Media	3 pc 37-mm, 5-µr	n PVC cassette	Assigne	976940				
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142			
ANALY	TES	Lab Results			Units			
Dust		0.22		mg/m ³				
Quartz		0.066		mg/m ³				
Cristobalite		< 0.0045		mg/m ³				
Tridymite		<0.018		mg/m ³				
Calculated PEL		0.31		mg/m³	_			

	CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument	Bios Defender 510-M		Date Calibrated		7/10/2015			
Calibrator Serial #	127807							
Starting Flow rate (1/min)				AVG (l/min)		2.50		
End Flow Rate (l/min)				AVG (l/min)		2.43		
Average Flow rate fo	r sampling perio	d (l/min)	2.47		_			
Start Time	10:13 am	End time	5:44 pm Total sampling time (mins) 45		450			
Volume Collected (liters)			1109.3					

WEATHER INFORMATION								
Wind Direction	Wind Direction N/NE Wind velocity (mph) 7 mph							
Temperature (F)	Temperature (F) 70F Humidity 44%							

JOB TASK INFORMATION						
Job Task Description	Duration (mins)					

	MONITORING EVENT INFORMATION								
Site	Proprietary	Proprietary		5/19/16					
Area Name	Barge Unloading	Barge Unloading		Pump #		PG727			
Title	On Barge, East of Chute		Cyclone #	CY2089					
Denote whether Routine TWA Monitoring or Task Specific Monitoring									
Routine TWA M	onitoringx	Task Specific Monitoring							
		List GROUP/TASK if task specific							
Coated Sand Sam	ples								

SAMPLING MEDIA/ANALYSIS INFORMATION							
Sampling Media	3 pc 37-mm, 5-µr	n PVC cassette	Assigne	d Number	976948		
Analysis type	Respirable Dust		NIOSH	0600/7500 & ID 142			
ANAL	YTES	Lab Results			Units		
Dust		0.29		mg/m³			
Quartz		0.084		mg/m ³			
Cristobalite		< 0.0045		mg/m³			
Tridymite		<0.018		mg/m³			
Calculated PEL		0.29		mg/m³			

CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument	Bios Defender 510-M			Date Calibrated		7/10/2015	
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AVG (l/min) 2.4		2.48	
End Flow Rate (1/min)				AVG (l/min)		2.48	
Average Flow rate fo	r sampling perio	d (l/min)	2.48				
Start Time	10:13 am	End time	5:44 pm Total sampling time (mins) 450			450	
Volume Collected (liters)			1116.0				

WEATHER INFORMATION								
Wind Direction N/NE Wind velocity (mph) 7 mph								
Temperature (F)								

JOB TASK INFORMATION		
Job Task Description	1	ouration (mins)

MONITORING EVENT INFORMATION					
Site	Proprietary		Date	5/19/16	
Area Name	Barge Unloading		Pump #	PG667	
Title	On Barge, West of Chute Area		Cyclone #	CY1584	
Denote whether Routine TWA Monitoring or Task Specific Monitoring					
Routine TWA Monitoringx			Task Specific Monitoring		
			List GROUP/TASK	if task specific	
Coated Sand Samples					

SAMPLING MEDIA/ANALYSIS INFORMATION							
Sampling Media	3 pc 37-mm, 5-µ	m PVC cassette	Assigned Number		976956		
Analysis type	Respirable Dust		NIOSH method#		0600/7500 & ID 142		
ANALY	YTES	Lab Results	•		Units		
Dust		<0.044		mg/m³			
Quartz		<0.0044		mg/m³			
Cristobalite		<0.0044		mg/m³			
Tridymite		<0.018		mg/m³			
Calculated PEL		5.0		mg/m ³			

CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument				Date Calibrated		7/10)/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AV	G (l/min)	2.52	1
End Flow Rate (1/min)			AVG (l/min)		2.49)	
Average Flow rate for sampling period (l/min)			2.51				
Start Time	10:13 am	End time	5:44 pm Total sampling time (mins) 45			450	
Volume Collected (liters)					1129.5		

WEATHER INFORMATION						
Wind Direction	N/NE	Wind velocity (mph)	7 mph			
Temperature (F)	70F	Humidity	44%			

JOB TASK INFORMATION	
Job Task Description	Duration (mins)

MONITORING EVENT INFORMATION						
Site	Proprietary		Date	5/19/16		
Area Name	Barge Unloading		Pump#	PG541		
Title	South Truck Unloading Area		Cyclone #	CY2146		
Denote whether Routine TWA Monitoring or Task Specific Monitoring						
Routine TWA M	onitoringx	Task Spe	cific Monitoring			
		List GROUP/TAS	SK if task specific			
Coated Sand Samp	ples					

	SAMPLING MEDIA/ANALYSIS INFORMATION						
Sampling Media	3 pc 37-mm, 5-μr	n PVC cassette	Assigned Number		976951		
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142		
ANALY	TES	Lab Results			Units		
Dust		0.55		mg/m ³			
Quartz		0.18		mg/m³			
Cristobalite		<0.0044		mg/m³			
Tridymite		<0.017		mg/m³			
Calculated PEL		0.29		mg/m³			

CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument	Bios Defender 510-M		Date Calibrated		7/10)/2015	
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AV	G (l/min)	2.51	l
End Flow Rate (1/min)			AVG (l/min)		2.57	1	
Average Flow rate fo	r sampling perio	d (l/min)	2.54				
Start Time	10:13 am	End time	5:44 pm Total samplitime (mins		ling is)	450	
Volume Collected (liters)					1143.0		

WEATHER INFORMATION						
Wind Direction	Wind Direction N/NE Wind velocity (mph) 7 mph					
Temperature (F)	70F	Humidity	44%			

JOB TASK INFORMATION	
Job Task Description	Duration (mins)
	1

	MONITORING EVE	ENT INFORMATION				
Site		Date	5/19/16			
Area Name	Barge Unloading		Pump #	PG249		
Title	Truck Tailgate Unloading Area		Cyclone #	CY1972		
	Denote whether Routine TWA Mon	itoring or	Task Specific Mo	nitoring		
Routine TWA Mo	onitoringx	Task Specific Monitoring				
		List GROUP/TASK if task specific				
Coated Sand Samp	les					

	SAMPLING MEDIA/ANALYSIS INFORMATION						
Sampling Media	3 pc 37-mm, 5-µr	n PVC cassette	Assigne	l Number	976947		
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142		
ANALY	TES	Lab Results			Units		
Dust		< 0.045		mg/m³			
Quartz		0.0071		mg/m ³			
Cristobalite		< 0.0045		mg/m³			
Tridymite		<0.018		mg/m³			
Calculated PEL		0.098		mg/m³			

	CALIBRATION and SAMPLING DATA						
Calibration Method/Instrument	Bios Defender 5	10-M		Dat Cal	e ibrated	7/10)/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AV	G (l/min)	2.48	
End Flow Rate (l/min)				AV	G (l/min)	2.46	j
Average Flow rate fo	r sampling perio	d (l/min)	2.47				
Start Time	10:13 am	End time	5:44 pm		Total samp time (min	ling s)	450
Volume Collected (lit	ers)	_			1111.5		

WEATHER INFORMATION									
Wind Direction	Wind Direction N/NE Wind velocity (mph) 7 mph								
Temperature (F)									

JOB TASK INFORMATION	
Job Task Description	Duration (mins)

MONITORING EVENT INFORMATION									
Site	Proprietary			Dat	te		5/	19/16	
Area Name	Barge Unloading	Barge Unloading			np#		P	3658	
Title	North Truck Unl	North Truck Unloading Area			clone	#			
D	Denote whether Routine TWA Monitoring or Task Specific Monitoring								
Routine TWA Monit	Routine TWA Monitoringx				Mon	itoring _			
					GRO	UP/TAS	K if tas	sk specific	
Coated Sand Samples									
	SAMPLING	MEDIA/AN	ALYSIS I	INF	OR!	MATIO	N		
Sampling Media	2 pc 37-mm, 5-μ					d Numbe		2283	
Analysis type	Total Dust					method :		00	
ANALY		Lab	Results					Units	
Dust		1.1				mg/m³			
		'							
	CALIB	RATION and	SAMPL	INC	÷ D.	ATA			
Calibration Method/Instrument	Bios Defender 51	10-M		Date Calibrated			7/	7/10/2015	
Calibrator Serial #	127807								
Starting Flow rate (1/min)				AVG (l/min)			1.9	99	
End Flow Rate (1/min)					AV	G (l/min)	2.0	02	
Average Flow rate fo	r sampling period	l (l/min)	2.01						
Start Time	10:13 am	End time	5:44	pm		Total s	ampling (mins)	450	
Volume Collected (lit	ers)					904	1.5	•	
,		VEATHER IN	HODENG!	117	17.				
Wind Direction	N/NE	VEATHERIN	Wind vel	ocity		h)	7 mph		
Temperature (F)	70F		Humidity				44%		
	JOB TASK INFORMATION								
	Job	Task Description	1					Duration (mins)	
Parising Date: March 200	16								
Revision Date: May 1, 201	10								

64

	MONIT	ORING EVE	NT INFO	DRN	IA	ION		
Site	e Proprietary				te		5/1	9/16
Area Name	Barge Unloading	Barge Unloading			mp#		PG	1515
Title	On Barge, East of	f Chute Area		Cyc	clone	#		
D	enote whether Ro	utine TWA Mon	itoring or 1	Task	Spe	cific Monitor	ing	
Routine TWA Monit	oringI		Task Spec	cific	Mon	itoring	_	
			1	List	GRO	UP/TASK i	f tasl	k specific
Coated Sand Samples								
	SAMPLING	MEDIA/ANA	ALVSIS I	NF	ORI	MATION		
Sampling Media	2 pc 37-mm, 5-µ1		121010			d Number	972	2272
Analysis type	Total Dust			NIC	OSH	method#	050	00
ANALY	TES	Lab	Results				Ū	nits
Dust		1.2				mg/m³		
	CALIR	RATION and	SAMPL	INC	<u> </u>	ATA		
Calibration Method/Instrument	Bios Defender 51		0.1111	Ĩ	Dat		7/1	0/2015
Calibrator Serial #	127807			コ				
Starting Flow rate (1/min)					AV	G (l/min)	1.9	2
End Flow Rate (l/min)					AV	G (l/min)	2.0	0
Average Flow rate fo	r sampling period	l (l/min)	2.00					
Start Time	10:13 am	End time	5:44	pm		Total samp time (mir	ling 15)	450
Volume Collected (lit	ers)					882.0		•
	"	VEATHER IN	FORMA	TIC	DΝ			
Wind Direction	N/NE 70F		Wind velo Humidity	ocity	(mp	h) 7 n 445	nph	
Temperature (F)						441	/6	
	Joh.	OB TASK IN Task Description	FORMA	ПО	N			Duration (mins)
	300	ansa Description	•				\Rightarrow	Daracion (mins)
							\dashv	
							\Rightarrow	
							\dashv	
Revision Date: May 1, 201	16							

	MONIT	ORING EVE	NT INFO	DRI	MAT	TION			
Site	Proprietary			Da	te			5/19	9/16
Area Name	Barge Unloading			Pu	mp#			PG	744
Title	On Barge - West	of Chute Area		Cy	clone	e #			
D	enote whether Ro	utine TWA Mon	itoring or	Task	Spe	cific Mo	nitori	ng	
Routine TWA Monit			Task Spe						
				List	GRO	OUP/TAS	SK if	task	specific
Coated Sand Samples									
		MEDIA/ANA	ALYSIS :				$\overline{}$		
Sampling Media	2 pc 37-mm, 5-μι	m PVC cassette				d Numb	$\overline{}$		275
Analysis type	Total Dust	r		NI	OSH	method	#	050	0
ANALY	TES		Results			<u> </u>		U	nits
Dust		<0.056				mg/m³			
	CALIB	RATION and	SAMPL	INC	3 D	ATA			
Calibration Method/Instrument	Bios Defender 51	10-M			Dat Cal	te librated		7/10	0/2015
Calibrator Serial #	127807								
Starting Flow rate (1/min)					AV	G (l/min)	1.98	В
End Flow Rate (l'min)					AV	G (l/min)	2.00	0
Average Flow rate fo	r sampling period	l (l/min)	1.99						
Start Time	10:13 am	End time	5:44	pm		Total s	ampli (mins	ing)	450
Volume Collected (lit	ers)					89	5.5		
	11	WEATHER IN	EWB/(1	and r	nv.				
Wind Direction	N/NE	VEATHER IN	Wind vel			h)	7 m	oh.	
Temperature (F)	70F		Humidity				44%		
		OB TASK IN	FORMA	TTC	N				
		Task Description			-			I	Duration (mins)
								+	
								+	
								\top	
								\perp	
Revision Date: May 1, 20	16								

66

		C.MO. TIO	141.10 1				•	
	MONI	FORING EVE	NT INFO	ORN	MAT	ION		
Site	Proprietary			Dat	te		5/	19/16
Area Name	Barge Unloading		Pu	mp#		PO	PG256	
Title	South Truck Unl	loading Area		Cy	clone	#		
D	enote whether Ro	outine TWA Mon	itoring or	Task	Spec	rific Mor	nitoring	
Routine TWA Monit	oringI		Task Spe	cific	Mon	itoring _		
				List	GRO	UP/TAS	K if tas	sk specific
Coated Sand Samples								
	SAMPLING	MEDIA/AN/	ALVSIS	INF	ORI	MATIC)N	
Sampling Media	2 pc 37-mm, 5-μ		1L 1 515 .	$\overline{}$		d Numbe	$\overline{}$	2271
Analysis type	Total Dust	m r v C clissette		_		method		00
ANALY		7.4	Results	2424	0311	шениоч		Units
Dust	1123	1.5	Kesuns			mg/m³		VIIIIS
Dust		1.5				ше/ш		
	CALIE	RATION and	SAMPL	INC	3 D.	ATA		
Calibration Method/Instrument	Bios Defender 5	10-M			Dat Cali	e ibrated	7/	10/2015
Calibrator Serial #	127807	_						
Starting Flow rate (l/min)					AV	G (1/min)	1.9	96
End Flow Rate (Vmin)					AV	G (1/min)	1.9	98
Average Flow rate fo	r sampling perio	d (l/min)	1.97				·	
Start Time	10:13 am	End time	5:44	рm			ampling (mins)	450
Volume Collected (lit	ers)					880	5.5	
	,	VEATHER IN	FORMA	TH (N			
Wind Direction	N/NE	VEATHERE	Wind vel			h)	7 mph	
Temperature (F)	70F		Humidity		•		7 mph 44%	
		OB TASK IN	FORMA	TIC	N			
	Job	Task Description	1					Duration (mins)
Revision Date: May 1, 201	16							·

67

MONITORING EVENT INFORMATION

Site	Proprietary			Date		5/19	9/16
Area Name	Barge Unloading	Barge Unloading P				PG	176
Title	Truck Tailgate U	Truck Tailgate Unloading Area Cy					
D	enote whether Ro	outine TWA Mon	itoring or	Task Spe	cific Monitor	ing	
Routine TWA Monit			Task Spe			_	
				List GRO	UP/TASK i	f task	specific
Coated Sand Samples							
			•				
	SAMPLING	MEDIA/AN	ALYSIS	INFOR	MATION	_	
Sampling Media	2 pc 37-mm, 5-μ	m PVC cassette		Assigne	d Number	972	273
Analysis type	Total Dust			NIOSH	method#	050	0
ANALY	TES	Lab	Results			U	uits
Dust		< 0.056			mg/m³		
	CALIE	RATION and	SAMPL	ING D	ATA		
Calibration Method/Instrument	Bios Defender 5	10-M		Dat Cal	te ibrated	7/10	0/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AV	G (l/min)	1.90	5
End Flow Rate (l/min)				AV	G (l/min)	1.98	3
Average Flow rate fo	r sampling perio	d (l/min)	1.97				
Start Time	10:13 am	End time	5:44	pm	Total samp time (mir		450

WEATHER INFORMATION									
Wind Direction	Wind Direction N/NE Wind velocity (mph) 7 mph								
Temperature (F)	Temperature (F) 70F Humidity 44%								

886.5

JOB TASK INFORMATION	
Job Task Description	Duration (mins)
	

Revision Date: May 1, 2016

Volume Collected (liters)

	MONITORING EVENT INFORMATION					
Site	Proprietary			Date		5/20/16
Area Name	Barge Unloading			Pump#		PG667
Title	North Truck Unlo	ading Area		Cyclone	#	CY1584
D	enote whether Rot	atine TWA Mon	itoring or	Task Spec	ific Monitor	ing
Routine TWA Monit	oringx		Task Specific Monitoring			
			List GROUP/TASK if task specific			f task specific
Uncoated Sand Sampl	les					
	SAMPLING	MEDIA/ANA	ALYSIS	INFOR	MATION	
Sampling Media	3 pc 37-mm, 5-µm PVC cassette			Assigned Number 976954		976954
Analysis type	Respirable Dust		NIOSH method # 0600/7500 & ID 14			0600/7500 & ID 142
ANALY	TES	Lab	ab Results Units			Units

SAMPLING MEDIA/ANALYSIS INFORMATION						
Sampling Media	3 pc 37-mm, 5-μr	n PVC cassette	Assigned Number		976954	
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142	
ANALY	YTES	Lab Results	•	Units		
Dust		0.47		mg/m ³		
Quartz		0.19		mg/m ³		
Cristobalite		< 0.013		mg/m ³		
Tridymite		< 0.053		mg/m ³		
Calculated PEL		0.23		mg/m³		

CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument	Bios Defender 510-M			Dat Cal	e ibrated	7/10)/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AV	G (l/min)	2.55	i
End Flow Rate (l/min)				AVG (l/min)		2.54	ŀ
Average Flow rate fo	r sampling perio	d (l/min)	2.55				
Start Time	7:18 am	End time	9:46am	9:46am Total samp time (min		ling (s)	148
Volume Collected (liters)					377.4		

WEATHER INFORMATION					
Wind Direction	North	Wind velocity (mph)	2 mph		
Temperature (F)	61 F	Humidity	71.9%		

JOB TASK INFORMATION				
Job Task Description	Duration (mins)			

	MONITORING EVENT INFORMATION					
Site	Proprietary			Date		5/20/16
Area Name	Barge Unloading			Pump	#	PG541
Title	On Barge, East of			Cyclor	ie #	CY2146
D	enote whether Ro		itoring or			ring
	Routine TWA Monitoringx				nitoring	-
				List GR	OUP/TASK i	f task specific
Uncoated Sand Sample	es					•
	SAMPLING	MEDIA/AN	ALYSIS	INFOR	MATION	
Sampling Media	3 pc 37-mm, 5-μι				ed Number	976958
Analysis type	Respirable Dust			NIOSI	I method#	0600/7500 & ID 142
ANALY	TES	Lab	Results			Units
Dust		<0.13			mg/m³	
Ouartz		<0.013			mg/m³	
Cristobalite		<0.013			mg/m³	
Tridymite		<0.053			mg/m³	
-					<u> </u>	
Calculated PEL		5.0			mg/m³	
		•				
	CALIB	RATION and	SAMPL	ING I	DATA	
Calibration Method/Instrument	Bios Defender 51	0-M			ite ilibrated	7/10/2015
Calibrator Serial #	127807				шигатец	
Starting Flow rate	127007			A	VG (1/min)	2.55
End Flow Rate (l/min)				A	VG (1/min)	2.49
Average Flow rate fo	r sampling period	l (l/min)	2.53			
Start Time	7:30 am	End time	9:58 am Total sampling time (mins)			
Volume Collected (lit			374.4			
	"	EATHER IN	EORMA	TION		
Wind Direction	North	LATHERIN	Wind vel	ocity (m	ph) 2 n	nph
Temperature (F)	61 F		Humidity		71.	9%

JOB TASK INFORMATION				
Job Task Description	Duration (mins)			

	MONITORING EV	ENT INFO	DRMATION		
Site	Proprietary		Date	5/20/16	
Area Name	Barge Unloading		Pump #	PG727	
Title	On Barge, West of Chute Area		Cyclone #	CY2089	
	Denote whether Routine TWA Mo	nitoring or	Task Specific Monit	oring	
Routine TWA Monitoringx Task Specific Monitoring					
			List GROUP/TASK if task specific		
Uncoated Sand San	nples				
	SAMPLING MEDIA/AN	ALYSIS	INFORMATION	ι.	
Sampling Media	3 pc 37-mm, 5-µm PVC cassette		Assigned Number	976953	
Analysis type	Respirable Dust		NIOSH method #	0600/7500 & ID 142	

	SAMPLING MEDIA/ANALYSIS INFORMATION						
Sampling Media	3 pc 37-mm, 5-µr	n PVC cassette	Assigned Number		976953		
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142		
ANALY	TES	Lab Results			Units		
Dust		0.20		mg/m ³			
Quartz		0.072		mg/m³			
Cristobalite		<0.014		mg/m ³			
Tridymite		<0.054		mg/m³			
Calculated PEL		0.26		mg/m³			

CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument	Bios Defender 510-M			Dat Cal	e ibrated	7/10	/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AV	G (l/min)	2.52	l
End Flow Rate (l/min)				AVG (l/min)		2.49	
Average Flow rate fo	r sampling perio	d (l/min)	2.51				
Start Time	7:30 am	End time	9:57 am	9:57 am Total samp time (min		ling (s)	147
Volume Collected (liters)					369.0		

WEATHER INFORMATION					
Wind Direction	North	Wind velocity (mph)	2 mph		
Temperature (F)	61 F	Humidity	71.9%		

JOB TASK INFORMATION				
Job Task Description	Duration (mins)			

MONITORING EVENT INFORMATION							
Site	Proprietary	Proprietary		5/20/16			
Area Name	Barge Unloading	Barge Unloading		Pump #		PG679	
Title	South Truck Unloading Area		Cyclone #	CY2088			
	Denote whether Routine TWA Monitoring or Task Specific Monitoring						
Routine TWA M	onitoringx	Task Specific Monitoring					
			List GROUP/TAS	SK if task specific			
Uncoated Sand Sa	mples						

SAMPLING MEDIA/ANALYSIS INFORMATION								
Sampling Media	3 pc 37-mm, 5-μι	n PVC cassette	Assigned Number		976955			
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142			
ANALY	TES	Lab Results		Units				
Dust		0.52		mg/m³				
Quartz		0.20		mg/m³				
Cristobalite		< 0.013		mg/m³				
Tridymite		< 0.053		mg/m³				
Calculated PEL		0.24		mg/m³				

CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument				Date Calibrated		7/10/2015	
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AVG (l/min)		2.56	
End Flow Rate (l/min)				AVG (l/min)		2.52	
Average Flow rate fo	r sampling perio	d (l/min)	2.54				
Start Time	7:18 am	End time	9:46 am	9:46 am Total sampl time (min		ling (s)	148
Volume Collected (liters)			303.4				

WEATHER INFORMATION							
Wind Direction	North	Wind velocity (mph)	2 mph				
Temperature (F)	61 F	Humidity	71.9%				

JOB TASK INFORMATION						
Job Task Description		Duration (mins)				
	·					

	MONITORING EVENT INFORMATION							
Site	Proprietary	Proprietary		Date		5/20/16		
Area Name	Barge Unloading		Pump #	PG249				
Title	Truck Tailgate Unloading Area		Cyclone #	CY1972				
	Denote whether Routine TWA Mon	nitoring or Task Specific Monitoring						
Routine TWA M	ouitoringx	Task Specific Monitoring						
			List GROUP/TAS	SK if task specific				
Uncoated Sand Sa								

SAMPLING MEDIA/ANALYSIS INFORMATION								
Sampling Media	3 pc 37-mm, 5-µr	n PVC cassette	Assigne	i Number	976934			
Analysis type	Respirable Dust		NIOSH	method#	0600/7500 & ID 142			
ANALY	TES	Lab Results		Units				
Dust		0.65		mg/m ³				
Quartz		0.25		mg/m³				
Cristobalite		< 0.013		mg/m ³				
Tridymite		<0.051		mg/m³				
Calculated PEL		0.25		mg/m³				

CALIBRATION and SAMPLING DATA							
Calibration Method/Instrument				Date Calibrated		7/10/2015	
Calibrator Serial #	127807						
Starting Flow rate (1/min)				AVG (l/min)		2.50	
End Flow Rate (1/min)				AVG (l/min)		(I/min) 2.82	
Average Flow rate fo	r sampling perio	d (l/min)	2.66				
Start Time	7:18 am	End time	9:46 am	Total sampl time (mins		ling s)	148
Volume Collected (liters)			393.7				

WEATHER INFORMATION						
Wind Direction	North	Wind velocity (mph)	2 mph			
Temperature (F)	61 F	Humidity	71.9%			

JOB TASK INFORMATION						
Job Task Description	Duration (mins)					

	MONIT	ORING EVE	NT INFO	ORM	[AT	ION			
Site	Proprietary			Date	e			5/20)/16
Area Name	Barge Unloading			Pun	np#			PG2	256
Title	North Truck Unl	oading Area		Cyc	lone	#			
D	enote whether Ro	utine TWA Mor	itoring or	Task	Spec	ific Mo	nitorin	ıg	
Routine TWA Monit	oringx		Task Spe	cific I	Mon	itoring_			
				List C	GRO	UP/TAS	K if	task	specific
Uncoated Sand Sample	es								
	SAMPI INC	MEDIA/AN	AT VSIS	INE	ORI	MATIC)N		
Sampling Media	2 pc 37-mm, 5-µ		ALISIS			l Numbe	$\overline{}$	972	260
Analysis type	Total Dust	m1 vc cassette				method		050	
ANALY		Lal	Results	NIC	/511	incinou	#		nits
Dust	ILS	1.2	Results			mg/m³			ints .
						-			
	CALID	DATION	CAREE	Dic		1.T.1			
6.10		RATION and	ISAMPL	$\overline{}$				7/4/	
Calibration Method/Instrument	Bios Defender 51	10-M		Date Calibrated				//10	0/2015
Calibrator Serial #	127807								
Starting Flow rate (l/min)					AV(G (l/min))	2.05	5
End Flow Rate (1/min)					AVO	G (l/min))	2.03	3
Average Flow rate fo	r sampling period	l (l/min)	2.04						
Start Time	7:18 am	End time	9:46	am		Total s time	ampli (mins)	ng)	148
Volume Collected (lit	ers)					30	1.9		
	V	VEATHER IN	NEORMA	TIO	N				
Wind Direction	North	LITTLE	Wind vel	ocity	(mpl	h)	2 mp	h	
Temperature (F)	61 F		Humidity	7			71.9	%	
	J	OB TASK IN	FORMA	110	N				
	Job	Task Description	n					+	Duration (mins)
								#	
								+	
								士	
Parising Pater March 202	-							Τ	
Revision Date: May 1, 201	10								

74

	MONIT	ORING EVE	NT INFO	RMA	ATION		
Site	Proprietary			Date		5/2	00/16
Area Name	Barge Unloading			Pump#			658
Title	On Barge, East o	f Chute Area		Cycle	ne#		
D	enote whether Ro	utine TWA Mon	itoring or T	Task S	pecific Mor	nitoring	
Routine TWA Monit	oringx		Task Spec	ific M	onitoring _		
			I	List G	ROUP/TAS	K if tas	k specific
Uncoated Sand Sample	es						
	SAMPLING	MEDIA/AN	ALVSIS I	NFO	RMATIO	N	
Sampling Media	2 pc 37-mm, 5-μ		1		ned Numbe	-	2295
Analysis type	Total Dust				H method		
ANALY		Lab	Results			_	Juits
Dust		<0.16	recount		mg/m³		and a
	CALIB	RATION and	SAMPLI	ING	DATA		
Calibration Method/Instrument	Bios Defender 51	10-M		Date Calibrated			10/2015
Calibrator Serial #	127807						
Starting Flow rate (1/min)				A	VG (l/min)	2.0)7
End Flow Rate (Vmin)				A	VG (l/min)	2.0	08
Average Flow rate fo	r sampling period	d (l/min)	2.08			•	
Start Time	7:30 am	End time	9:58	am	Total s time	ampling (mins)	148
Volume Collected (lit	ers)				307	7.8	•
	7	VEATHER IN	FORMA	TION	V		
Wind Direction	North	LIIILKI	Wind velo	city (1	nph)	2 mph	
Temperature (F)	Humidity 71.9%						
	J	OB TASK IN	FORMA:	HON			
		Task Description					Duration (mins)
						+	
Revision Date: May 1, 201	16						

75

+

	MONITORING EVE	NT INFO	ORMATION		
Site	Proprietary		Date	5/20/16	
Area Name	Barge Unloading		Pump#	PG1515	
Title	On Barge, West of Chute Area		Cyclone #		
D	enote whether Routine TWA Mon	itoring or	Task Specific Monito	ring	
Routine TWA Monit	toringx	Task Specific Monitoring			
			List GROUP/TASK	if task specific	
Uncoated Sand Sampl	les				

SAMPLING MEDIA/ANALYSIS INFORMATION									
Sampling Media	2 pc 37-mm, 5-μr	n PVC cassette	Assigned Number 972267		972267				
Analysis type	Total Dust		NIOSH method #		0500				
ANALY	TES	Lab Results			Units				
Dust		0.53		mg/m³					

	CALIT	DATION	CAR OUT TAIL	~ n	AT 4		
	CALIE	BRATION and	SAMPLING	÷ D.	AIA		
Calibration Method/Instrument				Dat Cal	e ibrated	7/10/	2015
Calibrator Serial #	127807						
Starting Flow rate (l/min)				AV	G (l/min)	2.06	
End Flow Rate (l/min)				AVG (l/min)		2.06	
Average Flow rate fo	d (l/min)	2.06					
Start Time	7:30 am	End time	9:57 am	Total samplir time (mins)			147
Volume Collected (lit	ers)				302.8		

WEATHER INFORMATION								
Wind Direction	North	Wind velocity (mph)	2 mph					
Temperature (F)	61 F	Humidity	71.9%					

JUB TASK INFURMATION							
Job Task Description	Duration (mins)						

	MONIT	ORING EVE	NT INFO	DRN	1A1	ION		
Site	Proprietary			Dat	e		5/20	0/16
Area Name	Barge Unloading			Pur	np#		PG	744
Title	South Truck Unl	oading Area		Cyc	lone	#		
D	enote whether Ro	utine TWA Mon	itoring or	Task	Spe	cific Monitor	ing	
Routine TWA Monit	Routine TWA Monitoringx				Mon	itoring	_	
			1	List (GRO	UP/TASK i	f task	specific
Uncoated Sand Sample	es							
	SAMPLING	MEDIA/ANA	ALYSIS I	NF	OR	MATION	_	
Sampling Media	2 pc 37-mm, 5-μ	m PVC cassette		Ass	igne	d Number	972	277
Analysis type	Total Dust	,		NIC	OSH	method#	050	0
ANALY	TES	Lab	Results				U	nits
Dust		1.7				mg/m³		
	CALIB	RATION and	SAMPL	ING	ı D	ATA		
Calibration Method/Instrument	Bios Defender 5			Ī	Dat		7/10	0/2015
Calibrator Serial #	127807			一				
Starting Flow rate (1/min)				┪	AV	G (l/min)	2.05	5
End Flow Rate (l/min)					AV	G (l/min)	2.0	5
Average Flow rate fo	r sampling period	i (l/min)	2.05					
Start Time	7:18 am	End time	9:46	am		Total samp time (mir	ling is)	148
Volume Collected (lit	ers)					303.4		
		to off the state of a Table		h w C		242.1		
Wind Direction	North	VEATHER IN	Wind velo			h) 2 n	nph	
Temperature (F)	61 F		Humidity			71.	9%	
	J	OB TASK IN	FORMA	110	N			
	Job	Task Description	1				\dashv	Duration (mins)
							\pm	
							\dashv	
							\pm	
Parision Date: March 2001	6							
Revision Date: May 1, 201	10							

77

	MONIT	ORING EVE	NT INFO	DRN	IATION			
Site	Proprietary			Dat	e	5	/20/16	
Area Name	Barge Unloading	Barge Unloading			np#	P	G176	
Title	Truck Tailgate U	nloading Area		Cyc	lone #			
D	enote whether Ro	utine TWA Mon	itoring or	Task	Specific Mo	nitoring	5	
Routine TWA Monit					Monitoring .			
				List (GROUP/TAS	SK if ta	isk specific	
Uncoated Sand Sample	es							
	SAMPLING	MEDIA/ANA	ALYSIS :	INF(ORMATI(ON		
Sampling Media	2 pc 37-mm, 5-μι	n PVC cassette		Ass	igned Numb	er 9	72276	
Analysis type	Total Dust			NIC	SH method	# 0	0500	
ANALY	TES	Lab	Results				Units	
Dust		2.3			mg/m³			
		l						
	CALIB	RATION and	SAMPL	ING	DATA			
Calibration Method/Instrument	Bios Defender 51	0-M			Date Calibrated	7	/10/2015	
Calibrator Serial #	127807			ヿ				
Starting Flow rate (1/min)				T	AVG (1/min) 2	.00	
End Flow Rate (l/min)				T	AVG (l/min) 2	.00	
Average Flow rate fo	r sampling period	(l/min)	2.00					
Start Time	7:18 am	End time	9:46	am	Total sam		g 148	
Volume Collected (lit	ers)		<u> </u>		29	6.0		
	11	EATHER IN	FORMA	TIC	N			
Wind Direction Temperature (F)	North 61 F		Wind vel Humidity	ocity	(mph)	2 mph 71.9%		
remperature (1)	•					71.576	•	
	J.	OB TASK IN Task Description	FORMA	110	N		Duration (mine)	
	300	rask Description					Duration (mins)	
Revision Date: May 1, 201	16							

78



Ms. Elizabeth Lloyd

DOH ELAP #11626
Account#

Login#

AlHA-LAP #100324

Account#

Dear Ms. Lloyd:

Enclosed are the analytical results for the samples received by our laboratory on May 23, 2016. All test results meet the quality control requirements of AIHA-LAP and NELAC unless otherwise stated in this report. All samples on the chain of custody were received in good condition unless otherwise noted.

Results in this report are based on the sampling data provided by the client and refer only to the samples as they were received at the laboratory. Unless otherwise requested, all samples will be discarded 14 days from the date of this report, with the exception of IOMs, which will be cleaned and disposed of after seven calendar days.

Current Scopes of Accreditation can be viewed at www.galsonlabs.com in the accreditations section under the "about Galson" tab.

Please contact John Bailey at (888) 432-5227, if you would like any additional information regarding this report. Thank you for using SGS Galson Laboratories.

Sincerely,

SGS Galson Laboratories

Lisa Lwab

Lisa Swab Laboratory Director

Enclosure(s)

Galson Laboratories, Inc. is now a part of SGS, the world's leading inspection, verification, testing, and certification company. As part of our transition to SGS, you will begin to see some formatting changes with reports that will improve the presentation of data and allow for the transition to the new logo.

Page 1 of 30 Report Reference:1 Generated:07-JUN-16 16:36



6601 Kirkville Road East Syracuse, NY 13057

(315) 432-5227 FAX: (315) 437-0571 www.galsonlabs.com

> -Greater Than

ug -Micrograms

Client Site Project No. Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 27-MAY-16 Report ID : 938257

ppm -Parts per Million

		Air Vol	Total	Conc
ample ID	Lab ID	liter	mg	mg/m3
72278	-29	889.1	0.48	0.53
72270	-30	806.4	1.7	2.1
72282	-31	971.8	<0.050	<0.051
72303	-32	834.3	0.32	0.38
72280	-33	828.1	0.60	0.72
72314	-34	737.8	0.29	0.40
72293	-35	750.3	1.7	2.3
72306	-36	432.3	1.8	4.1
72274	-37	723.8	0.22	0.30
72302	-38	711	0.93	1.3
72272	-39	882	1.1	1.2
72283	-40	904.5	0.95	1.1
72271	-41	886.5	1.4	1.5
72275	-42	895.5	<0.050	<0.056
72273	-43	886.5	<0.050	<0.056
72277	-44	303.4	0.53	1.7

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms		Applicable	ND -Not Dete	
Collection Media	: PVC PW 37mm		Supervisor:	CRI	QC by: TJB		
OSHA PEL	: PNOR 15 mg/m3 (1	(WA)	Date : 27-MAY	7-16	NYS DOH # : :	11626	
Analytical Method	: mod. NIOSH 0500	; Gravimetric	Approved by	: CRI			
Level of quantitatio	n: 0.050 mg		Submitted by	: DCB			

1 -Liters

Page 2 of 30 Report Reference:1 Generated:07-JUN-16 16:36

NS -Not Specified



GALSON

6601 Kirkville Road East Syracuse, NY 13057

(315) 432-5227 FAX: (315) 437-0571 www.galsonlabs.com Client :
Site :
Project No. :
Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 27-MAY-16 Report ID : 938257

Total Dust

Sample ID	Lab ID	Air Vol liter	Total mg	Conc mg/m3
972276	-45	296	0.67	2.3
972267	-46	302.8	0.16	0.53
972295	-47	307.8	< 0.050	<0.16
972269	-48	301.9	0.38	1.2
972268	-49	NA	<0.050	NA
972284	-50	NA	<0.050	NA
972285	-51	NA	< 0.050	NA
972299	-52	NA	<0.050	NA
972313	-53	NA	<0.050	NA
972312	-54	NA	<0.050	NA
972279	-55	NA	<0.050	NA
972297	-56	NA	<0.050	NA

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation Analytical Method OSHA PEL Collection Media	on: 0.050 mg : mod. NIOSH 0500; : PNOR 15 mg/m3 (7 : PVC PW 37mm	metric	Submitted by Approved by Date : 27-MA Supervisor:	: CRI Y-16 NY	CRI 16 NYS DOH ‡ : 11626		
< -Less Than > -Greater Than	mg -Milligrams	-Cubic Meters	kg -Kilograms NS -Not Specified	NA -Not Appl		ND -Not	Detected

Page 3 of 30 Report Reference:1 Generated:07-JUN-16 16:36



GALSON

6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com

Client :
Site :
Project No. :
Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 03-JUN-16 - 06-JUN-16

Report ID : 940461

Silica: Quartz, Cristobalite, Tridymite

Sample ID	Lab ID	Analyte	e
BRL01051616	-57	Quarts	100
		Cristobalite	<0.24
		Tridymite	<0.97
BRL01051816	-58	Quarts	100
		Cristobalite	< 0.24
		Tridymite	<0.95
BRL01051916	-59	Quarts	100
		Cristobalite	<0.25
		Tridymite	<0.99

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

-	en: Q:0.25% C:0.25% T:1.0 : mod. NIOSH 7500/mod. C : NA : Bulk		Submitted: SPR Approved: CMR Date: 07-JUN-16 NYS DOH #: 11626 Supervisor: KRK QC by: TJB			
< -Less Than > -Greater Than NA -Not Applicable	mg -Milligrams ug -Micrograms ND -Not Detected	kg -Kilograms m3 -Cubic Meters 1 -Liters	ppm -Parts per Million NS -Not Specified mppcf -Million Particles			

Page 4 of 30 Report Reference:1 Generated:07-JUN-16 16:36



6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com

NA -Not Applicable

Client Site Project No. Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

mppcf -Million Particles per Cubic Foot

Date Analysed : 03-JUN-16 - 06-JUN-16

Report ID : 940461

Silica: Quarts, Cristobalite, Tridymite

Sample ID Lab ID Analyte BRL01052016 Quarts 94 <0.24 Cristobalite <0.97 Tridymite

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation: Q:0.25% C:0.25% T:1.0% Submitted: SPR Analytical Method : mod. NIOSH 7500/mod. OSHA ID-142; XRD Approved : CMR OSHA PEL : NA Date : 07-JUN-16 NYS DOH #: 11626 Collection Media : Bulk Supervisor: KRK QC by : TJB < -Less Than mg -Milligrams kg -Kilograms ppm -Parts per Million ug -Micrograms m3 -Cubic Meters NS -Not Specified > -Greater Than ND -Not Detected

Page 5 of 30 Report Reference:1 Generated:07-JUN-16 16:36

1 -Liters



6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com

Client Site Project No.

Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 24-MAY-16 - 27-MAY-16

Report ID : 938254

			Air Vol				Dust P E L
ample ID	Lab ID	Analyte	1	mg	- 8	mg/m3	mg/m3
76946	-1	Dust	1041.7	0.16		0.15	0.29
		Quarts	1041.7	0.051	32	0.049	
		Cristobalite	1041.7	<0.0050	ND	<0.0048	
		Tridymite	1041.7	<0.020	ND	<0.019	
76926	-2	Dust	1141.6	<0.050		<0.044	5.0
		Quarts	1141.6	<0.0050	ND	<0.0044	
		Cristobalite	1141.6	<0.0050	ND	<0.0044	
		Tridymite	1141.6	<0.020	ND	<0.018	
76949	-3	Dust	1058.4	0.24		0.23	0.29
		Quarts	1058.4	0.077	32	0.073	
		Cristobalite	1058.4	<0.0050	ND	<0.0047	
		Tridymite	1058.4	<0.020	ND	<0.019	

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation: Dust 0.050mg Q:0.0050mg C:0.0050mg T:0.020mg Submitted: DCB/PAH/BTM/SPR Analytical Method : mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD Approved : CRI/AJD/KRK

OSHA PEL : see 1910.1000 (Table Z-3)

: PVC PW 37mm Collection Media

Date : 31-MAY-16 NYS DOH #: 11626 Supervisor: KRK/CRI QC by : TJB

mg -Milligrams ppm -Parts per Million < -Less Than kg -Kilograms > -Greater Than ug -Micrograms m3 -Cubic Meters NS -Not Specified

mppcf -Million Particles per Cubic Foot NA -Not Applicable ND -Not Detected 1 -Liters

Page 6 of 30 Report Reference:1 Generated:07-JUN-16 16:36



GALSON

6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com Client :
Site :
Project No. :
Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date : 31-MAY-16

Date Analysed : 24-MAY-16 - 27-MAY-16

NYS DOH #: 11626

Report ID : 938254

			Air Vol				Dust P E L
Bample ID	Lab ID	Analyte	1	mg		mg/m3	mg/m3
76916	-4	Dust	1036.3	0.15		0.14	0.26
		Quarts	1036.3	0.054	37	0.052	
		Cristobalite	1036.3	<0.0050	ND	<0.0048	
		Tridymite	1036.3	<0.020	ND	<0.019	
976838	-5	Dust	941.9	0.62		0.66	0.25
		Quarts	941.9	0.23	37	0.25	
		Cristobalite	941.9	<0.0050	ND	<0.0053	
		Tridymite	941.9	<0.020	ND	<0.021	
976950	-6	Dust	835.4	<0.050		<0.060	0.098
		Quartz	835.4	0.014	100	0.017	
		Cristobalite	835.4	<0.0050	ND	<0.0060	
		Tridymite	835.4	<0.020	ND	<0.024	

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation: Dust 0.050mg Q:0.0050mg C:0.0050mg T:0.020mg Submitted: DCB/PAH/BTM/SPR Analytical Method : mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./KRD Approved : CRI/AJD/KRK

OSHA PEL : see 1910.1000 (Table Z-3)

Collection Media : PVC PW 37mm Supervisor: KRK/CRI QC by : TJB

< -Less Than mg -Milligrams kg -Kilograms ppm -Parts per Million > -Greater Than ug -Micrograms m3 -Cubic Meters NS -Not Specified

NA -Not Applicable ND -Not Detected 1 -Liters mppcf -Million Particles per Cubic Foot

Page 7 of 30 Report Reference:1 Generated:07-JUN-16 16:36



6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com

Client Site Project No. Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 24-MAY-16 - 27-MAY-16

Report ID : 938254

			Air Vol				Dust P E L
Sample ID	Lab ID	Analyte	1	mg		mg/m3	mg/m3
976952	-7	Dust	860.2	0.14		0.16	0.23
		Quarts	860.2	0.057	42	0.066	
		Cristobalite	860.2	<0.0050	ND	<0.0058	
		Tridymite	860.2	<0.020	ND	<0.023	
76957	-8	Dust	920	0.21		0.23	0.34
		Quarts	920	0.057	27	0.062	
		Cristobalite	920	<0.0050	ND	<0.0054	
		Tridymite	920	<0.020	ND	<0.022	
76935	-9	Dust	884.5	0.057		0.064	0.30
		Quarts	884.5	0.018	32	0.020	
		Cristobalite	884.5	<0.0050	ND	<0.0057	
		Tridymite	884.5	<0.020	ND	<0.023	

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation: Dust 0.050mg Q:0.0050mg C:0.0050mg T:0.020mg Submitted: DCB/PAH/BTM/SPR Analytical Method : mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD Approved : CRI/AJD/KRK

OSHA PEL : see 1910.1000 (Table Z-3)

Date : 31-MAY-16 NYS DOH #: 11626 : PVC PW 37mm Collection Media Supervisor: KRK/CRI QC by : TJB

mg -Milligrams kg -Kilograms ppm -Parts per Million < -Less Than m3 -Cubic Meters > -Greater Than ug -Micrograms NS -Not Specified

NA -Not Applicable ND -Not Detected 1 -Liters mppcf -Million Particles per Cubic Foot

Page 8 of 30 Report Reference:1 Generated:07-JUN-16 16:36



6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com

Client Site Project No.

Date Sampled : 16-MAY-16 - 20-MAY-16 Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 24-MAY-16 - 27-MAY-16

Report ID : 938254

			Air Vol				Dust P E L
Bample ID	Lab ID	Analyte	1	mg	- +	mg/m3	mg/m3
76937	-10	Dust	896.4	0.36		0.40	0.29
		Quarts	896.4	0.11	32	0.13	
		Cristobalite	896.4	<0.0050	ND	<0.0056	
		Tridymite	896.4	<0.020	ND	<0.022	
76956	-11	Dust	1129.5	<0.050		<0.044	5.0
		Quarts	1129.5	<0.0050	ND	<0.0044	
		Cristobalite	1129.5	<0.0050	ND	<0.0044	
		Tridymite	1129.5	<0.020	ND	<0.018	
76940	-12	Dust	1109.3	0.24		0.22	0.31
		Quarts	1109.3	0.074	30	0.066	
		Cristobalite	1109.3	<0.0050	ND	<0.0045	
		Tridymite	1109.3	<0.020	ND	<0.018	

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation: Dust 0.050mg Q:0.0050mg C:0.0050mg T:0.020mg Submitted: DCB/PAH/BTM/SPR Analytical Method : mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD Approved : CRI/AJD/KRK

OSHA PEL : see 1910.1000 (Table Z-3)

Date : 31-MAY-16 NYS DOH #: 11626 : PVC PW 37mm Collection Media Supervisor: KRK/CRI QC by : TJB

< -Less Than mg -Milligrams ppm -Parts per Million kg -Kilograms > -Greater Than ug -Micrograms m3 -Cubic Meters NS -Not Specified

NA -Not Applicable ND -Not Detected 1 -Liters mppcf -Million Particles per Cubic Foot

Page 9 of 30 Report Reference:1 Generated:07-JUN-16 16:36



6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com

Client Site Project No. Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 24-MAY-16 - 27-MAY-16

Report ID : 938254

			Air Vol				Dust P E L
ample ID	Lab ID	Analyte	1	mg		mg/m3	mg/m3
76948	-13	Dust	1116	0.29		0.26	0.29
		Quarts	1116	0.094	32	0.084	
		Cristobalite	1116	<0.0050	ND	<0.0045	
		Tridymite	1116	<0.020	ND	<0.018	
976947	-14	Dust	1111.5	<0.050		<0.045	0.098
		Quarts	1111.5	0.0079	100	0.0071	
		Cristobalite	1111.5	<0.0050	ND	<0.0045	
		Tridymite	1111.5	<0.020	ND	<0.018	
76951	-15	Dust	1143	0.63		0.55	0.29
		Quarts	1143	0.21	33	0.18	
		Cristobalite	1143	<0.0050	ND	<0.0044	
		Tridymite	1143	<0.020	ND	<0.017	

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation: Dust 0.050mg Q:0.0050mg C:0.0050mg T:0.020mg Submitted: DCB/PAH/BTM/SPR Analytical Method : mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD Approved : CRI/AJD/KRK

OSHA PEL : see 1910.1000 (Table Z-3)

Date : 31-MAY-16 NYS DOH #: 11626 : PVC PW 37mm Supervisor: KRK/CRI Collection Media QC by : TJB

< -Less Than mg -Milligrams kg -Kilograms ppm -Parts per Million NS -Not Specified > -Greater Than ug -Micrograms m3 -Cubic Meters

ND -Not Detected NA -Not Applicable 1 -Liters mppcf -Million Particles per Cubic Foot

Page 10 of 30 Report Reference:1 Generated:07-JUN-16 16:36



6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com

Project No. Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 24-MAY-16 - 27-MAY-16

Report ID : 938254

			Air Vol				Dust P E L
ample ID	Lab ID	Analyte	1	mg	- 8	mg/m3	mg/m3
76934	-16	Dust	393.7	0.26		0.65	0.25
		Quarts	393.7	0.099	39	0.25	
		Cristobalite	393.7	<0.0050	ND	<0.013	
		Tridymite	393.7	<0.020	ND	<0.051	
76953	-17	Dust	369	0.073		0.20	0.26
		Quarts	369	0.027	37	0.072	
		Cristobalite	369	<0.0050	ND	<0.014	
		Tridymite	369	<0.020	ND	<0.054	
76958	-18	Dust	374.4	<0.050		<0.13	5.0
		Quarts	374.4	<0.0050	ND	<0.013	
		Cristobalite	374.4	<0.0050	ND	<0.013	
		Tridymite	374.4	<0.020	ND	< 0.053	

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation: Dust 0.050mg Q:0.0050mg C:0.0050mg T:0.020mg Submitted: DCB/PAH/BTM/SPR Analytical Method : mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD Approved : CRI/AJD/KRK

: see 1910.1000 (Table Z-3) OSHA PEL

Date : 31-MAY-16 NYS DOH #: 11626 : PVC PW 37mm Supervisor: KRK/CRI Collection Media QC by : TJB

< -Less Than mg -Milligrams ppm -Parts per Million kg -Kilograms ug -Micrograms m3 -Cubic Meters > -Greater Than NS -Not Specified

NA -Not Applicable ND -Not Detected 1 -Liters mppcf -Million Particles per Cubic Foot

Page 11 of 30 Report Reference:1 Generated:07-JUN-16 16:36



6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com

Client Site Project No. Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 24-MAY-16 - 27-MAY-16

Report ID : 938254

			Air Vol				Dust P E L
Sample ID	Lab ID	Analyte	1	mg	-	mg/m3	mg/m3
76954	-19	Dust	377.4	0.18		0.47	0.23
		Quarts	377.4	0.073	41	0.19	
		Cristobalite	377.4	<0.0050	ND	<0.013	
		Tridymite	377.4	<0.020	ND	<0.053	
76955	-20	Dust	375.9	0.19		0.52	0.24
		Quarts	375.9	0.077	40	0.20	
		Cristobalite	375.9	<0.0050	ND	<0.013	
		Tridymite	375.9	<0.020	ND	<0.053	
76942	-21	Dust	NA	<0.050		NA	NA
		Quarts	NA	<0.0050	ND	NA	
		Cristobalite	NA	<0.0050	ND	NA	
		Tridymite	NA	<0.020	ND	NA	

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation: Dust 0.050mg Q:0.0050mg C:0.0050mg T:0.020mg Submitted: DCB/PAH/BTM/SPR Analytical Method : mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD Approved : CRI/AJD/KRK

OSHA PEL : see 1910.1000 (Table Z-3)

Date : 31-MAY-16 NYS DOH #: 11626 Collection Media : PVC PW 37mm Supervisor: KRK/CRI QC by : TJB

mg -Milligrams ppm -Parts per Million < -Less Than kg -Kilograms > -Greater Than ug -Micrograms m3 -Cubic Meters NS -Not Specified

NA -Not Applicable ND -Not Detected 1 -Liters mppcf -Million Particles per Cubic Foot

Page 12 of 30 Report Reference:1 Generated:07-JUN-16 16:36



6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com

Project No.

Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 24-MAY-16 - 27-MAY-16

Report ID : 938254

			Air Vol				Dust P E L
Sample ID	Lab ID	Analyte	1	mg	- 0	mg/m3	mg/m3
76941	-22	Dust	NA	<0.050		NA	NA
		Quarts	NA	<0.0050	ND	NA	
		Cristobalite	NA	<0.0050	ND	NA	
		Tridymite	NA	<0.020	ND	NA	
976921	-23	Dust	NA	<0.050		NA	NA
		Quarts	NA	<0.0050	ND	NA	
		Cristobalite	NA	<0.0050	ND	NA	
		Tridymite	NA	<0.020	ND	NA	
976925	-24	Dust	NA	<0.050		NA	NA
		Quarts	NA	<0.0050	ND	NA	
		Cristobalite	NA	<0.0050	ND	NA	
		Tridymite	NA	<0.020	ND	NA	

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation: Dust 0.050mg Q:0.0050mg C:0.0050mg T:0.020mg Submitted: DCB/PAH/BTM/SPR Analytical Method : mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD Approved : CRI/AJD/KRK

OSHA PEL : see 1910.1000 (Table Z-3) Date : 31-MAY-16 NYS DOH #: 11626 Supervisor: KRK/CRI QC by : TJB

Collection Media : PVC PW 37mm

< -Less Than mg -Milligrams kg -Kilograms ppm -Parts per Million ug -Micrograms m3 -Cubic Meters NS -Not Specified > -Greater Than

NA -Not Applicable ND -Not Detected l -Liters mopof -Million Particles per Cubic Foot

Page 13 of 30 Report Reference:1 Generated:07-JUN-16 16:36



GALSON

6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com Client :
Site :
Project No. :
Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 24-MAY-16 - 27-MAY-16

NYS DOH #: 11626

Report ID : 938254

			Air Vol				Dust P E L
Sample ID	Lab ID	Analyte	1	mg	- 8	mg/m3	mg/m3
976932	-25	Dust	NA	<0.050		NA	NA
		Quarts	NA	<0.0050	ND	NA	
		Cristobalite	NA	<0.0050	ND	NA	
		Tridymite	NA	<0.020	ND	NA	
976939	-26	Dust	NA	<0.050		NA	NA
		Quarts	NA	<0.0050	ND	NA	
		Cristobalite	NA	<0.0050	ND	NA	
		Tridymite	NA	<0.020	ND	NA	
976928	-27	Dust	NA	<0.050		NA	NA
		Quartz	NA	<0.0050	ND	NA	
		Cristobalite	NA	<0.0050	ND	NA	
		Tridymite	NA	<0.020	ND	NA	

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation: Dust 0.050mg Q:0.0050mg C:0.0050mg T:0.020mg Submitted: DCB/PAH/BTM/SPR Analytical Method : mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD Approved: CRI/AJD/KRK

OSHA PEL : see 1910.1000 (Table Z-3) Date : 31-MAY-16

Collection Media : PVC PW 37mm Supervisor: KRK/CRI QC by : TJB

NA -Not Applicable ND -Not Detected 1 -Liters mppcf -Million Particles per Cubic Foot

Page 14 of 30 Report Reference:1 Generated:07-JUN-16 16:36



GALSON

6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227

FAX: (315) 437-0571 www.galsonlabs.com

Client :
Site :
Project No. :
Date Sampled : 16-MAY-16 - 20-MAY-16

Date Received : 23-MAY-16

Account No.: Login No. :

Date Analysed : 24-MAY-16 - 27-MAY-16

Report ID : 938254

Respirable Dust and Crystalline Silica: Quartz, Cristobalite, Tridymite

							2430
			Air Vol				PEL
Sample ID	Lab ID	Analyte	1	mg	-	mg/m3	mg/m3
976938	-28	Dust	NA	<0.050		NA	NA
		Quarts	NA	<0.0050	ND	NA	
		Cristobalite	NA	<0.0050	ND	NA	
		Tridymite	NA	<0.020	ND	NA	

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of quantitation: Dust 0.050mg Q:0.0050mg C:0.0050mg T:0.020mg Submitted: DCB/PAH/BTM/SPR

Analytical Method : mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD Approved : CRI/AJD/KRK

OSHA PEL : see 1910.1000 (Table Z-3) Date : 31-MAY-16 NYS DOH #: 11626

Collection Media : PVC PW 37mm Supervisor: KRK/CRI QC by : TJB

NA -Not Applicable ND -Not Detected 1 -Liters mppcf -Million Particles per Cubic Foot

Page 15 of 30 Report Reference:1 Generated:07-JUN-16 16:36

SGS

LABORATORY FOOTNOTE REPORT

GALSON

6601 Kirkville Road East Syracuse, NY 13057 (315) 432-5227 FAX: (315) 437-0571 www.galsonlabs.com



This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise noted below, all quality control results associated with the samples were within established control limits or did not impact reported results.

Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client's direction). The laboratory does not have control over the sampling process. The findings herein constitute no warranty of the samples' representativeness of any sampled environment and strictly relate to the samples as they were presented to the laboratory.

Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.

The stated LOGs for each analyte represent the demonstrated LOG concentrations prior to correction for desorption efficiency (if applicable).

Unless otherwise noted below, reported results have not been blank corrected for any field blank or method blank.

(Report ID: 938257):
SOPS: GRAV-SOP-5(15), GRAV-SOP-6(15)
Gravimetric analytical accuracy of the sampling media is -0.001 +/- 0.006 mg (average blank weight change +/- 95% confidence interval or k-2). The estimated uncertainly applies to the media, technology, and SOP(s) referenced in this report and does not account for any uncertainty associated with the sampling process.

PNOR = Particulates Not Otherwise Regulated.

(Report ID: 940461):

SOPs: ix-calibrate(11), ix-xrdbulkprep(21), ix-xrdreview(13), ix-xrdstdprep(25) Bulk silica results are considered approximate, per OSHA ID-142 section3.6. Level of quantitation varies with actual sample mass used forpreparation.

(Report ID: 938254):
Gravimetric analytical accuracy of the sampling media is -0.001 +/- 0.006 mg (average blank weight change +/- 95% confidence interval or k-2). The estimated uncertainty applies to the media, technology, and SOP(s) referenced in this report and does not account for any uncertainty associated with the sampling process.
SOPs: GRAV-SOP-5(15), GRAV-SOP-6(15), ix-calibrate(11), ix-xrdashprep(25), ix-xrdreview(13),

-Less Than mg -Milligrams m3 -Cubic Meters kg -Kilograms ppm -Parts per Million
-Greater Than ug -Micrograms 1 -Liters NS -Not Specified ND -Not Detected NA -Not Applicable

Page 16 of 30 Report Reference:1 Generated:07-JUN-16 16:36





6601 Kirkville Road Bast Syracuse, NY 13057 (315) 432-5227 FAX: (315) 437-0571 www.galsonlabs.com

Client Name : Site Project No. Date Sampled : 16-MAY-16 - 20-MAY-16 Account No.: Date Received: 23-MAY-16 Login No. Date Analyzed: 24-MAY-16 - 06-JUN-16

(Report ID: 938254): 1x-xrdstdprep(25)

-8,12-13,15 (Report ID: 938254):

The Secondary Quartz angle is used for Quartz mass determination.

(Report ID: 938254):

The NTOSH 7500 minimum recommended sampling volume is 400 liters.

We perform a quantitative secondary angle confirmation on all Quartz results greater than 0.025 mg.

Secondary angle quantitative confirmation is not possible below 0.025 mg.

We were able to confirm Quartz in sample 1375863-9 and 1375863-17 qualitatively using the secondary angle.

-6,14 (Report ID: 938254):
PEL is based on maximum possible percent Quartz.

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k-2). The estimated uncertainty applies to the media, technology, and 80% referenced in this report and does not account for the uncertainty associated with the sampling process.

Parameter	Accuracy	Mean Recovery
Primary Quartz	+/-11.8%	98.1%
Secondary Quartz	+/-13.5%	92.28
Cristobalite	+/-11.9%	96.1%
Tridymite	+/-16.3%	100%

< -Less Than > -Greater Than

Page 17 of 30 Report Reference:1 Generated:07-JUN-16 16:36

783167205197 Date: 05/23/16 Shipper:FEDEX Initials:SK





	783167299197 Date: 05/23/16 Shipper: FEDEX Initials: SK Prep: UNKNOUN			LSON	С	HAIN	OF C	UST	ODY (78-8	D)		
	Around Time (TAT):	(surcharge)	You may ed	dit and complete this COC elect	ronically	by logging in to yo	ur Client Portal accou	int at https://por	tal.galsonlabs.com/				
V	Standard	0%											
	4 Business Days	35%	Client Acct I		Ms. El	izabeth Lloyd	·		Invoice To :				
	3 Business Days	50%		Company Name				Co	ompany Name				
	2 Business Days	75% _.	Original Pre	Address 1					Address 1 :				
	Next Day by 6pm	100%	PTX38132						Address 2 :				
	Next Day by Noon	150%		City, State Zip : Phone No. :					City, State Zip				
	Same Day	200%	CS Rep:	Cell No. :					Phone No.				
[7] e	amples submitted using	- the	TLANCAST					'	Comments :				
	reePumpLoan™ Program			Comments :					P.O. No. :				
	amples submitted using		Online COC	: No.:						vill call SGS Galson to p	rovide cre	dit card i	nfo ·
F	reeSamplingBadges™ P	Program	107553							ard on File (enter the las			
l										<u> </u>			
Com	ments :								State Sampled :	Please indicate which C	EL(s) this	data will	be used for :
		01.12e t	he cou	o volumes.					otato oumpiou :	□osha pel □acg			
	T CECUSE INTO							-	MO	□iÀQ:	Ot		
										Specify Limit(s			ify Other
Site I	Name :		Proj	iect :		Sampled By	Elloyd		List description of inde	ustry or Process/interfer	ences pre	sent in sa	mpting area :
{№	Sample ID *	Dar	te Sampled *	Collection Medium		Sample Volume Sample Time	Liters Minutes	Analy	ysis Requested	Method Reference	e^	Process (nt Chromium e.g., welding,
├─		-		2 22 24 244	\rightarrow	Sample Area *	in², cm², ft² *			 	-	plating, p	painting, etc.)
		- 1		3pc 37mm PW PVC	- 1		1.		rystalline ristobalite, &	mod. NIOSH 0600/7500/mod.	OSHA		
٦	7	ے ا	116/16		- 1	415	1041.7	tridymite	(with	ID-142; Grav./X			
٦	76946		110116		ı	mins	Liters	respirabl	le dust)	1			
ı				1		,,,,,	LITE'S				- 1		
							<u> </u>						
□ ^	If the method(s) indicat	ted on the C	OC are not ou	ur routine/preferred method(s),	we will s	ubstitute our routin	ne/preferred methods	. If this is not ac	ceptable, check here to	have us contact you.			
Chai	n of Custody	- 1	Print Name / S	Signature	Date	e Time			Print Name / Signs	MOTE NO.	Da	te	Time
Relin	nquished By: E L	Loyd		Elizabethord	5/20	16 2pm	Received By :	Zachar	y King 24	ace Herry	5/23	16	9:13
Relin	nquished By :			- V			Received By:						
				* You must fil	ll in these	columns for any s	amples which you are	e submitting.		Online COC No Prep No		326	
				Samples re	ceived af	fter 3pm will be con	sidered as next day's	business.		Account No		-	
							3.			Draf	t: 5/11/20	16 4:08:1	PM

Page: 1 / 13

SGS Galson | 6601 Kirkville Road | East Syracuse, NY 13057, USA | t +1 888 432 5227 | +1 315 432 5227 | f +1 315 437 0571 | www.galsonlabs.com | www.sgs.com

Page 18 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Comments :		_			,			
Sample ID * (Maximum of 20 Characters)	Date Sampled *	Collection Medium	San	ole Volume nple Time ple Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Hexavalent Chromium Process (e.g., welding, plating, painting, etc.)
976926	5/16/16	3pc 37mm PW PVC	45 mir	3 is	1141.6 Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
976949	5/16/16	3pc 37mm PW PVC	44		1058.4 Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
974916	5/16/16	3pc 37mm PW PVC	409		1036.3 Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142: Grav./XRD	
976838	5/16/16	3pc 37mm PW PVC	40 m	G ins	941.9 Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
976950	5/18/16	3pc 37mm PW PVC	35°		835.4 Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	,
976952	5/18/16	3pc 37mm PW PVC	35 mi	-	860.Z Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
^ If the method(s) indicated on	the COC are not ou	r routine/preferred method(s)	, we will substitu	te our routine	preferred methods.	. If this is not acceptable, check here to	have us contact you.	
Chain of Custody	Print Name / S	-	Date	Time		Print Name / Signa	- W	Date Time
Relinquished By : E LOQ	gd H	Eloyd	5/20/16	2pm	Received By :	Zachary King	5/2	36 9:13
neinquistied by:		* You must f	ill in these colum	ne for any co	mples which you are	o submitting	Online COC No. : 1075	53
					idered as next day's	•	Prep No. : PTX: Account No.	

Page: 2 / 13

SGS Galson 6601 Kirkville Road East Syracuse, NY 13057, USA t +1 888 432 5227 | +1 315 432 5227 f +1 315 437 0571 www.galsonlabs.com | www.sgs.com

Page 19 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Sample ID * (Maximum of 20 Characters)	Date Sampled *	Collection Medium	1	Sample Volume Sample Time Sample Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Hexavalent Chron Process (e.g., wel plating, painting,
976957	5/18/14	3рс 37тт РW РVС		368 mins	920.0 liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSH ID-142; Grav./XRD	
976935	5/18/16	3pc 37mm PW PVC		361 mins	884.5 Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSH/ ID-142; Grav./XRD	
976937	5/18/14	3pc 37mm PW PVC		4SD mins	896.4 #29.5 Ed	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSH; ID-142; Grav./XRD	
976956	5/19/16	3pc 37mm PW PVC		450 mins	1129.5 liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHJ ID-142; Grav./XRD	
9712140	5/19/16	3pc 37mm PW PVC		450 mins	1109.3 liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSH; ID-142; Grav./XRD	
976948	5/1 9 /16	3pc 37mm PW PVC		450 mins	1116.0 Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHJ ID-142; Grav./XRD	
					ne/preferred methods.	If this is not acceptable, check here to		
Relinquished By :	Print Name / S	ELloy	5/2		Received By :	Zachary King		2316 4:13

Page: 3 / 13

SGS Galson 6601 Kirkville Road East Syracuse, NY 13057, USA t +1 888 432 5227 | +1 315 432 5227 | f +1 315 437 0571 www.galsonlabs.com | www.sgs.com

Page 20 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Sample ID * (Maximum of 20 Characters)	Date Sampled	 Collection Medium 	n	Sample Sample Sample	Time	Liters Minutes in², cm², ft² •	Analysis Requested	Method Reference ^	Process (e	nt Chromium .g., welding ainting, etc.)
976947	5/19/16	3pc 37mm PW PVC		450 min		1111.5 Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSH/ ID-142; Grav./XRD		
97451	5/19/16	3pc 37mm PW PVC		450 mins	5	1143.0 Liter	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSH ID-142; Grav./XRD		
976934	5/20/14	3pc 37mm PW PVC		148	mins	393.7 Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSH2 ID-142; Grav./XRD		
976953	5/20/10	3pc 37mm PW PVC		149 min	" I	369 Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHJ ID-142; Grav./XRD		
974 958	5/20/14	3pc 37mm PW PVC		148 min		374.4 liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSH ID-142; Grav./XRD		
976954	5/20/10	3pc 37mm PW PVC		148 min:		377.4 liter	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHJ ID-142; Grav./XRD		
						preferred methods.	If this is not acceptable, check here to	have us contact you.		
Chain of Custody Relinquished By:	Print Name /	Elloud	5/2		Time	Received By :	Print Name / Signa		Date	4!12
Relinquished By : Ella	300	Filoya	17/10	710	2pm	Received By :	Zachary King	and themes	2316	٠٠٠٠)

Page: 4 / 13

SGS Galson 6601 Kirkville Road East Syracuse, NY 13057, USA t +1 888 432 5227 | +1 315 432 5227 f +1 315 437 0571 www.galsonlabs.com | www.sgs.com

Page 21 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Comments :								
Sample ID * (Maximum of 20 Characters)	Date Sampled *	Collection Medium		Sample Volume Sample Time Sample Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Hexavalent Chromium Process (e.g., welding plating, painting, etc.)
976955	5/2d14	3pc 37mm PW PVC		148 mins	375.9 Liters	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
976942	5/20/14	3pc 37mm PW PVC	r	Blank !	Blank	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
974941	5720/14	3pc 37mm PW PVC	Y	Blant	Blank	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
976921	5/10/16	3pc 37mm PW PVC	2	Bland	Blank	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
974925	5/16/14	3pc 37mm PW PVC	6	Blenne	Blownt	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
976932	5/8/14	Зрс 37шш РЖ РVС		B Coule	Blank	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
^ If the method(s) indicated on	the COC are not our	routine/preferred method(s),	we will sub	ostitute our routine/	preferred methods. I	f this is not acceptable, check here to	have us contact you.	
Chain of Custody	Print Name / Si	~~~	Date	Time	2 1 12	Print Name / Signe	- VIII	Date Time
Relinquished By:	2	Lloyd	5/20/1	16 2 pm	Received By :	Zachary King	5/2	316 9:13
e-	an EN Est			-	nples which you are dered as next day's t	•	Online COC No.: 10758 Prep No.: PTY3 Account No Draft: 5/11/2	

. Page: 5 / 13

SGS Galson 6601 Kirkville Road East Syracuse, NY 13057, USA t +1 888 432 5227 | +1 315 432 5227 f +1 315 437 0571 www.galsonlabs.com | www.sgs.com

Page 22 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Sample ID * (Maximum of 20 Characters)	Date Sampled *	Collection Medium	Sa	ple Volume mple Time nple Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Hexavalent Chromius Process (e.g., welding plating, painting, etc
974939	5/18/16	3pc 37mm PW PVC	BU	ank	Bbuck	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
976928	5/19/14	3pc 37mm PW PVC	B	land	Blant	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
974938	5/A114	3pc 37mm PW PVC	131	ank	Blank	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
^ If the method(s) indicated on	the COC are not our	routine/preferred method(s)	, we will substitu	ute our routine/	preferred methods.	If this is not acceptable, check here to	have us contact you.	
hain of Custody	Print Name / Si		Date	Time		Print Name / Signet	- W/ - I	Date Time
Relinquished By :	JØ 8	Lloyd	5/20/16	2PM	Received By :	Zachary King Z	14 Huy) 5	23 16 9:13

Page: 6 / 13

SGS Galson 6601 Kirkville Road East Syracuse, NY 13057, USA t +1 888 432 5227 | +1 315 432 5227 f +1 315 437 0571 www.galsonlabs.com | www.sgs.com

Page 23 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Comments :								
Sample ID * (Maximum of 20 Characters)	Date Sampled *	Collection Medium		Sample Volume Sample Time Sample Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Hexavalent Chromium Process (e.g., welding, plating, painting, etc.)
		3pc 37mm PW PVC				silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
		3pc 37mm FW FVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./KRD	
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./KRD	
		3pc 37mm PW PVC			-	Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./KRD	
^ If the method(s) indicated on	the COC are not our	routine/preferred method(s),	we will su	ubstitute our routine/	preferred methods.	If this is not acceptable, check here to	have us contact you.	
Chain of Custody	Print Name / Si	gnature	Date	Time		Print Name / Signat	ure	Date Time
Relinquished By :					Received By :	Zachary King Dau	5 (Juny) (5	3/16 9:13
Relinquished By :					Received By :	<i>O</i>		
	lank co	• You must fi X US Samples re	II in these eceived aft	columns for any sam er 3pm will be consid	nples which you are dered as next day's	submitting. business.	Online COC No.: 1075 Prep No.: PTX: Account No Draft: 5/17	

Page: 7 / 13

SGS Galson 6601 Kirkville Road East Syracuse, NY 13057, USA t +1 888 432 5227 | +1 315 432 5227 f +1 315 437 0571 www.galsonlabs.com | www.sgs.com

Page 24 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Sample ID * (Maximum of 20 Characters	Date Sampled *	Collection Medium		ample Volume Sample Time sample Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Hexavalent Chromius Process (e.g., welding plating, painting, etc.
	-	3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
-		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
^ If the method(s) indicated	on the COC are not ou	r routine/preferred method(s), v	we will subs	titute our routine/	preferred methods.	If this is not acceptable, check here to	have us contact you.	
hain of Custody	Print Name / S	ignature	Date	Time		Print Name / Signa	- W	Date Time
elinquished By :					Received By :	Zachary King Zau	S June S	23/16 9:13

Page: 8 / 13

SGS Galson 6601 Kirkville Road East Syracuse, NY 13057, USA t +1 888 432 5227 | +1 315 432 5227 f +1 315 437 0571 www.galsonlabs.com | www.sgs.com

Page 25 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Sample ID * (Maximum of 20 Characters)	Date Sampled *	Collection Medium		Sample Volume Sample Time Sample Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Hexavalent Chromium Process (e.g., welding plating, painting, etc.
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./KRD	
		3pc 37mm PW PVC				Silica, crystalline quartz, cristobalite, & tridymite (with respirable dust)	mod. NIOSH 0600/7500/mod. OSHA ID-142; Grav./XRD	
972278	5/16/16	2pc 37mm PW PVC		438 mins	889.1 liteo	Dust, Total	mod. NIOSH 0500; Gravimetric	
972270	5/16/16	2pc 37mm PW PVC		404 mins	806.4 liter	Dust, Total	mod. NIOSH 0500; Gravimetric	
772282	5/16/16	2pc 37mm PW PVC			971.8 liters	Dust, Total	mod. NIOSH 0500; Gravimetric	
972303	5/16/16	2pc 37mm PW PVC		411 mins	834.3 liters	Dust, Total	mod. NIOSH 0500; Gravimetric	
972280	5/16/16	2pc 37mm PW PVC		412 mins	828.1 Liters	Dust, Total	mod. NIOSH 0500; Gravimetric	
972314	5/18/16	2pc 37mm PW PVC		,	737.81245	Dust, Total	mod. NIOSH 0500; Gravimetric	
172293	5/18/16	2pc 37mm PW PVC		366 mins	7503 Liters	Dust, Total	mod. NIOSH 0500; Gravimetric	
172306	5/18/16	2pc 37mm PW PVC		214 mins	432,3 liter	Dust. Total	mod. NIOSH 0500; Gravimetric	
					/preferred methods.	If this is not acceptable, check here to		
linquished By : EUon	Print Name / Si	Rloyd	5/20	,	Received By :	Zachary King Dau	\w\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Date Time

Page: 9 / 13

SGS Galson 6601 Kirkville Road East Syracuse, NY 13057, USA t +1 888 432 5227 [+1 315 432 5227 f +1 315 437 0571 www.galsonlabs.com | www.sgs.com

Page 26 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Comments :							***	
Sample ID * (Maximum of 20 Characters)	Date Sampled *	Collection Medium	Sar	ple Volume nple Time nple Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Hexavalent Chromiu Process (e.g., weldin plating, painting, etc
972274	5/18/16	2pc 37mm PW PVC	361	mins	723.8 liters	Dust, Total	mod. NIOSH 0500; Gravimetric	
972302	5/18/14	2pc 37mm PW PVC		2 mins	711.0 Liters	Dust, Total	mod. NIOSH 0500; Gravimetric	
972272	5/19/16	2pc 37mm PW PVC		Omins	882 liters	Dust, Total	mod. NIOSH 0500; Gravimetric	
972283	5/19/16	2pc 37mm PW PVC		Dmins	904.5lites	Dust, Total	mod. NIOSH 0500; Gravimetric	
972271	5/19/16	2pc 37mm PW PVC	- 1	0 mins	886.5 Liter	Dust, Total	mod. NIOSH 0500; Gravimetric	
972275	5/19/16	2pc 37mm PW PVC			895.5 Ldee	Dust, Total	mod. NIOSH 0500; Gravimetric	
972273	5/19/14	2pc 37mm PW PVC	- 1		886.5liters	Dust, Total	mod. NIOSH 0500; Gravimetric	
972277	5/20/16	2pc 37mm PW PVC		3mins	303.4 liter	Dust, Total	mod. NIOSH 0500; Gravimetric	
972276	5/20/14	2pc 37mm PW PVC	-14	8mins	296 liters	Dust, Total	mod. NIOSH 0500; Gravimetric	
972267	5/20/14	2pc 37mm PW PVC	ال	+7mins	302.8lite	Dust, Total	mod. NIOSH 0500; Gravimetric	
972295	5/2014	2pc 37mm PW PVC	14	8 mins	307.8 Liters	Dust, Total	mod. NIOSH 0500; Gravimetric	
					preferred methods.	If this is not acceptable, check here	_	
Relinquished By:	Print Name / S	*	5/20/10	2 pm	Received By :	Print Name / Sign	<u> </u>	2316 9:13
Relinquished By :	ya	Elloyd	5/20/10	2009	Received By :	Zachary King	ing finance 3	23/16 9:13
					nples which you are idered as next day's	-	Online COC No. : 107 Prep No PTO Account No Draft : 5/1	

Page: 10 / 13

SGS Galson 6601 Kirkville Road East Syracuse, NY 13057, USA t+1 888 432 5227 | +1 315 432 5227 f+1 315 437 0571 www.galsonlabs.com | www.sgs.com

Page 27 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Comments :								
Sample ID * (Maximum of 20 Characters)	Date Sampled *	Collection Medium	Sam	le Volume ple Time ple Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Hexavalent Chromium Process (e.g., welding, plating, painting, etc.)
972269	5/20/14	2pc 37mm PW PVC	148	mins	301:9 We	Dust, Total	mod. NIOSH 0500; Gravimetric	
972248	5/16/16	2pc 37mm PW PVC		ank	Blank	Dust, Total	mod. NIOSH 0500; Gravimetric	
972284	5/16/16	2pc 37mm PW PVC)	Dust, Total	mod. NIOSH 0500; Gravimetric	
972285	5/18/16	2pc 37mm PW PVC				Dust, Total	mod. NIOSH 0500; Gravimetric	
972299	5/18/16	2pc 37mm PW PVC				Dust, Total	mod. NIOSH 0500; Gravimetric	
972313	5/19/10	2pc 37mm PW PVC				Dust, Total	mod. NIOSH 0500; Gravimetric	
972312	5/19/14	2pc 37mm PW PVC				Dust, Total	mod. NIOSH 0500; Gravimetric	
972279	5/20/16	2pc 37mm PW PVC				Dust, Total	mod. NIOSH 0500; Gravimetric	
972297	5/20/16	2pc 37mm PW PVC	7			Dust, Total	mod. NIOSH 0500; Gravimetric	
	,	2pc 37mm PW PVC				Dust, Total	mod. NIOSH 0500; Gravimetric	
		2pc 37mm PW PVC				Dust, Total	mod. NIOSH 0500; Gravimetric	
^ If the method(s) indicated on	the COC are not ou	routine/preferred method(s),	we will substitut	te our routine	/preferred methods. I	If this is not acceptable, check here to	have us contact you.	
Chain of Custody	Print Name / S	ignature	Date	Time		Print Name / Sign	rure	Date Time
Relinquished By : Ellon	d 19	Lloyd 9	Sholle	2pm	Received By :	Zachary King	14 Huy 5:	13/16 9:12
Relinquished By :		7			Received By :			,
				-	mples which you are idered as next day's t	_	Online COC No. : 1075 Prep No. : PTX Account No. Draft : 8711	

Page: 11 / 13

SGS Galson 6601 Kirkville Road East Syracuse, NY 13057, USA t +1 888 432 5227 | +1 315 432 5227 f +1 315 437 0571 www.galsonlabs.com | www.sgs.com

Page 28 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Comments :											
									•		
Sample II (Maximum of 20		Date Sampled *	Collection Medium		Sampl	Volume le Time e Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Process	ent Chromium (e.g., welding, painting, etc.)
			2pc 37mm PW PVC					Dust, Total	mod. NIOSH 0500; Gravimetric		
			2pc 37mm PW PVC					Dust, Total	mod. NIOSH 0500; Gravimetric		
			2pc 37mm PW PVC					Dust, Total	mod. NIOSH 0500; Gravimetric		
			2pc 37mm PW PVC					Dust, Total	mod. NIOSH 0500; Gravimetric		
			2pc 37mm PW PVC					Dust, Total	mod. NIOSH 0500; Gravimetric		
			2pc 37mm PW PVC					Dust, Total	mod. NIOSH 0500; Gravimetric		
			2pc 37mm PW PVC					Dust, Total	mod. NIOSH 0500; Gravimetric		
			2pc 37mm PW PVC					Dust, Total	mod. NIOSH 0500; Gravimetric		
			2pc 37mm PW PVC					Dust, Total	mod. NIOSH 0500; Gravimetric		
			2pc 37mm PW PVC					Dust, Total	mod. NIOSH 0500; Gravimetric	1.	
			2pc 37mm PW PVC					Dust, Total	mod. NIOSH 0500; Gravimetric		
^ If the method(s) indicated on t	he COC are not o	ur routine/preferred method(s)	, we will	substitute	our routine/	preferred methods	. If this is not acceptable, check here to	have us contact you.		
Chain of Custody Print Name / Signature		Da	ate	Time		Print Name / Signal		Date	Time		
Relinquished By:							Received By :	Zachary King	5	23/16	9113
Relinquished By:							Received By :			-	
						-	ples which you ar dered as next day's		Online COC No.: 10 Prep No.: PT Account No. Draft: 57		9 PM

Blank COO ELE SGS Galson | 6601 Kirkville Road | East Syracuse, NY 13057, USA | t +1 888 432 5227 | +1 315 432 5227 | f +1 315 437 0571 | www.galsonlabs.com | www.galsonlabs.com

Page 29 of 30 Report Reference:1 Generated:07-JUN-16 16:36



Sample ID * (Maximum of 20 Characters)	Date Sampled *	Collection Medium	Samp	e Volume ple Time ile Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Hexavalent Chromiur Process (e.g., welding plating, painting, etc.
		2pc 37mm PW PVC				Dust, Total	mod. NIOSH 0500; Gravimetric	
		2pc 37mm PW PVC				Dust, Total	mod. NIOSH 0500; Gravimetric	
		2pc 37mm PW PVC				Dust, Total	mod. NIOSH 0500; Gravimetric	
		2pc 37mm PW PVC				Dust, Total	mod. NIOSH 0500; Gravimetric	
BRL01051616	5-16-16	BULK Sand				Bulk Sand Qu	7000.7500	
BR L02051816	5-18-16	1 1				BULK Sand	7000	
BR L03051916	5-19-16		\top			Bulk sand	7000	
BRL04052016	5-20-16					BULK Saw	7000 V	
						ρυ	WW 805/31/10	
							,	
^ If the method(s) indicated or	n the COC are not our	routine/preferred method(s), we	will substitute	e our routine/	preferred methods.	If this is not acceptable, check here to	have us contact you.	
Chain of Custody	Print Name / Si		Date	Time		Print Name / Signer		Date Time
Relinquished By: ELLO	nd 8	Alord 5	rolle	zpm	Received By :	Zachary King Daw	() (hear) 5	23/16 9113
Relinquished By :				-	Received By :	α	/	

Page: 13 / 13

SGS Galson 6601 Kirkville Road East Syracuse, NY 13057, USA t +1 888 432 5227 | +1 315 432 5227 f +1 315 437 0571 www.galsonlabs.com | www.sgs.com

Page 30 of 30 Report Reference:1 Generated:07-JUN-16 16:36