

**Supporting Information for**

**Size, composition, morphology and health implications of airborne incidental metal-containing nanoparticles**

**Key Words:** Incidental nanoparticles, respiratory deposition curve, single particle analysis, fractal-like agglomerates, NP-collectors.

**Word count:** 515

**Supporting Information.** The SI contains the following information:

**Table S1.** Size separation is done using a nano-MOUDI cascade impactor and corresponding stages.

**Table S2.** LOQs and LODs of Al, Mn, Fe, Cu and Zn in nano-MOUDI substrates.

**Figure S1.** Comparison of the Fe (left) Mn, (middle) and Cu (right) concentrations between on-site and off-site nano-MOUDI measurements at the machining center during Day 2 (a) and Day 3 (b).

**Figure S2.** Comparison of the Fe (left) Mn, (middle) and Cu (right) concentrations between on-site and off-site nano-MOUDI measurements at the foundry during Day 1 (a) and Day 3 (b).

**Figure S3.** Composition of incidental particles observed at the machining center and the foundry. Percentage of the main metals found in the elemental analysis of the digested nano-MOUDI filters are summarized for samples collected during days 1, 2 and 3 for the machining center (a) and foundry (b). No data are shown if metals were present in concentrations lower than the corresponding LOD.

**Figure S4.** Low magnification SEM images of particles found at the machining center and the foundry for different size ranges including for particles collected by the nano-MOUDI stages 3 (3.2-5.6 $\mu$ m), 5 (1-1.8 $\mu$ m), 7 (320-560nm) and 9 (100-180nm) at the machining center (a) and the foundry (b).

**Figure S5.** SEM-EDS of particles found on the machining center and the foundry. The SEM image is compared to the Fe, O, Mn, and Cu elemental mappings for both sites in nano-MOUDI stage 7 (320-560nm). Zn, and Mg were also found and mapped in the foundry.


**Table SI.** Size separation is done using a nano-MOUDI cascade impactor and corresponding stages.

Stage	$d_{50}$ , nm	Midpoint diameter ( $d_i$ ), nm	Substrate material
1	10000	15000	Polycarbonate
2	5600	7800	Polycarbonate
3	3200	4400	Polycarbonate
4	1800	2500	Polycarbonate
5	1000	1400	Polycarbonate
6	560	780	Polycarbonate
7	320	440	Polycarbonate
8	180	250	Polycarbonate
9	100	140	Polycarbonate
10	59	79.5	Polycarbonate
11	32	45.5	Polycarbonate
12	18	25	Polycarbonate
13	10	14	Polycarbonate
14 Final filter	<10	6	Mixed cellulose ester (MCE)


**Table SII.** LOQs and LODs of Al, Mn, Fe, Cu and Zn in nano-MOUDI substrates.

Technique	Substrate	Al		Mn		Fe		Cu		Zn	
		LOQ ( $\mu\text{g}$ )	LOD ( $\mu\text{g}$ )	LOQ ( $\mu\text{g}$ )	LOD ( $\mu\text{g}$ )	LOQ ( $\mu\text{g}$ )	LOD ( $\mu\text{g}$ )	LOQ ( $\mu\text{g}$ )	LOD ( $\mu\text{g}$ )	LOQ ( $\mu\text{g}$ )	LOD ( $\mu\text{g}$ )
ICP-MS	PCTE	0.801	0.473	0.071	0.054	1.849	1.335	0.039	0.012	1.703	1.429
	MCE	0.730	0.333	0.071	0.057	0.417	0.125	0.031	0.009	0.782	0.621
FP-XRF	PCTE	N. M.	N. M.	N. D.	0.94*	N. D.	0.93*	4.52	3.38	N. D.	0.40*
	MCE	N. M.	N. M.	N. D.	1.61*	10.47	4.82	N. D.	1.61*	N. D.	1.61*


N. M. = Not measured, N. D. = Not detected, \*= Based on the LOD from the instrument.




**Figure S1.** Comparison of the Fe (left) Mn, (middle) and Cu (right) concentrations between on-site and off-site nano-MOUDI measurements at the machining center during Day 2 (a) and Day 3 (b).




**Figure S2.** Comparison of the Fe (left) Mn, (middle) and Cu (right) concentrations between on-site and off-site nano-MOUDI measurements at the foundry during Day 1 (a) and Day 3 (b).



**Figure S3.** Composition of incidental particles observed at the machining center and the foundry. Percentage of the main metals found in the elemental analysis of the digested nano-MOUDI filters are summarized for samples collected during days 1, 2 and 3 for the machining center (a) and foundry (b). No data are shown if metals were present in concentrations lower than the corresponding LOD.



**Figure S4.** Low magnification SEM images of particles found at the machining center and the foundry for different size ranges including for particles collected by the nano-MOUDI stages 3 (3.2-5.6µm), 5 (1-1.8µm), 7 (320-560nm) and 9 (100-180nm) at machining center (a) and the foundry (b).



**Figure S5.** SEM-EDS of particles found on the machining center and the foundry. The SEM image is compared to the Fe, O, Mn, and Cu elemental mappings for both sites in nano-MOUDI stage 7 (320-560nm). Zn, and Mg were also found and mapped in the foundry.