

Supplemental table. Frequency and percentage of new invasive cancer diagnoses by anatomic site and race/ethnicity—United States, 2015–2019\*

Race and Ethnicity <sup>§</sup> Race and Ethnicity <sup>§</sup> and Ethnicity <sup>§</sup>	Female Breast Count	Female Breast Percentage	Lung and Bronchus Count†	Lung and Bronchus Percentage	Colon and Rectum Count†	Colon and Rectum Percentage	Prostate Count†	Prostate Percentage	Thyroid Count†	Thyroid Percentage
<b>Asian American, Native Hawaiian, or Pacific Islander</b>	56,322	19.3	32,577	11.2	28,901	9.9	25,192	8.6	15,818	5.4
<b>Asian American</b>	52,892	19.3	30,560	11.2	27,273	10.0	23,486	8.6	15,076	5.5
<b>East Asian</b>	16,485	17.8	12,848	13.9	10,111	10.9	7,006	7.6	3,922	4.2
Chinese	9,325	16.9	8,451	15.3	5,639	10.2	4,031	7.3	2,725	4.9
Japanese	3,775	20.5	2,107	11.4	2,178	11.8	1,894	10.3	346	1.9
Korean	3,385	17.9	2,290	12.1	2,294	12.1	1,081	5.7	851	4.5
<b>South East Asian</b>	14,116	19.7	9,523	13.3	7,236	10.1	5,287	7.4	3,504	4.9
Filipino	9,892	23.4	4,968	11.7	3,794	9.0	3,706	8.8	2,273	5.4
Vietnamese	3,079	13.9	3,629	16.4	2,474	11.2	1,271	5.8	954	4.3
Laotian	225	11.7	271	14.1	283	14.8	78	4.1	39	2.0
Hmong	79	9.0	85	9.7	115	13.1	12	1.4	27	3.1
Cambodian	326	14.8	270	12.3	349	15.9	81	3.7	108	4.9
Thai	515	22.5	300	13.1	221	9.7	139	6.1	103	4.5
<b>South Asian</b>	9,258	20.7	3,072	6.9	3,593	8.0	4,349	9.7	2,813	6.3
Asian Indian	4,726	20.7	1,483	6.5	1,706	7.5	2,162	9.5	1,350	5.9
Pakistani	623	20.6	208	6.9	227	7.5	234	7.7	143	4.7
Asian Indian or Pakistani, race NOS	3,909	20.6	1,381	7.3	1,660	8.8	1,953	10.3	1,320	7.0
<b>Other Asian</b>	13,033	20.2	5,117	7.9	6,333	9.8	6,844	10.6	4,837	7.5
<b>Native Hawaiian or Pacific Islander</b>	3,430	18.6	2,020	10.9	1,635	8.9	1,713	9.3	756	4.1
Hawaiian	2,065	19.4	1,228	11.5	976	9.2	982	9.2	435	4.1
Micronesian, race NOS	84	11.5	85	11.7	27	3.7	70	9.6	36	4.9
Chamoru	18	13.6	25	18.9	18	13.6	6	4.5	Suppressed	NC
Guamanian, race NOS	52	17.3	42	14.0	29	9.7	21	7.0	9	3.0
Polynesian, race NOS	17	13.8	13	10.6	9	7.3	Suppressed	NC	Suppressed	NC
Tahitian	6	27.3	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Samoan	210	13.9	194	12.8	136	9.0	123	8.1	35	2.3
Tongan	90	18.1	50	10.0	33	6.6	42	8.4	10	2.0
Melanesian, race NOS	13	25.5	Suppressed	NC	Suppressed	NC	7	13.7	Suppressed	NC
Fiji Islander	100	27.5	22	6.1	32	8.8	21	5.8	9	2.5

Supplemental table. Frequency and percentage of new invasive cancer diagnoses by anatomic site and race/ethnicity—United States, 2015–2019\*

<b>Race and Ethnicity<sup>§</sup></b>	<b>Female Breast Count</b>	<b>Female Breast Percentage</b>	<b>Lung and Bronchus Count<sup>†</sup></b>	<b>Lung and Bronchus Percentage</b>	<b>Colon and Rectum Count<sup>†</sup></b>	<b>Colon and Rectum Percentage</b>	<b>Prostate Count<sup>†</sup></b>	<b>Prostate Percentage</b>	<b>Thyroid Count<sup>†</sup></b>	<b>Thyroid Percentage</b>
Papua New Guinean	7	14.9	6	12.8	7	14.9	Suppressed	NC	Suppressed	NC
Pacific Islander, race NOS	768	19.0	352	8.7	361	8.9	434	10.8	208	5.2
White	942,969	14.4	908,931	13.9	523,360	8.0	756,363	11.5	163,910	2.5
Black	146,388	15.6	117,692	12.6	86,995	9.3	167,402	17.9	17,484	1.9
American Indian or Alaska Native	6,033	13.9	6,011	13.8	4,541	10.4	3,765	8.6	1,292	3.0
Other	3,837	15.3	1,785	7.1	2,146	8.6	3,306	13.2	1,402	5.6
Unknown	6,003	6.6	2,322	2.6	4,935	5.5	28,190	31.2	1,782	2.0
Hispanic	113,671	15.5	51,965	7.1	68,477	9.4	76,643	10.5	34,442	4.7
All races combined	1,275,223	14.7	1,121,283	12.9	719,355	8.3	1,060,861	12.2	236,130	2.7

Abbreviations: NOS = not otherwise specified; NC = data not calculated.

\*Incidence data are from cancer registries that met data quality criteria for all invasive cancer sites combined, representing 100% of the US population.

<sup>†</sup>Counts from suppressed cells are included in the aggregate totals.

<sup>§</sup>The current analysis is restricted to persons who reported non-Hispanic ethnicity.

Counts are suppressed because fewer than 6 cases were reported.

Supplemental table (continued). Frequency and percentage of new invasive cancer diagnoses by anatomic site and race/ethnicity—United States, 2015–2019\*

Race and Ethnicity <sup>§</sup>	Non-Hodgkin Lymphoma Count†	Non-Hodgkin Lymphoma Percentage	Liver and Intrahepatic Bile Duct Count†	Liver and Intrahepatic Bile Duct Percentage	Corpus Uteri and Uterus, NOS Count†	Corpus Uteri and Uterus, NOS Percentage	Stomach Count†	Stomach Percentage	Pancreas Count†	Pancreas Percentage
<b>Asian American, Native Hawaiian, or Pacific Islander</b>	12,696	4.4	11,995	4.1	12,042	4.1	8,949	3.1	9,040	3.1
<b>Asian American</b>	12,000	4.4	11,419	4.2	10,682	3.9	8,504	3.1	8,480	3.1
<b>East Asian</b>	3,772	4.1	4,066	4.4	2,829	3.1	4,411	4.8	3,650	3.9
Chinese	2,253	4.1	2,580	4.7	1,774	3.2	2,294	4.2	1,950	3.5
Japanese	859	4.7	566	3.1	611	3.3	670	3.6	897	4.9
Korean	660	3.5	920	4.9	444	2.3	1,447	7.7	803	4.2
<b>South East Asian</b>	3,113	4.3	4,123	5.8	3,134	4.4	1,625	2.3	2,248	3.1
Filipino	1,807	4.3	1,304	3.1	2,317	5.5	656	1.6	1,391	3.3
Vietnamese	973	4.4	2,177	9.9	586	2.7	749	3.4	619	2.8
Laotian	87	4.5	224	11.7	49	2.6	58	3.0	70	3.7
Hmong	40	4.6	69	7.9	40	4.6	54	6.2	39	4.4
Cambodian	109	5.0	242	11.0	43	2.0	48	2.2	72	3.3
Thai	97	4.2	107	4.7	99	4.3	60	2.6	57	2.5
<b>South Asian</b>	2,117	4.7	1,233	2.8	1,855	4.1	989	2.2	1,118	2.5
Asian Indian	1,098	4.8	559	2.5	984	4.3	496	2.2	553	2.4
Pakistani	153	5.1	168	5.6	128	4.2	58	1.9	95	3.1
Asian Indian or Pakistani, race NOS	866	4.6	506	2.7	743	3.9	435	2.3	470	2.5
Other Asian	2,998	4.7	1,997	3.1	2,864	4.4	1,479	2.3	1,464	2.3
<b>Native Hawaiian or Pacific Islander</b>	704	3.8	585	3.2	1,371	7.4	454	2.5	571	3.1
Hawaiian	389	3.7	328	3.1	688	6.5	218	2.0	349	3.3
Micronesian, race NOS	37	5.1	38	5.2	60	8.2	27	3.7	16	2.2
Chamoru	Suppressed	NC	Suppressed	NC	Suppressed	NC	7	5.3	Suppressed	NC
Guamanian, race NOS	12	4.0	19	6.3	20	6.7	Suppressed	NC	14	4.7
Polynesian, race NOS	Suppressed	NC	Suppressed	NC	22	17.9	Suppressed	NC	Suppressed	NC
Tahitian	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Samoan	50	3.3	48	3.2	193	12.8	71	4.7	57	3.8
Tongan	20	4.0	33	6.6	63	12.7	18	3.6	16	3.2
Melanesian, race NOS	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Fiji Islander	15	4.1	7	1.9	28	7.7	14	3.9	15	4.1
Papua New Guinean	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC

Supplemental table (continued). Frequency and percentage of new invasive cancer diagnoses by anatomic site and race/ethnicity—United States, 2015–2019\*

Race and Ethnicity <sup>§</sup>	Non-Hodgkin Lymphoma Count†	Non-Hodgkin Lymphoma Percentage	Liver and Intrahepatic Bile Duct Count†	Liver and Intrahepatic Bile Duct Percentage	Corpus Uteri and Uterus, NOS Count†	Corpus Uteri and Uterus, NOS Percentage	Stomach Count†	Stomach Percentage	Pancreas Count†	Pancreas Percentage
Pacific Islander, race NOS	173	4.3	103	2.6	286	7.1	90	2.2	93	2.3
White	277,401	4.2	110,527	1.7	209,340	3.2	74,370	1.1	194,857	3.0
Black	28,861	3.1	24,088	2.6	34,476	3.7	19,011	2.0	32,172	3.4
American Indian or Alaska Native	1,553	3.6	1,863	4.3	1,538	3.5	865	2.0	1,302	3.0
Other	1,135	4.5	550	2.2	968	3.9	375	1.5	568	2.3
Unknown	3,467	3.8	360	0.4	1,468	1.6	572	0.6	514	0.6
Hispanic	35,643	4.9	27,689	3.8	29,818	4.1	18,651	2.6	22,051	3.0
All races combined	360,756	4.2	177,072	2.0	289,650	3.3	122,793	1.4	260,504	3.0

Abbreviations: NOS = not otherwise specified; NC = data not calculated.

\*Incidence data are from cancer registries that met data quality criteria for all invasive cancer sites combined, representing 100% of the US population.

†Counts from suppressed cells are included in the aggregate totals.

§The current analysis is restricted to persons who reported non-Hispanic ethnicity.

Counts are suppressed because fewer than 6 cases were reported.

Supplemental table (continued). Frequency and percentage of new invasive cancer diagnoses by anatomic site and race/ethnicity—United States, 2015–2019\*

Race and Ethnicity <sup>§Race and Ethnicity§</sup>	Oral Cavity and Pharynx Count†	Oral Cavity and Pharynx Percentage	Kidney and Renal Pelvis Count†	Kidney and Renal Pelvis Percentage	Leukemia Count†	Leukemia Percentage	Urinary Bladder Count†	Urinary Bladder Percentage	Ovary Count†	Ovary Percentage
<b>Asian American, Native Hawaiian, or Pacific Islander</b>	8,306	2.8	8,142	2.8	7,673	2.6	7,619	2.6	5,001	1.7
<b>Asian American</b>	7,778	2.8	7,544	2.8	7,178	2.6	7,221	2.6	4,763	1.7
<b>East Asian</b>	2,533	2.7	2,469	2.7	2,043	2.2	2,850	3.1	1,399	1.5
Chinese	1,770	3.2	1,416	2.6	1,313	2.4	1,559	2.8	815	1.5
Japanese	412	2.2	514	2.8	365	2.0	653	3.5	240	1.3
Korean	351	1.9	539	2.9	365	1.9	638	3.4	344	1.8
<b>South East Asian</b>	1,704	2.4	1,820	2.5	1,783	2.5	1,303	1.8	1,218	1.7
Filipino	779	1.8	1,257	3.0	1,012	2.4	736	1.7	742	1.8
Vietnamese	675	3.1	435	2.0	556	2.5	459	2.1	364	1.6
Laotian	74	3.9	33	1.7	56	2.9	24	1.3	16	0.8
Hmong	44	5.0	19	2.2	44	5.0	Suppressed	NC	11	1.3
Cambodian	65	3.0	36	1.6	53	2.4	37	1.7	39	1.8
Thai	67	2.9	40	1.7	62	2.7	42	1.8	46	2.0
<b>South Asian</b>	1,846	4.1	1,311	2.9	1,626	3.6	1,305	2.9	943	2.1
Asian Indian	1,037	4.5	644	2.8	893	3.9	663	2.9	504	2.2
Pakistani	90	3.0	106	3.5	107	3.5	117	3.9	62	2.1
Asian Indian or Pakistani, race NOS	719	3.8	561	3.0	626	3.3	525	2.8	377	2.0
Other Asian	1,695	2.6	1,944	3.0	1,726	2.7	1,768	2.7	1,203	1.9
<b>Native Hawaiian or Pacific Islander</b>	532	2.9	604	3.3	514	2.8	412	2.2	257	1.4
Hawaiian	291	2.7	381	3.6	283	2.7	263	2.5	136	1.3
Micronesian, race NOS	59	8.1	17	2.3	30	4.1	8	1.1	8	1.1
Chamoru	Suppressed	NC	6	4.5	Suppressed	NC	Suppressed	NC	Suppressed	NC
Guamanian, race NOS	10	3.3	7	2.3	10	3.3	6	2.0	Suppressed	NC
Polynesian, race NOS	6	4.9	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Tahitian	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Samoan	21	1.4	43	2.8	56	3.7	19	1.3	28	1.9
Tongan	15	3.0	9	1.8	16	3.2	Suppressed	NC	Suppressed	NC
Melanesian, race NOS	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Fiji Islander	9	2.5	8	2.2	Suppressed	NC	15	4.1	Suppressed	NC
Papua New Guinean	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC

Supplemental table (continued). Frequency and percentage of new invasive cancer diagnoses by anatomic site and race/ethnicity—United States, 2015–2019\*

Race and Ethnicity <sup>§Race and Ethnicity§</sup>	Oral Cavity and Pharynx Count†	Oral Cavity and Pharynx Percentage	Kidney and Renal Pelvis Count†	Kidney and Renal Pelvis Percentage	Leukemia Count†	Leukemia Percentage	Urinary Bladder Count†	Urinary Bladder Percentage	Ovary Count†	Ovary Percentage
Pacific Islander, race NOS	117	2.9	127	3.1	100	2.5	87	2.2	66	1.6
White	189,998	2.9	242,596	3.7	201,356	3.1	325,373	5.0	76,275	1.2
Black	18,642	2.0	39,840	4.3	21,641	2.3	22,113	2.4	9,790	1.0
American Indian or Alaska Native	1,155	2.7	2,683	6.2	1,230	2.8	1,187	2.7	605	1.4
Other	689	2.7	1,062	4.2	958	3.8	1,003	4.0	372	1.5
Unknown	1,895	2.1	1,081	1.2	3,418	3.8	3,931	4.3	366	0.4
Hispanic	15,008	2.1	37,187	5.1	25,912	3.6	18,943	2.6	11,569	1.6
All races combined	235,693	2.7	332,591	3.8	262,188	3.0	380,169	4.4	103,978	1.2

Abbreviations: NOS = not otherwise specified; NC = data not calculated.

\*Incidence data are from cancer registries that met data quality criteria for all invasive cancer sites combined, representing 100% of the US population.

†Counts from suppressed cells are included in the aggregate totals.

§The current analysis is restricted to persons who reported non-Hispanic ethnicity.

Counts are suppressed because fewer than 6 cases were reported.

Supplemental table (continued). Frequency and percentage of new invasive cancer diagnoses by anatomic site and race/ethnicity—United States, 2015–2019\*

Race and Ethnicity <sup>§Race and Ethnicity§</sup>	Brain or Nervous System Count†	Brain or Nervous System Percentage	Myeloma Count†	Myeloma Percentage	Cervix Uteri Count†	Cervix Uteri Percentage	Soft Tissue including Heart Count†	Soft Tissue including Heart Percentage	Esophagus Count†	Esophagus Percentage
<b>Asian American, Native Hawaiian, or Pacific Islander</b>	3,645	1.2	3,757	1.3	3,359	1.2	2,529	0.9	2,027	0.7
<b>Asian American</b>	3,441	1.3	3,484	1.3	3,128	1.1	2,314	0.8	1,904	0.7
<b>East Asian</b>	896	1.0	880	1.0	958	1.0	710	0.8	817	0.9
Chinese	616	1.1	557	1.0	584	1.1	432	0.8	461	0.8
Japanese	122	0.7	161	0.9	148	0.8	137	0.7	229	1.2
Korean	158	0.8	162	0.9	226	1.2	141	0.7	127	0.7
<b>South East Asian</b>	736	1.0	1,030	1.4	1,004	1.4	586	0.8	391	0.5
Filipino	432	1.0	657	1.6	530	1.3	376	0.9	185	0.4
Vietnamese	244	1.1	276	1.2	320	1.4	154	0.7	174	0.8
Laotian	13	0.7	27	1.4	42	2.2	15	0.8	Suppressed	NC
Hmong	17	1.9	11	1.3	35	4.0	Suppressed	NC	Suppressed	NC
Cambodian	17	0.8	26	1.2	38	1.7	21	1.0	13	0.6
Thai	13	0.6	33	1.4	39	1.7	17	0.7	13	0.6
<b>South Asian</b>	959	2.1	780	1.7	389	0.9	449	1.0	403	0.9
Asian Indian	544	2.4	423	1.9	207	0.9	234	1.0	240	1.1
Pakistani	77	2.5	65	2.2	17	0.6	36	1.2	24	0.8
Asian Indian or Pakistani, race NOS	338	1.8	292	1.5	165	0.9	179	0.9	139	0.7
Other Asian	850	1.3	794	1.2	777	1.2	572	0.9	299	0.5
<b>Native Hawaiian or Pacific Islander</b>	211	1.1	284	1.5	242	1.3	230	1.2	129	0.7
Hawaiian	99	0.9	170	1.6	92	0.9	122	1.1	92	0.9
Micronesian, race NOS	8	1.1	10	1.4	33	4.5	18	2.5	Suppressed	NC
Chamoru	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Guamanian, race NOS	6	2.0	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Polynesian, race NOS	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Tahitian	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Samoan	17	1.1	17	1.1	19	1.3	25	1.7	8	0.5
Tongan	Suppressed	NC	16	3.2	6	1.2	9	1.8	Suppressed	NC
Melanesian, race NOS	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Fiji Islander	7	1.9	Suppressed	NC	6	1.7	Suppressed	NC	Suppressed	NC
Papua New Guinean	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC
Pacific Islander, race NOS	67	1.7	60	1.5	75	1.9	41	1.0	23	0.6

Supplemental table (continued). Frequency and percentage of new invasive cancer diagnoses by anatomic site and race/ethnicity—United States, 2015–2019\*

Race and Ethnicity <sup>§Race and Ethnicity§</sup>	Brain or Nervous System Count†	Brain or Nervous System Percentage	Myeloma Count†	Myeloma Percentage	Cervix Uteri Count†	Cervix Uteri Percentage	Soft Tissue including Heart Count†	Soft Tissue including Heart Percentage	Esophagus Count†	Esophagus Percentage
White	89,391	1.4	90,242	1.4	39,059	0.6	42,057	0.6	75,138	1.1
Black	8,448	0.9	28,429	3.0	9,681	1.0	7,089	0.8	7,738	0.8
American Indian or Alaska Native	541	1.2	746	1.7	533	1.2	324	0.7	511	1.2
Other	484	1.9	399	1.6	245	1.0	258	1.0	144	0.6
Unknown	394	0.4	971	1.1	503	0.6	520	0.6	343	0.4
Hispanic	12,457	1.7	13,000	1.8	12,026	1.7	7,278	1.0	5,327	0.7
All races combined	115,360	1.3	137,544	1.6	65,406	0.8	60,055	0.7	91,228	1.1

Abbreviations: NOS = not otherwise specified; NC = data not calculated.

\*Incidence data are from cancer registries that met data quality criteria for all invasive cancer sites combined, representing 100% of the US population.

†Counts from suppressed cells are included in the aggregate totals.

§The current analysis is restricted to persons who reported non-Hispanic ethnicity.

Counts are suppressed because fewer than 6 cases were reported.



Supplemental table (continued). Frequency and percentage of new invasive cancer diagnoses by anatomic site and race/ethnicity—United States, 2015–2019\*

Race and Ethnicity <sup>§Race and Ethnicity§</sup>	Hodgkin Lymphoma Count†	Hodgkin Lymphoma Percentage	Melanoma of the Skin Count†	Melanoma of the Skin Percentage	Testis Count†	Testis Percentage	Larynx Count†	Larynx Percentage	Other Count†	Other Percentage	All Sites Count†
<b>Asian American, Native Hawaiian, or Pacific Islander</b>	1,370	0.5	1,259	0.4	1,069	0.4	946	0.3	21,294	7.3	291,831
<b>Asian American</b>	1,295	0.5	1,095	0.4	955	0.3	870	0.3	19,977	7.3	273,364
<b>East Asian</b>	202	0.2	372	0.4	169	0.2	281	0.3	6,812	7.4	92,491
Chinese	129	0.2	213	0.4	101	0.2	170	0.3	3,980	7.2	55,138
Japanese	36	0.2	82	0.4	41	0.2	48	0.3	1,363	7.4	18,454
Korean	37	0.2	77	0.4	27	0.1	63	0.3	1,469	7.8	18,899
<b>South East Asian</b>	236	0.3	258	0.4	156	0.2	199	0.3	5,320	7.4	71,653
Filipino	153	0.4	150	0.4	106	0.3	83	0.2	2,981	7.0	42,287
Vietnamese	57	0.3	81	0.4	32	0.1	96	0.4	1,657	7.5	22,091
Laotian	Suppressed	NC	8	0.4	Suppressed	NC	Suppressed	NC	208	10.9	1,916
Hmong	Suppressed	NC	6	0.7	Suppressed	NC	Suppressed	NC	111	12.7	877
Cambodian	12	0.5	Suppressed	NC	Suppressed	NC	8	0.4	177	8.1	2,196
Thai	6	0.3	11	0.5	7	0.3	6	0.3	186	8.1	2,286
<b>South Asian</b>	463	1.0	123	0.3	232	0.5	206	0.5	3,364	7.5	44,796
Asian Indian	247	1.1	53	0.2	107	0.5	118	0.5	1,785	7.8	22,816
Pakistani	33	1.1	Suppressed	NC	15	0.5	9	0.3	Suppressed	NC	3,022
Asian Indian or Pakistani, race NOS	183	1.0	66	0.3	110	0.6	79	0.4	1,356	7.2	18,958
Other Asian	402	0.6	348	0.5	409	0.6	190	0.3	4,481	7.0	64,424
<b>Native Hawaiian or Pacific Islander</b>	91	0.5	174	0.9	130	0.7	91	0.5	1,327	7.2	18,467
Hawaiian	52	0.5	111	1.0	84	0.8	54	0.5	767	7.2	10,655
Micronesians, race NOS	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	47	6.4	729
Chamoru	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	6	4.5	132
Guamanians, race NOS	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	16	5.3	300

Supplemental table (continued). Frequency and percentage of new invasive cancer diagnoses by anatomic site and race/ethnicity—United States, 2015–2019\*

Race and Ethnicity <sup>§</sup> Race and Ethnicity <sup>§</sup>	Hodgkin Lymphoma Count†	Hodgkin Lymphoma Percentage	Melanoma of the Skin Count†	Melanoma of the Skin Percentage	Testis Count†	Testis Percentage	Larynx Count†	Larynx Percentage	Other Count†	Other Percentage	All Sites Count†
Polynesian, race NOS	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	15	12.2	123
Tahitian	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	22
Samoa	Suppressed	NC	7	0.5	Suppressed	NC	Suppressed	NC	122	8.1	1,511
Tongan	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	34	6.8	498
Melanesian, race NOS	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	51
Fiji Islander	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	26	7.2	363
Papua New Guinean	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	Suppressed	NC	47
Pacific Islander, race NOS	23	0.6	46	1.1	30	0.7	22	0.5	284	7.0	4,036
White	29,356	0.4	395,937	6.0	32,281	0.5	47,273	0.7	519,181	7.9	6,557,541
Black	5,599	0.6	1,856	0.2	1,508	0.2	8,671	0.9	70,109	7.5	935,723
American Indian or Alaska Native	196	0.5	765	1.8	343	0.8	376	0.9	3,583	8.2	43,541
Other	229	0.9	793	3.2	234	0.9	131	0.5	1,990	7.9	25,063
Unknown	318	0.4	19,294	21.3	625	0.7	301	0.3	6,914	7.6	90,487
Hispanic	6,056	0.8	9,834	1.4	8,627	1.2	4,276	0.6	60,717	8.3	727,267
All races combined	43,124	0.5	429,738	5.0	44,687	0.5	61,974	0.7	683,788	7.9	8,671,453

Abbreviations: NOS = not otherwise specified; NC = data not calculated.

\*Incidence data are from cancer registries that met data quality criteria for all invasive cancer sites combined, representing 100% of the US population.

<sup>§</sup>The current analysis is restricted to persons who reported non-Hispanic ethnicity.

†Counts from suppressed cells are included in the aggregate totals.

Counts are suppressed because fewer than 6 cases were reported.