



COVID-19

ACT NOW!



WEAR A MASK



STAY 6 FEET APART



AVOID CROWDS


US COVID-19 Cases Caused by Variants

Updated Jan. 28, 2021

[Print](#)

Variant	Reported Cases in US	Number of States Reporting
B.1.1.7	315	28
B.1.351	2	1
P.1	1	1

Emerging Variant Cases in the United States*†



Data Table			
Locati...	B.1.1.7 Variant	P.1 Variant	B.1.351 Variant
☐ Alas...	1		
☒ Califor...	92		
☐ Colora...	9		
☐ Connecti...	8		
☒ Flori...	92		
☐ Geor...	14		
☐ Illin...	9		
☐ India...	4		
☐ Kentu...	2		
☐ Louisia...	1		
☐ Maryla...	4		
☐ Massachu...	3		
☐ Michig...	17		
☐ Minnes...	8	1	
☐ Neva...	1		
☐ New Jer...	2		
☐ New Me...	2		
☒ New Y...	22		
☐ North Car...	1		
☐ Oreg...	1		
☐ Pennsylv...	5		
☐ South Car...			2
☐ Tennes...	2		
☐ Tex...	7		
☐ Ut...	1		
☐ Virgi...	1		
☐ Washing...	3		
☐ Wiscon...	1		
☐ Wyomi...	2		

[Download Data \(CSV\)](#)

The emerging variants CDC is closely monitoring have mutations in the virus genome that alter the characteristics and cause the virus to act differently in ways that are significant to public health (e.g., causes more severe disease, spreads more easily between humans, requires different treatments,

changes the effectiveness of current vaccines). It's important to understand that genetic mutations are expected, and some variants can spread and become predominant while others subside.

*The cases identified above are based on a sampling of SARS-CoV-2-positive specimens and do not represent the total number of B.1.1.7, B.1.351, and P.1 lineage cases that may be circulating in the United States and may not match numbers reported by states, territories, tribes, and local officials.

†Numbers will be updated on Monday, Wednesday, and Friday by 7:00 pm.

Last Updated Jan. 28, 2021

Content source: [National Center for Immunization and Respiratory Diseases \(NCIRD\), Division of Viral Diseases](#)