

M M W R

MORBIDITY AND MORTALITY WEEKLY REPORT

ANNUAL SUPPLEMENT
 Summary 1975
RECEIVED
 SEP 1 1976

CDC LIBRARY
 ATLANTA, GA 30333

Occupational Lead Poisoning — Utah

The winter holidays are only one month into August 1976, but a few occupational cases of lead poisoning have already been reported.

REPORTED MORBIDITY and MORTALITY IN THE UNITED STATES 1975

Number of 42 persons employed at a Salt Lake City secondary lead smelter during part or all of the period October 1975-January 1976 developed lead poisoning. An additional 3 employees had probable lead poisoning. The smelter was noted to lack adequate ventilation of 2 rotary furnaces first used for lead processing in early December 1975.

The investigation conducted by the Salt Lake City-Cedar Breaks Health District and the Utah State Division of Health resulted in the hospitalization of 7 smelter employees during a 4-month period in December 1975 and January 1976. These persons' histories of symptoms were onset gastrointestinal symptoms (vomiting), and 2 had possible central neuropathy.

When questionnaires were completed and blood and/or urine tests were performed on 36 employees who had worked at the smelter during part or all of the 4-month period from October through January, the additional 15 cases were listed. All but 2 of the total of 22 cases had onset of illness in the period from November 30, 1975-January 4, 1976 (Figure 1). The most frequent symptoms were headache, diarrhea, nausea, and/or abdominal pain (Table 1). The mean duration of illness was 12.7 days.

The mean whole blood lead concentration was 112.4 µg/100 ml (range 30-260 µg/100 ml) in the 22 symptomatic employees and 100.0 µg/100 ml (range 67.8-172.2 µg/100 ml) in the 14 asymptomatic employees. Two cases had levels of 260 µg/100 ml and 380 µg/100 ml, respectively; 7 cases had levels greater than 170 µg/100 ml. Urinary lead levels were normal, with a mean creatinine clearance of 12.7 (± 1.1) gmt/100 ml. Urine lead and cadmium concentrations were not elevated in any of the 36 interviewed employees. Twenty of the cases received chelation therapy.

Lead poisoning is a toxic lead level > 80 µg/100 ml and/or a blood lead level of > 200 µg/100 ml, plus symptoms and/or laboratory which could not be otherwise explained.

Probable lead poisoning is a blood lead level of 80-79 µg/100 ml and no identifiable symptoms.

Twenty-two people who usually employed at the smelter, 11 as furnace workers, furnished a number of considerable among the latter group. As a result, a total of 40 persons—including 9 temporary workers—filled smelter positions in the 4-month period discussed. Thirty-six of these employees were available for interview.

	Number	Percentage
Headache	13	61
Nausea	11	52
Vomiting	12	58
Diarrhea	10	48
Abdominal pain	11	52
Weight loss > 7 Kg	6	28
Weakness	6	28
Blurred vision	3	14
Stomach pain	3	14
Loss of muscle strength	4	19
Tremor	1	5
Joint pain	1	5

The annual statistical summary is published as the last issue in each volume of the **Morbidity and Mortality Weekly Report** by the Center for Disease Control, Public Health Service, U.S. Department of Health, Education, and Welfare, Atlanta, Georgia 30333

David J. Sencer, M.D.
Director, Center for Disease Control

Philip S. Brachman, M.D.
Director, Bureau of Epidemiology

Michael B. Gregg, M.D.
Editor, Morbidity and Mortality Weekly Report

Phyllis Cohen, Kathy Ordway, Mary Pruett,
Betsey Spierito, and Dennis Bregman, Chief,
National Morbidity and Mortality Statistical Activity
Bureau of Epidemiology

Pat Hurst, Geneva Moore, Charlotte Turner,
Frances H. Wilson, and Frances H. Porcher, Chief,
Editorial and Graphic Services
Bureau of Epidemiology

SOURCES OF DATA

This document carries final figures on the reported incidence of notifiable diseases in 1975 based on summaries submitted to the Center for Disease Control by the individual States through the National Morbidity Reporting System and on data from various surveillance activities of the Bureau of Epidemiology, data collected by the Tuberculosis Control Division and the Venereal Disease Control Division, Bureau of State Services, CDC, and the National Center for Health Statistics, Health Services Administration. Totals for the U.S. do not include data from Guam, Puerto Rico, and the Virgin Islands. The population estimates listed on pages 2 and 7—used in computing rates—are from the Bureau of Census, Current Population Reports, Series P-25.

The morbidity data in this report represent cases reported to the State health departments and subsequently to the Center for Disease Control. The accuracy of reporting, that is, the number of cases that are reported to the Center as compared with the actual number that occur, varies with the disease. Some diseases that cause severe clinical illness and are associated with serious consequences, such as plague and rabies, are undoubtedly reported fairly completely. Diseases that are clinically mild and infrequently associated with serious consequences, such as salmonellosis and rubella, are less likely to be reported. Additionally, subclinical cases are seldom detected except in the course of special studies

Also, the degree of completeness of reporting is influenced by the diagnostic facilities available, the control measures in effect, and the interests and priorities of State and local officials responsible for disease control and surveillance.

The data in this report stem from a variety of reporting mechanisms and motivations that seem to remain consistent; thus the analysis of trends is valid. For example, the age and seasonal distributions of these samples have been shown to be representative over the years.

Some of the diseases included are not officially notifiable but are reported optionally by some States. These data should be used with great caution and should in no way be considered representative of the whole. We have not included a summary of every optionally reported disease because of the limitations of space, the infrequency of reports, and the false impression that our publishing these data might convey. Unpublished data will be made available to individuals on specific request. The annual summary includes population data from the Bureau of Census so that readers can calculate rates not published here because of space limitations.

In order not to delay the publication of this document, we have included provisional data from California. For confirmation of any of those data, contact the California State Department of Health.



EXPLANATION OF SYMBOLS USED IN TABLES

Data not available	NA
Quantity zero	—
Report of disease not required by State Health Department (Not Notifiable)	NN

INDEX OF TABLES

	Page
Table 1. Reported Cases of Disease Covered by International Quarantine Agreement, United States, 1966–1975	1
Table 2. (A) Reported Cases of Specified Notifiable Diseases, United States, 1966–1975	2
(B) Reported Cases of Specified Notifiable Diseases per 100,000 Population, United States, 1966–1975	3
Table 3. (A) Deaths from Specified Notifiable Diseases, United States, 1965–1974	4
(B) Deaths from Selected Non-Notifiable Acute Diseases, United States, 1965–1974	5
Table 4. Reported Cases of Specified Notifiable Diseases by Month, United States, 1975	6
Table 5. Reported Cases of Notifiable Diseases by Geographic Division and by State, United States, 1975	7
Table 6. Reported Cases of Notifiable Diseases of Low Frequency by Geographic Division and by State, United States, 1975	10
Table 7. Reported Cases of Infectious Encephalitis by Geographic Division and by State, United States, 1974(A) and 1975(B)	11
Table 8. New Active Tuberculosis Cases by Geographic Division and by State, United States, 1974 and 1975 (Provisional)	13
Table 9. (A) Newly Reported Cases of Venereal Diseases in Civilians and Cases per 100,000 Population by Geographic Division and by State, United States, 1974–1975	14
(B) Newly Reported Cases of Venereal Diseases in Civilians by Age and Sex, United States, 1974–1975	15
(C) Newly Reported Cases of Venereal Diseases in Civilians and Cases per 100,000 Population by Geographic Division and by City, United States, 1974–1975	16
Table 10. Rabies in Animals by State and by Type of Animal, United States, 1975	17
Table 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1975	18
Table 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1975	25
Table 13. Animal Bites and Cases of Acute Diseases <i>Optionally</i> Reported by Certain States, 1975	33
Table 14. Deaths in 121 Selected Cities, United States, 1975	35
Disease Patterns	36-62

TABLE 1. Reported Cases of Diseases Covered by International Quarantine Agreement, United States, 1966–1975

International Classification of Diseases Covered	Number Reported									
	1975	1974	1973	1972	1971	1970	1969	1968	1967	1966
000 Cholera	–	–	1	–	–	–	–	–	–	–
020 Plague	20	8	2	1	2	13	5	3	3	5
050 Smallpox	–	–	–	–	–	–	–	–	–	–
060 Yellow Fever	–	–	–	–	–	–	–	–	–	–

CASES OF QUARANTINABLE DISEASES IN 1975 – PLAGUE

Acquired in	Date	Age	Sex	Fatal	Acquired in	Date	Age	Sex	Fatal
New Mexico	Feb.	11	M	No	New Mexico	Aug.	3	F	No
Arizona	May	31	F	No	New Mexico	Aug.	64	F	No
Arizona	May	3	F	No	New Mexico	Aug.	14	M	Yes
California	May	1	F	Yes	New Mexico	Sept.	28	F	No
Arizona	June	23	M	No	New Mexico	Sept.	30	F	No
Utah	June	3	F	No	Colorado	Sept.	80	F	Yes
New Mexico	July	12	F	No	New Mexico	Sept.	12	F	No
New Mexico	July	15	M	No	New Mexico	Sept.	3	F	No
New Mexico	July	9	M	No	New Mexico	Sept.	10	F	No
New Mexico	Aug.	2	F	Yes	New Mexico	Sept.	8	F	No.

TABLE 2(A). Reported Cases of Specified Notifiable Diseases, United States, 1966-1975

DISEASE	1975	1974	1973	1972	1971	1970	1969	1968	1967	1966
U.S. total resident population, July 1 estimate (in thousands)	213,121	211,390	209,851	208,232	206,256	203,805	201,921	199,846	197,859	195,923
Amebiasis	2,775	2,743	2,235	2,199	2,752	2,888	2,915	3,005	3,157	2,921
Anthrax	2	2	2	2	5	2	4	3	2	5
Aseptic meningitis	4,475	3,197	4,846	4,534	5,176	6,480	3,672	4,494	3,082	3,058
Botulism	17	28	34	22	25	12	16	7	5	9
Brucellosis (undulant fever)	310	240	202	196	183	213	235	218	265	262
Chickenpox	154,248	141,495	182,927	164,114	Not previously reportable nationally					
Diphtheria	307	272	228	152	215	435	241	260	219	209
Encephalitis, primary	3,837	1,066	1,618	1,059	1,524	1,580	1,613	1,781	1,478	2,121
Encephalitis, post-infectious	400	316	349	243	439	370	304	502	1,060	964
Hepatitis A	35,855	40,358	50,749	54,074	59,606	56,797	48,416	45,893	38,909	32,859
Hepatitis B	13,121	10,631	8,451	9,402	9,556	8,310	5,909	4,829	2,458	1,497
Hepatitis, unspecified	7,158	8,351	Not previously reportable nationally							
Leprosy	162	118	146	130	131	129	98	123	81	109
Leptospirosis	93	68	57	41	62	47	89	69	67	72
Malaria	373	293	237	742	2,375	3,051	3,102	2,317	2,022	565
Measles (rubeola)	24,374	22,094	26,690	32,275	75,290	47,351	25,826	22,231	62,705	204,136
Meningococcal infections	1,478	1,346	1,378	1,323	2,262	2,505	2,951	2,623	2,161	3,381
Mumps	59,647	59,128	69,612	74,215	124,939	104,953	90,918	152,209	Not prev. rep. nat'l'y	
Pertussis (whooping cough)	1,738	2,402	1,759	3,287	3,036	4,249	3,285	4,810	9,718	7,717
Poliomyelitis, total	8	7	8	31	21	33	20	53	41	113
Paralytic	8	7	7	29	17	31	18	53	40	106
Psittacosis	49	164	33	52	32	35	57	43	41	50
Rabies in man	2	—	1	2	2	2	1	1	2	1
Rheumatic fever, acute ¹	2,854	2,431	2,560	2,614	2,793	3,227	3,229	3,470	3,985	4,472
Rubella (German measles)	16,652	11,917	27,804	25,507	45,086	56,552	57,686	49,371	46,888	46,975
Rubella congenital syndrome	30	45	35	42	68	77	31	14	10	11
Salmonellosis, excluding typhoid fever	22,612	21,980	23,818	22,151	21,928	22,096	18,419	16,514	18,120	16,841
Shigellosis	16,584	22,600	22,642	20,207	16,143	13,845	11,946	12,180	13,474	11,888
Tetanus	102	101	101	128	116	148	185	178	263	235
Trichinosis	201	120	102	89	103	109	222	77	66	115
Tuberculosis (newly reported active cases) ²	33,554	30,122	30,998	32,882	35,217	37,137	39,120	42,623	45,647	47,767
Tularemia	129	144	171	152	187	172	149	186	184	208
Typhoid fever	375	437	680	398	407	346	364	395	396	378
Typhus fever, flea-borne (endemic, murine)	44	26	32	18	23	27	36	36	52	33
Typhus fever, tick-borne (Rocky Mountain spotted)	844	754	668	523	432	380	498	298	305	268
Venereal diseases (newly reported civilian cases)										
Syphilis	80,356	83,771	87,469	91,149	95,997	91,382	92,162	96,271	102,581	105,159
Gonorrhea	999,937	898,943	842,621	767,215	670,268	600,072	534,872	464,543	404,836	351,738
Other specified venereal diseases: chancroid, granuloma inguinale, and lymphogranuloma venereum	1,113	1,386	1,635	2,251	2,101	2,152	1,778	1,486	1,309	1,294
Rabies in animals ²	2,625	3,151	3,640	4,369	4,310	3,224	3,490	3,591	4,481	4,178

¹ Reports of cases of acute rheumatic fever were received from 36 States

² Provisional figure for 1975

TABLE 2(B). Reported Cases of Specified Notifiable Diseases per 100,000 Population, United States, 1966-1975

DISEASE	1975	1974	1973	1972	1971	1970	1969	1968	1967	1966
Amebiasis	1.30	1.30	1.07	1.06	1.33	1.42	1.44	1.50	1.60	1.49
Anthrax	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Aseptic meningitis	2.10	1.53	2.33	2.23	2.51	3.18	1.82	2.25	1.56	1.56
Botulism	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.00	0.00	0.00
Brucellosis (undulant fever)	0.15	0.11	0.10	0.09	0.09	0.10	0.12	0.11	0.13	0.13
Chickenpox	72.38	72.20	97.68	87.34	Not previously reportable nationally					
Diphtheria	0.14	0.13	0.11	0.07	0.10	0.21	0.12	0.13	0.11	0.11
Encephalitis, primary	1.80	.50	0.77	0.51	0.74	0.78	0.80	0.89	0.75	1.08
Encephalitis, post-infectious	.19	.15	0.17	0.12	0.21	0.18	0.15	0.25	0.54	0.49
Hepatitis A	16.82	19.54	24.18	25.97	28.90	27.87	23.98	22.96	19.67	16.77
Hepatitis B	6.16	5.15	4.03	4.52	4.74	4.08	3.02	2.49	1.28	1.79
Hepatitis, Unspecified	3.36	3.95	Not previously reportable nationally							
Leprosy	0.08	0.06	0.07	0.06	0.06	0.06	0.05	0.06	0.04	0.06
Leptospirosis	0.04	0.03	0.03	0.02	0.03	0.02	0.04	0.03	0.03	0.04
Malaria	0.18	0.14	0.11	0.36	1.15	1.50	1.54	1.16	1.02	0.29
Measles (rubeola)	11.44	10.45	12.72	15.50	36.50	23.23	12.79	11.12	31.69	105.42
Meningococcal infections	0.69	0.64	0.66	0.64	1.10	1.23	1.46	1.31	1.09	1.73
Mumps	27.99	29.00	36.23	38.42	65.33	55.55	48.65	87.87	not prev. rep. nat'l'y	
Pertussis (whooping cough)	0.82	1.15	0.84	1.58	1.47	2.08	1.63	2.41	4.91	3.98
Poliomyelitis, total	0.00	0.00	0.00	0.01	0.01	0.02	0.01	0.03	0.02	0.06
Paralytic	0.00	0.00	0.00	0.01	0.01	0.02	0.01	0.03	0.02	0.05
Psittacosis	0.02	0.08	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03
Rabies in man	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Rheumatic fever, acute	2.01	1.79	1.92	2.01	2.16	2.45	2.48	2.67	3.12	3.63
Rubella (German measles)	7.81	5.64	13.25	12.25	21.86	27.75	28.91	25.67	25.74	24.57
Rubella congenital syndrome	0.01	0.02	0.02	0.02	0.03	0.04	0.02	0.01	0.01	0.01
Salmonellosis, excluding typhoid fever	10.61	10.40	11.35	10.64	10.63	10.84	9.12	8.26	9.16	8.60
Shigellosis	7.78	10.69	10.79	9.70	7.83	6.79	5.92	6.09	6.81	6.07
Tetanus	0.05	0.05	0.05	0.06	0.06	0.07	0.09	0.09	0.13	0.12
Trichinosis	0.09	0.06	0.05	0.04	0.05	0.05	0.11	0.04	0.03	0.06
Tuberculosis (newly reported active cases)	15.74	14.13	14.77	15.79	17.07	18.22	19.37	21.33	23.07	24.38
Tularemia	0.06	0.07	0.08	0.07	0.09	0.08	0.07	0.09	0.11	0.11
Typhoid fever	0.18	0.21	0.32	0.19	0.20	0.17	0.18	0.20	0.20	0.19
Typhus fever, flea-borne (murine)	0.02	0.01	0.02	0.01	0.01	0.01	0.02	0.02	0.03	0.02
Typhus fever, tick-borne (Rocky Mountain spotted)	0.40	0.36	0.32	0.25	0.21	0.19	0.25	0.15	0.15	0.14
Venereal diseases (newly reported civilian cases)										
Syphilis	37.70	39.95	42.03	44.15	47.00	45.30	46.28	48.84	52.53	54.37
Gonorrhea	469.19	428.70	404.92	371.61	328.16	297.47	268.58	235.67	207.33	181.85
Other specified venereal diseases: chancroid, granuloma inguinale, and lymphogranuloma venereum	0.52	0.66	0.79	1.09	1.03	1.07	0.89	0.75	0.67	0.67

Total resident population used to calculate all rates except venereal diseases for which civilian resident population was used.

Note: Rates less than .01 after rounding are shown as 0.00.

TABLE 3(A). Deaths from Specified Notifiable Diseases, United States, 1965-1974

(Numbers after cause of death are category numbers of the Eighth Revision of the International Lists, 1965.)

Deaths are classified according to the Seventh Revision for 1964-67 and according to the Eighth Revision for 1968-73.)

CAUSE OF DEATH		1974	1973	1972	1971	1970	1969	1968	1967	1966	1965
Amebiasis	006	25	31	52	60	59	58	51	65	54	66
Anthrax	022	—	—	—	—	—	—	—	—	—	—
Botulism	005.1	6	6	6	7	7	4	2	2	—	8
Brucellosis	023	—	1	6	3	2	3	1	4	3	6
Chickenpox	052	106	138	122	98	93	81	99	118	137	143
Diphtheria	032	5	10	10	13	30	25	30	32	20	18
Encephalitis, acute infectious	062-065,079.2	276	326	266	320	327	386	362	419	579	500
Hepatitis, infectious	070	630	656	778	906	1,014	1,011	877	844	757	707
Leprosy	030	2	1	—	1	5	4	5	4	6	3
Leptospirosis	100	5	6	10	6	4	5	9	4	9	11
Malaria	084	4	7	—	6	5	11	7	4	5	8
Measles (rubeola)	055	20	23	24	90	89	41	24	81	261	276
Meningococcal infections	036	305	330	350	509	550	744	741	635	876	890
Mumps	072	6	12	16	15	16	22	25	37	43	31
Pertussis (whooping cough)	033	14	5	6	18	12	13	36	37	49	55
Plague	020	1	—	—	—	1	—	1	1	1	1
Poliomyelitis		3	10	2	18	7	13	24	16	9	16
Bulbar or polioencephalitis	040	—	4	—	2	2	3	7	6	3	6
With other paralysis	041	—	3	—	2	1	1	3	2	3	3
Unspecified	043	3	3	2	14	4	9	14	8	3	7
Psittacosis	073	—	1	—	1	1	—	—	1	1	—
Rabies	071	—	1	2	2	2	1	1	2	2	2
Rheumatic fever, acute	390-392	175	183	180	230	256	320	363	376	456	483
Rubella (German measles)	056	15	16	14	20	31	29	24	16	12	16
Salmonellosis, including paratyphoid fever	002-003	59	76	68	81	81	82	70	63	73	87
Shigellosis	044	86	33	38	24	30	36	60	62	86	99
Streptococcal sore throat and scarlet fever	034	22	20	16	23	29	41	28	47	65	63
Tetanus	037	44	40	58	64	79	89	86	144	158	181
Trichinosis	124	—	1	2	4	1	—	—	2	3	3
Tuberculosis (all forms)	010-019	3,513	3,875	4,376	4,501	5,217	5,567	6,292	6,901	7,625	7,934
Tularemia	021	2	4	—	2	2	1	1	3	2	2
Typhoid fever	001	3	7	8	4	6	4	7	12	15	6
Typhus fever, flea-borne (murine)	081.0	—	1	—	—	—	—	—	—	—	—
Typhus fever, tick-borne (Rocky Mountain spotted)	082.0	49	38	50	36	29	36	21	28	21	16
Veneral diseases and sequelae											
Syphilis	090-097	300	393	344	375	461	543	586	2,381	2,193	2,434
Gonorrhea	098	1	11	8	9	9	3	1	11	18	9
Other	099	4	3	4	6	6	9	6	6	9	11

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.

TABLE 3(B). Deaths from Selected Non-Notifiable Acute Diseases, United States, 1965-1974

CAUSE OF DEATH	1974	1973	1972	1971	1970	1969	1968	1967	1966	1965	
Abscess of lung	513	828	807	836	778	893	858	878	565	541	601
Empyema and pleurisy	510-511	725	657	708	720	730	692	796	441	467	450
Fungal infections											
Actinomycosis	113	9	8	10	12	18	15	16	28	21	26
Aspergillosis ¹	117.3	50	55	42	32	38	36	28	NA	NA	NA
Blastomycosis	116.1-116.2	1	—	—	3	3	2	—	17	12	29
Coccidioidomycosis	114	61	37	30	37	42	60	58	49	45	52
Cryptococcosis	116.0	122	125	136	119	112	117	96	65	90	62
Histoplasmosis	115	58	53	62	55	56	61	58	67	60	74
Moniliasis	112	190	173	138	159	153	114	112	94	87	93
Nocardiosis ¹	117.8	37	20	22	13	27	24	26	28	21	26
Unspecified ¹	117.9	61	54	42	43	35	45	36	NA	NA	NA
Herpes zoster	053	112	95	86	75	79	82	69	64	69	78
Hydatid disease	122	5	4	4	7	3	9	6	10	7	7
Meningitis, excluding meningococcal and tuberculous	320	1,539	1,523	1,482	1,553	1,701	1,719	1,707	2,046	2,324	2,363
Mononucleosis, infectious	075	24	25	18	22	19	21	14	23	18	28
Respiratory infections											
Bronchitis, acute	466	750	905	1,146	1,154	1,310	1,286	1,432	958	987	1,004
Influenza	470-474	2,201	5,131	4,986	1,504	3,707	5,971	7,062	1,475	2,830	2,295
Pneumonia (primary cause of death)	480-486	52,576	57,428	57,594	55,690	59,032	62,394	66,430	55,417	60,785	59,608
Upper respiratory infections, acute	460-465	377	453	504	522	574	621	784	592	670	745
Sepsis of											
Abortion	640.0,641.0,642.0,643.0,644.0,645.0										
Childbirth	640.2,641.2,642.2,643.2,644.2,645.2	14	24	46	64	94	94	84	104	135	158
Septicemia and pyemia	635,670	17	9	38	30	18	27	32	50	44	53
Septicemia and pyemia	038	5,243	4,560	4,214	3,907	3,535	3,009	2,991	3,422	3,312	3,224
Worm infestation	123,125-129	11	14	12	8	9	16	11	40	36	68

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.¹ 1965-1967 represents categories from the 7th revision of the ICD code

TABLE 4. Reported Cases of Specified Notifiable Diseases by Month, United States, 1975

DISEASE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Month Not Stated
Amebiasis	2,775	177	189	203	246	253	237	255	227	163	307	241	264	13
Anthrax	2	—	—	—	—	—	—	—	1	—	1	—	—	—
Aseptic meningitis	4,475	191	135	153	158	222	280	493	710	810	617	409	276	21
Botulism	17	1	—	6	—	—	3	1	—	1	1	3	—	1
Brucellosis	310	13	15	17	16	27	31	28	19	35	26	27	21	35
Chickenpox	154,248	17,656	18,998	22,885	23,251	22,269	13,149	4,053	1,524	1,190	4,459	9,098	15,611	105
Diphtheria	307	38	29	57	38	20	14	6	13	7	31	23	31	—
Hepatitis A	35,855	3,189	3,028	3,132	3,049	3,165	2,512	2,878	2,980	2,868	3,319	2,703	3,006	26
Hepatitis B	13,121	1,027	943	998	1,174	1,065	925	1,277	1,137	950	1,177	1,139	1,300	9
Hepatitis, unspecified	7,158	542	518	545	634	601	499	578	577	554	630	735	739	6
Leprosy	162	16	13	20	29	8	7	9	10	2	15	12	12	9
Leptospirosis	93	7	3	2	4	6	5	5	11	7	7	9	13	14
Malaria	373	20	23	15	18	31	34	40	50	40	35	28	39	—
Measles (rubeola)	24,374	1,235	2,012	3,397	4,665	4,835	3,111	1,269	485	218	563	1,045	1,449	90
Meningococcal infections, total	1,478	153	168	139	142	143	117	109	88	83	98	110	110	18
Military	30	4	6	2	3	1	5	3	1	—	3	—	—	2
Civilian	1,448	149	162	137	139	142	112	106	87	83	94	110	111	16
Mumps	59,647	6,280	6,239	7,296	9,018	8,398	5,479	2,521	1,361	1,170	2,743	4,056	5,054	32
Pertussis	1,738	139	134	83	105	103	135	158	260	245	130	101	142	3
Poliomyelitis, total	8	—	1	—	1	—	—	1	2	—	—	1	2	—
Paralytic	8	—	1	—	1	—	—	1	2	—	—	1	2	—
Psittacosis	49	3	2	5	2	3	4	5	8	4	5	2	4	2
Rabies in man	2	1	—	—	—	—	—	—	—	1	—	—	—	—
Rheumatic fever, acute*	2,854	185	153	194	187	197	242	139	180	136	276	428	196	341
Rubella (German measles)	16,652	838	1,380	2,019	4,030	4,212	1,736	426	284	271	420	417	617	2
Rubella congenital syndrome	30	3	3	—	1	1	4	3	2	2	2	3	4	2
Salmonellosis	22,612	1,460	1,142	1,256	1,404	1,556	1,897	2,090	2,645	2,567	2,519	1,952	2,042	82
Shigellosis	16,584	1,406	1,051	1,154	1,305	1,247	1,294	1,299	1,714	1,667	1,734	1,369	1,263	81
Tetanus	102	6	2	8	6	7	10	14	11	10	14	9	5	—
Trichinosis	201	6	17	35	19	6	24	16	14	9	10	8	36	1
Tularemia	129	5	6	2	11	20	19	12	13	4	5	13	18	1
Typhoid fever	375	16	25	24	21	21	37	26	31	41	54	25	52	2
Typhus fever														
Flea-borne (endemic, murine)	44	—	1	5	1	—	6	9	5	4	5	1	7	—
Tick-borne (Rocky Mountain spotted)	844	9	1	4	21	153	162	172	147	90	42	13	23	7

*Based on reports from 36 States

TABLE 5. Reported Cases of Notifiable Diseases by Geographic Division
and by State, United States, 1975

AREA	POPULATION (in thousands)	AMEBIA- SIS	ASEPTIC MENINGITIS	BRUCEL- LOSIS	CHICKEN- POX	DIPH- THERIA	HEPATITIS, VIRAL		
							A	B	UNSPEC- IFIED
UNITED STATES	213,121	2,775	4,475	310	154,248	307	35,855	13,121	7,158
NEW ENGLAND	12,198	14	145	8	15,077	—	1,196	589	482
Maine	1,059	—	—	—	926	—	133	48	—
New Hampshire	818	—	10	—	681	—	117	29	7
Vermont	471	—	7	6	616	—	65	28	10
Massachusetts	5,828	3	76	—	5,324	—	194	285	438
Rhode Island	927	1	40	—	3,193	—	266	69	—
Connecticut	3,095	10	12	2	4,337	—	421	130	27
MIDDLE ATLANTIC	27,260	1,331	749	7	9,098	—	4,122	2,603	781
Upstate New York	10,544	9	118	—	4,599	—	1,142	339	238
New York City	7,573	1,235	208	—	3,982	—	923	443	—
New Jersey	7,316	81	345	1	176	—	952	1,235	375
Pennsylvania	11,827	6	78	6	341	—	1,105	586	168
EAST NORTH CENTRAL	40,979	96	808	14	63,668	6	5,998	1,981	895
Ohio	10,759	1	155	1	6,618	1	1,648	358	—
Indiana	5,311	4	42	—	4,493	—	218	74	281
Illinois	11,145	84	251	6	9,435	4	1,667	751	386
Michigan	9,157	7	280	—	24,862	1	2,072	584	221
Wisconsin	4,607	—	80	7	18,260	—	393	214	7
WEST NORTH CENTRAL	16,690	63	290	67	23,261	7	1,887	856	322
Minnesota	3,926	—	76	—	520	—	418	354	6
Iowa	2,870	32	11	59	9,507	—	202	93	31
Missouri	4,763	14	106	6	7,633	—	542	254	220
North Dakota	635	—	4	—	304	6	155	6	—
South Dakota	683	—	—	—	151	—	39	8	—
Nebraska	1,546	—	64	—	404	1	99	27	17
Kansas	2,267	17	29	2	4,742	—	432	114	48
SOUTH ATLANTIC	33,715	141	545	97	14,086	—	6,274	1,659	739
Delaware	579	—	6	1	247	—	63	28	—
Maryland	4,098	7	65	1	971	—	402	345	138
District of Columbia	716	5	2	—	550	—	89	110	4
Virginia	4,967	99	116	52	1,155	—	420	215	210
West Virginia	1,803	—	37	—	6,707	—	160	10	8
North Carolina	5,451	8	59	6	NN	—	650	263	190
South Carolina	2,818	3	63	3	794	—	340	75	189
Georgia	4,926	2	2	20	55	—	1,183	NA	NA
Florida	8,357	17	195	14	3,607	—	2,967	613	—
EAST SOUTH CENTRAL	13,544	47	407	26	4,324	—	2,849	823	115
Kentucky	3,396	1	73	—	2,842	—	931	136	23
Tennessee	4,188	37	128	14	NN	—	1,224	358	49
Alabama	3,614	1	159	3	1,018	—	304	259	43
Mississippi	2,346	8	47	9	464	—	390	70	—
WEST SOUTH CENTRAL	20,856	183	731	57	10,933	6	4,215	930	1,084
Arkansas	2,116	14	143	17	350	—	383	84	129
Louisiana	3,791	8	139	4	NN	—	400	189	175
Oklahoma	2,712	32	87	7	1,370	—	477	167	207
Texas	12,237	129	362	29	9,213	6	2,955	490	573
MOUNTAIN	9,645	77	84	16	3,555	27	1,988	366	1,075
Montana	748	—	2	4	941	6	225	26	43
Idaho	820	2	4	3	144	—	198	11	72
Wyoming	374	1	—	—	99	—	30	1	13
Colorado	2,534	21	48	1	1,677	1	248	144	380
New Mexico	1,147	6	11	4	140	9	398	46	110
Arizona	2,224	37	—	—	—	11	419	83	117
Utah	1,206	10	19	4	492	—	276	51	335
Nevada	592	—	—	—	72	—	194	4	5
PACIFIC	28,234	823	716	18	10,246	261	7,326	3,314	1,665
Washington	3,544	13	50	3	6,381	246	784	337	464
Oregon	2,288	12	32	2	46	—	685	302	157
California	21,185	789	536	12	1,352	4	5,204	2,546	1,028
Alaska	352	—	17	1	354	11	414	46	3
Hawaii	865	9	81	—	2,113	—	239	83	13
Guam	100	6	5	—	275	—	115	13	48
Puerto Rico	2,951	—	18	—	943	—	—	50	594
Virgin Islands	82	—	—	—	—	—	7	1	10

TABLE 5. Reported Cases of Notifiable Diseases by Geographic Division and by State, United States, 1975 — Continued

AREA	MALARIA	MEASLES	MENINGO- COCCAL INFECTIONS	MUMPS	PERTUSSIS	RHEUMATIC FEVER ACUTE	RUBELLA	
							Cases	Congenital Syndrome
UNITED STATES	373	24,374	1,478	59,647	1,738	2,854	16,652	30
NEW ENGLAND	21	334	93	2,249	37	15	2,094	1
Maine	2	18	14	97	—	NA	45	—
New Hampshire	—	23	4	137	7	NA	307	—
Vermont	—	55	2	18	6	6	69	—
Massachusetts	9	106	32	308	7	NA	1,223	—
Rhode Island	4	3	7	877	5	NA	28	—
Connecticut	6	129	34	812	12	9	422	1
MIDDLE ATLANTIC	74	2,333	144	3,399	167	NA	1,965	2
Upstate New York	13	1,075	50	1,236	82	NA	467	1
New York City	30	170	32	978	40	NA	193	—
New Jersey	15	477	24	465	8	NA	1,021	—
Pennsylvania	16	611	38	720	37	NA	284	1
EAST NORTH CENTRAL ...	17	7,298	231	24,090	464	1,093	5,169	2
Ohio	4	108	70	2,800	71	543	722	—
Indiana	—	520	12	2,332	82	40	1,073	—
Illinois	7	1,853	49	2,887	101	494	648	—
Michigan	6	3,253	76	9,979	98	NA	1,714	1
Wisconsin	—	1,564	24	6,092	112	16	1,012	1
WEST NORTH CENTRAL ...	19	5,157	104	4,565	75	515	1,490	8
Minnesota	6	232	23	266	3	317	37	—
Iowa	—	717	8	1,513	24	14	31	2
Missouri	10	251	58	1,037	21	98	758	2
North Dakota	1	1,060	—	528	1	44	64	—
South Dakota	—	353	—	6	1	NA	17	—
Nebraska	2	398	4	91	—	—	21	—
Kansas	—	2,146	11	1,124	25	42	562	4
SOUTH ATLANTIC	67	562	283	4,580	169	86	1,602	2
Delaware	—	39	9	14	4	11	22	—
Maryland	13	89	38	582	14	54	37	—
District of Columbia	15	1	4	167	—	NA	—	—
Virginia	8	35	24	854	17	NA	326	—
West Virginia	2	236	9	1,505	41	3	242	—
North Carolina	7	6	54	132	50	NA	45	—
South Carolina	1	—	40	78	9	NA	773	2
Georgia	9	40	14	17	9	1	4	—
Florida	12	116	91	1,231	25	17	153	—
EAST SOUTH CENTRAL	11	365	189	5,118	221	913	990	2
Kentucky	3	163	77	1,893	47	153	245	1
Tennessee	—	165	62	2,390	78	46	713	1
Alabama	6	5	32	453	46	710	23	—
Mississippi	2	32	18	382	50	4	9	—
WEST SOUTH CENTRAL ...	5	635	220	4,967	247	51	788	4
Arkansas	2	1	14	187	25	6	20	—
Louisiana	1	33	40	325	57	12	294	1
Oklahoma	2	326	15	378	28	11	104	2
Texas	—	275	151	4,077	137	22	370	1
MOUNTAIN	10	1,793	51	1,178	163	150	529	3
Montana	—	51	10	44	18	2	246	—
Idaho	—	73	5	72	9	29	75	—
Wyoming	—	4	1	3	8	17	—	—
Colorado	2	1,173	11	689	18	33	139	—
New Mexico	1	17	6	62	109	NA	19	2
Arizona	5	85	2	—	—	42	1	—
Utah	2	373	8	188	—	27	38	1
Nevada	—	17	8	120	1	NA	11	—
PACIFIC	149	5,897	163	9,501	195	31	2,025	6
Washington	8	307	25	4,732	38	6	363	1
Oregon	10	191	16	768	26	7	193	—
California	126	5,335	119	3,888	126	12	1,447	3
Alaska	2	—	1	53	4	2	—	—
Hawaii	3	64	2	60	1	4	22	2
Guam	—	33	3	36	—	10	8	—
Puerto Rico	1	830	5	1,265	158	87	15	1
Virgin Islands	—	9	—	—	1	NA	1	—

TABLE 5. Reported Cases of Notifiable Diseases by Geographic Division and by State, United States, 1975 — Continued

AREA	SALMONEL- LOSIS (Excluding Typhoid Fever)	SHIGELLOSIS	TETANUS	TRICHI- NOSIS	TULA- REMI A	TYPHOID FEVER	TYPHUS FEVER Tick-borne (Rky Mt Spotted)
UNITED STATES	22,612	16,584	102	201	129	375	844
NEW ENGLAND	1,529	677	4	27	—	20	7
Maine	81	32	—	—	—	—	—
New Hampshire	66	60	—	—	—	—	—
Vermont	63	12	—	—	—	—	—
Massachusetts	801	415	2	15	—	11	3
Rhode Island	143	26	—	1	—	—	3
Connecticut	375	132	2	11	—	9	1
MIDDLE ATLANTIC	3,621	1,256	15	78	5	73	83
Upstate New York	690	365	2	17	3	9	34
New York City	947	392	4	6	—	31	1
New Jersey	1,118	255	2	47	2	15	10
Pennsylvania	866	244	7	8	—	18	38
EAST NORTH CENTRAL ...	4,156	2,430	11	40	10	42	31
Ohio	585	307	3	3	—	14	16
Indiana	271	156	—	—	—	2	—
Illinois	1,536	969	6	33	4	15	14
Michigan	864	745	—	2	1	10	1
Wisconsin	900	253	2	2	5	1	—
WEST NORTH CENTRAL ...	1,429	788	11	15	24	17	34
Minnesota	358	310	2	2	1	5	—
Iowa	206	60	3	1	1	1	5
Missouri	434	172	2	1	17	6	16
North Dakota	48	14	—	—	—	—	—
South Dakota	50	50	—	—	—	—	—
Nebraska	53	106	—	—	1	3	2
Kansas	280	76	4	11	4	2	11
SOUTH ATLANTIC	4,260	1,837	17	6	19	47	410
Delaware	32	13	—	—	—	—	3
Maryland	734	452	1	—	1	12	29
District of Columbia	132	187	—	1	1	2	—
Virginia	584	225	2	3	8	7	115
West Virginia	77	20	1	—	—	5	6
North Carolina	471	134	6	1	—	3	129
South Carolina	249	27	2	—	2	7	85
Georgia	712	291	—	—	5	3	37
Florida	1,269	488	5	1	2	8	6
EAST SOUTH CENTRAL ...	1,323	579	10	3	15	28	117
Kentucky	200	67	3	2	1	7	12
Tennessee	525	220	2	1	14	12	68
Alabama	329	208	1	—	—	3	10
Mississippi	269	84	4	—	—	6	27
WEST SOUTH CENTRAL ...	1,950	2,034	22	4	49	36	149
Arkansas	323	125	1	—	19	1	23
Louisiana	232	122	5	—	2	13	2
Oklahoma	285	340	—	—	9	3	90
Texas	1,110	1,447	16	4	19	19	34
MOUNTAIN	1,200	1,866	—	3	5	8	9
Montana	46	79	—	—	1	—	5
Idaho	46	55	—	—	—	—	3
Wyoming	16	15	—	—	3	—	—
Colorado	716	501	—	1	—	2	1
New Mexico	96	361	—	—	—	1	—
Arizona	149	498	—	—	—	5	—
Utah	85	335	—	2	1	—	—
Nevada	46	22	—	—	—	—	—
PACIFIC	3,144	5,117	12	25	2	104	4
Washington	337	637	1	—	1	5	1
Oregon	179	341	—	—	—	—	—
California	2,033	3,997	10	12	1	94	3
Alaska	56	5	—	13	—	1	—
Hawaii	539	137	1	—	—	4	—
Guam	65	18	—	—	—	—	—
Puerto Rico	66	7	19	—	—	23	—
Virgin Islands	8	1	3	—	—	—	—

TABLE 7(A). Reported Cases of Infectious Encephalitis by Geographic Division and by State, United States, 1974

AREA	TOTAL	ARBOVIRUSES*				CHILDHOOD INFECTIONS				OTHER ENCEPHALITIDES			INDETERMINATE ETIOLOGY
		WEE	SLE	EEE	CE	Mumps	Measles	Chicken-pox	Rubella	CAUSE SPECIFIED			
										Enterovirus	Herpes simplex	Other	
UNITED STATES	1,382	2	72	4	30	149	14	54	1	48	36	14	958
NEW ENGLAND	33	—	—	3	—	5	—	—	—	—	—	—	25
Maine	—	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire	—	—	—	—	—	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	18	—	—	3	—	3	—	—	—	—	—	—	12
Rhode Island	5	—	—	—	—	—	—	—	—	—	—	—	5
Connecticut	10	—	—	—	—	2	—	—	—	—	—	—	8
MIDDLE ATLANTIC	177	—	—	—	2	19	3	11	1	1	6	5	129
Upstate New York	54	—	—	—	1	6	—	6	1	1	4	3	32
New York City	13	—	—	—	—	2	—	1	—	—	—	—	10
New Jersey	34	—	—	—	1	—	1	3	—	—	—	—	29
Pennsylvania	76	—	—	—	—	11	2	1	—	—	2	2	58
EAST NORTH CENTRAL	281	—	7	—	14	35	5	9	—	2	2	2	205
Ohio	84	—	—	—	2	10	—	1	—	—	—	—	71
Indiana	13	—	1	—	1	2	1	1	—	—	—	—	7
Illinois	90	—	6	—	—	9	4	3	—	—	1	2	65
Michigan	66	—	—	—	—	12	—	3	—	—	—	—	51
Wisconsin	28	—	—	—	11	2	—	1	—	2	1	—	11
WEST NORTH CENTRAL	134	—	2	—	14	3	—	—	—	9	8	2	96
Minnesota	30	—	—	—	10	3	—	—	—	—	4	1	12
Iowa	29	—	—	—	2	—	—	—	—	9	2	—	16
Missouri	51	—	—	—	2	—	—	—	—	—	1	—	48
North Dakota	1	—	—	—	—	—	—	—	—	—	—	—	1
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	1	—	—	—	—	—	—	—	—	—	—	—	1
Kansas	22	—	2	—	—	—	—	—	—	—	1	1	18
SOUTH ATLANTIC	106	—	—	1	—	27	—	10	—	4	9	3	52
Delaware	3	—	—	—	—	1	—	—	—	—	—	—	2
Maryland	20	—	—	—	—	2	—	—	—	—	—	2	16
District of Columbia	—	—	—	—	—	—	—	—	—	—	—	—	—
Virginia	20	—	—	—	—	4	—	2	—	—	—	—	14
West Virginia	4	—	—	—	—	1	—	—	—	—	—	—	3
North Carolina	15	—	—	—	—	3	—	2	—	—	2	—	8
South Carolina	7	—	—	—	—	3	—	—	—	—	—	—	4
Georgia	13	—	—	—	—	4	—	—	—	4	1	1	3
Florida	24	—	—	1	—	9	—	6	—	—	6	—	2
EAST SOUTH CENTRAL	209	—	56	—	—	17	—	3	—	1	—	—	132
Kentucky	4	—	—	—	—	—	—	1	—	—	—	—	3
Tennessee	108	—	32	—	—	10	—	2	—	—	—	—	64
Alabama	28	—	9	—	—	7	—	—	—	—	—	—	12
Mississippi	69	—	15	—	—	—	—	—	—	1	—	—	53
WEST SOUTH CENTRAL	136	—	7	—	—	9	3	—	—	—	1	—	116
Arkansas	16	—	7	—	—	—	—	—	—	—	1	—	8
Louisiana	22	—	—	—	—	4	—	—	—	—	—	—	18
Oklahoma	70	—	—	—	—	1	2	—	—	—	—	—	67
Texas	28	—	—	—	—	4	1	—	—	—	—	—	23
MOUNTAIN	25	—	—	—	—	2	—	2	—	2	3	—	16
Montana	6	—	—	—	—	—	—	—	—	1	1	—	4
Idaho	1	—	—	—	—	—	—	—	—	—	—	—	1
Wyoming	1	—	—	—	—	—	—	—	—	—	—	—	1
Colorado	3	—	—	—	—	2	—	1	—	—	—	—	—
New Mexico	6	—	—	—	—	—	—	1	—	—	2	—	3
Arizona	5	—	—	—	—	—	—	—	—	1	—	—	4
Utah	3	—	—	—	—	—	—	—	—	—	—	—	3
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	281	2	—	—	—	32	3	19	—	29	7	2	187
Washington	45	2	—	—	—	10	—	—	—	—	—	—	33
Oregon	17	—	—	—	—	2	—	2	—	—	—	—	13
California	215	—	—	—	—	19	3	17	—	29	7	2	138
Alaska	2	—	—	—	—	1	—	—	—	—	—	—	1
Hawaii	2	—	—	—	—	—	—	—	—	—	—	—	2

*Includes only laboratory documented cases.

TABLE 7(B). Reported Cases of Infectious Encephalitis by Geographic Division
and by State, United States, 1975

AREA	TOTAL	ARBOVIRUSES*				CHILDHOOD INFECTIONS			OTHER ENCEPHALITIDES			
		WEE	SLE	EEE	CE	Mumps	Measles	Chicken-pox	CAUSE SPECIFIED			INDETERMINATE ETIOLOGY
									Enterovirus	Herpes simplex	Other	
UNITED STATES	4,237	130	1,995	3	126	149	9	34	115	71	22	1,583
NEW ENGLAND	40	—	—	1	—	6	1	1	1	1	2	27
Maine	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire	3	—	—	—	—	—	—	1	1	—	—	1
Vermont	1	—	—	—	—	—	—	—	—	—	—	1
Massachusetts	22	—	—	1	—	1	1	—	—	—	1	18
Rhode Island	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut	14	—	—	—	—	5	—	—	—	1	1	7
MIDDLE ATLANTIC	242	—	52	—	1	13	5	9	4	13	7	138
Upstate New York	58	—	8	—	—	7	2	3	3	6	3	26
New York City	6	—	—	—	—	1	—	—	—	—	1	4
New Jersey	54	—	30	—	1	—	—	5	—	3	—	15
Pennsylvania	124	—	14	—	—	5	3	1	1	4	3	93
EAST NORTH CENTRAL	1,925	4	1,344	—	94	38	1	4	7	20	5	408
Ohio	667	—	392	—	38	12	—	—	—	2	1	222
Indiana	334	—	290	—	7	7	—	—	3	15	1	11
Illinois	716	4	640	—	23	3	—	1	—	—	2	43
Michigan	154	—	19	—	1	9	—	3	—	—	—	122
Wisconsin	54	—	3	—	25	7	1	—	4	3	1	10
WEST NORTH CENTRAL	788	107	109	—	30	1	—	—	92	6	—	443
Minnesota	261	15	—	—	23	—	—	—	80	—	—	143
Iowa	205	4	19	—	7	1	—	—	12	3	—	159
Missouri	77	—	35	—	—	—	—	—	—	—	—	42
North Dakota	53	41	12	—	—	—	—	—	—	—	—	—
South Dakota	28	28	—	—	—	—	—	—	—	—	—	—
Nebraska	70	12	8	—	—	—	—	—	—	—	—	50
Kansas	94	7	35	—	—	—	—	—	—	3	—	49
SOUTH ATLANTIC	204	1	33	2	—	24	—	6	3	18	5	112
Delaware	6	1	1	—	—	—	—	1	—	—	—	3
Maryland	37	—	9	—	—	1	—	2	1	—	1	23
District of Columbia	15	—	9	—	—	1	—	—	—	—	—	5
Virginia	27	—	—	1	—	3	—	2	—	—	—	21
West Virginia	25	—	11	—	—	—	—	—	—	—	—	14
North Carolina	40	—	1	—	—	—	—	1	1	2	—	35
South Carolina	10	—	—	—	—	4	—	—	—	—	—	6
Georgia	12	—	2	—	—	5	—	—	—	2	1	2
Florida	32	—	—	1	—	10	—	—	1	14	3	3
EAST SOUTH CENTRAL	641	—	395	—	—	20	—	6	1	3	—	216
Kentucky	99	—	36	—	—	3	—	2	—	1	—	57
Tennessee	194	—	91	—	—	8	—	4	1	2	—	88
Alabama	90	—	58	—	—	2	—	—	—	—	—	30
Mississippi	258	—	210	—	—	7	—	—	—	—	—	41
WEST SOUTH CENTRAL	271	1	59	—	1	34	—	6	2	7	—	161
Arkansas	36	—	18	—	1	3	—	—	—	1	—	13
Louisiana	62	—	—	—	—	15	—	1	2	4	—	40
Oklahoma	54	1	4	—	—	—	—	—	—	—	—	49
Texas	119	—	37	—	—	16	—	5	—	2	—	59
MOUNTAIN	62	17	3	—	—	7	—	—	4	2	—	29
Montana	14	4	1	—	—	—	—	—	—	2	—	7
Idaho	4	—	—	—	—	1	—	—	—	—	—	3
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	37	13	2	—	—	6	—	—	—	—	—	16
New Mexico	—	—	—	—	—	—	NA	—	—	—	—	—
Arizona	5	—	—	—	—	—	—	—	4	—	—	1
Utah	2	—	—	—	—	—	—	—	—	—	—	2
Nevada	—	—	—	—	—	—	NA	—	—	—	—	—
PACIFIC	64	—	—	—	—	6	2	2	1	1	3	49
Washington	35	—	—	—	—	5	2	1	1	—	1	25
Oregon	18	—	—	—	—	—	—	1	—	—	2	15
California	—	—	—	—	—	—	NA	—	—	—	—	—
Alaska	7	—	—	—	—	1	—	—	—	—	—	6
Hawaii	4	—	—	—	—	—	—	—	—	1	—	3
Guam	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	7	—	—	—	—	—	—	—	—	—	—	7
Virgin Islands	—	—	—	—	—	—	—	—	—	—	—	—

*Includes only laboratory documented cases.

TABLE 8. New Active Tuberculosis Cases by Geographic Division and by State, United States, 1974 and 1975 (Provisional)

AREA	Provisional		Final
	1975*	1974	1974
UNITED STATES	33,554	30,210	30,122
NEW ENGLAND	1,259	1,181	1,182
Maine	77	91	91
New Hampshire	34	30	32
Vermont	30	23	23
Massachusetts	717	649	650
Rhode Island	139	108	108
Connecticut	262	280	278
MIDDLE ATLANTIC	6,061	5,439	5,430
New York	3,267	2,866	2,866
New Jersey	1,214	1,016	1,012
Pennsylvania	1,580	1,557	1,552
EAST NORTH CENTRAL ...	4,674	4,754	4,625
Ohio	1,274	1,153	1,141
Indiana	569	660	598
Illinois	1,378	1,585	1,496
Michigan	1,279	1,083	1,125
Wisconsin	174	273	265
WEST NORTH CENTRAL ...	1,202	1,177	1,182
Minnesota	191	192	195
Iowa	127	124	124
Missouri	549	565	564
North Dakota	19	35	36
South Dakota	72	64	63
Nebraska	40	41	41
Kansas	204	156	159
SOUTH ATLANTIC	7,406	6,340	6,314
Delaware	132	98	99
Maryland	1,191	841	852
District of Columbia	373	351	351
Virginia	860	800	799
West Virginia	275	230	233
North Carolina	1,200	938	926
South Carolina	481	640	641
Georgia	1,087	982	953
Florida	1,807	1,460	1,460
EAST SOUTH CENTRAL ...	2,952	2,643	2,652
Kentucky	597	621	619
Tennessee	1,110	842	854
Alabama	804	785	785
Mississippi	441	395	394
WEST SOUTH CENTRAL ...	3,768	3,481	3,473
Arkansas	489	404	405
Louisiana	489	475	475
Oklahoma	309	283	282
Texas	2,481	2,319	2,311
MOUNTAIN	1,047	997	970
Montana	87	88	88
Idaho	35	38	38
Wyoming	31	25	24
Colorado	223	192	171
New Mexico	140	195	195
Arizona	430	349	349
Utah	53	54	49
Nevada	48	56	56
PACIFIC	5,185	4,198	4,294
Washington	467	346	336
Oregon	206	208	207
California	3,880	3,167	3,286
Alaska	62	111	101
Hawaii	570	366	364
Puerto Rico	500	600	585

DISTRIBUTION BY AGE AND RACE, 1974			
Age	Total	White	Other
0-4	1,226	627	599
5-14	1,006	480	526
15-24	2,478	1,279	1,199
25-44	8,068	3,911	4,157
45-64	10,244	6,345	3,899
65+	7,100	5,183	1,917
Total	30,122	17,825	12,297

DISTRIBUTION BY SEX AND RACE, 1974			
Sex	Total	White	Other
Male	19,762	11,786	7,976
Female	10,360	6,039	4,321
Total	30,122	17,825	12,297

DISTRIBUTION BY AGE, RACE AND SEX, 1974				
Age	White		Other	
	Male	Female	Male	Female
0-14	534	573	567	558
15-44	3,118	2,072	3,262	2,094
45-64	4,743	1,602	2,851	1,048
65+	3,391	1,792	1,296	621
Total	11,786	6,039	7,796	4,321

NEW ACTIVE TB CASE RATE BY AGE, RACE AND SEX, 1974							
Age	Total	White			Other		
		Total	Male	Female	Total	Male	Female
0-4	7.5	4.6	4.6	4.7	22.0	22.7	21.2
5-14	2.6	1.5	1.3	1.7	8.7	8.4	9.0
15-24	6.3	3.8	3.8	3.8	21.3	21.0	21.6
25-44	15.4	8.5	10.9	6.2	63.9	90.3	41.6
45-64	23.6	16.3	25.4	7.9	88.2	138.9	44.2
65+	32.5	26.1	41.7	15.2	99.2	154.7	56.8
Total	14.2	9.7	13.1	6.4	45.1	61.2	30.3

*New diagnostic standards introduced in 1975.

TABLE 9(A). Newly Reported Cases of Venereal Diseases in Civilians and Cases per 100,000 Population by Geographic Division and by State, United States, 1974-1975

AREA	SYPHILIS								GONORRHEA				OTHER VENEREAL DISEASES ¹			
	PRIMARY/SECONDARY				ALL STAGES				Cases		Rate		Cases		Rate	
	Cases		Rate		Cases		Rate		Cases		Rate		Cases		Rate	
	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974
UNITED STATES	25,561	25,385	12.1	12.1	80,356	83,771	38.0	39.9	999,937	906,121	472.9	432.1	1,113	1,386	0.5	0.7
NEW ENGLAND	842	904	6.9	7.5	2,135	2,501	17.6	20.7	27,937	24,481	229.9	202.3	9	8	0.1	0.1
Maine	43	47	4.1	4.5	65	100	6.2	9.7	2,327	2,080	221.8	200.8	0	0	0.0	0.0
New Hampshire	16	13	2.0	1.6	32	48	3.9	6.0	702	808	86.3	100.6	0	0	0.0	0.0
Vermont	7	3	1.5	0.6	13	11	2.8	2.3	683	635	145.0	135.1	1	0	0.2	0.0
Massachusetts	545	638	9.4	11.0	1,332	1,578	22.9	27.3	12,882	11,255	221.6	194.6	8	4	0.1	0.1
Rhode Island	25	17	2.7	1.8	143	158	15.5	17.0	2,148	2,100	232.7	225.8	0	2	0.0	0.2
Connecticut	206	186	6.7	6.0	550	606	17.9	19.7	9,195	7,603	298.4	247.2	0	2	0.0	0.1
MIDDLE ATLANTIC	4,776	5,433	12.8	14.6	15,729	17,774	42.3	47.8	115,223	111,069	309.7	298.5	41	73	0.1	0.2
New York	3,263	3,676	18.0	20.3	8,696	9,313	48.1	51.5	68,966	68,852	381.2	380.8	6	28	0.0	0.2
New Jersey	759	836	10.4	11.5	2,414	2,638	33.1	36.1	17,261	15,358	236.8	210.4	19	29	0.3	0.4
Pennsylvania	754	921	6.4	7.8	4,619	5,823	39.1	49.2	28,996	26,859	245.4	227.2	16	16	0.1	0.1
EAST NORTH CENTRAL	2,131	2,177	5.2	5.3	13,177	11,620	32.2	28.5	166,523	145,418	407.1	356.5	165	249	0.4	0.6
Ohio	519	329	4.8	3.1	4,214	1,687	39.2	15.7	46,320	37,952	431.1	353.9	1	17	0.0	0.2
Indiana	159	197	3.0	3.7	1,128	1,261	21.3	23.7	15,461	13,989	291.6	263.0	4	2	0.1	0.0
Illinois	1,034	1,116	9.3	10.1	5,550	5,275	50.0	47.5	58,450	48,471	526.2	436.8	56	47	0.5	0.4
Michigan	335	434	3.7	4.8	1,638	2,722	17.9	30.0	32,583	32,067	356.4	353.0	101	181	1.1	2.0
Wisconsin	84	101	1.8	2.2	647	675	14.0	14.8	13,709	12,939	297.7	283.4	3	2	0.1	0.0
WEST NORTH CENTRAL	586	651	3.5	3.9	4,312	5,406	26.0	32.6	51,939	47,186	312.8	284.4	12	13	0.1	0.1
Minnesota	110	88	2.8	2.2	407	340	10.4	8.7	10,036	9,510	255.8	242.9	0	0	0.0	0.0
Iowa	32	39	1.1	1.4	331	376	11.5	13.2	7,271	6,184	253.4	216.7	4	4	0.1	0.1
Missouri	277	417	5.8	8.8	2,563	3,632	54.1	76.4	18,348	16,165	387.3	340.2	3	6	0.1	0.1
North Dakota	5	7	0.8	1.1	25	20	4.0	3.2	775	756	124.6	121.2	0	0	0.0	0.0
South Dakota	5	3	0.7	0.4	18	32	2.7	4.7	1,933	2,128	285.5	314.8	0	2	0.0	0.3
Nebraska	21	10	1.4	0.7	151	125	9.8	8.2	4,523	4,062	294.7	265.3	0	0	0.0	0.0
Kansas	136	87	6.1	3.9	817	881	36.5	39.3	9,053	8,381	404.2	374.2	5	1	0.2	0.0
SOUTH ATLANTIC	7,953	7,888	24.0	24.1	19,827	20,374	59.7	62.4	243,084	229,575	732.4	702.7	623	732	1.9	2.2
Delaware	88	82	15.3	14.5	266	171	46.3	30.2	3,336	3,220	581.2	567.9	2	0	0.3	0.0
Maryland	591	767	14.6	19.0	2,543	2,947	62.8	72.9	30,735	24,590	758.7	608.5	9	11	0.2	0.3
District of Columbia	670	662	94.6	92.7	1,898	2,063	268.1	288.9	17,699	18,951	2499.9	2654.2	142	194	20.1	27.2
Virginia	570	705	11.8	14.8	2,065	2,370	42.9	49.9	23,499	21,386	487.9	450.1	32	30	0.7	0.6
West Virginia	37	21	2.1	1.2	828	782	45.9	43.7	3,141	2,676	174.3	149.5	3	2	0.2	0.1
North Carolina	1,100	898	20.6	17.1	2,226	1,877	41.6	35.7	34,170	31,637	638.8	600.9	78	101	1.5	1.9
South Carolina	541	690	19.7	25.5	1,198	1,862	43.6	68.7	21,659	21,222	788.2	782.8	9	31	0.3	1.1
Georgia	1,128	1,148	23.1	23.8	2,474	2,784	50.7	57.6	43,741	44,387	896.9	918.8	191	181	3.9	3.7
Florida	3,228	2,915	39.1	36.4	6,329	5,518	76.6	69.0	65,104	61,506	787.7	768.6	157	182	1.9	2.3
EAST SOUTH CENTRAL	1,153	1,251	8.6	9.4	2,922	3,112	21.7	23.4	84,147	75,265	626.1	566.7	40	90	0.3	0.7
Kentucky	169	267	5.0	8.0	588	909	17.5	27.4	10,992	9,452	327.0	284.6	1	2	0.0	0.1
Tennessee	419	459	10.1	11.2	1,022	998	24.5	24.3	33,057	29,927	793.5	728.5	30	53	0.7	1.3
Alabama	270	256	7.5	7.2	527	499	14.7	14.1	23,586	20,920	657.0	589.1	2	2	0.1	0.1
Mississippi	295	269	12.7	11.7	785	706	33.8	30.7	16,512	14,966	710.8	650.1	7	33	0.3	1.4
WEST SOUTH CENTRAL	2,265	2,208	11.0	10.8	6,644	7,381	32.2	36.3	122,536	116,476	594.1	572.2	125	164	0.6	0.8
Arkansas	68	96	3.2	4.7	380	760	18.0	37.0	13,371	11,970	634.9	583.3	4	2	0.2	0.1
Louisiana	527	563	14.0	15.1	1,458	1,672	38.8	44.8	20,529	23,542	547.0	630.6	41	64	1.1	1.7
Oklahoma	91	143	3.4	5.3	360	468	13.4	17.5	12,150	10,280	452.7	383.6	4	5	0.1	0.2
Texas	1,579	1,406	13.1	11.8	4,446	4,481	36.8	37.7	76,486	70,684	633.0	594.5	76	93	0.6	0.8
MOUNTAIN	620	599	6.5	6.4	1,754	2,042	18.4	22.0	41,618	35,049	436.8	377.2	8	10	0.1	0.1
Montana	8	4	1.1	0.5	40	23	5.4	3.2	2,086	1,961	281.1	269.0	0	0	0.0	0.0
Idaho	18	13	2.2	1.6	31	25	3.8	3.2	2,088	1,765	256.5	222.6	1	0	0.1	0.0
Wyoming	6	2	1.6	0.6	17	6	4.6	1.7	1,022	827	276.2	232.3	0	0	0.0	0.0
Colorado	112	151	4.5	6.2	291	356	11.7	14.5	10,688	9,537	429.6	389.6	1	1	0.0	0.0
New Mexico	153	96	13.5	8.7	497	497	43.9	44.9	6,762	5,104	597.9	461.1	2	4	0.2	0.4
Arizona	250	258	11.4	12.1	722	859	32.9	40.4	11,898	9,843	541.6	463.0	4	5	0.2	0.2
Utah	18	13	1.5	1.1	61	116	5.1	9.9	2,511	2,197	208.9	187.9	0	0	0.0	0.0
Nevada	55	62	9.4	11.0	95	160	16.3	28.4	4,563	3,815	781.3	676.4	0	0	0.0	0.0
PACIFIC	5,235	4,274	18.8	15.6	13,856	13,561	49.8	49.5	146,930	121,602	528.4	443.8	90	47	0.3	0.2
Washington	215	138	6.2	4.0	411	315	11.8	9.2	13,651	12,420	391.0	362.4	0	0	0.0	0.0
Oregon	145	117	6.3	5.2	304	236	13.3	10.4	11,448	11,704	500.8	517.2	4	4	0.2	0.2
California	4,817	3,976	23.1	19.3	12,979	12,831	62.1	62.3	115,835	92,169	554.3	447.2	86	41	0.4	0.2
Alaska	7	10	2.1	3.2	57	115	17.5	37.0	3,714	2,976	1,139.3	956.9	0	0	0.0	0.0
Hawaii	51	33	6.3	4.2	105	64	13.0	8.1	2,282	2,333	283.1	294.6	0	2	0.0	0.3
Puerto Rico	738	921	24.3	31.2	2,224	2,442	73.4	82.8	2,912	3,034	96.0	102.8	25	13	0.8	0.4
Virgin Islands	32	53	32.0	55.8	137	159	137.0	167.4	609	768	609.0	808.4	1	0	1.0	0.0

¹Other venereal diseases include chancroid, granuloma inguinale, and lymphogranuloma venereum.

Note: Rates less than .05 are shown as 0.0

TABLE 9(B). Newly Reported Cases of Venereal Disease in Civilians
by Age and Sex, United States, 1974-1975

Gonorrhea
1974 and 1975

Age Group	Male				Female				Total			
	1974		1975		1974		1975		1974		1975	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
0-14	3,066	11.0	2,980	10.9	8,477	31.7	9,442	35.9	11,543	21.1	12,422	23.2
15-19	111,788	1,094.8	115,504	1,121.5	138,331	1,351.2	151,109	1,462.4	250,119	1,223.1	266,613	1,292.2
20-24	215,523	2,515.2	236,561	2,659.8	141,304	1,522.5	155,196	1,631.4	356,827	1,999.0	391,757	2,128.3
25-29	117,821	1,528.0	135,132	1,674.7	48,926	601.1	57,424	676.1	166,747	1,052.0	192,556	1,162.6
30-39	67,671	571.4	77,214	635.0	23,103	182.0	25,819	198.3	90,774	369.9	103,033	409.2
40-49	17,022	152.2	19,022	171.6	4,851	40.7	4,998	42.4	21,873	94.7	24,020	105.1
50 Plus	6,219	26.0	7,341	30.3	2,019	6.9	2,195	7.4	8,238	15.5	9,536	17.6
TOTAL	539,110	532.2	593,754	581.3	367,011	338.6	406,183	371.6	906,121	432.1	999,937	472.9

Primary and Secondary Syphilis
1974 and 1975

Age Group	Male				Female				Total			
	1974		1975		1974		1975		1974		1975	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
0-14	77	.3	82	.3	192	.7	164	.6	269	.5	246	.5
15-19	2,029	19.9	1,886	18.3	1,964	19.2	1,833	17.7	3,993	19.5	3,719	18.0
20-24	4,972	58.0	5,063	56.9	2,328	25.1	2,263	23.8	7,300	40.9	7,326	39.8
25-29	4,148	53.8	4,341	53.8	1,349	16.6	1,272	15.0	5,497	34.7	5,613	33.9
30-39	4,368	36.9	4,556	37.5	1,108	8.7	1,103	8.5	5,476	22.3	5,659	22.5
40-49	1,663	14.9	1,822	16.4	392	3.3	394	3.4	2,055	8.9	2,216	9.7
50 Plus	646	2.7	679	2.8	149	.5	103	.3	795	1.5	782	1.4
TOTAL	17,903	17.7	18,429	18.0	7,482	6.9	7,132	6.5	25,385	12.1	25,561	12.1

Congenital Syphilis
1974 and 1975

Age Group	Number of Cases		Percent of Total	
	1974	1975	1974	1975
< 1	270	180	23.8	19.6
1-4	59	20	5.2	2.2
5-9	13	9	1.1	1.0
10+	795	707	69.9	77.2
TOTAL	1,137	916	100.0	100.0

TABLE 9(C). Newly Reported Cases of Venereal Diseases in Civilians and Cases per 100,000 Population by Geographic Division and by City², United States, 1974-1975

AREA	SYPHILIS								GONORRHEA				OTHER VENEREAL DISEASES ¹			
	PRIMARY/SECONDARY				ALL STAGES											
	Cases		Rate		Cases		Rate		Cases		Rate		Cases		Rate	
	1975	1974	1974	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974
UNITED STATES LARGE CITIES	15,558	15,966	27.0	27.6	48,827	50,470	84.8	87.1	532,188	487,917	924.0	842.5	636	825	1.1	1.4
NEW ENGLAND	330	379	52.1	59.3	703	863	110.9	135.1	6,991	5,975	1102.7	935.1	1	1	0.2	0.2
Boston Mass.	330	379	52.1	59.3	703	863	110.9	135.1	6,991	5,975	1102.7	935.1	1	1	0.2	0.2
MIDDLE ATLANTIC	3,868	4,443	30.9	34.7	12,505	13,519	99.9	105.6	82,500	82,295	659.3	643.0	27	49	0.2	0.4
Buffalo, N.Y.	51	73	11.6	16.6	422	395	96.1	89.6	3,592	3,095	818.2	701.8	0	0	0.0	0.0
Jersey City, N.J.	62	56	23.7	21.6	161	162	61.5	62.5	903	1,020	344.7	393.8	1	0	0.4	0.0
Newark, N.J.	249	296	65.5	75.9	679	647	178.7	165.9	5,131	5,103	1,350.3	1,308.5	4	5	1.1	1.3
New York City, N.Y.	2,864	3,145	37.8	40.5	7,236	7,605	95.6	97.8	47,839	48,220	631.7	620.2	6	28	0.1	0.4
Philadelphia, Pa.	385	671	21.1	35.8	2,850	3,593	156.1	191.8	14,889	16,067	815.4	857.8	16	16	0.9	0.9
Pittsburgh, Pa.(3)	156	67	10.1	4.3	940	864	61.0	55.0	5,059	4,118	328.3	262.0	0	0	0.0	0.0
Rochester, N.Y.	70	114	24.6	40.6	152	211	53.3	75.1	4,866	4,521	1,707.4	1,608.9	0	0	0.0	0.0
Yonkers, N.Y.	31	21	15.0	10.1	65	42	31.4	20.3	221	151	106.8	72.9	0	0	0.0	0.0
EAST NORTH CENTRAL	1,446	1,469	16.7	16.5	8,734	7,751	100.9	87.3	96,631	84,988	1,115.8	957.3	142	219	1.6	2.5
Akron, Ohio	15	9	5.6	3.3	131	59	48.9	21.7	3,419	3,183	1,275.7	1,170.2	1	0	0.4	0.0
Chicago, Ill.	773	836	23.7	25.4	4,143	3,944	126.9	119.8	37,926	32,337	1,161.2	982.3	44	42	1.3	1.3
Cincinnati, Ohio	99	57	23.3	13.0	526	177	123.8	40.4	3,318	3,885	780.7	887.0	0	0	0.0	0.0
Cleveland, Ohio	179	83	27.7	12.1	1,079	517	167.0	75.6	10,009	7,521	1,549.4	1,099.6	0	12	0.0	1.8
Columbus, Ohio	74	44	13.0	7.7	434	174	76.0	30.5	7,743	6,042	1,356.0	1,058.1	0	0	0.0	0.0
Dayton, Ohio	15	21	6.4	8.8	344	123	147.6	51.3	4,199	3,660	1,802.1	1,525.0	0	1	0.0	0.4
Detroit, Mich.	168	276	12.1	18.9	940	1,738	68.0	118.8	10,942	11,315	791.2	773.4	94	162	6.8	11.1
Indianapolis, Ind.(3)	50	62	6.3	7.7	578	556	72.5	69.2	6,513	6,021	817.2	748.9	2	0	0.3	0.0
Milwaukee, Wis.	44	66	6.5	9.2	364	399	53.4	55.8	9,174	8,652	1,345.2	1,210.1	1	1	0.1	0.1
Toledo, Ohio	29	15	7.5	3.8	195	64	50.1	16.0	3,388	2,372	871.0	594.5	0	1	0.0	0.3
WEST NORTH CENTRAL	387	456	12.0	14.0	2,276	2,906	27.6	89.1	27,548	25,541	856.1	783.0	4	3	0.1	0.1
Des Moines, Iowa	6	6	3.0	3.0	56	87	27.6	42.9	1,671	1,487	823.2	732.5	3	0	1.5	0.0
Kansas City, Mo.	72	105	14.4	20.7	618	903	123.8	177.8	4,966	4,259	995.2	838.4	1	2	0.2	0.4
Minneapolis, Minn.(3)	79	69	8.5	7.3	254	205	27.3	21.6	5,704	5,808	613.3	612.7	0	0	0.0	0.0
Omaha, Nebr.(3)	17	10	4.1	2.4	103	76	24.6	18.4	2,808	2,725	670.2	658.2	0	0	0.0	0.0
St. Louis, Mo.	128	236	23.6	42.1	992	1,438	183.0	256.8	7,558	7,201	1,394.5	1,285.9	0	1	0.0	0.2
St. Paul, Minn.	10	9	3.4	3.1	61	54	20.9	18.4	2,186	2,060	748.6	700.7	0	0	0.0	0.0
Wichita, Kans.(3)	75	21	22.5	6.3	192	143	57.7	42.7	2,655	2,001	797.3	597.3	0	0	0.0	0.0
SOUTH ATLANTIC	3,427	3,524	55.5	57.4	8,277	8,434	134.1	137.3	105,561	100,714	1,710.9	1,639.5	318	356	5.2	5.8
Atlanta, Ga.(3)	462	499	77.4	83.0	979	1,160	164.0	193.0	19,089	21,686	3,197.5	3,608.3	106	70	17.8	11.6
Baltimore, Md.	369	513	43.7	58.4	1,573	1,679	186.2	191.0	23,141	18,077	2,738.6	2,056.5	6	6	0.7	0.7
Charlotte, N.C.	245	193	95.7	76.9	430	289	168.0	115.1	5,151	5,170	2,012.1	2,059.8	3	1	1.2	0.4
Jacksonville, Fla.	259	117	45.6	20.7	488	228	85.9	40.4	6,846	6,567	1,205.3	1,164.4	3	10	0.5	1.8
Miami, Fla.(3)	915	791	63.7	55.8	1,608	1,360	112.0	95.9	15,910	12,425	1,107.9	876.2	39	63	2.7	4.4
Norfolk, Va.	67	83	23.6	29.5	311	368	109.5	131.0	4,427	4,040	1,558.8	1,437.7	8	6	2.8	2.1
Richmond, Va.	138	172	59.2	74.1	395	391	169.5	168.5	4,867	4,300	2,088.8	1,853.4	2	0	0.9	0.0
St. Petersburg, Fla.(3)	140	283	21.1	44.2	310	526	46.6	82.1	2,562	3,477	385.3	542.4	2	2	0.3	0.3
Tampa, Fla.(3)	162	211	28.0	37.5	285	370	49.3	65.8	5,869	6,021	1,015.4	1,071.4	7	4	1.2	0.7
Washington, D.C.	670	662	94.6	92.7	1,898	2,063	268.1	288.9	17,699	18,951	2,499.9	2,654.2	142	194	20.1	27.2
EAST SOUTH CENTRAL	404	566	15.8	22.0	938	1,167	36.8	45.4	33,248	30,221	1,304.4	1,176.4	21	41	0.8	1.6
Birmingham, Ala.(3)	64	84	9.9	13.0	104	134	16.1	20.7	7,142	7,599	1,105.6	1,174.5	0	0	0.0	0.0
Louisville, Ky.(3)	107	187	15.1	26.2	300	455	42.4	63.8	6,103	4,579	863.2	642.2	0	0	0.0	0.0
Memphis, Tenn.(3)	135	101	18.2	13.4	266	208	35.8	27.6	14,751	13,356	1,988.0	1,771.4	2	6	0.3	0.8
Nashville, Tenn.(3)	98	194	21.6	42.6	268	370	59.0	81.3	5,252	4,687	1,156.8	1,030.1	19	35	4.2	7.7
WEST SOUTH CENTRAL	1,490	1,384	20.5	19.2	3,808	3,753	52.3	52.1	70,816	68,812	973.0	956.0	78	127	1.1	1.8
Austin, Tex.(3)	108	93	30.1	27.6	278	219	77.4	65.0	4,314	4,210	1,201.7	1,249.3	12	9	3.3	2.7
Corpus Christi, Tex.(3)	29	43	11.2	16.9	109	126	42.2	49.6	1,161	1,371	450.0	539.8	0	0	0.0	0.0
Dallas, Tex.(3)	333	225	23.9	16.2	751	596	53.8	42.8	18,601	18,336	1,333.4	1,316.3	7	12	0.5	0.9
El Paso, Tex.(3)	60	44	14.7	11.6	180	148	44.0	38.9	1,660	1,553	405.9	408.7	0	0	0.0	0.0
Fort Worth, Tex.(3)	50	96	6.8	13.2	158	279	21.6	38.3	6,021	6,046	822.5	829.4	0	0	0.0	0.0
Houston, Tex.(3)	564	476	29.8	25.1	1,336	1,146	70.6	60.3	21,378	18,115	1,129.3	953.9	23	44	1.2	2.3
New Orleans, La.	239	255	40.9	43.4	615	668	105.1	113.8	7,610	9,447	1,300.9	1,609.4	27	48	4.6	8.2
Oklahoma City, Okla.	44	55	11.5	14.4	128	164	33.6	42.9	3,819	3,194	1,002.4	836.1	0	2	0.0	0.5
San Antonio, Tex.(3)	55	71	6.0	8.0	208	359	22.7	40.3	3,317	3,556	361.7	399.1	7	12	0.8	1.3
Tulsa, Okla.	8	26	2.3	7.5	45	48	12.9	13.9	2,935	2,984	841.0	862.4	2	0	0.6	0.0
MOUNTAIN	245	274	9.7	11.2	721	903	28.6	37.0	17,380	15,233	689.1	623.8	5	3	0.2	0.1
Albuquerque, N. Mex.(3)	33	22	9.0	6.2	127	136	34.6	38.3	3,017	2,393	822.1	674.1	1	1	0.3	0.3
Denver, Colo.	53	78	10.4	15.2	125	175	24.6	34.0	5,803	5,336	1,142.3	1,038.1	0	0	0.0	0.0
Phoenix, Ariz.(3)	118	133	9.8	11.6	356	435	29.6	37.9	6,508	5,459	541.9	475.5	4	2	0.3	0.2
Tucson, Ariz.(3)	41	41	9.2	9.6	113	157	25.3									

TABLE 10. Rabies in Animals by State and by Type of Animal,* United States, 1975

AREA	DOG	CATTLE	OTHER DOMESTIC	FOX	SKUNK	BAT	RACCOON	OTHER WILD	TOTAL
UNITED STATES	116	151	141	278	1,226	514	192	7	2,625
NEW ENGLAND	2	7	2	36	5	26	—	—	78
Maine	2	7	2	36	4	1	—	—	52
New Hampshire	—	—	—	—	—	2	—	—	2
Vermont	—	—	—	—	—	—	—	—	—
Massachusetts	—	—	—	—	1	11	—	—	12
Rhode Island	—	—	—	—	—	4	—	—	4
Connecticut	—	—	—	—	—	8	—	—	8
MIDDLE ATLANTIC	2	5	2	21	25	64	1	—	120
New York	1	5	2	18	24	26	—	—	76
New Jersey	—	—	—	2	—	22	—	—	24
Pennsylvania	1	—	—	1	1	16	1	—	20
EAST NORTH CENTRAL	20	8	12	5	87	41	2	—	175
Ohio	1	2	—	1	5	8	1	—	18
Indiana	1	—	1	1	1	6	—	—	10
Illinois	6	3	6	2	32	15	1	—	65
Michigan	—	—	3	—	2	5	—	—	10
Wisconsin	12	3	2	1	47	7	—	—	72
WEST NORTH CENTRAL	27	66	52	3	402	24	4	1	579
Minnesota	10	12	7	—	143	10	1	—	183
Iowa	10	17	15	1	52	7	—	—	102
Missouri	4	2	4	1	24	6	1	—	42
North Dakota	1	16	11	—	74	—	1	—	103
South Dakota	—	12	11	1	60	—	—	1	85
Nebraska	—	2	1	—	—	1	—	—	4
Kansas	2	5	3	—	49	—	1	—	60
SOUTH ATLANTIC	7	6	8	113	6	54	175	1	370
Delaware	—	—	—	—	—	6	—	—	6
Maryland	—	—	—	—	—	15	—	—	15
District of Columbia	—	—	—	—	—	—	—	—	—
Virginia	—	5	2	99	2	5	—	1	114
West Virginia	1	1	—	3	—	—	—	—	5
North Carolina	—	—	1	—	—	11	—	—	12
South Carolina	—	—	—	1	—	8	2	—	11
Georgia	4	—	3	10	3	7	143	—	170
Florida	2	—	2	—	1	2	30	—	37
EAST SOUTH CENTRAL	12	11	13	70	27	14	5	—	152
Kentucky	10	11	10	55	6	3	1	—	96
Tennessee	—	—	1	5	9	6	—	—	21
Alabama	2	—	2	10	12	4	4	—	34
Mississippi	—	—	—	—	—	1	—	—	1
WEST SOUTH CENTRAL	34	35	38	13	308	90	1	3	522
Arkansas	1	6	3	—	59	14	—	—	83
Louisiana	1	—	—	—	2	4	—	1	8
Oklahoma	8	15	8	—	70	4	—	—	105
Texas	24	14	27	13	177	68	1	2	326
MOUNTAIN	8	6	11	4	199	86	3	1	318
Montana	2	2	8	—	152	6	2	—	172
Idaho	—	—	—	—	—	—	—	—	—
Wyoming	—	2	—	—	24	9	1	—	36
Colorado	—	—	—	1	5	26	—	—	32
New Mexico	5	2	3	1	13	18	—	—	42
Arizona	1	—	—	2	4	19	—	—	26
Utah	—	—	—	—	—	3	—	—	3
Nevada	—	—	—	—	1	5	—	1	7
PACIFIC	4	7	3	13	167	115	1	1	311
Washington	—	—	—	—	—	10	—	—	10
Oregon	—	—	—	—	—	6	—	—	6
California	4	7	3	7	167	99	1	1	289
Alaska	—	—	—	6	—	—	—	—	6
Hawaii	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—
Puerto Rico	13	7	5	—	—	—	—	24	49
Virgin Islands	—	—	—	—	—	—	—	—	—

*Reported through the Rabies Surveillance Program, CDC.

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1975 — Continued
(B) HEPATITIS A

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	35,855	55	845	2,779	2,703	5,212	6,469	3,598*	2,876*	1,515*	1,024*	969*	7,209
NEW ENGLAND	1,196	3	21	79	85	188	232	148	149	81	62	49	99
Maine	133	—	3	16	12	11	27	18	16	6	6	4	14
New Hampshire	117	—	3	6	10	24	20	17	14	9	12	2	—
Vermont	65	—	1	—	3	3	15	1	8	6	1	3	24
Massachusetts	194	—	4	12	13	33	33	26	22	16	12	16	7
Rhode Island	266	—	3	24	28	38	52	39	38	19	14	8	3
Connecticut	421	3	7	21	19	79	85	47	51	25	17	16	51
MIDDLE ATLANTIC	4,122	6	70	233	292	668	942	581	581	310	207	204	28
Upstate New York	1,142	1	29	97	131	183	228	146	135	79	48	43	22
New York City	923	—	16	46	44	116	199	162	170	76	48	42	4
New Jersey	952	—	11	17	45	153	235	130	141	85	67	66	2
Pennsylvania	1,105	5	14	73	72	216	280	143	135	70	44	53	—
EAST NORTH CENTRAL	5,998	12	115	502	523	1,135	1,324	521*	451*	243*	187*	144*	240
Ohio	1,648	5	27	157	175	284	316	179	139	75	95	73	123
Indiana	218	1	5	34	25	47	44	19	18	11	8	2	4
Illinois	1,667	3	29	118	123	343	380	(601	(((70
Michigan	2,072	3	49	159	168	397	474	272	251	130	72	60	37
Wisconsin	393	—	5	34	32	64	110	51	43	27	12	9	6
WEST NORTH CENTRAL	1,887	5	60	154	172	362	455	216	174	91	72	51	75
Minnesota	418	—	9	44	46	61	83	56	54	23	17	18	7
Iowa	202	—	5	11	19	42	46	24	17	19	8	8	3
Missouri	542	—	12	24	36	113	159	56	49	16	26	9	42
North Dakota	155	3	21	41	23	16	13	11	11	5	2	4	5
South Dakota	39	1	2	1	3	9	8	3	3	5	—	2	2
Nebraska	99	—	6	18	19	14	17	9	8	2	2	2	2
Kansas	432	1	5	15	26	107	129	57	32	21	17	8	14
SOUTH ATLANTIC	6,274	6	157	459	437	1,070	1,338	827	615	323	193	222	627
Delaware	63	—	2	1	1	15	21	6	6	2	3	—	6
Maryland	402	1	8	20	18	74	90	52	40	27	23	20	29
District of Columbia	89	—	1	—	5	22	20	16	12	7	2	2	2
Virginia	420	—	5	26	32	91	93	48	46	35	11	13	20
West Virginia	160	—	3	23	19	28	32	10	10	10	3	8	14
North Carolina	650	1	10	48	46	163	181	80	55	33	14	15	4
South Carolina	340	1	9	16	27	84	103	29	29	13	4	9	16
Georgia	1,183	1	36	113	113	186	215	144	94	37	27	29	188
Florida	2,967	2	83	212	176	407	583	442	323	159	106	126	348
EAST SOUTH CENTRAL	2,849	4	74	346	343	599	567	296	228	142	92	96	62
Kentucky	931	1	43	157	142	189	129	81	61	36	23	16	53
Tennessee	1,224	1	26	119	120	270	299	141	109	52	43	43	1
Alabama	304	1	2	25	35	79	52	33	28	25	9	12	3
Mississippi	390	1	3	45	46	61	87	41	30	29	17	25	5
WEST SOUTH CENTRAL	4,215	12	163	528	404	619	738	484	314	158	91	106	598
Arkansas	383	—	12	34	40	80	77	47	30	11	6	14	32
Louisiana	400	1	4	21	21	87	100	56	40	25	12	15	18
Oklahoma	477	—	—	—	—	—	NA	—	—	—	—	—	477
Texas	2,955	11	147	473	343	452	561	381	244	122	73	77	71
MOUNTAIN	1,988	6	96	248	214	267	397	222	158	74	46	35	225
Montana	225	—	2	7	5	19	31	9	11	9	11	4	117
Idaho	198	1	17	40	30	22	35	17	11	8	4	4	9
Wyoming	30	—	—	4	5	5	6	3	1	1	3	—	2
Colorado	248	—	4	11	14	39	92	38	19	15	7	4	5
New Mexico	398	4	35	67	47	49	51	36	33	12	8	7	49
Arizona	419	1	20	66	51	68	80	46	29	13	10	8	27
Utah	276	—	14	39	46	33	42	44	31	10	2	5	10
Nevada	194	—	4	14	16	32	60	29	23	6	1	3	6
PACIFIC	7,326	1	89	230	233	304	476	303	206	93	74	62	5,255
Washington	784	1	31	87	76	120	156	117	78	44	41	23	10
Oregon	685	—	18	42	42	122	192	112	69	34	21	26	7
California	5,204	—	—	—	—	—	NA	—	—	—	—	—	5,204
Alaska	414	—	35	95	107	31	48	25	21	9	8	6	29
Hawaii	239	—	5	6	8	31	80	49	38	6	4	7	5
Guam	115	—	1	10	2	6	8	3	2	2	1	—	80
Puerto Rico	—	—	—	—	—	—	—	—	—	—	—	—	—
Virgin Islands	7	—	—	—	—	—	3	—	1	—	2	—	1

*Excludes data from Illinois.

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1975 — Continued
(C) HEPATITIS B

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	13,121	15	31	71	141	2,154	3,113	1,418*	1,005*	592*	517*	589*	3,186
NEW ENGLAND	589	1	6	12	17	103	149	69	70	37	30	41	54
Maine	48	—	2	7	4	6	5	8	5	2	1	1	7
New Hampshire	29	—	—	—	—	10	5	1	6	3	2	2	—
Vermont	28	—	1	—	—	2	5	4	—	3	—	—	13
Massachusetts	285	1	3	4	11	52	73	34	40	14	17	26	10
Rhode Island	69	—	—	1	1	18	20	9	9	1	4	5	1
Connecticut	130	—	—	—	1	15	41	13	10	14	6	7	23
MIDDLE ATLANTIC	2,603	2	5	13	33	471	696	388	278	189	209	227	92
Upstate New York	339	—	2	4	6	59	111	57	32	19	26	22	1
New York City	443	1	1	1	7	43	108	71	53	37	42	74	5
New Jersey	1,235	1	—	5	10	208	312	188	132	100	96	97	86
Pennsylvania	586	—	2	3	10	161	165	72	61	33	45	34	—
EAST NORTH CENTRAL	1,981	5	5	9	25	458	666	186*	130*	71*	47*	37*	53
Ohio	358	1	—	—	2	71	137	61	30	20	13	6	17
Indiana	74	2	—	—	—	22	19	10	10	6	3	2	—
Illinois	751	—	—	5	11	189	234	(.)	(.)	289	(.)	(.)	23
Michigan	584	2	5	1	10	121	176	84	66	36	28	24	11
Wisconsin	214	—	—	3	2	55	80	31	24	9	3	5	2
WEST NORTH CENTRAL	856	—	2	4	8	185	270	153	77	56	32	24	45
Minnesota	354	—	—	—	2	48	107	84	39	28	15	16	15
Iowa	93	—	1	—	—	22	31	19	9	5	4	—	2
Missouri	254	—	1	4	5	72	73	32	20	16	6	2	23
North Dakota	6	—	—	—	—	1	3	—	—	—	1	1	—
South Dakota	8	—	—	—	—	1	—	—	—	1	1	1	4
Nebraska	27	—	—	—	1	9	6	8	2	—	1	—	—
Kansas	114	—	—	—	—	32	50	10	7	6	4	4	1
SOUTH ATLANTIC	1,659	2	4	10	15	343	455	221	157	96	79	152	125
Delaware	28	—	—	—	1	11	3	3	2	—	1	—	7
Maryland	345	1	1	4	3	73	101	49	39	22	11	12	29
District of Columbia	110	1	—	—	—	27	30	13	14	6	5	6	8
Virginia	215	—	1	3	5	46	68	34	18	12	9	11	8
West Virginia	10	—	—	—	—	1	4	1	—	1	—	2	1
North Carolina	263	—	—	1	2	83	89	36	21	10	14	5	2
South Carolina	75	—	—	—	—	28	29	11	2	1	2	1	1
Georgia	—	—	—	—	—	—	NA	—	—	—	—	—	—
Florida	613	—	2	2	4	74	131	74	61	44	37	115	69
EAST SOUTH CENTRAL	823	1	2	3	13	177	233	116	80	54	57	51	22
Kentucky	136	—	—	1	2	35	39	14	11	7	5	2	20
Tennessee	358	1	1	2	7	79	113	49	33	25	20	28	—
Alabama	259	—	—	—	3	70	68	44	26	18	15	14	1
Mississippi	70	—	1	—	1	13	13	9	10	4	11	7	1
WEST SOUTH CENTRAL	930	2	3	11	20	168	262	100	70	35	34	24	201
Arkansas	84	—	1	—	5	21	26	12	2	3	3	2	9
Louisiana	189	1	2	2	—	45	71	23	12	13	2	7	11
Oklahoma	167	—	—	—	—	—	NA	—	—	—	—	—	167
Texas	490	1	—	7	15	102	165	65	56	19	29	15	14
MOUNTAIN	366	1	3	3	3	67	115	58	41	21	9	12	33
Montana	26	—	—	—	—	1	4	—	—	—	1	—	20
Idaho	11	—	—	—	—	—	4	2	1	—	1	1	2
Wyoming	1	—	—	—	—	—	—	—	—	—	—	—	1
Colorado	144	—	—	2	2	28	47	31	17	11	1	2	3
New Mexico	46	1	1	—	1	10	12	6	4	1	2	2	6
Arizona	83	—	1	—	—	18	25	13	13	5	4	4	—
Utah	51	—	1	1	—	10	20	6	6	3	—	3	1
Nevada	4	—	—	—	—	—	3	—	—	1	—	—	—
PACIFIC	3,314	1	1	6	7	162	267	127	102	33	26	21	2,561
Washington	337	1	1	2	4	65	121	60	40	12	15	10	6
Oregon	302	—	—	2	—	78	102	49	40	12	6	6	7
California	2,546	—	—	—	—	—	NA	—	—	—	—	—	2,546
Alaska	46	—	—	1	2	5	17	8	12	—	—	—	1
Hawaii	83	—	—	1	1	14	27	10	10	9	5	5	1
Guam	13	—	—	—	—	2	1	—	—	—	—	—	10
Puerto Rico	50	—	—	—	1	7	19	6	7	1	2	—	7
Virgin Islands	1	—	—	—	—	—	—	—	1	—	—	—	—

*Excludes data from Illinois

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1975 — Continued
(D) HEPATITIS UNSPECIFIED

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	7,158	18	125	444	458	1,082	1,344	687*	557*	305*	242*	231*	1,484
NEW ENGLAND	482	2	3	32	50	83	106	55	40	32	21	21	37
Maine	—	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire	7	—	—	—	—	1	2	1	2	—	1	—	—
Vermont	10	—	—	—	—	1	1	—	2	—	1	—	5
Massachusetts	438	2	3	32	47	76	93	53	33	32	18	19	30
Rhode Island	—	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut	27	—	—	—	3	5	10	1	3	—	1	2	2
MIDDLE ATLANTIC	781	2	2	35	48	127	192	101	103	63	55	47	6
Upstate New York	238	—	1	19	20	37	49	29	29	20	18	14	2
New York City	—	—	—	—	—	—	—	—	—	—	—	—	—
New Jersey	375	2	1	8	7	53	107	54	51	37	27	24	4
Pennsylvania	168	—	—	8	21	37	36	18	23	6	10	9	—
EAST NORTH CENTRAL	895	2	10	30	35	185	216	56*	53*	37*	25*	17*	48
Ohio	—	—	—	—	—	—	—	—	—	—	—	—	—
Indiana	281	—	6	13	14	66	75	28	21	22	8	14	14
Illinois	386	1	4	12	13	61	81	(..)	(..)	181	(..)	(..)	33
Michigan	221	—	—	5	8	58	59	25	31	14	17	3	1
Wisconsin	7	1	—	—	—	—	1	3	1	1	—	—	—
WEST NORTH CENTRAL	322	—	8	18	12	71	73	37	32	12	17	23	19
Minnesota	6	—	—	—	—	—	—	1	—	1	3	1	—
Iowa	31	—	1	—	2	5	9	4	3	1	3	3	—
Missouri	220	—	6	16	6	52	44	24	20	8	10	15	19
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	17	—	—	1	3	2	2	2	4	—	1	2	—
Kansas	48	—	1	1	1	12	18	6	5	2	—	2	—
SOUTH ATLANTIC	739	4	9	25	31	151	213	99	70	38	39	32	28
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	138	1	—	4	—	25	32	24	21	6	12	8	5
District of Columbia	4	—	—	—	1	—	—	1	2	—	—	—	—
Virginia	210	2	3	7	10	40	50	23	18	17	17	14	9
West Virginia	8	—	—	—	—	—	3	—	2	1	2	—	—
North Carolina	190	1	1	2	6	51	77	16	15	7	5	6	3
South Carolina	189	—	5	12	14	35	51	35	12	7	3	4	11
Georgia	—	—	—	—	—	—	—	NA	—	—	—	—	—
Florida	—	—	—	—	—	—	—	—	—	—	—	—	—
EAST SOUTH CENTRAL	115	—	2	6	13	28	14	14	5	7	10	10	6
Kentucky	23	—	—	1	3	6	2	3	1	—	2	2	3
Tennessee	49	—	1	3	8	11	6	6	1	5	5	2	1
Alabama	43	—	1	2	2	11	6	5	3	2	3	6	2
Mississippi	—	—	—	—	—	—	—	—	—	—	—	—	—
WEST SOUTH CENTRAL	1,084	3	29	130	83	171	169	90	74	36	27	35	237
Arkansas	129	—	5	8	8	23	37	13	11	5	4	8	7
Louisiana	175	2	2	4	12	42	39	23	15	14	11	9	2
Oklahoma	207	—	—	—	—	—	—	NA	—	—	—	—	207
Texas	573	1	22	118	63	106	93	54	48	17	12	18	21
MOUNTAIN	1,075	5	47	118	132	159	216	135	108	48	24	23	60
Montana	43	—	2	3	3	8	7	6	2	1	3	3	5
Idaho	72	—	4	6	6	7	11	6	9	2	2	1	18
Wyoming	13	—	—	2	3	2	2	2	1	—	—	—	1
Colorado	380	2	10	36	38	66	95	56	35	18	9	9	6
New Mexico	110	2	10	9	18	16	22	7	9	2	1	1	13
Arizona	117	—	5	11	8	13	22	12	15	14	3	5	9
Utah	335	1	16	51	56	46	55	45	37	11	6	4	7
Nevada	5	—	—	—	—	1	2	1	—	—	—	—	1
PACIFIC	1,665	—	15	50	54	107	145	100	72	32	24	23	1,043
Washington	464	—	8	38	40	80	114	69	52	21	17	13	12
Oregon	157	—	5	12	14	26	27	26	18	10	6	10	3
California	1,028	—	—	—	—	—	—	NA	—	—	—	—	1,028
Alaska	3	—	—	—	—	1	1	1	—	—	—	—	—
Hawaii	13	—	2	—	—	—	3	4	2	1	1	—	—
Guam	48	—	4	7	3	6	4	1	1	—	—	1	21
Puerto Rico	594	4	32	109	86	102	96	60	54	18	8	13	12
Virgin Islands	10	—	—	—	—	1	5	—	3	—	—	—	1

*Excludes data from Illinois

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1975 — Continued
(E) MENINGOCOCCAL INFECTIONS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	1,478	333	358	123	84	127	64	50*	40*	28*	45*	71*	147
NEW ENGLAND	93	19	26	4	7	9	4	3	1	1	3	10	6
Maine	14	4	5	—	1	—	1	—	—	—	—	3	—
New Hampshire	4	1	1	—	—	1	—	—	—	—	1	—	—
Vermont	2	1	—	—	—	—	—	—	—	—	—	—	1
Massachusetts	32	6	11	2	—	3	—	1	1	1	1	5	1
Rhode Island	7	3	3	—	—	—	—	—	—	—	—	1	—
Connecticut	34	4	6	2	6	5	3	2	—	—	1	1	4
MIDDLE ATLANTIC	144	34	31	15	11	11	6	3	6	3	5	18	1
Upstate New York	50	14	13	2	2	5	1	—	2	1	2	7	1
New York City	32	10	2	3	4	—	2	1	3	—	1	6	—
New Jersey	24	1	7	4	1	4	2	1	—	1	1	2	—
Pennsylvania	38	9	9	6	4	2	1	1	1	1	1	3	—
EAST NORTH CENTRAL	231	49	59	10	6	22	11	4*	3*	3*	4*	10*	42
Ohio	70	12	16	4	3	3	5	3	1	2	3	3	15
Indiana	12	3	5	2	—	1	1	—	—	—	—	—	—
Illinois	49	10	18	1	1	8	—	—	—	—	—	—	3
Michigan	76	24	20	3	2	10	5	1	2	1	1	7	—
Wisconsin	24	—	—	—	—	—	—	—	—	—	—	—	24
WEST NORTH CENTRAL	104	21	15	7	4	10	6	3	5	—	5	4	24
Minnesota	23	4	3	1	3	1	2	2	3	—	1	2	1
Iowa	8	4	2	—	—	1	—	—	—	—	—	—	1
Missouri	58	9	6	6	1	4	4	1	2	—	3	2	20
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	4	1	1	—	—	1	—	—	—	—	—	—	1
Kansas	11	3	3	—	—	3	—	—	—	—	1	—	1
SOUTH ATLANTIC	283	55	73	24	22	19	12	11	12	7	6	14	28
Delaware	9	2	2	1	—	—	1	2	1	—	—	—	—
Maryland	38	5	5	—	2	1	6	2	—	2	3	2	10
District of Columbia	4	—	—	1	1	—	1	—	—	—	—	—	1
Virginia	24	7	5	2	2	1	1	—	1	—	—	3	2
West Virginia	9	5	1	—	—	1	—	—	—	1	—	—	—
North Carolina	54	6	20	6	1	10	2	1	3	2	2	—	1
South Carolina	40	10	12	5	8	2	—	—	2	—	—	—	1
Georgia	14	4	1	2	1	2	—	1	1	1	—	—	1
Florida	91	16	27	7	7	2	—	5	4	1	1	9	12
EAST SOUTH CENTRAL	189	57	62	21	8	14	6	2	—	3	2	4	10
Kentucky	77	32	22	5	2	2	1	1	—	2	—	1	9
Tennessee	62	15	22	10	3	4	2	1	—	1	1	3	—
Alabama	32	5	15	3	—	6	1	—	—	—	1	—	1
Mississippi	18	5	3	3	3	2	2	—	—	—	—	—	—
WEST SOUTH CENTRAL	220	48	46	30	16	27	11	6	4	4	7	4	17
Arkansas	14	2	4	2	3	1	—	—	1	—	—	—	1
Louisiana	40	5	11	7	3	7	2	1	—	1	1	1	1
Oklahoma	15	2	1	1	—	—	—	—	—	1	1	—	9
Texas	151	39	30	20	10	19	9	5	3	2	5	3	6
MOUNTAIN	51	10	6	2	2	4	1	5	2	1	2	2	14
Montana	10	3	—	—	1	1	—	2	—	1	1	—	1
Idaho	51	—	2	—	—	—	—	—	1	—	1	1	—
Wyoming	1	—	1	—	—	—	—	—	—	—	—	—	—
Colorado	11	3	—	1	1	1	1	1	1	—	—	—	2
New Mexico	6	2	1	1	—	—	—	—	—	—	—	—	2
Arizona	2	—	1	—	—	—	—	—	—	—	—	1	—
Utah	8	2	1	—	—	2	—	2	—	—	—	—	1
Nevada	8	—	—	—	—	—	—	—	—	—	—	—	8
PACIFIC	163	40	40	10	8	11	7	13	7	6	11	5	5
Washington	25	4	5	2	2	1	—	3	2	3	2	1	—
Oregon	16	4	3	2	—	—	—	2	—	—	—	4	1
California	119	32	31	5	6	10	7	8	5	3	9	—	3
Alaska	1	—	1	—	—	—	—	—	—	—	—	—	—
Hawaii	2	—	—	1	—	—	—	—	—	—	—	—	1
Guam	3	—	—	—	1	—	—	—	—	—	—	—	2
Puerto Rico	5	2	1	1	—	—	1	—	—	—	—	—	—
Virgin Islands	—	—	—	—	—	—	—	—	—	—	—	—	—

*Excludes data from Illinois

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1975 — Continued
(F) TETANUS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	102	2	4	2	—	2	1	—*	7*	10*	18*	50*	3
NEW ENGLAND	4	—	—	—	—	—	—	—	—	—	2	2	—
Maine	—	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire	—	—	—	—	—	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	2	—	—	—	—	—	—	—	—	—	1	1	—
Rhode Island	—	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut	2	—	—	—	—	—	—	—	—	—	1	1	—
MIDDLE ATLANTIC	15	—	—	—	—	—	—	—	3	1	3	7	1
Upstate New York	2	—	—	—	—	—	—	—	—	—	1	1	—
New York City	4	—	—	—	—	—	—	—	2	—	—	2	—
New Jersey	2	—	—	—	—	—	—	—	—	—	1	1	—
Pennsylvania	7	—	—	—	—	—	—	—	1	1	1	3	1
EAST NORTH CENTRAL	11	1	—	—	—	—	—	—*	—*	1*	—*	4*	2
Ohio	3	—	—	—	—	—	—	—	—	—	—	3	—
Indiana	—	—	—	—	—	—	—	—	—	—	—	—	—
Illinois	6	1	—	—	—	—	—	—	—	—	—	—	2
Michigan	—	—	—	—	—	—	—	—	—	—	—	—	—
Wisconsin	2	—	—	—	—	—	—	—	—	1	—	1	—
WEST NORTH CENTRAL	11	—	—	—	—	—	—	—	—	4	1	6	—
Minnesota	2	—	—	—	—	—	—	—	—	—	—	2	—
Iowa	3	—	—	—	—	—	—	—	—	—	—	3	—
Missouri	2	—	—	—	—	—	—	—	—	—	1	1	—
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	—	—	—	—	—	—	—	—	—	—	—	—	—
Kansas	4	—	—	—	—	—	—	—	—	4	—	—	—
SOUTH ATLANTIC	17	—	—	—	—	—	1	—	1	2	5	8	—
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	1	—	—	—	—	—	—	—	—	—	—	1	—
District of Columbia	—	—	—	—	—	—	—	—	—	—	—	—	—
Virginia	2	—	—	—	—	—	1	—	—	—	—	1	—
West Virginia	1	—	—	—	—	—	—	—	—	—	—	1	—
North Carolina	6	—	—	—	—	—	—	—	—	—	3	3	—
South Carolina	2	—	—	—	—	—	—	1	1	1	—	—	—
Georgia	—	—	—	—	—	—	—	—	—	—	—	—	—
Florida	5	—	—	—	—	—	—	—	—	1	2	2	—
EAST SOUTH CENTRAL	10	—	—	1	—	—	—	—	1	2	1	5	—
Kentucky	3	—	—	—	—	—	—	—	—	1	—	2	—
Tennessee	2	—	—	—	—	—	—	—	—	—	1	1	—
Alabama	1	—	—	—	—	—	—	—	—	—	—	1	—
Mississippi	4	—	—	1	—	—	—	—	1	1	—	1	—
WEST SOUTH CENTRAL	22	1	4	1	—	—	—	—	1	—	3	12	—
Arkansas	1	—	—	—	—	—	—	—	—	—	—	1	—
Louisiana	5	—	—	1	—	—	—	—	1	—	—	3	—
Oklahoma	—	—	—	—	—	—	—	—	—	—	—	—	—
Texas	16	1	4	—	—	—	—	—	—	—	3	8	—
MOUNTAIN	—	—	—	—	—	—	—	—	—	—	—	—	—
Montana	—	—	—	—	—	—	—	—	—	—	—	—	—
Idaho	—	—	—	—	—	—	—	—	—	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	—	—	—	—	—	—	—	—	—	—	—	—	—
New Mexico	—	—	—	—	—	—	—	—	—	—	—	—	—
Arizona	—	—	—	—	—	—	—	—	—	—	—	—	—
Utah	—	—	—	—	—	—	—	—	—	—	—	—	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	12	—	—	—	—	2	—	—	1	—	3	6	—
Washington	1	—	—	—	—	1	—	—	—	—	—	—	—
Oregon	—	—	—	—	—	—	—	—	—	—	—	—	—
California	10	—	—	—	—	1	—	—	1	—	2	6	—
Alaska	—	—	—	—	—	—	—	—	—	—	—	—	—
Hawaii	1	—	—	—	—	—	—	—	—	—	1	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	19	—	2	2	—	1	—	—	—	2	3	8	1
Virgin Islands	3	—	—	—	—	—	—	—	1	—	2	—	—

*Excludes data from Illinois

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1975 - Continued

(G) PARALYTIC POLIOMYELITIS							(H) TYPHOID FEVER						
AREA	Total	<5	5-9	10-19	20+	Unk.	Total	<5	5-14	15-24	25-39	40+	Unk.
UNITED STATES	8	5	-	1	2	-	375	50	94	56	70*	77*	22
NEW ENGLAND	1	-	-	-	1	-	20	4	1	1	3	11	-
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	-	-	-	-	-	11	1	-	1	1	8	-
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut	1	-	-	-	1	-	9	3	1	-	2	3	-
MIDDLE ATLANTIC	1	1	-	-	-	-	73	8	23	13	13	15	1
Upstate New York	-	-	-	-	-	-	9	-	2	3	1	3	-
New York City	-	-	-	-	-	-	31	4	14	5	5	3	-
New Jersey	-	-	-	-	-	-	15	1	4	1	3	5	1
Pennsylvania	1	1	-	-	-	-	18	3	3	4	4	4	-
EAST NORTH CENTRAL ...	1	-	-	-	1	-	42	6	11	5	2*	12*	-
Ohio	-	-	-	-	-	-	14	1	3	1	1	8	-
Indiana	1	-	-	-	1	-	2	1	1	-	-	-	-
Illinois	-	-	-	-	-	-	15	2	4	3	(... 5...)	-	-
Michigan	-	-	-	-	-	-	10	2	3	1	1	3	-
Wisconsin	-	-	-	-	-	-	1	-	-	-	-	1	-
WEST NORTH CENTRAL ...	-	-	-	-	-	-	17	-	2	2	6	2	5
Minnesota	-	-	-	-	-	-	5	-	-	1	2	1	1
Iowa	-	-	-	-	-	-	1	-	1	-	-	-	-
Missouri	-	-	-	-	-	-	6	-	1	-	2	-	3
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	3	-	-	-	2	1	-
Kansas	-	-	-	-	-	-	2	-	-	1	-	-	1
SOUTH ATLANTIC	-	-	-	-	-	-	47	7	14	6	6	9	5
Delaware	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	12	3	1	4	-	2	2
District of Columbia	-	-	-	-	-	-	2	-	1	1	-	-	-
Virginia	-	-	-	-	-	-	7	2	1	1	2	1	-
West Virginia	-	-	-	-	-	-	5	-	1	-	3	1	-
North Carolina	-	-	-	-	-	-	3	-	2	-	-	1	-
South Carolina	-	-	-	-	-	-	7	-	4	-	-	2	1
Georgia	-	-	-	-	-	-	3	-	1	-	-	1	1
Florida	-	-	-	-	-	-	8	2	3	-	1	1	1
EAST SOUTH CENTRAL ...	1	1	-	-	-	-	28	4	7	1	3	13	-
Kentucky	-	-	-	-	-	-	7	2	1	1	-	3	-
Tennessee	1	1	-	-	-	-	12	-	3	-	3	6	-
Alabama	-	-	-	-	-	-	3	1	1	-	-	1	-
Mississippi	-	-	-	-	-	-	6	1	2	-	-	3	-
WEST SOUTH CENTRAL ...	2	2	-	-	-	-	36	3	12	8	9	3	1
Arkansas	-	-	-	-	-	-	1	-	1	-	-	-	-
Louisiana	-	-	-	-	-	-	13	2	5	1	3	1	1
Oklahoma	-	-	-	-	-	-	3	1	1	-	-	1	-
Texas	2	2	-	-	-	-	19	-	5	7	6	1	-
MOUNTAIN	-	-	-	-	-	-	8	1	3	1	-	3	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	-	-	-	-	-	-	2	1	-	-	-	-	1
New Mexico	-	-	-	-	-	-	1	-	1	-	-	-	-
Arizona	-	-	-	-	-	-	5	-	2	1	-	2	-
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	2	1	-	1	-	-	104	17	21	19	28	9	10
Washington	-	-	-	-	-	-	5	-	1	2	-	1	1
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-
California	2	1	-	1	-	-	94	14	19	17	27	8	9
Alaska	-	-	-	-	-	-	1	1	-	-	-	-	-
Hawaii	-	-	-	-	-	-	4	2	1	-	1	-	-
Guam	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico	-	-	-	-	-	-	23	5	11	4	1	2	-
Virgin Islands	-	-	-	-	-	-	-	-	-	-	-	-	-

*Excludes data from Illinois

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1975 — Continued
(B) HEPATITIS A

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	35,855	3,189	3,028	3,132	3,049	3,165	2,512	2,878	2,980	2,868	3,319	2,703	3,006	26
NEW ENGLAND	1,196	133	107	113	107	91	104	78	85	109	91	78	100	—
Maine	133	8	13	28	5	7	3	16	9	10	10	10	14	—
New Hampshire	117	15	9	10	19	7	3	2	8	12	14	13	5	—
Vermont	65	4	6	3	7	9	7	4	4	8	2	3	8	—
Massachusetts	194	18	11	16	26	12	14	14	13	24	16	11	19	—
Rhode Island	266	46	32	17	24	21	26	17	22	19	15	9	18	—
Connecticut	421	42	36	39	26	35	51	25	29	36	34	32	36	—
MIDDLE ATLANTIC	4,122	379	354	365	317	348	314	343	346	359	389	344	259	5
Upstate New York	1,142	131	122	128	85	82	86	93	77	88	77	82	91	—
New York City	923	87	66	68	68	88	79	56	77	81	103	94	56	—
New Jersey	952	68	83	79	81	76	65	96	98	89	103	63	46	5
Pennsylvania	1,105	93	83	90	83	102	84	98	94	101	106	105	66	—
EAST NORTH CENTRAL	5,998	526	466	497	575	521	406	513	457	525	514	472	526	—
Ohio	1,648	154	143	153	146	126	118	134	121	131	170	97	155	—
Indiana	218	11	16	12	20	18	16	13	18	26	22	25	21	—
Illinois	1,667	89	107	113	182	172	107	145	118	164	123	187	160	—
Michigan	2,072	237	163	186	180	169	126	184	165	175	168	153	166	—
Wisconsin	373	35	37	33	47	36	39	37	35	29	31	10	24	—
WEST NORTH CENTRAL	1,887	168	179	170	149	145	140	140	147	126	159	150	202	12
Minnesota	418	59	62	37	42	37	25	26	23	11	37	17	42	—
Iowa	202	15	23	19	9	17	9	6	10	20	22	17	35	—
Missouri	542	40	28	46	37	36	31	48	67	41	44	65	47	12
North Dakota	155	9	8	4	11	5	19	7	4	19	20	13	36	—
South Dakota	39	7	1	2	3	3	6	5	7	1	1	1	2	—
Nebraska	99	6	17	11	9	9	6	9	5	4	8	4	11	—
Kansas	432	32	40	51	38	38	44	39	31	30	27	33	29	—
SOUTH ATLANTIC	6,274	489	504	554	471	669	527	504	578	479	594	422	479	4
Delaware	63	—	5	6	4	2	3	9	4	3	6	10	7	4
Maryland	402	20	29	27	41	35	29	40	37	33	29	47	35	—
District of Columbia	89	4	6	3	17	1	3	7	12	2	16	6	12	—
Virginia	420	36	35	55	27	41	37	30	48	26	27	35	23	—
West Virginia	160	15	9	9	12	10	12	15	13	20	19	8	18	—
North Carolina	650	65	60	55	56	63	62	41	42	64	45	52	45	—
South Carolina	340	24	28	36	27	30	30	41	27	35	37	20	5	—
Georgia	1,183	133	109	116	74	108	93	91	82	95	99	68	115	—
Florida	2,967	192	223	247	213	379	258	230	313	201	316	176	219	—
EAST SOUTH CENTRAL	2,849	257	253	259	256	260	177	225	232	219	216	215	280	—
Kentucky	931	117	101	62	94	60	54	72	58	86	71	71	85	—
Tennessee	1,224	90	99	126	93	136	85	102	126	101	85	101	80	—
Alabama	304	27	29	32	43	37	16	30	14	14	27	23	12	—
Mississippi	390	23	24	39	26	27	22	21	34	18	33	20	103	—
WEST SOUTH CENTRAL	4,215	337	350	461	360	442	264	304	364	296	365	343	329	—
Arkansas	383	39	25	44	38	26	27	26	31	27	32	28	40	—
Louisiana	400	26	31	24	50	33	17	51	38	32	36	31	31	—
Oklahoma	477	62	34	57	41	39	46	28	19	36	23	44	48	—
Texas	2,955	210	260	336	231	344	174	199	276	201	274	240	210	—
MOUNTAIN	1,988	180	190	185	158	189	105	159	236	158	152	113	158	5
Montana	225	15	25	23	16	15	14	26	16	28	21	12	14	—
Idaho	198	20	33	24	11	16	5	19	29	6	8	4	23	—
Wyoming	30	10	6	2	1	3	2	—	—	1	2	2	1	—
Colorado	248	11	15	20	21	14	13	15	20	34	28	30	27	—
New Mexico	398	30	33	44	33	25	22	33	81	28	37	7	25	—
Arizona	419	42	47	34	37	49	17	35	37	29	25	31	36	—
Utah	276	28	22	26	27	46	13	20	33	7	15	12	27	—
Nevada	194	24	9	12	12	21	19	11	20	25	16	15	5	5
PACIFIC	7,326	720	625	528	656	500	475	612	535	597	839	566	673	—
Washington	784	121	73	49	79	47	62	70	37	62	64	50	70	—
Oregon	685	43	55	68	38	54	34	40	84	73	88	58	50	—
California	5,204	464	386	371	493	378	327	467	370	424	588	430	506	—
Alaska	414	90	78	23	17	10	39	25	13	9	77	8	25	—
Hawaii	239	2	33	17	29	11	13	10	31	29	22	20	22	—
Guam	115	26	14	12	22	10	5	7	7	6	5	1	—	—
Puerto Rico	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Virgin Islands	7	—	—	—	—	2	—	2	—	—	2	—	1	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1975 – Continued
(D) HEPATITIS UNSPECIFIED

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	7,158	542	518	545	634	601	499	578	577	554	630	735	739	6
NEW ENGLAND	482	56	46	58	37	37	34	40	24	35	38	20	57	—
Maine	—	—	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire	7	—	—	1	1	1	—	1	1	—	—	—	2	—
Vermont	10	—	—	—	—	2	2	1	—	1	—	3	1	—
Massachusetts	438	54	46	57	32	33	30	36	22	29	34	15	50	—
Rhode Island	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut	27	2	—	—	4	1	2	2	1	5	4	2	4	—
MIDDLE ATLANTIC	781	62	54	72	80	80	45	74	69	67	65	56	53	4
Upstate New York	238	18	13	26	31	19	8	27	21	19	11	18	27	—
New York City	—	—	—	—	—	—	—	—	—	—	—	—	—	—
New Jersey	375	33	29	32	29	44	25	33	32	37	31	32	15	3
Pennsylvania	168	11	12	14	20	17	12	14	16	11	23	6	11	1
EAST NORTH CENTRAL	895	42	53	47	60	91	71	66	86	62	79	105	133	—
Ohio	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Indiana	281	3	19	12	21	27	23	23	29	20	25	37	42	—
Illinois	386	17	23	20	22	40	30	23	37	29	38	48	59	—
Michigan	221	22	10	15	17	23	17	20	20	12	16	18	31	—
Wisconsin	7	—	1	—	—	1	1	—	—	1	—	2	1	—
WEST NORTH CENTRAL	322	16	29	28	24	24	25	20	31	23	23	57	20	2
Minnesota	6	1	—	—	—	2	—	1	2	—	—	—	—	—
Iowa	31	—	2	5	4	7	3	2	1	1	2	2	2	—
Missouri	220	13	19	18	15	10	19	14	22	19	15	46	8	2
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	17	1	2	—	4	2	2	—	1	2	2	—	1	—
Kansas	48	1	6	5	1	3	1	3	5	1	4	9	9	1
SOUTH ATLANTIC	739	56	45	73	80	69	57	58	79	43	59	62	58	—
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	138	9	9	9	12	13	16	19	15	3	8	13	12	—
District of Columbia	4	1	—	—	2	—	—	—	1	—	—	—	—	—
Virginia	210	12	12	23	18	24	18	12	32	7	11	21	20	—
West Virginia	8	—	1	—	1	—	1	2	—	1	2	—	—	—
North Carolina	190	11	7	11	18	14	17	15	16	24	16	16	25	—
South Carolina	189	23	16	30	29	18	5	10	15	8	22	12	1	—
Georgia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Florida	—	—	—	—	—	—	—	—	—	—	—	—	—	—
EAST SOUTH CENTRAL	115	2	3	9	12	4	4	4	20	18	16	16	7	—
Kentucky	23	—	—	1	—	—	—	—	3	9	4	4	2	—
Tennessee	49	2	2	6	6	1	2	2	5	3	8	10	2	—
Alabama	43	—	1	3	5	3	2	2	12	6	4	2	3	—
Mississippi	—	—	—	—	—	—	—	—	—	—	—	—	—	—
WEST SOUTH CENTRAL	1,084	42	55	74	65	78	62	92	78	102	108	168	160	—
Arkansas	129	7	7	14	3	10	10	12	22	9	9	17	9	—
Louisiana	175	4	19	6	15	14	5	25	11	21	21	16	18	—
Oklahoma	207	17	15	20	10	14	7	16	9	31	20	25	23	—
Texas	573	14	14	34	37	40	40	39	36	41	58	110	110	—
MOUNTAIN	1,075	92	104	89	108	96	68	76	79	74	95	105	89	—
Montana	43	1	2	4	9	7	1	2	5	4	2	3	3	—
Idaho	72	2	8	15	4	3	3	5	3	3	5	8	13	—
Wyoming	13	3	—	1	2	1	—	1	1	—	3	—	1	—
Colorado	380	50	37	41	40	34	25	38	22	36	17	24	16	—
New Mexico	110	5	13	3	10	4	6	4	16	5	20	19	5	—
Arizona	117	15	19	8	8	8	2	12	9	6	8	14	8	—
Utah	335	16	25	17	34	39	29	14	23	19	40	36	43	—
Nevada	5	—	—	—	1	—	2	—	—	1	—	1	—	—
PACIFIC	1,665	174	129	95	168	122	133	148	111	130	147	146	162	—
Washington	464	83	44	36	54	27	47	42	32	34	23	18	24	—
Oregon	157	5	13	17	10	10	15	8	19	15	10	17	18	—
California	1,028	84	71	42	100	84	66	97	60	81	112	111	120	—
Alaska	3	—	—	—	2	—	1	—	—	—	—	—	—	—
Hawaii	13	2	1	—	2	1	4	1	—	—	2	—	—	—
Guam	48	8	7	5	1	2	5	3	3	—	5	—	9	—
Puerto Rico	594	19	47	42	89	86	50	65	55	47	25	36	33	—
Virgin Islands	10	—	1	—	—	1	6	1	—	1	—	—	—	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1975 — Continued
(E) MEASLES (Rubeola)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	24,374	1,235	2,012	3,397	4,665	4,835	3,111	1,269	485	218	563	1,045	1,449	90
NEW ENGLAND	334	17	16	24	36	109	54	40	14	2	8	7	7	—
Maine	18	2	2	2	2	5	—	1	2	—	1	1	—	—
New Hampshire	23	9	3	5	2	—	—	2	1	—	—	—	1	—
Vermont	55	—	—	—	12	29	6	5	—	—	2	1	—	—
Massachusetts	106	4	5	6	9	31	32	19	—	—	—	—	—	—
Rhode Island	3	—	1	—	—	—	—	2	—	—	—	—	—	—
Connecticut	129	2	5	11	11	44	16	11	11	2	5	5	6	—
MIDDLE ATLANTIC	2,333	89	137	239	288	445	303	146	80	34	61	369	142	—
Upstate New York	1,075	22	31	53	75	119	138	82	52	20	30	342	111	—
New York City	170	9	13	28	23	20	12	27	7	9	14	2	6	—
New Jersey	477	41	46	37	69	185	64	13	4	2	11	3	2	—
Pennsylvania	611	17	47	121	121	121	89	24	17	3	6	22	23	—
EAST NORTH CENTRAL	7,298	567	775	910	1,137	1,268	1,092	345	163	73	222	291	455	—
Ohio	108	7	19	27	16	17	13	3	2	1	—	1	2	—
Indiana	520	47	33	70	88	80	13	14	33	24	20	34	64	—
Illinois	1,853	151	154	162	230	366	403	214	79	17	32	6	39	—
Michigan	3,253	152	419	588	642	571	540	69	27	8	73	73	91	—
Wisconsin	1,564	210	150	63	161	234	123	45	22	23	97	177	259	—
WEST NORTH CENTRAL	5,157	175	630	1,247	1,330	1,155	237	148	29	4	45	104	53	—
Minnesota	232	—	—	—	—	180	2	—	—	—	—	43	7	—
Iowa	717	—	27	183	75	116	58	116	14	—	32	58	38	—
Missouri	251	14	17	58	39	55	48	6	9	2	1	2	—	—
North Dakota	1,060	13	143	144	527	180	22	13	3	1	10	—	4	—
South Dakota	353	3	20	178	67	75	6	4	—	—	—	—	—	—
Nebraska	398	88	61	37	64	106	35	3	3	—	—	—	1	—
Kansas	2,146	57	362	647	558	443	66	6	—	1	2	1	3	—
SOUTH ATLANTIC	562	22	20	25	67	57	35	50	29	5	29	54	165	4
Delaware	398	—	—	—	4	18	10	3	—	—	—	—	—	4
Maryland	89	—	—	—	1	16	—	1	—	2	11	—	58	—
District of Columbia	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Virginia	35	—	5	3	3	8	2	1	11	—	—	2	—	—
West Virginia	236	18	11	12	57	11	12	13	17	3	18	24	40	—
North Carolina	6	—	—	—	—	—	—	2	—	—	—	—	4	—
South Carolina	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Georgia	40	—	—	—	2	3	6	28	1	—	—	—	—	—
Florida	116	4	4	10	—	1	4	2	—	—	—	28	63	—
EAST SOUTH CENTRAL	365	19	14	40	72	44	51	12	4	22	9	23	55	—
Kentucky	163	15	10	30	12	9	5	2	—	2	9	23	46	—
Tennessee	165	4	3	9	57	32	46	9	4	1	—	—	—	—
Alabama	5	—	—	1	2	—	—	—	—	2	—	—	—	—
Mississippi	32	—	1	—	1	3	—	1	—	17	—	—	9	—
WEST SOUTH CENTRAL	635	10	24	51	22	94	50	19	26	26	22	65	226	—
Arkansas	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Louisiana	33	—	—	—	—	—	—	1	—	—	—	—	32	—
Oklahoma	326	1	9	5	3	72	27	9	—	6	12	4	178	—
Texas	275	9	15	46	19	22	23	8	26	20	10	61	16	—
MOUNTAIN	1,793	127	96	243	343	217	219	109	32	10	49	82	266	—
Montana	51	—	—	2	23	11	7	8	—	—	—	—	—	—
Idaho	73	2	—	2	—	—	1	2	5	—	—	—	61	—
Wyoming	4	—	—	—	—	—	1	—	—	—	2	1	—	—
Colorado	1,173	124	92	229	302	158	165	67	15	5	—	1	15	—
New Mexico	17	—	—	2	—	5	6	1	—	—	—	2	1	—
Arizona	85	—	4	8	7	32	5	13	5	5	1	2	3	—
Utah	373	—	—	—	2	7	32	18	7	—	46	75	186	—
Nevada	17	1	—	—	9	4	2	—	—	—	—	1	—	—
PACIFIC	5,897	209	300	618	1,370	1,446	1,070	400	108	42	118	50	80	86
Washington	307	5	8	37	40	44	125	29	5	3	—	3	8	—
Oregon	191	6	37	6	39	65	29	6	1	—	2	—	—	—
California	5,335	198	255	575	1,249	1,333	909	357	101	38	116	46	72	86
Alaska	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hawaii	64	—	—	—	42	4	7	8	1	1	—	1	—	—
Guam	33	1	3	1	3	7	6	1	—	—	2	3	6	—
Puerto Rico	830	32	66	96	147	128	80	48	72	33	36	36	56	—
Virgin Islands	9	—	1	2	1	1	3	—	—	—	—	—	—	1

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1975 — Continued
(G) MUMPS

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	59,647	6,280	6,239	7,296	9,018	8,398	5,479	2,521	1,361	1,170	2,743	4,056	5,054	32
NEW ENGLAND	2,249	229	261	267	220	222	178	137	49	43	128	210	305	—
Maine	97	2	9	37	12	6	5	4	4	—	7	6	5	—
New Hampshire	137	5	2	48	3	2	9	5	—	4	21	24	14	—
Vermont	18	—	1	1	3	—	11	—	—	—	1	—	1	—
Massachusetts	308	35	44	23	18	25	24	17	16	15	18	32	41	—
Rhode Island	877	88	128	96	86	50	66	48	9	6	49	107	144	—
Connecticut	812	99	77	62	98	139	63	63	20	18	32	41	100	—
MIDDLE ATLANTIC	3,399	363	275	344	376	350	392	237	135	100	115	244	468	—
Upstate New York	1,236	170	119	147	163	101	118	73	24	21	7	100	193	—
New York City	978	73	49	63	117	98	131	119	80	56	43	54	95	—
New Jersey	465	49	40	82	46	74	31	12	9	13	34	23	52	—
Pennsylvania	720	71	67	52	50	77	112	33	22	10	31	67	128	—
EAST NORTH CENTRAL	24,090	12,737	2,751	3,069	3,814	3,298	2,138	866	389	400	1,089	1,418	2,121	—
Ohio	2,800	231	305	243	264	464	305	115	64	73	98	291	347	—
Indiana	2,332	329	265	357	394	462	72	59	33	46	136	86	93	—
Illinois	2,887	202	236	393	400	493	344	136	42	48	176	196	221	—
Michigan	9,979	1,265	1,347	1,430	1,747	1,139	842	148	74	94	321	556	1,016	—
Wisconsin	6,092	710	598	646	1,009	740	575	408	176	139	358	289	444	—
WEST NORTH CENTRAL	4,565	434	517	683	663	709	194	50	39	137	281	418	429	11
Minnesota	266	5	2	19	6	4	4	2	2	14	77	56	75	—
Iowa	1,513	75	151	193	172	320	70	12	7	64	89	233	127	—
Missouri	1,037	163	123	176	242	165	42	19	12	8	24	26	26	11
North Dakota	528	92	92	84	93	61	8	13	17	15	10	24	19	—
South Dakota	6	1	—	3	—	1	—	—	1	—	—	—	—	—
Nebraska	91	2	2	1	22	2	3	2	—	4	1	34	18	—
Kansas	1,124	96	147	207	128	156	67	2	—	32	80	45	164	—
SOUTH ATLANTIC	4,580	349	388	495	798	624	307	231	200	119	225	388	456	—
Delaware	14	3	—	2	1	—	—	1	1	1	1	—	4	—
Maryland	582	9	9	8	26	43	50	52	37	36	53	84	175	—
District of Columbia	167	12	10	1	15	44	19	10	2	11	24	7	12	—
Virginia	854	52	89	132	121	180	65	46	65	14	12	32	46	—
West Virginia	1,505	146	152	180	278	145	52	51	25	35	99	204	138	—
North Carolina	132	—	—	31	16	11	19	13	15	3	1	9	14	—
South Carolina	78	8	6	9	7	5	4	10	3	—	8	10	8	—
Georgia	17	—	—	2	2	7	—	4	2	—	—	—	—	—
Florida	1,231	119	122	130	332	189	98	44	50	19	27	42	59	—
EAST SOUTH CENTRAL	5,118	678	517	493	742	826	653	268	204	79	157	267	234	—
Kentucky	1,893	388	285	105	217	273	273	71	66	22	75	47	71	—
Tennessee	2,390	252	145	315	380	386	292	150	119	44	53	129	125	—
Alabama	453	26	56	60	76	81	45	16	11	6	21	28	27	—
Mississippi	382	12	31	13	69	86	43	31	8	7	8	63	11	—
WEST SOUTH CENTRAL	4,967	445	446	710	779	939	552	200	141	95	143	284	233	—
Arkansas	187	14	2	1	9	138	2	2	2	2	12	2	1	—
Louisiana	325	67	48	43	77	41	21	11	8	3	2	4	—	—
Oklahoma	378	17	15	24	24	51	18	24	10	10	20	82	83	—
Texas	4,077	347	381	642	669	709	511	163	121	80	109	196	149	—
MOUNTAIN	1,178	75	50	80	232	172	153	108	24	34	63	60	127	—
Montana	44	—	2	1	2	5	4	9	2	4	7	7	1	—
Idaho	72	—	2	2	2	5	2	—	—	—	4	21	34	—
Wyoming	3	—	1	—	—	—	2	—	—	—	—	—	—	—
Colorado	689	35	21	51	188	114	113	69	13	5	22	15	43	—
New Mexico	62	1	6	5	4	—	3	—	—	1	11	4	27	—
Arizona	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Utah	188	12	18	12	17	28	26	19	9	6	15	8	18	—
Nevada	120	27	—	9	19	20	3	11	—	18	4	5	4	—
PACIFIC	9,501	970	1,034	1,155	1,394	1,258	912	424	180	163	542	767	681	21
Washington	4,732	465	623	714	670	718	423	85	19	45	272	412	286	—
Oregon	768	52	55	73	105	150	82	58	37	17	29	62	48	—
California	3,888	445	350	362	592	376	399	276	116	93	229	286	343	21
Alaska	53	4	5	2	24	5	0	0	2	2	5	1	3	—
Hawaii	60	4	1	4	3	9	8	5	6	6	7	6	1	—
Guam	36	2	10	1	3	2	3	—	1	3	7	—	4	—
Puerto Rico	1,265	101	83	81	179	156	90	50	58	48	116	92	211	—
Virgin Islands	215	2	8	12	86	35	26	21	—	11	1	1	12	—

TABLE 13. Animal Bites and Cases of Acute Diseases *Optionally* Reported by Certain States, 1975

AREA	ANIMAL BITES	GIARDIASIS	HISTO-PLASMOSIS	INFECTIOUS MONONUCLEOSIS	MENINGITIS (Bacterial & Unspecified)	STREPTOCOCCAL SORE THROAT & SCARLET FEVER	TOXO-PLASMOSIS
NO. CASES REPORTED	160,444	3,499	355	13,322	3,159	330,795	388
No. States Reporting	(18)	(24)	(19)	(31)	(39)	(41)	(16)
NEW ENGLAND	17,909	46	3	1,469	254	41,189	—
Maine	—	—	—	114	8	1,662	—
New Hampshire	800	19	—	4	25	—	—
Vermont	—	27	—	32	—	4,781	—
Massachusetts	17,109	—	—	—	133	6,861	—
Rhode Island	—	—	—	—	45	8,548	—
Connecticut	—	—	3	1,319	43	19,337	—
MIDDLE ATLANTIC	55,456	19	37	2,502	618	4,115	34
Upstate New York	—	—	1	1,798	211	30	—
New York City	31,407	—	—	—	258	615	—
New Jersey	307	17	36	14	11	32	18
Pennsylvania	23,742	2	—	690	138	3,438	16
EAST NORTH CENTRAL	59,858	10	44	3,260	813	21,807	34
Ohio	—	—	14	925	134	2,042	26
Indiana	10,730	—	14	1,019	65	—	—
Illinois	32,041	—	15	1,024	333	8,984	8
Michigan	17,087	—	—	—	281	—	—
Wisconsin	—	10	1	292	—	10,781	—
WEST NORTH CENTRAL	145	1,008	159	1,615	262	42,054	170
Minnesota	—	845	36	—	90	6,241	17
Iowa	—	30	24	1,315	49	10,357	12
Missouri	—	42	97	98	92	16,367	137
North Dakota	—	—	1	161	—	3,782	—
South Dakota	145	—	—	41	1	5,287	—
Nebraska	—	—	—	—	—	—	—
Kansas	—	91	1	—	30	20	4
SOUTH ATLANTIC	23,155	178	17	1,481	613	41,130	6
Delaware	2,037	3	—	—	17	1,120	—
Maryland	17,428	—	—	10	104	10,346	—
District of Columbia	3,420	6	—	1	3	32	—
Virginia	—	169	14	1,213	283	1,035	6
West Virginia	—	—	—	257	9	13,733	—
North Carolina	—	—	—	—	126	—	—
South Carolina	—	—	2	—	63	1,869	—
Georgia	—	—	—	—	8	2,263	—
Florida	—	—	1	—	—	10,731	—
EAST SOUTH CENTRAL	1,106	1,574	2	533	186	20,937	97
Kentucky	602	1	2	314	45	4,238	—
Tennessee	—	—	—	—	—	—	—
Alabama	504	1,174	—	97	67	6,033	92
Mississippi	—	399	—	122	74	10,666	5
WEST SOUTH CENTRAL	2,230	194	76	31	40	37,746	24
Arkansas	2,230	79	72	19	40	1,885	—
Louisiana	—	—	4	12	—	—	—
Oklahoma	—	115	—	—	—	—	24
Texas	—	—	—	—	—	35,861	—
MOUNTAIN	7	345	—	208	91	67,539	12
Montana	—	—	—	—	4	—	—
Idaho	—	17	—	6	24	1,048	—
Wyoming	—	—	—	—	—	15,681	—
Colorado	—	210	—	—	45	42,388	—
New Mexico	7	7	—	3	—	1,441	—
Arizona	—	—	—	—	—	—	—
Utah	—	111	—	198	18	6,924	12
Nevada	—	—	—	1	—	57	—
PACIFIC	578	125	17	2,223	282	54,278	11
Washington	318	90	—	—	34	28,483	5
Oregon	260	—	—	2,135	68	4,119	—
California	—	30	17	13	129	15,194	4
Alaska	—	—	—	—	21	—	—
Hawaii	—	5	—	75	30	6,482	2
Guam	—	1	—	6	15	2,334	1
Puerto Rico	—	—	7	5	76	423	—
Virgin Islands	6	154	—	—	2	—	—

TABLE 13. Animal Bites and Cases of Acute Diseases *Optionally* Reported
by Certain States, 1975 – Continued

Bacterial Diseases	
Relapsing Fever	Calif. 3; Oreg. 3
Fungal Diseases	
Actinomycosis	Iowa 1; La. 3; Mo. 1; Va. 1
Blastomycosis	Ark. 3; Calif. 2; Ill. 9; Kans. 1; La. 2; Miss. 8; Minn. 3; Mo. 33; N.J. 75; S.C. 2; Va. 2
Coccidioidomycosis	Ark. 3; Calif. 446; Fla. 1; Ill. 4; Minn. 5; Mo. 4; N.J. 2; N. Mex. 4; Nev. 1; Oreg. 1; S.C. 2; Utah 2; Va. 1
Cryptococcosis	Ark. 3; D.C. 1; Fla. 3; Guam 1; Ill. 3; La. 2; Md. 2; Mo. 24; N.J. 7; Ohio 2; Oreg. 1; Penn. 6; R.I. 1; Va. 3; Vt. 1
Nocardiosis	Ark. 5; Guam 1; Kans. 1; Minn. 1; Mo. 50; Va. 1
Ringworm	Ala. 42; Colo. 3; Conn. 19; Ill. 6; Iowa 344; Kans. 21; Ky. 13; Me. 31; Mo. 82; N.D. 20; N.H. 1; Oreg. 11; Wash. 539; Wisc. 122
Parasitic Diseases	
Echinococcosis	N.J. 5
Scabies	Del. 101; Iowa 745; Ky. 449; N.H. 47; Oreg. 280; V.I. 1
Rickettsial Diseases	
Q Fever	Calif. 22; Colo. 5; Conn. 1; Penn. 2; Tex. 2
Viral Diseases	
Colorado Tick Fever	Calif. 17; Colo. 261; Idaho 17; Ind. 2; Mont. 7; Oreg. 3; Utah 44; Wyo. 6
Trachoma	Calif. 5; Nev. 16; Utah 1

TABLE 14. Deaths in 121 Selected Cities, United States, 1975 (Through 53rd Week Ending January 3, 1976)

Area	All Causes					Pneumonia and Influenza All Ages
	All Ages	65 years and over	45-64 years	25-44 years	Under 1 year	
NEW ENGLAND	35,147	22,007	9,084	1,810	1,175	1,899
Boston, Mass.	10,474	6,009	2,860	735	437	570
Bridgeport, Conn.	2,222	1,465	576	83	43	163
Cambridge, Mass.	1,352	967	304	45	14	166
Fall River, Mass.	1,455	1,015	337	64	10	41
Hartford, Conn.	2,884	1,634	812	187	155	108
Lowell, Mass.	1,373	913	332	65	18	80
Lynn, Mass.	1,077	744	255	41	13	34
New Bedford, Mass.	1,313	933	289	51	20	54
New Haven, Conn.	2,647	1,564	696	151	148	62
Providence, R.I.	3,163	1,852	941	132	148	271
Somerville, Mass.	491	358	105	24	-	30
Springfield, Mass.	2,326	1,533	565	90	75	154
Waterbury, Conn.	1,545	1,052	371	59	29	61
Worcester, Mass.	2,825	1,971	641	83	65	105
MIDDLE ATLANTIC	151,882	93,542	39,362	9,503	4,774	6,277
Albany, N.Y.	2,563	1,516	666	132	146	64
Allentown, Pa.	1,252	859	295	48	25	87
Buffalo, N.Y.	6,692	3,984	1,845	382	283	481
Camden, N.J.	1,879	1,070	566	106	69	98
Elizabeth, N.J.	1,517	1,010	404	54	25	44
Erie, Pa.	1,897	1,172	517	74	67	144
Jersey City, N.J.	3,030	1,840	867	142	107	81
Newark, N.J.	3,441	1,638	1,048	371	194	180
New York City, N.Y.	76,050	47,390	18,781	5,359	2,143	2,858
Paterson, N.J.	1,945	1,214	450	132	99	150
Philadelphia, Pa.	21,649	12,591	6,111	1,447	820	312
Pittsburgh, Pa.	9,490	5,440	2,947	464	343	717
Reading, Pa.	2,108	1,497	457	79	26	118
Rochester, N.Y.	5,857	3,953	1,323	256	136	357
Schenectady, N.Y.	1,341	906	334	44	17	48
Scranton, Pa.	2,092	1,417	542	79	20	101
Syracuse, N.Y.	4,301	2,790	1,016	177	177	109
Trenton, N.J.	1,899	1,208	531	80	46	82
Utica, N.Y.	1,192	874	259	27	13	105
Yonkers, N.Y.	1,687	1,173	413	50	18	141
EAST NORTH CENTRAL ...	123,065	71,549	33,154	8,298	5,005	3,524
Akron, Ohio	3,420	2,114	832	166	174	7
Canton, Ohio	2,073	1,357	499	95	57	89
Chicago, Ill.	31,423	17,150	8,863	2,626	1,429	740
Cincinnati, Ohio	7,949	4,827	2,124	434	271	184
Cleveland, Ohio	9,502	5,189	2,881	663	403	194
Columbus, Ohio	6,882	3,860	1,880	438	379	184
Dayton, Ohio	5,235	3,032	1,495	340	176	113
Detroit, Mich.	15,898	8,634	4,463	1,347	651	350
Evansville, Ind.	2,314	1,561	548	92	51	128
Fort Wayne, Ind.	2,616	1,649	629	134	87	209
Gary, Ind.	1,331	649	393	124	69	85
Grand Rapids, Mich.	2,725	1,804	625	118	113	211
Indianapolis, Ind.	8,073	4,641	2,173	569	338	186
Madison, Wis.	1,858	1,032	452	137	99	199
Milwaukee, Wis.	6,937	4,593	1,658	285	210	168
Peoria, Ill.	2,028	1,199	483	111	142	52
Rockford, Ill.	1,910	1,247	415	101	71	185
South Bend, Ind.	2,213	1,513	483	80	54	138
Toledo, Ohio	5,555	3,560	1,399	277	150	60
Youngstown, Ohio	3,123	1,948	859	161	81	42
WEST NORTH CENTRAL ...	40,005	25,336	9,302	2,089	1,656	1,757
Des Moines, Iowa	3,014	1,949	702	128	100	112
Duluth, Minn.	1,285	870	293	45	38	127
Kansas City, Kans.	1,870	1,037	503	136	77	103
Kansas City, Mo.	6,431	4,068	1,541	307	283	237
Lincoln, Neb.	1,562	1,060	334	78	28	112
Minneapolis, Minn.	5,255	3,365	1,103	274	296	163
Omaha, Neb.	4,263	2,633	1,016	234	195	132
St. Louis, Mo.	9,852	6,078	2,359	618	404	287
St. Paul, Minn.	3,421	2,411	676	109	115	116
Wichita, Kans.	3,052	1,865	775	158	120	368
SOUTH ATLANTIC	61,418	33,812	18,009	4,607	2,582	2,384
Atlanta, Ga.	6,593	3,324	2,032	637	324	231
Baltimore, Md.	11,628	6,244	3,544	885	449	225
Charlotte, N.C.	2,988	1,510	888	278	144	113
Jacksonville, Fla.	4,352	2,387	1,204	357	166	36
Miami, Fla.	5,688	3,123	1,751	385	251	170
Norfolk, Va.	2,932	1,517	907	204	175	235
Richmond, Va.	4,616	2,478	1,507	299	188	350
Savannah, Ga.	2,021	1,115	605	153	58	195
St. Petersburg, Fla.	4,522	3,770	593	68	55	178
Tampa, Fla.	3,975	2,342	1,025	260	168	312
Washington, D.C.	9,569	4,617	3,150	908	526	266
Wilmington, Del.	2,534	1,385	803	173	78	73
EAST SOUTH CENTRAL ...	35,851	20,368	9,918	2,409	1,511	1,881
Birmingham, Ala.	5,606	3,062	1,548	413	302	127
Chattanooga, Tenn.	2,947	1,694	818	193	92	277
Knoxville, Tenn.	2,318	1,535	541	99	70	70
Louisville, Ky.	6,043	3,538	1,707	361	229	568
Memphis, Tenn.	8,434	4,729	2,367	529	381	232
Mobile, Ala.	3,028	1,701	800	238	140	101
Montgomery, Ala.	2,065	1,142	592	162	83	151
Nashville, Tenn.	5,410	2,967	1,545	414	214	355
WEST SOUTH CENTRAL ...	59,846	32,772	16,669	4,453	2,849	2,018
Austin, Tex.	2,028	1,213	483	148	71	130
Baton Rouge, La.	2,511	1,367	757	178	98	120
Corpus Christi, Tex.	1,692	936	457	99	100	40
Dallas, Tex.	8,853	4,702	2,611	697	411	195
El Paso, Tex.	2,640	1,460	649	206	155	230
Fort Worth, Tex.	4,432	2,589	1,165	260	225	87
Houston, Tex.	12,961	6,316	3,985	1,254	584	313
Little Rock, Ark.	3,094	1,689	875	220	152	155
New Orleans, La.	7,193	3,972	2,078	416	441	80
San Antonio, Tex.	7,249	4,191	1,802	514	332	221
Shreveport, La.	3,192	1,854	889	199	123	132
Tulsa, Okla.	4,001	2,483	918	262	157	315
MOUNTAIN	26,909	15,513	6,859	1,894	1,276	1,130
Albuquerque, N. Mex.	2,864	1,498	796	269	121	230
Colorado Springs, Colo.	1,581	948	363	118	65	177
Denver, Colo.	5,943	3,358	1,578	417	332	213
Las Vegas, Nev.	1,350	659	429	153	26	79
Ogden, Utah	1,084	699	238	58	23	107
Phoenix, Ariz.	6,411	3,781	1,575	426	314	87
Pueblo, Colo.	1,079	724	237	59	27	139
Salt Lake City, Utah	2,791	1,617	629	150	252	82
Tucson, Ariz.	3,806	2,229	1,014	244	166	16
PACIFIC	86,031	54,011	21,030	5,423	2,693	2,531
Berkeley, Calif.	981	692	194	64	10	13
Fresno, Calif.	3,095	1,761	759	225	199	70
Glendale, Calif.	1,387	1,051	249	46	16	37
Honolulu, Hawaii	2,810	1,537	782	217	177	93
Long Beach, Calif.	5,414	3,369	1,552	280	100	105
Los Angeles, Calif.	26,242	16,613	6,209	1,818	708	666
Oakland, Calif.	3,987	2,494	924	292	128	87
Pasadena, Calif.	1,721	1,240	320	57	64	32
Portland, Ore.	6,708	4,356	1,579	321	228	330
Sacramento, Calif.	3,242	2,008	875	176	122	79
San Diego, Calif.	6,457	3,858	1,640	445	243	126
San Francisco, Calif.	8,580	5,199	2,265	662	201	250
San Jose, Calif.	2,934	1,862	672	212	53	62
Seattle, Wash.	7,766	4,855	1,975	402	289	265
Spokane, Wash.	2,665	1,829	536	106	119	229
Tacoma, Wash.	1,992	1,287	499	100	36	87
TOTAL	620,154	368,910	63,387	40,486	23,521	23,401

SPECIAL SUMMARY

Legal abortion	37-38
----------------------	-------

DISEASE PATTERNS

Anthrax	39
Aseptic Meningitis	39-40
Botulism	40
Brucellosis	41
Chickenpox	42
Diphtheria	42-43
Encephalitis	43
Hepatitis	44
Leprosy	45
Leptospirosis	45
Malaria	46
Measles (Rubeola)	46
Meningococcal Infections	47
Mumps	48
Pertussis (Whooping Cough)	48
Plague	49
Poliomyelitis (Paralytic)	49
Pneumonia-Influenza Deaths – 121 Selected Cities	50-51
Rabies	52
Rocky Mountain Spotted Fever (Tick-borne Typhus)	53
Rubella (German Measles)	54
Salmonella Isolations	54
Shigella Isolations	55
Tetanus	55-56
Trichinosis	57
Tuberculosis	57-58
Tularemia	58-59
Typhoid Fever	59-60
Typhus Fever Flea-borne (Endemic, Murine)	60
Venereal Diseases	61-62

**Reported Number of Legal Abortions, Abortion Ratios,
and Abortion Rates, by State of Occurrence, 1974**

State	Abortions ¹	Live Births ¹	Ratio ²	Females 15-44 ³	Rate ⁴
Alabama	3,392 ⁵	59,280	57	783,261	4
Alaska	1,025	6,998 ⁶	146	72,867	14
Arizona	6,130 ⁵	39,926 ⁶	154	449,031	14
Arkansas	1,694	33,835 ⁶	50	428,272	4
California	135,762	303,500 ⁶	44	4,637,556	29
Colorado	9,027	39,036	231	571,316	16
Connecticut ⁷	7,083	27,728 ⁶	255	668,425	11
Delaware	2,167 ⁵	8,334 ⁶	260	132,301	16
Dist. of Col.	22,688	20,349 ⁶	1,115	186,003	122
Florida	15,212	110,404	138	1,544,423	10
Georgia	22,009	82,930	265	1,094,453	20
Hawaii	4,158	15,472	269	189,397	22
Idaho	778 ⁵	15,131 ⁶	51	165,452	5
Illinois	33,370	168,991	197	2,460,279	14
Indiana	6,029	83,523 ⁶	72	1,181,581	5
Iowa	4,107	40,627 ⁶	101	612,156	7
Kansas	10,171	32,712	311	485,773	21
Kentucky	5,033 ⁵	54,283 ⁶	93	722,678	7
Louisiana ⁸	974	35,403 ⁶	28	836,602	1
Maine	1,253 ⁵	14,533 ⁶	86	214,626	6
Maryland	15,975	53,086	301	932,276	17
Massachusetts	27,800 ⁹	71,347 ⁶	390	1,275,894	22
Michigan	27,543 ⁵	137,414	200	2,031,523	14
Minnesota	8,732 ¹⁰	55,313 ⁶	158	857,709	10
Mississippi	140	43,930	3	491,345	-
Missouri	7,983 ⁵	69,412	115	1,018,042	8
Montana ⁸	732	6,184	118	153,892	5
Nebraska	3,094	23,695	131	329,328	9
Nevada	1,614	8,724	185	122,438	13
New Hampshire	668	11,613	58	170,739	4
New Jersey	20,532 ⁵	91,136 ⁶	225	1,584,127	13
New Mexico	3,469 ⁵	21,115 ⁶	164	250,853	14
New York	161,521	239,166	675	4,036,745	40
(City)	(120,829) ¹¹	(106,218)	(1,138)	NA	NA
(Upstate)	(40,692)	(132,948)	(306)	NA	NA
N. Carolina	16,463	84,246	195	1,198,757	14
N. Dakota	137	10,708 ⁶	13	132,569	1
Ohio	25,772 ⁵	157,819 ⁶	163	2,391,438	11
Oklahoma	4,416 ⁵	40,756 ⁶	108	572,042	8
Oregon	8,794	32,506	271	494,244	18
Pennsylvania	38,110 ¹⁰	147,924 ⁶	258	2,539,175	15
Rhode Island	2,867	11,688 ⁶	245	199,669	14
S. Carolina	3,760	47,252 ⁶	80	617,825	6
S. Dakota	1,601	11,175	143	140,637	11
Tennessee	7,406	67,376 ⁶	110	931,038	8
Texas	35,382 ⁵	221,324 ⁶	160	2,659,179	13
Utah ⁷	1,189	23,215 ⁶	51	265,834	4
Vermont	1,930	6,861	281	102,266	19
Virginia	14,372	68,300	210	1,090,198	13
Washington	18,185	47,785 ⁶	381	755,705	24
W. Virginia	25 ⁵	27,636	1	384,879	-
Wisconsin	10,920	65,507 ⁶	167	987,125	11
Wyoming	282 ⁵	6,250 ⁶	45	77,032	4
Total	763,476	3,103,458	246 ¹²	46,230,975	17

¹Data from central health agencies unless otherwise noted²Abortions per 1,000 live births³Estimated by Family Planning Evaluation Division, CDC, using a modified cohort-component method⁴Abortions per 1,000 females 15-44⁵Reported from 1 or more hospitals and/or facilities in state⁶Live birth data from Monthly Vital Statistics Report Provisional Statistics, Vol. 23, No. 3, May 23, 1974; Vol. 23, No. 6, Aug. 29, 1974; Vol. 23, No. 13, May 30, 1975.⁷April-December⁸July-December⁹Reported from state health department and 1 or more hospitals and/or facilities in state¹⁰Partial year reporting from state health department and data from 1 or more hospitals and/or facilities in state¹¹Data from New York City Health Department¹²Differs from national abortion ratio on Table 1 because of differences in sources and periods of live birth data

-Rate less than 1

Reported Legal Abortions by Age and State of Occurrence, Selected States,* 1974

State	< 15		15-19		20-24		25-29		30-34		35-39		≥ 40		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska	21	2.0	365	35.6	301	29.4	170	16.6	101	9.9	42	4.1	15	1.5	10	1.0	1,025	100.0
Arkansas	47	2.8	612	36.1	482	28.5	242	14.3	169	10.0	102	6.0	40	2.4	0	0.0	1,694	100.0
California	1,973	1.5	45,409	33.4	42,111	31.0	24,146	17.8	12,444	9.2	6,325	4.7	2,093	1.5	1,261	0.9	135,762	100.0
Colorado	133	1.5	2,953	32.7	3,207	35.5	1,495	16.6	694	7.7	388	4.3	139	1.5	18	0.2	9,027	100.0
Connecticut ¹	59	0.8	1,877	26.5	2,384	33.7	1,358	19.2	638	9.0	460	6.5	224	3.2	83	1.2	7,083	100.0
Dist. of Col.	369	1.6	5,999	26.4	7,775	34.3	4,236	18.7	1,848	8.1	942	4.2	387	1.7	1,132	5.0	22,688	100.0
Georgia	435	2.0	7,053	32.0	6,893	31.3	3,781	17.2	1,874	8.5	897	4.1	287	1.3	789	3.6	22,009	100.0
Hawaii	38	0.9	991	23.8	1,435	34.5	837	20.1	453	10.9	270	6.5	132	3.2	2	0.0	4,158	100.0
Illinois	270	0.8	8,614	25.8	10,765	32.3	6,290	18.8	3,750	11.2	2,116	6.3	896	2.7	669	2.0	33,370	100.0
Indiana	123	2.0	1,999	33.2	1,798	29.8	1,004	16.7	576	9.6	353	5.9	148	2.5	28	0.5	6,029	100.0
Kansas	238	2.3	4,408	43.3	2,873	28.2	1,334	13.1	698	6.9	420	4.1	194	1.9	6	0.1	10,171	100.0
Kentucky ²	199	4.0	1,898	37.7	1,678	33.3	723	14.4	295	5.9	173	3.4	63	1.3	4	0.1	5,033	100.0
Louisiana ³	17	1.7	331	34.0	317	32.5	157	16.1	86	8.8	33	3.4	24	2.5	9	0.9	974	100.0
Maryland	445	2.8	6,225	39.0	4,544	28.4	2,421	15.2	1,346	8.4	708	4.4	277	1.7	9	0.1	15,975	100.0
Minnesota ⁴	120	1.4	2,992	34.3	3,237	37.1	1,170	13.4	609	7.0	392	4.5	212	2.4	0	0.0	8,732	100.0
Mississippi	3	2.1	39	27.9	40	28.6	23	16.4	18	12.9	11	7.9	6	4.3	0	0.0	140	100.0
Missouri ⁵	174	2.2	2,369	29.7	2,599	32.6	1,390	17.4	784	9.8	465	5.8	202	2.5	0	0.0	7,983	100.0
Montana ³	7	1.0	273	37.3	227	31.0	106	14.5	66	9.0	32	4.4	19	2.6	2	0.3	732	100.0
Nebraska	57	1.8	1,204	38.9	1,020	33.0	364	11.8	225	7.3	158	5.1	66	2.1	0	0.0	3,094	100.0
Nevada	70	4.3	457	28.3	541	33.5	273	16.9	135	8.4	87	5.4	24	1.5	27	1.7	1,614	100.0
New Hampshire	11	1.6	253	37.9	196	29.3	105	15.7	56	8.4	32	4.8	14	2.1	1	0.1	668	100.0
New York	1,715	1.1	41,202	25.5	49,887	30.9	33,188	20.5	20,026	12.4	10,806	6.7	4,147	2.6	550	0.3	161,521	100.0
(City)	(1,219)	(1.0)	(28,439)	(23.5)	(37,691)	(31.2)	(26,545)	(22.0)	(15,577)	(12.9)	(8,060)	(6.7)	(2,852)	(2.4)	(446)	(0.4)	(120,829)	(100.0)
(Upstate)	(496)	(1.2)	(12,763)	(31.4)	(12,196)	(30.0)	(6,643)	(16.3)	(4,449)	(10.9)	(2,746)	(6.7)	(1,295)	(3.2)	(104)	(0.3)	(40,692)	(100.0)
N. Carolina	388	2.4	5,791	35.2	4,805	29.2	2,708	16.4	1,597	9.7	788	4.8	341	2.1	45	0.3	16,463	100.0
Oregon	129	1.5	3,193	36.3	2,794	31.8	1,450	16.5	714	8.1	348	4.0	136	1.5	30	0.3	8,794	100.0
Pennsylvania ⁴	706	1.9	12,682	33.3	12,351	32.4	5,835	15.3	3,550	9.3	2,024	5.3	829	2.2	133	0.3	38,110	100.0
Rhode Island	34	1.2	849	29.6	868	30.3	526	18.3	312	10.9	191	6.7	80	2.8	7	0.2	2,867	100.0
S. Carolina	76	2.0	1,186	31.5	1,242	33.0	592	15.7	345	9.2	156	4.1	60	1.6	103	2.7	3,760	100.0
S. Dakota	13	0.8	588	36.7	588	36.7	165	10.3	117	7.3	51	3.2	40	2.5	39	2.4	1,601	100.0
Tennessee	150	2.0	2,653	35.8	2,434	32.9	1,075	14.5	615	8.3	309	4.2	125	1.7	45	0.6	7,406	100.0
Utah ⁶	10	0.8	331	27.8	419	35.2	200	16.8	97	8.2	60	5.0	23	1.9	49	4.1	1,189	100.0
Vermont	17	0.9	642	33.3	664	34.4	326	16.9	170	8.8	84	4.4	27	1.4	0	0.0	1,930	100.0
Virginia	328	2.3	5,205	36.2	4,373	30.4	2,256	15.7	1,233	8.6	677	4.7	290	2.0	10	0.1	14,372	100.0
Washington	255	1.4	6,553	36.0	5,857	32.4	2,971	16.3	1,405	7.7	789	4.3	313	1.7	12	0.1	18,185	100.0
Total	8,630	1.5	177,196	30.9	180,735	31.5	102,917	17.9	57,046	9.9	30,689	5.3	11,873	2.1	5,073	0.9	574,159	100.0

¹Based on distribution of data from special health department sample of total abortions reported, April-December

²Based on distribution of data from 1 facility reporting approximately 85% of total abortions

³July-December


⁴Based on distribution of data from state health department, partial year reporting

⁵Based on distribution of data from 1 facility reporting approximately 80% of total abortions


⁶April-December

*All states with data available (33)


ANTHRAX—Reported Cases in Humans by 5-Year Period, United States, 1920–1975




ASEPTIC MENINGITIS—Reported Cases by Month, United States, 1973–1975



ASEPTIC MENINGITIS—Reported Cases per 100,000 Population by State, United States, 1975




BOTULISM—Reported Cases and Deaths by Year, United States, 1950–1975




*NA for 1975


BRUCELLOSIS—Reported Cases by Year, United States, 1950–1975




BRUCELLOSIS—Reported Cases per 100,000 Population by State, United States, 1975



CHICKENPOX—Reported Cases by Month, United States, 1973–1975




DIPHTHERIA—Reported Cases and Deaths per 100,000 Population by Year, United States, 1920–1975




*NA for 1975


DIPHTHERIA—Reported Cases by Month, United States, 1975 and average 1970–1974




ENCEPHALITIS—Reported Cases by Etiology and Month, United States, 1974



HEPATITIS (VIRAL)—Reported Cases per 100,000 Population by 4-Week Period, United States, Epidemiologic Years 1953–1975




HEPATITIS (VIRAL)—Reported Cases per 100,000 Population by Geographic Division, Epidemiologic Years 1966–1975



*Based on January 1 Population Estimates


LEPROSY—Reported Cases per 100,000 Population by Year, United States, 1942–1975




LEPTOSPIROSIS—Reported Cases by Year, United States, 1947–1975




MALARIA—Reported Cases by Year, United States, 1933–1975




MEASLES (RUBEOLA)—Reported Cases and Deaths per 100,000 Population by Year, United States, 1912–1975




MENINGOCOCCAL INFECTIONS—Reported Cases per 100,000 Population by Year, United States, 1920—1975




MENINGOCOCCAL INFECTIONS—Reported Cases per 100,000 Population by State, United States, 1975




MUMPS—Reported Cases by Month, United States, 1974—1975




PERTUSSIS (WHOOPIING COUGH)—Reported Cases by Year, United States, 1950—1975




PLAGUE—Reported Cases and Deaths in Humans by Age Group, United States, 1950–1975













PLAGUE—Reported Cases in Humans by Year, United States, 1950–1975




POLIOMYELITIS (PARALYTIC)—Reported Cases per 100,000 Population by Year, United States, 1951–1975




PNEUMONIA-INFLUENZA—Reported Deaths in 121 Selected Cities, Total and by Geographic Division by Week, United States, 1972-73—1974-75




PNEUMONIA-INFLUENZA—Reported Deaths in 121 Selected Cities Compared with Deaths from All Causes by Age Group, and by Week, United States, 1972-73—1974-75




RABIES—Reported Cases in Wild and Domestic Animals by Year, United States, 1953–1975




RABIES—Reported Cases in Humans by Year, United States, 1950–1975




ROCKY MOUNTAIN SPOTTED FEVER (TICK-BORNE TYPHUS)—Reported Cases by Year, United States, 1950-1975




ROCKY MOUNTAIN SPOTTED FEVER (TICK-BORNE TYPHUS)—Reported Cases by County, United States, 1975




RUBELLA—Reported Cases per 100,000 Population, United States, 1973–1975, and by Geographic Division 1974–1975



SALMONELLA—Surveillance Program Reported Isolations from Humans by Month, United States, 1966–1975




SHIGELLA—Surveillance Program Reported Isolations from Humans by Month, United States,* 1968–1975



- *No reports received from California or the Virgin Islands after 1969
- ** Adjusted to 4-Week Month
- *** Approximately 400 isolations in August 1970 common-source outbreak in Hawaii


TETANUS—Reported Cases by Year, United States, 1950–1975




TETANUS—Reported Cases by County, United States, 1975




TETANUS—Reported Cases by Age Group, United States, 1975







TRICHINOSIS—Reported Cases by Year, United States, 1950—1975




TUBERCULOSIS—Reported Average New Cases per 100,000 Population by County, United States, 1972—1974



TUBERCULOSIS—Reported New Active Cases and Cases per 100,000 Population by Race, Sex, and Age Group, United States, 1974




TULAREMIA—Reported Cases by Year, United States, 1950–1975




TULAREMIA—Reported Cases by County, United States, 1975




TYPHOID FEVER—Reported Cases per 100,000 Population by Year, United States, 1942-1975




TYPHOID FEVER—Reported Cases per 100,000 Population by State, United States, 1975



TYPHUS FEVER, FLEA-BORNE (ENDEMIC, MURINE)—Reported Cases per 100,000 Population by Year, United States, 1930–1975




VENEREAL DISEASES—Reported Cases of Gonorrhea and Syphilis (All Stages) per 100,000 Population by Year, United States,* Fiscal Years 1919–1975




*Beginning in 1939 all states are included in the reporting area (Military cases included 1919-1940, excluded thereafter)

VENEREAL DISEASE—Reported Case Rates of Gonorrhea per 100,000 Population, Fiscal Year 1975




*U.S. Total includes District of Columbia
 **Excludes Puerto Rico and Virgin Islands

VENEREAL DISEASE—Reported Cases of Syphilis (Primary and Secondary) in Civilians per 100,000 Population by Year, United States, Fiscal Years 1941–1975



VENEREAL DISEASE—Reported Cases of Syphilis (Primary and Secondary) per 100,000 Population by State, United States, Fiscal Year, 1975



STATE EPIDEMIOLOGISTS

(As of July 31, 1976)

Key to all disease surveillance activities are those in each state who serve as State Epidemiologists. Responsible for the collection, interpretations, and transmission of data and epidemiologic information from their individual States, the State Epidemiologists perform a most vital role. Their contributions to this report are gratefully acknowledged.

Alabama	Frederick S. Wolf, M.D.
Alaska	John P. Middaugh, M.D., Acting
Arizona	Jon M. Counts, Dr. P. H., Acting
Arkansas	Paul P. White, M.D.
California	James Chin, M.D.
Colorado	Thomas M. Vernon, Jr., M.D.
Connecticut	John N. Lewis, M.D.
Delaware	Ernest S. Tierkel, V.M.D.
District of Columbia	Martin E. Levy, M.D.
Florida	Chester L. Nayfield, M.D.
Georgia	John E. McCroan, Ph.D.
Guam	Robert L. Haddock, D.V.M.
Hawaii	Ned H. Wiebenga, M.D.
Idaho	John A. Mather, M.D.
Illinois	Byron J. Francis, M.D.
Indiana	Richard D. Telle, M.D.
Iowa	Laverne A. Wintermeyer, M.D.
Kansas	Donald E. Wilcox, M.D.
Kentucky	Calixto Hernandez, M.D.
Louisiana	Charles T. Caraway, D.V.M.
Maine	George E. Sullivan, M.D.
Maryland	Kathleen H. Acree, M.D.C.M.
Massachusetts	Nicholas J. Fiumara, M.D.
Michigan	Norman S. Hayner, M.D.
Minnesota	John S. Andrews, M.D., Acting
Mississippi	Durward L. Blakey, M.D.
Missouri	H. Denny Donnell, Jr., M.D.
Montana	Martin D. Skinner, M.D.
Nebraska	Paul A. Stoesz, M.D.
Nevada	William M. Edwards, M.D.
New Hampshire	Viadas Kaupas, M.D.
New Jersey	Ronald Altman, M.D.
New Mexico	Jonathan M. Mann, M.D., Acting
New York State	Andrew C. Fleck, M.D.
New York City	John S. Marr, M.D.
North Carolina	Martin P. Hines, D.V.M.
North Dakota	Kenneth Mosser
Ohio	Thomas J. Halpin, M.D.
Oklahoma	Patrick M. Morgan, D.V.M.
Oregon	John A. Googins, M.D.
Pennsylvania	William E. Parkin D.V.M.
Puerto Rico	Cesar R. Rosa Febles, M.D.
Rhode Island	Gerald A. Faich, M.D.
South Carolina	Richard L. Parker, D.V.M.
South Dakota	James D. Corning, B.A., Acting
Tennessee	Alan R. Hinman, M.D.
Texas	Charles A. Webb, M.D., Acting
Utah	Taira Fukushima, M.D.
Vermont	William N. Watson, M.D., Acting
Virgin Islands	C. Warren Smith, M.D.
Virginia	Robert S. Jackson, M.D.
Washington	Thieu L. Nghiem, M.D.
West Virginia	William L. Cooke, M.D.
Wisconsin	H. Grant Skinner, M.D.
Wyoming	Herman S. Parish, M.D.

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
CENTER FOR DISEASE CONTROL
ATLANTA, GEORGIA 30333

OFFICIAL BUSINESS



POSTAGE AND FEES PAID
U.S. DEPARTMENT OF HEW
HEW 399

9A1906
Mrs Mary Alice Mills
Director, Library
1-408