



Centers for Disease Control and Prevention
CDC 24/7: Saving Lives, Protecting People™

Weekly Updates by Select Demographic and Geographic Characteristics

Provisional Death Counts for Coronavirus Disease 2019 (COVID-19)

Contents

[COVID-19 Mortality Overview](#)

[Daily Updates of Totals by Week and State](#)

[Weekly Updates by Select Demographic and Geographic Characteristics](#)

[Health Disparities: Race and Hispanic Origin](#)

[Excess Deaths Associated with COVID-19](#)

[Index of Available Data Files](#)

[Technical Notes](#)

 Note: Provisional death counts are based on death certificate data received and coded by the National Center for Health Statistics as of March 31, 2021. Death counts are delayed and may differ from other published sources (see Technical Notes). Counts will be updated every Wednesday by 5pm. Additional information will be added to this site as available.

List of Topics

- [1. Sex and age](#)
- [2. Race and Hispanic origin](#)
- [3. Place of death](#)
- [4. Comorbidities and other conditions](#)

- 5. [Excess deaths](#)
- 6. [Additional data \(county, leading causes of death, etc.\)](#)

For the Index of Provisional COVID-19 Mortality Surveillance and Ad-hoc Data Files, [click here](#).

Sex and Age

Table 1 has counts of deaths involving COVID-19 and other select causes of death by time-period in which the death occurred, sex and age group. For data on deaths involving COVID-19 by month, year, jurisdiction, sex, and age, [Click here to download](#). This data file contains two sets of age groups: (1) age-groups consistent with those used across CDC COVID-19 surveillance pages, and (2) age groups that are routinely included in NCHS mortality reports. When analyzing the file, the user should make sure to select only the desired age groups. Summing across all age categories provided will result in double counting deaths from certain age groups. For data on deaths involving COVID-19 by week, sex, and age (by NCHS age groups), [Click here to download](#). Data on deaths involving COVID-19 among ages 0-18 are available here: [Click here to download](#).

Table 1. Deaths involving coronavirus disease 2019 (COVID-19), pneumonia, and influenza reported to NCHS by time-period, jurisdiction of occurrence, sex and age-group.

Data as of:
3/31/2021

State			Sex		Age Group			
United States			All		All			
Year in which death occurred	Sex	Age Group	All Deaths involving COVID-19 [1]	Deaths from All Causes	Deaths involving Pneumonia [2]	Deaths involving COVID-19 and Pneumonia [2]	All Deaths involving Influenza [3]	Deaths involving Pneumonia, Influenza, or COVID-19 [4]
2020/2021	All Sexes	0-17 years	246	38,993	658	44	179	1,039
2020/2021	All Sexes	18-29 years	1,957	74,191	2,150	866	150	3,379
2020/2021	All Sexes	30-39 years	5,683	105,668	5,178	2,607	318	8,550
2020/2021	All Sexes	40-49 years	15,444	159,249	13,170	7,591	494	21,448
2020/2021	All Sexes	50-64 years	80,361	671,927	73,614	42,520	2,131	113,260
2020/2021	All Sexes	65-74 years	117,252	824,289	106,268	62,656	1,944	162,496
2020/2021	All Sexes	75-84 years	148,166	1,002,845	129,796	75,104	1,961	204,550
2020/2021	All Sexes	85 years and over	164,182	1,226,820	129,599	68,290	1,843	227,102
2020/2021	All Sexes	All Ages	533,291	4,103,982	460,433	259,678	9,020	741,824
2020/2021	Female	0-17 years	106	16,113	294	20	82	462
2020/2021	Female	18-29 years	751	20,007	858	361	73	1,318
2020/2021	Female	30-39 years	1,974	34,015	1,974	902	161	3,200
2020/2021	Female	40-49 years	5,290	57,909	5,031	2,620	220	7,901
2020/2021	Female	50-64 years	28,553	256,221	28,340	15,327	897	42,364
2020/2021	Female	65-74 years	45,336	344,100	41,810	23,751	854	64,143

Yearly Monthly Total

NOTE: Empty data cells represent counts between 1-9 that have been suppressed in accordance with NCHS confidentiality standards. Number of deaths reported in this table are the total number of deaths received and coded as of the date of analysis and may not represent all deaths that occurred in that period. Counts of deaths occurring before or after the reporting period are not included in the table. Data during recent periods are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death. United States death counts include the 50 states, plus the District of Columbia and New York City. New York state estimates exclude New York City.

[1] Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1.

[2] Counts of deaths involving pneumonia (J12.0-J18.9) include pneumonia deaths that also involve COVID-19 and exclude pneumonia deaths involving influenza.

[3] Counts of deaths involving influenza (J09-J11) include deaths with pneumonia or COVID-19 also listed as a cause of death.


[4] Deaths with confirmed or presumed COVID-19, pneumonia, or influenza, coded to ICD-10 codes U07.1 or J09-18.9.

Provisional Death Counts for Coronavirus Disease 2019 (COVID-19) By Week of Death

Select Sex: All Sex | Select Measure: COVID-19 Deaths | Select Age Group: All Ages | Reporting Period: Week ending 1/4/2020 through 3/27/2021

Data represented with a dashed line are incomplete. Deaths counts will be updated as additional data are received.

Provisional Death Counts, by Week Ending Date and Age Group




NOTE: Provisional death counts are based on death certificate data received and coded by NCHS as of the date of analysis and do not represent all deaths that occurred in that period. Data for the most recent 5 weeks (shown with dashed line) are typically less than 90% complete, with lower levels of completeness in more recent weeks. Death counts are updated as additional deaths are received and coded.

SOURCE: NCHS Medical Vital Statistics System. Estimates are based on provisional data.

Race and Hispanic origin

Data by race and Hispanic origin are available at the national, state, and county level. Data by race and Hispanic origin is also available by age at the national and state level. [Click here](#) to visit the NCHS Health Disparities: Race and Hispanic origin page.



Place of death

Table 2 presents death counts involving COVID-19 and other select causes of death by time-period in which the death occurred, and the place of death. For data on deaths involving COVID-19 by time-period, jurisdiction and the place of death, [Click here to download](#). For data on deaths involving COVID-19 by time-period, jurisdiction, place of death, and age group, [Click here to download](#).

Table 2. Deaths involving coronavirus disease 2019 (COVID-19), pneumonia, and influenza reported to NCHS by time-period, jurisdiction of occurrence, and place of death.

Data as of:
3/31/2021

State		Place of Death		All Deaths involving COVID-19 [1]	Deaths from All Causes	Deaths involving Pneumonia [2]	Deaths involving COVID-19 and Pneumonia [2]	All Deaths involving Influenza [3]	Deaths involving Pneumonia, Influenza, or COVID-19 [4]
Year in which death occurred	State	Place of Death	Place of Death						
▼	United States		All						
2020/2021	United States	Decedent's home		36,024	1,363,248	30,608	9,385	1,719	58,111
2020/2021	United States	Healthcare setting, dead on arrival		461	11,418	292	121	17	649
2020/2021	United States	Healthcare setting, inpatient		347,426	1,278,959	341,933	210,213	5,698	484,541
2020/2021	United States	Healthcare setting, outpatient or emergency room		17,059	239,354	13,373	5,628	380	25,170
2020/2021	United States	Hospice facility		15,319	240,265	19,624	7,582	401	27,748
2020/2021	United States	Nursing home/long term care facility		105,900	691,752	47,094	23,663	652	129,948
2020/2021	United States	Other		10,924	275,796	7,409	3,035	150	15,428
2020/2021	United States	Place of death unknown		188	3,266	112	57	3	245
2020/2021	United States	Total - All Places of Death		533,301	4,104,058	460,445	259,684	9,020	741,840

Yearly
Monthly
Total

NOTE: Empty data cells represent counts between 1-9 that have been suppressed in accordance with NCHS confidentiality standards. Number of deaths reported in this table are the total number of deaths received and coded as of the date of analysis and may not represent all deaths that occurred in that period. Counts of deaths occurring before or after the reporting period are not included in the table. Data during recent periods are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death. United States death counts include the 50 states, plus the District of Columbia and New York City. New York state estimates exclude New York City.

[1] Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1.

[2] Counts of deaths involving pneumonia (J12.0-J18.9) include pneumonia deaths that also involve COVID-19 and exclude pneumonia deaths involving influenza.

[3] Counts of deaths involving influenza (J09-J11) include deaths with pneumonia or COVID-19 also listed as a cause of death.

[4] Deaths with confirmed or presumed COVID-19, pneumonia, or influenza, coded to ICD-10 codes U07.1 or J09-18.9.

Comorbidities and other conditions

Table 3 shows the types of health conditions and contributing causes mentioned in conjunction with deaths involving coronavirus disease 2019 (COVID-19). The number of deaths that mention one or more of the conditions indicated is shown for all deaths involving COVID-19 and by age groups. For 6% of these deaths, COVID-19 was the only cause

mentioned on the death certificate. For deaths with conditions or causes in addition to COVID-19, on average, there were 4.0 additional conditions or causes per death. For data on deaths involving COVID-19 by time-period, jurisdiction, and other health conditions, [Click here to download](#).

Table 3. Number of COVID-19 deaths with contributing conditions, by time-period, jurisdiction of occurrence, and age-group.

Data as of:
3/28/2021

State		Attribute	Condition Group				Condition				
United States		COVID-19 Deaths	All				All				
Year in which death occurred	Conditions contributing to deaths where COVID-19 was listed on the death certificate [1]	All Ages	0-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85+ years	
2020/2021	Influenza and pneumonia	241,858	344	1,572	4,253	12,716	32,699	57,988	68,638	63,643	
2020/2021	Chronic lower respiratory diseases	46,971	47	147	358	1,116	4,580	11,419	15,754	13,549	
2020/2021	Adult respiratory distress syndrome	55,641	151	553	1,497	4,490	10,358	15,947	13,868	8,775	
2020/2021	Respiratory failure	198,828	273	1,122	3,136	9,749	25,922	48,259	58,154	52,210	
2020/2021	Respiratory arrest	11,274	18	67	164	468	1,255	2,269	3,143	3,890	
2020/2021	Other diseases of the respiratory system	21,598	62	177	429	1,130	2,992	5,213	6,101	5,494	
2020/2021	Hypertensive diseases	105,312	33	296	1,243	4,167	12,137	23,351	29,765	34,319	
2020/2021	Ischemic heart disease	57,937	10	67	299	1,338	5,100	12,165	18,342	20,615	
2020/2021	Cardiac arrest	63,994	116	506	1,375	4,028	9,387	15,232	16,935	16,414	
2020/2021	Cardiac arrhythmia	39,206	23	79	212	775	2,795	7,202	12,218	15,902	
2020/2021	Heart failure	40,333	15	91	284	926	2,991	7,020	11,727	17,278	
2020/2021	Cerebrovascular diseases	26,164	25	72	246	895	2,782	5,693	7,684	8,766	
2020/2021	Other diseases of the circulatory system	33,171	104	278	646	1,691	4,184	7,439	9,099	9,730	
2020/2021	Sepsis	50,167	100	397	1,129	3,397	8,494	14,319	13,480	8,850	
2020/2021	Malignant neoplasms	24,781	58	93	274	887	3,157	6,528	7,710	6,074	
2020/2021	Diabetes	84,953	99	471	1,699	5,251	13,540	23,381	23,881	16,630	
2020/2021	Obesity	20,585	198	825	1,792	3,329	5,224	5,543	2,925	749	

Yearly

Monthly

Total

Microsoft Power BI

< 3 of 3 >




NOTE: Empty data cells represent counts between 1-9 that have been suppressed in accordance with NCHS confidentiality standards. Conditions contributing to the death were identified using the International Classification of Diseases, Tenth Revision (ICD-10). Deaths involving more than one condition (e.g., deaths involving both diabetes and respiratory arrest) were counted in both totals. To avoid counting the same death multiple times, the numbers for different conditions should not be summated. Some deaths involve more than one of the same condition category (e.g. deaths involving unintentional and intentional injury often include two or more injury ICD-10 codes), the number of mentions presented on the table above represents the number of instances where the condition was cited on the death certificate. Number of deaths and number of mentions reported in this table are tabulated from deaths received and coded as of the date of analysis and do not represent all deaths that occurred in that period. Data for this table are derived from a cut of the National Vital Statistics System (NVSS) database taken at a particular time, separate from other surveillance tables on this page which are tabulated on the date of update. As a result, the total number of COVID-19 deaths in this table may not match other surveillance tables on this page. Data during recent periods are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death. United States death counts include the 50 states, plus the District of Columbia and New York City. New York state estimates exclude New York City.

[1] Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1.

Excess deaths

See the [NCHS Excess Deaths Data Visualization](#).

This data visualization presents data on weekly counts of all-cause mortality by jurisdiction of occurrence. Counts of deaths in the most recent weeks are compared with historical trends to determine whether the number of deaths in recent weeks is significantly higher than expected.



Additional data (leading causes of death, county, etc.)

Leading causes of death



Weekly final data for 2014–2019

Weekly counts of leading causes of death based on final underlying cause mortality data for years 2014–2019, by state.



Weekly provisional data for 2020–2021

Weekly counts of leading causes of death based on provisional underlying cause mortality data for 2020–2021, by state.



Monthly final data for 2014–2019

Monthly counts of leading causes of death, including injury-related causes, based on final underlying cause mortality data for years 2014–2019, for the U.S.



Monthly provisional data for 2020–2021

Monthly counts of leading causes of death, including injury-related causes, based on provisional underlying cause mortality data for 2020–2021, for the U.S.

County-level data



Provisional COVID-19 Death Counts in the United States by County

Deaths involving COVID-19 and total deaths per county. Counties included in this file had 10 or more COVID-19 deaths at the time of analysis.



Provisional COVID-19 Deaths by County and Race and Hispanic Origin

Deaths involving COVID-19 and total deaths per county, by race and Hispanic origin for counties with more than 100 COVID-19 deaths.

Urban/Rural Status



Provisional COVID-19 Deaths by Urbanicity and Week

Deaths involving COVID-19 and total deaths, by week and urbanicity. Urbanicity is defined as metropolitan and non-metropolitan, using the NCHS Urban-Rural classification scheme.

Understanding the Numbers: Provisional Death Counts and COVID-19

Provisional death counts deliver the most complete and accurate picture of lives lost to COVID-19. They are based on death certificates, which are the most reliable source of data and contain information not available anywhere else, including comorbid conditions, race and ethnicity, and place of death.

How it Works

The National Center for Health Statistics (NCHS) uses incoming data from death certificates to produce provisional COVID-19 death counts. These include deaths occurring within the 50 states and the District of Columbia.

NCHS also provides summaries that examine deaths in specific categories and in greater geographic detail, such as deaths by county and by race and Hispanic origin.

COVID-19 deaths are identified using a new ICD-10 code. When COVID-19 is reported as a cause of death – or when it is listed as a “probable” or “presumed” cause — the death is coded as **U07.1**. This can include cases with or without laboratory confirmation.

Why These Numbers are Different

Provisional death counts may not match counts from other sources, such as media reports or numbers from county health departments. Counts by NCHS often track 1–2 weeks behind other data.

- **Death certificates take time to be completed.** There are many steps to filling out and submitting a death certificate. Waiting for test results can create additional delays.
- **States report at different rates.** Currently, 63% of all U.S. deaths are reported within 10 days of the date of death, but there is significant variation between states.
- **It takes extra time to code COVID-19 deaths.** While 80% of deaths are electronically processed and coded by NCHS within minutes, most deaths from COVID-19 must be coded by a person, which takes an average of 7 days.
- **Other reporting systems use different definitions or methods for counting deaths.**

Things to know about the data

Provisional counts are not final and are subject to change. Counts from previous weeks are continually revised as more records are received and processed.

Provisional data are not yet complete. Counts will not include all deaths that occurred during a given time period, especially for more recent periods. However, we can estimate how complete our numbers are by looking at the average number of deaths reported in previous years.

Death counts should not be compared across states. Some states report deaths on a daily basis, while other states report deaths weekly or monthly. State vital record reporting may also be affected or delayed by COVID-19 related response activities.

For more detailed technical information, visit the [Provisional Death Counts for Coronavirus Disease 2019 \(COVID-19\) Technical Notes](#) page.

Page last reviewed: March 31, 2021
Content source: [National Center for Health Statistics](#)