


Weekly Updates by Select Demographic and Geographic Characteristics

Provisional Death Counts for Coronavirus Disease 2019 (COVID-19)





Note: Provisional death counts are based on death certificate data received and coded by the National Center for Health Statistics as of June 2, 2021. Death counts are delayed and may differ from other published sources (see Technical Notes). Counts will be updated every Wednesday by 5pm. Additional information will be added to this site as available.

List of Topics

- 1. Sex and age
- 2. Race and Hispanic origin
- 3. Place of death
- 4. Comorbidities and other conditions

- 5. Excess deaths
- 6. Additional data (county, leading causes of death, etc.)

For the Index of Provisional COVID-19 Mortality Surveillance and Ad-hoc Data Files, click here.

The provisional counts for coronavirus disease 2019 (COVID-19) deaths are based on a current flow of mortality data in the National Vital Statistics System. National provisional counts include deaths occurring within the 50 states and the District of Columbia that have been received and coded as of the date specified. It is important to note that it can take several weeks for death records to be submitted to National Center for Health Statistics (NCHS), processed, coded, and tabulated. Therefore, the data shown on this page may be incomplete, and will likely not include all deaths that occurred during a given time period, especially for the more recent time periods. Death counts for earlier weeks are continually revised and may increase or decrease as new and updated death certificate data are received from the states by NCHS. COVID-19 death counts shown here may differ from other published sources, as data currently are lagged by an average of 1–2 weeks.

Sex and Age

Table 1 has counts of deaths involving COVID-19 and other select causes of death by time-period in which the death occurred, sex and age group. For data on deaths involving COVID-19 by month, year, jurisdiction, sex, and age, Click here to download. This data file contains two sets of age groups: (1) age-groups consistent with those used across CDC COVID-19 surveillance pages, and (2) age groups that are routinely included in NCHS morality reports. When analyzing the file, the user should make sure to select only the desired age groups. Summing across all age categories provided will result in double counting deaths from certain age groups. For data on deaths involving COVID-19 by week, sex, and age (by NCHS age groups), Click here to download. Data on deaths involving COVID-19 among ages 0–18 are available here: Click here to download.

Table 1. Deaths involving coronavirus disease 2019 (COVID-19), pneumonia, and influenza reported to NCHS by time-period, jurisdiction of occurrence, sex and age-group.

Data as of: 6/2/2021


State			Sex		Age Gr				
United States		~	All	~	All	\	/		
Year in which death occurred	Sex	Age Group	All Deaths involving COVID-19 [1]	Deaths from All Causes	Deaths involving Pneumonia [2]	Deaths involving COVID-19 and Pneumonia [2]	All Deaths involving Influenza [3]	Deaths involving Pneumonia, Influenza, or COVID-19 [4]	
2020/2021	All Sexes	0-17 years	309	45,513	751	59	182	1,183	
2020/2021	All Sexes	18-29 years	2,294	86,155	2,467	1,013	151	3,887	
2020/2021	All Sexes	30-39 years	6,615	122,869	6,034	3,074	320	9,872	
2020/2021	All Sexes	40-49 years	17,733	184,360	15,060	8,739	499	24,482	
2020/2021	All Sexes	50-64 years	91,236	771,386	83,650	48,513	2,167	128,202	
2020/2021	All Sexes	65-74 years	129,613	942,419	119,278	69,716	1,967	180,823	
2020/2021	All Sexes	75-84 years	160,406	1,137,803	143,201	81,659	1,991	223,663	
2020/2021	All Sexes	85 years and over	174,819	1,380,014	141,333	73,107	1,869	244,677	
2020/2021	All Sexes	All Ages	583,025	4,670,519	511,774	285,880	9,146	816,789	
2020/2021	Female	0-17 years	133	18,856	336	26	83	526	
2020/2021	Female	18-29 years	880	23,157	983	418	73	1,515	
2020/2021	Female	30-39 years	2,360	39,510	2,328	1,102	162	3,741	
2020/2021	Female	40-49 years	6,182	67,088	5,788	3,062	221	9,109	
2020/2021	Female	50-64 years	32,750	294,275	32,389	17,680	911	48,264	
2020/2021	Female	65-74 years	50,543	393,897	47,230	26,720	864	71,807	
Yearly				Мо	nthly			Total	

Microsoft Power BI < 3 of 3 >

NOTE: Empty data cells represent counts between 1-9 that have been suppressed in accordance with NCHS confidentiality standards. Number of deaths reported in this table are the total number of deaths received and coded as of the date of analysis and may not represent all deaths that occurred in that period. Counts of deaths occurring before or after the reporting period are not included in the table. Data during recent periods are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death. United States death counts include the 50 states, plus the District of Columbia and New York City. New York state estimates exclude New York City.

- [1] Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1.
- [2] Counts of deaths involving pneumonia (J12.0-J18.9) include pneumonia deaths that also involve COVID-19 and exclude pneumonia deaths involving influenza.
- [3] Counts of deaths involving influenza (J09-J11) include deaths with pneumonia or COVID-19 also listed as a cause of death.
- [4] Deaths with confirmed or presumed COVID-19, pneumonia, or influenza, coded to ICD-10 codes U07.1 or J09-18.9.

Provisional Death Counts for Coronavirus Disease 2019 (COVID-19) By Week of Death




NOTE: Provisional death counts are based on death certificate data received and coded by NCHS as of the date of analysis and do not represent all deaths that occurred in that period. Data for the most recent 5 weeks (shown in the gray shaded area) are typically less than 90% complete, with lower levels of completeness in more recent weeks. Death counts are updated as additional deaths are received and coded.

COMPARE MODERNICH STREET CONTRACTOR OF THE STREET STREET, THE STREET STREET

Race and Hispanic origin

Data by race and Hispanic origin are available at the national, state, and county level. Data by race and Hispanic origin is also available by age at the national and state level. Click here to visit the NCHS Health Disparities page.



Place of death

Table 2 presents death counts involving COVID-19 and other select causes of death by time-period in which the death occurred, and the place of death. For data on deaths involving COVID-19 by time-period, jurisdiction and the place of death, Click here to download. For data on deaths involving COVID-19 by time-period, jurisdiction, place of death, and age group, Click here to download.

Table 2. Deaths involving coronavirus disease 2019 (COVID-19), pneumonia, and influenza reported to NCHS by time-period, jurisdiction of occurrence, and place of death.

Data as of: 6/2/2021

State			Place of Death					
United St	ates	~	All					
Year in which death occurred	State	Place of Death	All Deaths involving COVID-19 [1]	Deaths from All Causes	Deaths involving Pneumonia [2]	Deaths involving COVID-19 and Pneumonia [2]	All Deaths involving Influenza [3]	Deaths involving Pneumonia, Influenza, or COVID-19 [4]
2020/2021	United States	Decedent's home	41,513	1,562,829	34,755	10,834	1,734	66,311
2020/2021	United States	Healthcare setting, dead on arrive	al 531	13,112	329	142	17	735
2020/2021	United States	Healthcare setting, inpatient	381,771	1,451,399	380,854	232,106	5,790	535,979
2020/2021	United States	Healthcare setting, outpatient or emergency room	18,909	276,856	14,867	6,165	389	27,983
2020/2021	United States	Hospice facility	16,959	275,899	22,057	8,391	404	31,015
2020/2021	United States	Nursing home/long term care fac	ility 111,261	770,642	50,559	24,847	657	137,593
2020/2021	United States	Other	11,896	316,417	8,242	3,341	152	16,929
2020/2021	United States	Place of death unknown	198	3,482	122	60	3	262
2020/2021	United States	Total - All Places of Death	583.038	4,670,636	511.785	285,886	9,146	816,807

Microsoft Power BI $\langle 3 \text{ of } 3 \rangle$

NOTE: Empty data cells represent counts between 1-9 that have been suppressed in accordance with NCHS confidentiality standards. Number of deaths reported in this table are the total number of deaths received and coded as of the date of analysis and may not represent all deaths that occurred in that period. Counts of deaths occurring before or after the reporting period are not included in the table. Data during recent periods are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death. United States death counts include the 50 states, plus the District of Columbia and New York City. New York state estimates exclude New York City. [1] Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1.

- [2] Counts of deaths involving pneumonia (J12.0-J18.9) include pneumonia deaths that also involve COVID-19 and exclude pneumonia deaths involving influenza.
- [3] Counts of deaths involving influenza ([09-[11]) include deaths with pneumonia or COVID-19 also listed as a cause of death.
- [4] Deaths with confirmed or presumed COVID-19, pneumonia, or influenza, coded to ICD-10 codes U07.1 or J09-18.9.

Comorbidities and other conditions

Table 3 shows the types of health conditions and contributing causes mentioned in conjunction with deaths involving coronavirus disease 2019 (COVID-19). The number of deaths that mention one or more of the conditions indicated is shown for all deaths involving COVID-19 and by age groups. For over 5% of these deaths, COVID-19 was the only cause

mentioned on the death certificate. For deaths with conditions or causes in addition to COVID-19, on average, there were 4.0 additional conditions or causes per death. For data on deaths involving COVID-19 by time-period, jurisdiction, and other health conditions, Click here to download.

Data as of: Table 3. Number of COVID-19 deaths with contributing conditions, by time-period, jurisdiction of occurrence, and age-group. 5/30/2021 Attribute Condition Group COVID-19 Deaths **United States** ΑII All 45-54 65-74 Year in which Conditions contributing to deaths where All Ages 0-2425 - 3435-44 55-64 75-84 85+ COVID-19 was listed on the death death occurred years years years years years years years years certificate [1] 2020/2021 Influenza and pneumonia 267,631 409 1,865 4,961 14,705 37,388 64,933 75,007 68,357 Chronic lower respiratory diseases 2020/2021 51,497 58 173 407 1.278 5.226 12.626 17.218 14.510 9,076] 2020/2021 Adult respiratory distress syndrome 60.709 647 1.726 5.103 11.673 17.486 14.833 164 2020/2021 Respiratory failure 219,118 312 1.304 3,608 11.228 29,681 53,894 63,358 55.729 2020/2021 12,261 20 75 183 534 1,384 2,532 3,406 4,127 1 Respiratory arrest 2020/2021 Other diseases of the respiratory system 24,683 71 216 504 1.380 3.558 6.017 6.907 6.030 2020/2021 39 336 1.419 4.778 13.583 25.548 32.086 36.482 1 Hypertensive diseases 114.274 2020/2021 Ischemic heart disease 63,550 13 81 344 1,580 5,858 13,533 20,049 22,090 1 2020/2021 Cardiac arrest 70,615 137 583 1,578 4,606 10,693 16,950 18,402 17,665 1 2020/2021 Cardiac arrhythmia 43,291 27 90 247 922 3.241 8.032 13,473 17.259 1 2020/2021 Heart failure 21 112 1.072 3 405 12.970 18,725 1 44.527 328 7.893 2020/2021 Cerebrovascular diseases 28,896 31 90 297 1,035 3,152 6,379 8,405 9,506 1 2020/2021 Other diseases of the circulatory system 37,572 128 350 770 2.029 4.916 8.511 10,181 10.686 1 2020/2021 117 1,289 3,888 9,733 16,044 14,788 9,546 55,861 455 2020/2021 Malignant neoplasms 27.813 68 110 320 1.044 3,607 7.420 8,600 6.644 (2020/2021 92.804 111 534 1.892 5 944 15 144 25 770 17 748 1 Diabetes 25 659 2020/2021 Obesity 23,385 239 2,084 3,928 6.000 6,158 3.192 809 1

Microsoft Power BI $\langle 3 \text{ of } 3 \rangle$

Monthly

NOTE: Empty data cells represent counts between 1-9 that have been suppressed in accordance with NCHS confidentiality standards. Conditions contributing to the death were identified using the International Classification of Diseases, Tenth Revision (ICD-10). Deaths involving more than one condition (e.g., deaths involving both diabetes and respiratory arrest) were counted in both totals. To avoid counting the same death multiple times, the numbers for different conditions should not be summated. Some deaths involve more than one of the same condition category (e.g. deaths involving unintentional and intentional injury often include two or more injury ICD-10 codes), the number of mentions presented on the table above represents the number of instances where the condition was cited on the death certificate. Number of deaths and number of mentions reported in this table are tabulated from deaths received and coded as of the date of analysis and do not represent all deaths that occurred in that period. Data for this table are derived from a cut of the National Vital Statistics System (NVSS) database taken at a particular time, separate from other surveillance tables on this page which are tabulated on the date of update. As a result, the total number of COVID-19 deaths in this table may not match other surveillance tables on this page. Data during recent periods are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death. United States death counts include the 50 states, plus the District of Columbia and New York City. New York state estimates exclude New York City.

[1] Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1.


Yearly

Total

Excess deaths

See the NCHS Excess Deaths Data Visualization.

This data visualization presents data on weekly counts of all-cause mortality by jurisdiction of occurrence. Counts of deaths in the most recent weeks are compared with historical trends to determine whether the number of deaths in recent weeks is significantly higher than expected.



Additional data (leading causes of death, county, etc.)

Leading causes of death



Weekly final data for 2014–2019

Weekly counts of leading causes of death based on final underlying cause mortality data for years 2014–2019, by state.



Monthly final data for 2014–2019

Monthly counts of leading causes of death, including injury-related causes, based on final underlying cause mortality data for years 2014–2019, for the U.S.



Weekly provisional data for 2020–2021

Weekly counts of leading causes of death based on provisional underlying cause mortality data for 2020–2021, by state.



Monthly provisional data for 2020–2021

Monthly counts of leading causes of death, including injury-related causes, based on provisional underlying cause mortality data for 2020–2021, for the U.S.

County-level data



Provisional COVID-19 Death Counts in the United States by County

Deaths involving COVID-19 and total deaths per county. Counties included in this file had 10 or more COVID-19 deaths at the time of analysis.



Provisional COVID-19 Deaths by County and Race and Hispanic Origin

Deaths involving COVID-19 and total deaths per county, by race and Hispanic origin for counties with more than 100 COVID-19 deaths.

Urban/Rural Status



Provisional COVID-19 Deaths by Urbanicity and Week

Deaths involving COVID-19 and total deaths, by week and urbanicity. Urbanicity is defined as metropolitan and non-metropolitan, using the NCHS Urban-Rural classification scheme.

Understanding the Numbers: Provisional Death Counts and COVID-19

Provisional death counts deliver the most complete and accurate picture of lives lost to COVID-19. They are based on death certificates, which are the most reliable source of data and contain information not available anywhere else, including comorbid conditions, race and ethnicity, and place of death.

How it Works

The National Center for Health Statistics (NCHS) uses incoming data from death certificates to produce provisional COVID-19 death counts. These include deaths occurring within the 50 states and the District of Columbia.

NCHS also provides summaries that examine deaths in specific categories and in greater geographic detail, such as deaths by county and by race and Hispanic origin.

COVID-19 deaths are identified using a new ICD-10 code. When COVID-19 is reported as a cause of death – or when it is listed as a "probable" or "presumed" cause — the death is coded as **U07.1**. This can include cases with or without laboratory confirmation.

Why These Numbers are Different

Provisional death counts may not match counts from other sources, such as media reports or numbers from county health departments. Counts by NCHS often track 1–2 weeks behind other data.

- **Death certificates take time to be completed.** There are many steps to filling out and submitting a death certificate. Waiting for test results can create additional delays.
- **States report at different rates.** Currently, 63% of all U.S. deaths are reported within 10 days of the date of death, but there is significant variation between states.
- It takes extra time to code COVID-19 deaths. While 80% of deaths are electronically processed and coded by NCHS within minutes, most deaths from COVID-19 must be coded by a person, which takes an average of 7 days.
- Other reporting systems use different definitions or methods for counting deaths.

Things to know about the data

Provisional counts are not final and are subject to change. Counts from previous weeks are continually revised as more records are received and processed.

Provisional data are not yet complete. Counts will not include all deaths that occurred during a given time period, especially for more recent periods. However, we can estimate how complete our numbers are by looking at the average number of deaths reported in previous years.

Death counts should not be compared across states. Some states report deaths on a daily basis, while other states report deaths weekly or monthly. State vital record reporting may also be affected or delayed by COVID-19 related response activities.

For more detailed technical information, visit the Provisional Death Counts for Coronavirus Disease 2019 (COVID-19) Technical Notes page.

Page last reviewed: June 2, 2021 Content source: National Center for Health Statistics