


# Weekly Updates by Select Demographic and Geographic Characteristics

Provisional Death Counts for Coronavirus Disease 2019 (COVID-19)





Note: Provisional death counts are based on death certificate data received and coded by the National Center for Health Statistics as of June 2, 2021. Death counts are delayed and may differ from other published sources (see Technical Notes). Counts will be updated every Wednesday by 5pm. Additional information will be added to this site as available.

# List of Topics

- 1. Sex and age
- 2. Race and Hispanic origin
- 3. Place of death
- 4. Comorbidities and other conditions

- 5. Excess deaths
- 6. Additional data (county, leading causes of death, etc.)

For the Index of Provisional COVID-19 Mortality Surveillance and Ad-hoc Data Files, click here.

The provisional counts for coronavirus disease 2019 (COVID-19) deaths are based on a current flow of mortality data in the National Vital Statistics System. National provisional counts include deaths occurring within the 50 states and the District of Columbia that have been received and coded as of the date specified. It is important to note that it can take several weeks for death records to be submitted to National Center for Health Statistics (NCHS), processed, coded, and tabulated. Therefore, the data shown on this page may be incomplete, and will likely not include all deaths that occurred during a given time period, especially for the more recent time periods. Death counts for earlier weeks are continually revised and may increase or decrease as new and updated death certificate data are received from the states by NCHS. COVID-19 death counts shown here may differ from other published sources, as data currently are lagged by an average of 1–2 weeks.

# Sex and Age

Table 1 has counts of deaths involving COVID-19 and other select causes of death by time-period in which the death occurred, sex and age group. For data on deaths involving COVID-19 by month, year, jurisdiction, sex, and age, Click here to download. This data file contains two sets of age groups: (1) age-groups consistent with those used across CDC COVID-19 surveillance pages, and (2) age groups that are routinely included in NCHS morality reports. When analyzing the file, the user should make sure to select only the desired age groups. Summing across all age categories provided will result in double counting deaths from certain age groups. For data on deaths involving COVID-19 by week, sex, and age (by NCHS age groups), Click here to download. Data on deaths involving COVID-19 among ages 0–18 are available here:

Table 1. Deaths involving coronavirus disease 2019 (COVID-19), pneumonia, and influenza reported to NCHS by time-period, jurisdiction of occurrence, sex and age-group.

**Data as of:** 6/2/2021


State			Sex		Age Gr			
United State	es	~	All	~	All	\	/	
Year in Sex which death occurred		Age Group	All Deaths involving COVID-19 [1]	Deaths from All Causes	Deaths involving Pneumonia [2]	Deaths involving COVID-19 and Pneumonia [2]	All Deaths involving Influenza [3]	Deaths involving Pneumonia, Influenza, or COVID-19 [4]
2020/2021	All Sexes	0-17 years	309	45,513	751	59	182	1,183
2020/2021	All Sexes	18-29 years	2,294	86,155	2,467	1,013	151	3,887
2020/2021	All Sexes	30-39 years	6,615	122,869	6,034	3,074	320	9,872
2020/2021	All Sexes	40-49 years	17,733	184,360	15,060	8,739	499	24,482
2020/2021	All Sexes	50-64 years	91,236	771,386	83,650	48,513	2,167	128,202
2020/2021	All Sexes	65-74 years	129,613	942,419	119,278	69,716	1,967	180,823
2020/2021	All Sexes	75-84 years	160,406	1,137,803	143,201	81,659	1,991	223,663
2020/2021	All Sexes	85 years and over	174,819	1,380,014	141,333	73,107	1,869	244,677
2020/2021	All Sexes	All Ages	583,025	4,670,519	511,774	285,880	9,146	816,789
2020/2021	Female	0-17 years	133	18,856	336	26	83	526
2020/2021	Female	18-29 years	880	23,157	983	418	73	1,515
2020/2021	Female	30-39 years	2,360	39,510	2,328	1,102	162	3,741
2020/2021	Female	40-49 years	6,182	67,088	5,788	3,062	221	9,109
2020/2021	Female	50-64 years	32,750	294,275	32,389	17,680	911	48,264
2020/2021	Female	65-74 years	50,543	393,897	47,230	26,720	864	71,807
Yearly				Mo	onthly			Total

Microsoft Power BI  $\langle 3 \text{ of } 3 \rangle$ 

NOTE: Empty data cells represent counts between 1-9 that have been suppressed in accordance with NCHS confidentiality standards. Number of deaths reported in this table are the total number of deaths received and coded as of the date of analysis and may not represent all deaths that occurred in that period. Counts of deaths occurring before or after the reporting period are not included in the table. Data during recent periods are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death. United States death counts include the 50 states, plus the District of Columbia and New York City. New York state estimates exclude New York City.


- [1] Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1.
- [2] Counts of deaths involving pneumonia (J12.0-J18.9) include pneumonia deaths that also involve COVID-19 and exclude pneumonia deaths involving influenza.
- [3] Counts of deaths involving influenza (J09-J11) include deaths with pneumonia or COVID-19 also listed as a cause of death.
- [4] Deaths with confirmed or presumed COVID-19, pneumonia, or influenza, coded to ICD-10 codes U07.1 or J09-18.9.

#### Provisional Death Counts for Coronavirus Disease 2019 (COVID-19) By Week of Death



## Race and Hispanic origin

Data by race and Hispanic origin are available at the national, state, and county level. Data by race and Hispanic origin is also available by age at the national and state level. Click here to visit the NCHS Health Disparities page.



# Place of death

Table 2 presents death counts involving COVID-19 and other select causes of death by time-period in which the death occurred, and the place of death. For data on deaths involving COVID-19 by time-period, jurisdiction and the place of death, Click here to download. For data on deaths involving COVID-19 by time-period, jurisdiction, place of death, and age group, Click here to download.

Table 2. Deaths involving coronavirus disease 2019 (COVID-19), pneumonia, and influenza reported to NCHS by time-period, jurisdiction of occurrence, and place of death.

**Data as of:** 6/2/2021

State				Place of Death					
United St	ates	~		All		~			
Year in which death occurred	State		Place of Death	All Deaths involving COVID-19 [1]	Deaths from All Causes	Deaths involving Pneumonia [2]	Deaths involving COVID-19 and Pneumonia [2]	All Deaths involving Influenza [3]	Deaths involving Pneumonia, Influenza, or COVID-19 [4]
2020/2021	United States	Deceder	nt's home	41,513	1,562,829	34,755	10,834	1,734	66,311
2020/2021	United States	Healthca	are setting, dead on arriva	1 531	13,112	329	142	17	735
2020/2021	United States	Healthcare setting, inpatient		381,771	1,451,399	380,854	232,106	5,790	535,979
2020/2021	United States	Healthcare setting, outpatient or emergency room		18,909	276,856	14,867	6,165	389	27,983
2020/2021	United States	Hospice facility		16,959	275,899	22,057	8,391	404	31,015
2020/2021	United States	Nursing home/long term care facility		lity 111,261	770,642	50,559	24,847	657	137,593
2020/2021	United States	Other		11,896	316,417	8,242	3,341	152	16,929
2020/2021	United States	Place of	death unknown	198	3,482	122	60	3	262
2020/2021	United States	Total - A	All Places of Death	583,038	4,670,636	511,785	285,886	9,146	816,807
Y	early	)		Monthl	y				Total

Microsoft Power BI  $\langle 3 \text{ of } 3 \rangle$ 

NOTE: Empty data cells represent counts between 1-9 that have been suppressed in accordance with NCHS confidentiality standards. Number of deaths reported in this table are the total number of deaths received and coded as of the date of analysis and may not represent all deaths that occurred in that period. Counts of deaths occurring before or after the reporting period are not included in the table. Data during recent periods are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death. United States death counts include the 50 states, plus the District of Columbia and New York City. New York state estimates exclude New York City. [1] Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1.

- [2] Counts of deaths involving pneumonia (J12.0-J18.9) include pneumonia deaths that also involve COVID-19 and exclude pneumonia deaths involving influenza.
- [3] Counts of deaths involving influenza (109-111) include deaths with pneumonia or COVID-19 also listed as a cause of death.
- [4] Deaths with confirmed or presumed COVID-19, pneumonia, or influenza, coded to ICD-10 codes U07.1 or J09-18.9.

### Comorbidities and other conditions

Table 3 shows the types of health conditions and contributing causes mentioned in conjunction with deaths involving coronavirus disease 2019 (COVID-19). The number of deaths that mention one or more of the conditions indicated is shown for all deaths involving COVID-19 and by age groups. For over 5% of these deaths, COVID-19 was the only cause

mentioned on the death certificate. For deaths with conditions or causes in addition to COVID-19, on average, there were 4.0 additional conditions or causes per death. For data on deaths involving COVID-19 by time-period, jurisdiction, and other health conditions, Click here to download.

Table 3. Number of COVID-19 deaths with contributing conditions, by time-period, jurisdiction of occurrence, and age-group.									<b>Data as of:</b> 5/30/2021		
State	Attribute	Condit	ion Group	)	С	ondition					
United States	COVID-19 Deaths	✓ All			✓ A	.II		~			
Year in which death occurred ▼	Conditions contributing to deaths where COVID-19 was listed on the death certificate [1]	All Ages	0-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85+ /years	
2020/2021	Influenza and pneumonia	267,631	409	1,865	4,961	14,705	37,388	64,933	75,007	68,357 J	
2020/2021	Chronic lower respiratory diseases	51,497	58	173	407	1,278	5,226	12,626	17,218	14,510 J	
2020/2021	Adult respiratory distress syndrome	60,709	164	647	1,726	5,103	11,673	17,486	14,833	9,076 J	
2020/2021	Respiratory failure	219,118	312	1,304	3,608	11,228	29,681	53,894	63,358	55,729 ]	
2020/2021	Respiratory arrest	12,261	20	75	183	534	1,384	2,532	3,406	4,127 l	
2020/2021	Other diseases of the respiratory system	24,683	71	216	504	1,380	3,558	6,017	6,907	6,030 J	
2020/2021	Hypertensive diseases	114,274	39	336	1,419	4,778	13,583	25,548	32,086	36,482 1	
2020/2021	Ischemic heart disease	63,550	13	81	344	1,580	5,858	13,533	20,049	22,090 1	
2020/2021	Cardiac arrest	70,615	137	583	1,578	4,606	10,693	16,950	18,402	17,665 l	
2020/2021	Cardiac arrhythmia	43,291	27	90	247	922	3,241	8,032	13,473	17,259 1	
2020/2021	Heart failure	44,527	21	112	328	1,072	3,405	7,893	12,970	18,725 1	
2020/2021	Cerebrovascular diseases	28,896	31	90	297	1,035	3,152	6,379	8,405	9,506 1	
2020/2021	Other diseases of the circulatory system	37,572	128	350	770	2,029	4,916	8,511	10,181	10,686 1	
2020/2021	Sepsis	55,861	117	455	1,289	3,888	9,733	16,044	14,788	9,546	
2020/2021	Malignant neoplasms	27,813	68	110	320	1,044	3,607	7,420	8,600	6,644 (	
2020/2021	Diabetes	92,804	111	534	1,892	5,944	15,144	25,659	25,770	17,748 l	
2020/2021	Obesity	23,385	239	974	2,084	3,928	6,000	6,158	3,192	809 1	
Yearly			Month	nly					Tota		

Microsoft Power BI  $\langle 3 \text{ of } 3 \rangle$ 


NOTE: Empty data cells represent counts between 1-9 that have been suppressed in accordance with NCHS confidentiality standards. Conditions contributing to the death were identified using the International Classification of Diseases, Tenth Revision (ICD-10). Deaths involving more than one condition (e.g., deaths involving both diabetes and respiratory arrest) were counted in both totals. To avoid counting the same death multiple times, the numbers for different conditions should not be summated. Some deaths involve more than one of the same condition category (e.g. deaths involving unintentional and intentional injury often include two or more injury ICD-10 codes), the number of mentions presented on the table above represents the number of instances where the condition was cited on the death certificate. Number of deaths and number of mentions reported in this table are tabulated from deaths received and coded as of the date of analysis and do not represent all deaths that occurred in that period. Data for this table are derived from a cut of the National Vital Statistics System (NVSS) database taken at a particular time, separate from other surveillance tables on this page which are tabulated on the date of update. As a result, the total number of COVID-19 deaths in this table may not match other surveillance tables on this page. Data during recent periods are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death. United States death counts include the 50 states, plus the District of Columbia and New York City. New York state estimates exclude New York City.

[1] Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1.

### Excess deaths

See the NCHS Excess Deaths Data Visualization.

This data visualization presents data on weekly counts of all-cause mortality by jurisdiction of occurrence. Counts of deaths in the most recent weeks are compared with historical trends to determine whether the number of deaths in recent weeks is significantly higher than expected.



# Additional data (leading causes of death, county, etc.)

## Leading causes of death



#### Weekly final data for 2014–2019

Weekly counts of leading causes of death based on final underlying cause mortality data for years 2014–2019, by state.



#### Monthly final data for 2014–2019

Monthly counts of leading causes of death, including injury-related causes, based on final underlying cause mortality data for years 2014–2019, for the U.S.



# Weekly provisional data for 2020–2021

Weekly counts of leading causes of death based on provisional underlying cause mortality data for 2020–2021, by state.



# Monthly provisional data for 2020–2021

Monthly counts of leading causes of death, including injury-related causes, based on provisional underlying cause mortality data for 2020–2021, for the U.S.

### County-level data



# Provisional COVID-19 Death Counts in the United States by County

Deaths involving COVID-19 and total deaths per county. Counties included in this file had 10 or more COVID-19 deaths at the time of analysis.



# Provisional COVID-19 Deaths by County and Race and Hispanic Origin

Deaths involving COVID-19 and total deaths per county, by race and Hispanic origin for counties with more than 100 COVID-19 deaths.

### **Urban/Rural Status**



# Provisional COVID-19 Deaths by Urbanicity and Week

Deaths involving COVID-19 and total deaths, by week and urbanicity. Urbanicity is defined as metropolitan and non-metropolitan, using the NCHS Urban-Rural classification scheme.

### Understanding the Numbers: Provisional Death Counts and COVID-19

Provisional death counts deliver the most complete and accurate picture of lives lost to COVID-19. They are based on death certificates, which are the most reliable source of data and contain information not available anywhere else, including comorbid conditions, race and ethnicity, and place of death.

#### How it Works

The National Center for Health Statistics (NCHS) uses incoming data from death certificates to produce provisional COVID-19 death counts. These include deaths occurring within the 50 states and the District of Columbia.

NCHS also provides summaries that examine deaths in specific categories and in greater geographic detail, such as deaths by county and by race and Hispanic origin.

**COVID-19 deaths are identified using a new ICD-10 code.** When COVID-19 is reported as a cause of death – or when it is listed as a "probable" or "presumed" cause — the death is coded as **U07.1**. This can include cases with or without laboratory confirmation.

## Why These Numbers are Different

Provisional death counts may not match counts from other sources, such as media reports or numbers from county health departments. Counts by NCHS often track 1–2 weeks behind other data.

- **Death certificates take time to be completed.** There are many steps to filling out and submitting a death certificate. Waiting for test results can create additional delays.
- **States report at different rates.** Currently, 63% of all U.S. deaths are reported within 10 days of the date of death, but there is significant variation between states.
- It takes extra time to code COVID-19 deaths. While 80% of deaths are electronically processed and coded by NCHS within minutes, most deaths from COVID-19 must be coded by a person, which takes an average of 7 days.
- Other reporting systems use different definitions or methods for counting deaths.

### Things to know about the data

**Provisional counts are not final and are subject to change.** Counts from previous weeks are continually revised as more records are received and processed.

**Provisional data are not yet complete.** Counts will not include all deaths that occurred during a given time period, especially for more recent periods. However, we can estimate how complete our numbers are by looking at the average number of deaths reported in previous years.

**Death counts should not be compared across states.** Some states report deaths on a daily basis, while other states report deaths weekly or monthly. State vital record reporting may also be affected or delayed by COVID-19 related response activities.

For more detailed technical information, visit the Provisional Death Counts for Coronavirus Disease 2019 (COVID-19) Technical Notes page.

Page last reviewed: June 2, 2021

Content source: National Center for Health Statistics