



COVID-19

To maximize protection from the Delta variant and prevent possibly spreading it to others, wear a mask indoors in public if you are in an area of substantial or high transmission.

What You Need to Know about Variants

Updated Aug. 6, 2021

Print



About the Delta Variant: Vaccines are highly effective against severe illness, but the Delta variant causes more infections and spreads faster than earlier forms of the virus that causes COVID-19.

Viruses constantly change through mutation, and new variants of a virus are expected to occur. Sometimes new variants emerge and disappear. Other times, new variants persist. Numerous variants of the virus that causes COVID-19 are being tracked in the United States and globally during this pandemic.

Top Things You Need to Know

- 1. Variants are expected. The best way to slow the emergence of new variants is to reduce the spread of infection by taking measures to protect yourself including getting a COVID-19 vaccine when available.
- 2. Vaccines keep you from getting sick, being hospitalized, or dying from COVID-19.
- 3. All COVID-19 tests can detect all variants, but they will not tell you which variant you have.



Vaccines

- FDA-authorized COVID-19 vaccines protect against Delta and other known variants.
- These vaccines are effective at keeping people from getting COVID-19, getting very sick, and dying.
- People who are vaccinated are also less likely to spread COVID-19.
- We don't know how effective the vaccines will be against new variants that may arise.



Symptoms

- Most variants cause similar COVID-19 symptoms.
- Some variants may cause more people to get sicker and die, for example, Alpha and Delta variants.



Masks

- Wearing a mask is one way to reduce the spread of Delta and other variants.
- People who are not fully vaccinated should wear a mask indoors in public at all levels of community transmission. CDC recommends that people who are fully vaccinated should wear a mask indoors in areas of substantial or high transmission.

- Wearing a mask is most important if you have a weakened immune system or if, because of your
 age or an underlying medical condition, you are at increased risk for severe disease, or if someone
 in your household has a weakened immune system, is at increased risk for severe disease, or is
 unvaccinated. If this applies to you or your household, you might choose to wear a mask
 regardless of the level of transmission in your area.
- If you have a condition or are taking medications that weaken your immune system, you
 may not be fully protected even if you are fully vaccinated. You should continue to take all
 precautions recommended for unvaccinated people until advised otherwise by your healthcare
 provider.
- People who are NOT vaccinated, should continue to take steps to protect themselves.



Testing

- All tests work for all variants, but they will not tell you which variant you have.
- As new variants emerge, scientists will continue to evaluate how well tests work.

Types of Variants

Scientists monitor all variants but may classify certain ones as variants of interest, concern, or high consequence based on how easily they spread, how severe their symptoms are, and how they are treated.

Some variants seem to spread more easily and quickly than other variants, which may lead to more cases of COVID-19. An increase in the number of cases will put more strain on healthcare resources, lead to more hospitalizations, and potentially more deaths.

Variants of Concern in the US



Alpha - B.1.1.7

First identified: United Kingdom

Spread: Spreads much faster than other variants

Severe illness and death: May potentially cause more people to get sicker and to die

Vaccine: Currently authorized vaccines do work against this variant. Some breakthrough infections in fully vaccinated people are expected but remain rare. All vaccines are particularly effective against severe illness, hospitalization, and death.

Treatments: Treatments are effective against this variant



Beta - B.1.351

First identified: South Africa

Spread: May spread faster than other variants

Severe illness and death: Current data do not indicate more severe illness or death than other variants

Vaccine: Currently authorized vaccines do work against this variant. Some breakthrough infections are expected, but remain rare. All vaccines are particularly effective against severe illness, hospitalization and death.

Treatments: Certain monoclonal antibody treatments are less effective against this variant



Gamma - P.1

First identified: Japan/Brazil

Spread: Spreads faster than other variants



Delta - B.1.617.2

First identified: India

Spread: Spreads much faster than other variants

Severe illness and death: Current data do not indicate more severe illness or death than other variants

Vaccine: Currently authorized vaccines do work against this variant. Some breakthrough infections are expected, but remain rare. All vaccines are particularly effective against severe illness, hospitalization and death.

Treatments: Certain monoclonal antibody treatments are less effective against this variant

Severe illness and death: May cause more severe cases than the other variants

Vaccine: Infections happen in only a small proportion of people who are fully vaccinated, even with the Delta variant. Some breakthrough infections are expected, but remain rare. However, preliminary evidence suggests that fully vaccinated people who do become infected with the Delta variant can spread the virus to others. Learn more here. All vaccines are particularly effective against severe illness, hospitalization and death.

Treatments: Certain monoclonal antibody treatments are less effective against this variant

Related Pages

- > Variant Proportions
- > SARS-CoV-2 Sequences

Last Updated Aug. 6, 2021