


SUPPLEMENTARY FIGURE 1. Estimated vaccination uptake* with ≥1 HPV vaccine dose among adolescents aged 13–17†,



Abbreviations: HPV = human papillomavirus virus

*Kaplan-Meier techniques are used to calculate uptake estimates for each month, and the last estimate for each month was assumed

†Adolescents (N=18,788) in the 2019 NIS-Teen were born January 2001 to January 2007. Adolescents (N = 20,163) in the 2020 NIS-Teen


MONTHS	EST 2020	EST 2019
MARCH	0.8	1.4
APRIL	0.9	2.6
MAY	1.6	4.3
JUNE	2.9	6.6
JULY	5.0	9.1
AUGUST	7.3	12.2
SEPTEMBER	8.8	13.7
OCTOBER	10.8	14.6
NOVEMBER	13.5	14.9

DECEMBER

15.2

15.0

years who had not received a dose of HPV vaccine as of March 1st — National Immunization Survey–Teen (NIS-Teen), I



l to be the estimate for the entire month.

en were born January 2002 through January 2008. In 2019, 4,918 adolescents had not received a dose of HPV vaccine and had not be

United States, 2019 and 2020

en interviewed as of March 1, 2019. In 2020, 4,527 adolescents had not received a dose of HPV vaccine and had not been interviewe

d as of March 1, 2020.

