



# HHS Public Access

Author manuscript

*J Phys Act Health*. Author manuscript; available in PMC 2022 February 28.

Published in final edited form as:

*J Phys Act Health*. 2019 September 01; 16(9): 772–779. doi:10.1123/jpah.2018-0623.

## Stepping Up Active Transportation in Community Health Improvement Plans: Findings From a National Probability Survey of Local Health Departments

**Meera Sreedhara,**

Division of Preventive and Behavioral Medicine, Department of Population & Quantitative Health Sciences, University of Massachusetts Medical School, Worcester, MA, USA.

Clinical & Population Health Research PhD Program, Graduate School of Biomedical Sciences, University of Massachusetts Medical School, Worcester, MA, USA.

**Karin Valentine Goins,**

Division of Preventive and Behavioral Medicine, Department of Population & Quantitative Health Sciences, University of Massachusetts Medical School, Worcester, MA, USA.

**Christine Frisard,**

Division of Preventive and Behavioral Medicine, Department of Population & Quantitative Health Sciences, University of Massachusetts Medical School, Worcester, MA, USA.

**Milagros C. Rosal,**

Division of Preventive and Behavioral Medicine, Department of Population & Quantitative Health Sciences, University of Massachusetts Medical School, Worcester, MA, USA.

**Stephenie C. Lemon**

Division of Preventive and Behavioral Medicine, Department of Population & Quantitative Health Sciences, University of Massachusetts Medical School, Worcester, MA, USA.

### Abstract

**Background:** Local health departments (LHDs) are increasingly involved in Community Health Improvement Plans (CHIPs), a collaborative planning process that represents an opportunity for prioritizing physical activity. We determined the proportion of LHDs reporting active transportation strategies in CHIPs and associations between LHD characteristics and such strategies.

**Methods:** A national probability survey of US LHDs (<500,000 residents; 30.2% response rate) was conducted in 2017 (n = 162). LHDs reported the inclusion of 8 active transportation strategies in a CHIP. We calculated the proportion of LHDs reporting each strategy. Multivariate logistic regression models determined the associations between LHD characteristics and inclusion of strategies in a CHIP. Weights were applied.

**Results:** 45.6% of US LHDs reported participating in a CHIP with 1 active transportation strategy. Proportions for specific strategies ranged from 22.3% (Safe Routes to School) to 4.1%

(Transit-Oriented Development). Achieving national accreditation (odds ratio [OR] = 3.67; 95% confidence interval [CI], 1.11–12.05), pursuing accreditation (OR = 3.40; 95% CI, 1.25–9.22), using credible resources (OR = 5.25; 95% CI, 1.77–15.56), and collaborating on a Community Health Assessment (OR = 4.48; 95% CI, 1.23–16.29) were associated with including a strategy in a CHIP after adjusting for covariates.

**Conclusions:** CHIPs are untapped tools, but national accreditation, using credible resources, and Community Health Assessment collaboration may support strategic planning efforts to improve physical activity.

### Keywords

physical activity; community health planning; public health systems research

---

Active transportation provides the opportunity to achieve recommended amounts of physical activity (PA) and is linked to reductions in adverse cardiovascular outcomes.<sup>1,2</sup> However, a small proportion of US adults and children report walking or biking for transportation.<sup>3,4</sup> Evidence-based policy, systems, and environmental approaches can increase opportunities for PA by changing land use and transportation systems in communities.<sup>5</sup>

The Community Preventive Services Task Force recommends increasing PA through a combination of land use and transportation policies, designs, or projects that improve the built environment based on the findings from a systematic review.<sup>5</sup> One such strategy is the development of mixed-use neighborhoods, characterized by a diverse set of destinations (eg, residential, commercial, and open space) within a neighborhood.<sup>6</sup> Transit-Oriented Development encourages mixed use to enhance the diversity and proximity of destinations near public transit.<sup>7</sup> Individuals using public transit often walk or bike to transit stops, and expanding services, locations, and connections can improve access and opportunities for PA.<sup>5,8</sup> Traffic safety and injury prevention through road safety audits, speed management, and increased injury surveillance and analysis can foster safer walkable communities.<sup>9</sup> Safe Routes to School also aims to increase active commuting to school through enforcing safety as well as education and engineering changes.<sup>10</sup> Smart Growth and Healthy Community design principles recommend combining multiple strategies to promote healthier communities.<sup>11,12</sup> These strategies also include economic, environmental, and safety co-benefits.<sup>13</sup> Although communities possess responsibility for the built environment, creating activity-friendly environments requires action by multiple sectors including municipal (eg, transportation, public works, parks and recreation, land-use planning, and health) and nonmunicipal (eg, community-based organizations, advocates, businesses, hospitals, and residents) entities.<sup>14</sup>

A small body of literature reports that few communities have adopted evidence-based active transportation approaches, which indicates room for improvement.<sup>15–17</sup> In 2015, 25.2% of US municipalities had a Complete Streets policy, which supports a comprehensive approach to make streets safer for all users, but specific land use or transportation strategies were not identified.<sup>15</sup> In addition, most such policies have no implementation plan. Among 89.0% of US municipalities reporting having any type of community plan (ie, comprehensive/general, land use, transportation or bicycle/pedestrian plans), 53.9% reported

street connectivity objectives, and 66.8% mixed-use objectives.<sup>17</sup> Complex strategies aiming to develop compact, mixed use, walkable neighborhoods face a set of fiscal, organizational, and political barriers (eg, lack of community support).<sup>18</sup> In addition, municipal officials report lack of intergovernmental collaboration as a barrier to considering PA in community design and layout.<sup>19</sup>

The development of collaborations is a cornerstone of the Community Health Improvement Plan (CHIP) process, which represents a promising long-term strategic health planning approach to address complex public health issues such as physical inactivity.<sup>20</sup> In 1997, the Institute of Medicine recommended the CHIP process as an effective performance monitoring program to improve community health.<sup>21</sup> The Public Health Accreditation Board now requires CHIP participation for local health department (LHD) accreditation and recommends that the CHIP considers social determinants of health, policy changes, and evidence-based strategies in response to community health needs.<sup>22</sup> The CHIP process may catalyze built environment changes to improve PA because collaborations among community stakeholders can generate shared goals and responsibilities while leveraging resources and guiding allocation, all of which is vital in an era characterized by reduced funding and resources for public health activities.<sup>20,22,23</sup> However, no study has evaluated active transportation strategies included in CHIPS.

Local health departments are primed to play an important role in promoting active transportation, and key stakeholders describe LHDs as providing valuable contributions for PA policy decision making (eg, emphasizing health impacts of built environment policies, data analysis, and developing partnerships)<sup>25</sup> that may benefit the CHIP process. However, only 25% of US LHDs participate in community-level urban design or land use policy and advocacy activities, and fewer (16%) participate in active transportation activities.<sup>26</sup> Previous literature from our team and others have identified LHD characteristics associated with PA policy involvement.<sup>27</sup> Literature describes smaller LHDs serving <50,000 residents as having less capacity to provide essential public health services related to obesity prevention and less participation in PA policy/advocacy activities as compared with large LHDs (>500,000).<sup>26,27</sup> Therefore, CHIPS may help smaller LHDs increase capacity by engaging more partners.<sup>28</sup> While LHDs with a state or shared governance structure or location in the Northeast or South were less likely to report participating in active transportation policy activities, those engaging in performance improvement efforts (ie, CHIP development and Public Health Accreditation Board accreditation) were more likely.<sup>26</sup> This may occur because accreditation sharpens LHD focus on policy work and evidence-based strategies.<sup>26</sup> However, this body of literature is small, and research-assessing characteristics of LHDs reporting active transportation strategies included specifically within CHIPS has yet to be conducted.

The objective of this study was to determine the proportion of US LHDs reporting any of the 8 evidence-based active transportation strategies in a CHIP. In addition, we assessed the association of LHD characteristics with the inclusion of at least one such strategy in a CHIP.

## Methods

### Study Design

A web-based, cross-sectional national probability survey of US LHDs, conducted from June to October 2017, was one activity within a larger research program focused on understanding and increasing the engagement of public health in land use and transportation. The research program is part of the Physical Activity Policy Research Network Plus, which is a Center for Disease Control and Prevention–funded research network aimed at advancing PA policy research. The University of Massachusetts Medical School Institutional Review Board approved this study.

### Description of Sample

Local health department officials were eligible to participate as a representative of their US LHD if they were Directors or held a similar position and their LHD served <500,000 residents. A random sample of 693 US LHDs was selected from a comprehensive list of US LHDs and Directors maintained by the National Association of County and City Health Officials, an organization that supports and represents LHDs across the United States. The sample was drawn using a proportionate stratified sampling design. Strata were defined by US Census geographic region (Northeast, Midwest, South, and West) and population size served (<40,000 or 40,000–499,999).

### Description of Survey Development and Administration

Survey questions about LHD involvement and capacity to participate in evidence-based active transportation policy decision making were developed after a review of the literature and feedback from Physical Activity Policy Research Network Plus colleagues. Survey questions were cognitively tested<sup>31</sup> among LHD practitioners (n = 5). Qualtrics software (Qualtrics, Provo, UT, October 2017) was used to build the web-based survey, and the research team tested the timing and usability of the web-based format. The time to complete the survey was estimated to be 10 to 20 minutes.

We followed a standardized survey administration protocol. The LHD sample received personalized e-mail invitations with a unique link to the web-based survey that included an introduction and instructions. A response to the survey served as consent to participate. Participants were offered the opportunity to enter a raffle for completion. Nonrespondents received an e-mail reminder after 1 week, telephone reminders during weeks 2 and 3, and telephone messages at the third call. Participants who agreed during a reminder call to do the survey but then did not complete it were sent a reminder e-mail with the survey link. Upon request, surveys were resent or sent to another knowledgeable individual within the LHD. We provided telephone administration to 4 participants who were unable to receive the web-based survey through their organizational e-mail.

### Measures

**CHIP Status.**—Response options to the question: “Has your local health department participated in developing a Community Health Improvement Plan?” were, “Yes, within the last three years”; “Yes, more than three but less than five years ago”; “Yes, five or more

years ago”; “No, but plan to do in the next year”; “No”; or “Don’t know.” We subsequently generated a new dichotomous variable to align with Public Health Accreditation Board’s requirement of LHDs seeking accreditation to provide a CHIP dated within 5 years.<sup>22</sup> Responses of “don’t know” were coded as missing.

**LHD Characteristics.**—We evaluated several LHD characteristics identified in the literature as important for PA policies.<sup>26,27,32</sup> The characteristics included population size served,<sup>26,27</sup> structure,<sup>26,27</sup> Public Health Accreditation Board status,<sup>26</sup> Community Health Assessment status,<sup>26</sup> engagement with nonprofit hospital on Community Health Assessment, use of credible resources,<sup>32</sup> US Census geographic region,<sup>26</sup> and governance.<sup>26,27</sup> Population size served was initially determined by LHD responses to the question “What is the approximate size of your local health department’s service area?” The five response options were <25,000, 25,000–49,999, 50,000–99,999, 100,000–249,999, 250,000–499,999 and the latter 2 were collapsed due to small cell sizes. Structure was assessed as a 7-category variable and recategorized due to small cell sizes. The final structure categories were municipal, county or city-county, and other (including regional, state-run, public health network, or other) health departments. LHD status in the Public Health Accreditation Board’s accreditation program was evaluated as an 8-category variable, and we recoded it as a 3-category variable of achieved accreditation, in progress or planned, and not accredited. Community Health Assessment completion status was asked as a 6-category variable and then recoded similar to the CHIP status variable based on Public Health Accreditation Board guidance on Community Health Assessments into a dichotomous variable of “Yes, within the last five years” or “No, or five or more years.”<sup>22</sup> LHDs were asked to describe the extent of the LHD’s engagement with nonprofit hospitals on a Community Health Assessment, and response options were recoded into a categorical variable of “Yes, current or past collaboration,” “No current or past collaboration.” LHDs reported on 8 resources used to guide inclusion of policy strategies in the CHIP, from which a categorical variable was generated as “Yes, the Community Guide, National Prevention Strategy or Healthy People 2020 were used” or “No, did not use credible resource.” For this variable, LHDs that did not participate in a CHIP within the past 5 years were recoded as not using credible resource in a CHIP in the past 5 years.

We used administrative records from the National Association of County and City Health Officials for 2 variables. US Census geographic region was assessed as Midwest, Northeast, South, and West. States were classified using the Association of State and Territorial Health Officials definition to generate a state and LHD governance variable, which was dichotomized due to small cell size as “centralized, shared, or mixed” or “decentralized.”<sup>33</sup>

**Outcomes.**—The outcomes in this analysis were LHD report of inclusion in a CHIP of 8 evidence-based strategies that support active transportation and PA: traffic safety and injury prevention, traffic-related injury surveillance and data analysis, Safe Routes to School, transit access, mixed land use neighborhoods, Transit-Oriented Development, Smart Growth, and Healthy Community design.<sup>5,9</sup> LHDs were asked to report if each of the 8 strategies was included in a CHIP within the past 5 years. Each specific strategy was recoded as “not included in a CHIP” if the LHD did not participate in a CHIP within the past 5 years. A

dichotomous summary variable was created to indicate that at least one of these 8 strategies was included in a CHIP or not.

### Statistical Analysis

To produce nationally representative estimates, inverse probability sampling weights were generated and applied for each stratum. The weights accounted for the stratified simple random sampling design, differential response rates, and analysis of surveys with complete data on CHIP status, covariates, and outcomes by strata. First, the sampling probability for each stratum was calculated by dividing the number of LHDs sampled in each stratum by the total number of US LHDs in that stratum. Second, the response probability was calculated by dividing the number of survey respondents in each stratum by the number of LHDs sampled in each stratum. Third, the completion probability was calculated by dividing the number of LHDs with complete responses for CHIP status, covariates, and outcome data by the total number of survey respondents for each stratum. For each stratum, the realized sampling probability was the production of LHD-level sampling probability, response probability, and completion probability. We calculated the inverse of the realized sampling probability to generate the final weights used in statistical analyses. We proportionally trimmed the final weights to reflect the true population of US LHDs serving <500,000 residents (n = 2390).

Local health departments were eligible for this analysis if they had complete data on CHIP status, LHD characteristics, and each of the 8 outcome measures. We conducted 2 sensitivity analyses to compare LHD responders and nonresponders and LHDs with complete data against those with incomplete data using chi-square tests to assess nonresponse and selection bias. Continuous variables were summarized as weighted means. Categorical LHD characteristics and active transportation strategies were calculated as weighted frequencies, proportions, and 95% confidence intervals (CIs). A logistic regression model was developed to assess which LHD characteristics were associated with the presence of at least one of the 8 evidence-based active transportation strategies in a CHIP. An iterative process identified the following covariates that changed the regression coefficient by 10% and were included in the final model: size of population served, structure, state and LHD governance, accreditation status, engagement with hospital on Community Health Assessment status, used credible resource, and US Census geographic region.<sup>34</sup> We did not include Community Health Assessment status in the development of the model because of lack of variability in responses. Collinearity was evaluated using a cutoff point of variance inflation factors (>10). Model fit was assessed using the Hosmer–Lemeshow test. We used Stata for all analyses (version 13.1; StataCorp LP, College Station, TX).

### Results

The survey response rate was 30.2% (209/693). Of the LHDs that completed the survey, we excluded LHDs missing data on CHIP status (n = 12), outcomes (n = 19), and any covariates (n = 16). The final analytic sample of 162 LHDs represents 2390 US LHDs. Sensitivity analyses, comparing LHD responders and nonresponders, and LHDs with complete data against those with incomplete data, found no statistically significant

differences between these groups with respect to LHD jurisdiction, governance, geographic region, and population size served, indicating limited nonresponse or selection bias.

Two-thirds of the US LHDs in this sample served populations of 49,999 residents, and 36.1% were in the Midwest. A large proportion were county-based or city-county (70.4%) and had a decentralized structure (77.7%). Most LHDs were not accredited by the Public Health Accreditation Board (57.5%), but had completed a Community Health Assessment (87.9%) and collaborated with one or more nonprofit hospitals on a Community Health Assessment (75.9%). Two-thirds of LHDs reported using a credible resource to guide the selection of policies in a CHIP (64.0%) (Table 1).

Fewer than half of all US LHDs reported participating in a CHIP within the past 5 years that included at least one evidence-based active transportation strategy (45.6%; 95% CI, 37.2%–54.3%). The proportion of US LHDs reporting inclusion of each of the 8 specific active transportation strategies ranged from 22.3% (95% CI, 15.9%–30.5%) for Safe Routes to School to 4.1% for Transit-Oriented Development (95% CI, 1.7%–9.6%) (Table 2).

The association between LHD characteristics and presence of at least one evidence-based active transportation strategy in a CHIP is reported in Table 3. After adjusting for other covariates, US LHDs accredited by the Public Health Accreditation Board (odds ratio [OR] = 3.67; 95% CI, 1.11–12.05) and those planning or pursuing accreditation (OR = 3.40; 95% CI, 1.25–9.22) were more than 3 times as likely to include at least one evidence-based active transportation strategy in a CHIP compared with LHDs that were not nationally accredited. US LHDs that used a credible resource to select CHIP policy strategies (OR = 5.25; 95% CI, 1.77–15.56) or current or past collaboration with 1 nonprofit hospital on a Community Health Assessment (OR = 4.48; 95% CI, 1.23–16.29) were also more likely to include evidence-based active transportation strategies than LHDs that did not use such resources or collaborate with a hospital after adjusting for other covariates.

## Discussion

This national probability survey determined that less than half of LHDs in the US serving <500,000 residents participated in the development of a CHIP that included at least one evidence-based strategy supportive of active transportation. The types and proportions of active transportation strategies reported in the current study ranged widely. LHDs pursuing accreditation or accredited by the Public Health Accreditation Board, engaging with at least one nonprofit hospital on a Community Health Assessment, or basing strategies on credible resources were more likely to report any evidence-based active transportation strategy in a CHIP compared with unaccredited LHDs, and LHDs that did not engage in collaboration on a Community Health Assessment and those that did not use a credible resource, respectively.

To our knowledge, this is the first study to document the proportion of evidence-based land use and transportation strategies included in CHIPs nationally. A recent analysis of CHIP documents found a similar proportion (42.4%) included at least one objective related to access to exercise opportunities, public transportation, and community walkability, but these CHIPs were of LHDs serving all population sizes and accredited by the Public Health Accreditation Board.<sup>28</sup> A potential explanation for our finding that less than half

of LHD-associated CHIPs included active transportation strategies is that public health officials traditionally report low engagement in built environment decision making, and so, these types of strategies were infrequently included in CHIPs.<sup>26,35</sup> Transit-Oriented Development and mixed land use neighborhood approaches were among the least reported active transportation strategies included in CHIPs. Two observational studies report that only 5% of all US municipal jurisdictions had Transit-Oriented Development zoning<sup>36</sup> and 6% of all census tracts represent mixed land use neighborhoods,<sup>37</sup> but neither studied the role of strategic health planning in selecting or adopting these approaches. In 2014, 66.8% of US municipalities with any type of community plan reported an objective encouraging mixed land use development, which included municipalities serving large populations.<sup>17</sup> Our finding is somewhat lower, potentially because we surveyed LHDs representing <500,000 residents. CHIPs are untapped tools to improve opportunities for PA in communities. Interventions that increase utilization of strategic planning processes among LHDs to address land use and transportation systems require further investigation.

Perceived and objective safety are well-known barriers to active transportation,<sup>38,39</sup> but a small proportion of LHDs reported CHIPs including strategies related to traffic safety and injury prevention and traffic-related injury surveillance and data analysis. Transportation and public health authorities recommend these approaches as a means to reduce the number of traffic deaths and injuries sustained by pedestrians and bicyclists in the United States, which have been increasing in recent years.<sup>39-42</sup> These sectors also agree that enhancing the safety of transportation systems and altering built environment require cross-sector collaboration.<sup>39-41</sup> Case studies highlight collaborations as central to moving transportation-focused and activity-friendly design strategies forward.<sup>43</sup> CHIPs can generate sustainable solutions by fostering collaborations between sectors to set shared goals, develop accountability, and leverage resources.<sup>20</sup>

Funding and national endorsement of active commuting to school as a public health strategy to reduce child physical inactivity may motivate communities and also explain why Safe Routes to School was the most commonly reported strategy in this study.<sup>44,45</sup> The prescribed elements of this approach, such as engineering changes to the built environment and equity, overlap with the principles of other less frequently reported strategies, such as Healthy Community design.<sup>10</sup> Communities may consider adopting an active transportation strategy with greater name recognition, such as Safe Routes to School, that generates benefits for all community members through subsequent built environment and safety improvements, as a point of entry for future land use or transportation projects.

Our study documents that accreditation by the Public Health Accreditation Board, use of credible resources, and collaboration with a nonprofit hospital on a Community Health Assessment are important factors for supporting active transportation in a CHIP. These associations are likely driven by the Public Health Accreditation Board accreditation process, which requires a CHIP within the past 5 years and recommends including evidence-based strategies selected from resources, such as the National Prevention Strategy, Community Guide, or Healthy People 2020.<sup>22</sup> A previous survey of US LHDs also linked PA policy/advocacy activities and Public Health Accreditation Board accreditation status.<sup>26</sup> Another national survey of LHDs found an association between LHD completion of a CHIP



and collaboration with a hospital on a Community Health Assessment.<sup>46</sup> An implication of the current study is that the accreditation process may have a greater impact on selecting evidence-based strategies to improve PA because it sets standards and guidelines for CHIP development that LHDs are required to achieve.<sup>22</sup>

We did not find relationships with several LHD characteristics believed to be important for PA policy processes. Previous literature determined positive relationships between LHD size, structure and governance, and obesity policy/advocacy activities even after adjustment.<sup>26,27</sup> Our null associations may be an artifact of a small sample size or may suggest that performance improvement characteristics have a stronger impact on active transportation evidence-based decision making than demographic characteristics, such as size of population served. Findings in a recent article, analyzing types of partners' LHDs collaborated with those described in CHIP documents submitted by nationally accredited LHDs, support the latter hypothesis.<sup>28</sup> Smaller LHDs representing populations fewer than 100,000 residents, which are often described as having fewer resources and less capacity, were more likely than larger LHDs to include each of the partner types assessed (eg, law enforcement, politicians, business, citizens etc). Therefore, the accreditation and simultaneous CHIP development process likely catalyze cross-sector collaborations that bolster the capacity of smaller LHDs making size less of a barrier.

This study includes a number of limitations. Most of the covariates and the outcomes were self-reported and are subject to recall bias. Misclassification of the outcomes and subsequent underestimation of the proportion of LHDs participating in a CHIP with these strategies may have occurred. This was likely nondifferential by exposure covariate status, especially because CHIP documents largely exist in the public domain, and possibly did not affect the associations observed between the covariates and the primary study outcome. It is important to note that communities might be engaged in efforts to improve active transportation through land use and transportation initiatives, but that these were not included in a recent CHIP. We could not adjust for funding, resources, or stakeholders involved in CHIP development because of missing data, which may have resulted in the observed and unobserved relationships between LHD characteristics and our outcomes. The survey used a cross-sectional design, so the relationships cannot be described as causal, but these findings provide preliminary knowledge on a topic that is currently understudied. While selection bias is possible due to a low survey response rate and complete case analysis, a strength of this study is the sensitivity analysis that demonstrated that respondents and nonrespondents and LHDs with missing and complete data were similar with respect to LHD characteristics. Inverse probability weights were also applied to the analysis to account for nonresponse, sampling design, and completion probability.

Strengths of this study include reporting the status of evidence-based active transportation strategies included in CHIPs across the United States and investigating LHD characteristics associated with the inclusion of such strategies. This study also aimed to extend the literature on CHIPs and strategies that promote active transportation at the local level. The findings may be generalizable to US LHDs representing small and medium communities that seek more guidance on evidence-based decision making to promote active transportation.

## Conclusions

Local health departments are increasingly participating in CHIPs, which can provide communities with a method for galvanizing collaboration and building capacity. Such elements are necessary for improving built environments and addressing complex health issues such as physical inactivity. Although our study suggests that less than half of LHDs use this strategic planning process to support active transportation, we also identified possible venues for improvement. For instance, implementing a more popular approach, such as Safe Routes to School, may help soften the ground for other land use or transportation projects. Future research should consider approaches supportive of evidence-based strategic planning, which represents an opportunity for prioritizing active transportation strategies and enhancing physical activity.

## Acknowledgments

The authors would like to thank the local health department officials who participated in the survey. This work is a product of a Prevention Research Center and collaboration with the Division of Nutrition, Physical Activity and Obesity. Support was provided by the CDC (U48 DP005031-05) (C.F. and M.C.R.) and Physical Activity Policy Research Network Plus (U48 DP005031-05S1) (M.S., K.V.G., and S.C.L.). The UMass CCTS (UL1TR001453) and NHLBI/NIH (F31HL142139) (M.S.) provided additional funding. The findings reported are those of the authors and do not represent the official position of the funding institutions. The authors report no conflicts of interest.

## References

1. Dinu M, Pagliai G, Macchi C, Sofi F. Active commuting and multiple health outcomes: a systematic review and meta-analysis. *Sports Med.* 2019;49(3):437–452. doi:10.1007/s40279-018-1023-0 [PubMed: 30446905]
2. Hamer M, Chida Y. Active commuting and cardiovascular risk: a meta-analytic review. *Prev Med.* 2008;46(1):9–13. doi:10.1016/j.ypmed.2007.03.006 [PubMed: 17475317]
3. McDonald NC, Brown AL, Marchetti LM, Pedroso MS. U.S. school travel, 2009 an assessment of trends. *Am J Prev Med.* 2011;41(2): 146–151. doi:10.1016/j.amepre.2011.04.006 [PubMed: 21767721]
4. Quinn TD, Jakicic JM, Fertman CI, Barone Gibbs B. Demographic factors, workplace factors and active transportation use in the USA: a secondary analysis of 2009 NHTS data. *J Epidemiol Community Health.* 2017;71(5):480–486. doi:10.1136/jech-2016-207820 [PubMed: 27986862]
5. Community Preventive Services Task Force (Task Force). Physical activity: built environment approaches combining transportation system interventions with land use and environmental design. 2016. <https://www.thecommunityguide.org/findings/physical-activity-built-environment-approaches>. Accessed February 28, 2018.
6. Sallis JF, Floyd MF, Rodríguez DA, Saelens BE. The role of built environments in physical activity, obesity, and CVD. *Circulation.* 2012;125(5):729–737. doi:10.1161/CIRCULATIONAHA.110.969022 [PubMed: 22311885]
7. United States Department of Transportation. Transit-Oriented Development. 2018. <https://www.transit.dot.gov/TOD>. Accessed May 17, 2018.
8. Besser LM, Dannenberg AL. Walking to public transit: steps to help meet physical activity recommendations. *Am J Prev Med.* 2005;29(4): 273–280. doi:10.1016/j.amepre.2005.06.010 [PubMed: 16242589]
9. United States Department of Transportation. Transportation and health tool: strategies. 2015. <https://www.transportation.gov/mission/health/strategies-interventions-policies>. Accessed February 28, 2018.
10. Safe Routes to School National Partnership. Safe Routes 101: The 6 Es. 2018. <https://www.saferoutespartnership.org/healthy-communities/101/6Es>. Accessed June 15, 2018.

11. Durand CP, Andalib M, Dunton GF, Wolch J, Pentz MA. A systematic review of built environment factors related to physical activity and obesity risk: implications for smart growth urban planning. *Obes Rev.* 2011;12(5):e173–e182. doi:10.1111/j.1467-789X.2010.00826.x [PubMed: 21348918]
12. Centers for Disease Control and Prevention (CDC): National Center for Environmental Health. Healthy places fact sheets: healthy community design. 2016. <https://www.cdc.gov/healthyplaces/factsheets.htm>. Accessed October 8, 2018.
13. Sallis JF, Spoon C, Cavill N, et al. Co-benefits of designing communities for active living: an exploration of literature. *Int J Behav Nutr Phys Act.* 2015;12(1):30. doi:10.1186/s12966-015-0188-2 [PubMed: 25886356]
14. Heath GW, Brownson RC, Kruger J, Miles R, Powell KE, Ramsey LT. The effectiveness of urban design and land use and transport policies and practices to increase physical activity: a systematic review. *J Phys Act Health.* 2006;3(s1):S55–S76. [PubMed: 28834525]
15. Carlson SA, Paul P, Kumar G, Watson KB, Atherton E, Fulton JE. Prevalence of complete streets policies in U.S. municipalities. *J Transp Health.* 2017;5(suppl C):142–150.
16. Moore LV, Carlson SA, Onufrak S, Carroll DD, Galuska D. Development and implementation of a local government survey to measure community supports for healthy eating and active living. *Prev Med Rep.* 2017;6:74–79. doi:10.1016/j.pmedr.2017.02.005 [PubMed: 28271024]
17. Peterson EL, Carlson SA, Schmid TL, Brown DR. Prevalence of master plans supportive of active living in US municipalities. *Prev Med.* 2018;115:39–46. doi:10.1016/j.ypmed.2018.08.004 [PubMed: 30099046]
18. Cervero R Transit-oriented Development in the United States: Experiences, Challenges, and Prospects. Vol 102. Transportation Research Board; 2004.
19. Goins KV, Schneider KL, Brownson R, et al. Municipal officials' perceived barriers to consideration of physical activity in community design decision making. *J Public Health Manag Pract.* 2013; 19(3)(suppl 1):S65–S73.
20. Rosenbaum SJ. Principles to consider for the implementation of a community health needs assessment process; 2013.
21. Institute of Medicine Committee on Using Performance Monitoring to Improve Community Health. In: Durch JS, Bailey LA, Stoto MA, eds. *Improving Health in the Community: A Role for Performance Monitoring.* Washington, DC: National Academies Press (US) Copyright 1997 National Academy of Sciences; 1997.
22. Public Health Accreditation Board. Standards & measures (version 1.5) 2014. <http://www.phaboard.org/wp-content/uploads/SM-Version-1.5-Board-adopted-FINAL-01-24-2014.docx.pdf>.
23. National Association of County and City Health Officials (NACCHO). 2016 National Profile of Local Health Departments. 2017. <http://nacchoprofilestudy.org/wp-content/uploads/2017/01/Main-Report-Final.pdf>.
24. United States Department of Health and Human Services. *Public Health 3.0: A call to Action to Create a 21st Century Public Health Infrastructure* Washington, DC: US Department of Health and Human Services; 2016.
25. Sreedhara M, Goins KV, Aytur SA, et al. Qualitative exploration of cross-sector perspectives on the contributions of local health departments in land-use and transportation policy. *Prev Chronic Dis.* 2017;14:E118. [PubMed: 29166249]
26. Goins KV, Ye J, Leep CJ, Robin N, Lemon SC. Local health department engagement in community physical activity policy. *Am J Prev Med.* 2016;50(1):57–68. doi:10.1016/j.amepre.2015.06.033 [PubMed: 26410187]
27. Luo H, Sotnikov S, Shah G, Galuska DA, Zhang X. Variation in delivery of the 10 essential public health services by local health departments for obesity control in 2005 and 2008. *J Public Health Manag Pract.* 2013;19(1):53–61. doi:10.1097/PHH.0b013e31824dcd81 [PubMed: 23169404]
28. Kronstadt J, Chime C, Bhattacharya B, Pettenati N. Accredited health department partnerships to improve health: an analysis of community health assessments and improvement plans. *J Public Health Manag Pract.* 2018;24(suppl 3)Supplement, Impact of Public Health Accreditation:S35–S43. [PubMed: 29595596]

29. Brownson RC, Reis RS, Allen P, et al. Understanding administrative evidence-based practices: findings from a survey of local health department leaders. *Am J Prev Med.* 2014;46(1):49–57. doi:10.1016/j.amepre.2013.08.013 [PubMed: 24355671]
30. Lemon SC, Goins KV, Sreedhara M, et al. Developing core capabilities for local health departments to engage in land use and transportation decision making for active transportation [published online ahead of print January 8, 2019]. *J Public Health Manag Pract.* doi:10.1097/PHH.0000000000000948
31. Streiner DL, Norman GR, Cairney J. *Health Measurement Scales: A Practical Guide to Their Development and Use.* USA: Oxford University Press; 2015.
32. Sosnowy CD, Weiss LJ, Maylahn CM, Pirani SJ, Katagiri NJ. Factors affecting evidence-based decision making in local health departments. *Am J Prev Med.* 2013;45(6):763–768. doi:10.1016/j.amepre.2013.08.004 [PubMed: 24237920]
33. Association of State and Territorial Health Officials (ASTHO). *ASTHO Profile of State Public Health, Volume Three.* <http://www.astho.org/Profile/Volume-Three/>. 2014. Accessed March 7, 2018.
34. Rothman KJ, Greenland S, Lash TL. *Modern Epidemiology.* 3rd ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2008.
35. Lemon SC, Goins KV, Schneider KL, et al. Municipal officials' participation in built environment policy development in the United States. *Am J Health Prom.* 2015;30(1):42–49. doi:10.4278/ajhp.131021-QUAN-536
36. Thrun E, Leider J, Chriqui JF. Exploring the cross-sectional association between transit-oriented development zoning and active travel and transit usage in the United States, 2010–2014. *Front Public Health.* 2016;4:113. doi:10.3389/fpubh.2016.00113 [PubMed: 27376054]
37. Blumenberg E, Brown A, Ralph K, Taylor BD, Voulgaris CT. *Typecasting neighborhoods and travelers: analyzing the geography of travel behavior among teens and young adults in the US;* 2015.
38. Buehler R, Götschi T, Winters M. Moving toward active transportation: how policies can encourage walking and bicycling. *Active Living Res.* 2016:1–8.
39. *Violence WHO, Prevention I, Organization WH. Global Status Report on Road Safety 2013: Supporting a Decade of Action.* World Health Organization; 2013.
40. National Association of County and City Health Officials. *Compendium of NACCHO Policy Recommendations.* 2017. <https://www.naccho.org/uploads/downloadable-resources/compendiumofpolicyrecommendations2017.pdf>. Accessed April 3, 2018.
41. Brookshire K, Sandt L, Sundstrom C, Thomas L, Blomberg R. *Advancing pedestrian and bicyclist safety: a primer for highway safety professionals.* 2016.
42. Coleman H, Mizenko K. *Pedestrian and Bicyclist Data Analysis: Traffic Safety Facts: Research Note.* United States. National Highway Traffic Safety Administration; 2018.
43. Baker EA, Wilkerson R, Brennan LK. Identifying the role of community partnerships in creating change to support active living. *Am J Prev Med.* 2012;43(5)(suppl 4):S290–S299. doi:10.1016/j.amepre.2012.07.003 [PubMed: 23079261]
44. Safe Routes to School National Partnership. *Safe Routes 101: Funding History of Safe Routes to School.* 2018. <https://www.saferoutespartnership.org/healthy-communities/101/history>. Accessed June 15, 2018.
45. US Department of Health and Human Services ODPHP. *Healthy people 2020: physical activity.* 2016. <https://www.healthypeople.gov/2020/topics-objectives/topic/physical-activity/objectives>. Accessed June 15, 2018.
46. Singh SR, Carlton EL. Exploring the link between completion of accreditation prerequisites and local health departments' decision to collaborate with tax-exempt hospitals around the community health assessment. *J Public Health Manag Pract.* 2017; 23(2):138–147. doi:10.1097/PHH.0000000000000409 [PubMed: 27598711]
47. Pennel CL, McLeroy KR, Burdine JN, Matarrita-Cascante D. Nonprofit hospitals' approach to community health needs assessment. *Am J Public Health.* 2015;105(3):e103–e113. doi:10.2105/AJPH.2014.302286

**Table 1**

Characteristics of Participating LHDs (n = 162 Unweighted; n = 2390 Weighted)

Characteristics	US LHDs, %
Size of population served	
<25,000	37.0
25,000–49,999	28.8
50,000–99,999	16.3
100,000–499,999	17.9
US Census geographic region	
Midwest	36.1
Northeast	24.1
South	28.4
West	11.4
Structure	
Municipal (city or town) health department	21.1
County health and city-county department	70.4
Other (including state-run and regional)	8.5
State and LHD governance	
Centralized, shared, or mixed	22.4
Decentralized	77.7
Public Health Accreditation Board accreditation status	
Achieved accreditation	17.9
In progress or planned	24.7
Not accredited	57.5
Community Health Assessment completion status	
Yes, within the last 5 y	87.9
No, or 5 or more years ago	12.1
CHIP status	
Yes, participated in CHIP within 5 y	75.5
No, participation in CHIP within 5 y	24.5
Engagement with nonprofit hospitals on a Community Health Assessment	
Yes, current or past collaboration with one or more nonprofit hospitals	75.9
No, current or past collaboration with one or more nonprofit hospitals	24.1
Use of credible resources to guide inclusion of policy strategies in CHIP	
Yes, Community Guide, National Prevention Strategy, or Healthy People 2020	64.0
No, did not use credible resource	36.0

Abbreviations: CHIP, Community Health Improvement Plan; LHDs, local health departments. Note: Totals may not add to 100% due to rounding.

**Table 2**

Proportion of US LHDs With Evidence-Based Active Transportation Strategies Included in a CHIP (n = 162 Unweighted; n = 2390 Weighted)

Strategies	% (95% CI)
Any evidence-based active transportation strategies	45.6 (37.2–54.3)
Traffic safety and injury prevention	19.2 (13.2–27.1)
Traffic-related injury surveillance and data analysis	11.0 (6.5–17.9)
Safe Routes to School	22.3 (15.9–30.5)
Transit access	19.5 (13.6–27.2)
Mixed-use neighborhoods	5.7 (2.7–11.5)
Transit-Oriented Development	4.1 (1.7–9.6)
Smart Growth	5.7 (2.9–10.9)
Healthy Community design	20.6 (14.5–28.3)

Abbreviations: CHIP, Community Health Improvement Plan; CI, confidence interval; LHDs, local health departments.

**Table 3**  
 US LHDs' Characteristics Associated With Any Evidence-Based Active Transportation Strategies Included in a CHIP (n = 162 Unweighted; n = 2390 Weighted), OR (95% Confidence Interval)

Characteristics	Crude OR	Adjusted OR
Size of population served		
<25,000	Ref.	Ref.
25,000–49,999	1.28 (0.50–3.30)	1.15 (0.31–4.24)
50,000–99,999	2.59 (0.99–6.77)	1.44 (0.44–4.74)
100,000–499,999	1.78 (0.68–4.67)	0.58 (0.17–1.96)
Structure of LHD		
Municipal (city or town) health department	Ref.	Ref.
County health and city-county department	<b>2.62(1.05–6.53)</b>	0.64 (0.13–3.08)
Other (including state-run and regional)	<b>4.57 (1.09-19.13)</b>	1.44 (0.23–9.05)
State and LHD governance classification		
Centralized, shared, or mixed	Ref.	Ref.
Decentralized	0.42 (0.17–1.05)	0.31 (0.09–1.13)
Public Health Accreditation Board accreditation status		
Achieved accreditation	<b>4.81 (1.72-13.49)</b>	<b>3.67 (1.11-12.05)</b>
In progress or planned	<b>3.75 (1.61-8.69)</b>	<b>3.40 (1.25-9.22)</b>
Not accredited	Ref.	Ref.
Engagement with nonprofit hospitals on a Community Health Assessment		
Yes, current or past collaboration with one or more nonprofit hospitals	<b>5.40 (1.98-14.72)</b>	<b>4.48 (1.23-16.29)</b>
No, current or past collaboration with one or more nonprofit hospitals	Ref.	Ref.
Use of credible resources to guide inclusion of policy strategies in CHIP		
Yes, Community Guide, National Prevention Strategy, or Healthy People 2020	<b>8.05 (3.30-19.64)</b>	<b>5.25 (1.77-15.56)</b>
No, did not use credible resource	Ref.	Ref.
US census geographic region		
Northeast	0.50 (0.20–1.27)	0.26 (0.6–1.15)
South	1.33 (0.51–3.48)	0.37 (0.10–1.33)
West	0.66 (0.27–1.59)	0.50 (0.17–1.50)
Midwest	Ref.	Ref.

Abbreviations: CHIP, Community Health Improvement Plan; LHDs, local health departments; OR, odds ratio.

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript