



COVID-19

COVID-19 Community Levels

A measure of the impact of COVID-19 illness on health and healthcare systems

Updated Mar. 4, 2022

Overview

More tools than ever before are available to prevent COVID-19 from placing strain on communities and healthcare systems.

With current high levels of vaccination and high levels of population immunity from both vaccination and infections, the risk of medically significant disease, hospitalization, and death from COVID-19 is greatly reduced for most people. At the same time, we know that [some people and communities](#), such as our oldest citizens, people who are immunocompromised, and people with disabilities, are at higher risk for serious illness and face challenging decisions navigating a world with COVID-19.

In addition to protecting those at highest risk of severe outcomes, focusing on reducing medically significant illness and minimizing strain on the healthcare system reflects our current understanding of SARS-CoV-2 infection, immunity from vaccination and infection, and the tools we have available. Vaccines are highly protective against severe disease, and continuing to expand vaccine coverage and ensuring people are [up to date with vaccination](#) is essential to protecting individuals against hospitalizations and deaths.

Health officials and individuals should consider current information about COVID-19 hospitalizations in the community, as well as the potential for strain on the local health system and COVID-19 cases in the community, when making decisions about community prevention strategies and individual behaviors. Communities and individuals should also make decisions based on whether they are at high risk for severe disease and take into account inequities in access to prevention strategies.

COVID-19 Community Levels can help communities and individuals make decisions based on their local context and their unique needs. Community vaccination coverage and other local information, like early alerts from surveillance, such as through wastewater or the number of emergency department visits for COVID-19, when available, can also inform decision making for health officials and individuals.



For Healthcare Facilities: COVID-19 Community Levels do **not** apply in healthcare settings, such as hospitals and nursing homes. Instead, healthcare settings should continue to use [community transmission rates](#) and follow CDC's [infection prevention and control recommendations](#) for healthcare workers.

Error processing SSI file



Scientific Brief: [Indicators for Monitoring COVID-19 Community Levels and Making Public Health Recommendations](#)

Technical Presentation: Indicators for Monitoring COVID-19 Community Levels and Implementing Prevention Strategies [PPT – 8 MB, 28 pages](#)  | [PDF – 5 MB, 28 pages](#) 

How CDC Measures the COVID-19 Community Levels

CDC looks at the combination of three metrics — new COVID-19 admissions per 100,000 population in the past 7 days, the percent of staffed inpatient beds occupied by COVID-19 patients, and total new COVID-19 cases per 100,000 population in the past 7 days — to determine the COVID-19 community level. New COVID-19 admissions and the percent of staffed inpatient beds occupied represent the current potential for strain on the health system. Data on new cases acts as an early warning indicator of potential increases in health system strain in the event of a COVID-19 surge.

Using these data, the COVID-19 community level is classified as low, medium, or high.


COVID-19 Community Levels – Use the Highest Level that Applies to Your Community				
New COVID-19 Cases Per 100,000 people in the past 7 days	Indicators	Low	Medium	High
Fewer than 200	New COVID-19 admissions per 100,000 population (7-day total)	<10.0	10.0-19.9	≥20.0
	Percent of staffed inpatient beds occupied by COVID-19 patients (7-day average)	<10.0%	10.0-14.9%	≥15.0%
200 or more	New COVID-19 admissions per 100,000 population (7-day total)	NA	<10.0	≥10.0
	Percent of staffed inpatient beds occupied by COVID-19 patients (7-day average)	NA	<10.0%	≥10.0%

The COVID-19 community level is determined by the higher of the new admissions and inpatient beds metrics, based on the current level of new cases per 100,000 population in the past 7 days

To find out the COVID-19 community level:

- First determine whether a county, state, or territory has fewer than 200 new cases per 100,000 people in the past 7 days or 200 new cases or more per 100,000 people in the past 7 days.
- Then, determine the level (low, medium, or high) for the new admissions and inpatient beds and indicators using the scale for the area’s number for new cases.
- The COVID-19 Community Level is based on the higher of the new admissions and inpatient beds metrics.
- Check your county’s [COVID-19 Community Level](#).

U.S. COVID–19 Community Levels by County Map



Legend

- High
- Medium
- Low

Data Table (Scroll right for additional data)				
Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Autauga	Alabama	Medium	137.82	11.9
Baldwin	Alabama	Medium	90.94	11.3
Barbour	Alabama	Medium	52.66	15.1
Bibb	Alabama	Medium	49.12	13.9
Blount	Alabama	Medium	138.35	13.9
Bullock	Alabama	Medium	19.8	11.9
Butler	Alabama	Medium	46.28	15.4
Calhoun	Alabama	Medium	293.12	2.9
Chambers	Alabama	Low	39.09	6.8
Cherokee	Alabama	Low	99.25	6.7
Chilton	Alabama	High	285.86	13.9
Choctaw	Alabama	High	278.02	13.2
Clarke	Alabama	Medium	101.6	11.3
Clay	Alabama	Low	37.78	7.7
Cleburne	Alabama	Low	67.07	2.9
Coffee	Alabama	Medium	45.85	15.1
Colbert	Alabama	Medium	153.87	15.3
Conecuh	Alabama	Medium	66.3	12.1
Coosa	Alabama	Low	150.05	7.7
Covington	Alabama	Medium	56.68	11.9
Crenshaw	Alabama	Medium	7.26	11.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Cullman	Alabama	Medium	179.07	13.9
● Dale	Alabama	Medium	52.88	15.1
● Dallas	Alabama	Low	86.03	1.3
● De Kalb	Alabama	Low	92.29	6.7
● Elmore	Alabama	Low	76.35	4.3
● Escambia	Alabama	Medium	79.16	12.1
● Etowah	Alabama	Low	60.63	6.7
● Fayette	Alabama	Medium	1386.33	8.7
● Franklin	Alabama	Medium	114.79	15.3
● Geneva	Alabama	Medium	114.19	15.1
● Greene	Alabama	Low	73.97	2.8
● Hale	Alabama	Low	109.21	2.8
● Henry	Alabama	Medium	104.62	15.1
● Houston	Alabama	Medium	95.39	15.1
● Jackson	Alabama	High	102.66	27.1
● Jefferson	Alabama	Medium	77.14	13.9
● Lamar	Alabama	Medium	449.11	2
● Lauderdale	Alabama	Medium	114.31	15.3
● Lawrence	Alabama	Medium	185.28	13.1
● Lee	Alabama	Low	37.07	4.3
● Limestone	Alabama	High	114.24	27.1
● Lowndes	Alabama	Medium	10.28	11.9
● Macon	Alabama	Low	38.74	4.3
● Madison	Alabama	High	130.33	27.1
● Marengo	Alabama	Low	42.41	1.3
● Marion	Alabama	Low	141.37	8.7
● Marshall	Alabama	Low	43.4	6.7
● Mobile	Alabama	High	244.19	11.3
● Monroe	Alabama	Medium	19.29	11.3
● Montgomery	Alabama	Medium	74.62	11.9
● Morgan	Alabama	Medium	143.72	13.1
● Perry	Alabama	Low	67.24	1.3
● Pickens	Alabama	Medium	255.9	2.8
● Pike	Alabama	Medium	63.42	11.9
● Randolph	Alabama	Low	48.41	6.8
● Russell	Alabama	Medium	51.76	14.9
● St Clair	Alabama	Medium	97.19	13.9
● Shelby	Alabama	Medium	117.59	13.9
● Sumter	Alabama	High	257.5	13.2
● Talladega	Alabama	Medium	278.83	7.7
● Tallapoosa	Alabama	Low	81.75	4.3
● Tuscaloosa	Alabama	Medium	221.63	2.8
● Walker	Alabama	Medium	100.75	13.9
● Washington	Alabama	High	287.88	11.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Wilcox	Alabama	Low	86.76	1.3
 Winston	Alabama	Medium	152.36	15.3
 Aleutians East Bor...	Alaska	Low	179.8	7.7
 Aleutians West Ca	Alaska	Low	71	7.7
 Anchorage Muny	Alaska	Medium	227.78	7.7
 Bethel Ca	Alaska	Medium	250.19	7.7
 Bristol Bay Borough	Alaska	Low	0	7.7
 Denali Borough	Alaska	Medium	381.5	3.6
 Dillingham Ca	Alaska	Medium	223.76	7.7
 Fairbanks North St...	Alaska	Medium	225.09	3.6
 Haines Borough	Alaska	Medium	1185.77	0
 Hoonah–angoon Ca	Alaska	Low	186.22	0
 Juneau Cty&bor	Alaska	Medium	403.45	0
 Kenai Peninsula B...	Alaska	Medium	533.15	7.7
 Ketchikan Gateway...	Alaska	High	215.81	3.9
 Kodiak Island Boro...	Alaska	Medium	523.16	7.7
 Kusilvak Ca	Alaska	Medium	661.53	7.7
 Lake And Peninsul...	Alaska	Medium	502.51	7.7
 Matanuska-susitna ...	Alaska	Low	192.95	7.7
 Nome Ca	Alaska	Medium	2149.14	7.7
 North Slope Borough	Alaska	Medium	447.52	7.7
 Northwest Arctic B...	Alaska	Medium	879.15	7.7
 Petersburg Ca	Alaska	High	336.8	3.9
 Prince Of Wales–h...	Alaska	High	515.88	3.9
 Sitka Cty&bor	Alaska	Medium	459.2	0
 Skagway Muny	Alaska	Low	169.06	0
 Southeast Fairbank...	Alaska	Medium	261.13	3.6
 Valdez-cordova Ca	Alaska	Medium	336.88	7.7
 Wrangell City&bor	Alaska	Medium	159.87	3.9
 Yakutat City&bor	Alaska	Low	0	0
 Yukon-koyukuk Ca	Alaska	Medium	248.57	3.6
 Apache	Arizona	Medium	97.38	19.5
 Cochise	Arizona	Medium	100.86	11.5
 Coconino	Arizona	Medium	78.76	13.1
 Gila	Arizona	Medium	57.39	13.1
 Graham	Arizona	Medium	56.65	11.5
 Greenlee	Arizona	Medium	84.23	11.5
 La Paz	Arizona	High	90.01	31.1
 Maricopa	Arizona	Medium	77.47	13.1
 Mohave	Arizona	Medium	60.33	17
 Navajo	Arizona	Medium	83.84	10.9
 Pima	Arizona	Medium	64.55	11.5
 Pinal	Arizona	Medium	55.97	13.1
 Santa Cruz	Arizona	Medium	32.26	11.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Yavapai	Arizona	Medium	32.33	13.1
● Yuma	Arizona	High	46.78	31.1
● Arkansas	Arkansas	High	114.38	33.1
● Ashley	Arkansas	Medium	106.83	10.1
● Baxter	Arkansas	Low	169.32	8.5
● Benton	Arkansas	Low	98.87	7.4
● Boone	Arkansas	Low	85.49	4.9
● Bradley	Arkansas	Low	74.33	7
● Calhoun	Arkansas	High	635.96	11.9
● Carroll	Arkansas	Low	102.18	4.9
● Chicot	Arkansas	Medium	108.72	10.1
● Clark	Arkansas	Low	179.21	8
● Clay	Arkansas	Low	75.6	8.6
● Cleburne	Arkansas	Medium	96.31	18.2
● Cleveland	Arkansas	Low	100.55	7
● Columbia	Arkansas	High	277.1	11.9
● Conway	Arkansas	High	95.94	21.1
● Craighead	Arkansas	Medium	252.87	8.6
● Crawford	Arkansas	Medium	58.49	16.5
● Crittenden	Arkansas	Low	81.33	3.1
● Cross	Arkansas	Medium	200.99	3.1
● Dallas	Arkansas	High	71.34	26.3
● Desha	Arkansas	Low	35.21	7
● Drew	Arkansas	Low	93.31	7
● Faulkner	Arkansas	High	102.38	21.1
● Franklin	Arkansas	Medium	124.19	16.5
● Fulton	Arkansas	Low	48.09	9.2
● Garland	Arkansas	Low	114.7	8
● Grant	Arkansas	High	180.67	21.1
● Greene	Arkansas	Low	143.41	8.6
● Hempstead	Arkansas	Low	106.82	6
● Hot Spring	Arkansas	Low	186.55	8
● Howard	Arkansas	Low	83.32	6
● Independence	Arkansas	Low	55.52	9.2
● Izard	Arkansas	Low	36.69	9.2
● Jackson	Arkansas	Medium	155.51	18.2
● Jefferson	Arkansas	Low	55.37	7
● Johnson	Arkansas	Medium	206.94	7.5
● Lafayette	Arkansas	Low	135.87	6
● Lawrence	Arkansas	Medium	262.1	8.6
● Lee	Arkansas	Low	124.2	3.1
● Lincoln	Arkansas	Low	53.75	7
● Little River	Arkansas	Low	154.99	6
● Logan	Arkansas	Medium	102.49	16.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Lonoke	Arkansas	High	128.22	21.1
● Madison	Arkansas	Low	132.72	7.4
● Marion	Arkansas	Low	131.78	8.5
● Miller	Arkansas	Low	194.19	6
● Mississippi	Arkansas	Medium	201.72	1.8
● Monroe	Arkansas	High	74.62	33.1
● Montgomery	Arkansas	Low	11.13	8
● Nevada	Arkansas	Low	84.83	6
● Newton	Arkansas	Low	12.9	4.9
● Ouachita	Arkansas	High	153.96	26.3
● Perry	Arkansas	High	66.95	21.1
● Phillips	Arkansas	Low	106.85	5.6
● Pike	Arkansas	Low	102.63	8
● Poinsett	Arkansas	Medium	216.76	8.6
● Polk	Arkansas	Low	110.2	5
● Pope	Arkansas	Low	82.72	9.4
● Prairie	Arkansas	High	37.21	21.1
● Pulaski	Arkansas	High	97.22	21.1
● Randolph	Arkansas	Medium	339.68	8.6
● St Francis	Arkansas	Low	80.02	3.1
● Saline	Arkansas	High	149.46	21.1
● Scott	Arkansas	Medium	106.99	16.5
● Searcy	Arkansas	Medium	291.84	4.9
● Sebastian	Arkansas	Medium	50.85	16.5
● Sevier	Arkansas	Medium	323.4	6
● Sharp	Arkansas	Low	91.73	9.2
● Stone	Arkansas	Low	191.91	9.2
● Union	Arkansas	Medium	69.8	11.9
● Van Buren	Arkansas	High	42.31	21.1
● Washington	Arkansas	Low	145.91	7.4
● White	Arkansas	High	208.25	18.2
● Woodruff	Arkansas	Medium	94.94	18.2
● Yell	Arkansas	Medium	215.55	9.4
● Alameda	California	Medium	279.24	7.4
● Alpine	California	Low	88.57	5.6
● Amador	California	High	246.53	12.1
● Butte	California	Medium	127.75	17.9
● Calaveras	California	Medium	128.53	12.1
● Colusa	California	Medium	139.23	13.7
● Contra Costa	California	Low	156.91	7.4
● Del Norte	California	High	370.34	13.9
● El Dorado	California	Medium	99.04	11.8
● Fresno	California	Medium	187.47	15
● Glenn	California	Medium	144.4	17.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Humboldt	California	Medium	185.16	12.5
● Imperial	California	Medium	317.85	8.2
● Inyo	California	Low	149.68	0
● Kern	California	High	393.69	9.6
● Kings	California	High	330.85	15
● Lake	California	Medium	197.25	12.5
● Lassen	California	Medium	258.4	4.1
● Los Angeles	California	Low	111.43	7.4
● Madera	California	High	205.94	15
● Marin	California	Low	93.5	7.2
● Mariposa	California	High	215.08	14.3
● Mendocino	California	High	252.45	16.1
● Merced	California	Medium	178.98	14.3
● Modoc	California	High	248.84	16.9
● Mono	California	Low	13.85	0
● Monterey	California	Low	182.23	7.3
● Napa	California	Medium	153.18	12.5
● Nevada	California	Medium	109.27	7.8
● Orange	California	Low	55.17	7.4
● Placer	California	Medium	107.2	11.8
● Plumas	California	Medium	212.69	4.1
● Riverside	California	Low	114.19	6.1
● Sacramento	California	Medium	114.43	11.8
● San Benito	California	Low	109.86	7.3
● San Bernardino	California	Low	97.7	6.1
● San Diego	California	Low	159.3	8.2
● San Francisco	California	Low	179.23	5.9
● San Joaquin	California	Medium	117.04	12.1
● San Luis Obispo	California	Low	156.83	6.9
● San Mateo	California	Low	127.45	5.9
● Santa Barbara	California	Low	116.46	6.9
● Santa Clara	California	Low	107.68	7.3
● Santa Cruz	California	Medium	206.43	3.7
● Shasta	California	Medium	165.48	16.9
● Sierra	California	Medium	166.39	7.8
● Siskiyou	California	Medium	179.15	13.9
● Solano	California	Medium	179.61	12.5
● Sonoma	California	Low	144.64	7.2
● Stanislaus	California	Medium	187.05	14.3
● Sutter	California	Medium	166.03	13.7
● Tehama	California	Medium	136.75	17.9
● Trinity	California	High	219.78	16.9
● Tulare	California	High	231.88	13.3
● Tuolumne	California	High	308.38	14.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Ventura	California	Low	81.09	9.1
● Yolo	California	Medium	142.86	11.8
● Yuba	California	Medium	139.83	13.7
● Adams	Colorado	Low	90.45	5.7
● Alamosa	Colorado	Low	190.97	6.4
● Arapahoe	Colorado	Low	108.29	5.7
● Archuleta	Colorado	Medium	49.9	10.9
● Baca	Colorado	Medium	279.25	7.9
● Bent	Colorado	Low	89.65	0
● Boulder	Colorado	Low	126.92	6.8
● Chaffee	Colorado	Low	171.94	0
● Cheyenne	Colorado	Low	0	4.5
● Clear Creek	Colorado	Low	51.55	5.7
● Conejos	Colorado	Medium	219.38	6.4
● Costilla	Colorado	Low	180.09	6.4
● Crowley	Colorado	Medium	329.98	0
● Custer	Colorado	Low	78.93	3.8
● Delta	Colorado	Low	105.9	7.6
● Denver	Colorado	Low	104.51	5.7
● Dolores	Colorado	Medium	97.32	10.9
● Douglas	Colorado	Low	93.69	5.7
● Eagle	Colorado	Medium	70.75	12.2
● Elbert	Colorado	Low	78.57	5.7
● El Paso	Colorado	Low	144.78	4.5
● Fremont	Colorado	Medium	399.26	3.8
● Garfield	Colorado	Medium	169.83	12.2
● Gilpin	Colorado	Low	112.13	5.7
● Grand	Colorado	Low	95.33	5.7
● Gunnison	Colorado	Medium	475.32	7.6
● Hinsdale	Colorado	Low	121.95	7.6
● Huerfano	Colorado	Low	101.49	9.9
● Jackson	Colorado	Low	143.68	1.8
● Jefferson	Colorado	Low	105.17	5.7
● Kiowa	Colorado	Low	142.25	0
● Kit Carson	Colorado	Low	28.18	4.5
● Lake	Colorado	Low	24.61	0
● La Plata	Colorado	Medium	87.16	10.9
● Larimer	Colorado	Low	177.64	7.8
● Las Animas	Colorado	Low	186.13	9.9
● Lincoln	Colorado	Low	192.95	4.5
● Logan	Colorado	High	325.76	13.8
● Mesa	Colorado	High	243.82	12.2
● Mineral	Colorado	Low	0	6.4
● Moffat	Colorado	Medium	180.68	10.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Montezuma	Colorado	Medium	114.58	10.9
● Montrose	Colorado	Low	135.65	7.6
● Morgan	Colorado	Low	37.84	7.6
● Otero	Colorado	Low	114.89	0
● Ouray	Colorado	Low	60.58	7.6
● Park	Colorado	Low	74.29	5.7
● Phillips	Colorado	Medium	70.34	13.8
● Pitkin	Colorado	High	208.25	12.2
● Prowers	Colorado	Low	98.59	0
● Pueblo	Colorado	Low	157.93	9.9
● Rio Blanco	Colorado	High	253	12.2
● Rio Grande	Colorado	Medium	257.39	6.4
● Routt	Colorado	Medium	187.22	10.3
● Saguache	Colorado	Low	175.85	6.4
● San Juan	Colorado	Medium	0	10.9
● San Miguel	Colorado	Low	85.59	7.6
● Sedgwick	Colorado	Medium	88.97	13.8
● Summit	Colorado	Low	174.13	5.7
● Teller	Colorado	Low	86.66	4.5
● Washington	Colorado	Low	122.25	7.6
● Weld	Colorado	Low	149.16	7.6
● Yuma	Colorado	Low	79.85	7.6
● Fairfield	Connecticut	Low	55.87	6.1
● Hartford	Connecticut	Low	71.32	7.2
● Litchfield	Connecticut	Low	54.34	7.7
● Middlesex	Connecticut	Low	93.58	7.7
● New Haven	Connecticut	Low	56.51	7.7
● New London	Connecticut	Low	95.02	5.3
● Tolland	Connecticut	Low	55.73	7.2
● Windham	Connecticut	Low	58.23	7.2
● Kent	Delaware	Low	160.41	8.9
● New Castle	Delaware	Low	136.2	5.9
● Sussex	Delaware	Low	132.78	8.9
● Washington	District of Columbia	Low	72.12	4.3
● Alachua	Florida	High	164.29	26.5
● Baker	Florida	Medium	99.28	15.9
● Bay	Florida	Medium	89.29	12.2
● Bradford	Florida	High	85.1	26.5
● Brevard	Florida	Low	108.98	6.4
● Broward	Florida	Low	79.63	7.4
● Calhoun	Florida	Medium	77.99	12.2
● Charlotte	Florida	Medium	159.34	17.6
● Citrus	Florida	Medium	118.94	19.2
● Clay	Florida	Medium	111.74	15.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Collier	Florida	Low	95.09	8.2
 Columbia	Florida	High	90.67	26.5
 De Soto	Florida	Medium	147.36	17.6
 Dixie	Florida	High	65.38	26.5
 Duval	Florida	Medium	102.01	15.9
 Escambia	Florida	Medium	83.25	12.1
 Flagler	Florida	Medium	94.72	10.2
 Franklin	Florida	Low	16.49	8.5
 Gadsden	Florida	Low	113.89	8.5
 Gilchrist	Florida	High	182.97	26.5
 Glades	Florida	Low	65.17	8.2
 Gulf	Florida	Medium	95.31	12.2
 Hamilton	Florida	High	62.38	26.5
 Hardee	Florida	High	129.93	21.4
 Hendry	Florida	Low	64.25	8.2
 Hernando	Florida	Medium	124.79	14.5
 Highlands	Florida	High	187.35	21.4
 Hillsborough	Florida	High	202.18	14.5
 Holmes	Florida	Medium	112.15	12.2
 Indian River	Florida	Low	91.29	6.4
 Jackson	Florida	Medium	109.88	12.2
 Jefferson	Florida	Low	189.53	8.5
 Lafayette	Florida	High	154.36	26.5
 Lake	Florida	Medium	153.36	10.2
 Lee	Florida	Low	137.56	8.2
 Leon	Florida	Low	111.38	8.5
 Levy	Florida	High	108.43	26.5
 Liberty	Florida	Low	167.58	8.5
 Madison	Florida	Low	97.33	8.5
 Manatee	Florida	Low	114.07	6.7
 Marion	Florida	Medium	113.79	19.2
 Martin	Florida	Low	0	8.8
 Miami-dade	Florida	Low	118.11	7.4
 Monroe	Florida	Low	106.43	7.4
 Nassau	Florida	Medium	85.75	15.9
 Okaloosa	Florida	Medium	83.52	12.1
 Okeechobee	Florida	Low	83	8.8
 Orange	Florida	Medium	141.3	10.2
 Osceola	Florida	Low	149.3	7.7
 Palm Beach	Florida	Low	83.71	8.8
 Pasco	Florida	Medium	118.78	14.5
 Pinellas	Florida	Medium	135.59	14.5
 Polk	Florida	High	134.94	21.4
 Putnam	Florida	Low	96.62	6.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 St Johns	Florida	Low	66.12	6.2
 St Lucie	Florida	Low	138.9	8.8
 Santa Rosa	Florida	Medium	110.14	12.1
 Sarasota	Florida	Medium	152.63	17.6
 Seminole	Florida	Medium	92.41	10.2
 Sumter	Florida	Medium	150.28	10.2
 Suwannee	Florida	High	123.83	26.5
 Taylor	Florida	Low	102	8.5
 Union	Florida	High	150.95	26.5
 Volusia	Florida	Medium	107.18	10.2
 Wakulla	Florida	Low	139.3	8.5
 Walton	Florida	Medium	62.1	12.1
 Washington	Florida	Medium	47.11	12.2
 Appling	Georgia	Low	114.22	2.1
 Atkinson	Georgia	High	293.94	6
 Bacon	Georgia	High	295.59	11
 Baker	Georgia	High	0	2.8
 Baldwin	Georgia	Low	28.96	0
 Banks	Georgia	Medium	41.59	3
 Barrow	Georgia	Medium	52.86	13.7
 Bartow	Georgia	Low	126.23	8.7
 Ben Hill	Georgia	Medium	83.83	16.1
 Berrien	Georgia	Medium	36.09	2.2
 Bibb	Georgia	Low	44.4	1.8
 Bleckley	Georgia	Low	38.84	1.8
 Brantley	Georgia	Medium	125.6	15.9
 Brooks	Georgia	Medium	45.29	2.2
 Bryan	Georgia	Low	37.85	4
 Bulloch	Georgia	Low	46.48	6.3
 Burke	Georgia	Low	26.81	5.6
 Butts	Georgia	Medium	88.23	16.4
 Calhoun	Georgia	High	242.37	2.8
 Camden	Georgia	Medium	135.37	15.9
 Candler	Georgia	Low	55.54	6.3
 Carroll	Georgia	Low	39.17	2.9
 Catoosa	Georgia	Medium	165.73	13.1
 Charlton	Georgia	High	343.49	15.9
 Chatham	Georgia	Low	48.03	4
 Chattahoochee	Georgia	Medium	73.35	14.9
 Chattooga	Georgia	Low	173.46	8.7
 Cherokee	Georgia	Medium	52.17	11.6
 Clarke	Georgia	Medium	31.95	13.7
 Clay	Georgia	High	35.29	2.8
 Clayton	Georgia	Low	59.54	7.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Clinch	Georgia	High	589.3	11
 Cobb	Georgia	Medium	71.96	11.6
 Coffee	Georgia	High	316.59	6
 Colquitt	Georgia	Low	89.91	6.6
 Columbia	Georgia	Low	85.51	5.6
 Cook	Georgia	Medium	57.9	2.2
 Coweta	Georgia	Low	53.87	6.8
 Crawford	Georgia	Low	24.19	1.8
 Crisp	Georgia	Medium	75.99	3.5
 Dade	Georgia	High	210.97	13.1
 Dawson	Georgia	Medium	84.27	3
 Decatur	Georgia	Medium	534.01	5
 De Kalb	Georgia	Low	75.6	7.5
 Dodge	Georgia	Low	14.56	6.9
 Dooly	Georgia	Medium	44.81	3.5
 Dougherty	Georgia	High	65.94	2.8
 Douglas	Georgia	Medium	58.08	11.6
 Early	Georgia	High	68.69	2.8
 Echols	Georgia	Medium	49.93	2.2
 Effingham	Georgia	Low	49.77	4
 Elbert	Georgia	Low	67.73	0
 Emanuel	Georgia	Low	75.07	6.3
 Evans	Georgia	Medium	253.43	4
 Fannin	Georgia	Low	72.55	1.6
 Fayette	Georgia	Low	67.3	7.5
 Floyd	Georgia	Low	138.07	8.7
 Forsyth	Georgia	Low	190.38	7.5
 Franklin	Georgia	Medium	72.81	10.6
 Fulton	Georgia	Low	63.54	7.5
 Gilmer	Georgia	Medium	261.4	1.6
 Glascock	Georgia	Low	0	5.6
 Glynn	Georgia	High	215.73	15.9
 Gordon	Georgia	Medium	300.19	8.7
 Grady	Georgia	Low	89.31	2.2
 Greene	Georgia	Medium	65.49	13.7
 Gwinnett	Georgia	Low	61.74	7.5
 Habersham	Georgia	Medium	52.95	3
 Hall	Georgia	Medium	63.59	3
 Hancock	Georgia	Low	70.95	0
 Haralson	Georgia	Low	36.92	2.9
 Harris	Georgia	Medium	36.89	14.9
 Hart	Georgia	Medium	22.9	10.6
 Heard	Georgia	Low	16.77	6.8
 Henry	Georgia	Low	79.3	7.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Houston	Georgia	Low	57.01	1.8
 Irwin	Georgia	Medium	138.06	16.1
 Jackson	Georgia	Medium	76.74	13.7
 Jasper	Georgia	Medium	49.23	4
 Jeff Davis	Georgia	Medium	125.7	6
 Jefferson	Georgia	Low	104.15	2.8
 Jenkins	Georgia	Low	0	5.6
 Johnson	Georgia	Low	31.11	6.9
 Jones	Georgia	Low	41.76	1.8
 Lamar	Georgia	Low	52.42	9.3
 Lanier	Georgia	Medium	28.78	2.2
 Laurens	Georgia	Low	14.72	6.9
 Lee	Georgia	High	73.35	2.8
 Liberty	Georgia	Low	66.74	4
 Lincoln	Georgia	Low	25.25	5.6
 Long	Georgia	Low	56.24	4
 Lowndes	Georgia	Medium	63.03	2.2
 Lumpkin	Georgia	Medium	56.53	3
 Mcduffie	Georgia	Low	18.77	5.6
 Mcintosh	Georgia	Medium	194.74	15.9
 Macon	Georgia	Medium	69.51	3.5
 Madison	Georgia	Medium	43.51	13.7
 Marion	Georgia	Medium	59.82	14.9
 Meriwether	Georgia	Low	42.52	6.8
 Miller	Georgia	Low	104.93	5
 Mitchell	Georgia	Low	68.61	2.2
 Monroe	Georgia	Low	87.03	1.8
 Montgomery	Georgia	Low	119.93	6.9
 Morgan	Georgia	Medium	150.45	13.7
 Murray	Georgia	High	216.98	4.8
 Muscogee	Georgia	Medium	72.02	14.9
 Newton	Georgia	Medium	50.11	4
 Oconee	Georgia	Medium	62.07	13.7
 Oglethorpe	Georgia	Medium	45.87	13.7
 Paulding	Georgia	Medium	60.47	11.6
 Peach	Georgia	Low	79.87	1.8
 Pickens	Georgia	Medium	95.12	11.6
 Pierce	Georgia	High	231.18	11
 Pike	Georgia	Medium	237.32	9.3
 Polk	Georgia	Low	86.83	8.7
 Pulaski	Georgia	Low	26.94	1.8
 Putnam	Georgia	Low	81.38	0
 Quitman	Georgia	Medium	43.5	15.1
 Rabun	Georgia	Low	105.04	5.8

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Randolph	Georgia	High	44.26	2.8
 Richmond	Georgia	Low	93.82	5.6
 Rockdale	Georgia	Low	64.91	7.5
 Schley	Georgia	Medium	76.09	14.9
 Screven	Georgia	Low	21.48	6.3
 Seminole	Georgia	Low	98.89	5
 Spalding	Georgia	Medium	71.96	16.4
 Stephens	Georgia	Medium	38.57	10.6
 Stewart	Georgia	High	2205.1	14.9
 Sumter	Georgia	Medium	118.55	3.5
 Talbot	Georgia	Medium	129.14	14.9
 Taliaferro	Georgia	Low	0	5.6
 Tattnall	Georgia	Low	142.37	4
 Taylor	Georgia	Low	37.41	1.8
 Telfair	Georgia	Low	94.58	6.9
 Terrell	Georgia	High	23.44	2.8
 Thomas	Georgia	Low	103.48	2.2
 Tift	Georgia	Medium	46.75	16.1
 Toombs	Georgia	Medium	253.45	6.9
 Towns	Georgia	High	207.69	3
 Treutlen	Georgia	Low	72.45	6.9
 Troup	Georgia	Low	42.9	6.8
 Turner	Georgia	Medium	75.14	16.1
 Twiggs	Georgia	Low	123.15	1.8
 Union	Georgia	Medium	179.51	3
 Upson	Georgia	Low	79.79	9.3
 Walker	Georgia	Medium	190.65	13.1
 Walton	Georgia	Low	29.6	7.5
 Ware	Georgia	High	232.27	11
 Warren	Georgia	Low	19.03	5.6
 Washington	Georgia	Low	137.43	2.8
 Wayne	Georgia	Low	126.98	2.1
 Webster	Georgia	Medium	0	14.9
 Wheeler	Georgia	Low	25.46	6.9
 White	Georgia	Medium	71.43	3
 Whitfield	Georgia	High	187.33	4.8
 Wilcox	Georgia	Medium	69.48	3.5
 Wilkes	Georgia	Low	30.68	0
 Wilkinson	Georgia	Low	0	1.8
 Worth	Georgia	High	54.33	2.8
 Hawaii	Hawaii	Low	111.16	4.5
 Honolulu	Hawaii	Low	100.56	7.3
 Kauai	Hawaii	Low	165.99	1.4
 Maui	Hawaii	Low	114.09	7.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Ada	Idaho	Medium	1174.04	7.4
Adams	Idaho	Medium	302.75	2.9
Bannock	Idaho	Low	119.58	4.5
Bear Lake	Idaho	Medium	0	10.8
Benewah	Idaho	Medium	53.78	10.6
Bingham	Idaho	Low	74.77	4.5
Blaine	Idaho	Medium	825.33	0
Boise	Idaho	Medium	395.86	7.4
Bonner	Idaho	Medium	109.32	10.6
Bonneville	Idaho	Low	78.11	5.9
Boundary	Idaho	Medium	98	10.6
Butte	Idaho	Low	38.51	5.9
Camas	Idaho	Medium	452.08	0
Canyon	Idaho	Medium	621.28	7.4
Caribou	Idaho	Low	41.93	4.5
Cassia	Idaho	High	545.15	11.1
Clark	Idaho	Low	0	5.9
Clearwater	Idaho	Medium	696.67	6.4
Custer	Idaho	Low	23.17	5.9
Elmore	Idaho	Medium	1072.3	7.4
Franklin	Idaho	Medium	28.83	10.8
Fremont	Idaho	Low	22.9	5.9
Gem	Idaho	Medium	325.75	7.4
Gooding	Idaho	High	1080.44	5.3
Idaho	Idaho	Low	114	6.4
Jefferson	Idaho	Low	33.48	5.9
Jerome	Idaho	High	1060.95	5.3
Kootenai	Idaho	Medium	135.19	10.6
Latah	Idaho	Low	54.85	2.2
Lemhi	Idaho	Low	49.83	0
Lewis	Idaho	Low	78.17	6.4
Lincoln	Idaho	High	987.7	5.3
Madison	Idaho	Low	77.68	5.9
Minidoka	Idaho	High	508.58	11.1
Nez Perce	Idaho	Low	61.87	6.4
Oneida	Idaho	Low	88.28	4.5
Owyhee	Idaho	Medium	397.53	7.4
Payette	Idaho	Medium	384.12	2.9
Power	Idaho	Low	130.19	4.5
Shoshone	Idaho	Medium	131.97	10.6
Teton	Idaho	Low	90.59	5.9
Twin Falls	Idaho	High	1115.36	5.3
Valley	Idaho	Low	193.12	7.4
Washington	Idaho	Medium	402.2	2.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Adams	Illinois	Medium	122.26	10.1
● Alexander	Illinois	Low	69.43	8.4
● Bond	Illinois	Low	66.97	9.2
● Boone	Illinois	Low	128.87	5.2
● Brown	Illinois	Low	197.63	6.8
● Bureau	Illinois	Low	116.46	4.9
● Calhoun	Illinois	Low	84.41	9.2
● Carroll	Illinois	Low	146.8	9.5
● Cass	Illinois	Low	65.86	6.8
● Champaign	Illinois	Medium	93.95	11.5
● Christian	Illinois	Medium	300.27	6.8
● Clark	Illinois	Low	90.67	6.4
● Clay	Illinois	Medium	113.77	11.2
● Clinton	Illinois	Low	69.22	4.4
● Coles	Illinois	Medium	108.65	11.5
● Cook	Illinois	Low	87.24	7
● Crawford	Illinois	Low	117.86	7.1
● Cumberland	Illinois	Medium	37.15	11.5
● De Kalb	Illinois	Low	91.52	5.2
● De Witt	Illinois	Low	6.39	4.9
● Douglas	Illinois	Medium	87.34	11.5
● Du Page	Illinois	Low	111.71	7
● Edgar	Illinois	Low	122.37	3.4
● Edwards	Illinois	Medium	0	11.2
● Effingham	Illinois	High	97.04	25.3
● Fayette	Illinois	High	112.49	25.3
● Ford	Illinois	Medium	69.44	11.5
● Franklin	Illinois	Medium	101.38	15.3
● Fulton	Illinois	Medium	122.31	14.3
● Gallatin	Illinois	High	227.84	19.3
● Greene	Illinois	Low	23.13	3.9
● Grundy	Illinois	Low	115.56	2.8
● Hamilton	Illinois	Low	110.89	9.2
● Hancock	Illinois	Low	96	3.4
● Hardin	Illinois	Medium	157.03	19.3
● Henderson	Illinois	Low	135.42	7.6
● Henry	Illinois	Low	83.82	8.5
● Iroquois	Illinois	Low	44.26	4.4
● Jackson	Illinois	Medium	140.97	15.3
● Jasper	Illinois	Medium	62.43	11.2
● Jefferson	Illinois	Low	124.72	7.4
● Jersey	Illinois	Low	68.89	9.2
● Jo Daviess	Illinois	Low	98.89	9.9
● Johnson	Illinois	High	306.03	10.8

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Kane	Illinois	Low	78.7	5.2
 Kankakee	Illinois	Low	57.34	4.4
 Kendall	Illinois	Low	78.3	5.2
 Knox	Illinois	Medium	100.61	10.5
 Lake	Illinois	Low	110.12	7
 La Salle	Illinois	Low	113.19	4.9
 Lawrence	Illinois	Low	63.78	7.1
 Lee	Illinois	Low	90.92	5.2
 Livingston	Illinois	Low	100.99	4.9
 Logan	Illinois	Medium	213.15	6.8
 Mcdonough	Illinois	Low	141.5	6.8
 Mchenry	Illinois	Low	116.32	7
 Mclean	Illinois	Low	104.36	4.9
 Macon	Illinois	Low	84.61	3.8
 Macoupin	Illinois	Low	135.78	4.1
 Madison	Illinois	Low	99.25	9.2
 Marion	Illinois	Low	153.21	7.8
 Marshall	Illinois	Medium	139.88	14.3
 Mason	Illinois	Medium	119.77	14.3
 Massac	Illinois	Medium	174.27	10.8
 Menard	Illinois	Low	122.99	6.8
 Mercer	Illinois	Low	84.21	8.5
 Monroe	Illinois	Low	69.29	4.4
 Montgomery	Illinois	Medium	249.88	4.1
 Morgan	Illinois	Low	77.25	3.9
 Moultrie	Illinois	Low	82.75	3.8
 Ogle	Illinois	Low	124.4	5.2
 Peoria	Illinois	Medium	101.02	14.3
 Perry	Illinois	High	248.61	15.3
 Piatt	Illinois	Low	152.96	3.8
 Pike	Illinois	Medium	109.25	10.1
 Pope	Illinois	Medium	119.7	19.3
 Pulaski	Illinois	Low	149.95	8.4
 Putnam	Illinois	Low	34.85	4.9
 Randolph	Illinois	Low	62.93	4.4
 Richland	Illinois	Medium	45.12	11.2
 Rock Island	Illinois	Low	88.81	8.5
 St Clair	Illinois	Low	82.02	4.4
 Saline	Illinois	High	221.36	19.3
 Sangamon	Illinois	Low	113.52	6.8
 Schuyler	Illinois	Low	14.78	6.8
 Scott	Illinois	Low	0	3.9
 Shelby	Illinois	Low	106.31	3.8
 Stark	Illinois	Low	112.32	8.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Stephenson	Illinois	Low	107.87	9.9
● Tazewell	Illinois	Medium	84.98	14.3
● Union	Illinois	Low	138.11	8.4
● Vermilion	Illinois	Low	62.04	3.4
● Wabash	Illinois	Medium	60.76	15.5
● Warren	Illinois	Medium	118.74	10.5
● Washington	Illinois	Low	72.01	7.8
● Wayne	Illinois	Low	166.51	7.4
● White	Illinois	Low	110.81	9.2
● Whiteside	Illinois	Low	161.3	9.5
● Will	Illinois	Low	54.72	2.8
● Williamson	Illinois	Medium	154.66	15.3
● Winnebago	Illinois	Low	102.98	5.2
● Woodford	Illinois	Low	91.01	4.9
● Adams	Indiana	Low	30.75	4.1
● Allen	Indiana	Low	47.98	8.6
● Bartholomew	Indiana	Low	85.94	9.3
● Benton	Indiana	Medium	80.02	7.5
● Blackford	Indiana	Medium	153.09	17.3
● Boone	Indiana	Low	50.12	1.5
● Brown	Indiana	Medium	33.13	6.9
● Carroll	Indiana	Medium	54.3	7.5
● Cass	Indiana	Low	177.77	5.9
● Clark	Indiana	Low	109.89	1.4
● Clay	Indiana	Low	41.94	6.4
● Clinton	Indiana	Medium	74.08	7.5
● Crawford	Indiana	Medium	179.64	12.7
● Daviess	Indiana	Low	71.96	7.1
● Dearborn	Indiana	Low	74.81	6.9
● Decatur	Indiana	Low	52.71	9.3
● De Kalb	Indiana	Low	29.9	8.6
● Delaware	Indiana	Medium	93.75	17.3
● Dubois	Indiana	Medium	91.26	14
● Elkhart	Indiana	Low	41.19	8.7
● Fayette	Indiana	Low	86.57	6.2
● Floyd	Indiana	Medium	115.89	12.7
● Fountain	Indiana	Low	122.35	3.4
● Franklin	Indiana	Low	57.12	7.1
● Fulton	Indiana	Low	65.08	8
● Gibson	Indiana	Medium	142.61	15.5
● Grant	Indiana	Low	48.66	8.3
● Greene	Indiana	Medium	50.12	6.9
● Hamilton	Indiana	Low	39.94	4.9
● Hancock	Indiana	Low	42.22	2.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Harrison	Indiana	Medium	128.35	12.7
● Hendricks	Indiana	Low	61.06	9.7
● Henry	Indiana	Low	66.71	2.4
● Howard	Indiana	Low	76.32	5.9
● Huntington	Indiana	Low	104.05	4.1
● Jackson	Indiana	Low	92.7	9.3
● Jasper	Indiana	Low	59.59	4.7
● Jay	Indiana	Low	78.29	4.1
● Jefferson	Indiana	Low	52.62	6.9
● Jennings	Indiana	Low	75.72	9.3
● Johnson	Indiana	Low	44.89	9.7
● Knox	Indiana	Low	87.45	7.1
● Kosciusko	Indiana	Low	52.86	8.7
● La Grange	Indiana	Low	30.29	8.6
● Lake	Indiana	Low	39.75	4.7
● La Porte	Indiana	Low	35.49	3.8
● Lawrence	Indiana	Low	77.14	3.1
● Madison	Indiana	Low	54.03	4.9
● Marion	Indiana	Low	40.64	9.7
● Marshall	Indiana	Low	38.91	8
● Martin	Indiana	Low	29.25	7.1
● Miami	Indiana	Low	67.58	8.3
● Monroe	Indiana	Medium	69.39	6.9
● Montgomery	Indiana	Medium	59.99	10.4
● Morgan	Indiana	Low	78.03	9.7
● Newton	Indiana	Low	57.21	4.7
● Noble	Indiana	Low	39.8	8.6
● Ohio	Indiana	Low	68.09	6.9
● Orange	Indiana	Low	45.81	3.1
● Owen	Indiana	Medium	67.31	6.9
● Parke	Indiana	Low	59.04	6.4
● Perry	Indiana	Medium	88.68	11.1
● Pike	Indiana	Low	80.72	7.1
● Porter	Indiana	Low	63.97	4.7
● Posey	Indiana	Medium	58.99	15.5
● Pulaski	Indiana	Low	40.48	8
● Putnam	Indiana	Low	79.84	9.7
● Randolph	Indiana	Medium	60.81	17.3
● Ripley	Indiana	Low	49.43	6.9
● Rush	Indiana	Low	102.53	9.7
● St Joseph	Indiana	Low	54.45	8
● Scott	Indiana	Low	134.04	1.4
● Shelby	Indiana	Low	67.07	9.7
● Spencer	Indiana	Medium	113.43	15.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Starke	Indiana	Low	52.19	3.8
● Steuben	Indiana	Low	52.03	8.6
● Sullivan	Indiana	Low	43.54	6.4
● Switzerland	Indiana	Low	65.11	6.9
● Tippecanoe	Indiana	Medium	83.28	7.5
● Tipton	Indiana	Low	13.2	5.9
● Union	Indiana	Low	28.35	6.2
● Vanderburgh	Indiana	Medium	79.91	15.5
● Vermillion	Indiana	Low	77.43	6.4
● Vigo	Indiana	Low	54.19	6.4
● Wabash	Indiana	Low	87.11	8.3
● Warren	Indiana	Low	133.09	3.4
● Warrick	Indiana	Medium	98.42	15.5
● Washington	Indiana	Medium	78.47	12.7
● Wayne	Indiana	Low	59.19	6.2
● Wells	Indiana	Low	70.68	4.1
● White	Indiana	Medium	141.07	7.5
● Whitley	Indiana	Low	58.89	8.6
● Adair	Iowa	Low	83.89	9.3
● Adams	Iowa	Low	83.29	7.4
● Allamakee	Iowa	Low	87.67	9.3
● Appanoose	Iowa	Low	193.14	4.7
● Audubon	Iowa	Low	54.59	8.5
● Benton	Iowa	Medium	74.09	10.2
● Black Hawk	Iowa	Low	90.68	8
● Boone	Iowa	Medium	213.46	4.8
● Bremer	Iowa	Low	39.9	8
● Buchanan	Iowa	Low	85.01	8
● Buena Vista	Iowa	Low	35.68	4.8
● Butler	Iowa	Low	76.18	8
● Calhoun	Iowa	Low	62.06	2.5
● Carroll	Iowa	Low	54.55	2.5
● Cass	Iowa	Low	70.12	8.5
● Cedar	Iowa	Medium	128.85	10.2
● Cerro Gordo	Iowa	Medium	188.46	15.7
● Cherokee	Iowa	Low	62.31	4.8
● Chickasaw	Iowa	Low	92.18	0
● Clarke	Iowa	Low	63.86	9.3
● Clay	Iowa	High	124.88	21.3
● Clayton	Iowa	Low	91.17	3.9
● Clinton	Iowa	Low	114.15	9.5
● Crawford	Iowa	Low	47.56	0
● Dallas	Iowa	Medium	428.02	9.3
● Davis	Iowa	Low	22.22	4.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Decatur	Iowa	Low	114.36	9.3
 Delaware	Iowa	Low	129.33	3.9
 Des Moines	Iowa	Low	112.92	7.6
 Dickinson	Iowa	High	46.36	21.3
 Dubuque	Iowa	Low	104.82	9.9
 Emmet	Iowa	Low	21.72	3.5
 Fayette	Iowa	Low	117.05	8
 Floyd	Iowa	Low	89.5	0
 Franklin	Iowa	Medium	69.51	15.7
 Fremont	Iowa	Low	28.74	0
 Greene	Iowa	Low	90.01	5.1
 Grundy	Iowa	Low	65.4	8
 Guthrie	Iowa	Low	140.33	5.1
 Hamilton	Iowa	Low	0	4.8
 Hancock	Iowa	Medium	94.07	15.7
 Hardin	Iowa	Low	89.04	4.8
 Harrison	Iowa	Low	64.06	8.5
 Henry	Iowa	Low	75.17	7.6
 Howard	Iowa	Medium	76.44	11.2
 Humboldt	Iowa	Low	20.92	0
 Ida	Iowa	Low	72.89	4.8
 Iowa	Iowa	Medium	43.25	10.2
 Jackson	Iowa	Low	97.74	9.9
 Jasper	Iowa	Low	134.46	9.3
 Jefferson	Iowa	Low	87.46	9
 Johnson	Iowa	Medium	107.19	10.2
 Jones	Iowa	Medium	33.85	10.2
 Keokuk	Iowa	Low	87.84	9
 Kossuth	Iowa	Medium	67.51	15.7
 Lee	Iowa	Low	68.34	3.4
 Linn	Iowa	Medium	104.98	10.2
 Louisa	Iowa	Medium	45.31	10.2
 Lucas	Iowa	Medium	93.02	13.3
 Lyon	Iowa	Medium	42.54	12.8
 Madison	Iowa	Low	177.5	9.3
 Mahaska	Iowa	Low	76.94	9
 Marion	Iowa	Low	84.2	9.3
 Marshall	Iowa	Low	147.32	0
 Mills	Iowa	Low	39.71	8.5
 Mitchell	Iowa	Low	141.7	0
 Monona	Iowa	Low	174.11	4.8
 Monroe	Iowa	Low	103.8	9
 Montgomery	Iowa	Low	100.84	7.4
 Muscatine	Iowa	Low	110.16	7.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 O Brien	Iowa	Low	36.36	5.1
 Osceola	Iowa	Medium	285.33	5.1
 Page	Iowa	Low	13.24	0
 Palo Alto	Iowa	High	0	21.3
 Plymouth	Iowa	Low	43.69	4.8
 Pocahontas	Iowa	Low	30.22	0
 Polk	Iowa	Medium	699.16	9.3
 Pottawattamie	Iowa	Low	114.8	8.5
 Poweshiek	Iowa	Low	140.51	0
 Ringgold	Iowa	Low	20.43	9.3
 Sac	Iowa	Low	51.44	2.5
 Scott	Iowa	Medium	348.67	7.4
 Shelby	Iowa	Low	61.11	8.5
 Sioux	Iowa	Low	40.17	2.9
 Story	Iowa	Low	175.05	4.8
 Tama	Iowa	Low	124.6	0
 Taylor	Iowa	Low	98.02	0
 Union	Iowa	Low	98.03	9.3
 Van Buren	Iowa	Low	42.59	9
 Wapello	Iowa	Low	74.35	9
 Warren	Iowa	Medium	244.82	9.3
 Washington	Iowa	Medium	86.5	10.2
 Wayne	Iowa	Medium	186.31	13.3
 Webster	Iowa	Low	72.42	0
 Winnebago	Iowa	Medium	77.26	15.7
 Winneshiek	Iowa	Low	110.05	0
 Woodbury	Iowa	Low	88.26	4.8
 Worth	Iowa	Medium	54.19	15.7
 Wright	Iowa	Low	127.37	4.8
 Allen	Kansas	Low	32.34	7.8
 Anderson	Kansas	Low	139.98	7.7
 Atchison	Kansas	Low	99.55	0
 Barber	Kansas	Low	112.94	0
 Barton	Kansas	High	73.7	31.6
 Bourbon	Kansas	Low	82.57	3.2
 Brown	Kansas	Medium	52.28	14.6
 Butler	Kansas	Medium	119.56	10.9
 Chase	Kansas	Medium	75.53	12
 Chautauqua	Kansas	Low	123.08	3
 Cherokee	Kansas	Low	75.23	9
 Cheyenne	Kansas	Low	75.27	0
 Clark	Kansas	Medium	50.15	12.7
 Clay	Kansas	Low	24.99	0
 Cloud	Kansas	Low	11.38	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
☼ Coffey	Kansas	Medium	85.59	12
☼ Comanche	Kansas	Medium	58.82	15
☼ Cowley	Kansas	Medium	51.56	10.9
🟢 Crawford	Kansas	Low	79.86	3.2
🟢 Decatur	Kansas	Low	0	5.3
🟠 Dickinson	Kansas	High	81.23	21.5
🟠 Doniphan	Kansas	High	39.47	23.1
🟢 Douglas	Kansas	Low	87.52	7.7
🟠 Edwards	Kansas	High	35.74	31.6
🟢 Elk	Kansas	Low	158.1	3
☼ Ellis	Kansas	Medium	56.04	15.8
🟢 Ellsworth	Kansas	Low	32.78	2.9
☼ Finney	Kansas	Medium	38.39	11.3
☼ Ford	Kansas	Medium	44.62	12.7
🟢 Franklin	Kansas	Low	86.13	7.7
🟠 Geary	Kansas	High	138.93	21.5
☼ Gove	Kansas	Medium	0	15.8
☼ Graham	Kansas	Medium	161.16	15.8
🟢 Grant	Kansas	Low	111.89	7.9
☼ Gray	Kansas	Medium	66.8	12.7
🟢 Greeley	Kansas	Low	81.17	0
☼ Greenwood	Kansas	Medium	16.72	12
☼ Hamilton	Kansas	Medium	39.39	11.3
☼ Harper	Kansas	Medium	91.98	15.9
☼ Harvey	Kansas	Medium	90.04	10.9
☼ Haskell	Kansas	Medium	25.2	11.3
☼ Hodgeman	Kansas	Medium	55.74	12.7
☼ Jackson	Kansas	Medium	60.74	14.6
☼ Jefferson	Kansas	Medium	110.28	14.6
🟢 Jewell	Kansas	Low	0	8.1
🟢 Johnson	Kansas	Low	114.38	7.7
☼ Kearny	Kansas	Medium	130.28	11.3
☼ Kingman	Kansas	Medium	69.91	15.9
☼ Kiowa	Kansas	Medium	0	15
🟢 Labette	Kansas	Low	112.14	7.8
☼ Lane	Kansas	Medium	0	11.3
🟠 Leavenworth	Kansas	High	135.77	36.8
🟢 Lincoln	Kansas	Low	135.04	2.9
🟢 Linn	Kansas	Low	51.53	3.2
☼ Logan	Kansas	Medium	107.37	15.8
☼ Lyon	Kansas	Medium	75.31	12
🟢 Mcpherson	Kansas	Low	73.58	3.5
☼ Marion	Kansas	Medium	84.15	10.9
🟢 Marshall	Kansas	Low	20.6	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Meade	Kansas	Medium	123.98	12.7
Miami	Kansas	Low	52.57	7.7
Mitchell	Kansas	Low	133.8	8.1
Montgomery	Kansas	Low	34.56	3
Morris	Kansas	High	17.79	21.5
Morton	Kansas	Low	154.62	2.2
Nemaha	Kansas	Medium	58.65	14.6
Neosho	Kansas	Low	162.43	7.8
Ness	Kansas	Low	72.73	0
Norton	Kansas	Low	37.31	0
Osage	Kansas	Medium	94.05	14.6
Osborne	Kansas	Low	87.69	8.1
Ottawa	Kansas	Low	70.13	2.9
Pawnee	Kansas	High	77.95	31.6
Phillips	Kansas	Low	19.11	0
Pottawatomie	Kansas	Medium	139.44	14.6
Pratt	Kansas	Medium	54.56	15
Rawlins	Kansas	Low	39.53	0
Reno	Kansas	Low	54.84	6.6
Republic	Kansas	Low	43.14	0
Rice	Kansas	Low	188.74	6.6
Riley	Kansas	High	253.26	14.6
Rooks	Kansas	High	325.2	15.8
Rush	Kansas	High	98.81	31.6
Russell	Kansas	Low	29.17	0
Saline	Kansas	Low	66.39	2.9
Scott	Kansas	Medium	62.2	11.3
Sedgwick	Kansas	Medium	95.34	10.9
Seward	Kansas	Low	42	2.2
Shawnee	Kansas	Medium	84.24	14.6
Sheridan	Kansas	Low	79.33	5.3
Sherman	Kansas	Low	185.91	6.6
Smith	Kansas	Low	27.91	0
Stafford	Kansas	Low	72.18	6.6
Stanton	Kansas	Medium	249.25	7.9
Stevens	Kansas	Low	18.23	0
Sumner	Kansas	Medium	105.1	10.9
Thomas	Kansas	Low	154.3	6.6
Trego	Kansas	Medium	71.35	15.8
Wabaunsee	Kansas	Medium	101	14.6
Wallace	Kansas	Low	131.75	6.6
Washington	Kansas	Low	18.5	0
Wichita	Kansas	Low	0	0
Wilson	Kansas	Low	93.84	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Woodson	Kansas	Low	191.2	7.8
 Wyandotte	Kansas	High	90.67	36.8
 Adair	Kentucky	Medium	614.52	2.7
 Allen	Kentucky	Medium	98.52	16
 Anderson	Kentucky	High	272.56	10.6
 Ballard	Kentucky	Medium	114.1	10.8
 Barren	Kentucky	High	214.69	13.1
 Bath	Kentucky	High	680	9.8
 Bell	Kentucky	High	211.28	63.1
 Boone	Kentucky	Medium	216.35	9
 Bourbon	Kentucky	High	247.62	7.4
 Boyd	Kentucky	High	357.46	23.1
 Boyle	Kentucky	Medium	129.74	16.3
 Bracken	Kentucky	Low	132.48	2.5
 Breathitt	Kentucky	High	768.01	28.2
 Breckinridge	Kentucky	Medium	112.32	11.5
 Bullitt	Kentucky	Medium	113.86	11.2
 Butler	Kentucky	High	496.93	16
 Caldwell	Kentucky	Medium	674.67	8.6
 Calloway	Kentucky	Low	53.84	6.9
 Campbell	Kentucky	Medium	210.51	9
 Carlisle	Kentucky	High	210.08	10.8
 Carroll	Kentucky	Low	188.13	6.9
 Carter	Kentucky	High	425.42	23.1
 Casey	Kentucky	High	290.86	16.3
 Christian	Kentucky	Medium	395.96	8.6
 Clark	Kentucky	High	402.61	28.2
 Clay	Kentucky	High	381.89	29.7
 Clinton	Kentucky	High	489.33	11.9
 Crittenden	Kentucky	High	987.96	10.8
 Cumberland	Kentucky	High	423.34	11.9
 Daviess	Kentucky	Medium	151.71	11.1
 Edmonson	Kentucky	Medium	65.84	16
 Elliott	Kentucky	High	718.37	40.6
 Estill	Kentucky	High	290.66	9.5
 Fayette	Kentucky	High	203	28.2
 Fleming	Kentucky	Medium	233.18	2.5
 Floyd	Kentucky	High	424.29	22.9
 Franklin	Kentucky	High	325.55	10.6
 Fulton	Kentucky	Low	134.03	5.8
 Gallatin	Kentucky	Low	45.1	9
 Garrard	Kentucky	High	203.78	16.3
 Grant	Kentucky	Medium	351.03	9
 Graves	Kentucky	Medium	77.82	10.8

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Grayson	Kentucky	Medium	189.2	11.5
Green	Kentucky	Medium	429.58	2.7
Greenup	Kentucky	High	330.5	23.1
Hancock	Kentucky	Medium	137.58	11.1
Hardin	Kentucky	Medium	120.77	11.5
Harlan	Kentucky	High	422.91	63.1
Harrison	Kentucky	High	254.16	19.1
Hart	Kentucky	Medium	84.06	13.1
Henderson	Kentucky	Medium	192.44	18.5
Henry	Kentucky	Medium	62.01	11.2
Hickman	Kentucky	Medium	45.66	10.8
Hopkins	Kentucky	Medium	308.82	8.6
Jackson	Kentucky	High	330.11	9.5
Jefferson	Kentucky	Medium	196.28	11.2
Jessamine	Kentucky	High	173.7	28.2
Johnson	Kentucky	High	450.69	22.9
Kenton	Kentucky	Medium	222.76	9
Knott	Kentucky	High	661.89	28.2
Knox	Kentucky	High	308.24	29.7
Larue	Kentucky	High	236.14	11.5
Laurel	Kentucky	High	337.1	29.7
Lawrence	Kentucky	High	574.53	23.1
Lee	Kentucky	High	769.96	28.2
Leslie	Kentucky	High	809.96	28.2
Letcher	Kentucky	High	385.1	0
Lewis	Kentucky	High	384.18	21.2
Lincoln	Kentucky	High	301.44	16.3
Livingston	Kentucky	High	435.07	10.8
Logan	Kentucky	Medium	114.38	16
Lyon	Kentucky	High	487.21	10.8
Mccracken	Kentucky	Medium	183.44	10.8
Mccreary	Kentucky	High	557.14	14.6
Mclean	Kentucky	Medium	97.75	11.1
Madison	Kentucky	Medium	188.2	9.5
Magoffin	Kentucky	High	411.15	22.9
Marion	Kentucky	Medium	134.9	11.2
Marshall	Kentucky	Medium	189.71	10.8
Martin	Kentucky	High	580.62	23.1
Mason	Kentucky	Medium	292.91	2.5
Meade	Kentucky	Medium	115.5	11.5
Menifee	Kentucky	High	1155.8	40.6
Mercer	Kentucky	Medium	191.49	16.3
Metcalfe	Kentucky	High	268.1	13.1
Monroe	Kentucky	High	262.91	13.1

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Montgomery	Kentucky	High	465.25	9.8
● Morgan	Kentucky	High	1089.49	40.6
● Muhlenberg	Kentucky	Low	111.03	8.6
● Nelson	Kentucky	Medium	138.43	11.2
● Nicholas	Kentucky	High	343.93	7.4
● Ohio	Kentucky	Medium	66.68	11.1
● Oldham	Kentucky	High	205.09	11.2
● Owen	Kentucky	Medium	119.26	10.6
● Owsley	Kentucky	High	543.6	28.2
● Pendleton	Kentucky	Low	89.1	9
● Perry	Kentucky	High	1230.69	28.2
● Pike	Kentucky	High	1062.62	50.3
● Powell	Kentucky	High	258.92	28.2
● Pulaski	Kentucky	High	550.95	14.6
● Robertson	Kentucky	High	237.19	19.1
● Rockcastle	Kentucky	High	323.45	9.5
● Rowan	Kentucky	High	400.65	40.6
● Russell	Kentucky	Medium	535.62	2.7
● Scott	Kentucky	High	314.01	28.2
● Shelby	Kentucky	Medium	183.58	11.2
● Simpson	Kentucky	Medium	113.07	16
● Spencer	Kentucky	Medium	144.7	11.2
● Taylor	Kentucky	Medium	694.63	2.7
● Todd	Kentucky	Medium	211.49	8.6
● Trigg	Kentucky	Medium	894.14	8.6
● Trimble	Kentucky	Low	70.83	6.9
● Union	Kentucky	High	257.28	18.5
● Warren	Kentucky	Medium	135.44	16
● Washington	Kentucky	High	231.5	11.2
● Wayne	Kentucky	High	757.39	14.6
● Webster	Kentucky	Medium	208.62	8.6
● Whitley	Kentucky	High	482.57	29.7
● Wolfe	Kentucky	High	1033.95	28.2
● Woodford	Kentucky	High	220.69	28.2
● Acadia Parish	Louisiana	Medium	33.85	10.2
● Allen Parish	Louisiana	Medium	35.12	12.4
● Ascension Parish	Louisiana	Low	35.54	3.5
● Assumption Parish	Louisiana	Medium	13.7	10
● Avoyelles Parish	Louisiana	Medium	37.37	12.4
● Beauregard Parish	Louisiana	Low	50.67	8.3
● Bienville Parish	Louisiana	Low	60.42	6.1
● Bossier Parish	Louisiana	Medium	58.25	12.9
● Caddo Parish	Louisiana	Medium	57.45	12.9
● Calcasieu Parish	Louisiana	Low	33.43	8.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Caldwell Parish	Louisiana	High	957.85	14.6
 Cameron Parish	Louisiana	Low	43.02	8.3
 Catahoula Parish	Louisiana	Medium	52.66	12.4
 Claiborne Parish	Louisiana	Low	38.29	0
 Concordia Parish	Louisiana	High	20.77	31.9
 De Soto Parish	Louisiana	Medium	25.49	12.9
 East Baton Rouge ...	Louisiana	Low	44.31	3.5
 East Carroll Parish	Louisiana	Medium	116.6	14.6
 East Feliciana Parish	Louisiana	Low	62.71	3.5
 Evangeline Parish	Louisiana	Low	53.9	6.9
 Franklin Parish	Louisiana	Medium	94.93	14.6
 Grant Parish	Louisiana	Medium	67	12.4
 Iberia Parish	Louisiana	Medium	45.83	10.2
 Iberville Parish	Louisiana	Low	52.29	3.5
 Jackson Parish	Louisiana	Low	57.16	6.1
 Jefferson Parish	Louisiana	Low	95.72	8.3
 Jefferson Davis Par...	Louisiana	Low	22.32	8.3
 Lafayette Parish	Louisiana	Medium	47.47	10.2
 Lafourche Parish	Louisiana	Medium	45.08	10
 La Salle Parish	Louisiana	Medium	154.45	12.4
 Lincoln Parish	Louisiana	Low	49.21	6.1
 Livingston Parish	Louisiana	Low	29.83	3.5
 Madison Parish	Louisiana	Low	27.39	7.7
 Morehouse Parish	Louisiana	Medium	56.28	14.6
 Natchitoches Parish	Louisiana	Medium	55.03	12.9
 Orleans Parish	Louisiana	Low	65.36	8.3
 Ouachita Parish	Louisiana	Medium	69.81	14.6
 Plaquemines Parish	Louisiana	Low	34.49	8.3
 Pointe Coupee Pari...	Louisiana	Low	87.44	3.5
 Rapides Parish	Louisiana	Medium	29.31	12.4
 Red River Parish	Louisiana	Medium	47.38	12.9
 Richland Parish	Louisiana	Medium	178.91	14.6
 Sabine Parish	Louisiana	Medium	41.87	12.9
 St Bernard Parish	Louisiana	Low	40.22	8.3
 St Charles Parish	Louisiana	Low	56.5	8.3
 St Helena Parish	Louisiana	Low	69.09	5.5
 St James Parish	Louisiana	Low	99.54	8.3
 St John The Baptis...	Louisiana	Low	28.01	8.3
 St Landry Parish	Louisiana	Low	48.71	6.9
 St Martin Parish	Louisiana	Medium	28.07	10.2
 St Mary Parish	Louisiana	Low	52.69	6.1
 St Tammany Parish	Louisiana	Low	55.3	7.5
 Tangipahoa Parish	Louisiana	Low	46.75	5.5
 Tensas Parish	Louisiana	High	23.07	31.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Terrebonne Parish	Louisiana	Medium	54.32	10
● Union Parish	Louisiana	Low	63.33	6.1
● Vermilion Parish	Louisiana	Medium	67.21	10.2
● Vernon Parish	Louisiana	Low	63.25	8.3
● Washington Parish	Louisiana	Low	93.09	7.5
● Webster Parish	Louisiana	Medium	62.6	12.9
● West Baton Rouge ...	Louisiana	Low	83.13	3.5
● West Carroll Parish	Louisiana	Medium	166.2	14.6
● West Feliciana Parish	Louisiana	Low	12.85	3.5
● Winn Parish	Louisiana	Medium	143.84	14.4
● Androscoggin	Maine	Medium	593.85	2.5
● Aroostook	Maine	Medium	960.41	3
● Cumberland	Maine	Medium	375.93	5.4
● Franklin	Maine	Medium	211.93	2.5
● Hancock	Maine	Medium	358.27	8.6
● Kennebec	Maine	Medium	775.13	7.1
● Knox	Maine	Medium	208.69	5.4
● Lincoln	Maine	Medium	248.31	5.4
● Oxford	Maine	Medium	308.75	2.5
● Penobscot	Maine	Medium	661.2	8.6
● Piscataquis	Maine	Medium	619.6	8.6
● Sagadahoc	Maine	Medium	259.37	5.4
● Somerset	Maine	Medium	578.4	7.1
● Waldo	Maine	Medium	259.35	7.1
● Washington	Maine	Medium	675.61	8.6
● York	Maine	Medium	328.93	3
● Allegany	Maryland	Medium	167.58	14.5
● Anne Arundel	Maryland	Low	60.6	7.5
● Baltimore	Maryland	Low	46.05	7.5
● Calvert	Maryland	Low	56.2	7.5
● Caroline	Maryland	Low	53.88	3.3
● Carroll	Maryland	Low	61.15	7.5
● Cecil	Maryland	Low	170.14	5.9
● Charles	Maryland	Low	53.29	4.3
● Dorchester	Maryland	Low	59.51	3.3
● Frederick	Maryland	Low	72.43	5.4
● Garrett	Maryland	High	292.96	14.5
● Harford	Maryland	Low	56.37	5.9
● Howard	Maryland	Low	85.66	7.5
● Kent	Maryland	Low	66.93	0
● Montgomery	Maryland	Low	61.1	4.3
● Prince Georges	Maryland	Low	52.9	4.3
● Queen Annes	Maryland	Low	53.59	3.3
● St Marys	Maryland	Low	51.1	4.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Somerset	Maryland	Low	74.17	8.9
Talbot	Maryland	Low	83.38	3.3
Washington	Maryland	Medium	70.18	10
Wicomico	Maryland	Low	89.76	8.9
Worcester	Maryland	Low	65.04	8.9
Baltimore City	Maryland	Low	51.56	7.5
Barnstable	Massachusetts	Low	79.82	6
Berkshire	Massachusetts	Low	163.27	7.8
Bristol	Massachusetts	Low	71.65	4
Dukes	Massachusetts	Low	69.24	6
Essex	Massachusetts	Low	58.68	4.1
Franklin	Massachusetts	Low	111.14	6.5
Hampden	Massachusetts	Low	108.93	2.4
Hampshire	Massachusetts	Medium	217.62	2.4
Middlesex	Massachusetts	Low	107.77	6
Nantucket	Massachusetts	Low	61.41	6
Norfolk	Massachusetts	Low	76.26	6
Plymouth	Massachusetts	Low	64.08	6
Suffolk	Massachusetts	Low	136.33	6
Worcester	Massachusetts	Low	94.63	6.5
Alcona	Michigan	Medium	76.89	11.5
Alger	Michigan	Medium	109.79	14.3
Allegan	Michigan	Low	85.53	1.2
Alpena	Michigan	Medium	172.5	11.5
Antrim	Michigan	Medium	85.75	16.6
Arenac	Michigan	Medium	114.22	11.6
Baraga	Michigan	Medium	85.27	10.9
Barry	Michigan	Medium	112.1	9.2
Bay	Michigan	Medium	103.76	11.6
Benzie	Michigan	Medium	61.92	16.6
Berrien	Michigan	Medium	51.5	9.3
Branch	Michigan	Low	73.53	8.7
Calhoun	Michigan	Medium	181.13	9.2
Cass	Michigan	Medium	52.14	9.3
Charlevoix	Michigan	Low	76.5	6
Cheboygan	Michigan	Low	63.3	6
Chippewa	Michigan	Medium	208.84	6
Clare	Michigan	Low	96.93	7.6
Clinton	Michigan	High	258.81	10.4
Crawford	Michigan	Low	121.18	6.4
Delta	Michigan	Medium	89.43	14.3
Dickinson	Michigan	Low	67.36	9.6
Eaton	Michigan	High	252.11	10.4
Emmet	Michigan	Low	65.84	6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Genesee	Michigan	Low	118.28	5.3
 Gladwin	Michigan	Low	78.59	7.6
 Gogebic	Michigan	High	78.71	23.9
 Grand Traverse	Michigan	Medium	100.98	16.6
 Gratiot	Michigan	Medium	49.13	10
 Hillsdale	Michigan	Low	61.4	8.7
 Houghton	Michigan	Medium	78.47	10.9
 Huron	Michigan	Low	38.73	4
 Ingham	Michigan	Medium	137.14	10.4
 Ionia	Michigan	Medium	97.38	10
 Iosco	Michigan	Medium	87.56	11.6
 Iron	Michigan	Low	90.37	9.6
 Isabella	Michigan	Low	65.83	7.6
 Jackson	Michigan	Low	62.46	8.7
 Kalamazoo	Michigan	Medium	307.09	9.8
 Kalkaska	Michigan	Medium	88.7	16.6
 Kent	Michigan	Medium	173.53	10
 Keweenaw	Michigan	Medium	47.26	10.9
 Lake	Michigan	Low	92.8	3.6
 Lapeer	Michigan	Low	79.9	5.3
 Leelanau	Michigan	Medium	91.91	16.6
 Lenawee	Michigan	Low	82.27	8.7
 Livingston	Michigan	Low	120.32	7.8
 Luce	Michigan	High	240.81	14.3
 Mackinac	Michigan	Low	138.9	6
 Macomb	Michigan	Low	155.84	7.8
 Manistee	Michigan	Medium	150.66	16.6
 Marquette	Michigan	Medium	100.45	14.3
 Mason	Michigan	High	250.48	11.9
 Mecosta	Michigan	Medium	82.85	10
 Menominee	Michigan	Low	92.19	9.6
 Midland	Michigan	Low	101.01	7.6
 Missaukee	Michigan	Low	105.83	3.6
 Monroe	Michigan	Medium	72.43	12.2
 Montcalm	Michigan	Medium	64.17	10
 Montmorency	Michigan	Medium	53.6	11.5
 Muskegon	Michigan	Medium	84.69	11.9
 Newaygo	Michigan	Medium	126.58	11.9
 Oakland	Michigan	Low	109.81	7.8
 Oceana	Michigan	Medium	90.68	11.9
 Ogemaw	Michigan	Medium	80.96	11.6
 Ontonagon	Michigan	High	69.93	23.9
 Osceola	Michigan	Low	102.3	3.6
 Oscoda	Michigan	Medium	12.13	11.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Otsego	Michigan	Low	149.99	6.4
● Ottawa	Michigan	Low	97.32	1.2
● Presque Isle	Michigan	Medium	31.77	11.5
● Roscommon	Michigan	Low	87.43	6.4
● Saginaw	Michigan	Low	170.04	4
● St Clair	Michigan	High	74.78	33.5
● St Joseph	Michigan	Low	57.41	9.8
● Sanilac	Michigan	High	63.15	33.5
● Schoolcraft	Michigan	Medium	148.26	14.3
● Shiawassee	Michigan	Medium	121.84	10.4
● Tuscola	Michigan	Low	88.05	4
● Van Buren	Michigan	Medium	140.07	9.3
● Washtenaw	Michigan	Medium	226.06	7.8
● Wayne	Michigan	Low	119.93	7.8
● Wexford	Michigan	Low	115.96	3.6
● Aitkin	Minnesota	Low	163.67	5.5
● Anoka	Minnesota	Low	73.13	7.6
● Becker	Minnesota	Low	136.54	5.8
● Beltrami	Minnesota	Low	199.2	8.9
● Benton	Minnesota	Medium	110.05	12.7
● Big Stone	Minnesota	Low	160.29	0
● Blue Earth	Minnesota	Low	110.86	7.6
● Brown	Minnesota	Low	95.97	5.5
● Carlton	Minnesota	Low	158.9	9.4
● Carver	Minnesota	Low	121.8	7.6
● Cass	Minnesota	Low	137.68	5.5
● Chippewa	Minnesota	Low	161.02	2.5
● Chisago	Minnesota	Low	76	6.1
● Clay	Minnesota	Low	155.71	5.8
● Clearwater	Minnesota	Low	56.7	8.9
● Cook	Minnesota	Low	109.83	9.4
● Cottonwood	Minnesota	Low	62.52	2
● Crow Wing	Minnesota	Low	79.93	5.5
● Dakota	Minnesota	Low	104.66	6.1
● Dodge	Minnesota	Medium	138.53	11.2
● Douglas	Minnesota	Low	136.34	1.7
● Faribault	Minnesota	Low	117.19	9.1
● Fillmore	Minnesota	Medium	147.15	11.2
● Freeborn	Minnesota	Low	151.91	9.1
● Goodhue	Minnesota	Low	181.27	3.3
● Grant	Minnesota	Low	117.21	7.7
● Hennepin	Minnesota	Low	77.34	7.6
● Houston	Minnesota	Medium	344.09	9.3
● Hubbard	Minnesota	Low	130.29	5.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Isanti	Minnesota	Medium	61.58	7.2
Itasca	Minnesota	Low	124.09	9.4
Jackson	Minnesota	Low	71.09	2
Kanabec	Minnesota	Medium	30.61	7.2
Kandiyohi	Minnesota	Low	101.85	2.5
Kittson	Minnesota	Low	69.8	6.3
Koochiching	Minnesota	Medium	294.38	9.4
Lac Qui Parle	Minnesota	Low	90.59	2.5
Lake	Minnesota	Medium	234.94	9.4
Lake Of The Woods	Minnesota	Medium	294.12	0
Le Sueur	Minnesota	Low	131.55	7.6
Lincoln	Minnesota	Low	88.67	6.4
Lyon	Minnesota	Low	86.36	6.4
Mcleod	Minnesota	Low	103.08	7.6
Mahnomen	Minnesota	Medium	524.7	5.8
Marshall	Minnesota	Medium	235.65	6.3
Martin	Minnesota	Low	147.34	3.5
Meeker	Minnesota	Medium	77.51	12.7
Mille Lacs	Minnesota	Medium	129.39	7.2
Morrison	Minnesota	Medium	77.88	12.7
Mower	Minnesota	Medium	117.32	11.2
Murray	Minnesota	Low	146.45	2
Nicollet	Minnesota	Low	113.79	7.6
Nobles	Minnesota	Low	64.73	2
Norman	Minnesota	Low	47.06	5.8
Olmsted	Minnesota	High	207.21	11.2
Otter Tail	Minnesota	Low	76.6	7.7
Pennington	Minnesota	Medium	318.72	6.3
Pine	Minnesota	Low	57.47	9.4
Pipestone	Minnesota	Medium	54.79	12.8
Polk	Minnesota	High	220	12.8
Pope	Minnesota	Low	124.46	1.7
Ramsey	Minnesota	Low	118.11	6.1
Red Lake	Minnesota	Medium	246.61	6.3
Redwood	Minnesota	Low	184.57	5.5
Renville	Minnesota	Medium	226.84	5.5
Rice	Minnesota	Low	92.58	3
Rock	Minnesota	Medium	53.68	12.8
Roseau	Minnesota	Low	85.72	0
St Louis	Minnesota	Low	167.78	9.4
Scott	Minnesota	Low	85.9	7.6
Sherburne	Minnesota	Low	101.81	7.6
Sibley	Minnesota	Low	134.54	7.6
Stearns	Minnesota	Medium	80.09	12.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Steele	Minnesota	Medium	122.79	11.2
Stevens	Minnesota	Low	132.59	1.7
Swift	Minnesota	Low	21.58	2.5
Todd	Minnesota	Medium	81.09	12.7
Traverse	Minnesota	Low	92.05	0
Wabasha	Minnesota	High	245.06	11.2
Wadena	Minnesota	Low	146.18	5.5
Waseca	Minnesota	Low	91.34	7.6
Washington	Minnesota	Low	90.69	6.1
Watonwan	Minnesota	Low	165.18	7.6
Wilkin	Minnesota	Low	177.22	5.8
Winona	Minnesota	Medium	164.41	11.2
Wright	Minnesota	Low	77.32	7.6
Yellow Medicine	Minnesota	Low	123.6	2.5
Adams	Mississippi	High	6.52	31.9
Alcorn	Mississippi	Medium	59.54	12.4
Amite	Mississippi	Medium	8.13	10
Attala	Mississippi	Medium	154.07	10.7
Benton	Mississippi	Low	96.86	6
Bolivar	Mississippi	Low	107.74	4.3
Calhoun	Mississippi	Medium	271.57	1.2
Carroll	Mississippi	Low	80.43	2.5
Chickasaw	Mississippi	Medium	274.81	9.1
Choctaw	Mississippi	Medium	389.77	2.3
Claiborne	Mississippi	Low	33.38	7.7
Clarke	Mississippi	Medium	45.04	13.2
Clay	Mississippi	Low	41.42	2
Coahoma	Mississippi	Low	85.88	4.7
Copiah	Mississippi	Medium	71.26	16.1
Covington	Mississippi	Low	80.49	7.7
De Soto	Mississippi	Low	78.4	6
Forrest	Mississippi	Low	69.43	7.7
Franklin	Mississippi	High	64.83	31.9
George	Mississippi	Medium	57.14	7.7
Greene	Mississippi	Low	73.61	7.7
Grenada	Mississippi	Low	72.26	2.5
Hancock	Mississippi	Low	62.98	2.6
Harrison	Mississippi	Low	105.25	2.6
Hinds	Mississippi	Medium	48.74	10.7
Holmes	Mississippi	Medium	141.09	10.7
Humphreys	Mississippi	Low	37.2	4.3
Issaquena	Mississippi	Low	75.36	2
Itawamba	Mississippi	Low	85.51	9.1
Jackson	Mississippi	Medium	54.31	7.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Jasper	Mississippi	Medium	177.01	12.4
 Jefferson	Mississippi	High	14.31	31.9
 Jefferson Davis	Mississippi	Low	62.9	0
 Jones	Mississippi	Medium	46.99	12.4
 Kemper	Mississippi	Medium	61.59	13.2
 Lafayette	Mississippi	Low	146.24	1.2
 Lamar	Mississippi	Low	77.36	7.7
 Lauderdale	Mississippi	Medium	62.06	13.2
 Lawrence	Mississippi	Low	63.56	0
 Leake	Mississippi	Medium	153.6	10.7
 Lee	Mississippi	Low	158.01	9.1
 Leflore	Mississippi	Low	14.19	4.3
 Lincoln	Mississippi	Medium	52.7	16.1
 Lowndes	Mississippi	Low	52.91	2
 Madison	Mississippi	Medium	65.87	10.7
 Marion	Mississippi	Medium	36.63	10
 Marshall	Mississippi	Low	76.5	6
 Monroe	Mississippi	Low	99.29	9.1
 Montgomery	Mississippi	Low	143.22	2.5
 Neshoba	Mississippi	High	367.47	13.2
 Newton	Mississippi	Medium	190.31	13.2
 Noxubee	Mississippi	Low	48	2
 Oktibbeha	Mississippi	Low	50.42	2.3
 Panola	Mississippi	Low	93.59	6
 Pearl River	Mississippi	Low	50.42	7.5
 Perry	Mississippi	Low	50.11	7.7
 Pike	Mississippi	Medium	61.09	10
 Pontotoc	Mississippi	Low	111.89	3.6
 Prentiss	Mississippi	Medium	210.94	9.1
 Quitman	Mississippi	Low	29.45	4.7
 Rankin	Mississippi	Medium	61.18	10.7
 Scott	Mississippi	Medium	42.67	10.7
 Sharkey	Mississippi	Low	23.14	2
 Simpson	Mississippi	Medium	56.27	10.7
 Smith	Mississippi	Medium	81.68	12.4
 Stone	Mississippi	Low	109.08	2.6
 Sunflower	Mississippi	Low	59.74	4.3
 Tallahatchie	Mississippi	Low	65.17	4.7
 Tate	Mississippi	Low	60.03	6
 Tippah	Mississippi	Medium	545.08	3.6
 Tishomingo	Mississippi	Medium	159.93	12.4
 Tunica	Mississippi	Low	41.53	6
 Union	Mississippi	Low	69.41	3.6
 Walthall	Mississippi	Medium	49	10

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Warren	Mississippi	Low	39.66	7.7
 Washington	Mississippi	Medium	236.85	2
 Wayne	Mississippi	Medium	138.73	12.4
 Webster	Mississippi	Medium	887.6	2.3
 Wilkinson	Mississippi	Low	0	0
 Winston	Mississippi	Low	116.96	2.3
 Yalobusha	Mississippi	Low	107.37	1.2
 Yazoo	Mississippi	Low	50.52	0
 Adair	Missouri	Low	90.75	4
 Andrew	Missouri	High	84.69	23.1
 Atchison	Missouri	High	77.78	31.4
 Audrain	Missouri	Low	43.33	0
 Barry	Missouri	Medium	64.27	10.8
 Barton	Missouri	Low	102.09	9
 Bates	Missouri	Medium	86.57	12.7
 Benton	Missouri	Low	108.01	1.9
 Bollinger	Missouri	Medium	239.02	8.4
 Boone	Missouri	Medium	78.69	13
 Buchanan	Missouri	High	92.72	23.1
 Butler	Missouri	Low	58.85	8.4
 Caldwell	Missouri	Medium	199.56	15.4
 Callaway	Missouri	Medium	71.52	7.1
 Camden	Missouri	Medium	56.15	13
 Cape Girardeau	Missouri	Low	110.31	8.4
 Carroll	Missouri	Medium	149.79	12.5
 Carter	Missouri	Low	83.58	8.4
 Cass	Missouri	Medium	36.87	15.4
 Cedar	Missouri	Low	41.81	0
 Chariton	Missouri	High	215.46	13
 Christian	Missouri	Medium	80.14	10.8
 Clark	Missouri	Low	132.41	3.4
 Clay	Missouri	Medium	38.81	15.4
 Clinton	Missouri	Medium	156.96	15.4
 Cole	Missouri	Medium	66.45	7.1
 Cooper	Missouri	Medium	22.59	13
 Crawford	Missouri	Medium	45.99	7.1
 Dade	Missouri	Medium	52.9	10.8
 Dallas	Missouri	Medium	59.25	10.8
 Daviess	Missouri	Medium	181.2	15.4
 De Kalb	Missouri	High	79.7	23.1
 Dent	Missouri	Low	77.06	5.9
 Douglas	Missouri	Medium	60.68	10.8
 Dunklin	Missouri	Medium	233.43	8.6
 Franklin	Missouri	Medium	70.21	12.1

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Gasconade	Missouri	Medium	115.6	7.1
Gentry	Missouri	High	91.31	23.1
Greene	Missouri	Medium	85.98	10.8
Grundy	Missouri	High	274.11	22.3
Harrison	Missouri	High	131.7	23.1
Henry	Missouri	Medium	87.06	12.7
Hickory	Missouri	Medium	52.39	10.8
Holt	Missouri	High	45.42	31.4
Howard	Missouri	Medium	119.99	13
Howell	Missouri	Low	181.97	9.2
Iron	Missouri	High	256.79	12.1
Jackson	Missouri	Medium	119.91	15.4
Jasper	Missouri	Low	71.71	9
Jefferson	Missouri	Medium	69.31	12.1
Johnson	Missouri	Medium	127.63	15.4
Knox	Missouri	Low	151.55	4
Laclede	Missouri	Medium	86.78	10.8
Lafayette	Missouri	Medium	33.63	15.4
Lawrence	Missouri	Medium	73	10.8
Lewis	Missouri	High	378.48	10.1
Lincoln	Missouri	Low	45.75	2.6
Linn	Missouri	Medium	1275.17	0
Livingston	Missouri	Medium	197.02	12.5
Mcdonald	Missouri	Low	113.85	9
Macon	Missouri	Medium	66.15	13
Madison	Missouri	Low	198.54	0
Maries	Missouri	Medium	80.49	7.1
Marion	Missouri	High	315.46	10.1
Mercer	Missouri	High	193.53	22.3
Miller	Missouri	Medium	42.94	7.1
Mississippi	Missouri	Medium	470.41	8.4
Moniteau	Missouri	Medium	74.39	7.1
Monroe	Missouri	Low	92.55	0
Montgomery	Missouri	Low	17.31	0
Morgan	Missouri	Low	63.02	1.9
New Madrid	Missouri	Low	76.13	8.4
Newton	Missouri	Low	65.25	9
Nodaway	Missouri	High	140.32	23.1
Oregon	Missouri	Low	85.48	9.2
Osage	Missouri	Medium	117.52	7.1
Ozark	Missouri	Medium	141.7	10.8
Pemiscot	Missouri	Low	126.54	1.8
Perry	Missouri	Medium	203.8	8.4
Pettis	Missouri	Low	151.16	1.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Phelps	Missouri	Low	103.2	5.9
 Pike	Missouri	High	284.12	10.1
 Platte	Missouri	Medium	58.42	15.4
 Polk	Missouri	Medium	43.55	10.8
 Pulaski	Missouri	Low	66.53	5.9
 Putnam	Missouri	Low	170.36	4
 Ralls	Missouri	High	242.51	10.1
 Randolph	Missouri	Medium	60.61	13
 Ray	Missouri	High	212.88	15.4
 Reynolds	Missouri	Low	111.64	5.9
 Ripley	Missouri	Low	45.15	8.4
 St Charles	Missouri	Low	60.44	2.6
 St Clair	Missouri	Medium	85.13	12.7
 Ste. Genevieve	Missouri	Medium	78.24	12.1
 St Francois	Missouri	High	550.47	12.1
 St Louis	Missouri	Medium	60.55	12.1
 Saline	Missouri	Low	39.54	1.9
 Schuyler	Missouri	Low	107.3	4
 Scotland	Missouri	Low	40.8	4
 Scott	Missouri	Low	47.02	8.4
 Shannon	Missouri	Low	48.98	9.2
 Shelby	Missouri	Medium	134.91	13
 Stoddard	Missouri	Low	58.57	8.4
 Stone	Missouri	Medium	46.95	10.8
 Sullivan	Missouri	Low	32.85	4
 Taney	Missouri	Medium	66.16	7.2
 Texas	Missouri	Medium	59.06	10.8
 Vernon	Missouri	Low	63.22	0
 Warren	Missouri	Low	58.91	2.6
 Washington	Missouri	Medium	97.05	12.1
 Wayne	Missouri	Low	69.91	8.4
 Webster	Missouri	Medium	63.14	10.8
 Worth	Missouri	High	198.71	23.1
 Wright	Missouri	Medium	60.15	10.8
 St Louis City	Missouri	Medium	68.87	12.1
 Beaverhead	Montana	Medium	95.21	18.7
 Big Horn	Montana	Medium	67.57	16.7
 Blaine	Montana	High	209.55	10.2
 Broadwater	Montana	Medium	160.33	15.9
 Carbon	Montana	Medium	111.89	16.7
 Carter	Montana	High	239.62	15.4
 Cascade	Montana	High	1086.45	13.4
 Chouteau	Montana	High	230.7	13.4
 Custer	Montana	High	324.5	15.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Daniels	Montana	Low	177.51	0
 Dawson	Montana	High	58.05	140.6
 Deer Lodge	Montana	High	492.34	18.7
 Fallon	Montana	Medium	0	15.4
 Fergus	Montana	Low	117.65	8.7
 Flathead	Montana	High	716.72	11.3
 Gallatin	Montana	Medium	253.42	7.3
 Garfield	Montana	Medium	0	15.4
 Glacier	Montana	High	210.86	13.4
 Golden Valley	Montana	Medium	121.8	16.7
 Granite	Montana	Low	29.59	6.1
 Hill	Montana	High	503.52	10.2
 Jefferson	Montana	Medium	57.28	15.9
 Judith Basin	Montana	Medium	0	13.4
 Lake	Montana	Low	131.33	6.1
 Lewis And Clark	Montana	Medium	154.11	15.9
 Liberty	Montana	High	299.53	10.2
 Lincoln	Montana	Medium	170.17	11.3
 McCone	Montana	High	60.1	140.6
 Madison	Montana	Low	34.88	7.3
 Meagher	Montana	Low	161.12	0
 Mineral	Montana	Low	90.97	6.1
 Missoula	Montana	Low	165.55	6.1
 Musselshell	Montana	Medium	43.17	16.7
 Park	Montana	Low	48.18	0
 Petroleum	Montana	Low	0	8.7
 Phillips	Montana	Medium	177.04	10.2
 Pondera	Montana	Medium	33.84	13.4
 Powder River	Montana	Medium	59.45	15.4
 Powell	Montana	Medium	58.06	14.5
 Prairie	Montana	Medium	0	15.4
 Ravalli	Montana	Low	84.46	6.1
 Richland	Montana	High	175.88	140.6
 Roosevelt	Montana	High	245.37	38
 Rosebud	Montana	High	279.74	16.7
 Sanders	Montana	Low	140.35	6.1
 Sheridan	Montana	Low	120.88	0
 Silver Bow	Montana	High	277.82	18.7
 Stillwater	Montana	High	228.17	16.7
 Sweet Grass	Montana	Medium	267.59	0
 Teton	Montana	Medium	146.41	13.4
 Toole	Montana	Medium	0	13.4
 Treasure	Montana	Medium	0	16.7
 Valley	Montana	High	162.25	38

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Wheatland	Montana	Low	141.11	0
 Wibaux	Montana	High	103.2	140.6
 Yellowstone	Montana	High	587.1	16.7
 Adams	Nebraska	Medium	538.85	2.2
 Antelope	Nebraska	Medium	460.46	4.7
 Arthur	Nebraska	High	431.97	21.1
 Banner	Nebraska	Medium	0	18.6
 Blaine	Nebraska	Medium	645.16	0
 Boone	Nebraska	Medium	731.9	7.1
 Box Butte	Nebraska	High	1168.51	18.6
 Boyd	Nebraska	Medium	833.77	4.2
 Brown	Nebraska	Low	135.36	6.6
 Buffalo	Nebraska	High	1415.65	12.2
 Burt	Nebraska	Medium	897.97	8.2
 Butler	Nebraska	Medium	1309.88	5.2
 Cass	Nebraska	Medium	1040.08	8.2
 Cedar	Nebraska	Medium	654.61	5.9
 Chase	Nebraska	Medium	535.17	0
 Cherry	Nebraska	Low	105.47	0
 Cheyenne	Nebraska	Medium	976.43	5.3
 Clay	Nebraska	Medium	1354.18	2.2
 Colfax	Nebraska	Medium	1363.34	8.2
 Cuming	Nebraska	Medium	621.75	8.2
 Custer	Nebraska	Medium	612.42	0
 Dakota	Nebraska	Medium	1782.68	4.8
 Dawes	Nebraska	High	302.71	36.9
 Dawson	Nebraska	High	957.83	12.2
 Deuel	Nebraska	Medium	613.15	5.3
 Dixon	Nebraska	Medium	922.64	4.8
 Dodge	Nebraska	Medium	1156.84	8.2
 Douglas	Nebraska	Medium	1188.99	8.2
 Dundy	Nebraska	Medium	886	0
 Fillmore	Nebraska	Medium	897.11	0
 Franklin	Nebraska	High	805.64	12.2
 Frontier	Nebraska	High	837.46	12.2
 Furnas	Nebraska	Medium	1197.6	0
 Gage	Nebraska	Medium	534.56	5.2
 Garden	Nebraska	High	489.93	18.6
 Garfield	Nebraska	Medium	558.66	0
 Gosper	Nebraska	High	753.77	12.2
 Grant	Nebraska	High	321.03	18.6
 Greeley	Nebraska	Medium	721.56	8
 Hall	Nebraska	Medium	1387.06	8
 Hamilton	Nebraska	Medium	1136.85	8

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Harlan	Nebraska	Low	29.59	0
 Hayes	Nebraska	Medium	325.38	0
 Hitchcock	Nebraska	Medium	1013.76	5.3
 Holt	Nebraska	Medium	963.54	6.6
 Hooker	Nebraska	High	439.88	21.1
 Howard	Nebraska	Medium	791.31	8
 Jefferson	Nebraska	Medium	482.54	5.2
 Johnson	Nebraska	Low	0	9.5
 Kearney	Nebraska	High	261.74	12.2
 Keith	Nebraska	High	771.72	21.1
 Keya Paha	Nebraska	Medium	496.28	6.6
 Kimball	Nebraska	Medium	1266.52	5.3
 Knox	Nebraska	Medium	612.1	5.9
 Lancaster	Nebraska	Medium	1328.47	5.2
 Lincoln	Nebraska	High	1306.07	21.1
 Logan	Nebraska	Medium	1069.52	0
 Loup	Nebraska	Low	0	0
 Mcpherson	Nebraska	High	404.86	21.1
 Madison	Nebraska	Medium	1208.01	4.7
 Merrick	Nebraska	Medium	657.64	8
 Morrill	Nebraska	High	1249.46	18.6
 Nance	Nebraska	Medium	653.59	7.1
 Nemaha	Nebraska	Low	114.74	0
 Nuckolls	Nebraska	Medium	1374.16	2.2
 Otoe	Nebraska	Medium	630.78	9.5
 Pawnee	Nebraska	Medium	574.05	0
 Perkins	Nebraska	High	484.26	21.1
 Phelps	Nebraska	Medium	1051.58	0
 Pierce	Nebraska	Medium	559.6	4.7
 Platte	Nebraska	Medium	1248.88	7.1
 Polk	Nebraska	Medium	1342.8	0
 Red Willow	Nebraska	Medium	1044.39	5.3
 Richardson	Nebraska	Medium	623.01	0
 Rock	Nebraska	Low	147.38	6.6
 Saline	Nebraska	Medium	1406.07	5.2
 Sarpy	Nebraska	Medium	795.96	8.2
 Saunders	Nebraska	Medium	1038.09	8.2
 Scotts Bluff	Nebraska	High	1572.24	18.6
 Seward	Nebraska	Medium	1851.42	5.2
 Sheridan	Nebraska	High	495.62	36.9
 Sherman	Nebraska	High	799.73	12.2
 Sioux	Nebraska	High	0	36.9
 Stanton	Nebraska	Medium	793.92	4.7
 Thayer	Nebraska	Medium	1119.33	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Thomas	Nebraska	Low	0	0
● Thurston	Nebraska	Medium	885.94	4.8
● Valley	Nebraska	Medium	865.8	0
● Washington	Nebraska	Medium	805.63	8.2
● Wayne	Nebraska	Medium	575.39	4.7
● Webster	Nebraska	Medium	487.53	2.2
● Wheeler	Nebraska	Medium	383.14	0
● York	Nebraska	Medium	2003.07	0
● Churchill	Nevada	Medium	200.73	5.6
● Clark	Nevada	Medium	197.07	10.2
● Douglas	Nevada	Low	163.58	5.6
● Elko	Nevada	Low	56.84	1.7
● Esmeralda	Nevada	Medium	0	10.2
● Eureka	Nevada	Medium	246.43	1.7
● Humboldt	Nevada	Low	41.59	5.6
● Lander	Nevada	Low	18.08	1.7
● Lincoln	Nevada	Medium	38.59	10.2
● Lyon	Nevada	Medium	213.88	5.6
● Mineral	Nevada	Low	177.58	5.6
● Nye	Nevada	Medium	165.51	10.2
● Pershing	Nevada	Low	29.74	5.6
● Storey	Nevada	Low	97.02	5.6
● Washoe	Nevada	Low	163.73	5.6
● White Pine	Nevada	Medium	20.88	10.4
● Carson City	Nevada	Medium	209.24	5.6
● Belknap	New Hampshire	Low	190.86	7.4
● Carroll	New Hampshire	Medium	255.57	7.4
● Cheshire	New Hampshire	Medium	218.18	3.4
● Coos	New Hampshire	Medium	361.18	0
● Grafton	New Hampshire	Medium	325.97	9.8
● Hillsborough	New Hampshire	Low	197.11	7.4
● Merrimack	New Hampshire	Medium	201.47	7.4
● Rockingham	New Hampshire	Low	194.66	4.1
● Strafford	New Hampshire	Medium	414.14	3
● Sullivan	New Hampshire	Medium	250.31	9.8
● Atlantic	New Jersey	Medium	60.3	11.5
● Bergen	New Jersey	Low	106.41	4.7
● Burlington	New Jersey	Medium	64.44	11
● Camden	New Jersey	Medium	66.34	11
● Cape May	New Jersey	Medium	51.07	11.5
● Cumberland	New Jersey	Medium	304.29	0
● Essex	New Jersey	Low	88.36	6.4
● Gloucester	New Jersey	Medium	79.89	11
● Hudson	New Jersey	Low	112.43	4.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Hunterdon	New Jersey	Low	92.47	2.6
 Mercer	New Jersey	Low	72.94	6.5
 Middlesex	New Jersey	Low	159.62	6.4
 Monmouth	New Jersey	Low	85.97	8.2
 Morris	New Jersey	Low	88.04	6.2
 Ocean	New Jersey	Low	84.32	8.2
 Passaic	New Jersey	Low	88.48	4.7
 Salem	New Jersey	Medium	41.68	11
 Somerset	New Jersey	Low	81.48	6.4
 Sussex	New Jersey	Low	106.77	6.2
 Union	New Jersey	Low	136.61	6.4
 Warren	New Jersey	Low	76.95	2.6
 Bernalillo	New Mexico	Medium	129.43	11.4
 Catron	New Mexico	Low	141.76	0
 Chaves	New Mexico	Medium	89.76	2.4
 Cibola	New Mexico	Medium	172.45	11.4
 Colfax	New Mexico	Low	184.24	9.9
 Curry	New Mexico	Medium	87.84	12.9
 De Baca	New Mexico	Medium	0	12.9
 Dona Ana	New Mexico	Low	117.78	5.5
 Eddy	New Mexico	Medium	66.71	2.4
 Grant	New Mexico	Low	185.2	0
 Guadalupe	New Mexico	Medium	348.84	0
 Harding	New Mexico	Medium	480	0
 Hidalgo	New Mexico	Medium	214.39	0
 Lea	New Mexico	Low	74.57	2.7
 Lincoln	New Mexico	Low	122.62	6.9
 Los Alamos	New Mexico	Medium	247.82	8.3
 Luna	New Mexico	Low	156.06	5.5
 Mckinley	New Mexico	High	227	19.5
 Mora	New Mexico	Low	176.95	0
 Otero	New Mexico	Low	128.91	6.9
 Quay	New Mexico	Medium	72.7	12.9
 Rio Arriba	New Mexico	Low	82.22	8.3
 Roosevelt	New Mexico	Medium	86.49	12.9
 Sandoval	New Mexico	Medium	156.73	11.4
 San Juan	New Mexico	Medium	196.03	10.9
 San Miguel	New Mexico	Medium	212.63	0
 Santa Fe	New Mexico	Low	156.96	8.3
 Sierra	New Mexico	Low	101.94	5.5
 Socorro	New Mexico	Medium	90.16	11.4
 Taos	New Mexico	Low	73.34	8.3
 Torrance	New Mexico	Medium	71.15	11.4
 Union	New Mexico	High	147.82	24.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Valencia	New Mexico	Medium	113.45	11.4
Albany	New York	Medium	67.43	11.6
Allegany	New York	Low	121.5	9.8
Bronx	New York	Low	40.54	5.0
Broome	New York	Medium	120.22	15.3
Cattaraugus	New York	Low	115.61	9.8
Cayuga	New York	Medium	122.75	10.7
Chautauqua	New York	Low	70.92	8.7
Chemung	New York	Medium	129.41	13.2
Chenango	New York	Low	112.27	7.1
Clinton	New York	Medium	178.92	12.5
Columbia	New York	Low	74	7.8
Cortland	New York	Low	113.49	4.7
Delaware	New York	Low	58.91	7.1
Dutchess	New York	Low	57.1	6.7
Erie	New York	Low	63.46	9.9
Essex	New York	Medium	170.8	12.5
Franklin	New York	Medium	179.92	12.5
Fulton	New York	Medium	110.52	13.6
Genesee	New York	Low	40.15	9.9
Greene	New York	Low	95.36	7.8
Hamilton	New York	Low	135.87	4.7
Herkimer	New York	Low	104.37	7.5
Jefferson	New York	Low	88.32	6.6
Kings	New York	Low	59.69	5.0
Lewis	New York	Low	95.07	6.6
Livingston	New York	Low	52.45	9.9
Madison	New York	Low	95.85	7.5
Monroe	New York	Low	56.49	9.9
Montgomery	New York	Medium	87.36	13.6
Nassau	New York	Low	58.22	6.8
New York	New York	Low	89.76	5.0
Niagara	New York	Low	82.66	9.9
Oneida	New York	Low	106.7	7.5
Onondaga	New York	Medium	156.34	10.7
Ontario	New York	Medium	96.56	13.1
Orange	New York	Low	62.61	7
Orleans	New York	Low	42.13	9.9
Oswego	New York	Medium	163.08	10.7
Otsego	New York	Low	107.58	7.1
Putnam	New York	Low	56.96	6.7
Queens	New York	Low	50.58	5.0
Rensselaer	New York	Medium	114.04	11.6
Richmond	New York	Low	59.02	5.0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Rockland	New York	Low	44.2	4.7
 St Lawrence	New York	Low	162.43	6.6
 Saratoga	New York	Low	103.54	4.7
 Schenectady	New York	Low	93.37	4.7
 Schoharie	New York	Low	51.61	7.1
 Schuyler	New York	Medium	56.16	13.2
 Seneca	New York	Medium	91.13	13.1
 Steuben	New York	Medium	132.1	13.2
 Suffolk	New York	Low	47.88	6.8
 Sullivan	New York	Low	76.89	7
 Tioga	New York	Medium	101.65	15.3
 Tompkins	New York	Low	163.44	4.7
 Ulster	New York	Low	87.29	6.7
 Warren	New York	Low	109.47	4.7
 Washington	New York	Low	102.93	4.7
 Wayne	New York	Medium	78.96	13.1
 Westchester	New York	Low	55.71	6.7
 Wyoming	New York	Low	40.14	9.9
 Yates	New York	Medium	80.28	13.1
 Alamance	North Carolina	Medium	155.15	17.1
 Alexander	North Carolina	Low	48	5.9
 Alleghany	North Carolina	High	341.2	23.9
 Anson	North Carolina	Low	98.18	5.7
 Ashe	North Carolina	High	551.41	10.9
 Avery	North Carolina	Medium	324.66	0
 Beaufort	North Carolina	High	255.35	11.5
 Bertie	North Carolina	Low	105.56	5.9
 Bladen	North Carolina	Medium	195.59	18.1
 Brunswick	North Carolina	High	470.52	15.4
 Buncombe	North Carolina	Medium	292.89	3.6
 Burke	North Carolina	High	270.76	15.7
 Cabarrus	North Carolina	Low	95.63	7.4
 Caldwell	North Carolina	High	288.4	15.7
 Camden	North Carolina	Medium	276.07	7.9
 Carteret	North Carolina	Medium	685.16	9.7
 Caswell	North Carolina	Low	141.57	0.5
 Catawba	North Carolina	Medium	140.39	15.7
 Chatham	North Carolina	Medium	116.83	13.1
 Cherokee	North Carolina	High	209.7	5
 Chowan	North Carolina	Low	28.69	5.9
 Clay	North Carolina	Medium	44.52	5
 Cleveland	North Carolina	Medium	132.72	6.9
 Columbus	North Carolina	Medium	172.95	18.1
 Craven	North Carolina	Medium	276.09	9.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Cumberland	North Carolina	Medium	145.75	11
● Currituck	North Carolina	Medium	324.17	4.7
● Dare	North Carolina	Low	86.47	7.9
● Davidson	North Carolina	Medium	111.57	11.6
● Davie	North Carolina	Medium	182.05	14.5
● Duplin	North Carolina	High	217.91	8.5
● Durham	North Carolina	Medium	138.73	18.7
● Edgecombe	North Carolina	Medium	132.11	11.1
● Forsyth	North Carolina	Medium	113.26	14.5
● Franklin	North Carolina	Low	198.03	6.7
● Gaston	North Carolina	Medium	98.87	6.9
● Gates	North Carolina	Medium	320.01	5.9
● Graham	North Carolina	Low	154.01	2.9
● Granville	North Carolina	Medium	152.21	18.7
● Greene	North Carolina	Medium	151.88	8.5
● Guilford	North Carolina	Medium	183.37	11.6
● Halifax	North Carolina	Medium	113.98	11.1
● Harnett	North Carolina	Medium	184.59	13.1
● Haywood	North Carolina	Medium	215.03	3.6
● Henderson	North Carolina	Low	113.27	3.6
● Hertford	North Carolina	Low	63.35	5.9
● Hoke	North Carolina	Low	166.56	5.3
● Hyde	North Carolina	High	222.81	11.5
● Iredell	North Carolina	Low	183.16	5.9
● Jackson	North Carolina	Low	161.59	2.9
● Johnston	North Carolina	Medium	213.53	6.7
● Jones	North Carolina	Low	169.87	9.7
● Lee	North Carolina	Medium	66.37	13.1
● Lenoir	North Carolina	Medium	191.25	8.5
● Lincoln	North Carolina	Medium	113.81	6.9
● Mcdowell	North Carolina	Medium	225.11	0
● Macon	North Carolina	Medium	320.71	2.9
● Madison	North Carolina	Medium	243.62	3.6
● Martin	North Carolina	Medium	151.52	11.5
● Mecklenburg	North Carolina	Low	98.71	5.7
● Mitchell	North Carolina	Low	173.75	0
● Montgomery	North Carolina	Low	103.04	5.3
● Moore	North Carolina	Low	133.82	5.3
● Nash	North Carolina	Medium	132.56	11.1
● New Hanover	North Carolina	High	465.73	15.4
● Northampton	North Carolina	Medium	123.18	11.1
● Onslow	North Carolina	Medium	223.81	9.7
● Orange	North Carolina	Medium	127.29	13.1
● Pamlico	North Carolina	Low	70.72	9.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Pasquotank	North Carolina	Medium	288.77	7.9
● Pender	North Carolina	High	558.2	15.4
● Perquimans	North Carolina	Medium	393.67	7.9
● Person	North Carolina	Medium	149.4	18.7
● Pitt	North Carolina	Medium	118.4	11.5
● Polk	North Carolina	Medium	164.06	10.3
● Randolph	North Carolina	Medium	119.03	11.6
● Richmond	North Carolina	Low	113.77	5.3
● Robeson	North Carolina	High	209.76	18.1
● Rockingham	North Carolina	Medium	164.82	11.6
● Rowan	North Carolina	Low	123.16	7.4
● Rutherford	North Carolina	Medium	101.45	6.9
● Sampson	North Carolina	High	214.07	11
● Scotland	North Carolina	Medium	80.41	18.1
● Stanly	North Carolina	Low	124.19	7.4
● Stokes	North Carolina	High	234.7	14.5
● Surry	North Carolina	Medium	189.46	14.5
● Swain	North Carolina	Medium	266.27	2.9
● Transylvania	North Carolina	Low	93.06	3.6
● Tyrrell	North Carolina	Medium	74.7	11.5
● Union	North Carolina	Low	130.91	5.7
● Vance	North Carolina	Medium	96.55	18.7
● Wake	North Carolina	Low	175.94	6.7
● Warren	North Carolina	High	248.34	18.7
● Washington	North Carolina	Medium	51.81	11.5
● Watauga	North Carolina	High	268.79	10.9
● Wayne	North Carolina	Medium	107.2	8.5
● Wilkes	North Carolina	Medium	214.87	4.4
● Wilson	North Carolina	Low	122.25	6.7
● Yadkin	North Carolina	Medium	193.8	14.5
● Yancey	North Carolina	Medium	420.61	0
● Adams	North Dakota	Medium	315.88	0
● Barnes	North Dakota	Low	76.81	5.8
● Benson	North Dakota	High	190.28	24.2
● Billings	North Dakota	High	107.76	13
● Bottineau	North Dakota	Medium	31.84	10.6
● Bowman	North Dakota	Low	66.14	0
● Burke	North Dakota	Medium	47.28	10.6
● Burleigh	North Dakota	Medium	190.32	15.2
● Cass	North Dakota	Low	108.29	5.8
● Cavalier	North Dakota	Medium	53.16	12.8
● Dickey	North Dakota	Low	41.05	0
● Divide	North Dakota	Low	0	3.6
● Dunn	North Dakota	High	67.81	13

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Eddy	North Dakota	High	174.9	24.2
 Emmons	North Dakota	Medium	92.56	15.2
 Foster	North Dakota	Low	62.31	0
 Golden Valley	North Dakota	High	283.93	13
 Grand Forks	North Dakota	Medium	141.11	12.8
 Grant	North Dakota	Low	87.95	0
 Griggs	North Dakota	Low	134.47	5.8
 Hettinger	North Dakota	Medium	320.13	0
 Kidder	North Dakota	Medium	161.29	15.2
 La Moure	North Dakota	Low	98.86	0
 Logan	North Dakota	Medium	216.22	0
 Mchenry	North Dakota	Medium	52.22	10.6
 Mcintosh	North Dakota	Medium	280.34	0
 Mckenzie	North Dakota	Low	99.84	3.6
 Mclean	North Dakota	Medium	116.4	15.2
 Mercer	North Dakota	Medium	195.43	15.2
 Morton	North Dakota	Medium	156.23	15.2
 Mountrail	North Dakota	Medium	151.73	10.6
 Nelson	North Dakota	Medium	0	12.8
 Oliver	North Dakota	Medium	0	15.2
 Pembina	North Dakota	Medium	147.04	12.8
 Pierce	North Dakota	Low	100.63	0
 Ramsey	North Dakota	High	164.94	24.2
 Ransom	North Dakota	Low	76.66	5.8
 Renville	North Dakota	Medium	0	10.6
 Richland	North Dakota	Low	86.54	5.8
 Rolette	North Dakota	Medium	458.52	0
 Sargent	North Dakota	Low	102.62	5.8
 Sheridan	North Dakota	Medium	76.05	15.2
 Sioux	North Dakota	Medium	189.13	15.2
 Slope	North Dakota	Low	0	0
 Stark	North Dakota	High	114.33	13
 Steele	North Dakota	Low	52.91	5.8
 Stutsman	North Dakota	Low	159.39	0
 Towner	North Dakota	Medium	228.41	0
 Traill	North Dakota	Low	149.33	5.8
 Walsh	North Dakota	Medium	197.35	12.8
 Ward	North Dakota	Medium	115.31	10.6
 Wells	North Dakota	Low	182.58	0
 Williams	North Dakota	Low	93.11	3.6
 Adams	Ohio	Low	111.92	7.1
 Allen	Ohio	Low	39.08	6.7
 Ashland	Ohio	Medium	39.26	12.6
 Ashtabula	Ohio	Low	82.27	7.1

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Athens	Ohio	Low	142.36	7.9
● Auglaize	Ohio	Low	32.85	6.7
● Belmont	Ohio	High	89.54	22.7
● Brown	Ohio	Low	80.59	7.1
● Butler	Ohio	Low	144.07	7.1
● Carroll	Ohio	Low	40.87	6.3
● Champaign	Ohio	Medium	66.86	9.8
● Clark	Ohio	Medium	55.19	9.8
● Clermont	Ohio	Low	89.14	7.1
● Clinton	Ohio	Low	57.19	9.4
● Columbiana	Ohio	Low	80.48	4.6
● Coshocton	Ohio	Low	49.18	8.4
● Crawford	Ohio	Low	127.73	9.9
● Cuyahoga	Ohio	Low	46.72	7.1
● Darke	Ohio	Low	76.3	9.8
● Defiance	Ohio	Low	63.01	4.2
● Delaware	Ohio	Medium	50.2	10.4
● Erie	Ohio	Low	35.01	8
● Fairfield	Ohio	Low	78.06	7.9
● Fayette	Ohio	Medium	52.59	10.4
● Franklin	Ohio	Medium	57.49	10.4
● Fulton	Ohio	Medium	68.84	12.2
● Gallia	Ohio	High	217.41	8.9
● Geauga	Ohio	Low	37.37	7.1
● Greene	Ohio	Low	124.9	9.8
● Guernsey	Ohio	Low	90.03	8.4
● Hamilton	Ohio	Low	58.35	7.1
● Hancock	Ohio	Low	52.78	5.3
● Hardin	Ohio	Low	60.58	6.7
● Harrison	Ohio	Low	66.49	6.2
● Henry	Ohio	Low	40.73	4.2
● Highland	Ohio	Low	85.73	9.4
● Hocking	Ohio	Low	137.98	7.9
● Holmes	Ohio	Low	22.75	6.3
● Huron	Ohio	Low	53.2	8
● Jackson	Ohio	Medium	163.51	8.9
● Jefferson	Ohio	Low	71.95	6.2
● Knox	Ohio	Medium	49.74	4.2
● Lake	Ohio	Low	39.54	7.1
● Lawrence	Ohio	High	235.44	23.1
● Licking	Ohio	Medium	79.72	4.2
● Logan	Ohio	Low	50.36	2.2
● Lorain	Ohio	Low	46.48	8
● Lucas	Ohio	Medium	70.97	12.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Madison	Ohio	Medium	46.95	10.4
● Mahoning	Ohio	Low	40.67	6.9
● Marion	Ohio	Low	92.18	9.9
● Medina	Ohio	Low	52.3	4.6
● Meigs	Ohio	High	209.54	8.9
● Mercer	Ohio	Low	48.58	6.7
● Miami	Ohio	Low	44.87	3.2
● Monroe	Ohio	High	131.83	22.7
● Montgomery	Ohio	Low	65.26	9.8
● Morgan	Ohio	Low	96.5	8.4
● Morrow	Ohio	Low	48.12	9.9
● Muskingum	Ohio	Low	61.47	8.4
● Noble	Ohio	Low	76.26	8.4
● Ottawa	Ohio	High	231.96	12.2
● Paulding	Ohio	Low	26.78	4.2
● Perry	Ohio	Medium	218.63	8.4
● Pickaway	Ohio	Medium	54.74	10.4
● Pike	Ohio	High	187.24	21.2
● Portage	Ohio	Low	87.4	4.6
● Preble	Ohio	Low	85.61	9.8
● Putnam	Ohio	Low	29.53	6.7
● Richland	Ohio	Medium	115.56	12.6
● Ross	Ohio	High	78.26	21.2
● Sandusky	Ohio	Low	34.18	8
● Scioto	Ohio	High	128.79	21.2
● Seneca	Ohio	Low	63.43	5.3
● Shelby	Ohio	Low	34.99	3.2
● Stark	Ohio	Low	31.84	6.3
● Summit	Ohio	Low	34.2	4.6
● Trumbull	Ohio	Low	56.57	6.9
● Tuscarawas	Ohio	Low	64.14	6.3
● Union	Ohio	Low	72.9	9.9
● Van Wert	Ohio	Medium	293.55	6.7
● Vinton	Ohio	Low	61.14	7.9
● Warren	Ohio	Low	83.55	7.1
● Washington	Ohio	High	70.1	23.7
● Wayne	Ohio	Low	38.03	6.3
● Williams	Ohio	Low	62.68	4.2
● Wood	Ohio	Medium	85.62	12.2
● Wyandot	Ohio	Low	50.52	9.9
● Adair	Oklahoma	Medium	184.73	15
● Alfalfa	Oklahoma	Medium	70.15	11.5
● Atoka	Oklahoma	Medium	283.47	3.4
● Beaver	Oklahoma	Low	56.49	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Beckham	Oklahoma	Medium	329.38	3.9
● Blaine	Oklahoma	Medium	84.84	11.5
● Bryan	Oklahoma	Low	104.18	3.4
● Caddo	Oklahoma	Low	90.4	0
● Canadian	Oklahoma	Medium	143.62	14.7
● Carter	Oklahoma	High	559.12	11.6
● Cherokee	Oklahoma	Medium	166.47	15
● Choctaw	Oklahoma	Low	81.79	7.3
● Cimarron	Oklahoma	Low	0	2.2
● Cleveland	Oklahoma	Low	124.99	6.3
● Coal	Oklahoma	Medium	163.79	12.3
● Comanche	Oklahoma	High	172.26	40.7
● Cotton	Oklahoma	High	282.39	40.7
● Craig	Oklahoma	Medium	162.64	12.5
● Creek	Oklahoma	Medium	82.49	12.5
● Custer	Oklahoma	Low	193.08	5
● Delaware	Oklahoma	Low	97.65	7.4
● Dewey	Oklahoma	Medium	61.34	19.5
● Ellis	Oklahoma	Medium	129.57	19.5
● Garfield	Oklahoma	Medium	189.99	11.5
● Garvin	Oklahoma	Low	133.52	6.3
● Grady	Oklahoma	Low	152.24	0
● Grant	Oklahoma	Medium	138.47	11.5
● Greer	Oklahoma	Low	140.06	3
● Harmon	Oklahoma	Low	37.69	3
● Harper	Oklahoma	Medium	54.23	19.5
● Haskell	Oklahoma	Medium	55.44	16.5
● Hughes	Oklahoma	Medium	82.84	12.3
● Jackson	Oklahoma	Low	97.84	3
● Jefferson	Oklahoma	High	49.98	4.1
● Johnston	Oklahoma	Medium	153.36	11.6
● Kay	Oklahoma	Low	190.64	7.7
● Kingfisher	Oklahoma	High	589.91	11.5
● Kiowa	Oklahoma	High	34.45	40.7
● Latimer	Oklahoma	Low	19.86	3.1
● Le Flore	Oklahoma	Medium	156.46	16.5
● Lincoln	Oklahoma	Medium	177.77	14.7
● Logan	Oklahoma	Medium	179.13	14.7
● Love	Oklahoma	High	351.12	11.6
● McClain	Oklahoma	Low	140.83	6.3
● Mccurtain	Oklahoma	Low	85.28	6
● McIntosh	Oklahoma	Medium	66.34	15
● Major	Oklahoma	Medium	52.43	11.5
● Marshall	Oklahoma	Medium	118.13	11.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Mayes	Oklahoma	Medium	94.89	12.5
Murray	Oklahoma	Low	99.48	6.3
Muskogee	Oklahoma	Medium	88.24	15
Noble	Oklahoma	Low	116.79	8.2
Nowata	Oklahoma	Low	79.4	3
Okfuskee	Oklahoma	High	58.37	21.8
Oklahoma	Oklahoma	High	208.04	14.7
Okmulgee	Oklahoma	High	70.19	21.8
Osage	Oklahoma	Low	51.1	7.7
Ottawa	Oklahoma	Medium	157.42	12.5
Pawnee	Oklahoma	Low	30.53	8.2
Payne	Oklahoma	Low	88.04	8.2
Pittsburg	Oklahoma	Low	75.59	3.1
Pontotoc	Oklahoma	Medium	182.84	12.3
Pottawatomie	Oklahoma	High	238.32	14.7
Pushmataha	Oklahoma	Low	135.18	3.1
Roger Mills	Oklahoma	Low	83.73	3.9
Rogers	Oklahoma	Medium	110.32	12.5
Seminole	Oklahoma	Medium	123.67	12.3
Sequoyah	Oklahoma	Medium	161.18	16.5
Stephens	Oklahoma	High	609.6	4.1
Texas	Oklahoma	Low	65.06	2.2
Tillman	Oklahoma	High	27.59	40.7
Tulsa	Oklahoma	Medium	103.75	12.5
Wagoner	Oklahoma	Medium	99.64	15
Washington	Oklahoma	Low	71.81	3
Washita	Oklahoma	Medium	201.54	5
Woods	Oklahoma	Medium	68.24	11.5
Woodward	Oklahoma	Medium	74.22	19.5
Baker	Oregon	Low	142.64	4
Benton	Oregon	Medium	150.45	11.2
Clackamas	Oregon	Low	94.93	7.7
Clatsop	Oregon	Low	82.04	7.7
Columbia	Oregon	Low	158.54	7.7
Coos	Oregon	Medium	119.4	13.9
Crook	Oregon	Medium	159.81	11.4
Curry	Oregon	High	226.83	13.9
Deschutes	Oregon	Medium	128.48	11.4
Douglas	Oregon	Medium	145.07	12.2
Gilliam	Oregon	Medium	209.21	7.9
Grant	Oregon	High	250.03	13.9
Harney	Oregon	High	297.58	11.4
Hood River	Oregon	Low	119.75	7.9
Jackson	Oregon	Medium	142.57	13.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
🟡 Jefferson	Oregon	Medium	129.78	11.4
🟡 Josephine	Oregon	Medium	189.74	13.9
🟡 Klamath	Oregon	Medium	120.17	7.9
🟠 Lake	Oregon	High	266.87	7.9
🟡 Lane	Oregon	Medium	104.96	12.2
🟢 Lincoln	Oregon	Low	154.12	3.9
🟡 Linn	Oregon	Medium	167.25	11.2
🟢 Malheur	Oregon	Low	130.84	2.9
🟡 Marion	Oregon	Medium	103.5	12.4
🟢 Morrow	Oregon	Low	60.33	7.1
🟢 Multnomah	Oregon	Low	100.88	7.7
🟡 Polk	Oregon	Medium	125.46	12.4
🟢 Sherman	Oregon	Low	112.36	7.9
🟢 Tillamook	Oregon	Low	59.18	3.9
🟢 Umatilla	Oregon	Low	91.08	7.1
🟢 Union	Oregon	Low	67.08	4
🟢 Wallowa	Oregon	Low	69.37	4
🟢 Wasco	Oregon	Low	112.44	7.9
🟢 Washington	Oregon	Low	104.22	7.7
🟡 Wheeler	Oregon	Medium	0	11.4
🟡 Yamhill	Oregon	Medium	89.64	12.4
🟢 Adams	Pennsylvania	Low	139.79	5.4
🟢 Allegheny	Pennsylvania	Low	93.99	6.8
🟢 Armstrong	Pennsylvania	Low	95.78	6.8
🟢 Beaver	Pennsylvania	Low	139.08	6.8
🟢 Bedford	Pennsylvania	Low	106.5	9.9
🟢 Berks	Pennsylvania	Low	58.17	4
🟢 Blair	Pennsylvania	Low	121.48	9.9
🟡 Bradford	Pennsylvania	Medium	129.3	15.3
🟢 Bucks	Pennsylvania	Low	54.91	9
🟢 Butler	Pennsylvania	Low	69.2	6.8
🟢 Cambria	Pennsylvania	Low	89.87	9.9
🟢 Cameron	Pennsylvania	Low	112.44	9.8
🟢 Carbon	Pennsylvania	Low	90.37	9.5
🟡 Centre	Pennsylvania	Medium	99.15	10.5
🟢 Chester	Pennsylvania	Low	65.72	9
🟢 Clarion	Pennsylvania	Low	85.85	8.3
🟡 Clearfield	Pennsylvania	Medium	146.36	10.5
🟢 Clinton	Pennsylvania	Low	90.6	6.6
🟡 Columbia	Pennsylvania	Medium	137	5.9
🟡 Crawford	Pennsylvania	Medium	77.99	18.9
🟢 Cumberland	Pennsylvania	Low	88.41	5.3
🟢 Dauphin	Pennsylvania	Low	67.91	5.3
🟢 Delaware	Pennsylvania	Low	49.76	9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
🟡 Elk	Pennsylvania	Medium	106.99	10
🟢 Erie	Pennsylvania	Low	81.56	8.7
🟡 Fayette	Pennsylvania	Medium	173.28	10.5
🟢 Forest	Pennsylvania	Low	110.39	8.3
🟡 Franklin	Pennsylvania	Medium	101.92	10
🟡 Fulton	Pennsylvania	Medium	123.88	10
🟡 Greene	Pennsylvania	Medium	107.64	10.5
🟠 Huntingdon	Pennsylvania	High	108.54	29.3
🟢 Indiana	Pennsylvania	Low	110.62	6.8
🟡 Jefferson	Pennsylvania	Medium	105.93	10.5
🟠 Juniata	Pennsylvania	High	52.5	29.3
🟢 Lackawanna	Pennsylvania	Low	119.71	6.5
🟢 Lancaster	Pennsylvania	Low	62.3	4.2
🟢 Lawrence	Pennsylvania	Low	64.32	1.2
🟢 Lebanon	Pennsylvania	Low	54.3	5.3
🟢 Lehigh	Pennsylvania	Low	43.59	9.5
🟡 Luzerne	Pennsylvania	Medium	94.83	5.9
🟢 Lycoming	Pennsylvania	Low	74.14	6.6
🟢 Mckean	Pennsylvania	Low	100.92	9.8
🟢 Mercer	Pennsylvania	Low	53.92	6.9
🟠 Mifflin	Pennsylvania	High	95.37	29.3
🟢 Monroe	Pennsylvania	Low	55.21	9.5
🟢 Montgomery	Pennsylvania	Low	55.36	9
🟠 Montour	Pennsylvania	High	224.9	23.2
🟢 Northampton	Pennsylvania	Low	61.25	9.5
🟠 Northumberland	Pennsylvania	High	77.06	23.2
🟢 Perry	Pennsylvania	Low	47.54	5.3
🟢 Philadelphia	Pennsylvania	Low	47.28	9
🟢 Pike	Pennsylvania	Low	116.47	7
🟢 Potter	Pennsylvania	Low	157.33	9.8
🟠 Schuylkill	Pennsylvania	High	82.77	23.2
🟠 Snyder	Pennsylvania	High	64.4	23.2
🟢 Somerset	Pennsylvania	Low	113.01	9.9
🟡 Sullivan	Pennsylvania	Medium	65.94	15.3
🟡 Susquehanna	Pennsylvania	Medium	119.02	15.3
🟢 Tioga	Pennsylvania	Low	115.79	4.9
🟠 Union	Pennsylvania	High	153.6	23.2
🟢 Venango	Pennsylvania	Low	51.31	8.3
🟢 Warren	Pennsylvania	Low	91.86	8.7
🟡 Washington	Pennsylvania	Medium	82.18	10.5
🟢 Wayne	Pennsylvania	Low	114.87	6.5
🟢 Westmoreland	Pennsylvania	Low	101.46	6.8
🟡 Wyoming	Pennsylvania	Medium	97.04	5.9
🟢 York	Pennsylvania	Low	111.34	5.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Bristol	Rhode Island	Low	150.58	5.3
● Kent	Rhode Island	Low	189.3	5.3
● Newport	Rhode Island	Low	129.14	4
● Providence	Rhode Island	Low	129.28	5.3
● Washington	Rhode Island	Low	166.43	5.3
● Abbeville	South Carolina	Low	106.01	2.6
● Aiken	South Carolina	Medium	203.66	5.6
● Allendale	South Carolina	Low	172.65	2.4
● Anderson	South Carolina	Low	63.19	8.7
● Bamberg	South Carolina	Low	42.66	2.4
● Barnwell	South Carolina	Low	38.34	5.6
● Beaufort	South Carolina	Low	78.6	4
● Berkeley	South Carolina	Medium	80.73	14.6
● Calhoun	South Carolina	Low	116.81	2.4
● Charleston	South Carolina	Medium	75.59	14.6
● Cherokee	South Carolina	Medium	109.95	10.3
● Chester	South Carolina	Medium	139.56	3.2
● Chesterfield	South Carolina	Medium	54.76	12.4
● Clarendon	South Carolina	Low	160.02	5.1
● Colleton	South Carolina	Medium	98.2	14.6
● Darlington	South Carolina	Medium	60.04	12.4
● Dillon	South Carolina	Low	59.06	9.8
● Dorchester	South Carolina	Medium	99.5	14.6
● Edgefield	South Carolina	Medium	293.47	5.6
● Fairfield	South Carolina	Medium	93.97	10.3
● Florence	South Carolina	Medium	60.02	12.4
● Georgetown	South Carolina	Low	62.22	8.9
● Greenville	South Carolina	Low	56.16	8.7
● Greenwood	South Carolina	Low	146.87	2.6
● Hampton	South Carolina	Medium	57.23	14.6
● Horry	South Carolina	Low	72.58	8.9
● Jasper	South Carolina	Low	43.23	4
● Kershaw	South Carolina	Low	156.27	6.1
● Lancaster	South Carolina	Low	160.18	6.1
● Laurens	South Carolina	Low	87.42	2.6
● Lee	South Carolina	Low	77.25	5.1
● Lexington	South Carolina	Medium	99.41	10.3
● McCormick	South Carolina	Low	116.24	2.6
● Marion	South Carolina	Low	29.36	9.8
● Marlboro	South Carolina	Medium	114.86	12.4
● Newberry	South Carolina	Medium	197.71	10.3
● Oconee	South Carolina	Low	99.31	8.7
● Orangeburg	South Carolina	Low	67.3	2.4
● Pickens	South Carolina	Low	94.57	8.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Richland	South Carolina	Medium	107.75	10.3
Saluda	South Carolina	Low	58.61	2.6
Spartanburg	South Carolina	Medium	79.12	10.3
Sumter	South Carolina	Medium	218.33	5.1
Union	South Carolina	Medium	47.59	10.3
Williamsburg	South Carolina	Medium	46.1	12.4
York	South Carolina	Medium	102.14	3.2
Aurora	South Dakota	Medium	36.35	15.5
Beadle	South Dakota	Low	97.55	0
Bennett	South Dakota	High	148.59	36.9
Bon Homme	South Dakota	Low	0	5.9
Brookings	South Dakota	Low	22.81	0
Brown	South Dakota	Medium	128.74	10.9
Brule	South Dakota	Medium	94.39	15.5
Buffalo	South Dakota	Medium	0	15.5
Butte	South Dakota	Medium	67.12	14.6
Campbell	South Dakota	High	218.02	26.4
Charles Mix	South Dakota	Medium	75.33	15.5
Clark	South Dakota	Low	107.07	0
Clay	South Dakota	Low	14.21	5.9
Codington	South Dakota	Low	96.4	0
Corson	South Dakota	High	24.47	26.4
Custer	South Dakota	Medium	89.17	14.6
Davison	South Dakota	Medium	111.25	15.5
Day	South Dakota	Medium	18.44	10.9
Deuel	South Dakota	Low	68.95	0
Dewey	South Dakota	High	135.78	26.4
Douglas	South Dakota	Medium	0	15.5
Edmunds	South Dakota	Medium	182.82	10.9
Fall River	South Dakota	Medium	74.48	14.6
Faulk	South Dakota	High	304.48	10.9
Grant	South Dakota	Low	70.9	0
Gregory	South Dakota	Low	71.68	4.2
Haakon	South Dakota	Low	52.66	0
Hamlin	South Dakota	Low	81.12	0
Hand	South Dakota	Low	94.01	0
Hanson	South Dakota	Medium	28.96	15.5
Harding	South Dakota	Low	0	0
Hughes	South Dakota	Low	102.7	0
Hutchinson	South Dakota	Low	0	5.9
Hyde	South Dakota	Low	0	0
Jackson	South Dakota	Medium	29.9	14.6
Jerauld	South Dakota	Low	149.03	0
Jones	South Dakota	Low	0	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Kingsbury	South Dakota	Low	161.98	0
● Lake	South Dakota	Medium	31.26	12.8
● Lawrence	South Dakota	Low	61.91	3.8
● Lincoln	South Dakota	Medium	39.26	12.8
● Lyman	South Dakota	Medium	26.45	15.5
● Mccook	South Dakota	Medium	71.61	12.8
● Mcpherson	South Dakota	Medium	126.1	10.9
● Marshall	South Dakota	Medium	60.79	10.9
● Meade	South Dakota	Medium	98.83	14.6
● Mellette	South Dakota	Low	48.52	4.2
● Miner	South Dakota	Medium	0	12.8
● Minnehaha	South Dakota	Medium	56.96	12.8
● Moody	South Dakota	Medium	30.41	12.8
● Oglala Lakota County	South Dakota	High	105.81	36.9
● Pennington	South Dakota	Medium	93.17	14.6
● Perkins	South Dakota	Low	104.71	0
● Potter	South Dakota	High	185.79	26.4
● Roberts	South Dakota	Low	38.48	0
● Sanborn	South Dakota	Medium	85.32	15.5
● Spink	South Dakota	Medium	31.37	10.9
● Stanley	South Dakota	Low	0	0
● Sully	South Dakota	Low	0	0
● Todd	South Dakota	Low	88.43	4.2
● Tripp	South Dakota	Low	147.03	4.2
● Turner	South Dakota	Medium	47.71	12.8
● Union	South Dakota	Medium	62.77	12.8
● Walworth	South Dakota	High	36.8	26.4
● Yankton	South Dakota	Low	35.07	5.9
● Ziebach	South Dakota	Low	0	0
● Anderson	Tennessee	Medium	198.76	5.8
● Bedford	Tennessee	Low	90.52	6
● Benton	Tennessee	Medium	327.97	6.9
● Bledsoe	Tennessee	Low	119.49	2.1
● Blount	Tennessee	Medium	130.74	11.8
● Bradley	Tennessee	Low	103.6	1.6
● Campbell	Tennessee	High	559.71	5.8
● Cannon	Tennessee	Low	129.45	3.6
● Carroll	Tennessee	Medium	216.08	6.9
● Carter	Tennessee	High	244.72	30.4
● Cheatham	Tennessee	Medium	93.44	17.8
● Chester	Tennessee	High	219.69	9.2
● Claiborne	Tennessee	High	556.96	63.1
● Clay	Tennessee	Medium	118.19	11
● Cocke	Tennessee	High	322.19	12.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
☼ Coffee	Tennessee	Medium	132.7	12.6
🔴 Crockett	Tennessee	High	632.47	9.2
🟢 Cumberland	Tennessee	Low	190.02	2.1
☼ Davidson	Tennessee	Medium	138.88	17.8
🔴 Decatur	Tennessee	High	454.43	9.2
🟢 De Kalb	Tennessee	Low	112.25	3.6
☼ Dickson	Tennessee	Medium	126.05	17.8
☼ Dyer	Tennessee	Medium	263.73	1.4
🟢 Fayette	Tennessee	Low	92.38	6
🟢 Fentress	Tennessee	Low	151.16	2.1
☼ Franklin	Tennessee	Medium	108.98	12.6
🔴 Gibson	Tennessee	High	229.99	9.2
🟢 Giles	Tennessee	Low	108.61	7
🔴 Grainger	Tennessee	High	201.54	8.7
🔴 Greene	Tennessee	High	159.26	12.4
☼ Grundy	Tennessee	Medium	96.82	12.6
☼ Hamblen	Tennessee	Medium	132.44	8.7
🔴 Hamilton	Tennessee	High	278.95	13.1
🔴 Hancock	Tennessee	High	287.01	8.7
🔴 Hardeman	Tennessee	High	359.28	9.2
☼ Hardin	Tennessee	Medium	432.71	0
🔴 Hawkins	Tennessee	High	162.01	25
☼ Haywood	Tennessee	Medium	150.25	9.2
🔴 Henderson	Tennessee	High	519.26	9.2
☼ Henry	Tennessee	Medium	340.08	6.9
☼ Hickman	Tennessee	Medium	79.43	17.8
☼ Houston	Tennessee	Medium	231.68	0.4
☼ Humphreys	Tennessee	Medium	166.83	17.8
🔴 Jackson	Tennessee	High	220.6	11
☼ Jefferson	Tennessee	Medium	183.5	8.7
🔴 Johnson	Tennessee	High	275.47	10.9
☼ Knox	Tennessee	Medium	155.85	11.8
☼ Lake	Tennessee	Medium	498.86	1.4
🟢 Lauderdale	Tennessee	Low	171.65	1.4
🟢 Lawrence	Tennessee	Low	97.41	8.7
🟢 Lewis	Tennessee	Low	122.27	7
🔴 Lincoln	Tennessee	High	119.3	27.1
☼ Loudon	Tennessee	Medium	127.62	11.8
☼ McMinn	Tennessee	Medium	118.97	11.8
☼ McNairy	Tennessee	Medium	369.74	0
🟢 Macon	Tennessee	Low	162.59	7.4
🔴 Madison	Tennessee	High	308.21	9.2
☼ Marion	Tennessee	Medium	141.83	13.1
🟢 Marshall	Tennessee	Low	125.09	7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Maury	Tennessee	Low	90.26	7
● Meigs	Tennessee	Medium	177.11	11.8
● Monroe	Tennessee	Medium	189.06	11.8
● Montgomery	Tennessee	Low	186.13	0.4
● Moore	Tennessee	High	262.02	12.6
● Morgan	Tennessee	High	640.1	5.8
● Obion	Tennessee	Medium	216.17	5.8
● Overton	Tennessee	Medium	143.88	11
● Perry	Tennessee	Medium	284.79	8.7
● Pickett	Tennessee	Medium	158.48	11
● Polk	Tennessee	Medium	273.29	1.6
● Putnam	Tennessee	Medium	168.23	11
● Rhea	Tennessee	Medium	90.45	5.8
● Roane	Tennessee	Medium	174.22	5.8
● Robertson	Tennessee	Medium	98.87	17.8
● Rutherford	Tennessee	Low	118.27	3.6
● Scott	Tennessee	Medium	457.68	0
● Sequatchie	Tennessee	Medium	119.79	13.1
● Sevier	Tennessee	Medium	196.44	11.8
● Shelby	Tennessee	Low	103.61	6
● Smith	Tennessee	Medium	233.17	7.4
● Stewart	Tennessee	Low	109.37	0.4
● Sullivan	Tennessee	High	212.82	25
● Sumner	Tennessee	Low	108.74	7.4
● Tipton	Tennessee	Low	121.76	6
● Trousdale	Tennessee	Low	106.35	7.4
● Unicoi	Tennessee	High	240.45	30.4
● Union	Tennessee	High	205.29	11.8
● Van Buren	Tennessee	Low	153.27	3.6
● Warren	Tennessee	Low	106.6	3.6
● Washington	Tennessee	High	202.51	30.4
● Wayne	Tennessee	Medium	209.92	8.7
● Weakley	Tennessee	Low	159.03	5.8
● White	Tennessee	Medium	142.62	11
● Williamson	Tennessee	Medium	87.66	17.8
● Wilson	Tennessee	Low	108.53	7.4
● Anderson	Texas	Low	17.32	3.7
● Andrews	Texas	Low	26.73	2.7
● Angelina	Texas	Medium	25.37	9.7
● Aransas	Texas	High	314.76	16.8
● Archer	Texas	Medium	81.84	12.1
● Armstrong	Texas	Medium	317.97	9.1
● Atascosa	Texas	High	308.88	12.2
● Austin	Texas	High	286.36	12

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Bailey	Texas	Low	142.86	3.8
 Bandera	Texas	Medium	69.23	12.2
 Bastrop	Texas	Low	71.01	4.9
 Baylor	Texas	Medium	85.49	12.1
 Bee	Texas	High	205.74	10.4
 Bell	Texas	High	42.43	21.8
 Bexar	Texas	Medium	150.88	12.2
 Blanco	Texas	Low	167.63	6.6
 Borden	Texas	Low	0	3.8
 Bosque	Texas	Low	96.33	6.4
 Bowie	Texas	Medium	275.62	6
 Brazoria	Texas	Low	66.53	3.5
 Brazos	Texas	Low	65.44	5.8
 Brewster	Texas	Low	32.6	5.5
 Briscoe	Texas	Low	0	9.1
 Brooks	Texas	High	296.07	16.8
 Brown	Texas	Medium	480.67	0
 Burleson	Texas	Low	135.55	5.8
 Burnet	Texas	Low	72.68	4.9
 Caldwell	Texas	Low	89.32	8.8
 Calhoun	Texas	Medium	272.43	9.3
 Callahan	Texas	Low	50.2	7.6
 Cameron	Texas	Low	150.06	8.8
 Camp	Texas	Low	183.29	7.3
 Carson	Texas	Medium	236.25	9.1
 Cass	Texas	Medium	386.33	0
 Castro	Texas	Low	39.84	2.1
 Chambers	Texas	Medium	50.19	12
 Cherokee	Texas	Low	24.69	3.7
 Childress	Texas	Medium	438	0
 Clay	Texas	Medium	95.5	12.1
 Cochran	Texas	Medium	490.71	3.8
 Coke	Texas	Low	0	7.4
 Coleman	Texas	Medium	452.6	0
 Collin	Texas	Low	99.54	9.6
 Collingsworth	Texas	Low	102.74	0
 Colorado	Texas	Medium	265.2	8.5
 Comal	Texas	Medium	271.43	1.3
 Comanche	Texas	Low	51.34	1.8
 Concho	Texas	Medium	1540.72	7.4
 Cooke	Texas	Low	130.89	5.5
 Coryell	Texas	High	39.5	21.8
 Cottle	Texas	Low	143.06	0
 Crane	Texas	Low	83.39	9.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Crockett	Texas	Low	28.87	7.4
 Crosby	Texas	Low	0	3.8
 Culberson	Texas	Medium	0	13.8
 Dallam	Texas	Medium	205.85	9.1
 Dallas	Texas	Low	68.49	9.6
 Dawson	Texas	Medium	730.67	3.8
 Deaf Smith	Texas	High	355.87	21.3
 Delta	Texas	Medium	281.37	7.3
 Denton	Texas	Low	113.84	5.5
 De Witt	Texas	Low	89.29	9.3
 Dickens	Texas	Low	135.69	3.8
 Dimmit	Texas	Medium	632.16	0
 Donley	Texas	Medium	213.54	9.1
 Duval	Texas	High	349.56	16.8
 Eastland	Texas	Low	119.83	7.6
 Ector	Texas	Low	71.59	9.2
 Edwards	Texas	Medium	310.56	6.6
 Ellis	Texas	Low	196.4	9.6
 El Paso	Texas	Medium	63.99	13.8
 Erath	Texas	Medium	250.6	1.8
 Falls	Texas	Low	92.5	6.4
 Fannin	Texas	Low	104.18	3.4
 Fayette	Texas	Low	118.36	8.5
 Fisher	Texas	Medium	104.44	14.8
 Floyd	Texas	Low	105.04	2.1
 Foard	Texas	Low	0	0
 Fort Bend	Texas	Medium	162.01	12
 Franklin	Texas	Low	93.24	7.3
 Freestone	Texas	Medium	60.86	5.7
 Frio	Texas	High	418.6	12.2
 Gaines	Texas	Low	46.53	2.7
 Galveston	Texas	Medium	59.62	11.7
 Garza	Texas	Low	32.11	3.8
 Gillespie	Texas	Medium	300.13	6.6
 Glasscock	Texas	Low	0	7.9
 Goliad	Texas	Medium	208.93	9.3
 Gonzales	Texas	Medium	71.99	12.2
 Gray	Texas	Medium	210.18	3.2
 Grayson	Texas	Low	41.85	3.4
 Gregg	Texas	Low	49.22	4.5
 Grimes	Texas	Low	69.25	5.8
 Guadalupe	Texas	Medium	166.02	12.2
 Hale	Texas	Low	17.96	2.1
 Hall	Texas	Medium	539.81	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Hamilton	Texas	Low	47.28	6.4
 Hansford	Texas	Medium	240.79	9.1
 Hardeman	Texas	Low	25.43	0
 Hardin	Texas	Low	29.51	5.4
 Harris	Texas	Medium	52.94	12
 Harrison	Texas	Medium	201.34	0
 Hartley	Texas	Low	161.41	9.1
 Haskell	Texas	Low	53.02	7.6
 Hays	Texas	Low	160.74	8.8
 Hemphill	Texas	Medium	1204.5	3.2
 Henderson	Texas	High	41.09	20.6
 Hidalgo	Texas	High	291.01	10.7
 Hill	Texas	Low	98.23	6.4
 Hockley	Texas	Low	60.81	3.8
 Hood	Texas	Medium	81.11	12.8
 Hopkins	Texas	Low	118.65	9.6
 Houston	Texas	Low	174.16	3.7
 Howard	Texas	Low	30	7.9
 Hudspeth	Texas	Medium	61.4	13.8
 Hunt	Texas	Low	25.36	9.6
 Hutchinson	Texas	Low	181.49	9.1
 Irion	Texas	Low	0	7.4
 Jack	Texas	Medium	111.92	13.1
 Jackson	Texas	Low	88.08	9.3
 Jasper	Texas	Low	47.85	5.4
 Jeff Davis	Texas	Low	0	5.5
 Jefferson	Texas	Medium	247.25	5.4
 Jim Hogg	Texas	Medium	1346.15	6.1
 Jim Wells	Texas	Medium	197.62	16.8
 Johnson	Texas	Medium	105.22	12.8
 Jones	Texas	Low	159.34	7.6
 Karnes	Texas	High	423.05	10.4
 Kaufman	Texas	Low	91.81	9.6
 Kendall	Texas	Medium	153.91	12.2
 Kenedy	Texas	High	742.57	16.8
 Kent	Texas	Low	0	7.6
 Kerr	Texas	Low	150.19	6.6
 Kimble	Texas	Low	23.06	6.6
 King	Texas	Low	0	3.8
 Kinney	Texas	High	218.16	10.8
 Kleberg	Texas	High	368.32	16.8
 Knox	Texas	Medium	54.59	12.1
 Lamar	Texas	Low	104.29	7.3
 Lamb	Texas	Low	31.02	3.8

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Lampasas	Texas	High	60.67	21.8
 La Salle	Texas	High	771.28	12.2
 Lavaca	Texas	Low	99.24	9.3
 Lee	Texas	Low	98.61	4.9
 Leon	Texas	Low	97.68	0
 Liberty	Texas	Medium	172.3	12
 Limestone	Texas	Low	64	6.4
 Lipscomb	Texas	High	587.69	19.5
 Live Oak	Texas	Medium	73.73	16.8
 Llano	Texas	Low	41.29	4.9
 Loving	Texas	High	591.72	13.8
 Lubbock	Texas	Low	37.03	3.8
 Lynn	Texas	Medium	235.25	3.8
 Mcculloch	Texas	Low	25.05	7.4
 Mclennan	Texas	Low	144.57	6.4
 McMullen	Texas	Medium	134.59	12.2
 Madison	Texas	Low	63.01	0
 Marion	Texas	Low	142.07	0
 Martin	Texas	Medium	225.26	4.4
 Mason	Texas	Low	163.78	6.6
 Matagorda	Texas	Medium	204.68	3.5
 Maverick	Texas	High	250.33	10.8
 Medina	Texas	High	308.24	12.2
 Menard	Texas	Low	0	7.4
 Midland	Texas	Medium	247.69	4.4
 Milam	Texas	High	44.31	21.8
 Mills	Texas	Low	82.08	0
 Mitchell	Texas	Medium	0	14.8
 Montague	Texas	Medium	100.92	12.1
 Montgomery	Texas	Medium	78.7	12
 Moore	Texas	Medium	477.55	9.1
 Morris	Texas	Low	113.01	7.3
 Motley	Texas	Low	0	3.8
 Nacogdoches	Texas	Low	148.76	8.2
 Navarro	Texas	High	215.51	5.7
 Newton	Texas	Low	110.33	5.4
 Nolan	Texas	Medium	33.98	14.8
 Nueces	Texas	Medium	110.68	16.8
 Ochiltree	Texas	Medium	1057.34	9.1
 Oldham	Texas	Medium	520.83	9.1
 Orange	Texas	Low	19.19	5.4
 Palo Pinto	Texas	Medium	37.69	13.1
 Panola	Texas	Medium	219.88	4.5
 Parker	Texas	Medium	116.88	12.8

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Parmer	Texas	High	249.87	21.3
● Pecos	Texas	Low	44.24	4.4
● Polk	Texas	Medium	42.84	9.7
● Potter	Texas	Low	50.25	9.1
● Presidio	Texas	Low	29.83	5.5
● Rains	Texas	Low	47.95	9.6
● Randall	Texas	Low	25.42	9.1
● Reagan	Texas	Low	0	7.4
● Real	Texas	Low	115.87	6.6
● Red River	Texas	Medium	241.2	7.3
● Reeves	Texas	Low	12.52	9.2
● Refugio	Texas	Low	115.14	9.3
● Roberts	Texas	Low	117.1	3.2
● Robertson	Texas	Low	23.43	5.8
● Rockwall	Texas	Low	42.89	9.6
● Runnels	Texas	Low	155.88	7.4
● Rusk	Texas	Low	178.29	4.5
● Sabine	Texas	Low	47.43	8.2
● San Augustine	Texas	Low	60.7	8.2
● San Jacinto	Texas	Medium	155.93	12
● San Patricio	Texas	Medium	79.42	16.8
● San Saba	Texas	Low	16.52	0
● Schleicher	Texas	Low	35.8	7.4
● Scurry	Texas	Low	29.93	6
● Shackelford	Texas	Medium	612.56	7.6
● Shelby	Texas	Low	193.88	8.2
● Sherman	Texas	Low	132.36	9.1
● Smith	Texas	High	33.08	20.6
● Somervell	Texas	Medium	87.64	12.8
● Starr	Texas	High	724.09	10.7
● Stephens	Texas	Low	96.09	7.6
● Sterling	Texas	Low	77.46	7.4
● Stonewall	Texas	Low	148.15	7.6
● Sutton	Texas	Low	0	7.4
● Swisher	Texas	Low	121.67	9.1
● Tarrant	Texas	Medium	133.98	12.8
● Taylor	Texas	Low	59.41	7.6
● Terrell	Texas	Low	128.87	4.4
● Terry	Texas	Medium	502.55	9.5
● Throckmorton	Texas	Medium	0	12.1
● Titus	Texas	Medium	247.33	7.3
● Tom Green	Texas	Low	38.59	7.4
● Travis	Texas	Low	56.12	4.9
● Trinity	Texas	Medium	68.25	9.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Tyler	Texas	Low	55.37	5.4
 Upshur	Texas	Low	155.68	4.5
 Upton	Texas	Low	136.72	4.4
 Uvalde	Texas	Low	86.01	7.5
 Val Verde	Texas	Medium	53.03	10.8
 Van Zandt	Texas	High	45.94	20.6
 Victoria	Texas	Low	59.73	9.3
 Walker	Texas	Medium	106.89	9.7
 Waller	Texas	Medium	74.21	12
 Ward	Texas	Low	75.01	9.2
 Washington	Texas	Low	69.67	5.8
 Webb	Texas	Medium	215.43	6.1
 Wharton	Texas	Medium	336.89	3.5
 Wheeler	Texas	Medium	237.34	3.2
 Wichita	Texas	Medium	50.67	12.1
 Wilbarger	Texas	Low	54.82	0
 Willacy	Texas	Medium	360.52	8.8
 Williamson	Texas	Low	82.47	4.9
 Wilson	Texas	Medium	127.28	12.2
 Winkler	Texas	Low	99.88	9.2
 Wise	Texas	Low	42.87	5.5
 Wood	Texas	High	32.94	20.6
 Yoakum	Texas	Low	34.43	9.5
 Young	Texas	Medium	116.6	12.1
 Zapata	Texas	Medium	698.22	6.1
 Zavala	Texas	Medium	135.14	12.2
 Beaver	Utah	Medium	0	16.2
 Box Elder	Utah	Medium	39.25	10.3
 Cache	Utah	Medium	58.46	10.8
 Carbon	Utah	Low	0	9.8
 Daggett	Utah	Low	0	6.9
 Davis	Utah	Medium	69.76	10.3
 Duchesne	Utah	Medium	0	10.4
 Emery	Utah	Low	0	9.8
 Garfield	Utah	Medium	0	10.2
 Grand	Utah	Medium	0	12.2
 Iron	Utah	Medium	0	16.2
 Juab	Utah	Low	49.93	8.5
 Kane	Utah	Medium	0	10.2
 Millard	Utah	Low	98.57	8.5
 Morgan	Utah	Medium	49.49	10.3
 Piute	Utah	Medium	0	10.2
 Rich	Utah	Medium	80.55	10.3
 Salt Lake	Utah	Medium	97.12	10.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 San Juan	Utah	Medium	189.44	10.9
 Sanpete	Utah	Medium	387.86	8.5
 Sevier	Utah	Low	0	8.5
 Summit	Utah	Medium	66.44	10.4
 Tooele	Utah	Medium	88.57	10.4
 Uintah	Utah	Medium	0	10.4
 Utah	Utah	Low	65.86	8.5
 Wasatch	Utah	Medium	58.67	10.4
 Washington	Utah	Medium	0	10.2
 Wayne	Utah	Low	147.55	8.5
 Weber	Utah	Medium	68.02	10.3
 Addison	Vermont	Medium	386.11	7.8
 Bennington	Vermont	High	1482.94	11.6
 Caledonia	Vermont	Low	150.04	6.1
 Chittenden	Vermont	Medium	334	7.8
 Essex	Vermont	Medium	259.61	0
 Franklin	Vermont	Low	180.15	7.8
 Grand Isle	Vermont	Low	124.4	7.8
 Lamoille	Vermont	Low	55.2	6.1
 Orange	Vermont	Medium	211.13	9.8
 Orleans	Vermont	Medium	288.49	6.1
 Rutland	Vermont	High	419.31	13.7
 Washington	Vermont	Medium	207.16	9.8
 Windham	Vermont	Medium	288.95	3.4
 Windsor	Vermont	Medium	354.15	9.8
 Accomack	Virginia	Low	24.76	2.3
 Albemarle	Virginia	High	210.37	15.1
 Alleghany	Virginia	High	195.15	26.2
 Amelia	Virginia	Low	22.82	9.8
 Amherst	Virginia	High	354.37	14.3
 Appomattox	Virginia	High	289.11	14.3
 Arlington	Virginia	Low	89.93	2.9
 Augusta	Virginia	Medium	156.17	17.9
 Bath	Virginia	High	144.68	26.2
 Bedford	Virginia	High	219	14.3
 Bland	Virginia	High	222.93	29.8
 Botetourt	Virginia	High	278.28	14.3
 Brunswick	Virginia	Low	117.06	0
 Buchanan	Virginia	High	533.23	29.8
 Buckingham	Virginia	Medium	151.62	15.1
 Campbell	Virginia	High	340.71	14.3
 Caroline	Virginia	Low	192.03	8.8
 Carroll	Virginia	High	191.33	23.9
 Charles City	Virginia	Low	71.81	9.8

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Charlotte	Virginia	Low	185.19	9.8
 Chesterfield	Virginia	Low	123.87	9.8
 Clarke	Virginia	Low	164.17	9.2
 Craig	Virginia	Medium	116.94	14.3
 Culpeper	Virginia	Medium	150.18	15.1
 Cumberland	Virginia	Low	90.62	9.8
 Dickenson	Virginia	High	349.21	37.9
 Dinwiddie	Virginia	Medium	112.11	14.5
 Essex	Virginia	Low	136.95	9.8
 Fairfax	Virginia	Low	76.16	2.9
 Fauquier	Virginia	Low	88.46	2.7
 Floyd	Virginia	High	285.73	14.3
 Fluvanna	Virginia	Medium	62.34	15.1
 Franklin	Virginia	Medium	74.94	14.3
 Frederick	Virginia	Low	143.32	9.2
 Giles	Virginia	High	221.29	41.3
 Gloucester	Virginia	Low	96.39	2.8
 Goochland	Virginia	Low	143.14	9.8
 Grayson	Virginia	High	334.41	23.9
 Greene	Virginia	Medium	191.74	15.1
 Greensville	Virginia	Low	114.68	0
 Halifax	Virginia	Medium	147.44	11.7
 Hanover	Virginia	Medium	230.13	9.8
 Henrico	Virginia	Low	103.38	9.8
 Henry	Virginia	Low	134.5	0.5
 Highland	Virginia	High	273.97	17.9
 Isle Of Wight	Virginia	Low	45.81	4.7
 James City	Virginia	Low	120.23	2.8
 King And Queen	Virginia	Low	28.47	9.8
 King George	Virginia	Low	78.25	8.8
 King William	Virginia	Low	93.31	9.8
 Lancaster	Virginia	Low	75.45	9.8
 Lee	Virginia	High	341.54	37.9
 Loudoun	Virginia	Low	141.7	2.9
 Louisa	Virginia	Medium	130.35	15.1
 Lunenburg	Virginia	High	360.77	11.7
 Madison	Virginia	High	301.64	15.1
 Mathews	Virginia	Low	22.64	2.8
 Mecklenburg	Virginia	High	277.9	11.7
 Middlesex	Virginia	Low	85.05	9.8
 Montgomery	Virginia	High	135.99	41.3
 Nelson	Virginia	Medium	93.77	15.1
 New Kent	Virginia	Low	95.28	9.8
 Northampton	Virginia	Low	42.7	2.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Northumberland	Virginia	Low	66.14	9.8
 Nottoway	Virginia	Medium	216.65	9.8
 Orange	Virginia	Medium	56.68	15.1
 Page	Virginia	Low	100.41	8.4
 Patrick	Virginia	Medium	215.81	0.5
 Pittsylvania	Virginia	Medium	536.83	0.5
 Powhatan	Virginia	Low	158.51	9.8
 Prince Edward	Virginia	Medium	214.89	9.8
 Prince George	Virginia	Medium	122.55	14.5
 Prince William	Virginia	Low	75.9	2.7
 Pulaski	Virginia	High	264.5	41.3
 Rappahannock	Virginia	Medium	27.14	15.1
 Richmond	Virginia	Low	88.66	9.8
 Roanoke	Virginia	High	813.28	14.3
 Rockbridge	Virginia	Medium	88.6	17.9
 Rockingham	Virginia	Low	81.76	8.4
 Russell	Virginia	High	300.91	25
 Scott	Virginia	High	204.02	25
 Shenandoah	Virginia	Low	103.17	9.2
 Smyth	Virginia	High	405.26	25
 Southampton	Virginia	Low	11.34	4.7
 Spotsylvania	Virginia	Low	107.18	8.8
 Stafford	Virginia	Low	95.5	8.8
 Surry	Virginia	Medium	31.14	14.5
 Sussex	Virginia	Medium	35.85	14.5
 Tazewell	Virginia	High	273.43	29.8
 Warren	Virginia	Low	102.08	9.2
 Washington	Virginia	High	171.19	25
 Westmoreland	Virginia	Low	49.96	9.8
 Wise	Virginia	High	291.58	37.9
 Wythe	Virginia	High	205.69	41.3
 York	Virginia	Low	68.83	2.8
 Alexandria City	Virginia	Low	93.46	2.9
 Bristol City	Virginia	High	208.81	25
 Buena Vista City	Virginia	Medium	185.24	17.9
 Charlottesville City	Virginia	High	224.26	15.1
 Chesapeake City	Virginia	Low	98.84	4.7
 Colonial Heights Cit	Virginia	Medium	230.28	9.8
 Covington City	Virginia	High	144.46	26.2
 Danville City	Virginia	Medium	384.58	0.5
 Emporia City	Virginia	Low	168.35	0
 Fairfax City	Virginia	Low	12.49	2.9
 Falls Church City	Virginia	Low	27.37	2.9
Franklin City	Virginia	Low	75.31	4.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Fredericksburg City	Virginia	Low	137.76	8.8
 Galax City	Virginia	High	488.42	23.9
 Hampton City	Virginia	Low	126.38	2.8
 Harrisonburg City	Virginia	Low	86.77	8.4
 Hopewell City	Virginia	Medium	62.14	14.5
 Lexington City	Virginia	High	228.31	17.9
 Lynchburg City	Virginia	High	367.54	14.3
 Manassas City	Virginia	Low	38.94	2.7
 Manassas Park City	Virginia	Medium	709.46	2.7
 Martinsville City	Virginia	Low	71.69	0.5
 Newport News City	Virginia	Low	66.4	2.8
 Norfolk City	Virginia	Low	53.14	4.7
 Norton City	Virginia	High	326.55	37.9
 Petersburg City	Virginia	Medium	82.95	14.5
 Poquoson City	Virginia	Low	40.75	2.8
 Portsmouth City	Virginia	Low	93.22	4.7
 Radford City	Virginia	High	312.35	41.3
 Richmond City	Virginia	Low	91.57	9.8
 Roanoke City	Virginia	Medium	86.74	14.3
 Salem City	Virginia	Medium	0	14.3
 Staunton City	Virginia	Medium	148.4	17.9
 Suffolk City	Virginia	Low	53.2	4.7
 Virginia Beach City	Virginia	Low	55.78	4.7
 Waynesboro City	Virginia	Medium	132.57	17.9
 Williamsburg City	Virginia	Low	193.93	2.8
 Winchester City	Virginia	Low	71.23	9.2
 Adams	Washington	Medium	95.08	10.1
 Asotin	Washington	Medium	411.83	6.4
 Benton	Washington	Medium	237.29	6.7
 Chelan	Washington	High	327.72	10.4
 Clallam	Washington	Medium	151.3	19.2
 Clark	Washington	Medium	225.3	7.7
 Columbia	Washington	Low	50.19	7.1
 Cowlitz	Washington	Low	131.11	7.7
 Douglas	Washington	High	292.43	10.4
 Ferry	Washington	Medium	170.45	10.1
 Franklin	Washington	Low	68.26	6.7
 Garfield	Washington	Low	0	6.4
 Grant	Washington	Medium	138.13	10.4
 Grays Harbor	Washington	Low	111.91	7.8
 Island	Washington	Low	90.44	5.2
 Jefferson	Washington	Medium	152.07	19.2
 King	Washington	Low	140.98	5.2
 Kitsap	Washington	Low	161.34	5.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Kittitas	Washington	Low	133.51	5
 Klickitat	Washington	Low	89.19	7.9
 Lewis	Washington	Low	169.75	7.8
 Lincoln	Washington	Medium	137.12	10.1
 Mason	Washington	Low	143.78	7.8
 Okanogan	Washington	High	262.77	10.4
 Pacific	Washington	Medium	493.97	7.8
 Pend Oreille	Washington	Medium	51.01	10.1
 Pierce	Washington	High	602.55	14.4
 San Juan	Washington	Low	62.56	5.2
 Skagit	Washington	Low	94.42	5.2
 Skamania	Washington	Low	107.59	7.9
 Snohomish	Washington	Low	163	5.2
 Spokane	Washington	Medium	165.46	10.1
 Stevens	Washington	Medium	131.22	10.1
 Thurston	Washington	Low	102.91	7.8
 Wahkiakum	Washington	Low	22.28	7.7
 Walla Walla	Washington	Low	69.12	7.1
 Whatcom	Washington	Low	132.17	7.4
 Whitman	Washington	Low	55.88	2.2
 Yakima	Washington	Low	147.48	5
 Barbour	West Virginia	High	401.44	19.9
 Berkeley	West Virginia	Low	160.27	9.2
 Boone	West Virginia	High	195.74	26.2
 Braxton	West Virginia	High	694.99	32
 Brooke	West Virginia	Low	177.77	4.6
 Cabell	West Virginia	High	224.05	23.1
 Calhoun	West Virginia	High	422	23.7
 Clay	West Virginia	High	376.12	26.2
 Doddridge	West Virginia	High	224.91	32
 Fayette	West Virginia	High	379.66	40.3
 Gilmer	West Virginia	High	140.61	32
 Grant	West Virginia	Medium	103.73	14.5
 Greenbrier	West Virginia	High	369.28	26.2
 Hampshire	West Virginia	Medium	237.32	9.2
 Hancock	West Virginia	Low	93.72	4.6
 Hardy	West Virginia	Medium	123.4	14.5
 Harrison	West Virginia	High	548.65	32
 Jackson	West Virginia	High	202.97	23.7
 Jefferson	West Virginia	Low	143.49	9.2
 Kanawha	West Virginia	High	196.49	26.2
 Lewis	West Virginia	High	509.21	32
 Lincoln	West Virginia	High	230.29	23.1
 Logan	West Virginia	High	309.19	50.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Mcdowell	West Virginia	High	635.5	29.8
● Marion	West Virginia	High	333.5	19.4
● Marshall	West Virginia	High	311.16	22.7
● Mason	West Virginia	High	354.5	8.9
● Mercer	West Virginia	High	413.56	29.8
● Mineral	West Virginia	Medium	193.54	14.5
● Mingo	West Virginia	High	307.38	50.3
● Monongalia	West Virginia	Medium	194.11	19.4
● Monroe	West Virginia	High	248.59	26.2
● Morgan	West Virginia	Low	134.2	9.2
● Nicholas	West Virginia	High	383.74	26.2
● Ohio	West Virginia	High	149.72	22.7
● Pendleton	West Virginia	Low	86.1	8.4
● Pleasants	West Virginia	High	268.1	23.7
● Pocahontas	West Virginia	Medium	109.13	19.9
● Preston	West Virginia	High	335.01	19.4
● Putnam	West Virginia	High	240.92	26.2
● Raleigh	West Virginia	High	316.24	40.3
● Randolph	West Virginia	High	226.52	19.9
● Ritchie	West Virginia	High	429.14	23.7
● Roane	West Virginia	High	270.31	23.7
● Summers	West Virginia	High	174.98	40.3
● Taylor	West Virginia	High	455.23	19.4
● Tucker	West Virginia	High	438.66	19.9
● Tyler	West Virginia	High	162.96	22.7
● Upshur	West Virginia	High	508.77	32
● Wayne	West Virginia	High	197.96	23.1
● Webster	West Virginia	High	505.3	26.2
● Wetzel	West Virginia	High	292.07	22.7
● Wirt	West Virginia	High	85.9	23.7
● Wood	West Virginia	High	204.75	23.7
● Wyoming	West Virginia	High	323.62	40.3
● Adams	Wisconsin	Low	89.02	4.3
● Ashland	Wisconsin	Low	141.37	5
● Barron	Wisconsin	High	81.78	26.9
● Bayfield	Wisconsin	Medium	206.17	5
● Brown	Wisconsin	Low	78.25	8.6
● Buffalo	Wisconsin	Medium	222.55	8.1
● Burnett	Wisconsin	Low	116.78	0
● Calumet	Wisconsin	Low	81.85	7.4
● Chippewa	Wisconsin	Low	100.53	8.1
● Clark	Wisconsin	Medium	51.76	19.9
● Columbia	Wisconsin	Low	83.43	5.9
● Crawford	Wisconsin	Low	136.38	3.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Dane	Wisconsin	Low	102.07	5.9
 Dodge	Wisconsin	Low	92.21	6.1
 Door	Wisconsin	Low	43.37	8.6
 Douglas	Wisconsin	Low	139.05	9.4
 Dunn	Wisconsin	Low	112.41	8.1
 Eau Claire	Wisconsin	Low	103.21	8.1
 Florence	Wisconsin	Low	69.85	9.6
 Fond Du Lac	Wisconsin	Low	73.5	6.1
 Forest	Wisconsin	High	55.53	23.9
 Grant	Wisconsin	Low	99.15	5.9
 Green	Wisconsin	Low	73.05	6
 Green Lake	Wisconsin	Low	63.45	6.1
 Iowa	Wisconsin	Low	101.36	5.9
 Iron	Wisconsin	High	52.75	23.9
 Jackson	Wisconsin	Low	87.2	0
 Jefferson	Wisconsin	Low	70.78	3.2
 Juneau	Wisconsin	Low	97.43	4.3
 Kenosha	Wisconsin	High	54.85	38
 Kewaunee	Wisconsin	Low	29.36	8.6
 La Crosse	Wisconsin	Low	150.83	9.3
 Lafayette	Wisconsin	Low	66.01	6
 Langlade	Wisconsin	Low	36.48	9.3
 Lincoln	Wisconsin	Medium	105.1	19.9
 Manitowoc	Wisconsin	Low	72.17	7.4
 Marathon	Wisconsin	Medium	94.33	19.9
 Marinette	Wisconsin	Low	74.35	9.6
 Marquette	Wisconsin	Low	57.79	5.9
 Menominee	Wisconsin	Medium	219.49	9.3
 Milwaukee	Wisconsin	Low	50.86	7.4
 Monroe	Wisconsin	Low	77.83	9.3
 Oconto	Wisconsin	Low	47.46	8.6
 Oneida	Wisconsin	High	59	23.9
 Outagamie	Wisconsin	Low	82.5	2.1
 Ozaukee	Wisconsin	Low	81.82	7.4
 Pepin	Wisconsin	Low	82.34	8.1
 Pierce	Wisconsin	Low	98.24	3.3
 Polk	Wisconsin	Low	91.36	6.1
 Portage	Wisconsin	Low	69.24	4.2
 Price	Wisconsin	Low	119.84	5
 Racine	Wisconsin	High	65.71	38
 Richland	Wisconsin	Low	28.98	5.9
 Rock	Wisconsin	Low	96.11	6
 Rusk	Wisconsin	High	21.16	26.9
 St Croix	Wisconsin	Low	152.17	3.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Sauk	Wisconsin	Low	60.52	5.9
● Sawyer	Wisconsin	Low	54.35	5
● Shawano	Wisconsin	Low	56.24	9.3
● Sheboygan	Wisconsin	Low	78.9	7.4
● Taylor	Wisconsin	Medium	24.58	19.9
● Trempealeau	Wisconsin	Low	94.44	9.3
● Vernon	Wisconsin	Low	152.49	9.3
● Vilas	Wisconsin	High	94.62	23.9
● Walworth	Wisconsin	Low	69.32	3.2
● Washburn	Wisconsin	Low	57.25	0
● Washington	Wisconsin	Low	67.63	7.4
● Waukesha	Wisconsin	Low	73.23	7.4
● Waupaca	Wisconsin	Low	78.45	2.1
● Waushara	Wisconsin	Low	98.19	6.1
● Winnebago	Wisconsin	Low	83.77	6.1
● Wood	Wisconsin	Medium	95.89	19.9
● Albany	Wyoming	Low	92.59	1.8
● Big Horn	Wyoming	Low	25.45	9.8
● Campbell	Wyoming	Low	86.32	3.8
● Carbon	Wyoming	Low	182.43	1.8
● Converse	Wyoming	Medium	21.7	17.1
● Crook	Wyoming	Low	65.93	3.8
● Fremont	Wyoming	Low	188.48	5.8
● Goshen	Wyoming	High	227.08	18.6
● Hot Springs	Wyoming	Low	135.96	5.8
● Johnson	Wyoming	Low	23.68	7.7
● Laramie	Wyoming	Low	110.55	5.3
● Lincoln	Wyoming	Low	65.56	7.5
● Natrona	Wyoming	Medium	76.39	17.1
● Niobrara	Wyoming	High	382	18.6
● Park	Wyoming	Low	95.91	9.8
● Platte	Wyoming	High	83.4	23.8
● Sheridan	Wyoming	Low	95.13	7.7
● Sublette	Wyoming	Low	40.69	7.5
● Sweetwater	Wyoming	Low	73.21	6.9
● Teton	Wyoming	Medium	204.57	7.5
● Uinta	Wyoming	Low	79.11	0
● Washakie	Wyoming	Low	115.31	5.8
● Weston	Wyoming	Medium	332.03	0
● Adjuntas	Puerto Rico	Low	69.11	1.4
● Aguada	Puerto Rico	Low	49.05	1.4
● Aguadilla	Puerto Rico	Low	39.79	1.4
● Aguas Buenas	Puerto Rico	Low	40.3	1.4
● Aibonito	Puerto Rico	Low	18.09	1.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
 Anasco	Puerto Rico	Low	42.05	1.4
 Arecibo	Puerto Rico	Low	71.98	1.4
 Arroyo	Puerto Rico	Low	29.01	1.4
 Barceloneta	Puerto Rico	Low	109.58	1.4
 Barranquitas	Puerto Rico	Low	90.17	1.4
 Bayamon	Puerto Rico	Low	43.72	1.4
 Cabo Rojo	Puerto Rico	Low	31.57	1.4
 Caguas	Puerto Rico	Low	39.32	1.4
 Camuy	Puerto Rico	Low	68.84	1.4
 Canovanas	Puerto Rico	Low	51.48	1.4
 Carolina	Puerto Rico	Low	33.34	1.4
 Catano	Puerto Rico	Low	30.28	1.4
 Cayey	Puerto Rico	Low	35.37	1.4
 Ceiba	Puerto Rico	Low	45.85	1.4
 Ciales Municipality	Puerto Rico	Low	69.59	1.4
 Cidra	Puerto Rico	Low	62.65	1.4
 Coamo	Puerto Rico	Low	52.17	1.4
 Comerio	Puerto Rico	Low	53.63	1.4
 Corozal	Puerto Rico	Low	37.16	1.4
 Culebra	Puerto Rico	Low	58.34	1.4
 Dorado	Puerto Rico	Low	30.44	1.4
 Fajardo	Puerto Rico	Low	47.53	1.4
 Florida	Puerto Rico	Low	167.89	1.4
 Guanica	Puerto Rico	Low	32.5	1.4
 Guayama	Puerto Rico	Low	70.95	1.4
 Guayanilla	Puerto Rico	Low	34.05	1.4
 Guaynabo	Puerto Rico	Low	77.63	1.4
 Gurabo	Puerto Rico	Low	38.22	1.4
 Hatillo	Puerto Rico	Low	81.6	1.4
 Hormigueros	Puerto Rico	Low	58	1.4
 Humacao Municipa...	Puerto Rico	Low	15.79	1.4
 Isabela	Puerto Rico	Low	49.48	1.4
 Jayuya	Puerto Rico	Medium	287.96	1.4
 Juana Diaz	Puerto Rico	Low	76.1	1.4
 Juncos	Puerto Rico	Low	31.45	1.4
 Lajas	Puerto Rico	Low	13.63	1.4
 Lares	Puerto Rico	Low	49.43	1.4
 Las Marias	Puerto Rico	Low	88.31	1.4
 Las Piedras	Puerto Rico	Low	24.32	1.4
 Loiza	Puerto Rico	Low	12.22	1.4
 Luquillo	Puerto Rico	Low	45.29	1.4
 Manati	Puerto Rico	Low	48.27	1.4
 Maricao	Puerto Rico	Low	0	1.4
 Maunabo	Puerto Rico	Low	116.27	1.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Mayaguez	Puerto Rico	Low	29.36	1.4
● Moca	Puerto Rico	Low	63.05	1.4
● Morovis	Puerto Rico	Low	39.56	1.4
● Nabuabo	Puerto Rico	Low	62.11	1.4
● Naranjito	Puerto Rico	Low	65.82	1.4
● Orocovis	Puerto Rico	Low	24.73	1.4
● Patillas	Puerto Rico	Low	18.51	1.4
● Penuelas	Puerto Rico	Low	31.17	1.4
● Ponce	Puerto Rico	Low	65.21	1.4
● Quebradillas	Puerto Rico	Low	152.72	1.4
● Rincon	Puerto Rico	Low	43.94	1.4
● Rio Grande	Puerto Rico	Low	41.64	1.4
● Sabana Grande	Puerto Rico	Low	32.24	1.4
● Salinas	Puerto Rico	Low	110.59	1.4
● San German	Puerto Rico	Low	36.39	1.4
● San Juan	Puerto Rico	Low	40.82	1.4
● San Lorenzo	Puerto Rico	Low	33.34	1.4
● San Sabastian	Puerto Rico	Low	22.52	1.4
● Santa Isabel	Puerto Rico	Low	33	1.4
● Toa Alta	Puerto Rico	Low	45.82	1.4
● Toa Baja	Puerto Rico	Low	44.43	1.4
● Trujillo Alto	Puerto Rico	Low	31.41	1.4
● Utuado	Puerto Rico	Low	25.55	1.4
● Vega Alta	Puerto Rico	Low	41.6	1.4
● Vega Baja	Puerto Rico	Low	19.99	1.4
● Vieques	Puerto Rico	Low	23.85	1.4
● Villalba	Puerto Rico	Low	28.07	1.4
● Yabucoa	Puerto Rico	Low	37.17	1.4
● Yauco	Puerto Rico	Low	56.59	1.4

Download Data (CSV)

Error processing SSI file

COVID-19 Community Level and COVID-19 Prevention

People who are [up to date on vaccines](#) have much lower risk of severe illness and death from COVID-19 compared with unvaccinated people. When making decisions about community prevention strategies and individual preventive behaviors in addition to vaccination, health officials and people should consider the COVID-19 Community Level in the county. Layered prevention strategies — like staying up to date on vaccines, screening testing, ventilation and wearing masks — can help limit severe disease and reduce the potential for strain on the healthcare system. CDC recommends using county COVID-19 Community Levels to help determine which COVID-19 prevention measures to use for individuals and communities.

Some community settings such as schools and some high-risk congregate settings such as correctional facilities and homeless shelters might include additional layers of prevention (e.g., physical distancing, contact tracing) based on information and data about the characteristics of the setting. High-risk congregate settings may implement added prevention as needed in the

event of a facility outbreak even if COVID-19 Community Levels in the surrounding community are low. Jurisdictions should monitor health equity in vaccine and other prevention efforts and assess hospitalization data where possible to ensure outreach occurs to address any disparities in access to high quality healthcare. Recommendations based on COVID-19 Community Levels may not apply to [healthcare settings](#) such as hospitals or long-term care facilities.

COVID-19 Community Level	Individual- and household-level prevention behaviors	Community-level prevention strategies (as recommended by state or local authorities)
Low	• Stay up to date with COVID-19 vaccines and boosters • Maintain improved ventilation throughout indoor spaces when possible • Follow CDC recommendations for isolation and quarantine, including getting tested if you are exposed to COVID-19 or have symptoms of COVID-19 • If you are immunocompromised or high risk for severe disease – Have a plan for rapid testing if needed (e.g., having home tests or access to testing) – Talk to your healthcare provider about whether you are a candidate for treatments like oral antivirals, PrEP, and monoclonal antibodies	• Distribute and administer vaccines to achieve high community vaccination coverage and ensure health equity • Maintain improved ventilation in public indoor spaces • Ensure access to testing, including through point-of-care and at-home tests for all people – Communicate with organizations and places that serve people who are immunocompromised or at high risk for severe disease to ensure they know how to get rapid testing • Ensure access and equity in vaccination, testing, treatment, community outreach, support services for disproportionately affected populations

COVID-19 Community Level	Individual- and household-level prevention behaviors	Community-level prevention strategies (as recommended by state or local authorities)
Medium	• If you are immunocompromised or high risk for severe disease – Talk to your healthcare provider about whether you need to wear a mask and take other precautions (e.g., testing) – Have a plan for rapid testing if needed (e.g., having home tests or access to testing) – Talk to your healthcare provider about whether you are a candidate for treatments like oral antivirals, PrEP, and monoclonal antibodies • If you have household or social contact with someone at high risk for severe disease – consider self-testing to detect infection before contact – consider wearing a mask when indoors with them • Stay up to date with COVID-19 vaccines and boosters • Maintain improved ventilation throughout indoor spaces when possible • Follow CDC recommendations for isolation and quarantine, including getting tested if you are exposed to COVID-19 or have symptoms of COVID-19	• Protect people at high risk for severe illness or death by ensuring equitable access to vaccination, testing, treatment, support services, and information • Consider implementing screening testing or other testing strategies for people who are exposed to COVID-19 in workplaces, schools, or other community settings as appropriate • Implement enhanced prevention measures in high-risk congregate settings (see guidance for correctional facilities and homeless shelters) • Distribute and administer vaccines to achieve high community vaccination coverage and ensure health equity • Maintain improved ventilation in public indoor spaces • Ensure access to testing, including through point-of-care and at-home tests for all people – Communicate with organizations and places that serve people who are immunocompromised or at high risk for severe disease to ensure they know how to get rapid testing • Ensure access and equity in vaccination, testing, treatment, community outreach, support services for disproportionately affected populations

COVID-19 Community Level	Individual- and household-level prevention behaviors	Community-level prevention strategies (as recommended by state or local authorities)
High	• Wear a well-fitting mask¹ indoors in public, regardless of vaccination status (including in K-12 schools and other indoor community settings) • If you are immunocompromised or high risk for severe disease – Wear a mask or respirator that provides you with greater protection – Consider avoiding non-essential indoor activities in public where you could be exposed – Talk to your healthcare provider about whether you need to wear a mask and take other precautions (e.g., testing) – Have a plan for rapid testing if needed (e.g., having home tests or access to testing) – Talk to your healthcare provider about whether you are a candidate for treatments like oral antivirals, PrEP, and monoclonal antibodies • If you have household or social contact with someone at high risk for severe disease – consider self-testing to detect infection before contact – consider wearing a mask when indoors with them • Stay up to date with COVID-19 vaccines and boosters • Maintain improved ventilation throughout indoor spaces when possible • Follow CDC recommendations for isolation and quarantine, including getting tested if you are exposed to COVID-19 or have symptoms of COVID-19	• Consider setting-specific recommendations for prevention strategies based on local factors • Implement healthcare surge support as needed • Protect people at high risk for severe illness or death by ensuring equitable access to vaccination, testing, treatment, support services, and information • Consider implementing screening testing or other testing strategies for people who are exposed to COVID-19 in workplaces, schools, or other community settings as appropriate • Implement enhanced prevention measures in high-risk congregate settings (see guidance for correctional facilities and homeless shelters) • Distribute and administer vaccines to achieve high community vaccination coverage and ensure health equity • Maintain improved ventilation in public indoor spaces • Ensure access to testing, including through point-of-care and at-home tests for all people – Communicate with organizations and places that serve people who are immunocompromised or at high risk for severe disease to ensure they know how to get rapid testing • Ensure access and equity in vaccination, testing, treatment, community outreach, support services for disproportionately affected populations

¹ At all levels, people can wear a mask based on personal preference, informed by personal level of risk. People with symptoms, a positive test, or exposure to someone with COVID-19 should wear a mask.

Additional Resources

Visit [COVID Data Tracker](#)* to learn more about the indicators and metrics used for COVID-19 community level in your [county](#). Please note that county-level data are not available for territories. For the most accurate and up-to-date data for any county or state, visit the relevant [health department website](#).

*COVID Data Tracker may display data that differ from state and local websites. This can be due to differences in how data were collected, how metrics were calculated, or the timing of web updates.