

Supplementary Table

Table 1. Frequency distribution of demographic characteristics in sample (n=339) and in the overall population (n=7810) of ALSPAC girls

	Sample Frequency n (%)	Girls Cohort Frequency n (%)
Overall	339 (100)	(7810) (100)
Maternal pre-pregnancy BMI		
Underweight (<18.5)	15 (4.4)	312 (4.0)
Normal (18.5-24.9)	217 (64.0)	4208 (53.9)
Overweight (25.0-29.9)	52 (15.3)	853 (10.9)
Obese (≥30.0)	23 (6.8)	311 (4.0)
Missing	32 (9.4)	2126 (27.2)
Maternal education ²		
Low	51 (15.0)	1425 (18.3)
Medium	107 (31.6)	2090 (26.8)
High	161 (47.5)	2160 (27.7)
Missing	20 (5.9)	2135 (27.3)

Maternal Race		
White	322 (95.0)	5845 (74.8)
Nonwhite	7 (2.1)	152 (2.0)
Missing	10 (2.9)	1813 (23.2)
Maternal age at delivery		
<25 y	64 (18.9)	1656 (21.2)
25-29 y	129 (38.1)	2623 (33.7)
≥30 y	146 (43.1)	2513 (32.2)
Missing	-	1013 (13.0)
Maternal Smoking Status (any smoking during pregnancy)		
Yes	69 (20.4)	1070 (13.7)
No	270 (79.6)	4640 (59.4)
Missing	-	2100 (26.9)
Previous Live Birth		
Yes	166 (49.0)	3474 (44.5)
No	160 (47.2)	2862 (36.7)
Missing	13 (3.8)	1474 (18.9)
Low Birth Weight (<2,500 g at delivery)		

Yes	16 (3.2)	394 (5.0)
No	323 (96.8)	6316 (80.9)
Missing	-	1100 (14.1)
Preterm Delivery (<37 wk gestation)		
Yes	11 (5.2)	858 (11.0)
No	328 (96.8)	6445 (82.5)
Missing	-	507 (6.5)
Ever Breastfed		
Yes	262 (77.3)	3944 (50.5)
No	58 (17.1)	1365 (17.5)
Missing	19 (5.6)	2501 (32.0)