



COVID-19 Community Levels

A measure of the impact of COVID-19 illness on health and healthcare systems

Updated Mar. 17, 2022

Overview

More tools than ever before are available to prevent COVID-19 from placing strain on communities and healthcare systems.

With current high levels of vaccination and high levels of population immunity from both vaccination and infections, the risk of medically significant disease, hospitalization, and death from COVID-19 is greatly reduced for most people. At the same time, we know that [some people and communities](#), such as our oldest citizens, people who are immunocompromised, and people with disabilities, are at higher risk for serious illness and face challenging decisions navigating a world with COVID-19.

In addition to protecting those at highest risk of severe outcomes, focusing on reducing medically significant illness and minimizing strain on the healthcare system reflects our current understanding of SARS-CoV-2 infection, immunity from vaccination and infection, and the tools we have available. Vaccines are highly protective against severe disease, and continuing to expand vaccine coverage and ensuring people are [up to date with vaccination](#) is essential to protecting individuals against hospitalizations and deaths.

Health officials and individuals should consider current information about COVID-19 hospitalizations in the community, as well as the potential for strain on the local health system and COVID-19 cases in the community, when making decisions about community prevention strategies and individual behaviors. Communities and individuals should also make decisions based on whether they are at high risk for severe disease and take into account inequities in access to prevention strategies.

COVID-19 Community Levels can help communities and individuals make decisions based on their local context and their

COVID-19



For Healthcare Facilities: COVID-19 Community Levels do **not** apply in healthcare settings, such as hospitals and nursing homes. Instead, healthcare settings should continue to use [community transmission rates](#) and follow CDC's [infection prevention and control recommendations](#) for healthcare workers.



COVID-19 County Check

Find community levels and prevention steps by county.

Select a Location (all fields required)

State



County



Go



How CDC Measures the COVID-19 Community Levels

CDC looks at the combination of three metrics — new COVID-19 admissions per 100,000 population in the past 7 days, the percent of staffed inpatient beds occupied by COVID-19 patients, and total new COVID-19 cases per 100,000 population in the past 7 days — to determine the COVID-19 community level. New COVID-19 admissions and the percent of staffed inpatient beds occupied represent the current potential for strain on the health system. Data on new cases acts as an early warning indicator of potential increases in health system strain in the event of a COVID-19 surge.

Using these data, the COVID-19 community level is classified as low, medium, or high.

COVID-19 Community Levels – Use the Highest Level that Applies to Your Community				
New COVID-19 Cases Per 100,000 people in the past 7 days	Indicators	Low	Medium	High
Fewer than 200	New COVID-19 admissions per 100,000 population (7-day total)	<10.0	10.0-19.9	≥20.0
	Percent of staffed inpatient beds occupied by COVID-19 patients (7-day average)	<10.0%	10.0-14.9%	≥15.0%
200 or more	New COVID-19 admissions per 100,000 population (7-day total)	NA	<10.0	≥10.0
	Percent of staffed inpatient beds occupied by COVID-19 patients (7-day average)	NA	<10.0%	≥10.0%

The COVID-19 community level is determined by the higher of the new admissions and inpatient beds metrics, based on the current level of new cases per 100,000 population in the past 7 days


To find out the COVID-19 community level:

- First determine whether a county, state, or territory has fewer than 200 new cases per 100,000 people in the past 7 days or 200 new cases or more per 100,000 people in the past 7 days.
- Then, determine the level (low, medium, or high) for the new admissions and inpatient beds and indicators using the scale for the area's number for new cases.
- The COVID-19 Community Level is based on the higher of the new admissions and inpatient beds metrics.
- Check your county's [COVID-19 Community Level](#).

U.S. COVID-19 Community Levels by County Map

Maps, charts, and data provided by CDC, updates every Thursday by 8 pm ET

Updated: March 17, 2022



Legend

- High
- Medium
- Low

Data Table (Scroll right for additional data)

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Autauga	Alabama	Low	35.8	2.6
● Baldwin	Alabama	Low	34.04	2.7
● Barbour	Alabama	Low	32.41	3.6
● Bibb	Alabama	Low	40.19	6.9
● Blount	Alabama	Low	43.23	6.9
● Bullock	Alabama	Low	0	2.6
● Butler	Alabama	Low	20.57	0
● Calhoun	Alabama	Low	158.44	5
● Chambers	Alabama	Low	9.02	6.5
● Cherokee	Alabama	Low	15.27	2.4
● Chilton	Alabama	Medium	222.83	6.9
● Choctaw	Alabama	Low	31.77	2.9
● Clarke	Alabama	Low	80.43	2.7
● Clay	Alabama	Medium	37.78	17.3
● Cleburne	Alabama	Low	26.83	5
● Coffee	Alabama	Low	19.11	3.6
● Colbert	Alabama	Low	72.41	3.9
● Conecuh	Alabama	Low	8.29	4.4
● Coosa	Alabama	Medium	65.65	17.3
● Covington	Alabama	Low	32.39	2.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Crenshaw	Alabama	Low	36.31	2.6
● Cullman	Alabama	Low	33.43	6.9
● Dale	Alabama	Low	32.54	3.6
● Dallas	Alabama	Low	37.64	2.7
● De Kalb	Alabama	Low	86.7	2.4
● Elmore	Alabama	Low	17.24	1
● Escambia	Alabama	Low	32.76	4.4
● Etowah	Alabama	Low	40.09	2.4
● Fayette	Alabama	Low	116.55	6.5
● Franklin	Alabama	Low	31.89	3.9
● Geneva	Alabama	Low	15.23	3.6
● Greene	Alabama	Low	49.32	0.8
● Hale	Alabama	Low	27.3	0.8
● Henry	Alabama	Low	0	3.6
● Houston	Alabama	Low	15.11	3.6
● Jackson	Alabama	Medium	46.49	13.8
● Jefferson	Alabama	Low	31.43	6.9
● Lamar	Alabama	Low	130.39	2.9
● Lauderdale	Alabama	Low	33.43	3.9
● Lawrence	Alabama	Low	45.56	7.9
● Lee	Alabama	Low	17.62	1
● Limestone	Alabama	Medium	63.69	13.8
● Lowndes	Alabama	Low	20.56	2.6
● Macon	Alabama	Low	0	1
● Madison	Alabama	Medium	71.06	13.8
● Marengo	Alabama	Low	31.81	2.7
● Marion	Alabama	Low	114.44	6.5
● Marshall	Alabama	Low	155	2.4
● Mobile	Alabama	Low	29.77	2.7
● Monroe	Alabama	Low	9.65	2.7
● Montgomery	Alabama	Low	25.61	2.6
● Morgan	Alabama	Low	41.78	7.9
● Perry	Alabama	Low	22.41	2.7
● Pickens	Alabama	Low	135.47	0.8
● Pike	Alabama	Low	6.04	2.6
● Randolph	Alabama	Low	26.41	6.5
● Russell	Alabama	Low	10.35	7
● St Clair	Alabama	Low	26.81	6.9
● Shelby	Alabama	Low	39.96	6.9
● Sumter	Alabama	Low	24.14	2.9
● Talladega	Alabama	Medium	45.01	17.3
● Tallapoosa	Alabama	Low	69.36	1
● Tuscaloosa	Alabama	Low	113.2	0.8
● Walker	Alabama	Low	20.47	6.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100
Washington	Alabama	Low	12.25	2.7
Wilcox	Alabama	Low	48.2	2.7
Winston	Alabama	Low	46.55	3.9
Aleutians East Bor...	Alaska	Medium	389.57	3.3
Aleutians West Ca	Alaska	Low	17.75	3.3
Anchorage Muny	Alaska	Low	156.25	3.3
Bethel Ca	Alaska	Medium	826.72	3.3
Bristol Bay Borough	Alaska	Low	0	3.3
Denali Borough	Alaska	Medium	381.5	5.4
Dillingham Ca	Alaska	Medium	1057.77	3.3
Fairbanks North St...	Alaska	Low	65.05	5.4
Haines Borough	Alaska	Medium	276.68	2.1
Hoonah–angoon Ca	Alaska	Medium	1303.54	2.1
Juneau Cty&bor	Alaska	Medium	231.44	2.1
Kenai Peninsula B...	Alaska	Medium	279.35	3.3
Ketchikan Gateway...	Alaska	High	258.97	11.6
Kodiak Island Boro...	Alaska	Low	192.34	3.3
Kusilvak Ca	Alaska	Medium	697.62	3.3
Lake And Peninsul...	Alaska	Medium	816.58	3.3
Matanuska-susitna ...	Alaska	Low	105.25	3.3
Nome Ca	Alaska	Medium	1339.46	3.3
North Slope Borough	Alaska	Medium	325.47	3.3
Northwest Arctic B...	Alaska	Medium	1062.85	3.3
Petersburg Ca	Alaska	Medium	61.24	11.6
Prince Of Wales–h...	Alaska	High	354.67	11.6
Sitka Cty&bor	Alaska	Medium	353.23	2.1
Skagway Muny	Alaska	Medium	929.84	2.1
Southeast Fairbank...	Alaska	Low	43.52	5.4
Valdez-cordova Ca	Alaska	Medium	423.82	3.3
Wrangell City&bor	Alaska	Medium	119.9	11.6
Yakutat City&bor	Alaska	Low	0	2.1
Yukon-koyukuk Ca	Alaska	Medium	344.17	5.4
Apache	Arizona	Low	132.15	9.8
Cochise	Arizona	Low	61.94	5.4
Coconino	Arizona	Low	41.12	8.3
Gila	Arizona	Low	105.52	8.3
Graham	Arizona	Low	36.05	5.4
Greenlee	Arizona	Low	52.64	5.4
La Paz	Arizona	Medium	52.11	11.9
Maricopa	Arizona	Low	75.09	8.3
Mohave	Arizona	Low	50.9	9.4
Navajo	Arizona	Low	105.48	5.4
Pima	Arizona	Low	77.92	5.4
Pinal	Arizona	Low	52.94	8.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Santa Cruz	Arizona	Low	17.21	5.4
● Yavapai	Arizona	Low	34.03	8.3
● Yuma	Arizona	Medium	43.03	11.9
● Arkansas	Arkansas	Low	74.35	8.3
● Ashley	Arkansas	High	55.96	26.9
● Baxter	Arkansas	Low	166.94	0
● Benton	Arkansas	Low	65.56	4.8
● Boone	Arkansas	Low	96.17	3.7
● Bradley	Arkansas	Low	18.58	1.6
● Calhoun	Arkansas	Medium	250.53	4.5
● Carroll	Arkansas	Low	147.99	3.7
● Chicot	Arkansas	High	19.77	26.9
● Clark	Arkansas	Low	183.69	5.7
● Clay	Arkansas	Low	61.85	5.4
● Cleburne	Arkansas	Low	44.14	7.1
● Cleveland	Arkansas	Low	62.85	1.6
● Columbia	Arkansas	Low	191.84	4.5
● Conway	Arkansas	Medium	33.58	19.2
● Craighead	Arkansas	Low	176.74	5.4
● Crawford	Arkansas	Low	36.36	6.1
● Crittenden	Arkansas	Low	135.54	0
● Cross	Arkansas	Low	164.44	0
● Dallas	Arkansas	Low	0	0
● Desha	Arkansas	Low	26.41	1.6
● Drew	Arkansas	Low	27.44	1.6
● Faulkner	Arkansas	Medium	67.46	19.2
● Franklin	Arkansas	Low	79.03	6.1
● Fulton	Arkansas	Low	80.15	6.5
● Garland	Arkansas	Medium	328.01	5.7
● Grant	Arkansas	Medium	87.6	19.2
● Greene	Arkansas	Low	110.31	5.4
● Hempstead	Arkansas	Low	83.6	0.4
● Hot Spring	Arkansas	Low	189.51	5.7
● Howard	Arkansas	Low	53.02	0.4
● Independence	Arkansas	Low	29.08	6.5
● Izard	Arkansas	Low	110.06	6.5
● Jackson	Arkansas	Medium	215.32	7.1
● Jefferson	Arkansas	Low	34.42	1.6
● Johnson	Arkansas	Medium	158.03	15.1
● Lafayette	Arkansas	Low	150.97	0.4
● Lawrence	Arkansas	Medium	274.29	5.4
● Lee	Arkansas	Low	169.36	0
● Lincoln	Arkansas	Low	0	1.6
● Little River	Arkansas	Low	89.73	0.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Logan	Arkansas	Low	65.22	6.1
● Lonoke	Arkansas	Medium	120.04	19.2
● Madison	Arkansas	Low	168.92	4.8
● Marion	Arkansas	Low	53.91	0
● Miller	Arkansas	Low	76.29	0.4
● Mississippi	Arkansas	Medium	246	0
● Monroe	Arkansas	Low	14.92	8.3
● Montgomery	Arkansas	Low	122.41	5.7
● Nevada	Arkansas	Low	157.54	0.4
● Newton	Arkansas	Low	90.29	3.7
● Ouachita	Arkansas	Low	102.64	0
● Perry	Arkansas	Medium	143.47	19.2
● Phillips	Arkansas	Low	123.72	0
● Pike	Arkansas	Medium	429.18	5.7
● Poinsett	Arkansas	Low	182.76	5.4
● Polk	Arkansas	Low	75.14	5
● Pope	Arkansas	Low	65.55	3.5
● Prairie	Arkansas	Medium	24.81	19.2
● Pulaski	Arkansas	Medium	58.69	19.2
● Randolph	Arkansas	Medium	612.54	5.4
● St Francis	Arkansas	Low	108.03	0
● Saline	Arkansas	Medium	84.94	19.2
● Scott	Arkansas	Low	97.27	6.1
● Searcy	Arkansas	Low	76.13	3.7
● Sebastian	Arkansas	Low	40.68	6.1
● Sevier	Arkansas	Medium	288.12	0.4
● Sharp	Arkansas	Low	40.13	6.5
● Stone	Arkansas	Low	79.96	6.5
● Union	Arkansas	Low	72.39	4.5
● Van Buren	Arkansas	Medium	42.31	19.2
● Washington	Arkansas	Low	46.83	4.8
● White	Arkansas	Low	125.71	7.1
● Woodruff	Arkansas	Medium	205.7	7.1
● Yell	Arkansas	Low	107.77	3.5
● Alameda	California	Low	47.93	4.1
● Alpine	California	Low	0	3.8
● Amador	California	Low	98.11	6.5
● Butte	California	Low	25.09	8.6
● Calaveras	California	Low	8.71	6.5
● Colusa	California	Low	27.85	7.1
● Contra Costa	California	Low	46.64	4.1
● Del Norte	California	Medium	154.61	11.3
● El Dorado	California	Low	42	8.6
● Fresno	California	Low	74.67	8.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Glenn	California	Low	45.79	8.6
● Humboldt	California	Low	26.56	2.2
● Imperial	California	Low	119.75	4
● Inyo	California	Low	33.26	3.1
● Kern	California	Low	43.43	5.2
● Kings	California	Low	127.5	8.2
● Lake	California	Low	69.89	8.6
● Lassen	California	Low	91.58	0
● Los Angeles	California	Low	71.42	4.4
● Madera	California	Low	32.42	8.2
● Marin	California	Low	55.64	3.3
● Mariposa	California	Low	29.06	9.3
● Mendocino	California	Low	55.33	4.6
● Merced	California	Low	44.66	9.3
● Modoc	California	Medium	33.93	10.4
● Mono	California	Low	6.92	3.1
● Monterey	California	Low	32.71	4.2
● Napa	California	Low	69.69	8.6
● Nevada	California	Low	22.05	3.9
● Orange	California	Low	28.94	4.4
● Placer	California	Low	39.16	8.6
● Plumas	California	Low	79.76	0
● Riverside	California	Low	31.94	3.1
● Sacramento	California	Low	22.04	8.6
● San Benito	California	Low	7.96	4.2
● San Bernardino	California	Low	37.15	3.1
● San Diego	California	Low	75.43	4
● San Francisco	California	Low	1.36	3.6
● San Joaquin	California	Low	28.87	6.5
● San Luis Obispo	California	Low	48.39	3.8
● San Mateo	California	Low	51.14	3.6
● Santa Barbara	California	Low	15.9	3.8
● Santa Clara	California	Low	43.31	4.2
● Santa Cruz	California	Low	73.2	3.3
● Shasta	California	Medium	38.32	10.4
● Sierra	California	Low	0	3.9
● Siskiyou	California	Low	39.05	5.1
● Solano	California	Low	61.66	8.6
● Sonoma	California	Low	32.97	3.3
● Stanislaus	California	Low	47.4	9.3
● Sutter	California	Low	73.22	7.1
● Tehama	California	Low	26.12	8.6
● Trinity	California	Medium	8.14	10.4
● Tulare	California	Low	47.41	3.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Tuolumne	California	Medium	290.03	9.3
● Ventura	California	Low	35.11	5.4
● Yolo	California	Low	48.07	8.6
● Yuba	California	Low	53.39	7.1
● Adams	Colorado	Low	18.17	2.9
● Alamosa	Colorado	Low	30.8	4.2
● Arapahoe	Colorado	Low	14.77	2.9
● Archuleta	Colorado	Low	28.51	5.4
● Baca	Colorado	Low	0	0
● Bent	Colorado	Low	0	0
● Boulder	Colorado	Low	29.74	2.8
● Chaffee	Colorado	Low	14.74	3.5
● Cheyenne	Colorado	Low	0	2.2
● Clear Creek	Colorado	Low	30.93	2.9
● Conejos	Colorado	Low	0	4.2
● Costilla	Colorado	Low	0	4.2
● Crowley	Colorado	Low	0	0
● Custer	Colorado	Low	0	0
● Delta	Colorado	Low	9.63	1.9
● Denver	Colorado	Low	20.21	2.9
● Dolores	Colorado	Low	0	5.4
● Douglas	Colorado	Low	13.1	2.9
● Eagle	Colorado	Low	30.84	4.3
● Elbert	Colorado	Low	3.74	2.9
● El Paso	Colorado	Low	25.12	2.2
● Fremont	Colorado	Low	16.72	0
● Garfield	Colorado	Low	18.31	4.3
● Gilpin	Colorado	Low	16.02	2.9
● Grand	Colorado	Low	12.71	2.9
● Gunnison	Colorado	Low	51.54	1.9
● Hinsdale	Colorado	Low	121.95	1.9
● Huerfano	Colorado	Low	29	3.5
● Jackson	Colorado	Low	0	3.6
● Jefferson	Colorado	Low	33.8	2.9
● Kiowa	Colorado	Low	0	0
● Kit Carson	Colorado	Low	0	2.2
● Lake	Colorado	Low	12.3	3.5
● La Plata	Colorado	Low	16.01	5.4
● Larimer	Colorado	Low	24.94	5
● Las Animas	Colorado	Low	20.68	3.5
● Lincoln	Colorado	Low	17.54	2.2
● Logan	Colorado	Low	0	6.9
● Mesa	Colorado	Low	16.86	4.3
● Mineral	Colorado	Low	0	4.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Moffat	Colorado	Low	15.06	0
● Montezuma	Colorado	Low	95.48	5.4
● Montrose	Colorado	Low	7.02	1.9
● Morgan	Colorado	Low	10.32	3.8
● Otero	Colorado	Low	5.47	0
● Ouray	Colorado	Low	0	1.9
● Park	Colorado	Low	37.15	2.9
● Phillips	Colorado	Low	0	6.9
● Pitkin	Colorado	Low	73.17	4.3
● Prowers	Colorado	Low	0	0
● Pueblo	Colorado	Low	12.47	3.5
● Rio Blanco	Colorado	Low	0	4.3
● Rio Grande	Colorado	Low	8.88	4.2
● Routt	Colorado	Low	78.01	0
● Saguache	Colorado	Low	0	4.2
● San Juan	Colorado	Low	0	5.4
● San Miguel	Colorado	Low	24.45	1.9
● Sedgwick	Colorado	Low	0	6.9
● Summit	Colorado	Low	16.12	2.9
● Teller	Colorado	Low	7.88	2.2
● Washington	Colorado	Low	0	3.8
● Weld	Colorado	Low	17.26	3.8
● Yuma	Colorado	Low	0	3.8
● Fairfield	Connecticut	Low	60.74	3.9
● Hartford	Connecticut	Low	36.56	3.7
● Litchfield	Connecticut	Low	60.44	6.7
● Middlesex	Connecticut	Low	80.65	6.7
● New Haven	Connecticut	Low	74.99	6.7
● New London	Connecticut	Low	66.36	2.6
● Tolland	Connecticut	Low	35.83	3.7
● Windham	Connecticut	Low	35.11	3.7
● Kent	Delaware	Low	95.14	4.7
● New Castle	Delaware	Low	84.47	2.7
● Sussex	Delaware	Low	113.14	4.7
● Washington	District of Columbia	Low	0	2.5
● Alachua	Florida	Medium	78.43	11.4
● Baker	Florida	Low	23.96	6.3
● Bay	Florida	Low	30.91	2.4
● Bradford	Florida	Medium	28.37	11.4
● Brevard	Florida	Low	36.38	2.8
● Broward	Florida	Low	50.65	4.3
● Calhoun	Florida	Low	7.09	2.4
● Charlotte	Florida	Low	68.82	7.6
● Citrus	Florida	Low	38.09	9.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Clay	Florida	Low	26	6.3
● Collier	Florida	Low	40.79	4.3
● Columbia	Florida	Medium	22.32	11.4
● De Soto	Florida	Low	60.52	7.6
● Dixie	Florida	Medium	35.66	11.4
● Duval	Florida	Low	43.23	6.3
● Escambia	Florida	Low	24.19	4.4
● Flagler	Florida	Low	35.63	5.5
● Franklin	Florida	Low	24.74	1.6
● Gadsden	Florida	Low	32.85	1.6
● Gilchrist	Florida	Medium	113.01	11.4
● Glades	Florida	Low	0	4.3
● Gulf	Florida	Low	43.99	2.4
● Hamilton	Florida	Medium	173.27	11.4
● Hardee	Florida	Low	37.12	9.9
● Hendry	Florida	Low	19.04	4.3
● Hernando	Florida	Low	40.22	6.9
● Highlands	Florida	Low	45.19	9.9
● Hillsborough	Florida	Low	44.91	6.9
● Holmes	Florida	Low	35.68	2.4
● Indian River	Florida	Low	45.65	2.8
● Jackson	Florida	Low	40.94	2.4
● Jefferson	Florida	Low	28.08	1.6
● Lafayette	Florida	Medium	47.49	11.4
● Lake	Florida	Low	41.13	5.5
● Lee	Florida	Low	46.59	4.3
● Leon	Florida	Low	39.51	1.6
● Levy	Florida	Medium	43.37	11.4
● Liberty	Florida	Low	23.94	1.6
● Madison	Florida	Low	59.48	1.6
● Manatee	Florida	Low	46.12	2.2
● Marion	Florida	Low	36.11	9.7
● Martin	Florida	Low	0	5
● Miami-dade	Florida	Low	61.13	4.3
● Monroe	Florida	Low	75.44	4.3
● Nassau	Florida	Low	31.59	6.3
● Okaloosa	Florida	Low	23.73	4.4
● Okeechobee	Florida	Low	16.6	5
● Orange	Florida	Low	61.29	5.5
● Osceola	Florida	Low	65.74	2.1
● Palm Beach	Florida	Low	47.77	5
● Pasco	Florida	Low	50.37	6.9
● Pinellas	Florida	Low	82.46	6.9
● Polk	Florida	Low	34.49	9.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Putnam	Florida	Low	33.55	2.4
● St Johns	Florida	Low	0	2.4
● St Lucie	Florida	Low	37.47	5
● Santa Rosa	Florida	Low	20.07	4.4
● Sarasota	Florida	Low	55.1	7.6
● Seminole	Florida	Low	33.06	5.5
● Sumter	Florida	Low	63.43	5.5
● Suwannee	Florida	Medium	11.26	11.4
● Taylor	Florida	Low	18.55	1.6
● Union	Florida	Medium	52.5	11.4
● Volusia	Florida	Low	33.98	5.5
● Wakulla	Florida	Low	29.64	1.6
● Walton	Florida	Low	18.9	4.4
● Washington	Florida	Low	51.03	2.4
● Appling	Georgia	Medium	212.12	4.1
● Atkinson	Georgia	Medium	330.68	1.5
● Bacon	Georgia	Medium	259.76	0
● Baker	Georgia	Low	0	1.1
● Baldwin	Georgia	Low	24.5	1.3
● Banks	Georgia	Low	41.59	6.3
● Barrow	Georgia	Low	14.42	3.2
● Bartow	Georgia	Low	69.61	4.2
● Ben Hill	Georgia	Low	11.98	2.7
● Berrien	Georgia	Low	20.62	1.1
● Bibb	Georgia	Low	40.48	4.8
● Bleckley	Georgia	Low	0	4.8
● Brantley	Georgia	Medium	209.33	6.3
● Brooks	Georgia	Low	38.82	1.1
● Bryan	Georgia	Medium	277.59	3.7
● Bulloch	Georgia	Low	32.66	3.1
● Burke	Georgia	Low	17.87	2.6
● Butts	Georgia	Low	28.07	7.6
● Calhoun	Georgia	Low	0	1.1
● Camden	Georgia	Medium	241.47	6.3
● Candler	Georgia	Low	83.31	3.1
● Carroll	Georgia	Low	8.33	5
● Catoosa	Georgia	Low	50.31	6.4
● Charlton	Georgia	Medium	231.48	6.3
● Chatham	Georgia	Medium	394.22	3.7
● Chattahoochee	Georgia	Medium	1017.7	7
● Chattooga	Georgia	Low	76.65	4.2
● Cherokee	Georgia	Low	16.62	6.7
● Clarke	Georgia	Low	16.36	3.2
● Clay	Georgia	Low	35.29	1.1

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Clayton	Georgia	Low	25.32	5.7
● Clinch	Georgia	Medium	332.43	0
● Cobb	Georgia	Low	39.73	6.7
● Coffee	Georgia	Low	46.22	1.5
● Colquitt	Georgia	High	10.96	46.1
● Columbia	Georgia	Low	90.61	2.6
● Cook	Georgia	Low	23.16	1.1
● Coweta	Georgia	Low	17.51	6.5
● Crawford	Georgia	Low	16.12	4.8
● Crisp	Georgia	Low	13.41	5.8
● Dade	Georgia	Low	186.15	6.4
● Dawson	Georgia	Low	22.98	6.3
● Decatur	Georgia	Medium	41.66	19.9
● De Kalb	Georgia	Low	41.22	5.7
● Dodge	Georgia	Low	24.27	1.4
● Dooly	Georgia	Low	0	5.8
● Dougherty	Georgia	Low	27.29	1.1
● Douglas	Georgia	Low	19.13	6.7
● Early	Georgia	Low	9.81	1.1
● Echols	Georgia	Low	0	1.1
● Effingham	Georgia	Medium	202.19	3.7
● Elbert	Georgia	Low	5.21	0
● Emanuel	Georgia	Low	35.33	3.1
● Evans	Georgia	Low	150.18	3.7
● Fannin	Georgia	Low	15.27	0.5
● Fayette	Georgia	Low	22.72	5.7
● Floyd	Georgia	Low	43.66	4.2
● Forsyth	Georgia	Low	67.96	5.7
● Franklin	Georgia	Low	8.57	4
● Fulton	Georgia	Low	38.16	5.7
● Gilmer	Georgia	Low	12.75	0.5
● Glascock	Georgia	Low	0	2.6
● Glynn	Georgia	Medium	212.21	6.3
● Gordon	Georgia	Medium	312.27	4.2
● Grady	Georgia	Low	56.83	4.4
● Greene	Georgia	Low	21.83	3.2
● Gwinnett	Georgia	Low	25.53	5.7
● Habersham	Georgia	Low	28.68	6.3
● Hall	Georgia	Low	15.65	6.3
● Hancock	Georgia	Low	0	1.3
● Haralson	Georgia	Low	0	5
● Harris	Georgia	Low	31.22	7
● Hart	Georgia	Low	26.71	4
● Heard	Georgia	Low	8.39	6.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Henry	Georgia	Low	37.94	5.7
● Houston	Georgia	Low	16.47	4.8
● Irwin	Georgia	Low	31.86	2.7
● Jackson	Georgia	Low	6.85	3.2
● Jasper	Georgia	Low	7.03	5.6
● Jeff Davis	Georgia	Low	112.47	1.5
● Jefferson	Georgia	Low	6.51	0
● Jenkins	Georgia	Low	0	2.6
● Johnson	Georgia	Low	10.37	1.4
● Jones	Georgia	Low	34.8	4.8
● Lamar	Georgia	Low	36.69	1.6
● Lanier	Georgia	Low	28.78	1.1
● Laurens	Georgia	Low	8.41	1.4
● Lee	Georgia	Low	13.34	1.1
● Liberty	Georgia	Low	66.74	3.7
● Lincoln	Georgia	Low	37.87	2.6
● Long	Georgia	Low	76.69	3.7
● Lowndes	Georgia	Low	15.33	1.1
● Lumpkin	Georgia	Low	41.65	6.3
● Mcduffie	Georgia	Low	18.77	2.6
● Mcintosh	Georgia	Low	187.79	6.3
● Macon	Georgia	Low	54.07	5.8
● Madison	Georgia	Low	13.39	3.2
● Marion	Georgia	Low	35.89	7
● Meriwether	Georgia	Low	14.17	6.5
● Miller	Georgia	Medium	0	19.9
● Mitchell	Georgia	Low	64.04	4.4
● Monroe	Georgia	Low	10.88	4.8
● Montgomery	Georgia	Low	196.25	1.4
● Morgan	Georgia	Low	140.07	3.2
● Murray	Georgia	Medium	62.35	9.7
● Muscogee	Georgia	Low	51.08	7
● Newton	Georgia	Low	30.43	5.6
● Oconee	Georgia	Low	22.34	3.2
● Oglethorpe	Georgia	Low	6.55	3.2
● Paulding	Georgia	Low	20.16	6.7
● Peach	Georgia	Low	72.61	4.8
● Pickens	Georgia	Low	12.27	6.7
● Pierce	Georgia	Medium	292.83	0
● Pike	Georgia	Low	116.02	1.6
● Polk	Georgia	Low	35.2	4.2
● Pulaski	Georgia	Low	17.96	4.8
● Putnam	Georgia	Low	36.17	1.3
● Quitman	Georgia	Low	43.5	3.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Rabun	Georgia	Low	75.86	0
● Randolph	Georgia	Low	14.75	1.1
● Richmond	Georgia	Low	81.97	2.6
● Rockdale	Georgia	Low	19.8	5.7
● Schley	Georgia	Low	38.04	7
● Screven	Georgia	Low	28.64	3.1
● Seminole	Georgia	Medium	12.36	19.9
● Spalding	Georgia	Low	41.98	7.6
● Stephens	Georgia	Low	19.29	4
● Stewart	Georgia	Low	30.21	7
● Sumter	Georgia	Low	37.26	5.8
● Talbot	Georgia	Low	32.28	7
● Taliaferro	Georgia	Low	65.06	2.6
● Tattnall	Georgia	Low	197.74	3.7
● Taylor	Georgia	Low	24.94	4.8
● Telfair	Georgia	Low	31.53	1.4
● Terrell	Georgia	Low	23.44	1.1
● Thomas	Georgia	Low	40.49	4.4
● Tift	Georgia	Low	19.68	2.7
● Toombs	Georgia	Medium	249.72	1.4
● Towns	Georgia	Low	74.77	6.3
● Treutlen	Georgia	Low	14.49	1.4
● Troup	Georgia	Low	15.73	6.5
● Turner	Georgia	Low	0	2.7
● Twiggs	Georgia	Low	24.63	4.8
● Union	Georgia	Low	48.96	6.3
● Upson	Georgia	Low	37.99	1.6
● Walker	Georgia	Low	93.18	6.4
● Walton	Georgia	Low	13.74	5.7
● Ware	Georgia	Low	179.1	0
● Warren	Georgia	Low	0	2.6
● Washington	Georgia	Low	78.53	0
● Wayne	Georgia	Low	113.61	4.1
● Webster	Georgia	Low	0	7
● Wheeler	Georgia	Low	0	1.4
● White	Georgia	Low	16.23	6.3
● Whitfield	Georgia	Medium	119.47	9.7
● Wilcox	Georgia	Low	46.32	5.8
● Wilkes	Georgia	Low	51.14	0
● Wilkinson	Georgia	Low	22.34	4.8
● Worth	Georgia	Low	0	1.1
● Hawaii	Hawaii	Low	53.1	2
● Honolulu	Hawaii	Low	62.39	6
● Kauai	Hawaii	Medium	221.32	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Maui	Hawaii	Low	75.26	6
● Ada	Idaho	Low	137.67	5.6
● Adams	Idaho	Low	23.29	0
● Bannock	Idaho	Low	22.78	5.8
● Bear Lake	Idaho	Low	32.65	3.4
● Benewah	Idaho	Medium	1494.95	6.1
● Bingham	Idaho	Low	14.95	5.8
● Blaine	Idaho	Medium	860.08	0
● Boise	Idaho	Medium	268.16	5.6
● Bonner	Idaho	Medium	443.82	6.1
● Bonneville	Idaho	Low	14.28	4.1
● Boundary	Idaho	Medium	277.66	6.1
● Butte	Idaho	Low	0	4.1
● Camas	Idaho	Medium	452.08	0
● Canyon	Idaho	Low	38.29	5.6
● Caribou	Idaho	Low	0	5.8
● Cassia	Idaho	Medium	436.95	4.4
● Clark	Idaho	Low	0	4.1
● Clearwater	Idaho	Low	114.21	3.2
● Custer	Idaho	Low	0	4.1
● Elmore	Idaho	Medium	708.81	5.6
● Franklin	Idaho	Low	0	3.4
● Fremont	Idaho	Low	22.9	4.1
● Gem	Idaho	Low	16.56	5.6
● Gooding	Idaho	Medium	520.46	1.5
● Idaho	Idaho	Medium	240	3.2
● Jefferson	Idaho	Low	16.74	4.1
● Jerome	Idaho	Medium	1007.7	1.5
● Kootenai	Idaho	Medium	794.82	6.1
● Latah	Idaho	Low	24.93	2.2
● Lemhi	Idaho	Low	24.92	0
● Lewis	Idaho	Low	78.17	3.2
● Lincoln	Idaho	Medium	670.89	1.5
● Madison	Idaho	Low	10.02	4.1
● Minidoka	Idaho	Medium	641.67	4.4
● Nez Perce	Idaho	Low	22.27	3.2
● Oneida	Idaho	Low	44.14	5.8
● Owyhee	Idaho	Low	25.37	5.6
● Payette	Idaho	Low	8.35	0
● Power	Idaho	Low	0	5.8
● Shoshone	Idaho	Medium	512.34	6.1
● Teton	Idaho	Low	90.59	4.1
● Twin Falls	Idaho	Medium	1160.25	1.5
● Valley	Idaho	Medium	474.02	5.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Washington	Idaho	Low	29.43	0
● Adams	Illinois	Low	55.02	4.1
● Alexander	Illinois	Low	17.36	2.3
● Bond	Illinois	Low	24.35	2.6
● Boone	Illinois	Low	42.96	2.9
● Brown	Illinois	Low	45.61	3.1
● Bureau	Illinois	Low	45.97	4.9
● Calhoun	Illinois	Low	42.2	2.6
● Carroll	Illinois	Low	34.95	3.5
● Cass	Illinois	Low	65.86	3.1
● Champaign	Illinois	Low	46.74	6.3
● Christian	Illinois	Low	58.82	3.1
● Clark	Illinois	Low	77.72	4
● Clay	Illinois	Low	0	4.5
● Clinton	Illinois	Low	47.92	2.7
● Coles	Illinois	Low	51.36	6.3
● Cook	Illinois	Low	72.7	4.8
● Crawford	Illinois	Low	26.79	4.7
● Cumberland	Illinois	Low	37.15	6.3
● De Kalb	Illinois	Low	49.57	2.1
● De Witt	Illinois	Low	6.39	4
● Douglas	Illinois	Low	10.27	6.3
● Du Page	Illinois	Low	109.33	4.8
● Edgar	Illinois	Low	29.14	3.4
● Edwards	Illinois	Low	78.19	4.5
● Effingham	Illinois	Low	32.35	1.8
● Fayette	Illinois	Low	89.05	1.8
● Ford	Illinois	Low	15.43	6.3
● Franklin	Illinois	Low	23.4	3.8
● Fulton	Illinois	Low	75.71	6.2
● Gallatin	Illinois	Low	144.99	2.8
● Greene	Illinois	Low	30.84	1.9
● Grundy	Illinois	Low	33.3	2.3
● Hamilton	Illinois	Low	24.64	0
● Hancock	Illinois	Low	22.59	0
● Hardin	Illinois	Low	0	2.8
● Henderson	Illinois	Low	0	7.6
● Henry	Illinois	Low	38.84	2.8
● Iroquois	Illinois	Low	33.19	2.2
● Jackson	Illinois	Low	38.77	3.8
● Jasper	Illinois	Low	0	4.5
● Jefferson	Illinois	Low	34.5	7.4
● Jersey	Illinois	Low	59.71	2.6
● Jo Daviess	Illinois	Low	42.38	2.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Johnson	Illinois	Low	72.48	4.9
● Kane	Illinois	Low	53.34	2.1
● Kankakee	Illinois	Low	29.13	2.2
● Kendall	Illinois	Low	72.1	2.1
● Knox	Illinois	Low	36.22	3
● Lake	Illinois	Low	63.46	4.8
● La Salle	Illinois	Low	60.73	4.9
● Lawrence	Illinois	Low	12.76	4.7
● Lee	Illinois	Low	32.26	2.9
● Livingston	Illinois	Low	47.69	4.9
● Logan	Illinois	Low	87.36	3.1
● Mcdonough	Illinois	Low	40.43	3.1
● Mchenry	Illinois	Low	56.86	4.8
● Mclean	Illinois	Low	56.55	4
● Macon	Illinois	Low	33.65	3.2
● Macoupin	Illinois	Low	53.42	5.5
● Madison	Illinois	Low	45.63	2.6
● Marion	Illinois	Low	48.38	3.9
● Marshall	Illinois	Low	69.94	6.2
● Mason	Illinois	Low	37.43	6.2
● Massac	Illinois	Low	65.35	4.9
● Menard	Illinois	Low	41	3.1
● Mercer	Illinois	Low	51.82	2.8
● Monroe	Illinois	Low	34.65	2.7
● Montgomery	Illinois	Low	38.71	5.5
● Morgan	Illinois	Low	62.39	1.9
● Moultrie	Illinois	Low	20.69	3.2
● Ogle	Illinois	Low	31.59	2.9
● Peoria	Illinois	Low	55.25	6.2
● Perry	Illinois	Low	62.15	3.8
● Piatt	Illinois	Low	36.71	3.2
● Pike	Illinois	Low	70.69	4.1
● Pope	Illinois	Low	47.88	2.8
● Pulaski	Illinois	Low	18.74	2.3
● Putnam	Illinois	Low	69.7	4.9
● Randolph	Illinois	Low	37.76	2.7
● Richland	Illinois	Low	12.89	4.5
● Rock Island	Illinois	Low	33.83	2.8
● St Clair	Illinois	Low	37.35	2.7
● Saline	Illinois	Low	51.08	2.8
● Sangamon	Illinois	Low	43.66	3.1
● Schuyler	Illinois	Low	59.1	3.1
● Scott	Illinois	Low	80.79	1.9
● Shelby	Illinois	Low	64.71	3.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Stark	Illinois	Low	56.16	2.8
● Stephenson	Illinois	Low	44.95	2.2
● Tazewell	Illinois	Low	56.14	6.2
● Union	Illinois	Low	84.07	2.3
● Vermilion	Illinois	Low	1.32	3.4
● Wabash	Illinois	Low	78.12	8.6
● Warren	Illinois	Low	23.75	3
● Washington	Illinois	Low	57.61	3.9
● Wayne	Illinois	Low	67.84	7.4
● White	Illinois	Low	22.16	0
● Whiteside	Illinois	Low	61.62	3.5
● Will	Illinois	Low	69.35	2.3
● Williamson	Illinois	Low	54.06	3.8
● Winnebago	Illinois	Low	46.36	2.9
● Woodford	Illinois	Low	31.2	4
● Adams	Indiana	Low	22.36	1.7
● Allen	Indiana	Low	32.43	4.7
● Bartholomew	Indiana	Low	19.1	4.9
● Benton	Indiana	Low	57.16	3.2
● Blackford	Indiana	Medium	8.5	11.3
● Boone	Indiana	Low	47.17	4.4
● Brown	Indiana	Low	6.63	3.7
● Carroll	Indiana	Low	19.75	3.2
● Cass	Indiana	Low	74.29	6.6
● Clark	Indiana	Low	39.73	3.5
● Clay	Indiana	Low	15.25	4
● Clinton	Indiana	Low	12.35	3.2
● Crawford	Indiana	Low	47.27	8.2
● Daviess	Indiana	Low	23.99	4.7
● Dearborn	Indiana	Low	20.22	2.7
● Decatur	Indiana	Low	22.59	4.9
● De Kalb	Indiana	Low	23	4.7
● Delaware	Indiana	Medium	37.67	11.3
● Dubois	Indiana	Low	25.74	7
● Elkhart	Indiana	Low	17.93	3.8
● Fayette	Indiana	Low	34.63	3.1
● Floyd	Indiana	Low	50.94	8.2
● Fountain	Indiana	Low	36.71	3.4
● Franklin	Indiana	Low	35.15	4.2
● Fulton	Indiana	Low	85.11	4
● Gibson	Indiana	Low	26.74	8.6
● Grant	Indiana	Low	21.29	2.3
● Greene	Indiana	Low	28.19	3.7
● Hamilton	Indiana	Low	26.92	4.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Hancock	Indiana	Low	15.35	2.4
● Harrison	Indiana	Low	61.71	8.2
● Hendricks	Indiana	Low	17.61	5.1
● Henry	Indiana	Low	35.44	2.4
● Howard	Indiana	Low	29.08	6.6
● Huntington	Indiana	Low	24.64	1.7
● Jackson	Indiana	Low	36.17	4.9
● Jasper	Indiana	Low	23.84	2.4
● Jay	Indiana	Low	19.57	1.7
● Jefferson	Indiana	Low	15.48	2.7
● Jennings	Indiana	Low	14.42	4.9
● Johnson	Indiana	Low	18.34	5.1
● Knox	Indiana	Low	38.26	4.7
● Kosciusko	Indiana	Low	15.1	3.8
● La Grange	Indiana	Low	10.1	4.7
● Lake	Indiana	Low	27.81	2.4
● La Porte	Indiana	Low	30.94	0
● Lawrence	Indiana	Low	24.25	1.5
● Madison	Indiana	Low	27.78	4.7
● Marion	Indiana	Low	20.42	5.1
● Marshall	Indiana	Low	25.94	4
● Martin	Indiana	Low	29.25	4.7
● Miami	Indiana	Low	39.42	2.3
● Monroe	Indiana	Low	31.66	3.7
● Montgomery	Indiana	Low	52.17	2.6
● Morgan	Indiana	Low	24.12	5.1
● Newton	Indiana	Low	57.21	2.4
● Noble	Indiana	Low	31.42	4.7
● Ohio	Indiana	Low	17.02	2.7
● Orange	Indiana	Low	5.09	1.5
● Owen	Indiana	Low	38.46	3.7
● Parke	Indiana	Low	11.81	4
● Perry	Indiana	Low	57.38	6.1
● Pike	Indiana	Low	32.29	4.7
● Porter	Indiana	Low	72.19	2.4
● Posey	Indiana	Low	27.53	8.6
● Pulaski	Indiana	Low	24.29	4
● Putnam	Indiana	Low	29.27	5.1
● Randolph	Indiana	Medium	52.71	11.3
● Ripley	Indiana	Low	35.31	2.7
● Rush	Indiana	Low	18.09	5.1
● St Joseph	Indiana	Low	31.27	4
● Scott	Indiana	Low	20.94	3.5
● Shelby	Indiana	Low	29.06	5.1

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Spencer	Indiana	Low	0	8.6
● Starke	Indiana	Low	56.53	0
● Steuben	Indiana	Low	2.89	4.7
● Sullivan	Indiana	Low	33.87	4
● Switzerland	Indiana	Low	9.3	2.7
● Tippecanoe	Indiana	Low	30.14	3.2
● Tipton	Indiana	Low	85.82	6.6
● Union	Indiana	Low	28.35	3.1
● Vanderburgh	Indiana	Low	31.41	8.6
● Vermillion	Indiana	Low	19.36	4
● Vigo	Indiana	Low	15.88	4
● Wabash	Indiana	Low	41.94	2.3
● Warren	Indiana	Low	0	3.4
● Warrick	Indiana	Low	28.57	8.6
● Washington	Indiana	Low	24.97	8.2
● Wayne	Indiana	Low	27.32	3.1
● Wells	Indiana	Low	24.74	1.7
● White	Indiana	Low	58.09	3.2
● Whitley	Indiana	Low	29.44	4.7
● Adair	Iowa	Low	27.96	4.8
● Adams	Iowa	Low	27.76	0
● Allamakee	Iowa	Low	29.22	9.3
● Appanoose	Iowa	Medium	8.05	14
● Audubon	Iowa	Low	18.2	3.9
● Benton	Iowa	Low	19.5	5.1
● Black Hawk	Iowa	Low	35.05	5.4
● Boone	Iowa	Low	26.68	3.6
● Bremer	Iowa	Low	27.93	5.4
● Buchanan	Iowa	Low	14.17	5.4
● Buena Vista	Iowa	Low	10.19	7.2
● Butler	Iowa	Low	34.63	5.4
● Calhoun	Iowa	Low	10.34	0
● Carroll	Iowa	Low	4.96	0
● Cass	Iowa	Low	7.79	3.9
● Cedar	Iowa	Low	48.32	5.1
● Cerro Gordo	Iowa	Low	40.05	8.4
● Cherokee	Iowa	Low	35.6	7.2
● Chickasaw	Iowa	Low	33.52	0
● Clarke	Iowa	Low	42.58	4.8
● Clay	Iowa	Low	31.22	4.7
● Clayton	Iowa	Low	11.4	2
● Clinton	Iowa	Low	28	3.5
● Crawford	Iowa	Low	29.73	0
● Dallas	Iowa	Low	20.33	4.8

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Davis	Iowa	Medium	33.33	14
● Decatur	Iowa	Low	38.12	4.8
● Delaware	Iowa	Low	23.51	2
● Des Moines	Iowa	Low	28.23	7.6
● Dickinson	Iowa	Low	11.59	4.7
● Dubuque	Iowa	Low	13.36	2.2
● Emmet	Iowa	Low	32.58	6.9
● Fayette	Iowa	Low	25.45	5.4
● Floyd	Iowa	Low	57.54	0
● Franklin	Iowa	Low	29.79	8.4
● Fremont	Iowa	Low	0	0
● Greene	Iowa	Low	33.75	0
● Grundy	Iowa	Low	16.35	5.4
● Guthrie	Iowa	Low	0	0
● Hamilton	Iowa	Low	6.77	3.6
● Hancock	Iowa	Low	18.81	8.4
● Hardin	Iowa	Low	41.55	3.6
● Harrison	Iowa	Low	28.47	3.9
● Henry	Iowa	Low	15.03	7.6
● Howard	Iowa	Low	10.92	7.5
● Humboldt	Iowa	Low	0	1.9
● Ida	Iowa	Low	29.15	7.2
● Iowa	Iowa	Low	0	5.1
● Jackson	Iowa	Low	20.58	2.2
● Jasper	Iowa	Low	40.34	4.8
● Jefferson	Iowa	Low	0	3
● Johnson	Iowa	Low	51.61	5.1
● Jones	Iowa	Low	33.85	5.1
● Keokuk	Iowa	Low	19.52	3
● Kossuth	Iowa	Low	6.75	8.4
● Lee	Iowa	Low	32.68	0
● Linn	Iowa	Low	55.14	5.1
● Louisa	Iowa	Low	18.12	5.1
● Lucas	Iowa	Low	58.14	0
● Lyon	Iowa	Low	8.51	8.6
● Madison	Iowa	Low	18.36	4.8
● Mahaska	Iowa	Low	27.16	3
● Marion	Iowa	Low	39.09	4.8
● Marshall	Iowa	Low	38.1	0
● Mills	Iowa	Low	39.71	3.9
● Mitchell	Iowa	Low	28.34	0
● Monona	Iowa	Low	11.61	7.2
● Monroe	Iowa	Low	0	3
● Montgomery	Iowa	Low	30.25	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100
● Muscatine	Iowa	Low	145.32	3.2
● O'Brien	Iowa	Low	123.61	0
● Osceola	Iowa	Low	16.78	0
● Page	Iowa	Low	0	0
● Palo Alto	Iowa	Low	33.76	4.7
● Plymouth	Iowa	Low	39.72	7.2
● Pocahontas	Iowa	Low	196.4	1.9
● Polk	Iowa	Low	28.77	4.8
● Pottawattamie	Iowa	Low	43.99	3.9
● Poweshiek	Iowa	Low	54.04	0
● Ringgold	Iowa	Low	20.43	4.8
● Sac	Iowa	Low	41.15	0
● Scott	Iowa	Low	25.44	3.2
● Shelby	Iowa	Low	8.73	3.9
● Sioux	Iowa	Low	11.48	0
● Story	Iowa	Low	19.56	3.6
● Tama	Iowa	Low	47.47	0
● Taylor	Iowa	Low	16.34	0
● Union	Iowa	Low	8.17	4.8
● Van Buren	Iowa	Low	14.2	3
● Wapello	Iowa	Low	77.21	3
● Warren	Iowa	Low	33.03	4.8
● Washington	Iowa	Low	13.66	5.1
● Wayne	Iowa	Low	0	0
● Webster	Iowa	Low	13.93	1.9
● Winnebago	Iowa	Low	28.97	8.4
● Winneshiek	Iowa	Low	40.02	0
● Woodbury	Iowa	Low	12.61	7.2
● Worth	Iowa	Low	27.1	8.4
● Wright	Iowa	Low	0	3.6
● Allen	Kansas	Low	24.25	2
● Anderson	Kansas	Low	25.45	4
● Atchison	Kansas	Low	55.99	0
● Barber	Kansas	Low	22.59	0
● Barton	Kansas	Low	7.76	0
● Bourbon	Kansas	Low	20.64	1.6
● Brown	Kansas	Low	0	4.6
● Butler	Kansas	Low	109.1	4.4
● Chase	Kansas	Low	37.76	0
● Chautauqua	Kansas	Low	0	9.1
● Cherokee	Kansas	Low	15.05	6.4
● Cheyenne	Kansas	Low	37.64	0
● Clark	Kansas	Medium	200.6	8.4
● Clay	Kansas	Medium	24.99	12.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Cloud	Kansas	Low	34.15	0
● Coffey	Kansas	Low	24.45	0
● Comanche	Kansas	Low	0	0
● Cowley	Kansas	Low	40.11	4.4
● Crawford	Kansas	Low	33.49	1.6
● Decatur	Kansas	Low	70.75	0
● Dickinson	Kansas	Low	16.25	0
● Doniphan	Kansas	Medium	92.11	11.6
● Douglas	Kansas	Low	26.99	4
● Edwards	Kansas	Low	71.48	0
● Elk	Kansas	Low	0	9.1
● Ellis	Kansas	Medium	17.51	11.3
● Ellsworth	Kansas	Low	32.78	5.8
● Finney	Kansas	Low	35.65	0
● Ford	Kansas	Low	44.62	8.4
● Franklin	Kansas	Low	23.49	4
● Geary	Kansas	Low	28.42	0
● Gove	Kansas	Medium	0	11.3
● Graham	Kansas	Medium	0	11.3
● Grant	Kansas	Low	55.94	0
● Gray	Kansas	Low	0	8.4
● Greeley	Kansas	Low	0	0
● Greenwood	Kansas	Low	16.72	0
● Hamilton	Kansas	Low	0	0
● Harper	Kansas	Low	18.4	0
● Harvey	Kansas	Low	66.8	4.4
● Haskell	Kansas	Low	0	0
● Hodgeman	Kansas	Low	0	8.4
● Jackson	Kansas	Low	30.37	4.6
● Jefferson	Kansas	Low	26.26	4.6
● Jewell	Kansas	Low	34.73	0
● Johnson	Kansas	Low	39.01	4
● Kearny	Kansas	Low	26.06	0
● Kingman	Kansas	Low	111.86	0
● Kiowa	Kansas	Low	0	0
● Labette	Kansas	Low	35.68	2
● Lane	Kansas	Low	0	0
● Leavenworth	Kansas	High	30.58	25.9
● Lincoln	Kansas	Low	0	5.8
● Linn	Kansas	Low	51.53	1.6
● Logan	Kansas	Medium	0	11.3
● Lyon	Kansas	Low	9.04	0
● Mcpherson	Kansas	Low	52.55	0
● Marion	Kansas	Low	42.07	4.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Marshall	Kansas	Low	30.91	0
● Meade	Kansas	Low	0	8.4
● Miami	Kansas	Low	29.21	4
● Mitchell	Kansas	Low	0	0
● Montgomery	Kansas	Low	31.42	9.1
● Morris	Kansas	Low	35.59	0
● Morton	Kansas	Low	0	0
● Nemaha	Kansas	Low	39.1	4.6
● Neosho	Kansas	Low	68.72	2
● Ness	Kansas	Low	72.73	0
● Norton	Kansas	Medium	74.61	14.1
● Osage	Kansas	Low	18.81	4.6
● Osborne	Kansas	Low	58.46	0
● Ottawa	Kansas	Low	105.19	5.8
● Pawnee	Kansas	Low	31.18	0
● Phillips	Kansas	Medium	57.32	14.1
● Pottawatomie	Kansas	Low	32.81	4.6
● Pratt	Kansas	Low	0	0
● Rawlins	Kansas	Low	0	0
● Reno	Kansas	Low	87.1	0
● Republic	Kansas	Low	21.57	0
● Rice	Kansas	Low	73.4	0
● Riley	Kansas	Low	59.27	4.6
● Rooks	Kansas	Medium	60.98	11.3
● Rush	Kansas	Low	0	0
● Russell	Kansas	Low	14.59	0
● Saline	Kansas	Low	5.53	5.8
● Scott	Kansas	Low	41.47	0
● Sedgwick	Kansas	Low	1.36	4.4
● Seward	Kansas	Low	0	0
● Shawnee	Kansas	Low	24.88	4.6
● Sheridan	Kansas	Low	0	0
● Sherman	Kansas	Low	101.4	6.6
● Smith	Kansas	Medium	0	14.1
● Stafford	Kansas	Low	0	0
● Stanton	Kansas	Low	0	0
● Stevens	Kansas	Low	54.69	0
● Sumner	Kansas	Low	100.72	4.4
● Thomas	Kansas	Low	25.72	6.6
● Trego	Kansas	Medium	0	11.3
● Wabaunsee	Kansas	Low	14.43	4.6
● Wallace	Kansas	Low	0	6.6
● Washington	Kansas	Low	0	0
● Wichita	Kansas	Low	0	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Wilson	Kansas	High	93.84	23.5
Woodson	Kansas	Low	0	2
Wyandotte	Kansas	High	18.74	25.9
Adair	Kentucky	Medium	525.99	4.1
Allen	Kentucky	Low	103.21	5.3
Anderson	Kentucky	Medium	505.56	4.7
Ballard	Kentucky	Low	114.1	4.9
Barren	Kentucky	Low	158.2	3.6
Bath	Kentucky	Medium	256	2.5
Bell	Kentucky	High	157.5	22.6
Boone	Kentucky	Medium	208.86	5.4
Bourbon	Kentucky	Low	75.8	7.4
Boyd	Kentucky	Medium	188.36	13.6
Boyle	Kentucky	Low	69.86	9.1
Bracken	Kentucky	Medium	60.22	10
Breathitt	Kentucky	High	427.55	14.7
Breckinridge	Kentucky	Low	126.97	8.5
Bullitt	Kentucky	Low	102.85	7.1
Butler	Kentucky	Low	132	5.3
Caldwell	Kentucky	Medium	517.77	4.5
Calloway	Kentucky	Low	51.28	0
Campbell	Kentucky	Low	153.87	5.4
Carlisle	Kentucky	Low	147.06	4.9
Carroll	Kentucky	Low	94.06	2.7
Carter	Kentucky	High	238.83	13.6
Casey	Kentucky	Medium	346.56	9.1
Christian	Kentucky	Medium	211.46	4.5
Clark	Kentucky	High	471.56	14.7
Clay	Kentucky	High	281.39	23
Clinton	Kentucky	Medium	381.68	0
Crittenden	Kentucky	Medium	828.98	4.9
Cumberland	Kentucky	Medium	226.79	0
Daviess	Kentucky	Low	61.08	6.1
Edmonson	Kentucky	Low	65.84	5.3
Elliott	Kentucky	High	904.62	11.6
Estill	Kentucky	Low	184.32	9.5
Fayette	Kentucky	Medium	130.9	14.7
Fleming	Kentucky	High	233.18	10
Floyd	Kentucky	High	261.32	14.3
Franklin	Kentucky	Medium	237.3	4.7
Fulton	Kentucky	Low	83.77	0
Gallatin	Kentucky	Low	124.03	5.4
Garrard	Kentucky	Low	118.87	9.1
Grant	Kentucky	Medium	323.11	5.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Graves	Kentucky	Low	13.42	4.9
Grayson	Kentucky	Low	79.46	8.5
Green	Kentucky	Medium	566.68	4.1
Greenup	Kentucky	Medium	156.7	13.6
Hancock	Kentucky	Low	171.98	6.1
Hardin	Kentucky	Low	77.51	8.5
Harlan	Kentucky	High	222.99	22.6
Harrison	Kentucky	Medium	222.39	0
Hart	Kentucky	Low	136.59	3.6
Henderson	Kentucky	Low	97.32	1.7
Henry	Kentucky	Low	86.82	7.1
Hickman	Kentucky	Low	159.82	4.9
Hopkins	Kentucky	Medium	281.97	4.5
Jackson	Kentucky	Low	180.06	9.5
Jefferson	Kentucky	Low	157.29	7.1
Jessamine	Kentucky	Medium	120.11	14.7
Johnson	Kentucky	Medium	144.22	14.3
Kenton	Kentucky	Low	170.06	5.4
Knott	Kentucky	High	391.73	14.7
Knox	Kentucky	High	134.85	23
Larue	Kentucky	Low	0	8.5
Laurel	Kentucky	High	526.2	23
Lawrence	Kentucky	High	228.5	13.6
Lee	Kentucky	Medium	121.57	14.7
Leslie	Kentucky	High	364.48	14.7
Letcher	Kentucky	Medium	603.16	0
Lewis	Kentucky	Medium	158.19	11.9
Lincoln	Kentucky	Medium	224.04	9.1
Livingston	Kentucky	Medium	522.08	4.9
Logan	Kentucky	Low	125.45	5.3
Lyon	Kentucky	Medium	280.15	4.9
Mccracken	Kentucky	Low	151.33	4.9
Mccreary	Kentucky	Medium	1247.75	2
Mclean	Kentucky	Low	76.03	6.1
Madison	Kentucky	Low	87.11	9.5
Magoffin	Kentucky	High	485.16	14.3
Marion	Kentucky	Low	98.58	7.1
Marshall	Kentucky	Low	57.88	4.9
Martin	Kentucky	High	294.77	13.6
Mason	Kentucky	High	333.92	10
Meade	Kentucky	Low	49	8.5
Menifee	Kentucky	High	601.02	11.6
Mercer	Kentucky	Low	145.9	9.1
Metcalfe	Kentucky	Low	158.87	3.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Monroe	Kentucky	Low	75.12	3.6
● Montgomery	Kentucky	Medium	411.98	2.5
● Morgan	Kentucky	High	1066.95	11.6
● Muhlenberg	Kentucky	Low	94.7	4.5
● Nelson	Kentucky	Low	99.5	7.1
● Nicholas	Kentucky	Medium	398.95	7.4
● Ohio	Kentucky	Low	104.19	6.1
● Oldham	Kentucky	Low	115.27	7.1
● Owen	Kentucky	Low	9.17	4.7
● Owsley	Kentucky	High	271.8	14.7
● Pendleton	Kentucky	Low	89.1	5.4
● Perry	Kentucky	High	535.76	14.7
● Pike	Kentucky	High	454.42	22.9
● Powell	Kentucky	Medium	153.73	14.7
● Pulaski	Kentucky	Medium	1260.41	2
● Robertson	Kentucky	Low	47.44	0
● Rockcastle	Kentucky	Low	143.76	9.5
● Rowan	Kentucky	Medium	188.06	11.6
● Russell	Kentucky	Medium	396.14	4.1
● Scott	Kentucky	High	391.2	14.7
● Shelby	Kentucky	Low	146.87	7.1
● Simpson	Kentucky	Low	43.08	5.3
● Spencer	Kentucky	Low	129.19	7.1
● Taylor	Kentucky	Medium	430.75	4.1
● Todd	Kentucky	Low	73.21	4.5
● Trigg	Kentucky	Medium	1139.85	4.5
● Trimble	Kentucky	Low	82.63	2.7
● Union	Kentucky	Low	139.07	1.7
● Warren	Kentucky	Low	79.01	5.3
● Washington	Kentucky	Low	132.29	7.1
● Wayne	Kentucky	Medium	963.95	2
● Webster	Kentucky	Low	84.99	4.5
● Whitley	Kentucky	High	328.15	23
● Wolfe	Kentucky	High	754.51	14.7
● Woodford	Kentucky	Medium	142.14	14.7
● Acadia Parish	Louisiana	Low	9.67	3.5
● Allen Parish	Louisiana	Low	7.8	6.2
● Ascension Parish	Louisiana	Low	13.43	1.6
● Assumption Parish	Louisiana	Low	13.7	0.4
● Avoyelles Parish	Louisiana	Low	12.46	6.2
● Beauregard Parish	Louisiana	Low	16	6.1
● Bienville Parish	Louisiana	Low	7.55	1
● Bossier Parish	Louisiana	Low	25.19	6.4
● Caddo Parish	Louisiana	Low	16.24	6.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Calcasieu Parish	Louisiana	Low	17.7	6.1
● Caldwell Parish	Louisiana	Low	20.17	8.1
● Cameron Parish	Louisiana	Low	14.34	6.1
● Catahoula Parish	Louisiana	Low	10.53	6.2
● Claiborne Parish	Louisiana	Low	6.38	0
● Concordia Parish	Louisiana	Medium	25.96	11.6
● De Soto Parish	Louisiana	Low	25.49	6.4
● East Baton Rouge ...	Louisiana	Low	21.36	1.6
● East Carroll Parish	Louisiana	Low	116.6	8.1
● East Feliciana Parish	Louisiana	Low	15.68	1.6
● Evangeline Parish	Louisiana	Low	20.96	0.9
● Franklin Parish	Louisiana	Low	39.97	8.1
● Grant Parish	Louisiana	Low	26.8	6.2
● Iberia Parish	Louisiana	Low	15.75	3.5
● Iberville Parish	Louisiana	Low	12.3	1.6
● Jackson Parish	Louisiana	Low	114.33	1
● Jefferson Parish	Louisiana	Low	26.13	3.6
● Jefferson Davis Par...	Louisiana	Low	28.69	6.1
● Lafayette Parish	Louisiana	Low	18	3.5
● Lafourche Parish	Louisiana	Low	13.32	0.4
● La Salle Parish	Louisiana	Low	26.86	6.2
● Lincoln Parish	Louisiana	Low	21.39	1
● Livingston Parish	Louisiana	Low	9.23	1.6
● Madison Parish	Louisiana	Low	0	1.5
● Morehouse Parish	Louisiana	Low	24.12	8.1
● Natchitoches Parish	Louisiana	Low	15.72	6.4
● Orleans Parish	Louisiana	Low	71.77	3.6
● Ouachita Parish	Louisiana	Low	21.53	8.1
● Plaquemines Parish	Louisiana	Low	43.11	3.6
● Pointe Coupee Pari...	Louisiana	Low	46.02	1.6
● Rapides Parish	Louisiana	Low	17.74	6.2
● Red River Parish	Louisiana	Low	0	6.4
● Richland Parish	Louisiana	Low	89.45	8.1
● Sabine Parish	Louisiana	Low	8.37	6.4
● St Bernard Parish	Louisiana	Low	27.52	3.6
● St Charles Parish	Louisiana	Low	3.77	3.6
● St Helena Parish	Louisiana	Low	29.61	2.8
● St James Parish	Louisiana	Low	4.74	3.6
● St John The Baptis...	Louisiana	Low	18.68	3.6
● St Landry Parish	Louisiana	Low	17.05	0.9
● St Martin Parish	Louisiana	Low	14.97	3.5
● St Mary Parish	Louisiana	Low	10.13	2
● St Tammany Parish	Louisiana	Low	19.97	5.2
● Tangipahoa Parish	Louisiana	Low	18.55	2.8

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Tensas Parish	Louisiana	Medium	23.07	11.6
● Terrebonne Parish	Louisiana	Low	24.44	0.4
● Union Parish	Louisiana	Low	27.14	1
● Vermilion Parish	Louisiana	Low	13.44	3.5
● Vernon Parish	Louisiana	Low	2.11	6.1
● Washington Parish	Louisiana	Low	36.8	5.2
● Webster Parish	Louisiana	Low	7.82	6.4
● West Baton Rouge ...	Louisiana	Low	7.56	1.6
● West Carroll Parish	Louisiana	Low	46.17	8.1
● West Feliciana Parish	Louisiana	Low	32.12	1.6
● Winn Parish	Louisiana	Low	35.96	0
● Androscoggin	Maine	Low	64.65	7.1
● Aroostook	Maine	High	325.11	11.9
● Cumberland	Maine	Low	64.75	3.9
● Franklin	Maine	Low	96.03	7.1
● Hancock	Maine	Medium	89.11	10.2
● Kennebec	Maine	Low	135.73	6.6
● Knox	Maine	Low	90.52	3.9
● Lincoln	Maine	Low	106.83	3.9
● Oxford	Maine	Low	160.41	7.1
● Penobscot	Maine	Medium	149.85	10.2
● Piscataquis	Maine	Medium	107.24	10.2
● Sagadahoc	Maine	Low	105.98	3.9
● Somerset	Maine	Low	128.75	6.6
● Waldo	Maine	Low	60.43	6.6
● Washington	Maine	High	251.76	10.2
● York	Maine	Low	89.58	3.3
● Allegany	Maryland	Low	32.66	5.9
● Anne Arundel	Maryland	Low	37.64	4.6
● Baltimore	Maryland	Low	27.56	4.6
● Calvert	Maryland	Low	22.7	4.6
● Caroline	Maryland	Low	26.94	0.7
● Carroll	Maryland	Low	33.84	4.6
● Cecil	Maryland	Low	30.14	2.7
● Charles	Maryland	Low	35.53	2.5
● Dorchester	Maryland	Low	37.58	0.7
● Frederick	Maryland	Low	26.97	3.1
● Garrett	Maryland	Low	110.29	5.9
● Harford	Maryland	Low	43.45	2.7
● Howard	Maryland	Low	41.45	4.6
● Kent	Maryland	Low	15.45	0
● Montgomery	Maryland	Low	33.98	2.5
● Prince Georges	Maryland	Low	26.94	2.5
● Queen Annes	Maryland	Low	53.59	0.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● St Marys	Maryland	Low	31.72	2.5
● Somerset	Maryland	Low	31.23	4.7
● Talbot	Maryland	Low	26.9	0.7
● Washington	Maryland	Low	35.75	5.3
● Wicomico	Maryland	Low	43.43	4.7
● Worcester	Maryland	Low	17.22	4.7
● Baltimore City	Maryland	Low	40.44	4.6
● Barnstable	Massachusetts	Low	53.52	3.7
● Berkshire	Massachusetts	Low	85.64	3
● Bristol	Massachusetts	Low	45.29	2.3
● Dukes	Massachusetts	Low	34.62	3.7
● Essex	Massachusetts	Low	49.55	2.2
● Franklin	Massachusetts	Low	52.72	3.7
● Hampden	Massachusetts	Low	50.6	2.2
● Hampshire	Massachusetts	Low	96.38	2.2
● Middlesex	Massachusetts	Low	78.67	3.7
● Nantucket	Massachusetts	Low	26.32	3.7
● Norfolk	Massachusetts	Low	53.77	3.7
● Plymouth	Massachusetts	Low	34.92	3.7
● Suffolk	Massachusetts	Low	82.22	3.7
● Worcester	Massachusetts	Low	55.86	3.7
● Alcona	Michigan	Medium	48.05	13.2
● Alger	Michigan	Low	87.83	5.6
● Allegan	Michigan	Low	28.79	2
● Alpena	Michigan	Medium	28.16	13.2
● Antrim	Michigan	Medium	68.6	13.1
● Arenac	Michigan	Low	40.31	5.2
● Baraga	Michigan	Low	24.36	0
● Barry	Michigan	Low	34.12	1
● Bay	Michigan	Low	34.91	5.2
● Benzie	Michigan	Medium	50.66	13.1
● Berrien	Michigan	Low	36.51	7.5
● Branch	Michigan	Low	41.36	3.2
● Calhoun	Michigan	Low	64.1	1
● Cass	Michigan	Low	32.83	7.5
● Charlevoix	Michigan	Low	26.78	5.3
● Cheboygan	Michigan	Low	31.65	5.3
● Chippewa	Michigan	Low	69.61	5.3
● Clare	Michigan	Low	22.62	4.3
● Clinton	Michigan	Low	87.95	4
● Crawford	Michigan	Medium	49.9	17.5
● Delta	Michigan	Low	33.53	5.6
● Dickinson	Michigan	Low	0	4.8
● Eaton	Michigan	Low	72.55	4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Emmet	Michigan	Low	26.93	5.3
● Genesee	Michigan	Low	51.01	3.9
● Gladwin	Michigan	Low	11.79	4.3
● Gogebic	Michigan	Low	14.31	7.6
● Grand Traverse	Michigan	Medium	73.05	13.1
● Gratiot	Michigan	Low	58.95	4.7
● Hillsdale	Michigan	Low	39.47	3.2
● Houghton	Michigan	Low	78.47	0
● Huron	Michigan	Low	12.91	1.1
● Ingham	Michigan	Low	49.59	4
● Ionia	Michigan	Low	57.19	4.7
● Iosco	Michigan	Low	39.8	5.2
● Iron	Michigan	Low	54.22	4.8
● Isabella	Michigan	Low	25.76	4.3
● Jackson	Michigan	Low	44.79	3.2
● Kalamazoo	Michigan	Low	56.21	4.9
● Kalkaska	Michigan	Medium	77.61	13.1
● Kent	Michigan	Low	41.25	4.7
● Keweenaw	Michigan	Low	47.26	0
● Lake	Michigan	Low	8.44	2.4
● Lapeer	Michigan	Low	38.81	3.9
● Leelanau	Michigan	Medium	32.17	13.1
● Lenawee	Michigan	Low	48.76	3.2
● Livingston	Michigan	Low	81.25	5.5
● Luce	Michigan	Low	48.16	5.6
● Mackinac	Michigan	Low	55.56	5.3
● Macomb	Michigan	Low	91.54	5.5
● Manistee	Michigan	Medium	36.65	13.1
● Marquette	Michigan	Low	49.48	5.6
● Mason	Michigan	Low	65.19	4.7
● Mecosta	Michigan	Low	25.31	4.7
● Menominee	Michigan	Low	43.9	4.8
● Midland	Michigan	Low	42.09	4.3
● Missaukee	Michigan	Low	33.07	2.4
● Monroe	Michigan	Low	51.83	4.9
● Montcalm	Michigan	Low	34.44	4.7
● Montmorency	Michigan	Medium	117.92	13.2
● Muskegon	Michigan	Low	42.06	4.7
● Newaygo	Michigan	Low	44.92	4.7
● Oakland	Michigan	Low	54.79	5.5
● Oceana	Michigan	Low	60.45	4.7
● Ogemaw	Michigan	Low	19.05	5.2
● Ontonagon	Michigan	Low	69.93	7.6
● Osceola	Michigan	Low	51.15	2.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Oscoda	Michigan	Low	48.54	5.2
● Otsego	Michigan	Medium	77.02	17.5
● Ottawa	Michigan	Low	39.75	2
● Presque Isle	Michigan	Medium	31.77	13.2
● Roscommon	Michigan	Medium	49.96	17.5
● Saginaw	Michigan	Low	12.6	1.1
● St Clair	Michigan	Low	40.85	7.5
● St Joseph	Michigan	Low	31.17	4.9
● Sanilac	Michigan	Low	29.15	7.5
● Schoolcraft	Michigan	Low	37.06	5.6
● Shiawassee	Michigan	Low	42.57	4
● Tuscola	Michigan	Low	36.37	1.1
● Van Buren	Michigan	Low	37	7.5
● Washtenaw	Michigan	Low	71.82	5.5
● Wayne	Michigan	Low	64.02	5.5
● Wexford	Michigan	Low	77.31	2.4
● Aitkin	Minnesota	Low	44.06	6.2
● Anoka	Minnesota	Low	72	4.2
● Becker	Minnesota	Medium	217.88	3.2
● Beltrami	Minnesota	Medium	981.18	7.1
● Benton	Minnesota	Medium	347.28	2.5
● Big Stone	Minnesota	Low	160.29	5.4
● Blue Earth	Minnesota	Medium	334.06	6.8
● Brown	Minnesota	Low	99.97	1.8
● Carlton	Minnesota	Low	89.21	6.3
● Carver	Minnesota	Low	102.77	4.2
● Cass	Minnesota	Medium	503.71	6.2
● Chippewa	Minnesota	Low	76.27	2.5
● Chisago	Minnesota	Low	60.09	3.9
● Clay	Minnesota	Medium	200.87	3.2
● Clearwater	Minnesota	Low	192.79	7.1
● Cook	Minnesota	Low	91.52	6.3
● Cottonwood	Minnesota	Low	89.32	2
● Crow Wing	Minnesota	Low	78.4	6.2
● Dakota	Minnesota	Low	118.64	3.9
● Dodge	Minnesota	Low	124.2	7.5
● Douglas	Minnesota	Low	81.28	1.7
● Faribault	Minnesota	Medium	65.92	11.4
● Fillmore	Minnesota	Low	166.14	7.5
● Freeborn	Minnesota	High	277.4	11.4
● Goodhue	Minnesota	Low	189.9	0.6
● Grant	Minnesota	Medium	251.17	4.6
● Hennepin	Minnesota	Low	84.92	4.2
● Houston	Minnesota	Low	91.4	9.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Hubbard	Minnesota	Low	120.98	6.2
● Isanti	Minnesota	Low	78.83	1.2
● Itasca	Minnesota	Low	106.36	6.3
● Jackson	Minnesota	Low	30.47	2
● Kanabec	Minnesota	Low	79.57	1.2
● Kandiyohi	Minnesota	Medium	312.51	2.5
● Kittson	Minnesota	Medium	325.73	9.4
● Koochiching	Minnesota	Low	122.66	6.3
● Lac Qui Parle	Minnesota	Low	120.79	2.5
● Lake	Minnesota	Medium	263.13	6.3
● Lake Of The Woods	Minnesota	Low	160.43	0
● Le Sueur	Minnesota	Low	103.85	4.2
● Lincoln	Minnesota	Low	124.14	0
● Lyon	Minnesota	Low	19.63	0
● Mcleod	Minnesota	Medium	236.81	4.2
● Mahnommen	Minnesota	Medium	741.81	3.2
● Marshall	Minnesota	Medium	342.76	9.4
● Martin	Minnesota	Low	96.53	6.9
● Meeker	Minnesota	Medium	409.09	2.5
● Mille Lacs	Minnesota	Low	156.03	1.2
● Morrison	Minnesota	Low	95.85	2.5
● Mower	Minnesota	Low	54.91	7.5
● Murray	Minnesota	Low	85.43	2
● Nicollet	Minnesota	Low	163.39	6.8
● Nobles	Minnesota	Low	73.97	2
● Norman	Minnesota	Low	172.55	3.2
● Olmsted	Minnesota	Low	187	7.5
● Otter Tail	Minnesota	Low	125.97	4.6
● Pennington	Minnesota	Low	198.31	9.4
● Pine	Minnesota	Low	118.33	6.3
● Pipestone	Minnesota	Low	21.92	8.6
● Polk	Minnesota	Medium	911.87	2.4
● Pope	Minnesota	Medium	435.59	1.7
● Ramsey	Minnesota	Low	93.58	3.9
● Red Lake	Minnesota	Low	49.32	9.4
● Redwood	Minnesota	Low	112.06	1.8
● Renville	Minnesota	Medium	556.78	1.8
● Rice	Minnesota	Medium	238.91	0
● Rock	Minnesota	Low	96.62	8.6
● Roseau	Minnesota	Medium	441.81	0
● St Louis	Minnesota	Low	144.67	6.3
● Scott	Minnesota	Low	129.52	4.2
● Sherburne	Minnesota	Low	50.39	4.2
● Sibley	Minnesota	Low	154.73	4.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Stearns	Minnesota	Medium	234.67	2.5
● Steele	Minnesota	Low	62.76	7.5
● Stevens	Minnesota	Low	132.59	1.7
● Swift	Minnesota	Low	86.34	2.5
● Todd	Minnesota	Medium	239.22	2.5
● Traverse	Minnesota	Medium	675.05	5.4
● Wabasha	Minnesota	Low	138.72	7.5
● Wadena	Minnesota	Medium	526.24	6.2
● Waseca	Minnesota	Medium	252.53	6.8
● Washington	Minnesota	Low	106.69	3.9
● Watonwan	Minnesota	Medium	211.07	6.8
● Wilkin	Minnesota	Medium	273.88	3.2
● Winona	Minnesota	Medium	279.3	7.5
● Wright	Minnesota	Low	107.68	4.2
● Yellow Medicine	Minnesota	Low	103	2.5
● Adams	Mississippi	Medium	3.26	11.6
● Alcorn	Mississippi	Low	48.71	8.9
● Amite	Mississippi	Low	121.98	2.2
● Attala	Mississippi	Low	66.03	4
● Benton	Mississippi	Low	24.22	2.1
● Bolivar	Mississippi	Low	22.85	9.8
● Calhoun	Mississippi	Low	20.89	1.2
● Carroll	Mississippi	Low	0	2.5
● Chickasaw	Mississippi	Low	11.69	2.7
● Choctaw	Mississippi	Medium	243.61	0
● Claiborne	Mississippi	Low	0	1.5
● Clarke	Mississippi	Low	96.52	2.9
● Clay	Mississippi	Low	41.42	2.9
● Coahoma	Mississippi	Low	31.64	4.7
● Copiah	Mississippi	Low	17.82	1.6
● Covington	Mississippi	Low	5.37	1.1
● De Soto	Mississippi	Low	16.22	2.1
● Forrest	Mississippi	Low	18.69	1.1
● Franklin	Mississippi	Medium	12.97	11.6
● George	Mississippi	Low	4.08	3
● Greene	Mississippi	Low	29.44	1.1
● Grenada	Mississippi	Low	14.45	2.5
● Hancock	Mississippi	Low	41.99	1.8
● Harrison	Mississippi	Low	33.64	1.8
● Hinds	Mississippi	Low	18.98	4
● Holmes	Mississippi	Low	11.76	4
● Humphreys	Mississippi	Low	86.81	9.8
● Issaquena	Mississippi	Low	0	0
● Itawamba	Mississippi	Low	38.48	2.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Jackson	Mississippi	Low	24.37	3
● Jasper	Mississippi	Low	36.62	4.1
● Jefferson	Mississippi	Medium	0	11.6
● Jefferson Davis	Mississippi	Low	0	4.2
● Jones	Mississippi	Low	24.96	4.1
● Kemper	Mississippi	Low	20.53	2.9
● Lafayette	Mississippi	Low	49.98	1.2
● Lamar	Mississippi	Low	6.31	1.1
● Lauderdale	Mississippi	Low	24.28	2.9
● Lawrence	Mississippi	Low	23.84	4.2
● Leake	Mississippi	Low	26.33	4
● Lee	Mississippi	Low	49.16	2.7
● Leflore	Mississippi	Low	14.19	9.8
● Lincoln	Mississippi	Low	40.99	1.6
● Lowndes	Mississippi	Low	18.77	2.9
● Madison	Mississippi	Low	17.88	4
● Marion	Mississippi	Low	32.56	2.2
● Marshall	Mississippi	Low	19.83	2.1
● Monroe	Mississippi	Low	14.18	2.7
● Montgomery	Mississippi	Low	20.46	2.5
● Neshoba	Mississippi	Low	17.17	2.9
● Newton	Mississippi	Low	33.3	2.9
● Noxubee	Mississippi	Low	19.2	2.9
● Oktibbeha	Mississippi	Low	8.07	0
● Panola	Mississippi	Low	73.12	2.1
● Pearl River	Mississippi	Low	5.4	5.2
● Perry	Mississippi	Low	33.41	1.1
● Pike	Mississippi	Medium	218.9	2.2
● Pontotoc	Mississippi	Low	6.22	1.2
● Prentiss	Mississippi	Low	47.76	2.7
● Quitman	Mississippi	Low	14.72	4.7
● Rankin	Mississippi	Low	18.03	4
● Scott	Mississippi	Low	67.56	4
● Sharkey	Mississippi	Low	23.14	0
● Simpson	Mississippi	Low	30.01	4
● Smith	Mississippi	Low	18.85	4.1
● Stone	Mississippi	Low	27.27	1.8
● Sunflower	Mississippi	Low	35.84	9.8
● Tallahatchie	Mississippi	Low	7.24	4.7
● Tate	Mississippi	Low	74.15	2.1
● Tippah	Mississippi	Low	18.17	1.2
● Tishomingo	Mississippi	Low	108.34	8.9
● Tunica	Mississippi	Low	10.38	2.1
● Union	Mississippi	Low	6.94	1.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Walthall	Mississippi	Low	91	2.2
● Warren	Mississippi	Low	19.83	1.5
● Washington	Mississippi	Low	179.92	0
● Wayne	Mississippi	Medium	222.96	4.1
● Webster	Mississippi	Low	30.96	0
● Wilkinson	Mississippi	Low	23.17	0
● Winston	Mississippi	Low	5.57	0
● Yalobusha	Mississippi	Low	24.78	1.2
● Yazoo	Mississippi	Medium	13.47	0
● Adair	Missouri	Low	35.51	2
● Andrew	Missouri	Medium	180.67	11.6
● Atchison	Missouri	Low	136.11	0
● Audrain	Missouri	Low	70.9	0
● Barry	Missouri	Low	22.35	2.6
● Barton	Missouri	Low	76.57	6.4
● Bates	Missouri	Low	43.28	8.4
● Benton	Missouri	Low	87.44	3.8
● Bollinger	Missouri	Low	173.08	2.3
● Boone	Missouri	Low	39.9	5
● Buchanan	Missouri	Medium	179.71	11.6
● Butler	Missouri	Low	49.44	2.3
● Caldwell	Missouri	Low	44.35	8.6
● Callaway	Missouri	Low	42.46	2.7
● Camden	Missouri	Low	45.35	6.5
● Cape Girardeau	Missouri	Low	67.2	2.3
● Carroll	Missouri	Low	11.52	8.4
● Carter	Missouri	Low	33.43	2.3
● Cass	Missouri	Low	186.24	8.6
● Cedar	Missouri	Low	27.88	0
● Chariton	Missouri	Low	67.33	5
● Christian	Missouri	Low	48.54	2.6
● Clark	Missouri	Low	29.42	0
● Clay	Missouri	Low	17.2	8.6
● Clinton	Missouri	Low	127.53	8.6
● Cole	Missouri	Low	26.06	2.7
● Cooper	Missouri	Low	16.94	5
● Crawford	Missouri	Low	8.36	2.7
● Dade	Missouri	Low	105.81	2.6
● Dallas	Missouri	Low	35.55	2.6
● Daviess	Missouri	Low	108.72	8.6
● De Kalb	Missouri	High	247.07	11.6
● Dent	Missouri	Low	32.11	3.4
● Douglas	Missouri	Low	30.34	2.6
● Dunklin	Missouri	Medium	236.86	5.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Franklin	Missouri	Low	35.59	6.3
● Gasconade	Missouri	Low	40.8	2.7
● Gentry	Missouri	High	228.28	11.6
● Greene	Missouri	Low	25.93	2.6
● Grundy	Missouri	High	223.35	7.4
● Harrison	Missouri	Medium	131.7	11.6
● Henry	Missouri	Low	18.33	8.4
● Hickory	Missouri	Low	10.48	2.6
● Holt	Missouri	Low	90.85	0
● Howard	Missouri	Low	50	5
● Howell	Missouri	Low	104.69	6.5
● Iron	Missouri	Low	98.77	6.3
● Jackson	Missouri	Low	19.49	8.6
● Jasper	Missouri	Low	29.67	6.4
● Jefferson	Missouri	Low	35.1	6.3
● Johnson	Missouri	Low	90.64	8.6
● Knox	Missouri	Low	50.52	2
● Laclede	Missouri	Low	27.99	2.6
● Lafayette	Missouri	Low	110.06	8.6
● Lawrence	Missouri	Low	52.14	2.6
● Lewis	Missouri	Low	132.98	4.1
● Lincoln	Missouri	Low	32.2	1.8
● Linn	Missouri	Low	83.89	0
● Livingston	Missouri	Low	65.67	8.4
● Mcdonald	Missouri	Low	122.61	6.4
● Macon	Missouri	Low	158.76	5
● Madison	Missouri	Low	33.09	0
● Maries	Missouri	Low	57.49	2.7
● Marion	Missouri	Low	38.56	4.1
● Mercer	Missouri	Medium	27.65	7.4
● Miller	Missouri	Low	27.32	2.7
● Mississippi	Missouri	Medium	295.9	2.3
● Moniteau	Missouri	Low	49.59	2.7
● Monroe	Missouri	Low	34.71	0
● Montgomery	Missouri	Low	8.66	0
● Morgan	Missouri	Low	19.39	3.8
● New Madrid	Missouri	Low	46.85	2.3
● Newton	Missouri	Low	46.36	6.4
● Nodaway	Missouri	Medium	22.63	11.6
● Oregon	Missouri	Low	19	6.5
● Osage	Missouri	Low	22.03	2.7
● Ozark	Missouri	Low	0	2.6
● Pemiscot	Missouri	Low	31.64	0
● Perry	Missouri	Low	151.55	2.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Pettis	Missouri	Medium	278.7	3.8
● Phelps	Missouri	Low	174.99	3.4
● Pike	Missouri	Low	54.64	4.1
● Platte	Missouri	Low	29.69	8.6
● Polk	Missouri	Low	15.55	2.6
● Pulaski	Missouri	Low	9.5	3.4
● Putnam	Missouri	Low	21.29	2
● Ralls	Missouri	Low	97	4.1
● Randolph	Missouri	Low	36.37	5
● Ray	Missouri	Low	26.07	8.6
● Reynolds	Missouri	Low	79.74	3.4
● Ripley	Missouri	Low	37.63	2.3
● St Charles	Missouri	Low	35.32	1.8
● St Clair	Missouri	Low	0	8.4
● Ste. Genevieve	Missouri	Low	16.77	6.3
● St Francois	Missouri	Low	63.97	6.3
● St Louis	Missouri	Low	46.67	6.3
● Saline	Missouri	Low	35.15	3.8
● Schuyler	Missouri	Low	42.92	2
● Scotland	Missouri	Low	0	2
● Scott	Missouri	Low	36.57	2.3
● Shannon	Missouri	Low	85.72	6.5
● Shelby	Missouri	Low	101.18	5
● Stoddard	Missouri	Low	17.23	2.3
● Stone	Missouri	Low	40.69	2.6
● Sullivan	Missouri	Low	49.27	2
● Taney	Missouri	Low	46.49	5.4
● Texas	Missouri	Low	102.37	2.6
● Vernon	Missouri	Low	9.73	0
● Warren	Missouri	Low	50.49	1.8
● Washington	Missouri	Low	52.57	6.3
● Wayne	Missouri	Low	38.84	2.3
● Webster	Missouri	Low	32.83	2.6
● Worth	Missouri	Medium	0	11.6
● Wright	Missouri	Low	16.4	2.6
● St Louis City	Missouri	Low	46.58	6.3
● Beaverhead	Montana	Low	21.16	9.3
● Big Horn	Montana	Low	30.03	7.6
● Blaine	Montana	Low	74.84	3.4
● Broadwater	Montana	Low	80.17	3.4
● Carbon	Montana	Low	27.97	7.6
● Carter	Montana	Low	159.74	5.1
● Cascade	Montana	Low	72.51	3.3
● Chouteau	Montana	Low	0	3.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Custer	Montana	Low	43.85	5.1
● Daniels	Montana	Low	0	0
● Dawson	Montana	High	11.61	27.2
● Deer Lodge	Montana	Medium	229.76	9.3
● Fallon	Montana	Low	0	5.1
● Fergus	Montana	Low	45.25	0
● Flathead	Montana	Low	33.72	8.9
● Gallatin	Montana	Low	44.57	2.4
● Garfield	Montana	Low	0	5.1
● Glacier	Montana	Low	58.17	3.3
● Golden Valley	Montana	Low	0	7.6
● Granite	Montana	Low	0	5.1
● Hill	Montana	Low	24.27	3.4
● Jefferson	Montana	Low	0	3.4
● Judith Basin	Montana	Low	0	3.3
● Lake	Montana	Low	16.42	5.1
● Lewis And Clark	Montana	Low	54.73	3.4
● Liberty	Montana	Low	0	3.4
● Lincoln	Montana	Low	80.08	8.9
● McCone	Montana	High	0	27.2
● Madison	Montana	Low	23.26	2.4
● Meagher	Montana	Low	0	0
● Mineral	Montana	Low	45.49	5.1
● Missoula	Montana	Low	49.33	5.1
● Musselshell	Montana	Low	0	7.6
● Park	Montana	Low	60.22	0
● Petroleum	Montana	Low	0	0
● Phillips	Montana	Low	50.58	3.4
● Pondera	Montana	Low	33.84	3.3
● Powder River	Montana	Low	0	5.1
● Powell	Montana	Medium	14.51	14.5
● Prairie	Montana	Low	0	5.1
● Ravalli	Montana	Low	41.09	5.1
● Richland	Montana	High	296.21	27.2
● Roosevelt	Montana	High	81.79	38
● Rosebud	Montana	Low	11.19	7.6
● Sanders	Montana	Low	49.53	5.1
● Sheridan	Montana	Low	30.22	0
● Silver Bow	Montana	Low	22.91	9.3
● Stillwater	Montana	Low	10.37	7.6
● Sweet Grass	Montana	Low	53.52	0
● Teton	Montana	Low	0	3.3
● Toole	Montana	Low	42.23	3.3
● Treasure	Montana	Low	0	7.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Valley	Montana	High	54.08	38
● Wheatland	Montana	Low	94.07	0
● Wibaux	Montana	High	0	27.2
● Yellowstone	Montana	Low	35.96	7.6
● Adams	Nebraska	Low	38.26	0
● Antelope	Nebraska	Low	15.88	0
● Arthur	Nebraska	Medium	0	10.5
● Banner	Nebraska	Low	0	5.7
● Blaine	Nebraska	Low	0	0
● Boone	Nebraska	Medium	19.26	11.9
● Box Butte	Nebraska	Low	55.64	5.7
● Boyd	Nebraska	Low	52.11	0
● Brown	Nebraska	Low	0	0
● Buffalo	Nebraska	Low	4.03	3.3
● Burt	Nebraska	Low	15.48	4.8
● Butler	Nebraska	Low	12.48	3.4
● Cass	Nebraska	Low	11.43	4.8
● Cedar	Nebraska	Low	23.8	2.9
● Chase	Nebraska	Low	76.45	0
● Cherry	Nebraska	Low	0	0
● Cheyenne	Nebraska	Low	22.45	8.8
● Clay	Nebraska	Low	48.36	0
● Colfax	Nebraska	Low	37.35	4.8
● Cuming	Nebraska	Low	45.22	4.8
● Custer	Nebraska	Low	0	0
● Dakota	Nebraska	Low	0	7.2
● Dawes	Nebraska	Low	0	3.1
● Dawson	Nebraska	Low	16.95	3.3
● Deuel	Nebraska	Low	0	8.8
● Dixon	Nebraska	Low	53.23	7.2
● Dodge	Nebraska	Low	32.82	4.8
● Douglas	Nebraska	Low	53.38	4.8
● Dundy	Nebraska	Low	0	0
● Fillmore	Nebraska	Medium	36.62	19.1
● Franklin	Nebraska	Low	0	3.3
● Frontier	Nebraska	Low	0	3.3
● Furnas	Nebraska	Low	0	0
● Gage	Nebraska	Low	23.24	3.4
● Garden	Nebraska	Low	108.87	5.7
● Garfield	Nebraska	Low	0	0
● Gosper	Nebraska	Low	50.25	3.3
● Grant	Nebraska	Low	0	5.7
● Greeley	Nebraska	Low	0	0
● Hall	Nebraska	Low	13.04	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Hamilton	Nebraska	Low	42.9	0
● Harlan	Nebraska	Low	0	0
● Hayes	Nebraska	Low	0	0
● Hitchcock	Nebraska	Low	36.21	0
● Holt	Nebraska	Low	29.8	0
● Hooker	Nebraska	Medium	0	10.5
● Howard	Nebraska	Low	46.55	0
● Jefferson	Nebraska	Low	0	3.4
● Johnson	Nebraska	Low	0	0
● Kearney	Nebraska	Low	30.79	3.3
● Keith	Nebraska	Medium	49.79	10.5
● Keya Paha	Nebraska	Low	0	0
● Kimball	Nebraska	Low	27.53	8.8
● Knox	Nebraska	Low	0	2.9
● Lancaster	Nebraska	Low	36.67	3.4
● Lincoln	Nebraska	Medium	5.73	10.5
● Logan	Nebraska	Low	0	0
● Loup	Nebraska	Low	0	0
● Mcpherson	Nebraska	Medium	0	10.5
● Madison	Nebraska	Low	14.25	0
● Merrick	Nebraska	Low	25.79	0
● Morrill	Nebraska	Low	43.08	5.7
● Nance	Nebraska	Medium	142.09	11.9
● Nemaha	Nebraska	Medium	28.69	14.3
● Nuckolls	Nebraska	Low	24.11	0
● Otoe	Nebraska	Low	24.98	0
● Pawnee	Nebraska	Low	0	0
● Perkins	Nebraska	Medium	34.59	10.5
● Phelps	Nebraska	Low	11.07	0
● Pierce	Nebraska	Low	13.99	0
● Platte	Nebraska	Medium	29.88	11.9
● Polk	Nebraska	Low	0	0
● Red Willow	Nebraska	Low	27.97	0
● Richardson	Nebraska	Low	25.43	0
● Rock	Nebraska	Low	0	0
● Saline	Nebraska	Low	7.03	3.4
● Sarpy	Nebraska	Low	34.72	4.8
● Saunders	Nebraska	Low	32.44	4.8
● Scotts Bluff	Nebraska	Low	64.57	5.7
● Seward	Nebraska	Low	0	3.4
● Sheridan	Nebraska	Low	38.12	3.1
● Sherman	Nebraska	Low	33.32	3.3
● Sioux	Nebraska	Low	85.76	3.1
● Stanton	Nebraska	Low	0	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Thayer	Nebraska	Medium	19.99	19.1
● Thomas	Nebraska	Low	0	0
● Thurston	Nebraska	Low	55.37	7.2
● Valley	Nebraska	Low	48.1	0
● Washington	Nebraska	Low	43.42	4.8
● Wayne	Nebraska	Low	31.97	0
● Webster	Nebraska	Low	0	0
● Wheeler	Nebraska	Low	0	0
● York	Nebraska	Low	21.93	0
● Churchill	Nevada	Medium	365.33	3.8
● Clark	Nevada	Medium	881.76	5.9
● Douglas	Nevada	Low	16.36	3.8
● Elko	Nevada	Low	7.58	0
● Esmeralda	Nevada	Medium	2176.4	5.9
● Eureka	Nevada	Low	0	0
● Humboldt	Nevada	Low	17.82	3.8
● Lander	Nevada	Low	18.08	0
● Lincoln	Nevada	Low	0	5.9
● Lyon	Nevada	Low	12.17	3.8
● Mineral	Nevada	Medium	6703.66	3.8
● Nye	Nevada	Medium	1046.79	5.9
● Pershing	Nevada	Medium	10572.49	3.8
● Storey	Nevada	Low	0	3.8
● Washoe	Nevada	Medium	281.86	3.8
● White Pine	Nevada	Low	0	0
● Carson City	Nevada	Medium	398.81	3.8
● Belknap	New Hampshire	Low	57.09	4.3
● Carroll	New Hampshire	Low	81.78	4.3
● Cheshire	New Hampshire	Low	102.52	3.4
● Coos	New Hampshire	Low	25.35	0
● Grafton	New Hampshire	Low	120.15	6.9
● Hillsborough	New Hampshire	Low	43.4	4.3
● Merrimack	New Hampshire	Low	44.92	4.3
● Rockingham	New Hampshire	Low	51.65	2.2
● Strafford	New Hampshire	Low	68.13	3.3
● Sullivan	New Hampshire	Low	95.03	6.9
● Atlantic	New Jersey	Low	54.23	5.3
● Bergen	New Jersey	Low	102.34	2.7
● Burlington	New Jersey	Low	48.5	6.7
● Camden	New Jersey	Low	44.82	6.7
● Cape May	New Jersey	Low	38.03	5.3
● Cumberland	New Jersey	Low	158.5	0
● Essex	New Jersey	Low	79.23	3.6
● Gloucester	New Jersey	Low	52.46	6.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Hudson	New Jersey	Low	81.95	2.7
● Hunterdon	New Jersey	Low	86.84	2.2
● Mercer	New Jersey	Low	79.47	3
● Middlesex	New Jersey	Low	71.51	3.6
● Monmouth	New Jersey	Low	69.17	4.7
● Morris	New Jersey	Low	98.2	3.3
● Ocean	New Jersey	Low	47.93	4.7
● Passaic	New Jersey	Low	107.81	2.7
● Salem	New Jersey	Low	83.35	6.7
● Somerset	New Jersey	Low	59.59	3.6
● Sussex	New Jersey	Low	32.03	3.3
● Union	New Jersey	Low	71	3.6
● Warren	New Jersey	Low	66.5	2.2
● Bernalillo	New Mexico	Low	61.7	7.2
● Catron	New Mexico	Low	85.06	0
● Chaves	New Mexico	Low	20.12	0.8
● Cibola	New Mexico	Medium	254.92	7.2
● Colfax	New Mexico	Low	92.12	3.5
● Curry	New Mexico	Low	53.11	5.2
● De Baca	New Mexico	Low	114.42	5.2
● Dona Ana	New Mexico	Low	60.95	2.8
● Eddy	New Mexico	Low	32.5	0.8
● Grant	New Mexico	Low	133.34	0
● Guadalupe	New Mexico	Low	116.28	2.7
● Harding	New Mexico	Low	160	2.7
● Hidalgo	New Mexico	Low	71.46	0
● Lea	New Mexico	Low	22.51	8.1
● Lincoln	New Mexico	Low	40.87	3.4
● Los Alamos	New Mexico	Low	92.93	5.4
● Luna	New Mexico	Low	33.74	2.8
● Mckinley	New Mexico	Low	78.47	9.8
● Mora	New Mexico	Low	66.36	2.7
● Otero	New Mexico	Low	44.45	3.4
● Quay	New Mexico	Low	121.17	5.2
● Rio Arriba	New Mexico	Low	64.23	5.4
● Roosevelt	New Mexico	Low	54.05	5.2
● Sandoval	New Mexico	Low	74.28	7.2
● San Juan	New Mexico	Low	54.86	5.4
● San Miguel	New Mexico	Low	84.32	2.7
● Santa Fe	New Mexico	Low	95.77	5.4
● Sierra	New Mexico	Low	37.07	2.8
● Socorro	New Mexico	Low	6.01	7.2
● Taos	New Mexico	Low	64.18	5.4
● Torrance	New Mexico	Low	38.81	7.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Union	New Mexico	Low	24.64	0
● Valencia	New Mexico	Low	49.55	7.2
● Albany	New York	Low	51.72	5
● Allegany	New York	Low	65.09	7.1
● Bronx	New York	Low	35.04	3
● Broome	New York	Low	71.92	9.3
● Cattaraugus	New York	Low	81.45	7.1
● Cayuga	New York	Low	117.53	8.4
● Chautauqua	New York	Low	25.22	4.8
● Chemung	New York	Low	79.08	8.6
● Chenango	New York	Low	46.6	0.5
● Clinton	New York	Low	98.15	6.6
● Columbia	New York	Low	63.91	3
● Cortland	New York	Low	77.76	3.3
● Delaware	New York	Low	54.38	0.5
● Dutchess	New York	Low	41.13	3
● Erie	New York	Low	46.91	4.9
● Essex	New York	Low	97.6	6.6
● Franklin	New York	Low	159.93	6.6
● Fulton	New York	Low	161.1	8.8
● Genesee	New York	Low	45.39	4.9
● Greene	New York	Low	67.81	3
● Hamilton	New York	Low	181.16	4.3
● Herkimer	New York	Low	57.08	2.8
● Jefferson	New York	Low	95.6	7.8
● Kings	New York	Low	82.82	3
● Lewis	New York	Low	41.83	7.8
● Livingston	New York	Low	52.45	4.9
● Madison	New York	Low	81.76	2.8
● Monroe	New York	Low	42.87	4.9
● Montgomery	New York	Low	89.39	8.8
● Nassau	New York	Low	56.38	6
● New York	New York	Low	129.98	3
● Niagara	New York	Low	49.69	4.9
● Oneida	New York	Low	70.84	2.8
● Onondaga	New York	Low	181.97	8.4
● Ontario	New York	Low	78.34	8.9
● Orange	New York	Low	127.55	4.1
● Orleans	New York	Low	17.35	4.9
● Oswego	New York	Low	146	8.4
● Otsego	New York	Low	79	0.5
● Putnam	New York	Low	47.8	3
● Queens	New York	Low	46.23	3
● Rensselaer	New York	Low	52.3	5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Richmond	New York	Low	59.02	3
● Rockland	New York	Low	50.95	2.7
● St Lawrence	New York	Low	125.3	7.8
● Saratoga	New York	Low	78.74	4.3
● Schenectady	New York	Low	64.39	4.3
● Schoharie	New York	Low	64.52	0.5
● Schuyler	New York	Low	50.54	8.6
● Seneca	New York	Low	85.25	8.9
● Steuben	New York	Low	74.44	8.6
● Suffolk	New York	Low	44.76	6
● Sullivan	New York	Low	50.38	4.1
● Tioga	New York	Low	99.58	9.3
● Tompkins	New York	Low	183.99	3.3
● Ulster	New York	Low	59.13	3
● Warren	New York	Low	78.19	4.3
● Washington	New York	Low	63.72	4.3
● Wayne	New York	Low	76.74	8.9
● Westchester	New York	Low	67.08	3
● Wyoming	New York	Low	25.09	4.9
● Yates	New York	Low	44.15	8.9
● Alamance	North Carolina	Medium	107.37	10
● Alexander	North Carolina	Low	37.34	1.8
● Alleghany	North Carolina	Low	62.85	8
● Anson	North Carolina	Low	69.54	1.9
● Ashe	North Carolina	Medium	55.14	5.9
● Avery	North Carolina	Low	102.52	0
● Beaufort	North Carolina	Low	48.94	7.8
● Bertie	North Carolina	Low	36.95	2.9
● Bladen	North Carolina	Low	73.35	4.3
● Brunswick	North Carolina	Low	81.22	4.3
● Buncombe	North Carolina	Low	190.28	2.2
● Burke	North Carolina	Medium	255.29	6.9
● Cabarrus	North Carolina	Low	69.3	2.8
● Caldwell	North Carolina	Low	153.33	6.9
● Camden	North Carolina	Low	46.01	3
● Carteret	North Carolina	Low	59.02	5.1
● Caswell	North Carolina	Low	53.09	1.5
● Catawba	North Carolina	Low	43.25	6.9
● Chatham	North Carolina	Low	130.25	6.2
● Cherokee	North Carolina	Low	41.94	0
● Chowan	North Carolina	Low	21.52	2.9
● Clay	North Carolina	Low	53.42	0
● Cleveland	North Carolina	Low	30.63	1.7
● Columbus	North Carolina	Low	61.25	4.3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Craven	North Carolina	Low	107.7	5.1
● Cumberland	North Carolina	Low	167.8	4.3
● Currituck	North Carolina	Low	64.83	2.6
● Dare	North Carolina	Low	59.44	3
● Davidson	North Carolina	Low	51.91	6.4
● Davie	North Carolina	Low	46.68	6.7
● Duplin	North Carolina	Low	49.37	4.6
● Durham	North Carolina	Low	111.67	6
● Edgecombe	North Carolina	Low	68	9.3
● Forsyth	North Carolina	Low	52.84	6.7
● Franklin	North Carolina	Low	90.41	3.4
● Gaston	North Carolina	Low	36.52	1.7
● Gates	North Carolina	Low	43.25	2.9
● Graham	North Carolina	Low	11.85	0
● Granville	North Carolina	Low	67.83	6
● Greene	North Carolina	Low	37.97	4.6
● Guilford	North Carolina	Low	98.48	6.4
● Halifax	North Carolina	Low	24	9.3
● Harnett	North Carolina	Low	172.09	6.2
● Haywood	North Carolina	Low	59.37	2.2
● Henderson	North Carolina	Low	75.8	2.2
● Hertford	North Carolina	Low	76.02	2.9
● Hoke	North Carolina	Low	106.82	3.5
● Hyde	North Carolina	Low	81.02	7.8
● Iredell	North Carolina	Low	46.75	1.8
● Jackson	North Carolina	Low	70.55	0
● Johnston	North Carolina	Low	139.01	3.4
● Jones	North Carolina	Low	53.08	5.1
● Lee	North Carolina	Low	59.89	6.2
● Lenoir	North Carolina	Low	60.77	4.6
● Lincoln	North Carolina	Low	92.9	1.7
● McDowell	North Carolina	Low	170.47	0
● Macon	North Carolina	Low	195.21	0
● Madison	North Carolina	Low	73.55	2.2
● Martin	North Carolina	Low	26.74	7.8
● Mecklenburg	North Carolina	Low	57.73	1.9
● Mitchell	North Carolina	Medium	280.67	0
● Montgomery	North Carolina	Low	40.48	3.5
● Moore	North Carolina	Low	31.72	3.5
● Nash	North Carolina	Low	1.06	9.3
● New Hanover	North Carolina	Low	148.84	4.3
● Northampton	North Carolina	Low	20.53	9.3
● Onslow	North Carolina	Low	71.74	5.1
● Orange	North Carolina	Low	72.07	6.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Pamlico	North Carolina	Low	31.43	5.1
● Pasquotank	North Carolina	Low	125.55	3
● Pender	North Carolina	Low	6.34	4.3
● Perquimans	North Carolina	Low	81.71	3
● Person	North Carolina	Low	101.29	6
● Pitt	North Carolina	Low	27.66	7.8
● Polk	North Carolina	Low	43.43	2.1
● Randolph	North Carolina	Low	64.73	6.4
● Richmond	North Carolina	Medium	524.21	3.5
● Robeson	North Carolina	Low	35.22	4.3
● Rockingham	North Carolina	Low	85.7	6.4
● Rowan	North Carolina	Low	60.53	2.8
● Rutherford	North Carolina	Low	73.1	1.7
● Sampson	North Carolina	Low	83.42	4.3
● Scotland	North Carolina	Low	63.18	4.3
● Stanly	North Carolina	Low	44.58	2.8
● Stokes	North Carolina	Low	85.54	6.7
● Surry	North Carolina	Low	84.98	6.7
● Swain	North Carolina	Low	112.12	0
● Transylvania	North Carolina	Low	43.62	2.2
● Tyrrell	North Carolina	Low	24.9	7.8
● Union	North Carolina	Low	43.78	1.9
● Vance	North Carolina	Low	65.12	6
● Wake	North Carolina	Low	87.43	3.4
● Warren	North Carolina	Low	35.48	6
● Washington	North Carolina	Low	51.81	7.8
● Watauga	North Carolina	Medium	55.18	5.9
● Wayne	North Carolina	Medium	270.44	4.6
● Wilkes	North Carolina	Low	19	4.4
● Wilson	North Carolina	Low	78.24	3.4
● Yadkin	North Carolina	Low	37.17	6.7
● Yancey	North Carolina	Medium	332.06	0
● Adams	North Dakota	Low	180.51	0
● Barnes	North Dakota	Low	9.6	3.2
● Benson	North Dakota	Low	102.46	0
● Billings	North Dakota	Low	0	2.6
● Bottineau	North Dakota	Medium	63.67	11.6
● Bowman	North Dakota	Low	0	0
● Burke	North Dakota	Medium	94.56	11.6
● Burleigh	North Dakota	Low	115.03	9.5
● Cass	North Dakota	Low	50.02	3.2
● Cavalier	North Dakota	Low	53.16	2.4
● Dickey	North Dakota	Low	20.53	0
● Divide	North Dakota	Low	44.17	5.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Dunn	North Dakota	Low	90.42	2.6
● Eddy	North Dakota	Low	43.73	0
● Emmons	North Dakota	Low	0	9.5
● Foster	North Dakota	Medium	62.31	10.8
● Golden Valley	North Dakota	Low	0	2.6
● Grand Forks	North Dakota	Low	51.84	2.4
● Grant	North Dakota	Low	131.93	0
● Griggs	North Dakota	Low	89.65	3.2
● Hettinger	North Dakota	Medium	400.16	0
● Kidder	North Dakota	Low	0	9.5
● La Moure	North Dakota	Low	197.73	0
● Logan	North Dakota	Low	0	0
● Mchenry	North Dakota	Medium	69.63	11.6
● Mcintosh	North Dakota	Low	120.14	0
● Mckenzie	North Dakota	Low	19.97	5.5
● Mclean	North Dakota	Low	0	9.5
● Mercer	North Dakota	Low	24.43	9.5
● Morton	North Dakota	Low	31.88	9.5
● Mountrail	North Dakota	Medium	75.87	11.6
● Nelson	North Dakota	Low	0	2.4
● Oliver	North Dakota	Low	0	9.5
● Pembina	North Dakota	Low	44.11	2.4
● Pierce	North Dakota	Low	25.16	0
● Ramsey	North Dakota	Low	0	0
● Ransom	North Dakota	Low	0	3.2
● Renville	North Dakota	Medium	42.97	11.6
● Richland	North Dakota	Low	142.18	3.2
● Rolette	North Dakota	Medium	232.79	0
● Sargent	North Dakota	Low	0	3.2
● Sheridan	North Dakota	Medium	304.18	9.5
● Sioux	North Dakota	Low	0	9.5
● Slope	North Dakota	Low	0	0
● Stark	North Dakota	Low	28.58	2.6
● Steele	North Dakota	Low	0	3.2
● Stutsman	North Dakota	Medium	48.3	10.8
● Towner	North Dakota	Low	0	0
● Traill	North Dakota	Low	12.44	3.2
● Walsh	North Dakota	Low	75.18	2.4
● Ward	North Dakota	Medium	44.35	11.6
● Wells	North Dakota	Medium	78.25	10.8
● Williams	North Dakota	Low	39.91	5.5
● Adams	Ohio	Low	3.61	4.2
● Allen	Ohio	Low	4.89	4.2
● Ashland	Ohio	Low	11.22	4.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Ashtabula	Ohio	Low	37.02	4.6
● Athens	Ohio	Low	21.43	4.9
● Auglaize	Ohio	Low	28.47	4.2
● Belmont	Ohio	Low	17.91	6.8
● Brown	Ohio	Low	20.72	4.2
● Butler	Ohio	Low	72.04	4.2
● Carroll	Ohio	Low	0	2.9
● Champaign	Ohio	Low	10.29	4
● Clark	Ohio	Low	13.42	4
● Clermont	Ohio	Low	19.86	4.2
● Clinton	Ohio	Low	7.15	2.3
● Columbiana	Ohio	Low	19.63	2
● Coshocton	Ohio	Low	8.2	2.6
● Crawford	Ohio	Low	26.51	7.6
● Cuyahoga	Ohio	Low	13.2	4.6
● Darke	Ohio	Low	3.91	3.9
● Defiance	Ohio	Low	13.13	2.5
● Delaware	Ohio	Low	11.95	5.4
● Erie	Ohio	Low	9.43	5.2
● Fairfield	Ohio	Low	22.21	4.9
● Fayette	Ohio	Low	7.01	5.4
● Franklin	Ohio	Low	20.5	5.4
● Fulton	Ohio	Low	9.5	4.9
● Gallia	Ohio	Medium	63.55	10.7
● Geauga	Ohio	Low	11.75	4.6
● Greene	Ohio	Low	15.98	3.9
● Guernsey	Ohio	Low	20.58	2.6
● Hamilton	Ohio	Low	30.46	4.2
● Hancock	Ohio	Low	5.28	3.8
● Hardin	Ohio	Low	12.75	4.2
● Harrison	Ohio	Low	13.3	6.2
● Henry	Ohio	Low	3.7	2.5
● Highland	Ohio	Low	4.63	2.3
● Hocking	Ohio	Low	45.99	4.9
● Holmes	Ohio	Low	11.37	2.9
● Huron	Ohio	Low	13.73	5.2
● Jackson	Ohio	Medium	37.02	10.7
● Jefferson	Ohio	Low	27.55	6.2
● Knox	Ohio	Low	12.84	2.5
● Lake	Ohio	Low	10.43	4.6
● Lawrence	Ohio	Medium	40.36	13.6
● Licking	Ohio	Low	18.09	2.5
● Logan	Ohio	Low	17.52	0
● Lorain	Ohio	Low	13.56	5.2

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Lucas	Ohio	Low	32.68	4.9
● Madison	Ohio	Low	15.65	5.4
● Mahoning	Ohio	Low	13.12	1.9
● Marion	Ohio	Low	13.83	7.6
● Medina	Ohio	Low	15.02	3.8
● Meigs	Ohio	Medium	21.83	10.7
● Mercer	Ohio	Low	14.57	4.2
● Miami	Ohio	Low	10.28	0.6
● Monroe	Ohio	Low	43.94	6.8
● Montgomery	Ohio	Low	15.23	3.9
● Morgan	Ohio	Low	6.89	2.6
● Morrow	Ohio	Low	16.98	7.6
● Muskingum	Ohio	Low	22.04	2.6
● Noble	Ohio	Low	41.6	2.6
● Ottawa	Ohio	Low	22.21	4.9
● Paulding	Ohio	Low	21.42	2.5
● Perry	Ohio	Low	22.14	2.6
● Pickaway	Ohio	Low	11.97	5.4
● Pike	Ohio	Medium	18	11.9
● Portage	Ohio	Low	14.16	3.8
● Preble	Ohio	Low	19.57	3.9
● Putnam	Ohio	Low	2.95	4.2
● Richland	Ohio	Low	17.33	4.6
● Ross	Ohio	Medium	14.35	11.9
● Sandusky	Ohio	Low	22.22	5.2
● Scioto	Ohio	Medium	29.21	11.9
● Seneca	Ohio	Low	1.81	3.8
● Shelby	Ohio	Low	12.35	0.6
● Stark	Ohio	Low	11.87	2.9
● Summit	Ohio	Low	11.83	3.8
● Trumbull	Ohio	Low	21.21	1.9
● Tuscarawas	Ohio	Low	11.96	2.9
● Union	Ohio	Low	25.43	7.6
● Van Wert	Ohio	Low	7.07	4.2
● Vinton	Ohio	Low	22.93	4.9
● Warren	Ohio	Low	22.17	4.2
● Washington	Ohio	Medium	18.36	10.7
● Wayne	Ohio	Low	10.37	2.9
● Williams	Ohio	Low	5.45	2.5
● Wood	Ohio	Low	16.05	4.9
● Wyandot	Ohio	Low	0	7.6
● Adair	Oklahoma	Low	99.13	6.7
● Alfalfa	Oklahoma	Low	157.84	2.7
● Atoka	Oklahoma	Low	167.18	3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Beaver	Oklahoma	Low	188.29	0
● Beckham	Oklahoma	Low	96.07	0
● Blaine	Oklahoma	Low	137.87	2.7
● Bryan	Oklahoma	Low	106.26	3
● Caddo	Oklahoma	Low	79.97	1.2
● Canadian	Oklahoma	Low	151.71	6.2
● Carter	Oklahoma	Medium	752.43	1.2
● Cherokee	Oklahoma	Low	71.93	6.7
● Choctaw	Oklahoma	Low	47.71	3.7
● Cimarron	Oklahoma	Low	46.79	0
● Cleveland	Oklahoma	Low	87.32	2.5
● Coal	Oklahoma	Medium	18.2	11.1
● Comanche	Oklahoma	Low	192.13	2.1
● Cotton	Oklahoma	Medium	264.74	2.1
● Craig	Oklahoma	Low	49.5	6.1
● Creek	Oklahoma	Low	47.54	6.1
● Custer	Oklahoma	Medium	241.35	0
● Delaware	Oklahoma	Low	62.78	4.8
● Dewey	Oklahoma	High	61.34	22.3
● Ellis	Oklahoma	High	25.91	22.3
● Garfield	Oklahoma	Low	103.18	2.7
● Garvin	Oklahoma	Low	43.3	2.5
● Grady	Oklahoma	Low	48.36	1.2
● Grant	Oklahoma	Low	23.08	2.7
● Greer	Oklahoma	Low	87.54	9.1
● Harmon	Oklahoma	Low	150.77	9.1
● Harper	Oklahoma	High	108.46	22.3
● Haskell	Oklahoma	Low	71.28	6.1
● Hughes	Oklahoma	Medium	37.65	11.1
● Jackson	Oklahoma	Low	32.61	9.1
● Jefferson	Oklahoma	Low	133.29	0
● Johnston	Oklahoma	Medium	234.55	1.2
● Kay	Oklahoma	Medium	280.21	6.6
● Kingfisher	Oklahoma	Medium	285.44	2.7
● Kiowa	Oklahoma	Low	0	2.1
● Latimer	Oklahoma	Low	0	3.1
● Le Flore	Oklahoma	Low	44.13	6.1
● Lincoln	Oklahoma	Low	108.95	6.2
● Logan	Oklahoma	Low	114.56	6.2
● Love	Oklahoma	Medium	526.68	1.2
● McClain	Oklahoma	Low	44.47	2.5
● Mccurtain	Oklahoma	Low	60.92	0.4
● Mcintosh	Oklahoma	Low	30.62	6.7
● Major	Oklahoma	Low	170.4	2.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Marshall	Oklahoma	Medium	336.66	1.2
● Mayes	Oklahoma	Low	68.13	6.1
● Murray	Oklahoma	Low	7.11	2.5
● Muskogee	Oklahoma	Low	61.77	6.7
● Noble	Oklahoma	Low	161.71	0.9
● Nowata	Oklahoma	Low	89.32	9.1
● Okfuskee	Oklahoma	Low	75.04	0
● Oklahoma	Oklahoma	Medium	221.08	6.2
● Okmulgee	Oklahoma	Low	33.8	0
● Osage	Oklahoma	Low	85.17	6.6
● Ottawa	Oklahoma	Low	134.93	6.1
● Pawnee	Oklahoma	Low	103.81	0.9
● Payne	Oklahoma	Low	72.14	0.9
● Pittsburg	Oklahoma	Low	50.4	3.1
● Pontotoc	Oklahoma	High	201.13	11.1
● Pottawatomie	Oklahoma	Low	79.9	6.2
● Pushmataha	Oklahoma	Low	162.22	3.1
● Roger Mills	Oklahoma	Low	0	0
● Rogers	Oklahoma	Low	84.36	6.1
● Seminole	Oklahoma	Medium	70.08	11.1
● Sequoyah	Oklahoma	Low	67.36	6.1
● Stephens	Oklahoma	Low	148.34	0
● Texas	Oklahoma	Low	130.11	0
● Tillman	Oklahoma	Low	68.97	2.1
● Tulsa	Oklahoma	Low	66.92	6.1
● Wagoner	Oklahoma	Low	51.67	6.7
● Washington	Oklahoma	Low	79.57	9.1
● Washita	Oklahoma	Low	82.45	0
● Woods	Oklahoma	Low	68.24	2.7
● Woodward	Oklahoma	High	39.58	22.3
● Baker	Oregon	Low	31.01	2
● Benton	Oregon	Low	49.43	2.7
● Clackamas	Oregon	Low	49.98	4.7
● Clatsop	Oregon	Low	52.21	4.7
● Columbia	Oregon	Low	47.75	4.7
● Coos	Oregon	Medium	75.98	11.3
● Crook	Oregon	Low	57.37	3.9
● Curry	Oregon	Medium	56.71	11.3
● Deschutes	Oregon	Low	77.39	3.9
● Douglas	Oregon	Low	69.38	5.3
● Gilliam	Oregon	Low	0	1.1
● Grant	Oregon	Medium	527.85	0
● Harney	Oregon	Low	27.05	3.9
● Hood River	Oregon	Low	72.71	1.1

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Jackson	Oregon	Low	52.95	5.1
● Jefferson	Oregon	Low	73	3.9
● Josephine	Oregon	Low	81.15	5.1
● Klamath	Oregon	Medium	54.22	7.9
● Lake	Oregon	Medium	63.54	7.9
● Lane	Oregon	Low	56.8	5.3
● Lincoln	Oregon	Low	50.04	5.2
● Linn	Oregon	Low	55.49	2.7
● Malheur	Oregon	Low	19.63	0
● Marion	Oregon	Low	20.99	7.6
● Morrow	Oregon	Low	8.62	3.2
● Multnomah	Oregon	Low	57.94	4.7
● Polk	Oregon	Low	51.11	7.6
● Sherman	Oregon	Low	0	1.1
● Tillamook	Oregon	Low	29.59	5.2
● Umatilla	Oregon	Low	25.66	3.2
● Union	Oregon	Low	7.45	2
● Wallowa	Oregon	Low	83.24	2
● Wasco	Oregon	Low	59.97	1.1
● Washington	Oregon	Low	41.56	4.7
● Wheeler	Oregon	Low	0	3.9
● Yamhill	Oregon	Low	35.48	7.6
● Adams	Pennsylvania	Low	23.3	3.1
● Allegheny	Pennsylvania	Low	42.19	4.2
● Armstrong	Pennsylvania	Low	35.53	4.2
● Beaver	Pennsylvania	Low	40.87	4.2
● Bedford	Pennsylvania	Low	52.21	3.2
● Berks	Pennsylvania	Low	26.12	2.6
● Blair	Pennsylvania	Low	50.89	3.2
● Bradford	Pennsylvania	Low	86.2	9.3
● Bucks	Pennsylvania	Low	47.27	3.9
● Butler	Pennsylvania	Low	45.25	4.2
● Cambria	Pennsylvania	Low	48.39	3.2
● Cameron	Pennsylvania	Low	22.49	7.1
● Carbon	Pennsylvania	Low	24.93	3.5
● Centre	Pennsylvania	Low	47.42	8.8
● Chester	Pennsylvania	Low	34.29	3.9
● Clarion	Pennsylvania	Low	41.63	4.2
● Clearfield	Pennsylvania	Low	58.04	8.8
● Clinton	Pennsylvania	Low	38.83	2.6
● Columbia	Pennsylvania	Low	53.88	6.1
● Crawford	Pennsylvania	Medium	29.54	10.6
● Cumberland	Pennsylvania	Low	31.57	2.9
● Dauphin	Pennsylvania	Low	29.11	2.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
Delaware	Pennsylvania	Low	36.17	3.9
Elk	Pennsylvania	Low	46.81	3.3
Erie	Pennsylvania	Low	50.05	4.8
Fayette	Pennsylvania	Low	71.17	5.6
Forest	Pennsylvania	Low	27.6	4.2
Franklin	Pennsylvania	Low	34.19	5.3
Fulton	Pennsylvania	Low	82.59	5.3
Greene	Pennsylvania	Low	77.28	5.6
Huntingdon	Pennsylvania	Low	46.52	6
Indiana	Pennsylvania	Low	63.04	4.2
Jefferson	Pennsylvania	Low	94.42	8.8
Juniata	Pennsylvania	Low	20.19	6
Lackawanna	Pennsylvania	Low	51.51	6.9
Lancaster	Pennsylvania	Low	24.37	2.6
Lawrence	Pennsylvania	Low	30.41	1.2
Lebanon	Pennsylvania	Low	23.27	2.9
Lehigh	Pennsylvania	Low	26.26	3.5
Luzerne	Pennsylvania	Low	35.91	6.1
Lycoming	Pennsylvania	Low	39.72	2.6
Mckean	Pennsylvania	Low	59.08	7.1
Mercer	Pennsylvania	Low	31.99	1.9
Mifflin	Pennsylvania	Low	32.51	6
Monroe	Pennsylvania	Low	36.41	3.5
Montgomery	Pennsylvania	Low	84.85	3.9
Montour	Pennsylvania	Low	60.34	6.9
Northampton	Pennsylvania	Low	34.07	3.5
Northumberland	Pennsylvania	Low	33.02	6.9
Perry	Pennsylvania	Low	23.77	2.9
Philadelphia	Pennsylvania	Low	16.1	3.9
Pike	Pennsylvania	Low	80.63	4.1
Potter	Pennsylvania	Low	78.66	7.1
Schuylkill	Pennsylvania	Low	46.69	6.9
Snyder	Pennsylvania	Low	59.45	6.9
Somerset	Pennsylvania	Low	28.59	3.2
Sullivan	Pennsylvania	Low	32.97	9.3
Susquehanna	Pennsylvania	Low	71.91	9.3
Tioga	Pennsylvania	Low	66.52	7.4
Union	Pennsylvania	Low	42.29	6.9
Venango	Pennsylvania	Low	39.47	4.2
Warren	Pennsylvania	Low	48.48	4.8
Washington	Pennsylvania	Low	51.24	5.6
Wayne	Pennsylvania	Low	46.73	6.9
Westmoreland	Pennsylvania	Low	33.82	4.2
Wyoming	Pennsylvania	Low	37.32	6.1

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● York	Pennsylvania	Low	29.17	3.1
● Bristol	Rhode Island	Low	144.39	2.6
● Kent	Rhode Island	Low	132.69	2.6
● Newport	Rhode Island	Low	143.76	2.3
● Providence	Rhode Island	Low	141.49	2.6
● Washington	Rhode Island	Low	160.86	2.6
● Abbeville	South Carolina	Low	12.23	3.1
● Aiken	South Carolina	Low	83.69	2.6
● Allendale	South Carolina	Low	46.04	0
● Anderson	South Carolina	Low	18.76	5.3
● Bamberg	South Carolina	Low	113.75	0
● Barnwell	South Carolina	Low	76.68	2.6
● Beaufort	South Carolina	Low	17.18	3.7
● Berkeley	South Carolina	Low	32.03	6.5
● Calhoun	South Carolina	Low	27.49	0
● Charleston	South Carolina	Low	28.68	6.5
● Cherokee	South Carolina	Low	43.63	2.1
● Chester	South Carolina	Low	6.2	1.6
● Chesterfield	South Carolina	Low	67.91	6.5
● Clarendon	South Carolina	Low	14.82	2.5
● Colleton	South Carolina	Low	5.31	6.5
● Darlington	South Carolina	Low	7.51	6.5
● Dillon	South Carolina	Low	26.25	6.5
● Dorchester	South Carolina	Low	27.64	6.5
● Edgefield	South Carolina	Low	55.03	2.6
● Fairfield	South Carolina	Low	4.47	4.6
● Florence	South Carolina	Low	16.63	6.5
● Georgetown	South Carolina	Low	22.34	4.6
● Greenville	South Carolina	Low	24.83	5.3
● Greenwood	South Carolina	Low	11.3	3.1
● Hampton	South Carolina	Low	0	6.5
● Horry	South Carolina	Low	30.78	4.6
● Jasper	South Carolina	Low	0	3.7
● Kershaw	South Carolina	Low	25.54	3
● Lancaster	South Carolina	Low	61.22	3
● Laurens	South Carolina	Low	29.63	3.1
● Lee	South Carolina	Low	47.54	2.5
● Lexington	South Carolina	Low	31.8	4.6
● McCormick	South Carolina	Low	0	3.1
● Marion	South Carolina	Low	39.14	6.5
● Marlboro	South Carolina	Low	11.49	6.5
● Newberry	South Carolina	Low	13.01	4.6
● Oconee	South Carolina	Low	26.4	5.3
● Orangeburg	South Carolina	Low	11.6	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Pickens	South Carolina	Low	10.25	5.3
● Richland	South Carolina	Low	33.91	4.6
● Saluda	South Carolina	Low	166.07	3.1
● Spartanburg	South Carolina	Low	20.33	2.1
● Sumter	South Carolina	Low	29.05	2.5
● Union	South Carolina	Low	25.63	2.1
● Williamsburg	South Carolina	Low	19.76	6.5
● York	South Carolina	Low	39.86	1.6
● Aurora	South Dakota	Low	0	0
● Beadle	South Dakota	Low	43.35	4
● Bennett	South Dakota	Low	29.72	3.1
● Bon Homme	South Dakota	Low	14.49	2.9
● Brookings	South Dakota	Low	28.51	0
● Brown	South Dakota	Low	46.35	6.2
● Brule	South Dakota	Low	18.88	0
● Buffalo	South Dakota	Low	0	0
● Butte	South Dakota	Low	28.77	7.6
● Campbell	South Dakota	Low	0	0
● Charles Mix	South Dakota	Low	10.76	0
● Clark	South Dakota	Low	107.07	2
● Clay	South Dakota	Low	7.11	2.9
● Codington	South Dakota	Low	35.7	2
● Corson	South Dakota	Low	24.47	0
● Custer	South Dakota	Low	33.44	7.6
● Davison	South Dakota	Low	65.74	0
● Day	South Dakota	Low	18.44	6.2
● Deuel	South Dakota	Low	22.98	2
● Dewey	South Dakota	Low	67.89	0
● Douglas	South Dakota	Low	0	0
● Edmunds	South Dakota	Low	26.12	6.2
● Fall River	South Dakota	Low	14.9	7.6
● Faulk	South Dakota	Low	0	6.2
● Grant	South Dakota	Low	14.18	2
● Gregory	South Dakota	Low	0	0
● Haakon	South Dakota	Medium	0	10.9
● Hamlin	South Dakota	Low	48.67	2
● Hand	South Dakota	Low	31.34	4
● Hanson	South Dakota	Low	28.96	0
● Harding	South Dakota	Low	77.04	0
● Hughes	South Dakota	Medium	39.94	10.9
● Hutchinson	South Dakota	Low	27.43	2.9
● Hyde	South Dakota	Low	76.86	4
● Jackson	South Dakota	Low	29.9	7.6
● Jerauld	South Dakota	Low	99.35	4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Jones	South Dakota	Medium	0	10.9
● Kingsbury	South Dakota	Low	20.25	0
● Lake	South Dakota	Low	31.26	8.6
● Lawrence	South Dakota	Low	11.61	1.3
● Lincoln	South Dakota	Low	6.54	8.6
● Lyman	South Dakota	Low	0	0
● Mccook	South Dakota	Low	0	8.6
● Mcpherson	South Dakota	Low	0	6.2
● Marshall	South Dakota	Low	0	6.2
● Meade	South Dakota	Low	45.88	7.6
● Mellette	South Dakota	Low	48.52	0
● Miner	South Dakota	Low	45.13	8.6
● Minnehaha	South Dakota	Low	29	8.6
● Moody	South Dakota	Low	15.21	8.6
● Oglala Lakota County	South Dakota	Low	42.32	3.1
● Pennington	South Dakota	Low	32.52	7.6
● Perkins	South Dakota	Low	34.9	0
● Potter	South Dakota	Medium	278.68	0
● Roberts	South Dakota	Low	38.48	5.4
● Sanborn	South Dakota	Low	42.66	0
● Spink	South Dakota	Low	31.37	6.2
● Stanley	South Dakota	Medium	64.56	10.9
● Sully	South Dakota	Medium	0	10.9
● Todd	South Dakota	Low	19.65	0
● Tripp	South Dakota	Low	0	0
● Turner	South Dakota	Low	23.85	8.6
● Union	South Dakota	Low	0	8.6
● Walworth	South Dakota	Low	36.8	0
● Yankton	South Dakota	Low	13.15	2.9
● Ziebach	South Dakota	Medium	36.28	10.9
● Anderson	Tennessee	Low	110.42	2.7
● Bedford	Tennessee	Low	22.13	6
● Benton	Tennessee	Low	80.45	0
● Bledsoe	Tennessee	Low	39.83	0
● Blount	Tennessee	Low	37.57	3.9
● Bradley	Tennessee	Low	14.8	0.5
● Campbell	Tennessee	Medium	293.66	2.7
● Cannon	Tennessee	Low	74.94	1.4
● Carroll	Tennessee	Low	43.22	0
● Carter	Tennessee	Medium	69.16	14.2
● Cheatham	Tennessee	Low	17.21	6.1
● Chester	Tennessee	Low	173.44	3.8
● Claiborne	Tennessee	High	134.55	22.6
● Clay	Tennessee	Low	52.53	1.9

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Cocke	Tennessee	Low	72.21	6.7
● Coffee	Tennessee	Low	38.92	3.4
● Crockett	Tennessee	Low	133.52	3.8
● Cumberland	Tennessee	Low	31.39	0
● Davidson	Tennessee	Low	67.57	6.1
● Decatur	Tennessee	Low	85.74	3.8
● De Kalb	Tennessee	Low	19.52	1.4
● Dickson	Tennessee	Low	29.66	6.1
● Dyer	Tennessee	Low	45.75	2.9
● Fayette	Tennessee	Low	14.59	2.1
● Fentress	Tennessee	Low	26.99	0
● Franklin	Tennessee	Low	30.8	3.4
● Gibson	Tennessee	Low	107.87	3.8
● Giles	Tennessee	Low	27.15	4.6
● Grainger	Tennessee	Low	30.02	4.7
● Greene	Tennessee	Low	57.91	6.7
● Grundy	Tennessee	Low	37.24	3.4
● Hamblen	Tennessee	Low	30.8	4.7
● Hamilton	Tennessee	Low	60.9	6.4
● Hancock	Tennessee	Low	45.32	4.7
● Hardeman	Tennessee	Low	111.78	3.8
● Hardin	Tennessee	Low	85.76	0
● Hawkins	Tennessee	Medium	68.68	13.2
● Haywood	Tennessee	Low	92.46	3.8
● Henderson	Tennessee	Low	184.94	3.8
● Henry	Tennessee	Low	49.47	0
● Hickman	Tennessee	Low	11.92	6.1
● Houston	Tennessee	Low	60.97	0
● Humphreys	Tennessee	Low	10.76	6.1
● Jackson	Tennessee	Low	8.48	1.9
● Jefferson	Tennessee	Low	44.04	4.7
● Johnson	Tennessee	Medium	5.62	5.9
● Knox	Tennessee	Low	41.89	3.9
● Lake	Tennessee	Low	42.76	2.9
● Lauderdale	Tennessee	Low	62.42	2.9
● Lawrence	Tennessee	Low	18.12	1.5
● Lewis	Tennessee	Low	8.15	4.6
● Lincoln	Tennessee	Medium	55.29	13.8
● Loudon	Tennessee	Low	66.58	3.9
● McMinn	Tennessee	Low	29.74	3.9
● McNairy	Tennessee	Low	73.95	0
● Macon	Tennessee	Low	48.78	1.8
● Madison	Tennessee	Low	73.48	3.8
● Marion	Tennessee	Low	38.05	6.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Marshall	Tennessee	Low	26.18	4.6
● Maury	Tennessee	Low	38.39	4.6
● Meigs	Tennessee	Low	16.1	3.9
● Monroe	Tennessee	Low	38.67	3.9
● Montgomery	Tennessee	Low	59.33	0
● Moore	Tennessee	Low	15.41	3.4
● Morgan	Tennessee	Low	28.03	2.7
● Obion	Tennessee	Low	26.61	0
● Overton	Tennessee	Low	26.98	1.9
● Perry	Tennessee	Low	0	1.5
● Pickett	Tennessee	Low	19.81	1.9
● Polk	Tennessee	Low	23.76	0.5
● Putnam	Tennessee	Low	23.68	1.9
● Rhea	Tennessee	Low	15.08	2.7
● Roane	Tennessee	Low	52.45	2.7
● Robertson	Tennessee	Low	23.67	6.1
● Rutherford	Tennessee	Low	25.28	1.4
● Scott	Tennessee	Low	140.47	0
● Sequatchie	Tennessee	Low	39.93	6.4
● Sevier	Tennessee	Low	59.03	3.9
● Shelby	Tennessee	Low	23.9	2.1
● Smith	Tennessee	Low	24.81	1.8
● Stewart	Tennessee	Low	7.29	0
● Sullivan	Tennessee	Medium	56.21	13.2
● Sumner	Tennessee	Low	37.12	1.8
● Tipton	Tennessee	Low	22.73	2.1
● Trousdale	Tennessee	Low	17.72	1.8
● Unicoi	Tennessee	Medium	50.33	14.2
● Union	Tennessee	Low	50.07	3.9
● Van Buren	Tennessee	Low	0	1.4
● Warren	Tennessee	Low	12.11	1.4
● Washington	Tennessee	Medium	51.01	14.2
● Wayne	Tennessee	Low	59.98	1.5
● Weakley	Tennessee	Low	45.01	0
● White	Tennessee	Low	18.28	1.9
● Williamson	Tennessee	Low	41.52	6.1
● Wilson	Tennessee	Low	37.33	1.8
● Anderson	Texas	Low	32.91	1.5
● Andrews	Texas	Low	0	8.1
● Angelina	Texas	Low	20.76	2.7
● Aransas	Texas	Low	63.8	9.4
● Archer	Texas	Low	116.92	1.5
● Armstrong	Texas	Medium	264.97	1.4
● Atascosa	Texas	Low	130.98	8.1

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Austin	Texas	Low	139.85	7
● Bailey	Texas	Medium	271.43	4.3
● Bandera	Texas	Low	112.5	8.1
● Bastrop	Texas	Low	28.18	2.7
● Baylor	Texas	Low	0	1.5
● Bee	Texas	Low	85.98	2.1
● Bell	Texas	Medium	25.35	17.3
● Bexar	Texas	Low	146.79	8.1
● Blanco	Texas	Low	75.43	2.8
● Borden	Texas	Low	0	4.3
● Bosque	Texas	Low	53.52	2.5
● Bowie	Texas	Medium	259.53	0.4
● Brazoria	Texas	Low	23.51	0.4
● Brazos	Texas	Low	27.92	2.7
● Brewster	Texas	Low	10.87	5.5
● Briscoe	Texas	Medium	452.78	1.4
● Brooks	Texas	Low	28.2	9.4
● Brown	Texas	Medium	351.26	0
● Burleson	Texas	Low	27.11	2.7
● Burnet	Texas	Low	58.15	2.7
● Caldwell	Texas	Low	96.19	8.4
● Calhoun	Texas	Low	37.58	3.3
● Callahan	Texas	Low	43.03	2.8
● Cameron	Texas	Low	154.08	2.2
● Camp	Texas	Low	152.74	2.9
● Carson	Texas	Low	67.5	1.4
● Cass	Texas	Medium	326.38	0
● Castro	Texas	Low	146.08	8.6
● Chambers	Texas	Low	13.69	7
● Cherokee	Texas	Low	11.4	1.5
● Childress	Texas	Low	95.81	0
● Clay	Texas	Low	19.1	1.5
● Cochran	Texas	Low	70.1	4.3
● Coke	Texas	Low	0	1.2
● Coleman	Texas	Low	0	0
● Collin	Texas	Low	156.18	5.7
● Collingsworth	Texas	Low	136.99	0
● Colorado	Texas	Low	83.75	0
● Comal	Texas	Medium	394.98	0
● Comanche	Texas	Low	183.35	0
● Concho	Texas	Low	0	1.2
● Cooke	Texas	Low	26.66	2.2
● Coryell	Texas	Medium	18.43	17.3
● Cottle	Texas	Low	0	0

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Crane	Texas	Low	62.54	2.9
● Crockett	Texas	Low	0	1.2
● Crosby	Texas	Medium	244.03	4.3
● Culberson	Texas	Low	0	6.6
● Dallam	Texas	Low	82.34	1.4
● Dallas	Texas	Low	34.72	5.7
● Dawson	Texas	Low	109.99	4.3
● Deaf Smith	Texas	Medium	1051.44	0
● Delta	Texas	Low	56.27	3.7
● Denton	Texas	Low	68.87	2.2
● De Witt	Texas	Low	49.6	3.3
● Dickens	Texas	Low	45.23	4.3
● Dimmit	Texas	Low	59.27	0
● Donley	Texas	Medium	1738.87	1.4
● Duval	Texas	Low	89.63	9.4
● Eastland	Texas	Low	32.68	2.8
● Ector	Texas	Low	74.6	2.9
● Edwards	Texas	Low	0	2.8
● Ellis	Texas	Low	63.3	5.7
● El Paso	Texas	Medium	211.26	6.6
● Erath	Texas	Low	30.45	0
● Falls	Texas	Low	57.81	2.5
● Fannin	Texas	Low	30.97	3
● Fayette	Texas	Low	27.62	0
● Fisher	Texas	Medium	0	14.8
● Floyd	Texas	Low	192.58	8.6
● Foard	Texas	Low	0	0
● Fort Bend	Texas	Low	94.25	7
● Franklin	Texas	Medium	242.42	2.9
● Freestone	Texas	Low	45.65	1.4
● Frio	Texas	Medium	413.67	8.1
● Gaines	Texas	Medium	335.01	8.1
● Galveston	Texas	Low	86.81	8.8
● Garza	Texas	Medium	305.02	4.3
● Gillespie	Texas	Low	37.05	2.8
● Glasscock	Texas	Low	0	2.6
● Goliad	Texas	Low	13.06	3.3
● Gonzales	Texas	Low	110.38	8.1
● Gray	Texas	Low	123.37	0
● Grayson	Texas	Low	16.15	3
● Gregg	Texas	Low	18.56	0.4
● Grimes	Texas	Low	27.7	2.7
● Guadalupe	Texas	Medium	363.81	8.1
● Hale	Texas	Low	14.97	8.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Hall	Texas	Medium	438.6	0
● Hamilton	Texas	Low	0	2.5
● Hansford	Texas	Low	129.65	1.4
● Hardeman	Texas	Low	0	0
● Hardin	Texas	Low	17.36	2.6
● Harris	Texas	Low	34.6	7
● Harrison	Texas	Medium	202.85	0
● Hartley	Texas	Low	161.41	1.4
● Haskell	Texas	Low	0	2.8
● Hays	Texas	Low	24.76	8.4
● Hemphill	Texas	Medium	602.25	0
● Henderson	Texas	Low	13.3	7.9
● Hidalgo	Texas	Medium	269.71	6
● Hill	Texas	Low	90.04	2.5
● Hockley	Texas	Low	86.88	4.3
● Hood	Texas	Low	27.58	6.4
● Hopkins	Texas	Low	53.93	5.7
● Houston	Texas	Medium	365.73	1.5
● Howard	Texas	Low	0	2.6
● Hudspeth	Texas	Low	20.47	6.6
● Hunt	Texas	Low	29.41	5.7
● Hutchinson	Texas	Low	124.18	1.4
● Irion	Texas	Low	0	1.2
● Jack	Texas	Medium	11.19	15.7
● Jackson	Texas	Low	20.33	3.3
● Jasper	Texas	Low	14.07	2.6
● Jeff Davis	Texas	Low	0	5.5
● Jefferson	Texas	Medium	362.93	2.6
● Jim Hogg	Texas	Low	57.69	2.4
● Jim Wells	Texas	Low	56.82	9.4
● Johnson	Texas	Low	179.73	6.4
● Jones	Texas	Low	29.88	2.8
● Karnes	Texas	Medium	211.52	2.1
● Kaufman	Texas	Low	74.18	5.7
● Kendall	Texas	Low	128.61	8.1
● Kenedy	Texas	Low	0	9.4
● Kent	Texas	Low	0	2.8
● Kerr	Texas	Low	38.02	2.8
● Kimble	Texas	Low	115.29	2.8
● King	Texas	Low	0	4.3
● Kinney	Texas	Low	27.27	6.3
● Kleberg	Texas	Low	58.67	9.4
● Knox	Texas	Low	0	1.5
● Lamar	Texas	Low	36.1	3.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Lamb	Texas	Low	93.07	4.3
● Lampasas	Texas	Medium	4.67	17.3
● La Salle	Texas	Low	66.49	8.1
● Lavaca	Texas	Low	9.92	3.3
● Lee	Texas	Low	23.2	2.7
● Leon	Texas	Low	68.95	0
● Liberty	Texas	Low	72.55	7
● Limestone	Texas	Low	4.27	2.5
● Lipscomb	Texas	High	1515.62	22.3
● Live Oak	Texas	Low	0	9.4
● Llano	Texas	Low	27.53	2.7
● Loving	Texas	Medium	591.72	6.6
● Lubbock	Texas	Low	16.42	4.3
● Lynn	Texas	Medium	554.53	4.3
● Mcculloch	Texas	Medium	338.18	1.2
● Mclennan	Texas	Low	108.72	2.5
● McMullen	Texas	Low	0	8.1
● Madison	Texas	Low	70.01	0
● Marion	Texas	Low	162.37	0
● Martin	Texas	Low	103.97	1
● Mason	Texas	Low	23.4	2.8
● Matagorda	Texas	Low	136.45	0.4
● Maverick	Texas	Low	93.66	6.3
● Medina	Texas	Low	157.03	8.1
● Menard	Texas	Low	0	1.2
● Midland	Texas	Medium	562.68	1
● Milam	Texas	Medium	32.23	17.3
● Mills	Texas	Low	41.04	0
● Mitchell	Texas	Medium	0	14.8
● Montague	Texas	Low	25.23	1.5
● Montgomery	Texas	Low	47.75	7
● Moore	Texas	Medium	339.06	1.4
● Morris	Texas	Low	104.94	2.9
● Motley	Texas	Medium	500	4.3
● Nacogdoches	Texas	Low	124.23	4.6
● Navarro	Texas	Low	15.96	1.4
● Newton	Texas	Low	14.71	2.6
● Nolan	Texas	Medium	20.39	14.8
● Nueces	Texas	Low	176.1	9.4
● Ochiltree	Texas	Medium	1209.84	1.4
● Oldham	Texas	Low	189.39	1.4
● Orange	Texas	Low	7.19	2.6
● Palo Pinto	Texas	Medium	17.13	15.7
● Panola	Texas	Low	150.9	0.4

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Parker	Texas	Low	69.29	6.4
● Parmer	Texas	Medium	603.85	0
● Pecos	Texas	Low	18.96	1
● Polk	Texas	Low	15.58	2.7
● Potter	Texas	Low	15.33	1.4
● Presidio	Texas	Low	14.92	5.5
● Rains	Texas	Low	15.98	5.7
● Randall	Texas	Low	5.81	1.4
● Reagan	Texas	Low	25.98	1.2
● Real	Texas	Low	28.97	2.8
● Red River	Texas	Low	133.08	3.7
● Reeves	Texas	Low	18.78	2.9
● Refugio	Texas	Low	28.79	3.3
● Roberts	Texas	Medium	234.19	0
● Robertson	Texas	Low	64.43	2.7
● Rockwall	Texas	Medium	336.46	5.7
● Runnels	Texas	Low	38.97	1.2
● Rusk	Texas	Low	90.06	0.4
● Sabine	Texas	Low	9.49	4.6
● San Augustine	Texas	Low	36.42	4.6
● San Jacinto	Texas	Low	152.47	7
● San Patricio	Texas	Low	17.98	9.4
● San Saba	Texas	Low	0	0
● Schleicher	Texas	Low	0	1.2
● Scurry	Texas	Low	5.99	0
● Shackelford	Texas	Low	61.26	2.8
● Shelby	Texas	Low	51.44	4.6
● Sherman	Texas	Low	0	1.4
● Smith	Texas	Low	16.76	7.9
● Somervell	Texas	Low	0	6.4
● Starr	Texas	Low	100.57	6
● Stephens	Texas	Low	117.45	2.8
● Sterling	Texas	Low	0	1.2
● Stonewall	Texas	Low	0	2.8
● Sutton	Texas	Low	26.48	1.2
● Swisher	Texas	Low	108.15	1.4
● Tarrant	Texas	Low	64.16	6.4
● Taylor	Texas	Low	15.21	2.8
● Terrell	Texas	Low	0	1
● Terry	Texas	Low	0	0
● Throckmorton	Texas	Low	66.62	1.5
● Titus	Texas	Medium	280.92	2.9
● Tom Green	Texas	Low	21.81	1.2
● Travis	Texas	Low	30.22	2.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Trinity	Texas	Medium	204.76	2.7
● Tyler	Texas	Low	13.84	2.6
● Upshur	Texas	Low	141.31	0.4
● Upton	Texas	Low	0	1
● Uvalde	Texas	Low	48.61	3.7
● Val Verde	Texas	Low	67.31	6.3
● Van Zandt	Texas	Low	19.44	7.9
● Victoria	Texas	Low	21.72	3.3
● Walker	Texas	Low	27.41	2.7
● Waller	Texas	Low	74.21	7
● Ward	Texas	Low	0	2.9
● Washington	Texas	Low	158.85	2.7
● Webb	Texas	Low	80.61	2.4
● Wharton	Texas	Medium	264.7	0.4
● Wheeler	Texas	Low	59.34	0
● Wichita	Texas	Medium	239.73	1.5
● Wilbarger	Texas	Low	39.16	0
● Willacy	Texas	Low	177.92	2.2
● Williamson	Texas	Low	51.99	2.7
● Wilson	Texas	Low	199.73	8.1
● Winkler	Texas	Low	12.48	2.9
● Wise	Texas	Low	45.72	2.2
● Wood	Texas	Low	17.57	7.9
● Yoakum	Texas	Low	57.39	0
● Young	Texas	Low	16.66	1.5
● Zapata	Texas	Low	35.26	2.4
● Zavala	Texas	Low	16.89	8.1
● Beaver	Utah	Low	0	1.6
● Box Elder	Utah	Low	35.68	4.1
● Cache	Utah	Low	27.28	3.4
● Carbon	Utah	Low	0	0
● Daggett	Utah	Low	0	9.2
● Davis	Utah	Low	41.35	4.1
● Duchesne	Utah	Low	0	6.2
● Emery	Utah	Low	0	0
● Garfield	Utah	Low	0	5.9
● Grand	Utah	Low	0	4.3
● Iron	Utah	Low	0	1.6
● Juab	Utah	Low	8.32	6.3
● Kane	Utah	Low	0	5.9
● Millard	Utah	Low	53.08	6.3
● Morgan	Utah	Low	115.47	4.1
● Piute	Utah	Low	0	5.9
● Rich	Utah	Low	0	4.1

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Salt Lake	Utah	Low	35.16	6.2
● San Juan	Utah	Low	45.73	5.4
● Sanpete	Utah	Low	90.5	6.3
● Sevier	Utah	Low	9.25	6.3
● Summit	Utah	Low	66.44	6.2
● Tooele	Utah	Low	20.76	6.2
● Uintah	Utah	Low	0	6.2
● Utah	Utah	Low	28.29	6.3
● Wasatch	Utah	Low	38.13	6.2
● Washington	Utah	Low	0	5.9
● Wayne	Utah	Low	73.77	6.3
● Weber	Utah	Low	5.38	4.1
● Addison	Vermont	Medium	269.19	5.8
● Bennington	Vermont	Low	62.02	5
● Caledonia	Vermont	Medium	253.39	6.1
● Chittenden	Vermont	Low	112.96	5.8
● Essex	Vermont	Medium	275.84	0
● Franklin	Vermont	Low	113.36	5.8
● Grand Isle	Vermont	Low	138.22	5.8
● Lamoille	Vermont	Low	157.72	6.1
● Orange	Vermont	Low	173.06	6.9
● Orleans	Vermont	Low	188.63	6.1
● Rutland	Vermont	Low	103.11	1.7
● Washington	Vermont	Low	90.74	6.9
● Windham	Vermont	Low	90	3.4
● Windsor	Vermont	Medium	212.49	6.9
● Accomack	Virginia	Low	27.85	2.3
● Albemarle	Virginia	Low	92.38	7.8
● Alleghany	Virginia	Low	13.46	1.4
● Amelia	Virginia	Low	91.29	5.7
● Amherst	Virginia	Medium	291.09	8.6
● Appomattox	Virginia	Low	157.12	8.6
● Arlington	Virginia	Low	97.11	2.5
● Augusta	Virginia	Low	66.17	4.3
● Bath	Virginia	Low	96.46	1.4
● Bedford	Virginia	Low	120.26	8.6
● Bland	Virginia	Low	127.39	9.7
● Botetourt	Virginia	Medium	221.43	8.6
● Brunswick	Virginia	Medium	751.65	0
● Buchanan	Virginia	Medium	366.6	9.7
● Buckingham	Virginia	Low	151.62	7.8
● Campbell	Virginia	Medium	253.26	8.6
● Caroline	Virginia	Low	126.93	3.2
● Carroll	Virginia	Low	63.78	8

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Charles City	Virginia	Low	57.45	5.7
● Charlotte	Virginia	Medium	244.11	5.7
● Chesterfield	Virginia	Low	165.82	5.7
● Clarke	Virginia	Low	41.04	5.5
● Craig	Virginia	Low	19.49	8.6
● Culpeper	Virginia	Low	51.33	7.8
● Cumberland	Virginia	Medium	211.44	5.7
● Dickenson	Virginia	High	97.78	10.1
● Dinwiddie	Virginia	Low	94.59	7.2
● Essex	Virginia	Low	27.39	5.7
● Fairfax	Virginia	Low	56.47	2.5
● Fauquier	Virginia	Low	126.37	0.2
● Floyd	Virginia	Low	38.1	8.6
● Fluvanna	Virginia	Low	33	7.8
● Franklin	Virginia	Low	71.38	8.6
● Frederick	Virginia	Low	54.86	5.5
● Giles	Virginia	Low	113.64	8.7
● Gloucester	Virginia	Low	53.55	2.8
● Goochland	Virginia	Low	37.89	5.7
● Grayson	Virginia	Medium	231.51	8
● Greene	Virginia	Low	85.78	7.8
● Greensville	Virginia	Low	79.39	0
● Halifax	Virginia	Low	82.57	7.8
● Hanover	Virginia	Low	51.04	5.7
● Henrico	Virginia	Low	69.22	5.7
● Henry	Virginia	Low	164.17	1.5
● Highland	Virginia	Low	136.99	4.3
● Isle Of Wight	Virginia	Low	18.86	2.6
● James City	Virginia	Low	33.98	2.8
● King And Queen	Virginia	Low	28.47	5.7
● King George	Virginia	Low	40.99	3.2
● King William	Virginia	Low	34.99	5.7
● Lancaster	Virginia	Low	66.02	5.7
● Lee	Virginia	High	46.96	10.1
● Loudoun	Virginia	Low	149.2	2.5
● Louisa	Virginia	Low	125.03	7.8
● Lunenburg	Virginia	Low	188.59	7.8
● Madison	Virginia	Medium	497.7	7.8
● Mathews	Virginia	Low	56.6	2.8
● Mecklenburg	Virginia	Low	62.12	7.8
● Middlesex	Virginia	Low	37.8	5.7
● Montgomery	Virginia	Low	102.5	8.7
● Nelson	Virginia	Low	26.79	7.8
● New Kent	Virginia	Low	60.63	5.7

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Northampton	Virginia	Low	68.32	2.3
● Northumberland	Virginia	Low	74.41	5.7
● Nottoway	Virginia	Medium	210.08	5.7
● Orange	Virginia	Low	32.39	7.8
● Page	Virginia	Low	133.88	6
● Patrick	Virginia	Low	73.83	1.5
● Pittsylvania	Virginia	Medium	415.88	1.5
● Powhatan	Virginia	Medium	259.68	5.7
● Prince Edward	Virginia	Medium	228.05	5.7
● Prince George	Virginia	Low	156.44	7.2
● Prince William	Virginia	Low	55.7	0.2
● Pulaski	Virginia	Low	67.59	8.7
● Rappahannock	Virginia	Medium	257.8	7.8
● Richmond	Virginia	Low	99.75	5.7
● Roanoke	Virginia	Low	27.6	8.6
● Rockbridge	Virginia	Low	79.74	4.3
● Rockingham	Virginia	Low	0	6
● Russell	Virginia	Medium	18.81	13.2
● Scott	Virginia	Medium	27.82	13.2
● Shenandoah	Virginia	Low	64.2	5.5
● Smyth	Virginia	Medium	112.94	13.2
● Southampton	Virginia	Low	51.05	2.6
● Spotsylvania	Virginia	Low	37.44	3.2
● Stafford	Virginia	Low	28.78	3.2
● Surry	Virginia	Low	93.43	7.2
● Sussex	Virginia	Low	71.69	7.2
● Tazewell	Virginia	Low	93.61	9.7
● Warren	Virginia	Low	72.2	5.5
● Washington	Virginia	Medium	55.82	13.2
● Westmoreland	Virginia	Low	33.31	5.7
● Wise	Virginia	High	123.05	10.1
● Wythe	Virginia	Low	128.99	8.7
● York	Virginia	Low	79.09	2.8
● Alexandria City	Virginia	Low	52.69	2.5
● Bristol City	Virginia	Medium	35.8	13.2
● Buena Vista City	Virginia	Low	92.62	4.3
● Charlottesville City	Virginia	Low	57.12	7.8
● Chesapeake City	Virginia	Low	39.21	2.6
● Colonial Heights Cit	Virginia	Low	103.63	5.7
● Covington City	Virginia	Medium	1823.76	1.4
● Danville City	Virginia	Medium	309.66	1.5
● Emporia City	Virginia	Low	74.82	0
● Fairfax City	Virginia	Low	4.16	2.5
● Falls Church City	Virginia	Low	75.25	2.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Franklin City	Virginia	Low	0	2.6
● Fredericksburg City	Virginia	Low	99.88	3.2
● Galax City	Virginia	Low	31.51	8
● Hampton City	Virginia	Low	43.12	2.8
● Harrisonburg City	Virginia	Low	39.61	6
● Hopewell City	Virginia	Low	4.44	7.2
● Lexington City	Virginia	Low	0	4.3
● Lynchburg City	Virginia	Medium	352.94	8.6
● Manassas City	Virginia	Low	26.77	0.2
● Manassas Park City	Virginia	Low	45.77	0.2
● Martinsville City	Virginia	Medium	310.66	1.5
● Newport News City	Virginia	Low	52.45	2.8
● Norfolk City	Virginia	Low	184.97	2.6
● Norton City	Virginia	High	150.72	10.1
● Petersburg City	Virginia	Low	0	7.2
● Poquoson City	Virginia	Low	73.34	2.8
● Portsmouth City	Virginia	Low	14.83	2.6
● Radford City	Virginia	Low	82.2	8.7
● Richmond City	Virginia	Low	39.49	5.7
● Roanoke City	Virginia	Medium	352.02	8.6
● Salem City	Virginia	Low	7.9	8.6
● Staunton City	Virginia	Low	168.46	4.3
● Suffolk City	Virginia	Low	13.03	2.6
● Virginia Beach City	Virginia	Low	26.22	2.6
● Waynesboro City	Virginia	Low	53.03	4.3
● Williamsburg City	Virginia	Medium	234.05	2.8
● Winchester City	Virginia	Low	124.65	5.5
● Adams	Washington	Low	20.02	4.3
● Asotin	Washington	Low	181.56	3.2
● Benton	Washington	Low	91	3.3
● Chelan	Washington	Low	60.88	6.1
● Clallam	Washington	Low	47.85	8.2
● Clark	Washington	Low	183.93	4.7
● Columbia	Washington	Low	50.19	3.2
● Cowlitz	Washington	Low	144.67	4.7
● Douglas	Washington	Low	57.57	6.1
● Ferry	Washington	Low	65.56	4.3
● Franklin	Washington	Low	98.72	3.3
● Garfield	Washington	Low	0	3.2
● Grant	Washington	Low	40.93	6.1
● Grays Harbor	Washington	Low	46.63	3.5
● Island	Washington	Low	71.65	3
● Jefferson	Washington	Low	27.93	8.2
● King	Washington	Low	68.18	3

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Kitsap	Washington	Low	50.83	3
● Kittitas	Washington	Low	79.27	1
● Klickitat	Washington	Low	44.59	1.1
● Lewis	Washington	Low	76.82	3.5
● Lincoln	Washington	Low	73.13	4.3
● Mason	Washington	Low	50.92	3.5
● Okanogan	Washington	Low	108.89	6.1
● Pacific	Washington	Low	57.85	3.5
● Pend Oreille	Washington	Low	65.58	4.3
● Pierce	Washington	Low	115.03	7.7
● San Juan	Washington	Low	79.63	3
● Skagit	Washington	Low	48.76	3
● Skamania	Washington	Low	57.93	1.1
● Snohomish	Washington	Low	58.63	3
● Spokane	Washington	Low	150.92	4.3
● Stevens	Washington	Low	104.98	4.3
● Thurston	Washington	Low	56.1	3.5
● Wahkiakum	Washington	Low	89.13	4.7
● Walla Walla	Washington	Low	59.25	3.2
● Whatcom	Washington	Low	63.69	4.4
● Whitman	Washington	Low	19.96	2.2
● Yakima	Washington	Low	100.85	1
● Barbour	West Virginia	Medium	72.99	10
● Berkeley	West Virginia	Low	71.33	5.5
● Boone	West Virginia	Low	46.6	6.4
● Braxton	West Virginia	Medium	193.45	12.4
● Brooke	West Virginia	Low	196	2
● Cabell	West Virginia	Medium	79.4	13.6
● Calhoun	West Virginia	Medium	182.87	10.7
● Clay	West Virginia	Low	47.01	6.4
● Doddridge	West Virginia	Medium	11.84	12.4
● Fayette	West Virginia	Medium	146.21	12.8
● Gilmer	West Virginia	Medium	76.7	12.4
● Grant	West Virginia	Low	51.87	5.9
● Greenbrier	West Virginia	Low	121.17	1.4
● Hampshire	West Virginia	Low	51.78	5.5
● Hancock	West Virginia	Low	45.12	2
● Hardy	West Virginia	Low	43.55	5.9
● Harrison	West Virginia	High	251.28	12.4
● Jackson	West Virginia	Medium	69.99	10.7
● Jefferson	West Virginia	Low	57.75	5.5
● Kanawha	West Virginia	Low	56.7	6.4
● Lewis	West Virginia	Medium	81.73	12.4
● Lincoln	West Virginia	Medium	98	13.6

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Logan	West Virginia	High	68.71	22.9
● Mcdowell	West Virginia	Medium	243.99	9.7
● Marion	West Virginia	Low	137.32	8
● Marshall	West Virginia	Medium	327.54	6.8
● Mason	West Virginia	Medium	120.68	10.7
● Mercer	West Virginia	Low	127.64	9.7
● Mineral	West Virginia	Low	37.22	5.9
● Mingo	West Virginia	High	162.23	22.9
● Monongalia	West Virginia	Low	111.73	8
● Monroe	West Virginia	Low	75.33	1.4
● Morgan	West Virginia	Low	39.14	5.5
● Nicholas	West Virginia	Low	138.8	6.4
● Ohio	West Virginia	Low	43.47	6.8
● Pendleton	West Virginia	Low	43.05	6
● Pleasants	West Virginia	Medium	40.21	10.7
● Pocahontas	West Virginia	Medium	60.63	10
● Preston	West Virginia	Low	122.64	8
● Putnam	West Virginia	Low	81.49	6.4
● Raleigh	West Virginia	High	230.37	12.8
● Randolph	West Virginia	Medium	111.52	10
● Ritchie	West Virginia	Medium	167.47	10.7
● Roane	West Virginia	Medium	87.67	10.7
● Summers	West Virginia	Medium	127.26	12.8
● Taylor	West Virginia	Low	131.78	8
● Tucker	West Virginia	Medium	175.46	10
● Tyler	West Virginia	Low	81.48	6.8
● Upshur	West Virginia	High	235.77	12.4
● Wayne	West Virginia	Medium	58.37	13.6
● Webster	West Virginia	Medium	369.73	6.4
● Wetzel	West Virginia	Low	185.86	6.8
● Wirt	West Virginia	Medium	17.18	10.7
● Wood	West Virginia	Medium	79.02	10.7
● Wyoming	West Virginia	Medium	191.23	12.8
● Adams	Wisconsin	Low	29.67	4.3
● Ashland	Wisconsin	Low	64.26	0
● Barron	Wisconsin	Medium	70.73	11.8
● Bayfield	Wisconsin	Low	133.01	0
● Brown	Wisconsin	Low	34.02	4.6
● Buffalo	Wisconsin	Low	84.41	5.5
● Burnett	Wisconsin	Low	32.44	0
● Calumet	Wisconsin	Low	41.93	4.1
● Chippewa	Wisconsin	Low	34.03	5.5
● Clark	Wisconsin	Low	14.38	8.9
● Columbia	Wisconsin	Low	52.14	3.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Crawford	Wisconsin	Low	12.4	2
● Dane	Wisconsin	Low	76.46	3.5
● Dodge	Wisconsin	Low	38.71	1.2
● Door	Wisconsin	Low	25.3	4.6
● Douglas	Wisconsin	Low	67.21	6.3
● Dunn	Wisconsin	Low	17.63	5.5
● Eau Claire	Wisconsin	Low	55.42	5.5
● Florence	Wisconsin	Low	0	4.8
● Fond Du Lac	Wisconsin	Low	28.05	1.2
● Forest	Wisconsin	Low	11.11	7.6
● Grant	Wisconsin	Low	48.6	3.5
● Green	Wisconsin	Low	186.69	5.1
● Green Lake	Wisconsin	Low	26.44	1.2
● Iowa	Wisconsin	Low	25.34	3.5
● Iron	Wisconsin	Low	17.58	7.6
● Jackson	Wisconsin	Low	24.22	4.8
● Jefferson	Wisconsin	Low	46.01	1.1
● Juneau	Wisconsin	Low	44.97	4.3
● Kenosha	Wisconsin	Low	31.85	7.7
● Kewaunee	Wisconsin	Low	19.58	4.6
● La Crosse	Wisconsin	Low	108.46	9.3
● Lafayette	Wisconsin	Low	54.01	5.1
● Langlade	Wisconsin	Low	31.27	0
● Lincoln	Wisconsin	Low	36.24	8.9
● Manitowoc	Wisconsin	Low	29.12	4.1
● Marathon	Wisconsin	Low	34.64	8.9
● Marinette	Wisconsin	Low	84.26	4.8
● Marquette	Wisconsin	Low	57.79	3.5
● Menominee	Wisconsin	Low	175.59	0
● Milwaukee	Wisconsin	Low	38.81	4.3
● Monroe	Wisconsin	Low	56.21	9.3
● Oconto	Wisconsin	Low	36.91	4.6
● Oneida	Wisconsin	Low	30.9	7.6
● Outagamie	Wisconsin	Low	31.4	1.3
● Ozaukee	Wisconsin	Low	56.04	4.3
● Pepin	Wisconsin	Low	54.89	5.5
● Pierce	Wisconsin	Low	65.49	0.6
● Polk	Wisconsin	Low	47.96	3.9
● Portage	Wisconsin	Low	45.22	5.7
● Price	Wisconsin	Low	14.98	0
● Racine	Wisconsin	Low	34.13	7.7
● Richland	Wisconsin	Low	81.15	3.5
● Rock	Wisconsin	Low	56.32	5.1
● Rusk	Wisconsin	Medium	28.21	11.8

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● St Croix	Wisconsin	Low	54.03	0.6
● Sauk	Wisconsin	Low	24.83	3.5
● Sawyer	Wisconsin	Low	78.51	0
● Shawano	Wisconsin	Low	36.68	0
● Sheboygan	Wisconsin	Low	24.28	4.1
● Taylor	Wisconsin	Low	39.33	8.9
● Trempealeau	Wisconsin	Low	47.22	9.3
● Vernon	Wisconsin	Low	42.18	9.3
● Vilas	Wisconsin	Low	18.02	7.6
● Walworth	Wisconsin	Low	25.99	1.1
● Washburn	Wisconsin	Low	0	0
● Washington	Wisconsin	Low	36.02	4.3
● Waukesha	Wisconsin	Low	47.01	4.3
● Waupaca	Wisconsin	Low	39.22	1.3
● Waushara	Wisconsin	Low	24.55	1.2
● Winnebago	Wisconsin	Low	61.66	1.2
● Wood	Wisconsin	Low	63.01	8.9
● Albany	Wyoming	Low	30.86	3.6
● Big Horn	Wyoming	Low	25.45	2.4
● Campbell	Wyoming	Low	28.05	1.3
● Carbon	Wyoming	Low	54.05	3.6
● Converse	Wyoming	Low	21.7	3.2
● Crook	Wyoming	Low	0	1.3
● Fremont	Wyoming	Medium	38.21	11.7
● Goshen	Wyoming	Low	83.26	5.7
● Hot Springs	Wyoming	Medium	0	11.7
● Johnson	Wyoming	Low	0	0
● Laramie	Wyoming	Low	43.22	8.8
● Lincoln	Wyoming	Low	0	7.5
● Natrona	Wyoming	Low	22.54	3.2
● Niobrara	Wyoming	Low	42.44	5.7
● Park	Wyoming	Low	20.55	2.4
● Platte	Wyoming	Low	23.83	0
● Sheridan	Wyoming	Low	16.4	0
● Sublette	Wyoming	Low	10.17	7.5
● Sweetwater	Wyoming	Low	16.53	9.2
● Teton	Wyoming	Low	110.81	7.5
● Uinta	Wyoming	Low	39.55	0
● Washakie	Wyoming	Medium	25.62	11.7
● Weston	Wyoming	Low	14.44	0
● Adjuntas	Puerto Rico	Low	97.91	1.5
● Aguada	Puerto Rico	Low	89.93	1.5
● Aguadilla	Puerto Rico	Low	41.78	1.5
● Aguas Buenas	Puerto Rico	Low	12.09	1.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Aibonito	Puerto Rico	Low	22.62	1.5
● Anasco	Puerto Rico	Low	3.82	1.5
● Arecibo	Puerto Rico	Low	20.74	1.5
● Arroyo	Puerto Rico	Low	17.4	1.5
● Barceloneta	Puerto Rico	Low	25.29	1.5
● Barranquitas	Puerto Rico	Low	43.28	1.5
● Bayamon	Puerto Rico	Low	25.4	1.5
● Cabo Rojo	Puerto Rico	Low	46.3	1.5
● Caguas	Puerto Rico	Low	24.08	1.5
● Camuy	Puerto Rico	Low	42.62	1.5
● Canovanas	Puerto Rico	Low	20.15	1.5
● Carolina	Puerto Rico	Low	34.7	1.5
● Catano	Puerto Rico	Low	73.53	1.5
● Cayey	Puerto Rico	Low	21.22	1.5
● Ceiba	Puerto Rico	Low	27.51	1.5
● Ciales Municipality	Puerto Rico	Low	44.28	1.5
● Cidra	Puerto Rico	Low	36.55	1.5
● Coamo	Puerto Rico	Low	15.65	1.5
● Comerio	Puerto Rico	Low	21.45	1.5
● Corozal	Puerto Rico	Low	9.29	1.5
● Culebra	Puerto Rico	Low	0	1.5
● Dorado	Puerto Rico	Low	38.74	1.5
● Fajardo	Puerto Rico	Low	10.19	1.5
● Florida	Puerto Rico	Low	79.53	1.5
● Guanica	Puerto Rico	Low	58.51	1.5
● Guayama	Puerto Rico	Low	22.81	1.5
● Guayanilla	Puerto Rico	Low	28.37	1.5
● Guaynabo	Puerto Rico	Low	35.83	1.5
● Gurabo	Puerto Rico	Low	16.99	1.5
● Hatillo	Puerto Rico	Low	40.8	1.5
● Hormigueros	Puerto Rico	Low	77.33	1.5
● Humacao Municipa...	Puerto Rico	Low	17.77	1.5
● Isabela	Puerto Rico	Low	24.74	1.5
● Jayuya	Puerto Rico	Low	57.59	1.5
● Juana Diaz	Puerto Rico	Low	22.38	1.5
● Juncos	Puerto Rico	Low	26.21	1.5
● Lajas	Puerto Rico	Low	36.35	1.5
● Lares	Puerto Rico	Low	37.07	1.5
● Las Marias	Puerto Rico	Low	151.38	1.5
● Las Piedras	Puerto Rico	Low	16.21	1.5
● Loiza	Puerto Rico	Low	20.36	1.5
● Luquillo	Puerto Rico	Low	22.64	1.5
● Manati	Puerto Rico	Low	10.73	1.5
● Maricao	Puerto Rico	Low	0	1.5

Location	State	Community Level	Cases per 100k	Hosp Adm per 100k
● Maunabo	Puerto Rico	Low	87.2	1.5
● Mayaguez	Puerto Rico	Low	34.95	1.5
● Moca	Puerto Rico	Low	34.39	1.5
● Morovis	Puerto Rico	Low	92.3	1.5
● Nabuabo	Puerto Rico	Low	11.65	1.5
● Naranjito	Puerto Rico	Low	40.22	1.5
● Orocovis	Puerto Rico	Low	49.46	1.5
● Patillas	Puerto Rico	Low	24.67	1.5
● Penuelas	Puerto Rico	Low	31.17	1.5
● Ponce	Puerto Rico	Low	51.56	1.5
● Quebradillas	Puerto Rico	Low	52.36	1.5
● Rincon	Puerto Rico	Low	29.29	1.5
● Rio Grande	Puerto Rico	Low	12.49	1.5
● Sabana Grande	Puerto Rico	Low	18.42	1.5
● Salinas	Puerto Rico	Low	51.61	1.5
● San German	Puerto Rico	Low	39.7	1.5
● San Juan	Puerto Rico	Low	23.87	1.5
● San Lorenzo	Puerto Rico	Low	0	1.5
● San Sabastian	Puerto Rico	Low	47.85	1.5
● Santa Isabel	Puerto Rico	Low	4.71	1.5
● Toa Alta	Puerto Rico	Low	20.83	1.5
● Toa Baja	Puerto Rico	Low	36.35	1.5
● Trujillo Alto	Puerto Rico	Low	14.13	1.5
● Utuado	Puerto Rico	Low	83.96	1.5
● Vega Alta	Puerto Rico	Low	8.32	1.5
● Vega Baja	Puerto Rico	Low	27.99	1.5
● Vieques	Puerto Rico	Low	0	1.5
● Villalba	Puerto Rico	Low	9.36	1.5
● Yabucoa	Puerto Rico	Low	12.39	1.5
● Yauco	Puerto Rico	Low	80.42	1.5

[Download Data \(CSV\)](#)

About These Data ^

COVID-19 Community Levels were calculated on March 17, 2022

- New COVID-19 cases per 100,000 population (7-day total) are calculated using data from March 10-March 16, 2022
- New COVID-19 admissions per 100,000 population (7-day total) are calculated using data from March 9-March 15, 2022
- Percent of inpatient beds occupied by COVID-19 patients (7-day average) is calculated using data from March 9-March 15, 2022

- To view and download this week and previous weeks data visit [United States COVID-19 Community Levels by County as Originally Posted | Data | Centers for Disease Control and Prevention \(cdc.gov\)](#)

Data for America Samoa, Guam, Commonwealth of the Northern Mariana Islands, and United States Virgin Islands are available in the downloadable CSV file.

Data Table

* Hosp Adm per 100k = New COVID-19 hospital admissions per 100,000 population (7-day total)

** Hosp Beds Occupied = Percent of staffed inpatient beds occupied by COVID-19 patients (7-day average)

*** HSA Number = Health Service Area Number

**** HSA Name = Health Service Area Name

COVID-19 Community Level and COVID-19 Prevention

People who are [up to date on vaccines](#) have much lower risk of severe illness and death from COVID-19 compared with unvaccinated people. When making decisions about community prevention strategies and individual preventive behaviors in addition to vaccination, health officials and people should consider the COVID-19 Community Level in the county. Layered prevention strategies — like staying up to date on vaccines, screening testing, ventilation and wearing masks — can help limit severe disease and reduce the potential for strain on the healthcare system. CDC recommends using county COVID-19 Community Levels to help determine which COVID-19 prevention measures to use for individuals and communities.

Some community settings such as schools and some high-risk congregate settings such as correctional facilities and homeless shelters might include additional layers of prevention (e.g., physical distancing, contact tracing) based on information and data about the characteristics of the setting. High-risk congregate settings may implement added prevention as needed in the event of a facility outbreak even if COVID-19 Community Levels in the surrounding community are low. Jurisdictions should monitor health equity in vaccine and other prevention efforts and assess hospitalization data where possible to ensure outreach occurs to address any disparities in access to high quality healthcare. Recommendations based on COVID-19 Community Levels may not apply to [healthcare settings](#) such as hospitals or long-term care facilities.

COVID-19 Community Level	Individual- and household-level prevention behaviors	Community-level prevention strategies (as recommended by state or local authorities)
Low	<ul style="list-style-type: none"> • Stay up to date with COVID-19 vaccines and boosters • Maintain improved ventilation throughout indoor spaces when possible • Follow CDC recommendations for isolation and quarantine, including getting tested if you are exposed to COVID-19 or have symptoms of COVID-19 • If you are immunocompromised or high risk for severe disease <ul style="list-style-type: none"> - Have a plan for rapid testing if needed (e.g., having home tests or access to testing) - Talk to your healthcare provider about whether you are a candidate for treatments like oral antivirals, PrEP, and monoclonal antibodies 	<ul style="list-style-type: none"> • Distribute and administer vaccines to achieve high community vaccination coverage and ensure health equity • Maintain improved ventilation in public indoor spaces • Ensure access to testing, including through point-of-care and at-home tests for all people <ul style="list-style-type: none"> - Communicate with organizations and places that serve people who are immunocompromised or at high risk for severe disease to ensure they know how to get rapid testing • Ensure access and equity in vaccination, testing, treatment, community outreach, support services for disproportionately affected populations

COVID-19 Community Level	Individual- and household-level prevention behaviors	Community-level prevention strategies (as recommended by state or local authorities)
<p>Medium</p>	<ul style="list-style-type: none"> • If you are immunocompromised or high risk for severe disease <ul style="list-style-type: none"> - Talk to your healthcare provider about whether you need to wear a mask and take other precautions (e.g., testing) - Have a plan for rapid testing if needed (e.g., having home tests or access to testing) - Talk to your healthcare provider about whether you are a candidate for treatments like oral antivirals, PrEP, and monoclonal antibodies • If you have household or social contact with someone at high risk for severe disease <ul style="list-style-type: none"> - consider self-testing to detect infection before contact - consider wearing a mask when indoors with them • Stay up to date with COVID-19 vaccines and boosters • Maintain improved ventilation throughout indoor spaces when possible • Follow CDC recommendations for isolation and quarantine, including getting tested if you are exposed to COVID-19 or have symptoms of COVID-19 	<ul style="list-style-type: none"> • Protect people at high risk for severe illness or death by ensuring equitable access to vaccination, testing, treatment, support services, and information • Consider implementing screening testing or other testing strategies for people who are exposed to COVID-19 in workplaces, schools, or other community settings as appropriate • Implement enhanced prevention measures in high-risk congregate settings (see guidance for correctional facilities and homeless shelters) • Distribute and administer vaccines to achieve high community vaccination coverage and ensure health equity • Maintain improved ventilation in public indoor spaces • Ensure access to testing, including through point-of-care and at-home tests for all people <ul style="list-style-type: none"> - Communicate with organizations and places that serve people who are immunocompromised or at high risk for severe disease to ensure they know how to get rapid testing • Ensure access and equity in vaccination, testing, treatment, community outreach, support services for disproportionately affected populations

COVID-19 Community Level	Individual- and household-level prevention behaviors	Community-level prevention strategies (as recommended by state or local authorities)
High	<ul style="list-style-type: none"> • Wear a well-fitting mask¹ indoors in public, regardless of vaccination status (including in K-12 schools and other indoor community settings) • If you are immunocompromised or high risk for severe disease <ul style="list-style-type: none"> - Wear a mask or respirator that provides you with greater protection - Consider avoiding non-essential indoor activities in public where you could be exposed - Talk to your healthcare provider about whether you need to wear a mask and take other precautions (e.g., testing) - Have a plan for rapid testing if needed (e.g., having home tests or access to testing) - Talk to your healthcare provider about whether you are a candidate for treatments like oral antivirals, PrEP, and monoclonal antibodies • If you have household or social contact with someone at high risk for severe disease <ul style="list-style-type: none"> - consider self-testing to detect infection before contact - consider wearing a mask when indoors with them • Stay up to date with COVID-19 vaccines and boosters • Maintain improved ventilation throughout indoor spaces when possible • Follow CDC recommendations for isolation and quarantine, including getting tested if you are exposed to COVID-19 or have symptoms of COVID-19 	<ul style="list-style-type: none"> • Consider setting-specific recommendations for prevention strategies based on local factors • Implement healthcare surge support as needed • Protect people at high risk for severe illness or death by ensuring equitable access to vaccination, testing, treatment, support services, and information • Consider implementing screening testing or other testing strategies for people who are exposed to COVID-19 in workplaces, schools, or other community settings as appropriate • Implement enhanced prevention measures in high-risk congregate settings (see guidance for correctional facilities and homeless shelters) • Distribute and administer vaccines to achieve high community vaccination coverage and ensure health equity • Maintain improved ventilation in public indoor spaces • Ensure access to testing, including through point-of-care and at-home tests for all people <ul style="list-style-type: none"> - Communicate with organizations and places that serve people who are immunocompromised or at high risk for severe disease to ensure they know how to get rapid testing • Ensure access and equity in vaccination, testing, treatment, community outreach, support services for disproportionately affected populations

¹ At all levels, people can wear a mask based on personal preference, informed by personal level of risk. People with symptoms, a positive test, or exposure to someone with COVID-19 should wear a mask.

Additional Resources

Visit [COVID Data Tracker](#)* to learn more about the indicators and metrics used for COVID-19 community level in your [county](#). Please note that county-level data are not available for territories. For the most accurate and up-to-date data for any county or state, visit the relevant [health department website](#).

*COVID Data Tracker may display data that differ from state and local websites. This can be due to differences in how data were collected, how metrics were calculated, or the timing of web updates.