



COVID-19

Moderna COVID-19 Vaccine (also known as Spikevax) Overview and Safety

Updated Mar. 22, 2022

General Information

Manufacturer: ModernaTX, Inc.

Type of Vaccine: mRNA

Number of Shots: 2 shots in the primary series, given 4–8 weeks apart.

How Given: Shot in the muscle of the upper arm

People ages 18 years and older who are moderately or severely immunocompromised should get a third shot at least 4 weeks after their second shot.

Does NOT Contain: Eggs, preservatives, latex, metals
[See Full List of Ingredients Below](#)

Name: mRNA-1273

Booster Shot: People ages 18 years and older who received a Moderna primary series should get a booster shot.

[Staying up to date](#) means getting all recommended COVID-19 vaccines, including a [booster shot](#) when eligible.

People who are moderately or severely immunocompromised have specific COVID-19 vaccine recommendations, which include an [additional third dose](#) to complete their primary series, as well as a [booster shot](#) for those eligible.

Who Should Get Vaccinated

- The Moderna vaccine is recommended for people ages 18 years and older.

Who Should NOT Get Vaccinated

- If you have had a [severe allergic reaction](#) to any ingredient in an mRNA COVID-19 vaccine (such as polyethylene glycol), you should not get an mRNA COVID-19 vaccine (Moderna or Pfizer-BioNTech).
- If you had a severe allergic reaction after getting the first dose of an mRNA COVID-19 vaccine, you should not get a second dose of either of the mRNA COVID-19 vaccines (Moderna or Pfizer-BioNTech).
- A severe allergic reaction can cause a rapid heartbeat, difficulty breathing, swelling of the throat, or a generalized rash or hives. A person with a severe allergic reaction needs to be treated with epinephrine (often given as an EpiPen®) and should seek immediate medical attention.

If you cannot get an mRNA COVID-19 vaccine, you may still be able to get a different type of COVID-19 vaccine. Get more [information for people with allergies](#).

Moderna (Spikevax) Name Change

Moderna (Spikevax) COVID-19 vaccine name change

Moderna (Spikevax) COVID-19 vaccine received U.S. Food and Drug Administration (FDA) approval on January 31, 2022, for individuals ages 18 years and older. Once vaccines are approved by the FDA, companies can market the vaccines under brand names. Spikevax is the brand name for the Moderna COVID-19 vaccine. The FDA-authorized Moderna COVID-19 vaccine for individuals ages 18 years and older will now be marketed as Spikevax. **No change has been made to the vaccine's formula** with the name change.

Moderna COVID-19 Vaccine Ingredients

All COVID-19 vaccine ingredients are safe. Nearly all the ingredients in COVID-19 vaccines are ingredients found in many foods—fats, sugars, and salts. The Moderna COVID-19 vaccine also contains a harmless piece of messenger RNA (mRNA). The COVID-19 mRNA teaches cells in the body how to create an effective [immune response](#) to the virus that causes COVID-19. This response helps protect you from getting sick with COVID-19 in the future. After the body produces an immune response, it discards all the vaccine ingredients, just as it would discard any substance that cells no longer need. This process is a part of normal body functioning.

All COVID-19 vaccines are manufactured with as few ingredients as possible and with very small amounts of each ingredient. Each ingredient in the vaccine serves a specific purpose as seen in the table below.

Full list of ingredients

The Moderna COVID-19 vaccine contains the following ingredients:

Type of Ingredient	Ingredient	Purpose
Messenger ribonucleic acid (mRNA)	<ul style="list-style-type: none">Nucleoside-modified mRNA encoding the viral spike (S) glycoprotein of SARS-CoV-2	Provides instructions the body uses to build a harmless piece of a protein from the virus that causes COVID-19. This protein causes an immune response that helps protect the body from getting sick with COVID-19 in the future.
Lipids (fats)	<ul style="list-style-type: none">PEG2000-DMG: 1,2-dimyristoyl-rac-glycerol, methoxypolyethylene glycol1,2-distearoyl-sn-glycero-3-phosphocholineBotaniChol® (non-animal origin cholesterol)SM-102: heptadecane-9-yl 8-((2-hydroxyethyl) (6-oxo-6-(undecyloxy) hexyl) amino) octanoate	Work together to help the mRNA enter cells.
Salt, sugar, acid stabilizers, and acid	<ul style="list-style-type: none">Sodium acetateSucrose (basic table sugar)TromethamineTromethamine hydrochlorideAcetic acid (the main ingredient in white household vinegar)	Work together to help keep the vaccine molecules stable while the vaccine is manufactured, frozen, shipped, and stored until it is ready to be given to a vaccine recipient.

Ingredients that are NOT used in COVID-19 vaccines

The above table lists ALL ingredients in the Moderna COVID-19 vaccine. There are NO ingredients in this vaccine beyond what is listed in the table. The Moderna COVID-19 vaccine has

- **No preservatives** like thimerosal or mercury or any other preservatives.
- **No antibiotics** like sulfonamide or any other antibiotics.
- **No medicines or therapeutics** like ivermectin or any other medications.
- **No tissues** like aborted fetal cells, gelatin, or any materials from any animal.
- **No food proteins** like eggs or egg products, gluten, peanuts, tree nuts, nut products, or any nut byproducts (COVID-19 vaccines are not manufactured in facilities that produce food products).
- **No metals** like iron, nickel, cobalt, titanium, rare earth alloys, or any manufactured products like microelectronics, electrodes, carbon nanotubes or other nanostructures, or nanowire semiconductors.
- **No latex.** The vial stoppers used to hold the vaccine also do not contain latex.

Possible Side Effects

In the arm where you got the shot:

- Pain
- Redness
- Swelling

Throughout the rest of your body:

- Tiredness
- Headache
- Muscle pain
- Chills
- Fever
- Nausea

These side effects are normal signs that your body is building protection and should go away within a few days. Talk to a doctor about taking over-the-counter medicine, such as ibuprofen, acetaminophen, aspirin (only for people ages 18 years or older), or antihistamines for any pain or discomfort experienced after getting vaccinated.

Learn more about [possible side effects after getting a COVID-19 vaccine](#).

Other authorized or approved COVID-19 vaccines in the United States and eligible age groups

- [Pfizer-BioNTech](#) (ages 5 years and older)
- [Johnson & Johnson's Janssen](#) (ages 18 years and older)

You should get a COVID-19 vaccination as soon as possible. All currently approved or authorized COVID-19 vaccines are [safe](#) and [effective](#). However, CDC recommends that people who are starting their vaccine series or getting a booster dose get either Pfizer-BioNTech or Moderna (mRNA COVID-19 vaccines). The mRNA vaccines are preferred over Johnson & Johnson's Janssen COVID-19 vaccine in most circumstances.

CDC does not recommend mixing products for a two-dose primary series or additional primary doses. For a booster dose, adults ages 18 years and older may choose which vaccine product they get. CDC recommends either Pfizer-BioNTech or Moderna (mRNA COVID-19 vaccines) in most circumstances. Although mRNA vaccines are preferred, the J&J/Janssen COVID-19 vaccine [may be considered in some situations](#).

Safety Data Summary

- COVID-19 vaccines have undergone—and will continue to undergo—the most intensive safety monitoring in U.S. history. Evidence from the hundreds of millions of COVID-19 vaccines already administered in the United States, and the billions of vaccines administered globally, demonstrates that they are [safe](#) and [effective](#).
- Side effects that happen within 7 days of getting vaccinated are common but are mostly mild to mostly moderate. Some people have reactions that affect their ability to do daily activities.

- Side effects throughout the body (such as fever, chills, tiredness, and headache) are more common after the second dose of the vaccine.
- There is a rare risk of [myocarditis and pericarditis](#) associated with mRNA COVID-19 vaccination, mostly among males ages 12 through 39 years. The rare risk may be further reduced with a longer interval between the first and second dose. Learn more about [the timing for your second dose](#).

Learn more about [vaccine safety monitoring](#) after a vaccine is authorized or approved for use.

Learn more about [vaccine safety monitoring](#) after a vaccine is authorized or approved for use.

How Well the Vaccine Works

- Vaccines reduce the risk of COVID-19, including the risk of severe illness and death among people who are fully vaccinated.
- COVID-19 vaccines are effective, but studies have shown vaccine protection declines over time especially with the Omicron variant. Learn more about getting a [booster](#) shot to enhance or restore protection against COVID-19.
- All FDA-approved or authorized COVID-19 vaccines provide substantial protection against COVID-19 hospitalization and death.
- CDC will continue to provide updates as we learn more.

Learn about [demographic information for people who participated in the trials \[PDF – 54 pages\]](#) [↗](#).

Related Pages

- › [Possible Side Effects](#)
- › [Safety of COVID-19 Vaccines](#)
- › [Benefits of Getting Vaccinated](#)
- › [How Vaccines Work](#)
- › [mRNA Vaccines](#)



For Healthcare Workers

[Moderna COVID-19 Vaccine](#): General information, schedule and administration overview.

More Information

[Moderna's COVID-19 Vaccine Fact Sheet for Recipients and Caregivers \[PDF – 6 pages\]](#) [↗](#)

[MMWR: Allergic Reactions Including Anaphylaxis After Receipt of the First Dose of Moderna COVID-19 Vaccine — United States, December 21, 2020–January 10, 2021](#)

[Safety and Reactogenicity Data](#)

