



COVID-19

Isolation and Quarantine in Early Care and Education (ECE) Programs

Quick guides

Updated May 20, 2022

Quick Guide: Isolation

What to do when a child in your early care and education (ECE) program might have COVID-19.

DAY 0
Child is sick or has a positive COVID-19 test

DAYS 1-5
Child stays home and isolates away from other people to the extent possible.

DAY 6
Is the child **fever-free** for 24 hours without the use of fever-reducing medication? **AND** is the child **free of symptoms** or **symptoms improved**? **AND** is the child 2 years of age or older and **able to consistently wear a mask** in the ECE program?

- **YES:** Return to the ECE program
- **NO:** Continue to days 6-10

Accessible version: <https://www.cdc.gov/coronavirus/2019-ncov/community/schools-childcare/sick-at-child-care-flowchart.html>

QUICK GUIDE: ISOLATION | COVID-19 |

What to do when a child in your early care and education (ECE) program might have COVID-19

DAY 0 Child is sick or has a positive COVID-19 test

Isolation

DAY 1-5 Child stays home and isolates away from other people to the extent possible.

DAY 6 Is the child **fever-free** for 24 hours without the use of fever-reducing medication? **AND** is the child **free of symptoms** or **symptoms improved**? **AND** is the child 2 years of age or older and **able to consistently wear a mask** in the ECE program?

YES → Return to the ECE program

NO → It is **safest** to continue isolation until the end of day 10¹. For children who have symptoms, continue isolation until the child is **fever-free** for 24 hours without the use of fever-reducing medication and other symptoms have improved. For children who were severely ill, or whose fever persists past day 10, consult a healthcare professional before returning to the ECE program.

DAY 6-10

Return to the ECE program

Whenever possible, keep children who are returning from isolation or quarantine before day 11 away from people who are at high risk, and 6 feet apart when masks are not worn.

¹For program administrators: When you determine isolation policies, you should consider multiple factors: The impact of the loss of access to education and care on the well-being of children and families, the level of community transmission of COVID-19, presence of other people who are at high risk for severe illness, and the ability to use additional prevention strategies.

cdc.gov/coronavirus

CS329497-A

PRINTOUT
Quick Guides for Isolation and Quarantine
View PDF [755 KB, 2 pages], Spanish [755KB, 2 pages]

DAYS 6–10

It is **safest** to continue isolation until the end of day 10 ^[1].

- For children who have symptoms, continue isolation until the child is **fever-free** for 24 hours without the use of fever-reducing medication and other symptoms have improved.
- For children who were severely ill, or whose fever persists past day 10, consult a healthcare professional before returning to the ECE program.
- **After day 10, return to the ECE program.**

Quick Guide: Quarantine

What to do when a child in your early care and education program (ECE) might have been exposed to COVID-19.

DAY 0

Child has been in **close contact** with **someone who has COVID-19**

Does the child need to quarantine?

Did the child have confirmed **COVID-19 within the last 90 days** AND is the child without symptoms?

- **YES:** [Return to the ECE program](#)
- **NO:** Continue to the next question

Is the child [up to date with COVID-19 vaccines](#)?

- **YES:** [Return to the ECE program](#)
- **NO:** The child should [quarantine](#)

DAYS 1–5

Child stays home and **quarantines** away from other people to the extent possible. Monitor for symptoms.

DAY 6

Is the child 2 years of age or older and **able to consistently wear a mask** in the ECE program?

- **YES:** [Return to the ECE program](#)

- **NO:** Continue to days 6–10

DAYS 6–10

It is **safest** to continue to quarantine until the end of day 10 ^[1].

- **After day 10, return to the ECE program.**

If the child has or develops symptoms at any point during their quarantine period, they should isolate immediately. Consult a healthcare professional for testing recommendations.

Return to the ECE Program

Whenever possible, keep children who are returning from isolation or quarantine before day 11 away from people who are at high risk, and 6 feet apart when masks are not worn.

¹ **For program administrators:** When you determine isolation or quarantine policies, you should consider multiple factors: The impact of the loss of access to education and care on the well-being of children and families, the level of community transmission of COVID-19, presence of other people who are at high risk for severe illness, and the ability to use additional prevention strategies.

Last Updated May 20, 2022