

Weekly U.S. Influenza Surveillance Report

Updated July 1, 2022



2021-2022 Influenza Season for Week 25, ending June 25, 2021

All data are preliminary and may change as more reports are received.

A description of the CDC influenza surveillance system, including methodology and detailed descriptions of each data component is available on the [surveillance methods](https://wwwdev.cdc.gov/flu/weekly/overview.htm) page.

Additional information on the current and previous influenza seasons for each surveillance component are available on [FluView Interactive](https://wwwdev.cdc.gov/flu/weekly/fluviewinteractive.htm).

U.S. Virologic Surveillance


https://www.cdc.gov/flu/weekly/overview.htm#anchor_1633697372803

Clinical Laboratories

The results of tests performed by clinical laboratories nationwide are summarized below. Data from clinical laboratories (the percentage of specimens tested that are positive for influenza) are used to monitor whether influenza activity is increasing or decreasing.

	Week 25	Data Cumulative since October 3, 2021 (Week 40)
No. of specimens tested	47,363	2,879,071
No. of positive specimens (%)	833 (1.8%)	125,645 (4.4%)
<i>Positive specimens by type</i>		
Influenza A	816 (98.0%)	123,810 (98.5%)
Influenza B	17 (2.0%)	1,835 (1.5%)

Influenza Positive Tests Reported to CDC by U.S. Clinical Laboratories, National Summary, October 3, 2021 – June 25, 2022



<http://gis.cdc.gov/grasp/fluview/fluportaldashboard.html>


[View Chart Data \(/flu/weekly/weeklyarchives2021-2022/data/whoAllregt_cl25.html\)](/flu/weekly/weeklyarchives2021-2022/data/whoAllregt_cl25.html) | [View Full Screen \(/flu/weekly/weeklyarchives2021-2022/WhoNPHL25.html\)](/flu/weekly/weeklyarchives2021-2022/WhoNPHL25.html)

Public Health Laboratories

The results of tests performed by public health laboratories nationwide are summarized below. Data from public health laboratories are used to monitor the proportion of circulating viruses that belong to each influenza subtype/lineage. Data from public health laboratories are used to monitor the proportion of circulating viruses that belong to each influenza subtype/lineage. Viruses known to be associated with recent live attenuated influenza vaccine (LAIV) receipt or found upon further testing to be a vaccine virus are not included as they are not circulating influenza viruses.

	Week 25	Data Cumulative since October 3, 2021 (Week 40)
No. of specimens tested	11,818	899,596
No. of positive specimens	63	24,670
<i>Positive specimens by type/subtype</i>		
Influenza A	62 (98.4%)	24,540 (99.5%)
(H1N1)pdm09	0	25 (0.1%)
H3N2	45 (100%)	19,257 (99.9%)

	Week 25	Data Cumulative since October 3, 2021 (Week 40)
H3N2v	0	1 (<0.1%)
Subtyping not performed	17	5,257
Influenza B	1 (1.6%)	130 (0.5%)
Yamagata lineage	0	1 (2.4%)
Victoria lineage	0	40 (97.6%)
Lineage not performed	1	89



[View Chart Data \(/flu/weekly/weeklyarchives2021-2022/data/whoAllregt_phl25.html\)](#) |
 [View Full Screen \(/flu/weekly/weeklyarchives2021-2022/WhoPHL25.html\)](#)

Additional virologic surveillance information for current and past seasons:

[Surveillance Methods \(/flu/weekly/overview.htm#anchor_1633697372803\)](#) |
 [FluView Interactive: National, Regional, and State Data \(http://gis.cdc.gov/grasp/fluview/fluportaldashboard.html\)](#) or
 [Age Data \(https://gis.cdc.gov/grasp/fluview/flu_by_age_virus.html\)](#)


Outpatient Respiratory Illness Surveillance

(https://www.cdc.gov/flu/weekly/overview.htm#anchor_1539281266932)

The U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet) monitors outpatient visits for influenza-like illness [ILI (fever plus cough or sore throat)], not laboratory-confirmed influenza, and will therefore capture respiratory illness visits due to infection with any pathogen that can present with similar symptoms, including influenza, SARS-CoV-2, and RSV. Due to the COVID-19 pandemic, health care-seeking behaviors have changed, and people may be accessing the health care system in alternative settings not captured as a part of ILINet or at a different point in their illness than they might have before the pandemic. Therefore, it is important to evaluate syndromic surveillance data, including that from ILINet, in the context of other sources of surveillance data to obtain a complete and accurate picture of influenza, SARS-CoV-2, and other respiratory virus activity. CDC is tracking the COVID-19 pandemic in a weekly publication called [COVID Data Tracker Weekly Review](https://www.cdc.gov/coronavirus/2019-ncov/covid-data/covidview/index.html) (<https://www.cdc.gov/coronavirus/2019-ncov/covid-data/covidview/index.html>). Information about other respiratory virus activity can be found on CDC's National Respiratory and Enteric Virus Surveillance System (NREVSS) website (<https://www.cdc.gov/surveillance/nrevss/index.html>).

Outpatient Respiratory Illness Visits

Nationwide during week 25, 1.8% of patient visits reported through ILINet were due to respiratory illness that included fever plus a cough or sore throat, also referred to as ILI. Multiple respiratory viruses are co-circulating, and the relative contribution of influenza virus infection to ILI varies by location.



(<http://gis.cdc.gov/grasp/fluview/fluportaldashboard.html>)


* Effective October 3, 2021 (week 40), the ILI definition (fever plus cough or sore throat) no longer includes "without a known cause other than influenza."

[View Chart Data \(current season only\) \(/flu/weekly/weeklyarchives2021-2022/data/senAllregt25.html\)](/flu/weekly/weeklyarchives2021-2022/data/senAllregt25.html) | [View Full Screen \(/flu/weekly/weeklyarchives2021-2022/ILI25.html\)](#)

Outpatient Respiratory Illness Visits by Age Group

More than 70% of ILINet participants provide both the number of patient visits for respiratory illness and the total number of patient visits for the week broken out by age group. Data from this subset of providers are used to calculate the percentages of patient visits for respiratory illness by age group.

During week 25, the percentage of visits for respiratory illness reported in ILINet was 8.0% among those 0-4 years, 2.7% among those 5-24 years, 1.4% among those 25-49 years, 1.0% among those 50-64 years, and 0.8% among those 65 years and older.



(<http://gis.cdc.gov/grasp/fluview/fluportaldashboard.html>)

* Effective October 3, 2021 (week 40), the ILI definition (fever plus cough or sore throat) no longer includes “without a known cause other than influenza.”

[View Chart Data \(/flu/weekly/weeklyarchives2021-2022/data/iliage25.html\)](/flu/weekly/weeklyarchives2021-2022/data/iliage25.html) | [View Full Screen \(/flu/weekly/weeklyarchives2021-2022/ILIAge25.html\)](/flu/weekly/weeklyarchives2021-2022/ILIAge25.html)

Outpatient Respiratory Illness Activity Map

Data collected in ILINet are used to produce a measure of **ILI activity***

(https://www.cdc.gov/flu/weekly/overview.htm#anchor_1633697504110) by state/jurisdiction and Core Based Statistical Areas (CBSA).

Activity Level	Number of Jurisdictions		Number of CBSAs	
	Week 25 (Week ending Jun. 25, 2022)	Week 24 (Week ending Jun. 18, 2022)	Week 25 (Week ending Jun. 25, 2022)	Week 24 (Week ending Jun. 18, 2022)
Very High	0	0	1	1
High	1	2	9	13

Activity Level	Number of Jurisdictions		Number of CBSAs	
	Week 25 (Week ending Jun. 25, 2022)	Week 24 (Week ending Jun. 18, 2022)	Week 25 (Week ending Jun. 25, 2022)	Week 24 (Week ending Jun. 18, 2022)
Moderate	2	1	15	14
Low	6	6	63	51
Minimal	45	44	525	567
Insufficient Data	1	2	316	283

A Weekly Influenza Surveillance Report Prepared by the Influenza Division

Outpatient Respiratory Illness Activity Map Determined by Data Reported to ILINet


This system monitors visits for respiratory illness that includes fever plus a cough or sore throat, also referred to as ILI, not laboratory confirmed influenza and may capture patient visits due to other respiratory pathogens that cause similar symptoms.

prev Play Pause next



State CBSA

2021-22 Influenza Season Week 25 ending Jun 25, 2022



Season: 2021-22 ▲

Download Image

Download Data

(<https://www.cdc.gov/flu/weekly/flureport.xml>)View Full Screen (<http://gis.cdc.gov/grasp/fluview/main.html>)

*Data collected in ILINet may disproportionately represent certain populations within a jurisdiction or CBSA, and therefore, may not accurately depict the full picture of influenza activity for the entire jurisdiction or CBSA. Differences in the data presented here by CDC and independently by some health departments likely represent differing levels of data completeness with data presented by the health department likely being the more complete.

Additional information about medically attended visits for ILI for current and past seasons:


Surveillance Methods (/flu/weekly/overview.htm#anchor_1539281266932) | FluView Interactive: National, Regional, and State Data (<http://gis.cdc.gov/grasp/fluview/fluportaldashboard.html>) or ILI Activity Map (<https://gis.cdc.gov/grasp/fluview/main.html>)

Long-term Care Facility (LTCF) Surveillance

(https://www.cdc.gov/flu/weekly/overview.htm#anchor_1633698386507)

LTCFs (e.g., nursing homes/skilled nursing, long-term care for the developmentally disabled, and assisted living facilities) from all 50 states and U.S. territories report data on influenza virus infections among residents through the [National Healthcare Safety Network \(NHSN\) Long-term Care Facility Component](https://www.cdc.gov/nhsn/ltc/index.html) (<https://www.cdc.gov/nhsn/ltc/index.html>). During week 25, 38 (0.3%) of 14,557 reporting LTCFs reported at least one influenza positive test among their residents.

Percent of Long-term Care Facilities (LTCF) with at Least One Confirmed Influenza Positive Test among Residents, Reported to CDC National Healthcare Safety Network (NHSN), National Summary, October 4, 2021 – June 26, 2022



(</flu/weekly/weeklyarchives2021-2022/LTCF25.html>) [View Chart Data](#) </flu/weekly/weeklyarchives2021-2022/data/LTCFData25.csv> | [View Full Screen](#) (</flu/weekly/weeklyarchives2021-2022/LTCF25.html>)

Additional information about long-term care facility surveillance:

Surveillance Methods (/flu/weekly/overview.htm#anchor_1633698386507) | [Additional Data](https://data.cms.gov/covid-19/covid-19-nursing-home-data) (<https://data.cms.gov/covid-19/covid-19-nursing-home-data>)

Hospitalization Surveillance

(http://www.cdc.gov/flu/weekly/overview.htm#anchor_1634240269291)


FluSurv-NET

The Influenza Hospitalization Surveillance Network (FluSurv-NET) conducts population-based surveillance for laboratory-confirmed influenza-related hospitalizations in select counties in 14 states and represents approximately 9% of the U.S. population. FluSurv-NET hospitalization data are preliminary. Patients admitted for laboratory-confirmed influenza-related hospitalization after June 11, 2022, will not be included in FluSurv-NET for the 2021-2022 season. Data on patients admitted through June 11, 2022, will continue to be updated as additional information is received.

Additional FluSurv-NET hospitalization surveillance information for current and past seasons and additional age groups:
[Surveillance Methods \(https://www.cdc.gov/flu/weekly/overview.htm#anchor_1633698456778\)](https://www.cdc.gov/flu/weekly/overview.htm#anchor_1633698456778) | [FluView Interactive: Rates by Age, Sex, and Race/Ethnicity \(http://gis.cdc.gov/GRASP/Fluview/FluHospRates.html\)](http://gis.cdc.gov/GRASP/Fluview/FluHospRates.html) or [Data on Patient Characteristics \(http://gis.cdc.gov/grasp/fluview/FluHospChars.html\)](http://gis.cdc.gov/grasp/fluview/FluHospChars.html)

HHS Protect Hospitalization Surveillance

Hospitals report to HHS Protect the number of patients admitted with laboratory-confirmed influenza. During week 25, 1,307 patients with laboratory-confirmed influenza were admitted to the hospital.



[View Chart Data](/flu/weekly/weeklyarchives2021-2022/Protect25.html) [View Full Screen](/flu/weekly/weeklyarchives2021-2022/data/ProtectData25.csv) [View Full Screen](/flu/weekly/weeklyarchives2021-2022/Protect25.html)

Additional HHS Protect hospitalization surveillance information:

[Surveillance Methods \(https://www.cdc.gov/flu/weekly/overview.htm#anchor_1633698474047\)](https://www.cdc.gov/flu/weekly/overview.htm#anchor_1633698474047) | [Additional Data \(https://healthdata.gov/Hospital/COVID-19-Reported-Patient-Impact-and-Hospital-Capa/anag-cw7u\)](https://healthdata.gov/Hospital/COVID-19-Reported-Patient-Impact-and-Hospital-Capa/anag-cw7u)

Mortality Surveillance

https://www.cdc.gov/flu/weekly/overview.htm#anchor_1634311686144

National Center for Health Statistics (NCHS) Mortality Surveillance

On June 6, 2022, the National Vital Statistics System (NVSS) cause of death coding system began a system-wide upgrade. Because of this upgrade period, certain NVSS surveillance datasets and reports were paused temporarily, including those used to evaluate pneumonia, influenza, and COVID-19 deaths. NCHS mortality data were not reported in FluView or FluView Interactive for MMWR weeks 22-24 due to this upgrade period and will not be reported for MMWR week 25 due to unplanned system maintenance. Regular reporting is expected to resume for week 26.


Additional pneumonia, influenza and COVID-19 mortality surveillance information for current and past seasons:

[Surveillance Methods \(https://www.cdc.gov/flu/weekly/overview.htm#anchor_1633698570680\)](https://www.cdc.gov/flu/weekly/overview.htm#anchor_1633698570680) | [FluView Interactive \(https://gis.cdc.gov/grasp/fluview/mortality.html\)](https://gis.cdc.gov/grasp/fluview/mortality.html)

Influenza-Associated Pediatric Mortality

One influenza-associated pediatric death occurring during the 2021-2022 season was reported to CDC during week 25. The death was associated with an influenza A virus for which no subtyping was performed and occurred during week 23 (the week ending June 11, 2022).

A total of 31 influenza-associated pediatric deaths occurring during the 2021-2022 season have been reported to CDC.



<http://gis.cdc.gov/GRASP/Fluview/PedFluDeath.html>

[View Full Screen \(https://www.cdc.gov/flu/weekly/weeklyarchives2021-2022/PedFlu25.html\)](https://www.cdc.gov/flu/weekly/weeklyarchives2021-2022/PedFlu25.html)

Additional pediatric mortality surveillance information for current and past seasons:

[Surveillance Methods \(https://www.cdc.gov/flu/weekly/overview.htm#anchor_1633698596803\)](https://www.cdc.gov/flu/weekly/overview.htm#anchor_1633698596803) | [FluView Interactive \(https://gis.cdc.gov/GRASP/Fluview/PedFluDeath.html\)](https://gis.cdc.gov/GRASP/Fluview/PedFluDeath.html)

Additional National and International Influenza Surveillance Information

FluView Interactive: FluView includes enhanced web-based interactive applications that can provide dynamic visuals of the influenza data collected and analyzed by CDC. These [FluView Interactive applications](http://www.cdc.gov/flu/weekly/fluviewinteractive.htm) (<http://www.cdc.gov/flu/weekly/fluviewinteractive.htm>) allow people to create customized, visual interpretations of influenza data, as well as make comparisons across flu seasons, regions, age groups and a variety of other demographics.

National Institute for Occupational Safety and Health: Monthly surveillance data on the prevalence of health-related workplace absenteeism among full-time workers in the United States are [available from NIOSH](https://www.cdc.gov/niosh/topics/absences/default.html) (<https://www.cdc.gov/niosh/topics/absences/default.html>).

U.S. State and local influenza surveillance: Select a jurisdiction below to access the latest local influenza information.

[Alabama](http://adph.org/influenza/) (<http://adph.org/influenza/>)

[Alaska](http://dhss.alaska.gov/dph/Epi/id/Pages/influenza/flu) (<http://dhss.alaska.gov/dph/Epi/id/Pages/influenza/flu>)

[Colorado](https://www.colorado.gov/pacific/cdphe/influenza) (<https://www.colorado.gov/pacific/cdphe/influenza>)

[Connecticut](https://portal.ct.gov/DPH/Epidemiology-and-En) (<https://portal.ct.gov/DPH/Epidemiology-and-En>)

[Georgia](https://dph.georgia.gov/epidemiology/influenza/flu-activity-georgia) (<https://dph.georgia.gov/epidemiology/influenza/flu-activity-georgia>)

[Hawaii](http://health.hawaii.gov/docd/resources/reports/influ) (<http://health.hawaii.gov/docd/resources/reports/influ>)

[Iowa](http://idph.iowa.gov/influenza/surveillance) (<http://idph.iowa.gov/influenza/surveillance>)

[Kansas](http://www.kdheks.gov/flu/surveillance.htm) (<http://www.kdheks.gov/flu/surveillance.htm>)

[Maryland](https://phpa.health.maryland.gov/influenza/fluwatch/) (<https://phpa.health.maryland.gov/influenza/fluwatch/>)

[Massachusetts](https://www.mass.gov/influenza) (<https://www.mass.gov/influenza>)

[Missouri](http://health.mo.gov/living/healthcondiseases/communicable/influenza/reports.php)
(<http://health.mo.gov/living/healthcondiseases/communicable/influenza/reports.php>)

[Montana](https://dphhs.mt.gov/publichealth/cdepi/diseases/) (<https://dphhs.mt.gov/publichealth/cdepi/diseases/>)

[New Jersey](http://www.nj.gov/health/cd/topics/flu.shtml) (<http://www.nj.gov/health/cd/topics/flu.shtml>)

[New Mexico](https://nmhealth.org/about/erd/ideb/isp/) (<https://nmhealth.org/about/erd/ideb/isp/>)

[Ohio](http://www.flu.ohio.gov) (<http://www.flu.ohio.gov>)

[Oklahoma](https://www.ok.gov/health/Prevention_and_Preparedness/Acu)
(https://www.ok.gov/health/Prevention_and_Preparedness/Acu)

[South Carolina](http://www.scdhec.gov/Health/DiseasesandConditions/InfectiousDiseases/Flu/FluData/)
(<http://www.scdhec.gov/Health/DiseasesandConditions/InfectiousDiseases/Flu/FluData/>)

[South Dakota](https://doh.sd.gov/diseases/infectious/flu/su) (<https://doh.sd.gov/diseases/infectious/flu/su>)

[Vermont](http://www.healthvermont.gov/immunizations-infectious-disease/influenza/flu-activity-and-surveillance) (<http://www.healthvermont.gov/immunizations-infectious-disease/influenza/flu-activity-and-surveillance>)

[Virginia](http://www.vdh.virginia.gov/epidemiology/influenza) (<http://www.vdh.virginia.gov/epidemiology/influenza>)

[Wyoming](https://health.wyo.gov/publichealth/infectious-disease-epidemiology-unit/disease/influenza/) (<https://health.wyo.gov/publichealth/infectious-disease-epidemiology-unit/disease/influenza/>)

[New York City](http://www1.nyc.gov/site/doh/providers/hea) (<http://www1.nyc.gov/site/doh/providers/hea>)


World Health Organization:

Additional influenza surveillance information from participating WHO member nations is available through [FluNet](https://www.who.int/tools/flunet) (<https://www.who.int/tools/flunet>) and the [Global Epidemiology Reports](https://www.who.int/teams/global-influenza-programme/surveillance-and-monitoring/influenza-surveillance-outputs). (<https://www.who.int/teams/global-influenza-programme/surveillance-and-monitoring/influenza-surveillance-outputs>)


WHO Collaborating Centers for Influenza:

[Australia](http://www.influenzacentre.org/Surveillance_Samples_Received.html) (http://www.influenzacentre.org/Surveillance_Samples_Received.html), [China](http://www.chinaivdc.cn/cnic/) (<http://www.chinaivdc.cn/cnic/>), [Japan](http://idsc.nih.gov/jp/index.html) (<http://idsc.nih.gov/jp/index.html>), the [United Kingdom](https://www.crick.ac.uk/research/worldwide-influenza-centre) (<https://www.crick.ac.uk/research/worldwide-influenza-centre>), and the [United States](http://www.cdc.gov/flu/) (<http://www.cdc.gov/flu/>) (CDC in Atlanta, Georgia)

Europe:

The most up-to-date influenza information from Europe is available from [WHO/Europe and the European Centre for Disease Prevention and Control](http://www.flunewseurope.org/)  (<http://www.flunewseurope.org/>).

Public Health Agency of Canada:

The most up-to-date influenza information from Canada is available in [Canada's weekly FluWatch report](http://www.phac-aspc.gc.ca/fluwatch/)  (<http://www.phac-aspc.gc.ca/fluwatch/>).

Public Health England:

The most up-to-date influenza information from the United Kingdom is available from [Public Health England](http://www.hpa.org.uk/Topics/InfectiousDiseases/InfectionsAZ/SeasonalInfluenza/)  (<http://www.hpa.org.uk/Topics/InfectiousDiseases/InfectionsAZ/SeasonalInfluenza/>).

Any links provided to non-Federal organizations are provided solely as a service to our users. These links do not constitute an endorsement of these organizations or their programs by CDC or the Federal Government, and none should be inferred. CDC is not responsible for the content of the individual organization web pages found at these links.

A description of the CDC influenza surveillance system, including methodology and detailed descriptions of each data component is available on the [surveillance methods](http://www.cdc.gov/flu/weekly/overview.htm) (<http://www.cdc.gov/flu/weekly/overview.htm>) page.

Page last reviewed: July 1, 2022, 11:00 AM