

COVID Data Tracker

Maps, charts, and data provided by CDC, updates Mon-Fri by 8 pm ET

[COVID-19 Home](#) >



CDC recommends use of [COVID-19 Community Levels](#) to determine the impact of COVID-19 on communities and to take [action](#). CDC also provides [Transmission Levels](#) (also known as Community Transmission) to describe the amount of COVID-19 spread within each county. Healthcare facilities use Transmission Levels to determine [infection control](#) interventions.

United States
At a Glance

Cases Total
Case Trends

90,597,814

Deaths Total
Death Trends

1,023,382

Current Hosp.
Admission Trends

37,531

34.4% of People 5+ with
First Booster



Data Tracker Home

Cases, Deaths, & Testing

Case & Death Demographic Trends

Vaccination Distribution & Coverage

Vaccine Effectiveness & Breakthrough Surveillance

Health Equity

Pediatric

Pregnancy

People at Increased Risk

This webpage presents data on COVID-19 cases with information on pregnancy status reported to CDC. COVID-19 is a nationally notifiable disease and reporting cases to CDC is supported by routine case notification through the National Notifiable Diseases Surveillance System (NNDSS), as well as resources provided through the CDC COVID-19 response.



As of March 2022, CDC no longer recommends universal case investigation and contact tracing and recommends that health department jurisdictions prioritize specific settings and groups at increased risk. In addition, a decreasing number of case reports include information on pregnancy status. For these reasons CDC will stop reporting data on this page on July 19th, 2022.

Information about findings from this data and about CDC's ongoing data collection efforts to better understand the impact of COVID-19 during pregnancy can be found [here](#).

[< Back to Pregnancy](#)

Data on COVID-19 during Pregnancy: Severity of Maternal Illness

Monitoring the impact of COVID-19 during pregnancy can protect pregnant women and their babies; maps, charts, and data provided by CDC

[View Footnotes and Download Data](#)

[Looking for data on birth and infant outcomes among pregnant women with COVID-19?](#)

[Visit CDC's Birth and Infant Outcomes data page for information on delivery type, preterm birth, and infant test results.](#)

Pregnant Women¹ with COVID-19, United States, January 22, 2020 - July 25, 2022

TOTAL CASES¹

225,656

TOTAL DEATHS

306

✉ Get Email Updates

Sign up to receive the COVID Data Tracker Weekly Review.

Email Address:


Email Address

[What's this?](#)

Submit

Cases of COVID-19 among Pregnant Women by Week of Diagnosis*

Data were collected from 225,656 women and date of diagnosis** was available for 225,656 (100%) women.




Download Chart

*Jurisdictions may take 2-4 weeks to confirm a case of SARS-CoV-2 in a pregnant woman and report it to CDC.

**Date of diagnosis is derived from the earliest date of either 1) when the case report was received by CDC from a jurisdictional health department or 2) the earliest available date related to the illness or specimen collection.

More information on this dataset: [COVID-19 Case Surveillance Public Use Data](#)

Deaths* among Pregnant Women with COVID-19 by Month**



[Download Chart](#)

*Deaths reported by jurisdictional health departments reflect the most up-to-date information received by CDC based on preliminary reporting using the case report. Date of death is used for reporting, and if missing, then date of diagnosis is used. Delays may exist in reporting of deaths from initial confirmation of SARS-CoV-2 infection.

** In July 2021, the Delta variant of SARS-CoV-2 became the predominant variant in the United States.

Pregnant Women with COVID-19 Who Were Hospitalized, United States, January 22, 2020 - July 25, 2022


Data were collected from 225,656 women, but hospitalization data were only available for 179,254 (79.4%).

HOSPITALIZED CASES²

34 693

Pregnant Women with COVID-19 Admitted to the ICU, Who Required Invasive Ventilation, or Who Required ECMO, United States, January 22, 2020 - July 25, 2022


Data were collected from 225,656 women, but ICU admission data were only available for 18,694 (8.3%) women, invasive ventilation data were only available for 13,484 (6%) women, and ECMO data were only available for 12,569 (5.6%).



[Download Chart](#)

Intensive Care Unit (ICU) Admissions among Pregnant Women with COVID-19 by Month


Data were collected from 225,656 women, but ICU admission data were only available for 18,694 (8.3%) women.



[Download Chart](#)

Pregnant Women with COVID-19 by Age, United States, January 22, 2020 - July 25, 2022


Data were collected from 225,656 women, and age was available for 225,656 (100%) women.



[Download Chart](#)

Pregnant Women with COVID-19 by Race/Ethnicity, United States, January 22, 2020 - July 25, 2022

Data were collected from 225,656 women, but race/ethnicity was only available for 193,363 (85.7%) women.



[Download Chart](#)

¹Cases with age <9 years and >54 years are excluded. Cases with unknown age are included.

²Data were not available to distinguish hospitalization for COVID-19-related indications, such as worsening respiratory status, from hospital admission for pregnancy-related indications, such as delivery.

³Abbreviation: ICU, intensive care unit; ECMO, extracorporeal membrane oxygenation, an advanced life support technique used for patients with life-threatening heart and/or lung problems.

⁴Other race includes non-Hispanic American Indian or Alaska Native or non-Hispanic Native Hawaiian or Other Pacific Islander.

Data Downloads and Footnotes

Expand each accordion to view data table and download data

Data Table for COVID-19 during Pregnancy

CDC | Data as of: Wednesday, July 27, 2022 2:21 PM ET. Posted: Wednesday, July 27, 2022 3:50 PM ET

[Download Data](#) 

| Category | Value |
|------------------------------|--------|
| Total Cases | 225656 |
| Total Deaths | 306 |
| Total Cases with Known Age | 225656 |
| Total Cases with Unknown Age | 0 |
| Percent Cases with Known Age | 100 |

| Category | Value |
|---|--------|
| Percent Cases with Known Age | 100 |
| Cases under 15 years | 510 |
| Cases 15 to 19 years | 11233 |
| Cases 20 to 24 years | 44373 |
| Cases 25 to 29 years | 65732 |
| Cases 30 to 34 years | 61443 |
| Cases 35 to 39 years | 31899 |
| Cases 40 to 44 years | 8166 |
| Cases 45 to 49 years | 1475 |
| Cases 50 to 54 years | 825 |
| Total Cases with Known Race/Ethnicity | 193363 |
| Percent Cases with Known Race/Ethnicity | 85.7 |
| Total Cases Hispanic or Latino | 71082 |
| Total Cases Asian, Non-Hispanic | 6667 |
| Total Cases Black, Non-Hispanic | 28301 |
| Total Cases White, Non-Hispanic | 77871 |
| Total Cases Multiple, Non-Hispanic | 9442 |
| Total Hospitalized Cases | 34693 |
| Total Cases Known Hospitalization Status | 179254 |
| Percent with Known Hospitalization Status | 79.4 |
| Total Cases with Known ICU Status | 18694 |
| Percent with Known ICU Status | 8.3 |
| Total Cases with Known Ventilation Status | 13484 |
| Percent with Known Ventilation Status | 6 |
| Total Cases with Known ECMO Status | 12569 |
| Percent with Known ECMO Status | 5.6 |
| Total ICU Cases | 673 |
| Total Ventilation Cases | 148 |
| Total ECMO Cases | 42 |
| Percent Cases with Known Diagnosis Date | 100 |
| Total Cases with Known Diagnosis Date | 225656 |

Data Table for Cases of COVID-19 Among Pregnant Women by Week of Diagnosis

CDC | Data as of: Wednesday, July 27, 2022 2:21 PM ET. Posted: Wednesday, July 27, 2022 3:50 PM ET

[Download Data](#) 

| Week of COVID-19 Diagnosis | Number of Cases |
|----------------------------|-----------------|
| 2020-01-26 | 3 |
| 2020-02-09 | 5 |
| 2020-02-16 | 1 |
| 2020-02-23 | 4 |

| Week of COVID-19 Diagnosis | Number of Cases |
|-----------------------------------|------------------------|
| 2020-03-01 | 52 |
| 2020-03-08 | 179 |
| 2020-03-15 | 670 |
| 2020-03-22 | 1035 |
| 2020-03-29 | 1230 |
| 2020-04-05 | 1094 |
| 2020-04-12 | 1120 |
| 2020-04-19 | 1185 |
| 2020-04-26 | 1208 |
| 2020-05-03 | 1117 |
| 2020-05-10 | 1233 |
| 2020-05-17 | 1211 |
| 2020-05-24 | 1178 |
| 2020-05-31 | 1304 |
| 2020-06-07 | 1822 |
| 2020-06-14 | 1751 |
| 2020-06-21 | 2243 |
| 2020-06-28 | 2496 |
| 2020-07-05 | 2567 |
| 2020-07-12 | 2431 |
| 2020-07-19 | 2275 |
| 2020-07-26 | 2043 |
| 2020-08-02 | 1926 |
| 2020-08-09 | 1634 |
| 2020-08-16 | 1599 |
| 2020-08-23 | 1358 |
| 2020-08-30 | 1191 |
| 2020-09-06 | 1254 |
| 2020-09-13 | 1525 |
| 2020-09-20 | 1498 |
| 2020-09-27 | 1747 |
| 2020-10-04 | 1871 |
| 2020-10-11 | 2134 |
| 2020-10-18 | 2308 |
| 2020-10-25 | 2562 |
| 2020-11-01 | 3286 |
| 2020-11-08 | 3687 |
| 2020-11-15 | 3795 |
| 2020-11-22 | 3853 |
| 2020-11-29 | 4928 |

| Week of COVID-19 Diagnosis | Number of Cases |
|-----------------------------------|------------------------|
| 2020-12-06 | 4809 |
| 2020-12-13 | 4571 |
| 2020-12-20 | 4232 |
| 2020-12-27 | 5211 |
| 2021-01-03 | 5006 |
| 2021-01-10 | 3989 |
| 2021-01-17 | 3472 |
| 2021-01-24 | 2899 |
| 2021-01-31 | 2344 |
| 2021-02-07 | 2028 |
| 2021-02-14 | 1664 |
| 2021-02-21 | 1584 |
| 2021-02-28 | 1501 |
| 2021-03-07 | 1568 |
| 2021-03-14 | 1719 |
| 2021-03-21 | 1786 |
| 2021-03-28 | 1837 |
| 2021-04-04 | 1978 |
| 2021-04-11 | 1807 |
| 2021-04-18 | 1637 |
| 2021-04-25 | 1511 |
| 2021-05-02 | 1314 |
| 2021-05-09 | 1098 |
| 2021-05-16 | 912 |
| 2021-05-23 | 658 |
| 2021-05-30 | 628 |
| 2021-06-06 | 594 |
| 2021-06-13 | 512 |
| 2021-06-20 | 635 |
| 2021-06-27 | 755 |
| 2021-07-04 | 1028 |
| 2021-07-11 | 1416 |
| 2021-07-18 | 1832 |
| 2021-07-25 | 2229 |
| 2021-08-01 | 2575 |
| 2021-08-08 | 2723 |
| 2021-08-15 | 2709 |
| 2021-08-22 | 2714 |
| 2021-08-29 | 2355 |
| 2021-09-05 | 2407 |

| Week of COVID-19 Diagnosis | 2012 Number of Cases |
|----------------------------|-------------------------|
| 2021-09-19 | 1822 |
| 2021-09-26 | 1599 |
| 2021-10-03 | 1364 |
| 2021-10-10 | 1206 |
| 2021-10-17 | 1189 |
| 2021-10-24 | 1160 |
| 2021-10-31 | 1205 |
| 2021-11-07 | 1129 |
| 2021-11-14 | 1180 |
| 2021-11-21 | 1298 |
| 2021-11-28 | 1551 |
| 2021-12-05 | 1487 |
| 2021-12-12 | 2269 |
| 2021-12-19 | 4233 |
| 2021-12-26 | 7194 |
| 2022-01-02 | 6908 |
| 2022-01-09 | 5520 |
| 2022-01-16 | 3943 |
| 2022-01-23 | 2591 |
| 2022-01-30 | 1782 |
| 2022-02-06 | 1144 |
| 2022-02-13 | 841 |
| 2022-02-20 | 515 |
| 2022-02-27 | 389 |
| 2022-03-06 | 277 |
| 2022-03-13 | 311 |
| 2022-03-20 | 304 |
| 2022-03-27 | 286 |
| 2022-04-03 | 287 |
| 2022-04-10 | 333 |
| 2022-04-17 | 540 |
| 2022-04-24 | 511 |
| 2022-05-01 | 592 |
| 2022-05-08 | 641 |
| 2022-05-15 | 636 |
| 2022-05-22 | 637 |
| 2022-05-29 | 685 |
| 2022-06-05 | 619 |
| 2022-06-12 | 708 |

| Week of COVID-19 Diagnosis | Number of Cases |
|----------------------------|-----------------|
| 2022-06-19 | 808 |
| 2022-06-26 | 649 |
| 2022-07-03 | 699 |
| 2022-07-10 | 596 |
| 2022-07-17 | 236 |

Data Table for Deaths and ICU Admissions Among Pregnant Women with COVID-19 by Month

CDC | Data as of: Wednesday, July 27, 2022 2:21 PM ET. Posted: Wednesday, July 27, 2022 3:50 PM ET

[Download Data](#) 

| Year | Month | Number of Deaths | Number of ICU Admissions |
|------|-----------|------------------|--------------------------|
| 2020 | March | 1 | 33 |
| 2020 | April | 13 | 46 |
| 2020 | May | 12 | 37 |
| 2020 | June | 12 | 41 |
| 2020 | July | 13 | 31 |
| 2020 | August | 8 | 31 |
| 2020 | September | 5 | 12 |
| 2020 | October | 5 | 27 |
| 2020 | November | 4 | 15 |
| 2020 | December | 11 | 32 |
| 2021 | January | 19 | 29 |
| 2021 | February | 9 | 6 |
| 2021 | March | 10 | 13 |
| 2021 | April | 10 | 24 |
| 2021 | May | 4 | 19 |
| 2021 | June | 2 | 14 |
| 2021 | July | 8 | 43 |
| 2021 | August | 42 | 62 |
| 2021 | September | 34 | 33 |
| 2021 | October | 24 | 20 |
| 2021 | November | 15 | 21 |
| 2021 | December | 16 | 32 |
| 2022 | January | 15 | 28 |
| 2022 | February | 10 | 8 |
| 2022 | March | 0 | 3 |
| 2022 | April | 1 | 5 |
| 2022 | May | 0 | 5 |
| 2022 | June | 3 | 3 |

Footnotes

This webpage will be updated weekly until Summer 2022. The cases reported include only confirmed cases with laboratory evidence of SARS-CoV-2 infection.

About the Data:

about the data. All data on this page come from case reports submitted by U.S. jurisdictions through the National Notifiable Diseases Surveillance System (NNDSS). Fewer than 20% of case reports currently include information on pregnancy status. Therefore, these numbers do not represent all people with COVID-19 who are pregnant in the U.S. and must be interpreted with caution. Changes in the total number of cases of COVID-19 among people who are pregnant are largely due to the updating of pregnancy status among already reported cases. Case numbers reported on other websites may differ from what is posted on CDC's website because CDC's overall case numbers are validated through a confirmation process with each jurisdiction. Differences between reporting jurisdictions and CDC's website may occur due to the timing of reporting and website updates. The process used for finding and confirming cases reported by other sites may differ. Case counts may fluctuate from week to week due to data quality and cleaning processes.

Since October 2020, CDC has excluded reports of COVID-19 cases younger than age 9 and older than age 54 in the weekly reporting of people with COVID-19 who are pregnant. Based on review of data quality, cases reported as pregnant with ages younger than 9 or older than 54 are less likely to be true pregnancies, and more likely to be data errors. Cases with unknown age are still included.

For more information on how CDC collects COVID-19 surveillance data, see [FAQ: COVID-19 Data and Surveillance](#)

For information on the multiple efforts CDC is supporting to understand the impact of COVID-19 during pregnancy, see [Investigating the Impact of COVID-19 during Pregnancy](#).

For surveillance data on birth and infant outcomes from the Surveillance for Emerging Threats to Mothers and Babies Network (SET-NET) see [COVID-19 during Pregnancy: Birth and Infant Outcomes](#).

Looking for data on birth and infant outcomes among pregnant women with COVID-19?

Visit CDC's Birth and Infant Outcomes data page for information on delivery type, preterm birth, and infant test results

Want to learn more about COVID-19 risk for pregnant women and those who are breastfeeding?

Find more information and resources for pregnancy, breastfeeding, and caring for newborns during the COVID-19 pandemic, including information on COVID-19 vaccines while pregnant or breastfeeding

Cite COVID Data Tracker

Centers for Disease Control and Prevention. COVID Data Tracker. Atlanta, GA: US Department of Health and Human Services, CDC; 2022, July 28. <https://covid.cdc.gov/covid-data-tracker>

COVID-19 Home >

All COVID-19 topics including prevention, travel, work, and school

HAVE QUESTIONS?

 Visit CDC-INFO

 Call 800-232-4636

 Email CDC-INFO

Open 24/7

CDC INFORMATION

About CDC

Jobs

Funding

Policies

File Viewers & Players

Privacy

FOIA

No Fear Act

OIG

Nondiscrimination

Accessibility

Vulnerability Disclosure Policy

CONNECT WITH CDC





U.S. Department of Health & Human Services

USA.gov

CDC Website Exit Disclaimer 