




Monkeypox Cases by Age and Gender, Race/Ethnicity, and Symptoms

Data as of 21 Aug 2022 2:00 PM EDT

Monkeypox cases reported to CDC: Age and Gender




	0 to 5	6 to 10	11 to 15	16 to 20
Men	4	5	2	119
Women	2	2	2	12
Transgender men	0	0	0	1
Transgender women	0	0	0	1
Additional gender i...	0	0	0	1


[Download Data \(CSV\)](#)

Footnotes

Age and sex or gender data were available for 69.2% of cases reported to CDC. People whose reported sex differed from their reported gender were classified as transgender. Among people for whom reported gender was not available, but sex was reported, sex was used to categorize people as female or male. While the case report form specifies sex assigned at birth, there are variations in how jurisdictions collect sex, and in some cases this may represent current sex.

Monkeypox cases reported to CDC: Race/Ethnicity






Data Table				
	May 21, 2022	May 28, 2022	June 4, 2022	June 11, 2022
White	71.4%	50%	50%	50%
Native Hawaiian or ...	0%	0%	0%	0%
Multiple Races	0%	0%	0%	0%
Hispanic or Latino	0%	25%	30%	33.3%
Black or African A...	28.6%	12.5%	5%	16.7%
Asian	0%	12.5%	15%	0%
American Indian/Al...	0%	0%	0%	0%

[Download Data \(CSV\)](#)

Footnotes

Information on race/ethnicity was available for 47.5% of cases reported to CDC. Race/ethnicity information is often missing in reportable disease surveillance and may require direct contact and an interview with the person. The Hispanic/Latino category includes people of any race, and all other categories exclude those who identify as Hispanic/Latino. Race/ethnicity was classified into the following mutually exclusive categories: American Indian or Alaska Native, Asian, Black or African American, Hispanic/Latino, Multiple Races, Native Hawaiian or Other Pacific Islander, and White.

Monkeypox cases reported to CDC: Symptoms



Data Table

	Rash	Malaise (tiredness or...)	Fever	Chills
● Percent	98.6%	72.7%	72.1%	68.9%

[Download Data \(CSV\)](#)

Footnotes

Symptom data were reported by 25.3% of cases reported to CDC. Rash is part of the case definition and usually required for monkeypox testing.