
Public Use Data Tape Documentation

Health History Supplement, Ages 12-74 Years Tape Number 5305

National Health and Nutrition Examination Survey, 1976-1980



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service Centers for Disease Control National Center for Health Statistics

Hyattsville, Maryland August 1983

HEALTH HISTORY SUPPLEMENT, AGES 12-74 YEARS

NATIONAL HEALTH AND NUTRITION EXAMINATION SURVEY II

Documentation for Public Use Data Tape

Catalog Number 5305

This data tape contains demographic and health history data for persons 12 through 74 years of age interviewed and examined in the second National Health and Nutrition Examination Survey (NHANES II), conducted in 1976-1980 by the National Center for Health Statistics (NCHS), U.S. Public Health Service.

This document was prepared by the Division of Health Examination Statistics, NCHS. Michael Rowland, Rita Weinberger, Clyde Rippy, Josephine Blake, Arnold Engel, Marilyn Fein, Dorothy Blodgett, Marie Leahy, Patricia Vaive, William Kitching, Shirley Gray, and Romaine Sharp were responsible for the data compilation and technical review necessary to assemble this tape and construct the documentation. Preparation of drafts and final copy was accomplished by Carol Alexander, Sandra Payne, and Romaine Sharp.

NCHS PUBLIC USE TAPES

Public use data tapes from the National Center for Health Statistics (NCHS) for all NHANES II components will be released as soon as the data have been compiled and documented. It is anticipated that release will occur sequentially through December 1983. NHANES II data tapes are available for purchase from:

National Technical Information Service (NTIS) 5285 Port Royal Road Springfield, Virginia 22161

(703) 487-4650

A list of NCHS public use data tapes that can be purchased from NTIS can be obtained from:

Scientific and Technical Information Branch
National Center for Health Statistics
Center Building, Room 1-57
3700 East-West Highway
Hyattsville, Maryland 20782

(301) 436-8500

USE OF NCHS DATA TAPES

The National Center for Health Statistics requests the cooperation of recipients of data tapes in certain actions related to their use.

Any publication based on the data should acknowledge NCHS as the original source. It should include a disclaimer which credits the authors for any analyses, interpretations, or conclusions, and not NCHS, which is responsible only for the data.

Users who wish to publish a technical description of the data should make a reasonable effort to insure that the description is consistent with that published by NCHS. This does not mean, however, that NCHS will review such descriptions.

NCHS would appreciate receiving reprints of journal articles or other publications based upon findings from the NHANES II survey. Please send them to the address below.

The data tapes have been carefully edited. Some of the continuous data items have extremely high or low values. It has been verified that the values appear that way on the original interview documents; that is, it has been verified that the values have not resulted from incorrect keypunching. Within each data tape numerous consistency checks have been performed. However, due to the large volume of data collected in the survey, it is likely that a small number of errors or discrepancies remain undetected. NCHS would like to be informed if any such errors are detected so that errata sheets can be issued to previous purchasers and corrections made to a new data tape, if appropriate. Please contact:

Division of Health Examination Statistics National Center for Health Statistics Center Building, Room 2-58 3700 East-West Highway Hyattsville, Maryland 20782 (301) 436-7068

CONTENTS

			Page
I.	Nati	onal Health and Nutrition Examination Survey (NHANES II)	
	Ā.	History and Scope	1
	В.	Sample Design and Recommendations for Analysis	2
II.	Heal	Ith History Supplement, Ages 12-74 Years	
	Α.	Description	4
	В.	Demographic and Health History Data Collection	4
	c.	Other History and Related Data Collection	5
	D.	Data Editing	5
III.	Tape	e Characteristics and Description	
	<u>A.</u>	Tape Characteristics	6
	в.	Index to Tape Positions	7
		1. Demographic Section	7
		2. Sample Weight Section	11
		3. Health History Data Section	11
	c.	Use of Special Terms	12
	D.	Tape Description	
		1. Demographic Data	13
		2. Health History Data	38
IV.	<u>Det</u>	ailed Notes	130
v.	App	endix	
		Data Collection Techniques and Content	155
VT	Ref	erences	161

I. NATIONAL HEALTH AND NUTRITION EXAMINATION SURVEY (NHANES II)

A. HISTORY AND SCOPE

- 1. Description of Survey: NHANES II was one of a series of population based surveys conducted by the National Center for Health Statistics to help determine the health status of the Nation. Data were collected through response to questionnaires on medical and health history, food consumption, and health-related behavior. Data also were collected through direct medical examination. The tape documented here contains data from the demographic and health history parts of the survey for persons 12-74 years of age. A detailed description of the design, content, questionnaires, and operation of NHANES II is provided in the following report: Plan and Operation of the Second National Health and Nutrition Examination Survey, 1976-1980, DHHS Pub. No. (PHS) 81-1317, Vital and Health Statistics Series 1, No. 15, Public Health Service, available at cost from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. The stock number is 017-022-00752-5. One copy is provided with the documentation herein, and a general summary of the data collection techniques and content is given in the Appendix.
- 2. Target Population: NHANES II was conducted on a nationwide probability sample of approximately 28,000 persons 6 months through 74 years of age from the civilian, noninstitutionalized population of the United States. The survey started in February 1976 and was completed in February 1980. The NHANES II sample was selected so that certain population groups thought to be at high risk of malnutrition (persons with low incomes, preschool children, and the elderly) were oversampled. Adjusted sampling weights were then computed for 76 age, sex, and race categories to inflate the sample in such a manner as to closely reflect the estimated civilian, noninstitutionalized U.S. population 6 months through 74 years of age at the midpoint of the survey (March 1, 1978).

B. SAMPLE DESIGN AND RECOMMENDATIONS FOR ANALYSIS

NHANES II uses a multistage sample designed to represent the civilian, noninstitutionalized population of the United States, 6 months through 74 years of age. Since the sample is not a simple random one and certain population groups were oversampled, it is necessary to incorporate the person's sample weight for proper analysis of the data. The sample weight is a composite of the individual selection probability, adjustments for nonresponse, and poststratification adjustments.

NHANES II provides information on 20,322 individuals who were both interviewed and examined, and on another 4,964 individuals who were interviewed but not examined, in the age range 6 months through 74 years of age. In addition to the general examination components, several more detailed examinations were performed on subsamples of the population. Therefore, instead of there being one sample weight per person, there are several sample weights for each person. For a person not selected for a particular subsample, the associated subsample weight is zero. When analyzing the special subsamples, the analyst must be careful to select the appropriate sampling weight from the weights found in tape locations 282-317. For a more complete description of how the sample weights are calculated, see the detailed note section of this documentation. This file contains data on all 14,479 interviewed and examined persons 12 through 74 years of age.

The NHANES II data were collected using a complex sample design involving both clustering and stratification. Because of the complex design and the ratio adjustments applied to the sample weights, the direct application of standard statistical analysis methods for variance estimation and hypothesis testing may be very misleading. The modification of statistical analysis procedures to incorporate the effects of complex survey designs is an important area of research.

However, the current methodologies appropriate for the analysis of data from such surveys have not been made readily available in the standard packaged statistical software.

There are computer programs available which provide the capability of variance estimation for complex sample designs. The balanced repeated replication approach 1 is utilized in &REPERR &PSALMS to calculate the variance-covariance matrix. Both routines are available within the OSIRIS IV library. SURREGR and SUPERCARP are programs that calculate the variance-covariance matrix using the linearization approach 5 (Taylor series expansion). Another program, SESUDAAN, 6 calculates variances and design effects. SURREGR and SESUDAAN are special procedures for the SAS package, which is available from SAS Institute, Box 8000, Carey, N.C., 27511.

In order to provide the user with the capability of estimating the complex sample variances in the NHANES II data using the above procedures, Strata and Pseudo Primary Sampling Unit (PSU) codes have been provided on all data tapes in positions 324-326. These variables and the sample weights are necessary for the calculation of variances.

Even though the overall number of examined persons in this survey is quite large for statistical inference purposes, subclass analyses can lead to estimators that are unstable, particularly estimates of variances. Consequently, analyses of subclasses require that the user pay particular attention to the coefficient of variation for the estimates of means, proportions and totals. In addition, small sample sizes, or a small number of PSU's used in the variance calculations, may produce unstable estimates of the variances using the above computer programs.

An NCHS publication discusses these issues and describes analytic strategies for examining various hypotheses for the first National Health and Nutrition Examination Survey (NHANES I), which used a similar type of complex sample design.⁷

II. HEALTH HISTORY SUPPLEMENT, AGES 12-74 YEARS

A. DESCRIPTION

This data tape contains demographic, health history, and blood pressure data for persons 12-74 years old who were both interviewed and examined in the second National Health and Nutrition Examination Survey (NHANES II).

B. DEMOGRAPHIC AND HEALTH HISTORY DATA COLLECTION

A letter announcing the forthcoming arrival of an interviewer from the U.S. Bureau of the Census was mailed to each household that fell into the NHANES II probability sample. The interviewer visited the household, determined the appropriate sample person(s), and administered demographic and medical history questionnaires. Information on the household and the housing unit was obtained from an available and eligible household respondent. Demographic data for each sample person were obtained by self-response, when possible. When the sample person was not available, the interviewer obtained the data by proxy from any responsible adult in the household.

Medical history data were collected in the household from all sample persons who were later given direct medical examinations. At the examination center they were asked more questions about their health. The blood pressure data contained on this tape were collected during the physician's examination. The histories obtained at the examination center form the Health History Supplement data contained on this tape.

Some of the condition-related questions asked in the home were also asked as part of the Health History Supplement at the examination center. This redundancy was designed to allow analysis of data reliability and non-response (a small proportion of people interviewed in the home and selected for

examination did not receive examinations and supplemental history interviews). More detailed questions were asked in the examination centers so as to reduce respondent burden in the home. The sensitive nature of some other questions precluded their being asked in the household interview.

C. OTHER HISTORY AND RELATED DATA COLLECTION

Medical history data obtained in the household are available on another public use tape available from NTIS (Catalog Number 5020). That tape contains data on medicine/vitamin use; eating, digestion, and appetite; smoking; coffee and tea drinking; and data on: anemia, diabetes, hearing deficits, allergies, hypertension, and back and neck problems. Special attention also was given to cardiovascular, respiratory, kidney and bladder, liver and gall bladder diseases and hypertension.

Persons 25-74 years old were asked questions from a Behavior Questionnaire at the examination center. The questions were designed to elicit data on behavior thought to be associated with increased risk of coronary heart disease. A public use data tape with these data is in preparation (Catalog Number 5317).

D. DATA EDITING

Preliminary editing of the interview forms was done by personnel of NCHS. They verified and corrected, to the extent possible, problematic data and did further edits for consistency, completeness, and accuracy of the data against microfilm records of the original questionnaire where needed.

III. TAPE CHARACTERISTICS AND DESCRIPTION

A. TAPE CHARACTERISTICS

Title:

Health History Supplement Ages 12-74 Years

Catalog Number:

5305

Data Set Name:

HEHANES2.DU530501

Record Length: 810

Blocksize:

4050

Density:

1600 BPI

Number of Records: 14,479

Number of Reels:

1

Recording Mode:

Fixed Block, EBCDIC

Channel:

9 Track

Created by:

Division of Health Examination Statistics

National Center for Health Statistics

Hyattsville, Maryland

B. INDEX TO TAPE POSITIONS

1.	Demo	ographic Section	Tape	Pos	sitions
	a.	Residence Data			
		Sample Sequence Number	••••	1- 6- 13-	10 11 12
		more? If less than 10 acres, asked if in the last 12 months did sales of farm produce and live stock amount to \$250 or more? Unused position(s) Total number of persons in household Total number of sample persons in household	• • •	30- 32-	
	b.	Sample Person Data			
		Unused position(s). Family relationship. Examination status. Family unit number. Unused position(s). Age-months (at interview). Age-years (at interview). Unused position(s). Date of birth-month. Date of birth-year. Sex. Race. In what State was he/she born? Is he/she married, widowed, divorced, separated, or never married? National origin or ancestry. Education level. Grade completed.		37- 42- 45- 47- 49- 51- 53- 57-	44 46 48 50 52 54 55 56 58 59 61 63 64
		What was he/she doing during most of the past 12 months? What was he/she doing?	• • •		65 66 67 68
		The man rate of Fart arms man	•		

Demographic Section (Cont.)

	Sample Person Data (Cont.)	Tape Po	ositions
	Was he/she working within last two weeks not counting work around the house?		69
	a job or business?	• • •	70
	Was he/she looking for work or on layoff from a job?	• • •	71
	Which - looking for work or on layoff from a job?	• • •	72
	What kind of industry or business is this?	73-	- 75
	What kind of work was he/she doing?		- 78
	individual for wages, salary, or commission?	• • •	79
	Did he/she ever serve in the armed forces of the U.S.?	• • •	80
	When did he/she serve?	• • •	81
	Unused position(s)	82-	- 90
c.	Household Data		
	How many rooms are in this? Count the kitchen,		
	but not the bath	• • •	91
	How many bedrooms are in this?	• • •	92
	unrelated household members.) Do you have access to complete kitchen facilities in		93
	this house?		94
	Do you have access to a range or cookstove?		95
	Do you have access to a refrigerator?		96
	Is there piped water in this house (these living	• • •	97
	quarters)?		98
	Are these kitchen facilities used by anyone not	• • •	99
	living in this household?		100
	what is the main type of heating system you have?	101-	102
	Do you have air conditioning?	• •	103
	How many motor vehicles are owned or regularly used		
	for transportation by members of your family? Is any language other than English spoken by family		104
	members living here?	• •	105
	What language? Which of these income groups represents your total	• •	106
	combined family income for the past 12 months?	107-	108

Demographic Section (Cont.)

Household Data (Cont.)	ape Positions
During the past 12 months, how much money did you and all members of your family receive in wages or salaries before deductions (under \$7,000	100 112
only)?	. 109-112
Unused nosition(s)	. 114
If yes, how much?	. 119
Unused position(s)	. 120
If yes how much?	. 121-124
Unemployment compensation or workmen's compensation?	. 125
Impsed position(s)	. 120
If ves, how much?	. 12/-130
Government employee pension or private pensions?	. 131 . 132
Unused position(s)	133-136
If yes, how much?	137
Unused position(s)	138
Unused position(s) If yes, how much?	. 139-142
Net income from their own business (nontarm).	
professional practice or partnership?	143
Unused position(s)	144
Unused position(s) If yes, how much? Net income from a farm?	145-148
Net income from a farm?	149
Unused position(s)	150
If yes, how much?	151-154
Veteran's payments? Unused position(s)	
If yes, how much?	
Alimony, child support or other support from	
nersons not in household?	161
Unused position(s)	162
If ves, how much?	103-100
Any other income?	10/
Unused position(s)	168
If yes, how much?	109-1/2 173-176
Total amount	173-170
Check Item B - Food stamps available Are you certified to participate in the food	•• 1//
stamp program?	178
Are you buying food stamps now?	
What is the main reason you are not participating	
in the program?	180
Are you certified for commodity distribution program?	181

Demographic Section (Cont.)

	Household Data (Cont.)	Tape Positions
	Are you receiving commodity foods now for your	
	family?	182
	Why aren't you participating in the program?	183
	Date of exam	184-190
	Age in years (at examination)	190-191
	Unused position(s)	192-205
	Race-sex recode for sample persons	206
	Farm, nonfarm recode for sample person	207
	Interview status	208
	Region	209
	Poverty index	210-212
	Unused position(s)	213-246
d.	Head of Household Data	
	Age in years	247-248
	Unused position(s)	249-250
	Date of birth-month	251-252
	Date of birth-year	. 253-254
	Sex	255
	Race	256
	In what State was he/she born?	257-258
	Is he/she married, widowed, divorced, separated	
	or never married?	259
	National origin or ancestry?	260-261
	Education level	. 262-263
	Grade completed	264
	What was he/she doing most of the past 12 months?	265
	What was he/she doing? Did he/she work at job or business during past	266
	three months?	267
	Did he/she work full or part-time when working?	267
	Did he/she work at any time the last two weeks	
	not counting work around the house? Even though he/she did not work, does he/she	
	have a job or business?	270
	Was he/she looking for work or on layoff from a job?	271
	which - looking for work or on layoff from a job?	272
	Type of industry or business	273-275
	What kind of work was he/she doing?	276-278
	for individual for wages, salary, or commission?	279
	Did he/she ever serve in the armed forces of the U.S.?	280
	When did he/she serve?	281

2.	Sample Weight Section	Tape	Positions
	Examined final weight Medical history interview final weight Glucose Tolerance Test final examined		282-287 288-293
	weight Lead final examined weight Carboxyhemoglobin final examined weight	• • • •	294-299 300-305 306-311
	Bile acids final examined weight		312-317 318-323 324-325
	Pseudo PSU code Poverty Non-Poverty Segments Unused position(s)	• • • •	326 327 328-400
3.	Health History Data Section		
	Catalog Number. Unused position(s). Check Item I. Cardiovascular Conditions (Asked if age 25 or older). Back, Neck, and Joints (Asked if age 25 or older). Mononucleosis. Yellow Jaundice. Hernia. Contact with Carbon Tetrachloride. Exposure to Pesticides. Smoking (Asked if ages 12-17). Kidney and Bladder Disease. Activity Limitation. Check Item III. Menstrual and Pregnancy History for Females. Blood Pressure. Unused position. Dummy Record.		401-404 405-413 414 415-482 483-691 692 693-699 700 701 702-710 711-722 723-750 751-767 768 769-790 791-808 809 810

C. USE OF SPECIAL TERMS

The term "unused positions" refers to blank areas in the data.

The term "blank, but applicable", is used to indicate a data item that was to have a response for a sample person but for which no usable data were provided. This includes unanswered data fields, as well as those containing impossible entries: i.e., out-of-range or inconsistent with other entries. The term "blank" refers to data items where the sample person was not supposed to respond to the question.

All health history data items were coded as "blank" for sample persons for whom no Health History Questionnaire was received (see detailed note for tape position 810, which refers to these "dummy records").

To understand more fully the questionnaire skip patterns and the categorizations used, see <u>Plan and Operation of the Second National Health and Nutrition Examination Survey</u>, included with this documentation.⁸ All the questionnaires are included in that publication.

D. TAPE DESCRIPTION

1. DEMOGRAPHIC DATA

TAPE POSITION, ITEM DESCRIPTION, CODES	CONTROL COUNTS
RESIDENCE DATA IN POSITIONS 001-034	
POS. 001-005 SAMPLE SEQUENCE NUMBER 00058-27796	14,479
POS. 006-009 CATALOG NUMBER 5371	14,479
POS. 010 UNUSED POSITION	
POS. 011 SIZE OF PLACE (SEE DETAILED NOTE) 1=URBANIZED AREA WITH 3,000,000 OR MORE	1,847 1,784 1,309 701 682
POS. 012 SMSA-NOT SMSA (SEE DETAILED NOTE) 1=IN SMSA, IN CENTRAL CITY	4,062
POS. 013-023 UNUSED POSITIONS	
POS. 024 TYPE OF LÍVING QUARTERS (QUES. 7) 1=HOUSING UNIT	14,299 180

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL
POS.	025 LAND USAGE (QUES. 9)	
	1 = URBAN	9,294 5,185
POS.	026 IF RURAL, ASKED DOES THIS PLACE HAVE 10 ACRES OR MORE? (QUES. 11A)	
	1=YES 2=NO 9=NOT APPLICABLE	3,995
POS.	027 IF 10 ACRES OR MORE, ASKED IF IN THE PAST 12 MONTHS DID SALES OF FARM PRODUCTS AMOUNT TO \$50 OR MORE? (QUES. 11B)	
	1=YES 2=NO 9=NOT APPLICABLE	485
POS.	O28 IF LESS THAN 10 ACRES, ASKED IF IN THE PAST 12 MONTHS DID SALES OF FARM PRODUCTS AMOUNT TO \$250 OR MORE? (QUES. 11C)	
	1=YES 2=NO 9=NOT APPLICABLE	3,867
POS.	029 UNUSED POSITION	
POS.	030-031 TOTAL NUMBER OF PERSONS IN HOUSEHOLD 01-15 AS GIVEN	14,479
POS.	032-033 TOTAL NUMBER OF SAMPLE PERSONS IN FAMILY 01-06 AS GIVEN	14,479
POS.	034 UNUSED POSITION	

TAPE POSITION, ITEM DESCRIPTION, CODES CONTROL CONTINUED COUNTS

SAMPLE PERSON DATA IN POSITIONS 035-081

POS. 035 FAMILY RELATIONSHIP 1=HEAD, ONE PERSON LIVING ALONE OR WITH NON-RELATIVES.... 2,185 2=HEAD, TWO OR MORE RELATED PERSONS IN FAMILY..... 4,969 3,869 2,947 4=CHILD............. 5=OTHER RELATIVE...... 486 15 8 POS. 036 EXAMINATION STATUS FAMILY UNIT SEQUENCE NUMBER POS. 037-041 (SEE DETAILED NOTE) 00001-21051 AS GIVEN..... 14,479 POS. 042-044 UNUSED POSITIONS POS. 045-046 · AGE-MONTHS AT INTERVIEW (QUES. 3) BLANK IF GREATER THAN 11 MONTHS................... 14,479 POS. 047-048 AGE-YEARS AT INTERVIEW (QUES. 3) 12-74 YEARS...... 14,479 POS. 049-050 UNUSED POSITIONS DATE OF BIRTH-MONTH (QUES. 2) POS. 051-052 01-12 MONTH.......

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL
POS.	053-054 DATE OF BIRTH-YEAR (QUES. 2)	
	.01-67 YEAR	. 14,479
POS.	055 SEX (QUES. 4)	
	1 = MALE	
POS.	056 RACE (QUES. 5) (SEE DETAILED NOTE)	
	1 = WHITE	1,752
POS.	057-058 IN WHAT STATE WAS HE/SHE BORN? (QUES. 6) (SEE DETAILED NOTE)	
	01-9788=BLANK, BUT APPPLICABLE	
POS.	059 IS HE/SHE NOW MARRIED, WIDOWED, SEPARATED, OR NEVER MARRIED? (QUES. 7)	
	1=UNDER 17 2=MARRIED 3=WIDOWED 4=DIVORCED 5=SEPARATED 6=NEVER MARRIED 8=BLANK, BUT APPLICABLE	8,196 1,151 658 332 2,437

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL
POS.	060-061 NATIONAL ORIGIN OR ANCESTRY (QUES. 8)	
	O1=COUNTRIES OF CENTRAL OR SOUTH AMERICA	
	03=CUBAN	
	04=MEXICAN	
	05=MEXICANO	
	06=MEXICAN-AMERICAN	
	08=OTHER SPANISH	
	09=OTHER EUROPEAN, SUCH AS GERMAN, FRENCH, ENGLISH, IRISH	
	10=BLACK, NEGRO OR AFRO-AMERICAN	
	11 = AMERICAN INDIAN OR ALASKAN NATIVE	. 178
	12=ASIAN OR PACIFIC ISLANDER SUCH AS CHINESE, JAPANESE,	
	KOREAN, PHILIPPINO, SAMOAN	
	13=ANOTHER GROUP NOT LISTED	
	OUTBEANK, BUT ATTEIGREET THE TOTAL ENGINEER TO THE TOTAL ENGINEER TOTAL ENGINEER TO THE TOTAL ENGINEER TOTAL ENGINEER TO THE TOTAL ENGINEER TOTAL ENGINEER	. 575
POS.	062-063 WHAT WAS THE HIGHEST GRADE OR YEAR OF SCHOOL HE/SHE HAS EVER ATTENDED (QUES. 9A)	
	OO=NONE (REGARDLESS OF AGE)	110
	21-28=ELEMENTARY GRADES (1-8)	
	31-34=HIGH SCHOOL (1-4)	
	41-45=COLLEGE (1-5+)	
	88=BLANK, BUT APPLICABLE	. 127
POS.	064 DID HE/SHE FINISH THE GRADE YEAR? (QUES. 9B)	
	1=YFS	0 054
	2=NO	. 9,851
	8=BLANK, BUT APPLICABLE	
	BLANK	
POS.	065 WHAT WAS HE/SHE DOING DURING MOST OF THE PAST 12 MONTHS? (QUES. 10A)	
	1 = WORKING	. 6,667
	2=KEEPING HOUSE	
	3=SOMETHING ELSE	
	8=BLANK, BUT APPLICABLE	
	BLANK	. 1,668

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL COUNTS
POS.	066 WHAT WAS HE/SHE DOING? (QUES. 10B) 1=LAYOFF	1,179
	3=STUDENT	. 61 . 96 . 98 . 225 . 51
POS.	067 DID HE/SHE WORK AT A JOB OR BUSINESS AT ANY TIME DURING THE PAST THREE MONTHS? (QUES. 10C)	
	1=YES	. 4,998 . 51
POS.	068 WHEN HE/SHE WAS WORKING, DID HE/SHE USUALLY WORK FULL OR PART TIME? (QUES. 10D)	
	1=FULL TIME	. 1,574
POS.	069 DID HE/SHE WORK AT ANY TIME LAST WEEK OR THE WEEK BEFORE NOT COUNTING WORK AROUND THE HOUSE? (QUES. 11A)	
	1=YES	. 873 . 51
POS.	070 EVEN THOUGH HE/SHE DID NOT WORK DURING THAT TIME, DOES HE/SHE HAVE A JOB OR BUSINESS? (QUES. 11B)	
	1=YES	. 5,484 . 51

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL COUNTS
POS.	071 WAS HE/SHE LOOKING FOR WORK OR ON LAYOFF FROM A JOB? (QUES. 11C)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK	. 5,325 . 51
POS.	072 WHICH-LOOKING FOR WORK OR ON LAYOFF FROM A JOB? (QUES. 11D)	
	1=LOOKING	. 91 . 31 . 51
POS.	073-075 WHAT KIND OF INDUSTRY OR BUSINESS IS THIS? (QUES. 12B) (SEE DETAILED NOTE)	
	017-998 (LAST DIGIT 7,8,9)	. 118
POS.	076-078 WHAT KIND OF WORK WAS HE/SHE DOING? (QUES. 12C) (SEE DETAILED NOTE)	
	001-992=OCCUPATION (LAST DIGIT 0-6)	. 129
POS.	079 WAS HE/SHE AN EMPLOYEE OF A PRIVATE COMPANY, BUSINESS, OR INDIVIDUAL FOR WAGES, SALARY, OR COMMISSION? (QUES. 12E)	
	1=PRIVATE 2=A FEDERAL GOVT EMPLOYEE 3=A STATE GOVT EMPLOYEE 4=A LOCAL GOVT EMPLOYEE 5=INCORPORATED-OWN 6=SELF EMPLOYED (OR FARM) 7=WORKING WITHOUT PAY IN FAMILY BUSINESS OR FARM 8=NEVER WORKED 0=BLANK, BUT APPLICABLE BLANK	. 277 . 443 . 647 . 139 . 775 . 61 . 38

		CONTROL
POS.	080 DID HE/SHE EVER SERVE IN THE ARMED FORCES OF THE UNITED STATES? (QUES. 13A)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE	. 10,336
POS.	081 WHEN DID HE/SHE SERVE? (QUES. 13B)	
	1=VIETNAM 2=KOREAN WAR 3=WORLD WAR II 4=WORLD WAR I 5=POST VIETNAM 6=OTHER SERVICE 8=BLANK, BUT APPLICABLE 9=DO NO KNOW	. 283 . 1,101 . 3 . 10 . 271 . 232
POS.	082-090 UNUSED POSITIONS	
	HOUSEHOLD DATA IN POSITIONS 091-212	
POS.	091 HOW MANY ROOMS ARE IN THIS? COUNT THE KITCHEN, BUT NOT THE BATHROOM. (QUES. 14A)	
	1-8 ROOMS	. 13,512 . 967
POS.	092 HOW MANY BEDROOMS ARE IN THIS? (QUES. 14B)	
	0-7 BEDROOMS - MORE THAN 7 BEDROOMS CODED AS 7	. 14,479

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL COUNTS
POS:	ASKED ONLY OF UNRELATED HOUSEHOLD MEMBERS. DO YOU HAVE COMPLETE KITCHEN FACILITIES IN YOUR LIVING QUARTERS, THAT IS, A KITCHEN SINK WITH PIPED WATER, A REFRIGERATOR AND A RANGE OR COOKSTOVE? (QUES. 14C)	
	1=YES2=NO	. 175
POS.	DO YOU (HAVE/HAVE ACCESS TO) COMPLETE KITCHEN FACILITIES IN THIS HOUSE, THAT IS, A KITHCEN SINK WITH PIPED WATER, A REFIGERATOR AND A RANGE OR COOKSTOVE? (QUES. 15A)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK	. 233 . 56
POS.	095 DO YOU (HAVE/HAVE ACCESS TO) A RANGE OR COOKSTOVE? (QUES. 15B)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE	. 106 . 56
POS.	096 DO YOU (HAVE/HAVE ACCESS TO) A REFRIGERATOR? (QUES. 15B)	
	1 = YES	. 77 . 56
POS.	097 DO YOU (HAVE/HAVE ACCESS TO) A SINK WITH PIPED WATE (QUES. 15B)	R?
	1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK	. 138

	TAPE POSITION, ITEM DESCRIPTION, CODES	CONTROL
POS.	098 IS THERE PIPED WATER IN THIS HOUSE (THESE LIVING QUARTERS)? (QUES. 15C)	
	1=YES	. 113 . 56
POS.	099 IS THERE BOTH HOT AND COLD WATER? (QUES. 15D)	
	1=YES	. 8 . 56
POS.	100 ARE THESE KITCHEN FACILITIES USED BY ANYONE NOT LIVING IN THIS HOUSEHOLD? (QUES. 15E)	
	1=YES	. 13,823
POS.	101-102 WHAT IS THE MAIN TYPE OF HEATING SYSTEM YOU HAVE? (QUES. 16)	
	11=STEAM OR HOT WATER SYSTEM	
	ROOM OR CENTRAL HEAT PUMP (FORCED AIR)	
	14=FLOOR, WALL OR PIPELESS FURNACE	
	VENT, BURNING GAS, OIL OR KEROSENE	•
	WITHOUT FLUE OR VENT BURNING GAS, OIL, OR KEROSENE 17=FIREPLACE OR STOVES BURNING COAL, WOOD, OR COKE	
	18=PORTABLE ROOM HEATERS OF ANY KIND	. 285
	19=SOME OTHER TYPE	. 197
	88=BLANK, BUT APPLICABLE	

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL COUNTS
POS.	103 DO YOU HAVE AIR CONDITIONING? (QUES. 17)	
	1=YES, INDIVIDUAL ROOM UNIT	2,7047,261
POS.	104 HOW MANY MOTOR VEHICLES ARE OWNED OR REGULARLY USED FOR TRANSPORTATION BY MEMBERS OF YOUR FAMILY? (QUES. 18)	
	0=NONE	. 12,787
POS.	105 IS ANY LANGUAGE OTHER THAN ENGLISH FREQUENTLY SPOKEN BY FAMILY MEMBERS LIVING HERE? (QUES. 19A)	
	1 = YES	. 12,995
POS.	106 WHAT LANGUAGE(S)? (QUES. 19B)	
	O=GERMAN. 1=ITALIAN. 2=FRENCH. 3=POLISH. 4=RUSSIAN. 5=SPANISH. 6=CHINESE. 7=OTHER LANGUAGE. 8=BLANK, BUT APPLICABLE. 9=NOT APPLICABLE.	. 93 . 185 . 50 . 18 . 672 . 34 . 280

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL
POS.	107-108 WHICH OF THESE INCOME GROUPS REPRESENTS YOUR TOTAL COMBINED FAMILY INCOME FOR THE PAST 12 MONTHS? (QUES. 20) (SEE DETAILED NOTE)	
	11= UNDER \$ 1,000. 12=\$ 1,000-\$ 1,999. 13=\$ 2,000-\$ 2,999. 14=\$ 3,000-\$ 3,999. 15=\$ 4,000-\$ 4,999. 16=\$ 5,000-\$ 5,999. 17=\$ 6,000-\$ 6,999. 18=\$ 7,000-\$ 9,999. 19=\$10,000-\$14,999. 20=\$15,000-\$14,999. 21=\$20,000-\$24,999. 22=\$25,000 AND OVER. 88=BLANK, BUT APPLICABLE.	288 557 621 599 538 406 2,556 2,735 2,109 1,471
POS.	109-112 DURING THE PAST 12 MONTHS, HOW MUCH MONEY DID YOU AND ALL MEMBERS OF YOUR FAMILY RECEIVE IN WAGES OR SALARIES BEFORE DEDUCTIONS? (QUES. 21)	
	0000-6968=AMOUNT 8888=BLANK, BUT APPLICABLE BLANK	711
POS.	113 SOCIAL SECURITY OR RAILROAD RETIREMENT? (QUES. 22A)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK	1,635
POS.	114 UNUSED POSITION	
POS.	115-118 IF YES, HOW MUCH?	
	0038-6828=AMOUNT	583

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL
POS.	119 WELFARE PAYMENTS OR OTHER PUBLIC ASSISTANCE? (QUES. 22B)	
	1=YES	. 2,604 . 497
POS.	120 UNUSED POSITION	
POS.	121-124 IF YES, HOW MUCH?	
	0012-6780=AMOUNT	. 523
POS.	125 UNEMPLOYMENT COMPENSATION OR WORKMEN'S COMPENSATION (QUES. 22C)	
	1 = YES	3,058496
POS.	126 UNUSED POSITION	
POS.	127-130 IF YES, HOW MUCH?	
	0015-5640=AMOUNT	. 527
POS.	131 GOVERNMENT EMPLOYEE PENSION OR PRIVATE PENSIONS? (QUES. 22D)	
	1=YES	. 3,010 . 499

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL
POS.	132 UNUSED POSITION	
POS.	133-136 IF YES, HOW MUCH?	
	0036-6000=AMOUNT	. 520
POS.	137 DIVIDENDS, INTEREST, OR RENT? (QUES. 22E)	
	1=YES	. 2,815 . 505
POS.	138 UNUSED POSITION	
POS.	139-142 IF YES, HOW MUCH?	
	0001-5200=AMOUNT	. 540
POS.	143 NET INCOME FROM THEIR OWN NONFARM BUSINESS, PROFESSIONAL PRACTICE, OR PARTNERSHIP? (QUES. 22F)	
	1 = YES	. 3,120 . 13 . 503
POS.	144 UNUSED POSITION	
POS.	145-148 IF YES, HOW MUCH?	
	0001-6500=AMOUNT	. 530

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL COUNTS
POS.	149 NET INCOME FROM A FARM? (QUES. 22G)	
	1=YES	. 104
	2=NO	
	3=LOSS8=BLANK, BUT APPLICABLE	
	BLANK	
POS.	150 UNUSED POSITION	
POS.	151-154 IF YES, HOW MUCH?	
	0000-6500=AMOUNT	. 104
	8888=BLANK, BUT APPLICABLE	. 530
	BLANK	. 13,845
POS.	155 VETERAN'S PAYMENTS? (QUES. 22H)	
	1=YES	200
	2=NO	
	8=BLANK, BUT APPLICABLE	
	BLANK	. 10,/18
POS.	156 UNUSED POSITION	
POS.	157-160 IF YES, HOW MUCH?	
	0006-6000=AMOUNT	197
	8888=BLANK, BUT APPLICABLE	
	BLANK	13,771
PNS	161 ALIMONY, CHILD SUPPORT, OR CONTRIBUTIONS FROM	
, 00.	PERSONS NOT LIVING IN HOUSEHOLD? (QUES. 221)	
	1=YES	204
	2=NO	3,057
	8=BLANK, BUT APPLICABLE	
	DLAIR	10,710

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	COUNTE
POS.	162 UNUSED POSITION	
POS.	163-166 IF YES, HOW MUCH?	
	0020-6900=AMOUNT	512
POS.	167 ANY OTHER INCOME? (QUES. 22J)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK	3,094 500
POS.	168 UNUSED POSITION	
POS.	169-172 IF YES, HOW MUCH?	
	0003-6403=AMOUNT	508
POS.	173-176 TOTAL AMOUNT (QUES. 21 & 22)	
	0000-6994=AMOUNT	850
POS.	177 CHECK ITEM B	
	2=FOOD STAMPS AVAILABLE	
POS.	178 ARE YOU CERTIFIED TO PARTICIPATE IN THE FOOD STAMP PROGRAM? (QUES. 23A)	
	1 = YES	12,481

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL
POS.	179 ARE YOU BUYING FOOD STAMPS NOW? (QUES. 23B)	
	1=YES, REGULARLY	. 56 . 271 . 22
POS.	180 WHAT IS THE MAIN REASON YOU AREN'T PARTICIPATING IN THE PROGRAM? (QUES. 23C)	
	1=NO NEED	. 61 . 10 . 18 . 121 . 43
POS.	181 ARE YOU CERTIFIED FOR THE COMMODITY DISTRIBUTION PROGRAM? (QUES. 24A)	
	1 = YES	. 156
POS.	182 ARE YOU RECEIVING COMMODITY FOODS NOW FOR YOUR FAMILY? (QUES. 24B)	
	3=NOBLANK	
POS.	183 WHY AREN'T YOU PARTICIPATING IN THE PROGRAM? (QUES. 24C)	
	1=NO NEED4=OTHERBLANK	. 3
POS.	. 184-185 CONTROL RECORD - DATE OF EXAM MONTH	
	01-12	. 14,479

	ONTROL OUNTS
POS. 186-187 CONTROL RECORD - DATE OF EXAM DAY	14,479
POS. 188-189 CONTROL RECORD - DATE OF EXAM YEAR	14.479
POS. 190-191 AGE IN YEARS (AT EXAMINATION)	·
POS. 192-205 UNUSED POSITIONS	14,479
PO'S. 206 RACE SEX RECODE FOR SAMPLE PERSON (SEE DETAILED NOTE FOR POS. 056)	
1=MALE, WHITE 2=MALE, BLACK 3=MALE, OTHER 4=FEMALE, WHITE 5=FEMALE, BLACK 6=FEMALE, OTHER	806 148 6,443
POS. 207 FARM, NON-FARM RECODE FOR SAMPLE PERSON (SEE DETAILED NOTE)	
1 = FARM	833 13,646
POS. 208 INTERVIEW STATUS	
1 = INTERVIEWED	14,479
POS. 209 REGION (SEE DETAILED NOTE)	
1=NORTHEAST	3,240 3,870 3,890 3,479

	·	
	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	
POS.	210-212 POVERTY INDEX (X.XX) (SEE DETAILED NOTE)	
	.001-880 (AS GIVEN)	
POS.	213-246 UNUSED POSITIONS	
	HEAD OF HOUSEHOLD DATA IN POSITIONS 247-281	
POS.	247-248 AGE YEARS AT INTERVIEW (QUES. 3)	
	15-99 YEARS (100 OR MORE CODED AS 99)	. 14,479
POS.	249-250 UNUSED POSITIONS	
POS.	251-252 DATE OF BIRTH-MONTH (QUES. 2)	
	01-12 MONTH	. 14,441
POS.	. 253-254 DATE OF BIRTH-YEAR	
	00-99 YEAR	14,463
POS.	. 255 SEX (QUES. 4)	
	1=MALE	
POS	. 256 RACE (QUES. 5) (SEE DETAILED NOTE FOR POS. 056)	
	1 = WHITE	., 1,754

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL
POS.	257-258 IN WHAT STATE WAS HE/SHE BORN? (QUES. 6) (SEE DETAILED NOTE FOR POS. 057-058)	
	01-9788=BLANK, BUT APPLICABLE	14,356
POS.	259 IS HE/SHE NOW MARRIED, WIDOWED, DIVORCED, SEPARATED, OR NEVER MARRIED? (QUES. 7)	
	1 = UNDER 17 2 = MARRIED 3 = WIDOWED 4 = DIVORCED 5 = SEPARATED 6 = NEVER MARRIED 7 = BLANK, BUT APPLICABLE	10,586 1,341 866 463 1,189
POS.	260-261 NATIONAL ORIGIN OR ANCESTRY? (QUES. 8) 01=COUNTRIES OF CENTRAL OR SOUTH AMERICA	20 75 144 56 187 122 58 10,642 1,685 187
POS.	13=ANOTHER GROUP NOT LISTED	300 118 3,182 6,719 4.320

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL COUNTS
POS.	264 DID HE/SHE FINISH THE GRADE YEAR? (QUES. 9B)	
	1=YES	. 3,340 . 301
POS.	265 WHAT WAS HE/SHE DOING MOST OF THE PAST 12 MONTHS? (QUES. 10A)	
	1=WORKING	. 1,269 . 3,285 . 45
POS.	266 WHAT WAS HE/SHE DOING? (QUES. 10B)	
	1=LAYOFF	. 2,097 . 388 . 112 . 91 . 93 . 374 . 45
POS.	267 DID HE/SHE WORK AT A JOB OR BUSINESS DURING THE PAST THREE MONTHS? (QUES. 10C)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK	3,95345
POS.	268 WHEN HE/SHE WAS WORKING, DID HE/SHE USUALLY WORK FULL OR PART TIME? (QUES. 10D)	
	1=FULL TIME	. 1,071

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL COUNTS
POS.	269 DID HE/SHE WORK AT ANY TIME LAST WEEK OR THE WEEK BEFORE NOT COUNTING WORK AROUND THE HOUSE? (QUES. 11A)	
	1 = YES	. 833 . 45
POS.	270 EVEN THOUGH HE/SHE DID NOT WORK DURING THAT TIME DOES HE/SHE HAVE A JOB OR BUSINESS? (QUES. 11B)	
	1=YES	. 4,322
POS.	271 WAS HE/SHE LOOKING FOR WORK OR ON LAYOFF FROM A JOB? (QUES. 11C)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE	. 4,337
POS.	272' WHICH-LOOKING FOR WORK OR ON LAYOFF FROM A JOB? (QUES. 11D)	
	1=LOOKING	. 111 . 32 . 45
POS.	273-275 WHAT KIND OF INDUSTRY OR BUSINESS IS THIS? (QUES. 12B) (SEE DETAILED NOTE)	
	017-998 (LAST DIGIT 7,8,9)	. 170

	TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED	CONTROL
POS.	276-278 WHAT KIND OF WORK WAS HE/SHE DOING? (QUES. 12C (SEE DETAILED NOTE FOR POS. 73-75, 76-78))
	001-992=OCCUPATION (LAST DIGIT 0-6)	. 179
POS.	279 WAS HE/SHE AN EMPLOYEE OF A PRIVATE COMPANY, BUSINESS, OR INDIVIDUAL FOR WAGES, SALARY, OR COMMISSION? (QUES. 12E)	
	1=PRIVATE	. 470 . 554 . 758 . 278 . 1,354 . 5
POS.	280 DID HE/SHE EVER SERVE IN THE ARMED FORCES OF THE UNITED STATES? (QUES. 13A) 1=YES	. 9,130 . 148
POS.	281 WHEN DID HE/SHE SERVE? (QUES. 13B) 1 = VIETNAM	. 989 . 2,295 . 47 . 83 . 704 . 148

TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED

CONTROL COUNTS

SAMPLE WEIGHT DATA, POSITIONS 282-317

(SEE DETAILED NOTE FOR POSITIONS 282-317)

POS.	282-287	EXAMINED FINAL WEIGHT	
	002000-07	79634	14,479
POS.	288-293	MEDICAL HISTORY INTERVIEW FINAL WEIGHT	
	001468-07	71969	14,479
POS.	294-299	GLUCOSE TOLERANCE TEST FINAL EXAMINED WEIGHT	
	003502-08	84477	5,903 8,576
PNS.	380-305	LEAD FINAL EXAMINED WEIGHT	
, 55.	004398-08	84115	7,169 7,310
POS.	306-311	CARBOXYHEMOGLOBIN FINAL EXAMINED WEIGHT	
	003785-11 000000	10759	7,310 7,169
POS.	312-317	BILE ACIDS FINAL EXAMINED WEIGHT	
		37638	

TAPE POSITION, ITEM DESCRIPTION, CODES COCONTINUED CO	NTROL UNTS
POS. 318-323 UNUSED POSITIONS	
POS. 324-325 STRATA	
01-32	4,479
POS. 326 PSEUDO PRIMARY SAMPLING UNITS	
1 OR 2 1	4,479
POS. 327 POVERTY/NON-POVERTY SEGMENTS (SEE DETAILED NOTE)	
1 = NON-POVERTY	7,050 7,429
POS. 328-400 UNUSED POSITIONS	

D. TAPE DESCRIPTION (CONTINUED)

2. HEALTH HISTORY DATA

NATIONAL HEALTH AND NUTRITION EXAMINATION SURVEY

(NHANES II - 1976-1980)

HEALTH HISTORY SUPPLEMENT, AGES 12-74 YEARS

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
401-404	CATALOG NUMBER: 5305		Health History Supplement Ages 12-74	-38-
405-413	Unused Positions	14,479		
414	Check Item I			
	1 - 25 or over 2 - Under 25 Blank	10,404 4,007 68		
415	Have you ever had any trouble with pain, discomfort or pressure in your chest when you walk fast or uphill?		Question 1a.	
	1 - Yes 2 - No Blank	1,223 9,181 4,075		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Would you describe this pain as any of the following?	:	Question 1b.	
416	<u>Heaviness</u>			
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	516 703 4 13,256		
417	Burning sensation 1 - Yes 2 - No 8 - Blank, but applicable Blank	165 1,054 4 13,256		-39-
418	Tightness 1 - Yes 2 - No 8 - Blank, but applicable Blank	628 591 4 13,256		
419	Stabbing pain 1 - Yes 2 - No 8 - Blank, but applicable Blank	255 964 4 13,256		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Would you describe this pain as any of the following?		Question 1b. Continued
420	Pressure		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	613 606 4 13,256	
421	Sharp pain	·	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	384 835 4 13,256	-40-
422	Shooting pains		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	226 993 4 13,256	
423	Have you had the pain or discomfort more than THREE times?		Question 1c.
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,036 182 5 13,256	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
424	Have you been bothered by the pain or discomfort within the past 12 months?		Question 1d.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	943 278 2 13,256		
425	How old were you when you first had the pain or discomfort?		Question 1e.	
	<pre>1 - Under 10 years 2 - 10-19 years 3 - 20-29 years 4 - 30-39 years 5 - 40-49 years 6 - 50-59 years 7 - 60 years or older 8 - Blank, but applicable Blank</pre>	22 76 140 178 218 313 271 5		-41-
426	Do you get the pain or discomfort if you walk at an ordinary pace on level ground?		Question 1f.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	329 886 8 13,256		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
***************************************	If you get the pain or discomfort while walking do you -		Question 1g.	
427	Stop?			
•	1 - Yes2 - No8 - Blank, but applicableBlank	628 574 21 13,256		
428	Slow down?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	680 521 22 13,256		-42-
429	Continue at the same pace?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	111 1,090 22 13,256		
430	Take medicine?			
	1 - Yes2 - No8 - Blank, but applicableBlank	238 963 22 13,256		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
431	If you do stop or slow down, is the pain or discomfort relieved or not?		Question 1h.	
	1 - Relieved 2 - Not relieved 8 - Blank, but applicable Blank	1,074 110 39 13,256		
432	How soon is the pain relieved?		Question 1i.	
	1 - Less than 10 minutes 2 - 10 minutes or more 8 - Blank, but applicable Blank	758 304 51 13,366		
	When you get pain or discomfort where is it located? Is it in the -		Question 1j.	43-
433	Upper middle chest?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	768 434 21 13,256		
434	Lower middle chest?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	296 905 22 13,256		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	When you get pain or discomfort where is it located? Is it in the -		Question 1j. Continued
435	Left side of chest?		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	376 825 22 13,256	
436	Left arm?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	149 1,052 22 13,256	-44-
437	Right side of chest?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	110 1,091 22 13,256	
438	Some other place?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	94 1,107 22 13,256	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Do any of the following things tend to bring the pain or discomfort on?		Question 1k.	
439	Excitement or emotion?			
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	531 670 22 13,256		
440	Stooping over?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	326 874 23 13,256		-45-
441	Fating a heavy meal?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	328 872 23 13,256		
442	Coughing spells?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	341 859 23 13,256		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Do any of the following things tend to bring the pain or discomfort on?		Question 1k. Continued
443	Cold wind?		
•	1 - Yes2 - No8 - Blank, but applicableBlank	482 717 24 13,256	
444	Exertion?		
	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	951 248 24 13,256	-46-
445	Have you ever had severe pain across the front of your chest lasting for half an hour or more?		Question 2a.
	1 - Yes 2 - No Blank	676 9,728 4,075	
446	How many of these attacks of pain have you had?		Question 2b.
	<pre>1 - One 2 - Two 3 - Three 4 - Four or more 8 - Blank, but applicable Blank</pre>	226 92 74 283 1 13,803	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	What was the date of your last attack?		Question 2c.	
447-448	01-12 - Month as given 88 - Blank, but applicable Blank	628 48 13,803		
449-45Q	30-80 - Year as given 88 - Blank, but applicable Blank	656 20 13,803		
451	What was the duration of the pain during your last attack?		Question 2d.	
	<pre>1 - 30-59 minutes 2 - 1-2 hours 3 - 3-5 hours 4 - 6-11 hours 5 - 12-23 hours 6 - 24-47 hours 7 - 2 days or more 8 - Blank, but applicable Blank</pre>	293 152 73 32 11 28 75 12 13,803		-47-
452	Did you see a doctor about this last attack?		Question 2e.	
	1 - Yes 2 - No Blank	422 254 13,803		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
453	What did he say it was? Rheumatic fever (Active)		Question 2f. See Detailed Notes
	1 - Yes 8 - Blank, but applicable Blank	1 71 14,407	for list of codes (Note: A 9th catchall category for "other chest pain - not cardiovascular" has been added to the 8
454	Chronic rheumatic heart disease		categories referenced on the interview form.)
	1 - Yes8 - Blank, but applicableBlank	4 71 14,404	
455	Hypertension		į
	1 - Yes 8 - Blank, but applicable Blank	8 71 14,400	-48-
456	Ischemic heart disease		
	1 - Yes 8 - Blank, but applicable Blank	194 71 14,214	
457	Other forms of heart disease		
	1 - Yes 8 - Blank, but applicable Blank	42 71 14,366	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTRUL COUNTS	NHANES-II DATA SOURCE OR NOTES
	What did he say it was?		Question 2f. Continued
458	Cerebrovascular disease		
•	1 - Yes 8 - Blank, but applicable Blank	10 71 14,398	
459	Arteriosclerosis		
	1 - Yes 8 - Blank, but applicable Blank	5 71 14,403	
460	Other diseases of the circulatory system		-49-
	1 - Yes 8 - Blank, but applicable Blank	21 71 14,387	
461	Other chest pain - not cardiovascular		
	1 - Yes 8 - Blank, but applicable Blank	78 71 14,330	
462	Have you ever seen a doctor about chest pains, chest discomfort or heart failure?		Question 2g.
	1 - Yes 2 - No Blank	173 81 14,225	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	What type of doctor was it? Was it a-		Question 2h.	
463	General Practitioner?			
•	<pre>1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank</pre>	358 202 12 23 13,884		
464	Internist?			
	<pre>1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank</pre>	92 458 12 33 13,884		-50-
465	Osteopath?			
	<pre>1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank</pre>	24 528 12 31 13,884		
466	Heart specialist?			
	1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank	236 320 12 27 13,884		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	What type of doctor was it? Was it a -		Question 2h. Continued
467	Some other medical person? 1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank	36 509 12 38 13,884	
468	Have you ever stayed in a hospital overnight or longer because of your chest pains or a heart condition? 1 - Yes 2 - No 8 - Blank, but applicable Blank	372 301 3 13,803	Question 2i.
469	During the past 12 months, about how many work days would you estimate you have lost because of a heart condition? 1 - None 2 - 1-4 days 3 - 5-9 days 4 - 10-14 days 5 - 15-19 days 6 - 20-29 days 7 - 30 days or more 8 - Blank, but applicable Blank	539 23 14 5 5 1 82 7 13,803	Question 2j.

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	SHORTNESS OF BREATH		······································	
470	Have you ever had shortness of breath either when hurrying on the level or walking up a slight hill?		Question 3a.	
•	1 - Yes 2 - No Blank	3,451 6,953 4,075		
471	Have you had this problem on most days for at least 90 days in the past year?		Question 3b.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,598 1,853 11,028		-52-
472	Do you get short of breath when walking with other people at an ordinary pace on level ground?		Question 3c.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,097 2,351 3 11,028		
473	Do you have to stop for breath when walking at your own pace on level ground?		Question 3d.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	698 2,747 6 11,028		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
474	Do you have to stop for breath after walking about 100 yards or after a few minutes on level ground?		Question 3e.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	693 2,751 7 11,028		
475	How long ago did you first have this trouble with shortness of breath?		Question 3f.	
	1 - Less than 1 year ago 2 - 1-3 years ago 3 - 4-9 years ago 4 - 10 years ago or more 8 - Blank, but applicable 9 - Don't know Blank	389 1,089 857 1,002 3 111 11,028		-53-
476	Have you gotten chest pains along with the shortness of breath?		Question 3g.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	845 2,605 1 11,028		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Were these pains located in the -		Question 3h.	
477	Upper chest?			
•	1 - Yes2 - No8 - Blank, but applicableBlank	732 109 5 13,633		
478	Upper back?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	123 717 6 13,633		-54-
479	Lower back?			•
	1 - Yes 2 - No 8 - Blank, but applicable Blank	44 797 5 13,633		
480	Along the lower ribs?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	149 691 6 13,633		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Were these pains located in the -		Question 3h. Continued
481	On the sides?		
•	1 - Yes2 - No8 - Blank, but applicableBlank	143 697 6 13,633	
482	Do you develop wheezing as well as shortness of breath?		Question 3i.
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,043 2,394 14 11,028	i (n
483	Have you ever had pain in your back on most days for at least two weeks?		Question 4a.
	1 - Yes 2 - No Blank	1,763 8,641 4,075	
484	What is the longest episode of back pain you have ever had?		Question 4b.
	<pre>1 - Less than one month 2 - One but less than 2 months 3 - 2-3 months 4 - 4-5 months 5 - 6 months or more 8 - Blank, but applicable 9 - Don't remember Blank</pre>	607 264 204 67 590 2 29 12,716	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Where is the pain usually located? In the -		Question 4c.	
485	Upper back?			
	1 - Yes2 - No8 - Blank, but applicableBlank	235 1,527 1 12,716		
486	Mid-back?			
	1 - Yes2 - No8 - Blank, but applicableBlank	275 1,487 1 12,716		-56-
487	Lower back?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,516 246 1 12,716		
	When you have this back pain, where is it most intense?		Question 4d.	
488	Upper back?			
	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	178 1,578 7 12,716		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	When you have this back pain, where is it most intense?		Question 4d. Continued
489	Mid-back?		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	206 1,550 7. 12,716	
490	Lower back?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,443 313 7 12,716	-57-
491	Is the back pain usually present when you are resting at night?		Question 4e.
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,001 755 7 12,716	
492	When you have the back pain does it awaken you from sleeping at night?		Question 4f.
	1 - Yes 2 - No 8 - Blank, but applicable Blank	882 878 3 12,716	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
493	Does the back pain ever seem to spread?		Question 4g.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	564 1,178 21 12,716		
•	Does it spread to the -		Question 4h.	
494	Back of the right leg?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	195 369 21 13,894		-58-
495	Back of the left leg?			•
	1 - Yes 2 - No 8 - Blank, but applicable Blank	171 393 21 13,894		
496	Back of both legs?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	167 396 22 13,894		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Does it spread to the -		Question 4h. Continued
497	Top of the head?		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	85 478 22 13,894	
498	Sides of the body? 1 - Yes 2 - No 8 - Blank, but applicable Blank	149 414 22 13,894	-59-
	Is your back pain made worse -		Question 4i.
499	By coughing, sneezing, or deep breathing? 1 - Yes 2 - No 8 - Blank, but applicable Blank	590 1,155 18 12,716	
500	With bending or twisting motion? 1 - Yes 2 - No 8 - Blank, but applicable Blank	1,381 365 17 12,716	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
***************************************	Is your back pain made worse -		Question 4i. Continued
501	After prolonged sitting?		
•	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	1,245 502 16 12,716	
502	After prolonged standing?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,169 577 17 12,716	-60-
503	After prolonged activity?		ř
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,227 519 17 12,716	
504	How old were you when you first experienced this recurring back pain?		Question 4j.
	1 - Less than 20 years old 2 - 20-29 years old 3 - 30-39 years old 4 - 40-49 years old 5 - 50-59 years old 6 - 60 years old or older 8 - Blank, but applicable Blank	171 372 404 367 273 170 6 12,716	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
505	When was the last time you had this pain?		Question 4k.	
•	 1 - Have it now 2 - Less than 1 year ago, but not now 3 - 1-2 years ago 4 - 3-5 years ago 5 - 6 years ago or more 8 - Blank, but applicable Blank 	896 445 115 89 212 6 12,716		
506	Does this back pain occur more frequently now than it used to occur?		Question 41.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	671 1,088 4 12,716		-61-
507	Has this back pain usually been mild, moderate or severe?		Question 4m.	
	<pre>1 - Mild 2 - Moderate 3 - Severe 8 - Blank, but applicable Blank</pre>	365 746 646 6 12,716		
508	Have you ever had a sprained back due to some type of physical activity?		Question 4n.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	594 1,164 5 12,716		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
509	Have you ever had a disc problem in either your back or neck?		Question 40.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	555 1,196 12 12,716		
510	Was the problem a ruptured disc?		Question 4p.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	264 289 14 13,912		1
511	Was the disc problem in your back or neck?		Question 4q.	-62-
	 1 - Back 2 - Neck 3 - Both 8 - Blank, but applicable Blank 	459 38 52 18 13,912		
512-513	How old were you when you first had the disc problem?		Question 4r.	
	00-74 - Years old 88 - Blank, but applicable Blank	547 20 13,912		

.

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
514	Were you in traction?		Question 4s.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	218 333 16 13,912		
515	Was surgery necessary?		Question 4t.	
	1 - Yes2 - No8 - Blank, but applicableBlank	167 384 16 13,912		
516	Have you ever stayed in a hospital overnight or longer for back pain?		Question 4u.	-63-
	1 - Yes 2 - No 8 - Blank, but applicable Blank	545 1,201 17 12,716		
517	Have you ever had pain in your neck on most days for at least two weeks?		Question 5a.	
	1 - Yes 2 - No Blank	913 9,491 4,075		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
518	What is the longest episode of neck pain you have ever had?		Question 5b.	
•	<pre>1 - Less than one month 2 - One but less than two months 3 - 2-3 months 4 - 4-5 months 5 - 6 months or more 8 - Blank, but applicable 9 - Don't remember Blank</pre>	327 129 122 26 291 1 17 13,566		
519	Is the neck pain present when you are resting at night?		Question 5c.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	574 334 5 13,566		-64-
520	Does the neck pain ever seem to spread?		Question 5d.	
	1 - Yes 2 - No Blank	358 555 13,566		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL	NHANES-II DATA SOURCE OR NOTES	
	Does it spread to -		Question 5e.	~
521	The top and back of the head?			
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	182 171 5 14,121		
522	Either shoulder area? 1 - Yes 2 - No 8 - Blank, but applicable Blank	251 100 7 14,121		-65-
523	The arms or hands? 1 - Yes 2 - No 8 - Blank, but applicable Blank	109 243 6 14,121		
524	Other? 1 - Yes 2 - No 8 - Blank, but applicable Blank	34 314 10 14,121		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNT'S	NHANES-II DATA SOURCE OR NOTES	
	Is your neck pain made worse -		Question 5f.	
525	By coughing, sneezing, or deep breathing?			
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	195 714 4 13,566		
526	With bending or twisting motion?			
	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	641 267 5 13,566		-66-
527	After prolonged activity?			Ÿ.
	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	529 378 6 13,566		
528	After prolonged sitting?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	453 452 8 13,566		
529	After prolonged standing?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	393 511 9 13,566		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
530	How old were you when you first experienced this recurring neck pain?		Question 5g.	
	1 - Less than 20 years old 2 - 20-29 years old 3 - 30-39 years old 4 - 40-49 years old 5 - 50-59 years old 6 - 60 years old or older 8 - Blank, but applicable Blank	52 144 164 213 170 164 6		
531	When was the last time you had this pain? 1 - Have it now 2 - Less than 1 year ago but not now 3 - 1-2 years ago 4 - 3-5 years ago 5 - 6 years ago or more 8 - Blank, but applicable Blank	534 207 50 40 78 4 13,566	Question 5h.	-67-
532	Does this neck pain occur more frequently now than it used to occur? 1 - Yes 2 - No 8 - Blank, but applicable Blank	415 496 2 13,566	Question 5i.	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
533	Has this neck pain usually been mild, moderate, or severe?		Question 5j.	
•	<pre>1 - Mild 2 - Moderate 3 - Severe 8 - Blank, but applicable Blank</pre>	247 402 262 2 13,566		
534	Have you ever had a "whiplash" injury of the neck?		Question 5k.	
	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	239 671 3 13,566		-68-
	Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good?		Questions 6a. and 6b.	
535	Splints or casts?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	72 2,014 66 12,327		
536	Did it do you any good?			
	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	53 18 67 14,341		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good?		Questions 6a. and 6b. Continued
537	Braces		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	500 1,579 73 12,327	
538	Did it do you any good?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	367 133 73 13,906	-69-
539	Diathermy or paraffin		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	296 1,786 70 12,327	
540	Did it do you any good?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	233 63 70 14,113	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good?		Questions 6a. and 6b. Continued
541	Hot packs or heating pads 1 - Yes 2 - No 8 - Blank, but applicable Blank	1,431 643 78 12,327	
542	Did it do you any good? 1 - Yes 2 - No 8 - Blank, but applicable Blank	1,181 249 79 12,970	-70-
543	Cold packs or ice 1 - Yes 2 - No 8 - Blank, but applicable Blank	139 1,943 70 12,327	
544	Did it do you any good? 1 - Yes 2 - No 8 - Blank, but applicable Blank	86 53 70 14,270	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good?		Questions 6a. and 6b. Continued
545	Rest 1 - Yes 2 - No 8 - Blank, but applicable Blank	1,571 491 90 12,327	
546	Did it do you any good? 1 - Yes 2 - No 8 - Blank, but applicable Blank	1,373 197 91 12,818	-71-
547	Traction 1 - Yes 2 - No 8 - Blank, but applicable Blank	421 1,653 78 12,327	
548	Did it do you any good? 1 - Yes 2 - No 8 - Blank, but applicable Blank	277 144 78 13,980	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good?		Questions 6a. and 6b. Continued	
549	Exercises or physical therapy			
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	697 1,379 76 12,327		
550	Did it do you any good?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	543 154 76 13,706		-72-
551	Aspirin?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,174 899 79 12,327		
552	Did it do you any good?			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	939 234 80 13,226		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good?		Questions 6a. and 6b. Continued
553	Cane? 1 - Yes 2 - No 8 - Blank, but applicable Blank	121 1,945 86 12,327	
554	Did it do you any good? 1 - Yes 2 - No 8 - Blank, but applicable Blank	110 11 86 14,272	-73-
555	Crutch? 1 - Yes 2 - No 8 - Blank, but applicable Blank	94 1,973 85 12,327	
556	Did it do you any good? 1 - Yes 2 - No 8 - Blank, but applicable Blank	78 15 86 14,300	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good?		Questions 6a. and 6b. Continued	
557	Stiff mattress? 1 - Yes 2 - No 8 - Blank, but applicable Blank	1,011 1,060 81 12,327		
558	Did it do you any good? 1 - Yes 2 - No 8 - Blank, but applicable Blank	857 148 87 13,387		-74-
559	Bed board? 1 - Yes 2 - No 8 - Blank, but applicable Blank	623 1,443 86 12,327		
560	Did it do you any good? 1 - Yes 2 - No 8 - Blank, but applicable Blank	525 94 90 13,770		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Are you now using it regularly for your back or neck trouble?		Question 6c.	
561	Splints or casts			
•	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	3 51 1 14,424		
562	Braces			
	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	93 269 5 14,112		-75-
563	Diathermy or paraffin			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	13 213 7 14,246		
564	Hot packs or heating pads			
	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	396 775 11 13,297		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Are you now using it regularly for your back or neck trouble?		Question 6c. Continued
565	Cold packs or ice		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	17 66 3 14,393	
566	Rest		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	685 673 18 13,103	-76-
567	Traction		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	23 249 5 14,202	
568	Exercises or physical therapy		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	222 312 9 13,936	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Are you now using it regularly for your back or neck trouble?		Question 6c. Continued
569	Aspirin		
٠	1 - Yes 2 - No 8 - Blank, but applicable Blank	462 459 20 13,538	
570	Cane		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	34 74 4 14,367	-77-
571	Crutch		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	4 74 3 14,398	
572	Stiff mattress		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	783 75 7 13,614	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Are you now using it regularly for your back or neck trouble?		Question 6c. Continued
573	Bed board		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	332 189 9 13,949	
574	At the present time, does your back or neck condition restrict your physical activity very little, quite a bit, or a whole lot?		Question 7a.
	<pre>1 - Very little 2 - Quite a bit 3 - A whole lot 8 - Blank, but applicable Blank</pre>	1,436 391 258 67 12,327	-78-
575	Have you ever had to stay in bed at home for long periods of time because of your back or neck trouble?		Question 7b.
	1 - Yes 2 - No 8 - Blank, but applicable Blank	729 1,355 68 12,327	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
576	Have you ever stayed overnight in a hospital because of back or neck problems?		Question 7c.	
•	1 - Yes 2 - No 8Blank, but applicable Blank	636 1,446 70 12,327		
577	With respect to your back or neck trouble, would you say your condition is mild, moderate, or severe?		Question 8.	
	1 - Mild 2 - Moderate 3 - Severe 8 - Blank, but applicable Blank	970 804 316 62 12,327		-79-
578	At any time during the past year did your back or neck trouble cause you to cut down on the things you usually do?		Question 9a.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	969 1,123 60 12,327		
579-581	During the past year, about how many days did you cut down on your activity?		Question 9b.	
	000-365 - Days 888 - Blank, but applicable Blank	957 72 13,450		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
582-584	During the past year, about how many days did your condition keep you from work or school, not counting work around the house?		Question 9c.	
	000-365 - Days 888 - Blank, but applicable Blank	923 82 13,474		
585-587	During the past year about how many days did your condition limit the kind or amount of work around the house you could do?		Question 9d.	
	000-365 - Days 888 - Blank, but applicable Blank	926 79 13,474		-80-
588-590	During the past year, about how many days has this condition kept you in bed all or most of the day?		Question 9e.	
	000-365 - Days 888 - Blank, but applicable Blank	759 75 13,645		
591	Have you ever had pain, swelling, or stiffness in your back or neck as the result of an accident or injury?		Question 10a.	
	<pre>1 - Yes - back 2 - Yes - neck 3 - Yes - both 4 - No 8 - Blank, but applicable Blank</pre>	415 209 166 1,292 70 12,327		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
592	Do you think the accident or injury is the cause of any pain, swelling, or stiffness which might still be present?		Question 10b.	
•	1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank	564 164 73 59 13,619		
593	Have you ever been treated by a medical person for back or neck trouble?		Question 11a.	
	1 - Yes 2 - No Blank	3,752 6,652 4,075		-81-
	Was the medical person a -		Question 11b.	
594	General practitioner? 1 - Yes 2 - No 8 - Blank, but applicable Blank	1,987 1,762 3 10,727		
595	<pre>Internist? 1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	216 3,534 2 10,727		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Was the medical person a -		Question 11b. Continued
596	Rheumatologist?		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	56 3,694 2 10,727	
597	Orthopedist?		
	1 - Yes2 - No8 - Blank, but applicableBlank	934 2,815 3 10,727	-82-
598	Chiropractor?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,297 2,454 1 10,727	
599	Osteopath?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	439 3,311 2 10,727	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Was the medical person a -		Question 11b. Continued
600	Physical therapist?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	310 3,440 2 10,727	
601	Occupational therapist?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	16 3,734 2 10,727	- 83-
602	Other?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	303 3,240 209 10,727	
	What did he say the problem was?		Question 11c.
603	Category 1 1 - Yes 8 - Blank, but applicable Blank	184 433 13,862	See Detailed Notes for list of code definitions

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
604	What did he say the problem was? Category 2		Question 11c. Continued See Detailed Notes for list of code
	1 - Yes 8 - Blank, but applicable Blank	317 433 13,729	definitions
605	Category 3 1 - Yes 8 - Blank, but applicable	62 433	
606	Blank Category 4 1 - Yes	13,984	. . .
607	8 - Blank, but applicable Blank	623 433 13,423	
007	Category 5 1 - Yes 8 - Blank, but applicable Blank	1,221 433 12,825	
608	Category 6 1 - Yes 8 - Blank, but applicable Blank	1,098 433 12,948	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
609	Are you now being treated by a medical person for back or neck trouble?		Question 11d.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	501 3,235 16 10,727		
·	<u>Is this a -</u>		Question 11e.	
610	General practitioner?			
	1 - Yes2 - No8 - Blank, but applicableBlank	224 272 21 13,962		-85-
611	Internist?			
	1 - Yes2 - No8 - Blank, but applicableBlank	26 469 22 13,962		
612	Rheumatologist?			
	1 - Yes2 - No8 - Blank, but applicableBlank	11 484 22 13,962		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Is this a -		Question 11e. Continued
613	Orthopedist?		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	75 420 22 13,962	
614	Chiropractor?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	135 359 23 13,962	-86-
615	Osteopath?		
-	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	39 456 22 13,962	
616	Physical therapist?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	10 485 22 13,962	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	<u>Is this a -</u>		Question 11e. Continued
617	Occupational therapist?		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	2 493 22 13,962	
618	Other?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	35 441 41 13,962	-87-
619	What did he say the problem was? Category 1		Question 11f. See Detailed Notes for list of codes
	1 - Yes 8 - Blank, but applicable Blank	42 89 14,348	
620	Category 2		
	1 - Yes 8 - Blank, but applicable Blank	99 89 14,291	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
621	What did he say the problem was? Category 3		Question 11f. Continued See Detailed Notes for list of codes
•	1 - Yes 8 - Blank, but applicable Blank	13 89 14,377	
622	Category 4 1 - Yes 8 - Blank, but applicable Blank	77 89 14,313	
623	Category 5 1 - Yes 8 - Blank, but applicable Blank	91 89 14,299	-88-
624	Category 6 1 - Yes 8 - Blank, but applicable Blank	134 89 14,256	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
625	Have you ever had an operation for a back or neck disease or injury?	The second se	Question 12a.	
	1 - Yes 2 - No Blank	298 3,454 10,727		
626	Was it your back or neck?		Question 12b.	
	<pre>1 - Back 2 - Neck 3 - Both 8 - Blank, but applicable Blank</pre>	244 43 3 8 14,181		-89
627	Have you had pain or aching in any joint other than the back or neck on most days for at least six weeks?		Question 13a.	ĭ
	1 - Yes 2 - No Blank	2,219 8,185 4,075		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
628	Which joints were painful?		Questions 13b. and 13c.
	Fingers 1 - Yes 2 - No 8 - Blank, but applicable Blank	739 1,474 6 12,260	
629	Which fingers 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	144 76 517 2	-90-
530	Wrist 1 - Yes 2 - No 8 - Blank, but applicable Blank	13,740 394 1,816 9 12,260	
531	Which wrist 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	83 63 243 5 14,085	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Which joints were painful?		Questions 13b. and 13c. Continued
632	Elbow		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	491 1,722 6 12,260	
633 -	Which elbow		
	1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	148 95 244 4 13,988	-91-
634	Shoulder 1 - Yes 2 - No 8 - Blank, but applicable Blank	784 1,427 8 12,260	
635	Which shoulder 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	271 158 353 2 13,695	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Which joints were painful?		Questions 13b. and 13c. Continued
636	<u>Hip</u>		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	564 1,648 7 12,260	
637	Which hip		
	<pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre>	153 139 264 8 13,915	-92-
638	Knee		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,090 1,123 6 12,260	
639	Which knee		
	1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	260 215 612 3 13,389	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Which joints were painful?	······································	Questions 13b. and 13c. Continued
640	Ankle		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	448 1,764 7 12,260	
641	Which ankle		
	<pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre>	85 70 289 4 14,031	-93-
642	Foot		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	391 1,819 9 12,260	
643	Which foot		
	1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	52 67 271 1 14,088	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
644	When was the last time you had this pain?		Question 13d.	
•	1 - Have it now 2 - Less than 1 year ago, but not now 3 - 1-2 years ago 4 - 3-5 years ago 5 - 6 years ago or more 8 - Blank, but applicable Blank	1,363 519 103 84 136 14 12,260		
645	Have you ever had any swelling of joints with pain present when the joint was touched on most days for at least one month?		Question 14a.	
	1 - Yes 2 - No Blank	1,180 9,224 4,075		-94-
646	Has this swelling been present on any one occasion for at least six weeks?		Question 14b.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	795 351 34 13,299		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Which joints are usually involved whenever you have this swelling and tenderness on touching?		Questions 14c. and 14d. Continued
647	Fingers		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	495 638 47 13,299	
648	Which fingers		
	<pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre>	106 49 334 6 13,984	-95-
649	Wrists		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	176 939 65 13,299	
650	Which wrist		
	1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	33 30 108 5 14,303	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Which joints are usually involved whenever you have this swelling and tenderness on touching?	<u>, , , , , , , , , , , , , , , , , , , </u>	Questions 14c. and 14d. Continued
651	<u>Elbows</u>		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	170 943 67 13,299	
652	Which elbow		
	1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	37 43 86 4 14,309	-96-
653	Shoulders		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	188 921 71 13,299	
654	Which shoulder		
	<pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre>	52 27 105 4 14,291	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Which joints are usually involved whenever you have this swelling and tenderness on touching?		Questions 14c. and 14d. Continued
655	Hips		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	111 996 73 13,299	
656	Which hip		
	<pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre>	25 15 67 4 14,368	-97-
657	Knees		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	500 634 46 13,299	
658	Which knee?		
	<pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre>	151 101 240 8 13,979	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Which joints are usually involved whenever you have this swelling and tenderness on touching?		Questions 14c. and 14d.
659	Ankles		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	330 796 54 13,299	
660	Which ankle		
	<pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre>	69 55 198 8 14,149	-98-
661	Feet		
	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	259 863 58 13,299	
662 -	Which foot		
	<pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre>	33 39 181 6 14,220	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
663	How old were you when you first experienced this swelling of the joints?		Question 14e.	
•	1 - Less than 20 years old 2 - 20-29 years old 3 - 30-39 years old 4 - 40-49 years old 5 - 50-59 years old 6 - 60 years old or older 8 - Blank, but applicable Blank	89 148 171 246 262 237 27 13,299		
664	When was the last time you had this?		Question 14f.	
	 1 - Now 2 - Less than 1 year ago, but not now 3 - 1-2 years ago 4 - 3-5 years ago 5 - 6 years ago or more 8 - Blank, but applicable Blank 	712 225 71 41 106 25 13,299		-99-
665	Have you had stiffness in your joints and muscles when first getting out of bed in the morning on most mornings for at least one month?		Question 15a.	
	1 - Yes 2 - No Blank	2,073 8,331 4,075		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
666	Has this morning stiffness been present on any one occasion for at least six weeks?		Question 15b.
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,540 489 44 12,406	
•	Which joints are usually involved whenever you have this morning stiffness?		Questions 15c. and 15d.
667	<u>Fingers</u>		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	838 1,233 2 12,406	-100-
668	Which fingers		
	<pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre>	104 42 677 15 13,641	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Which joints are usually involved whenever you have this morning stiffness?		Questions 15c. and 15d. Continued
669	Wrists 1 - Yes 2 - No 8 - Blank, but applicable Blank	388 1,681 4 12,406	
670	Which wrist 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	44 23 312 9 14,091	-101-
671	Elbows 1 - Yes 2 - No 8 - Blank, but applicable Blank	382 1,686 5 12,406	
672	Which elbow 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	63 30 281 8 14,097	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
673	Which joints are usually involved whenever you have this morning stiffness? Shoulders		Questions 15c. and 15d. Continued
674	1 - Yes 2 - No 8 - Blank, but applicable Blank Which shoulder	662 1,406 5 12,406	
575	1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	110 61 480 11 13,817	-102-
.76	Hips 1 - Yes 2 - No 8 - Blank, but applicable Blank Which hip	748 1,318 7 12,406	
	1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	110 72 555 11 13,731	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Which joints are usually involved whenever you have this morning stiffness?		Questions 15c. and 15d. Continued
677	Knees 1 - Yes 2 - No 8 - Blank, but applicable Blank	1,210 861 2 12,406	
678	Which knee 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	142 91 961 16 13,269	-103-
679	Ankles 1 - Yes 2 - No 8 - Blank, but applicable Blank	663 1,407 3 12,406	
680	Which ankle 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	58 51 545 9 13,816	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
681	Which joints are usually involved whenever you have this morning stiffness? Feet		Questions 15c. and 15d. Continued
	1 - Yes 2 - No 8 - Blank, but applicable Blank	574 1,494 5 12,406	
682	Which foot 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank	41 43 475 15 13,905	-104-
683	Back 1 - Yes 2 - No 8 - Blank, but applicable Blank	983 1,065 25 12,406	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
684	How long after getting up and moving around does the morning stiffness last?		Question 15e.	
	1 - Less than 15 minutes 2 - 15 minutes to one half hour 3 - More than one half hour, but less than	595 584 702		
•	all day 4 - All day Blank	192 12,406		
685	How old were you when you first experienced this morning stiffness of joints?		Question 15f.	
	1 - Less than 20 years old 2 - 20-29 years old 3 - 30-39 years old 4 - 40-49 years old 5 - 50-59 years old 6 - 60 years old or older 8 - Blank, but applicable Blank	73 212 298 432 596 458 4 12,406	Outstan 15g	-105-
686	When was the last time you had this? 1 - Now 2 - Less than 1 year ago, but not now 3 - 1-3 years ago 4 - 4-9 years ago 5 - 10 years ago or more 8 - Blank, but applicable	1,730 251 46 20 18 8 12,406	Question 15g.	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
687	Have you ever had a job which placed frequent stress or strain on your back? 1 - Yes 2 - No Blank	3,951 6,453 4,075	Question 16a.	
688-689	How long did you work at that kind of job? 00-11 - Months 88 - Blank, but applicable Blank	357 1 14,121	Question 16b.	-106-
690-691	01-55 - Years Blank	3,593 10,886		6-
692	Has a doctor ever told you that you had mononucleosis? 1 - Yes 2 - No 8 - Blank, but applicable Blank	439 13,891 81 68	Question 17.	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
693	Have you ever had yellow jaundice which caused your skin or eyes to turn yellow?		Question 18a.	
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	694 13,649 68 68		
694	When this happened, did your urine become darker?		Question 18b.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	334 117 311 13,717		-107
695	Did your stools become lighter in color?		Question 18c.	7-
	1 - Yes 2 - No 8 - Blank, but applicable Blank	209 168 385 13,717	·	
696	Did your skin remain yellow for a month or longer?		Question 18d.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	261 264 237 13,717		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
697	Have you had yellow jaundice more than once?		Question 18e.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	40 564 158 13,717		
698	How many times did you have it?		Question 18f.	
	1-5 - Times 8 - Blank, but applicable Blank	37 161 14,281		
699	As far as you know, have you ever been in contact with a person who may have had yellow jaundice?		Question 18g.	-108-
	1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank	2,169 11,672 67 503 68		¥
700	Have you ever had an operation for a hernia not including hiatus hernia of the diaphragm?		Question 19.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,105 13,219 87 68		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
701	How many times have you used or had any contact with carbon tetrachloride?		Question 20.	
•	<pre>0 - None 1 - Once 2 - 2-4 times 3 - 5-9 times 4 - 10 or more times 8 - Blank, but applicable 9 - Don't know Blank</pre>	10,958 210 656 363 1,281 63 880 68		
	Are pesticides, such as weed killers, insecticides, fungicides and other chemicals used for pest control, used in your-		Question 21a.	-109-
702	Home?			
	1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank	9,244 5,061 61 45 68		
703	Garden?			
	1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank	6,181 8,064 61 105 68		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
704	Are pesticides, such as weed killers, insecticides, fungicides and other chemicals used for pest control, used in your	***************************************	Question 21a. Continued
	1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank	6,004 8,221 61 125 68	
705	Place of employment?		
	<pre>1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank</pre>	2,823 11,082 61 445 68	-110-
706	Anywhere else around you?		
	1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank	1,336 12,577 61 437 68	

TAPE POSITIONS	I'TEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
707	To your knowledge are any pesticides used around you?		Question 21b.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	115 2,008 125 12,231		
708	During the past 12 months, has anyone in your family had pesticide poisoning diagnosed by a doctor?		Question 21c.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	43 14,262 106 68		-111-
709	During the past 12 months has your home or place of employment been treated for pest control by a commercial company?		Question 21d.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	3,748 10,553 110 68		
710	Are any disinfectants, such as Lysol or Pine Oil, used in your home?		Question 21e.	
	<pre>1 - Yes 2 - No 8 - Blank, but applicable ** Blank</pre>	11,964 2,329 118 68		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
711	Have you smoked at least 100 cigarettes during your entire life?		Question 22a.	
	1 - Yes 2 - No Blank	371 1,589 12,519		
712 .	Do you smoke cigarettes now?		Question 22b.	
	1 - Yes 2 - No Blank	292 79 14,108		
713-714	On the average, about how many a day do you smoke?		Question 22c.	.*.
	00-40 - Cigarettes per day Blank	292 14,187		112-
715-716	How long has it been since you smoked cigarettes fairly regularly?		Question 22d.	
	00-10 - Years 77 - Under one year 88 - Never smoked cigarettes regularly Blank	28 44 7 14,400		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
717-718	On the average, about how many cigarettes a day were you smoking 12 months ago?		Question 22e.	
	00-80 - Cigarettes per day 88 - Did not smoke 99 - Don't know Blank	263 60 13 14,143		
719-720	During the period when you were smoking the most, about how many cigarettes a day did you usually smoke?		Question 22f.	
	00-80 - Cigarettes per day 99 - Don't know Blank	357 7 14,115		-113
721-722	About how old were you when you first started smoking cigarettes fairly regularly?		Question 22g.	•
	06-17 - Years old 88 - Never smoked regularly 99 - Don't know Blank	349 13 2 14,115		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
723	Did a doctor ever tell you that you had chronic kidney disease?		Question 23a.	-
	1 - Yes 2 - No 8 - Blank, but applicable Blank	283 14,051 77 68		
724	Have you ever had pain or burning sensation on urination accompanied by more frequent urination than usual?		Question 23b.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	3,840 10,419 152 68		-114-
725-726	How many separate times has this happened?		Question 23c.	
	01-99 - Times 88 - Blank, but applicable Blank	3,693 299 10,487		
727	Do you NOW have difficulty starting to urinate?		Question 24.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	810 13,518 83 68		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
728	Do you NOW have periods of waking from sleep two or three times a night to urinate?		Question 25.	an a
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	2,645 11,685 81 68		
729	Have you ever noticed blood in your urine? (FOR WOMEN - other than at the time of your period)		Question 26a.	
	1 - Yes 2 - No Blank	1,098 13,313 68		-115-
730-731	How many separate times has this happened?		Question 26b.	•
	01-99 - Times 88 - Blank, but applicable Blank	1,065 33 13,381		
732	When was the last time it happened?		Question 26c.	
	 1 - Less than 1 year ago, but not now 2 - 1-2 years ago 3 - 3-5 years ago 4 - 6 years ago or more 8 - Blank, but applicable Blank 	270 202 213 404 9 13,381		·

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
733	Have you ever noticed that your urine was a different color than the usual yellow? (FOR WOMEN - other than at the time of your period)		Question 27a.	
	1 - Yes 2 - No Blank	916 13,495 68		
734	How many different times has this happened?		Question 27b.	
	1 - Once2 - Twice3 - 3 or moreBlank	182 165 569 13,563		.1.
735-736	How old were you when it happened?		Question 27c.	116-
	05-72 - Years old Blank	182 14,297		
737	How long did the change in color last?		Question 27d.	
	<pre>1 - One time 2 - One day 3 - 2-6 days 4 - 1 week or longer 8 - Blank, but applicable Blank</pre>	40 23 60 57 2 14,297		

-
$\boldsymbol{\mu}$
7

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
738-739	How old were you when it FIRST happened?		Question 27e.	
	01-73 - Years old 88 - Blank, but applicable Blank	713 21 13,745		
740-741	How long ago did it last happen?		Question 27f.	
	00-74 - Years ago 88 - Blank, but applicable Blank	660 74 13,745		
742-743	How long did the change in color last that time?		Question 27g.	
	00 - Less than one day 01-90 - Days 88 - Blank, but applicable Blank	208 501 25 13,745		117-
744	Did you see a doctor about it?		Question 27h.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	467 433 16 13,563		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
745	Do you have trouble with your bowels which makes you constipated or gives you diarrhea?		Question 28.	
	<pre>1 - Yes-Constipation 2 - Yes-Diarrhea 3 - No 4 - Both 8 - Blank, but applicable Blank</pre>	1,824 619 11,742 149 77 68		
746	Have your bowel movements ever been white, gray, dark black, or streaked with blood?		Question 29a.	
	1 - Yes 2 - No Blank	1,442 12,969 68		-118-
	Which was it?		Question 29b.	
747	White			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	109 1,324 9 13,037		
748	Gray			
	1 - Yes 2 - No 8 - Blank, but applicable Blank	88 1,344 10 13,037		

.

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Which was it?		Question 29b. Continued	d
749	Dark black			
•	1 - Yes2 - No8 - Blank, but applicableBlank	688 746 8 13,037		
750	Streaked with blood			
	1 - Yes2 - No8 - Blank, but applicableBlank	727 712 3 13,037		-119-
751	Do you have a physical disability or handicap which prevents or limits normal daily activities, such as the kind or amount of work that you can do, housework, schoolwork, using public transportation and so on?		Question 30a.	•
	1 - Yes 2 - No 8 - Blank, but applicable Blank	1,172 13,146 93 68		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
752-753	How long have you had this disability or handicap?		Question 30c.
	00-11 - Months 88 - Blank, but applicable Blank	66 166 14,247	
754-755	01-74 - Years 88 - Blank, but applicable Blank	1,033 166 13,280	
	Does this disability or handicap PREVENT you from		Questions 30d. and 30e.
756	(Age 18 and over) working at a job or business?		-120-
	1 - Yes 2 - No 8 - Blank, but applicable Blank	668 414 131 13,266	
757	Does it LIMIT you in this activity?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	241 152 152 13,934	

.

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Does this disability or handicap PREVENT you from		Questions 30d. and 30e. Continued
758	(Age 18 and over) driving a car? 1 - Yes 2 - No 8 - Blank, but applicable Blank	240 831 142 13,266	
759	Does it LIMIT you in this activity? 1 - Yes 2 - No 8 - Blank, but applicable Blank	258 500 215 13,506	-121-
760	(Under age 18) doing any regular school work? 1 - Yes 2 - No 8 - Blank, but applicable Blank	1 31 20 14,427	
761	Does it LIMIT you in this activity? 1 - Yes 2 - No 8 - Blank, but applicable Blank	12 18 21 14,428	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Does this disability or handicap PREVENT you from		Questions 30d. and 30e. Continued
762	Using any public transportation such as buses, trains, and so on?		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	147 965 153 13,214	
763	Does it LIMIT you in this activity?		
	1 - Yes2 - No8 - Blank, but applicableBlank	206 665 247 13,361	-122-
764	Taking care of any of your personal needs such as dressing or eating?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	91 1,023 151 13,214	
765	Does it LIMIT you in this activity?		
	1 - Yes 2 - No 8 - Blank, but applicable Blank	211 719 244 13,305	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL	NHANES-II DATA SOURCE OR NOTES
	Does this disability or handicap PREVENT you from		Questions 30d. and 30e. Continued
766	Doing work around the house?		
•	1 - Yes 2 - No 8 - Blank, but applicable Blank	274 833 158 13,214	
767	Does it LIMIT you in this activity?		
	<pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre>	508 287 196 13,488	-123-
	INTERVIEWER CHECK ITEM III		
768	1 - Female 2 - Male Blank	7,494 6,917 68	
769-770	How old were you when your periods or menstrual cycles started?		Question 31a.
	02 - Haven't started yet 08-35 - Years 88 - Blank, but applicable Blank	148 7,299 47 6,985	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
771	Have your periods stopped entirely not counting pregnancy?		Question 31b.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	3,434 3,883 29 7,133		
772-773	At what age?		Question 31c.	
	14-69 - Years 88 - Blank, but applicable Blank	3,404 59 11,016		,
774-775	When did your last period or menstrual cycle end?		Question 31d.	124-
	00 - Having it now 01-99 - Days ago 88 - Blank but applicable Blank	495 3,296 92 10,596		
776	Have you taken birth control pills during the past six months?		Question 32a.	
	1 - Yes 2 - No Blank	940 6,406 7,133		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
777	Are you taking them now?		Question 32b.	
	1 - Yes 2 - No Blank	654 286 13,539		
778	Have you EVER been pregnant?		Question 33a.	
	1 - Yes2 - No8 - Blank, but applicableBlank	5,153 2,171 22 7,133		
779-780	What is the total number of pregnancies you have had?		Question 33b.	-125-
	01-20 - Number 88 - Blank, but applicable Blank	5152 1 9,326		
781-782	What is the total number of miscarriages you have had?		Question 33c.	
	00-19 - Miscarriages 88 - Blank, but applicable Blank	5,147 6 9,326		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
783-784	What is the total number of live births you have had?		Question 33d.	
	00-20 - Births 88 - Blank, but applicable Blank	5,146 7 9,326		
785	Are you pregnant now? 1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank	122 4,978 28 25 9,326	Question 33e.	-126
786-787	Which month of pregnancy are you in? 01-10 - Month 88 - Blank, but applicable Blank	118 4 14,357	Question 33f.	6-
788	Have you had a pregnancy which ended within the last twelve months?		Question 33g.	
	1 - Yes 2 - No Blank	281 4,872 9,326		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
789	How many months ago did that pregnancy end?		Question 33h.	
•	1 - 10-12 months ago 2 - 7-9 months ago 3 - 4-6 months ago 4 - 0-3 months ago 8 - Blank, but applicable Blank	62 68 74 74 3 14,198		
790	Are you breast feeding?		Question 33i.	
	1 - Yes 2 - No 8 - Blank, but applicable Blank	41 231 9 14,198		-127-

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
	Blood Pressure Measurements	•	Physician's Examination, Ages 12-74
791-793	Systolic		(See Detailed Notes)
	065-300 - As given 888 - Blank, but applicable	14,416 63	Item (e.)
794-796	Diastolic		
	035-150 - As given 888 - Blank, but applicable	14,384 95	
	Recumbent Measurement		Item (U.)
797-799	Systolic		-128-
	070-300 - As given 888 - Blank, but applicable	14,398 81	Ϋ́
800-802	Diastolic		
	036-150 - As given 888 - Blank, but applicable	14,361 118	

TAPE POSITIONS	ITHM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
803-805	Second Sitting Measurement Systolic		Physician's Examination Continued Item (U.)
	065-300 - As given 888 - Blank, but applicable	14,394 85	
806-808	Diastolic 036-150 - As given 888 - Blank, but applicable	14,377 102	
810	Dummy Record Flag 1 - Dummy Blank - Not dummy	68 14,411	-129-

IV. DETAILED NOTES

TAPE POSITION 11

Size of Place

Size of place classification was derived from the 1970 decennial census of the population. According to the definition used in the 1970 census, the urban population comprised all persons living in (a) places of 2,500 inhabitants or more incorporated as cities, boroughs (except Alaska), villages and towns (except towns in New York, New England States, and Wisconsin), but excluding those persons living in the rural portions of extended cities; (b) unincorporated places of 2,500 inhabitants or more; and (c) other territories included in urbanized areas. The remaining population was classified as rural.

Urban areas are further classified by population size for places within urbanized areas and other places outside urbanized areas.

TAPE POSITION 12

SMSA-Not SMSA

Except in New England, a Standard Metropolitan Statistical Area is basically a county or a group of contiguous counties which contains at least one city of 50,000 inhabitants or more, or "twin cities" with a combined population of at least 50,000. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to the 1970 census, they are socially and economically integrated with the central city. Each SMSA must include at least one central city, and the complete title of an SMSA identifies the central city or cities. In New England, SMSA's consist of towns and cities, rather than counties.

TAPE POSITIONS 37-41

Family Unit Number

All related sample persons in the same family unit have the same computer-generated family unit code. This will enable analysis of individual family units.

TAPE POSITIONS 56, 206, AND 256

Race

The race of the respondent was marked by observation. The interviewers were instructed to assume that the race of all related persons was the same as the respondent unless otherwise learned. The race categories were "White", "Black" or "Other". If the appropriate category could not be marked by observation, then race was asked. Interviewers were instructed to record persons who responded with something other than White or Black, such as Japanese, Chinese, American Indian, Korean, Hindu, Eskimo, etc. as "Other" and to include Mexicans, Puerto Ricans and other persons of Latin American descent in "White" unless definitely Black, American Indian, or of other nonwhite race.

TAPE POSITIONS 57-58 AND 257-258

United States

Name of Place	Code
Alabama	01
Alaska	02
Arizona	04
Arkansas	05
California	06
Colorado	08
Connecticut	09
Delaware	10
District of Columbia	11
Florida	12
Georgia	13
Hawaii	15
Idaho	16
Illinois	17
Indiana	18
Iowa	19
Kansas	20
Kentucky	21
Louisiana	22
Maine	23
Maryland	24
Massachusetts	25
Michigan	26
Minnesota	27
Mississippi	28
Missouri	29
Montana	30
Nebraska	31
Nevada	32
New Hampshire	33
New Jersey	34
New Mexico	35
New York	36
North Carolina	37
North Dakota	38
Ohio	39
Oklahoma	40
Oregon	41
Pennsylvania	42
Rhode Island	44
South Carolina	45
South Dakota	46
Tennessee	47
Texas	48

TAPE POSITIONS 57-58 AND 257-258 (cont.)

Name of Place	Code
Utah Vermont Virginia Washington West Virginia Wisconsin Wyoming	50 51 53 54 55

Outlying Areas of the United States

Name of Place	Code	<u>Description</u>
American Samoa Canal Zone Canton and Enderbury Island	60 61 62	U.S. territory in the Pacific Territory in Panama leased by U.S. Under common US-UK administration
Guam Johnston Atoll	66	U.S. territory in the Pacific U.S. territory in the Pacific, includes Sand Island
Midway Islands	71	U.S. territory in the Pacific
Puerto Rico	72	Commonwealth associated with the U.S.
Swan Islands	74	U.S. territory in the Carribean
Trust Territories of the Pacific Islands	75	U.S. administered, includes Caroline, Mariana, and Marshall Island groups
U.S. Miscellaneous Carribean Islands	76	Includes Navassa Islands, Quito Sueno Bank, Roncador Cay, Serrana Bank, Serranilla Bank
U.S. Miscellaneous Pacific Islands	77	Includes Kingman Reef, Howland, Baker and Jarvis Islands, Palmyra Atoll
Virgin Islands	78	U.S. territory in the Carribean
Wake Island	79	U.S. territory in the Pacific

Not United States

North America	91
South America	92
Europe	93
Africa	94
Asia	95
Australasia	96
'Pacific Islands	97

TAPE POSITIONS 73-75, 76-78, 273-275 AND 276-278

Industry and Occupation Codes

Occupation may be defined as the principal job or business. For this survey, the principal job or business of a respondent is defined in one of the following ways: if the person worked during the two week interview period or had a job or business, the question concerning occupation (or work) applies to the job during that period. If the respondent held more than one job, the question is directed to the one at which the most time was spent. It refers to the one considered most important when equal time is spent at each job. A person who has not begun work at a new job, is looking for work, or is on layoff from work is questioned about the last full-time civilian job. A full-time job is defined as one at which the person spent 35 or more hours per week and which lasted two consecutive weeks or more. A person who has a job but has not yet reported to it or a person who has never had a job or business is classified as a "new worker".

The 1970 census of population Alphabetical Index of Industries and Occupations was used in the coding of both the industry and occupation (Library of Congress Number 74-612012, for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. Stock Number 0301-2283).

TAPE POSITIONS 107-108

Family Income Group

The respondent was handed a card with twelve income ranges listed as Group A to Group L and asked "Which of these income groups represents your total combined family income for the past 12 months, that is, yours, your ...'s, etc? Include income from all sources such as wages, salaries, social security or retirement benefits, help from relatives, rent from property and so forth."

If the respondent answered Group A through G, that is with an income less than \$7,000, then questions 21 and 22 detailing exact sources and amounts of income were asked; otherwise, these questions were skipped.

No effort was made to reconcile amounts reported in detailed questions 21 and 22 with the categorical response to the family income group question. During the survey time period no adjustments to the income groups or \$7,000 value were made to account for inflation.

TAPE POSITION 207

Farm, nonfarm

This position contains a recode, which combines data on land use (position 25), size (position 26), and amount of sales of farm produce and livestock (positions 27 and 28).

Code 1: Farm: Rural land (coded 2 in position 25) which consisted of 10 or more acres (coded 1 in position 26) with crop sales of \$50 or more (coded 1 in position 27).

OR

Rural land (coded 2 in position 25) with crop sales of \$250 or more (coded 1 in position 28).

Code 2: Nonfarm: All other rural land (coded 2 in position 25) as well as land classified as urban (coded 1 in position 25).

TAPE POSITION 209

Region

The United States was divided into four broad geographic regions of approximately equal population. Those regions, which deviate somewhat from the groups used by the Bureau of Census, are as follows:

Region Northeast States Included
Maine, Vermont, New Hampshire,
Massachusetts, Connecticut, Rhode

Island, New York, New Jersey, and

Pennsylvania

South

Delaware, Maryland, District of Columbia, West Virginia, Virginia, Kentucky, Tennessee, North Carolina, South Carolina, Georgia, Florida, Alabama, Mississippi, Louisiana, and

Arkansas

Midwest

Ohio, Illinois, Indiana, Michigan, Wisconsin, Minnesota, Iowa, Missouri

West

Washington, Oregon, California, Nevada, New Mexico, Arizona, Texas, Oklahoma, Kansas, Nebraska, North Dakota, South Dakota, Idaho, Utah,

Colorado, Montana, Wyoming,

Alaska, Hawaii

TAPE POSITIONS 210-212

Poverty Index

Income status was determined by the Poverty Income Ratio (PIR). Poverty statistics published in the Bureau of the Census reports 9-13 were based on the poverty index developed by the Social Security Administration (SSA) in 1964. (For a detailed discussion of the SSA poverty standards, see references 14 and 15.) Modifications in the definition of poverty were adopted in 1969. 16 The standard data series in poverty for statistical use by all executive departments and establishments has been established. 17

The two components of the PIR are the total income of the household (numerator: the median of the income group for incomes \$7,000 and above; the sum of the component parts of the income questions for incomes under \$7,000) and a multiple of the total income necessary to maintain a family with given characteristics on a nutritionally adequate food plan 9-13 (denominator). The dollar value of the denominator of the PIR is constructed from a food plan (economy plan) necessary to maintain minimum recommended daily nutritional requirements. The economy plan is designated by the U.S. Department of Agriculture for "emergency or temporary use when funds are low."

For families of three or more persons, the poverty level was set at three times the cost of the economy food plan. For smaller families and persons living alone, the cost of the economy food plan was adjusted by the relatively higher fixed expenses of these smaller households.

The denominator or poverty income cutoff adjusts the family poverty income maintenance requirements by the family size, the sex of the family head, the age of the family head in families with one or two members, and the place of residence (farm, nonfarm). Annual revisions of the poverty income cutoffs are based on the changes in the average cost of living as reflected in the Consumer Price Index.

As shown in the tables, the annual income considered to be the poverty level increases as the family size increases. A family with any combination of characteristics and with the same income as shown in the table has been designated as having a PIR or poverty level of 1.0. The same family with twice the income found in the table would have a PIR of 2.0. Ratios of less than 1.0 can be described as "below poverty" and ratios greater than or equal to 1.0, as "at or above poverty".

Poverty thresholds are computed on a national basis only. No attempt has been made to adjust these thresholds for regional, State, or other variations in the cost of living (except for the farm, nonfarm difference). None of the noncash public welfare benefits such as food stamp bonuses are included in the income of the low income families receiving these benefits. PIR has been adjusted by year (see tables) and accounts in some part for inflation.

TAPE POSITIONS 282-317

Sample Weights

A multistage estimation procedure was used to calculate the various NHANES II subsample sample weights that are necessary to use in any analysis of the data. The procedure has three basic components: 1) inflation by reciprocals of the probabilities of selection, 2) adjustment for nonresponse, and 3) poststratification ratio adjustment by age-sex-race. A brief description of each component is as follows:

<u>Inflation</u> by reciprocals of the sampling probabilities. Since the survey utilized a three-stage sample design, there were three probabilities of selection: 1) the probability of selecting the PSU, 2) the probability of selecting a segment and housing unit, and 3) the probability of selecting a sample person.

Adjustment for nonresponse. Estimates from the NHANES II data were adjusted to account for sample persons who were not examined. The estimates were inflated by a multiplication factor calculated within five selected income groups, three age groups, four regions, and standard metropolitan statistical area (SMSA) or non-SMSA. The numerator of these factors was the sum of the weights for sample persons resulting from the reciprocal of the probability of selection, and the denominator was the sum of the weights for examined persons also resulting from the reciprocals of the sampling probabilities.

Poststratification by age-sex-race. The estimates were ratio adjusted within each of 76 age-sex-race cells to an independent estimate, provided by the U.S. Bureau of the Census, of the population of each cell as of March 1, 1978, (approximate mid-point of the survey). The ratio adjustment was a multiplication factor of which the numerator was the U.S. population and the denominator was the sum of the weights adjusted for nonresponse for examined persons. This ratio estimation process makes the sample more closely representative of the civilian, noninstitutionalized population of the U.S.

Potential bias of nonresponse. Usually a sizeable number of sample persons who initially are willing to complete the household information and some of the medical history questionnaire subsequently will not participate in the examination. This creates the potential for bias if these persons differ from other sample persons with respect to the variables being studied. Intense efforts were undertaken during NHANES II to develop and implement standard procedures and inducements that would reduce the number of nonrespondents and thereby reduce the potential for bias.

The user needs to be aware of and should explore the potential bias for nonresponse in any analysis of the NHANES II data.

TAPE POSITION 327

Poverty/non-poverty segments

Individuals interviewed during NHANES II were selected by means of a multi-stage, stratified probability sample of loose clusters of households by geographic locations. 8 Clusters of housing units (segments) were designated as either "poverty" or "nonpoverty" (See Detailed Notes for description of Poverty Index) in the sample selection process to insure adequate representation of low income persons in the sample.

TAPE POSITIONS 453-461

Code	Disease
1	Rheumatic fever (Active) Chorea Endocarditis (rheumatic) (active or acute) Myocarditis (rheumatic) (active or acute) Pericarditis (rheumatic) (active or acute Rheumatic Health Disease (active or acute)
2	Chronic rheumatic heart disease Aortic, endocardial or mitral (chronic) Incompetency Insufficiency Obstruction Sclerosis Stenosis Endocardial Aneurysm
3	Hypertension Arteriolar nephritis Arteriosclerosis of kidney Bright's disease (chronic) Hypertensive cardiovascular renal Hypertensive renal failure Nephrosclerosis
4	Ischemic heart disease Acute myocardial infarction Angina pectoris Cardiac infarction Coronary Embolism Occlusion Rupture Thrombosis Infarction of heart, myocardium, or ventricle Rupture of heart or myocardium

TAPE POSITIONS 453-461 Continued

Code

Disease

```
Other forms of heart disease
              Acute pericarditis (nonrheumatic)
              Aortic, endocardial or mitral (nonrheumatic)
                   Incompetency
                   Insufficiency
                   Obstruction
                   Stenosis
              Auricular fibrillation or flutter
              Bacterial endocarditis
              Cardiac enlargement or hypertrophy
              Cardiac or myocardial insufficiency
              Carditis
5
              Congestive heart failure
              Enlargement of heart
              Left ventricular failure
                   Acute edema of lung
                   Acute pulmonary edema
                   Acute cardiac asthma
              Mycotic aneurysm
              Paroxysmal tachycardia
              Pulmonary heart disease
              Septic myocarditis
              Toxic myocarditis
              Ventricular fibrillation or flutter
              Ventricular dilation
```

6

Cerebrovascular disease
Cerebral: Arteriosclerosis
Embolism
Hemorrhage
Thrombosis
Meningeal hemorrhage
Paralytic stroke
Ruptured cerebral aneurysm

Arteriosclerosis
Of aorta
Of renal artery
Senile
Generalized and unspecified

TAPE POSITIONS 453-461 Continued

~	•
	M 16

Disease

Other diseases of the circulatory system
Aortic aneurysm
Arterial embolism and thrombosis
Buerger's disease
Chilblains
Elephantiasis
Gangrene
Hemorrhoids
Hypotension
Peripheral vascular disease
Phlebitis
Pulmonary embolism and infarction
Raynaud's disease
Rupture of blood vessel
Varicose veins

9 Other chest pain - not cardiovascular

TAPE POSITIONS 603-608 and 619-624

```
Code
               Disease
         Acute arthritis
         Arthritis of spine, hip, upper and lower extremitis
         Arthritis due to an infection:
              Dysentary
1
               Enteritis
               Parathyphoid
               Typhoid
              Urethritis
         Rheumatoid Arthritis
         Osteoarthritis and allied conditions
              Degenerative
              Hypertrophic
2
         Other specified forms of arthritis
              Allergic
              Articular rheumatism
              Traumatic
         Arthritis, unspecified
         Rheumatism, polymyositis, and dermatomyositis
         Rheumatism
              Fibrositis
              Frozen shoulder
              Muscular rheumatism
3
              Myalgia
              Myofibrosis
              Neck contracture
              Neuritis (rheumatic)
              Periarthritis
              Radiculitis
              Torticellis (spasmodic or spastic)
              Wry neck
        Osteomyelitis and periostitis
              Abcess of bone
              Acute osteomyelitis
              Arrest of growth
              Aseptic necrosis
             Backache or back pain
              Calcaneal spur
             Cervicalgia (pain in neck)
             Compression of cervical spinal cord
             Cyst of bone (except jaw)
```

TAPE POSITIONS 603-608 and 619-624 Continued

Code 1	D	i	S	е	a	S	е	
--------	---	---	---	---	---	---	---	--

Flexion contracture of fingers
Hyperostosis of skull
Loose body in knee
Neuritis
Osteochondrosis
Paget's disease of bone
Pellegrini
Recurrent dislocation of shoulder, elbow, knee
Sciatica
Sprain or Strain of Sacroiliac
Spontaneous fracture
Stiffnes of joint spine, shoulder, elbow, wrist, finger, hip,
knee, ankle
Vertebral artery compression

5

```
Other diseases of the musculoskeletal system
     Abscess of bursa
     Bunion
     Bursitis
     Calcium deposits in joint or tendon
     Curvature of spine
     Cyst of meniscus
     Deformity of:
          Ankle and foot (exluding toes)
               Clawfoot
               Clubfoot
               Equinovarus
          Arm
          Bone
         Chest
         Elbow 
         Fingers
               Mallet fingers
         Forearm (excluding fingers)
              Clawhand
              Clubhand.
         Hip
         Knee
         Leg
         Neck
         Nose
         Pelvis
         Rib
         Shoulder
         Spine
         Toes
              Clawtoe
              Hammer toe
         Wrist
    Fallen or broken arches
   Fibrous myositis
   Flat feet
   Housemaid's knee
   Hunchback
   Infective myositis
   Inflammation of muscle, tendon, or fascia
   Kyphosis
   Muscular atrophy
   Short achilles tendon
   Synovitis
   Tenosynovitis
```

TAPE POSITIONS 535-559 (odd numbers), 536-560 (even numbers), and 561-573

These fields contain data on kinds of treatment for back and neck trouble.

Although it was expected that a "Yes" reply to question 6a ("...ever need any of the following kinds of treatment for your back or neck trouble") and a "No" reply to question 6b ("Did it do you any good?") would end the sequence of questioning for question 6, a number of respondents who answered "Yes" to question 6a and "No" to question 6b were also asked question 6c ("Are you now using it regularly for your back or neck trouble?"). These records were verified and no keying errors were found.

TAPE POSITIONS 779-784

These positions contain pregnancy history data. The total number of pregnancies recorded may include current pregnancies, induced abortions, spontaneous abortions (miscarriages), and/or live births. Also, the number of live births may include multiple births for single pregnancies. In cases where the total number of pregnancies differs from the sum of miscarriages and live births, the data were verified against the original interview documents.

TAPE POSITION 810

The term "Dummy Record" refers to a tape record for a respondent who was included in the sample but for whom no Health History Supplement Questionnaire was received. Although demographic data are available for all respondents, positions 355-790 are all blank in dummy records, and position 810 contains a code of "1" to identify such records. If position 810 contains the code "blank", at least some Health History Supplement Questionnaire data were received for that respondent.

TAPE POSITIONS 791-808

Blood Pressure

These fields contain data on blood pressure, which were obtained only for sample persons aged 6 years and over. The blood pressure data on this tape are limited to those for persons 12 through 74 years of age; data for persons 6 through 11 years of age are available on another public use data tape: Medical History, Ages 6 Months-11 Years (catalog number 5010).

At the beginning of the physical examination the physician took the sample person's blood pressure while the person was in a sitting position. The physician took the person's blood pressure twice more at the end of the examination, once while the person was recumbent and again while sitting. The following guidelines, based on the American Heart Association's Recommendations for Human Blood Pressure Determinations by Sphygmomanometers (Committee to Revise Standardization of High Blood Pressure Readings, New York, American Heart Association, October, 1951), were generally observed:

- 1. The cuff was at least 20 percent wider than the diameter of the arm or covered approximately two-thirds of the arm. (An adult 12.5 cm. cuff and a pediatric 9.5 cm. cuff were provided.)
- 2. The manometer was at eye level with the physician.
- 3. The meniscus of the mercury instruments was checked weekly for zerolevel calibration.
- 4. While measuring, the rate of falling pressure was maintained 2-3 mmHg per heartbeat, which was slow enough to detect the first and last sounds but sufficiently rapid to avoid the intermittent trapping of blood between systolic and diastolic levels.
- 5. For diastolic pressure, the level was recorded at the point of complete cessation of Korotkoff's sounds or, if there was no cessation, the point of muffling.
- 6. Measurements were recorded to the nearest 2 mm. on the scale.

V. <u>APPENDIX</u> DATA COLLECTION TECHNIQUES AND CONTENT

The plan developed with respect to the content of NHANES II called for the following:

A. QUESTIONNAIRES COMPLETED IN THE HOUSEHOLD

1. Household questionnaire. This questionnaire included for each household member items on family relationships and certain demographic variables such as age, sex, race, education, occupation, and veteran status. Also obtained were information on selected housing characteristics, family income, and an indication of the family's participation in food stamp programs.

2. Medical history questionnaires.

- This questionnaire included items on birth weight, prematurity, congenital conditions, medication, neurological conditions, lead poisoning, accidents, hospital care, disability, diarrhea, pica, vision, and a variety of chronic conditions. In addition, data were collected on allergies, kidney and bladder disease, anemia, speech and hearing, lung and chest conditions and participation in food programs.
- b. For each sample person 12-74 years of age
 The questionnaire included items on medication, hospital
 care, tuberculosis, a variety of acute and chronic diseases,
 tobacco usage, physical activity, weight, height, vision
 disability, eating and gastrointestinal problems, and
 participation in food programs. Detailed data were
 collected on anemia, diabetes, respiratory conditions,
 hearing and speech, liver and gallbladder conditions, kidney
 and bladder disease, allergies, hypertension, cardiovascular
 conditions, stroke and arthritis (stressing middle and upper
 back and neck problems).

5

B. QUESTIONNAIRES ADMINISTERED IN THE MOBILE EXAMINATION CENTER

1. Dietary Questionnaires

- a. <u>For each examined person</u> a 24-Hour Recall was administered by trained dietary interviewers. Specific and quantitative detail of every food or drink consumed during the previous day was recorded and calculated, thus providing estimates of calories, protein, carbohydrates, fat, unsaturated fats, cholesterol, and specific vitamins and minerals consumed.
- b. For each examined person a Food Frequency questionnaire was administered to ascertain usual patterns of food consumption. Daily and/or weekly consumption of foods within 26 subgroups were recorded. In addition, data were collected on usual vitamin-mineral supplement usage.
- c. For each person 12-74 years of age a Dietary Supplement form was self-administered and reviewed. This form provided information on special diets, recent medications and barriers to purchasing groceries or eating foods; it does not provide information on vitamin/mineral or other supplements to the diet.
- 2. Health History Supplement, for persons 12 through 74 years of age, included questions on cardiovascular and respiratory conditions, kidney and bladder disease, and arthritis in addition to those asked in the household Medical History. Also included were questions on pesticide exposure, smoking for persons 12 through 17 years of age, and a menstrual and pregnancy history for females.
- 3. Medications/Vitamin Usage form collected information on the past week's usage of any medicines, vitamins or minerals for all examined persons.
- 4. <u>Behavior Questionnaire</u> elicited data on behavior which may be associated with coronary heart disease for examined persons 25 through 74 years of age.

C. EXAMINATION BY PHYSICIAN

A physician performed and recorded the results of a medical examination giving special attention to specified findings related to nutrition, to hearing, to the thyroid gland, and to the cardiovascular, respiratory, neurological and musculoskeletal systems.

D. SPECIAL CLINICAL PROCEDURES AND TESTS

A specially trained health technician carried out the following on examined persons in the designated age ranges:

- 1. Spirometry trials of examined persons 6 through 24 years of age were digitized and recorded on magnetic tape. Various pulmonary function indicators such as FVC (forced vital capacity), FEV₁ (forced expiratory volume in one second), and peak flow rate were subsequently derived from these data.
- 2. Electrocardiograms were made on examined persons 25 through 74 years of age. Electrocardiographic signals were digitized and recorded on magnetic tape, providing normative data on amplitude, duration, interval and axis measurements and permitting interpretations of heart disease according to the Minnesota classification code.
- 3. Body Measurements were made on all examinees and included standing height or recumbent length, depending on age; body weight; triceps and subscapular skinfolds; and several other anthropometric measurements.
- 4. Puretone audiometry tests were carried out on examined persons between the ages of 4 and 19 years, permitting determination of threshold levels of hearing for frequencies of 500, 1000, 2000, and 4000 Hertz for right and left ears.
- 5. Speech recording, involving use of tape recording of the subject's repetition of specially developed sentences, was carried out on examined persons between the ages of 4 and 6 years, permitting interpretations as an indication of problems with articulation and language development.

6. Allergy tests, involving skin tests (prick test) with eight common allergens (house dust, alternaria, cat fur, dog fur, ragweed, oak, rye grass, and Bermuda grass). The tests were made on examined persons between the ages of 6 and 74 years, to obtain degrees of skin reaction.

E. X-RAYS

For examined persons 25 through 74 years of age, two x-rays were made. No x-rays were taken of pregnant women and no lumbar x-rays were taken on women under 50 years of age.

- 1. X-rays of the cervical and lumbar spine were taken to provide evidence of osteoarthritis and degenerative disc disease, and an
- 2. X-ray of the chest was taken to be used in the diagnosis of respiratory diseases and to serve as a measure of left ventricular enlargement.

F. URINE TESTS

Tests as follows were performed on casual samples of urine:

- 1. N-Multistix tests for qualitative protein, glucose, ketones, bilirubin, blood, urobilinogen, pH, and bacteriuria (nitrite test) were done for examined persons 6 through 74 years of age.
- 2. <u>Urinary sediments</u>, including red cells, white cells, and casts, were measured for a subsample of examined adults 20 through 74 years of age.
- 3. Gonorrhea cultures of urinary sediments were performed for male and female examined persons 12 through 40 years of age. However, of those females who received the Glucose Tolerance Test (GTT), only those 20 through 24 years had the gonorrhea test performed.
- 4. Analyses for pesticide residue and metabolite levels were carried out on a subsample of examined persons 12 through 74 years of age, including measures of the body burdens from exposure to alkyl phosphate residues and metabolites, carbamate residues, phenolic compound residues and malathion metabolites.

G. TESTS ON BLOOD SAMPLES

Samples of blood provide a broad range of information related to health and nutrition. The particular tests performed varied with the specific target condition and age group as described on page 39 of the Series 1, No. 15 program description.⁸

1. Glucose tolerance test (GTT)

This test involved collection of blood specimens while in a fasting state as well as at one and two hours after glucose challenge. The test was performed on a subsample of examined adults 20 through 74 years of age to provide estimates of the prevalence of diabetes.

2. Tests related to liver function

- a. A post-prandial liver bile acid test was performed to measure the ability of the liver to remove bile acids from the blood. This involved consumption of a food preparation, which induces eventual addition of bile acids to the blood via contraction of the gallbladder, and subsequent collection of blood specimens.
- b. Liver biochemistries performed include bilirubin, SGOT, and alkaline phosphatase tests.

3. Anemia-related laboratory tests

The tests made to characterize anemia consisted of protoporphyrin, iron, total iron binding capacity (TIBC), zinc, copper, red cell folates, serum folates, serum ferritin, B_{12} , and the determination of abnormal hemoglobin.

4. Other nutritional biochemistries

These tests included albumin, Vitamin A, and Vitamin C.

5. Serum lipids

Because of their important relevance to cardiovascular disease, determinations were made of cholesterol, triglycerides, and high density lipoprotein (HDL).

6. Biochemistries for body burden from environmental exposures

Determinations were made of body burden levels of lead and pesticide residues and metabolites. Tests were also performed for carboxyhemoglobin which reflects environmental exposure to carbon monoxide and the individual's smoking habits.

7. Hematology

The hematology included determinations of hemoglobin, hematocrit, red blood cell count, white blood cell count and differential leukocyte analysis, and red blood cell morphology and hemoglobin phenotyping.

8. Kidney function

The only quantitative test for kidney function performed on blood samples was the serum creatinine test.

9. Syphilis

The serology determinations for syphilis included qualitative and quantitative ART, a FTA-ABS and MHA-TP.

VI. REFERENCES

- National Center for Health Statistics: Replication: An approach to the Analysis of Data from Complex Surveys, by P.J. McCarthy. <u>Vital</u> and <u>Health Statistics</u>. Series 2, No. 14. DHEW Pub. No. (PHS) 79-1269. Public Health Service. Washington, D.C. U.S. Government Printing Office, 1966.
- Survey Research Center Computer Support Group, OSIRIS IV User's Manual, Institute for Social Research, University of Michigan, Ann Arbor, Michigan, 1979.
- 3 Holt, M. M.: SURREGR: Standard Errors of Regression Coefficients from Sample Survey Data. Research Triangle Institute, Research Triangle Park, N.C., 1977. (Revised April 1982 by B. V. Shah)
- 4 Hidiroglou, M. A., Fuller, W. A., Hickman, R. D.: SUPER CARP. Survey Section, Statistical Laboratory, Iowa State University, Ames, Iowa. Sixth Edition. October, 1980.
- 5 Woodruff, R. S.: A Sample Method for Approximating the Variance of a Complicated Estimate. <u>Journal of the American Statistical Association</u>, 66:411-414, 1971.
- 6 Shah, B.V.: SESUDAAN: Standard Errors Program for Computing of Standardized Rates from Sample Survey Data. Research Triangle Institute, Research Triangle Park, N.C., RTI/5250/00-01S, April, 1981.
- National Center for Health Statistics: A Statistical Methodology for Analyzing Data from a Complex Survey: The First National Health and Nutrition Examination Survey, by J. R. Landis, J. M. Lepkowski, S. A. Stehouwer, and S. A. Eklund. <u>Vital and Health Statistics</u>. Series 2, NO. 92. DHHS Pub. No. (PHS) 82-1366. Public Health Service. Washington, D.C. U.S. Government Printing Office, September, 1982.

- National Center for Health Statistics: Plan and Operation of the Second National Health and Nutrition Examination Survey, 1976-1980, by A. McDowell, A. Engel, J. T. Massey and K. Maurer. Vital and Health Statistics. Series 1, No. 15. DHHS Pub. No. (PHS) 81-1317. Public Health Service. Washington, D.C. U.S. Government Printing Office, July, 1981.
- ⁹ U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1976 (Advance Report). <u>Current Population Reports</u>. Series P-60, No. 107. U.S. Government Printing Office, Washington, D.C., 1977.
- 10 U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1977 (Advance Report). <u>Current Population Reports</u>. Series P-60, No. 116. U.S. Government Printing Office, Washington, D.C., 1978.
- 11 U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1978 (Advance Report). Current Population Reports. Series P-60, No. 120. U.S. Government Printing Office, Washington, D.C., 1979.
- 12 U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1979 (Advance Report).

 Current Population Reports. Series P-60, No. 125. U.S. Government Printing Office, Washington, D.C., 1980.
- 13 U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1980 (Advance Data from the March, 1981 <u>Current Population Survey</u>). <u>Current Population Reports</u>. Series P-60, No. 127. U.S. Government Printing Office, Washington, D.C., 1981.

- 14 Orshansky, M.: Counting the Poor: Another Look at the Poverty Profile. Social Security Bulletin. Vol. 28, No. 1. U.S. Government Printing Office, Washington, D.C., January, 1965.
- 15 Orshansky, M.: Who's Who Among the Poor: A Demographic View of Poverty. Social Security Bulletin. Vol. 28, No. 7. U.S. Government Printing Office, Washington, D.C., July, 1965.
- 16U.S. Bureau of the Census: Special Studies. <u>Current Population</u>
 <u>Reports</u>. Series P-23, No. 28. U.S. Government Printing Office,
 Washington, D.C., August 12, 1969.
- 17 Circular No. A-46, Transmitted Memorandum No. 9, Executive Office of the President, Bureau of the Budget, August 29, 1969, and Exhibit L (rev.).

★U.S. GOVERNMENT PRINTING OFFICE:1989 -240 -952/ 0056