

Table S7. Summary of isolates included in this study stratified by era of isolation.

Serotype	Period of isolation									Unknown	Total
	1916	1937-39	1940s	1950s	1960s	1970s	1980s	1990s	2000s		
1			4	1	1			5	1		12
2	1		1	2							4
3					5	2	1		1		9
4				1	4			2			7
5					1	1	2	1		1	6
6						1					1
6A				1		13	7	3	1		25
6B		1					18	6			25
6C									1		1
7A		1			1						2
7B				1				1			2
7C		1				1					2
7F				1	2		2	9	2		16
8				1	3		1				5
9A					1						1
9L			1	1	1						3
9N		1		1	3			1	1		7
9V		1			1		6	3			11
10A		1									1
10B							1				1
10C							1				1
10F				1							1
11A		1					1			1	3
11B			1								1
11C				1							1
11D							1				1
11F				1							1
12A					12						12
12B							1				1
12F					3		1	4		1	9
13				1							1
14		1		1	3	5	7	19	13	1	50
15A		1						1			2
15B		1					1	1			3

15C				1						1
15F			1	1						2
16A							1			1
16F			1							1
17A						1				1
17F	1		1	2						4
18A			1							1
18B			1							1
18C	1	1		1		1	4	2		10
18F		1		1						2
19A	1		1	1	16	15	1	1		36
19B					1					1
19C	1									1
19F			3	5	1	4	5	1		19
20	1	1		1						3
21			1	1				1		3
22A	2									2
22F		1				1				2
23A		1								1
23B		1					1			2
23F		1		1	1	22	16	1		42
24A		1								1
24B		1								1
24F		1	1							2
25A							2			2
25F			1	2						3
27			1							1
28A		1								1
28F			1							1
29			1			3				4
31			2	1						3
32A		1								1
32F			1							1
33A	1	1								2
33B				1						1
33C		1								1
33D						2				2
33F	1									1
34			1	1	2					4

35A	1									1	
35B	1			1	1		1			4	
35C		2								2	
35F	1									1	
36	1				1		2			4	
37		1		1	4		1			7	
38	1						1			2	
39		1								1	
40			1							1	
41A					2					2	
41F		1								1	
42					1					1	
43		1	1							2	
44			1							1	
45		2	2							4	
46			1							1	
47A					1					1	
47F					1					1	
48			3	2						5	
NT				1		2	1			4	
Penicillin Susceptibility^a											
S	24	30	41	63	26	24	45	19	1	273	
I				2	7	57	24	4		94	
R					25	21	19	2		67	
Unknown	1		1	1		1	1		3	8	
Grand Total	1	24	30	42	66	58	103	89	25	4	442^b

^aS = Susceptible, MIC ≤0.06 µg/ml, I = Intermediate, MIC 0.12 - 1 µg/ml, R = Resistant, MIC ≥2.0 µg/ml. ^bIncluding strains for which genomic sequences were retrieved from Genbank (n = 16).