Supplementary Table 1. Reported barriers to receiving COVID-19 booster vaccination and attitudinal

			Non-Hispanic Wl
	Overall Overall	Received COVID-19 bivalent booster vaccination Received COVID-19 bivalent booster vaccination	Definitely or probably will get bivalent booster Definitely or probably will get bivalent booster
Sample size (n) of adults who completed primary series of	53,341	20,225	18,492
COVID-19 vaccination 9	* (95% CI)% [*] (95% (۵ [*] (95% CI)% [*] (95% C۶	^{6*} (95% CI)% [*] (95% CI)
	100	32.1 (31.3 - 33.0)	36.1 (35.2 - 37.1)
Reported barriers in getting a booster vaccination			
Had difficulty getting a booster vaccine (very or somewhat difficult) ^{+Had difficulty getting a booster vaccine (very or somewhat difficult)⁺}	4.6 (4.2 - 5.0)	3.6 (3.0 - 4.3)	4.3 (3.8 - 4.9)
Difficulty getting an appointment	5.4 (5.0 - 5.8)	6.5 (5.8 - 7.3)	5.6 (4.9 - 6.3)
Difficulty knowing where to get vaccinated	3.3 (3.0 - 3.7)	2.5 (2.1 - 3.0)	3.5 (3.0 - 4.1)
Difficulty getting to vaccination sites	2.6 (2.3 - 3.0)	1.8 (1.5 - 2.3)	2.7 (2.3 - 3.2)
Vaccination sites not open at convenient times	3.4 (3.0 - 3.7)	2.4 (2.0 - 2.9)	3.6 (3.1 - 4.3)
Did not know whether eligible for a booster vaccine	2.5 (2.2 - 2.8)	2.2 (1.8 - 2.6)	3.2 (2.7 - 3.9)
Had a reaction to a previous dose of the COVID-19 vaccine	2.7 (2.4 - 3.0)	1.5 (1.1 - 1.9)	2.1 (1.7 - 2.5)
Difficulty with cost of getting a booster vaccine Attitudinal and social factors regarding COVID-19 vaccination	2.3 (2.0 - 2.6)	0.6 (0.4 - 0.8)	2.9 (2.4 - 3.6)
Concerned about getting COVID-19 (very or moderately) $^{\scriptscriptstyle ++}$	41.2 (40.3 - 42.2)	55.2 (53.6 - 56.8)	46.5 (44.9 - 48.1)
Thinks a COVID-19 vaccine is important (very or somewhat) ⁺⁺	85.1 (84.3 - 85.8)	97.9 (97.3 - 98.4)	96.6 (95.9 - 97.2)
Thinks COVID-19 vaccine is safe (completely or very) ⁺⁺	73.7 (72.8 - 74.6)	90.3 (89.2 - 91.3)	87.3 (86.2 - 88.3)
Friends and family vaccinated (almost all or many) ††	82.7 (81.9 - 83.4)	90.0 (88.8 - 91.0)	87.0 (85.9 - 88.1)
Provider recommendation of the COVID-19 booster vaccine	40.2 (39.3 - 41.2)	50.9 (49.3 - 52.6)	43.2 (41.6 - 44.7)

Abbreviations: CI=confidence interval.

* Weighted percent.

⁺ Respondents who had received a booster dose were asked "How difficult was it for you to get a COVID-19 booster vaccine

⁵ Proportion was based on sample size of >30 but did not meet National Center for Health Statistics' reliability criteria (sam)
¹ p<0.05 by T-test for comparisons with Non-Hispanic White as the reference level.</p>

⁺⁺ Questions were asked about COVID-19 vaccination generally and not specifically about COVID-19 booster dose vaccinatic

hite	5 5			Non-Hispanic B	llack
Unsure will get bivalent booster Unsure will get bivalent booster	Definitely or probably will not get bivalent booster Definitely or probably will not get bivalent booster	Overall Overall	Received COVID-19 bivalent booster vaccination Received COVID-19 bivalent booster vaccination	Definitely or probably will get bivalent booster Definitely or probably will get bivalent booster	Unsure will get bivalent booster Unsure will get bivalent booster
4,431	10,193	8,954	2,182	3,895	1,311
% [*] (95% CI)% [*] (95% CI)) % [*] (95% CI)% [*] (95% CI)	[*] (95% CI)% [*] (95% C	5* (95% CI)% [*] (95% C%	^{%*} (95% CI)% [*] (95% C	I) % [*] (95% CI)% [*] (95% CI)
10.0 (9.4 - 10.6)	21.7 (20.9 - 22.5)	100	21.2 (19.2 - 23.3)	44.0 (41.5 - 46.5)	15.2 (13.5 - 16.9)
5.3 (4.3 - 6.6)	6.3 (5.4 - 7.5)	.2 (5.2 - 7.6) ^{¶6.2 (5.2 - 7.6}	3.0 (1.4 - 6.1)	5.2 (3.8 - 7.2)	7.1 (5.1 - 9.8)
5.7 (4.4 - 7.4)	3.2 (2.6 - 4.0)	4.5 (3.5 - 5.7)	4.7 (2.7 - 8.0)	5.4 (3.9 - 7.6)	$2.9 (1.8 - 4.6)^{12.9 (1.8 - 4.6)}$
5.0 (3.8 - 6.5)	3.6 (2.8 - 4.6)	3.5 (2.7 - 4.4)	2.5 (1.2 - 4.9)	4.2 (2.9 - 6.1)	4.4 (2.9 - 6.6)
3.8 (2.9 - 5.0)	3.2 (2.3 - 4.3)	2.9 (2.1 - 4.0)	0.7 (0.4 - 1.3) ^{¶0.7 (0.4 -} 1.3)¶	3.5 (2.2 - 5.4)	3.7 (2.2 - 6.0)
3.8 (3.0 - 4.9)	4.1 (3.3 - 5.2)	4.4 (3.4 - 5.6)	.5 (1.7 - 7.1) ^{§3.5 (1.7 - 7.1}	4.7 (3.3 - 6.8)	5.1 (3.3 - 7.8)
2.6 (1.8 - 3.6)	1.7 (1.3 - 2.2)	2.9 (2.2 - 3.9)	2.9 (1.5 - 5.7)	3.1 (2.0 - 4.6)	2.4 (1.3 - 4.5)
4.7 (3.5 - 6.2)	4.7 (3.9 - 5.7)	3.0 (2.3 - 3.9)	1.3 (0.5 - 3.6)	1.4 (1.0 - 2.1)	5.5 (3.0 - 10.0) ^{§5.5 (3.0 - 10.0)!}
4.0 (3.1 - 5.3)	3.0 (2.4 - 3.7)	3.5 (2.6 - 4.6) ^{¶3.5 (2.6 -} 4.6)¶	1.5 (0.6 - 3.8)	3.2 (2.1 - 4.9)	3.8 (2.6 - 5.7)
33.3 (30.2 - 36.5)	15.3 (13.9 - 16.9)	50.3 (47.8 - 52.8) [¶]	65.5 (60.4 - 70.2) [¶]	54.0 (50.2 - 57.8) [¶]	42.6 (36.8 - 48.7) [¶]
82.0 (79.2 - 84.5)	47.4 (45.3 - 49.6)	93.2 (92.1 - 94.2) [¶]	99.1 (98.5 - 99.4) [¶]	96.5 (94.9 - 97.7)	93.0 (89.7 - 95.3) [¶]
55.1 (51.7 - 58.5)	31.2 (29.2 - 33.2)	65.8 (63.3 - 68.2) [¶]	78.6 (73.6 - 82.8) [¶]	74.1 (70.5 - 77.4) [¶]	51.6 (45.2 - 57.9)
77.4 (74.5 - 80.1)	66.9 (64.7 - 68.9)	80.3 (78.3 - 82.2) [¶]	85.8 (81.5 - 89.2) [¶]	83.4 (80.4 - 86.1) [¶]	76.9 (71.3 - 81.7)
29.0 (26.2 - 31.9)	24.6 (22.8 - 26.5)	34.4 (32.1 - 36.8) [¶]	45.9 (40.5 - 51.3)	35.7 (32.1 - 39.4) [¶]	26.0 (21.6 - 31.0)

and social factors regarding COVID-19 vaccination by race and ethnicity and bivalent booster vaccination and bite

?" Respondents who had not received a booster dose were asked "How difficult would it be for you to get a COVID-19 vaccine booste ple size (n<30) and/or CI half-width >15 and/or the relative CI width >130%).

ງກ.

			Hispanic		
Definitely or probably will not get bivalent booster Definitely or probably will not get bivalent booster	Overall Overall	Received COVID-19 bivalent booster vaccination Received COVID-19 bivalent booster vaccination	Definitely or probably will get bivalent booster Definitely or probably will get bivalent booster	Unsure will get bivalent booster Unsure will get bivalent booster	Definitely or probably will not get bivalent booster Definitely or probably will not get bivalent booster
1,566	10,576	2,120	4,719	1,712	2,025
% [*] (95% CI)% [*] (95% CI)	* (95% CI)% [*] (95% C	5* (95% CI)%* (95% C	% [*] (95% CI)% [*] (95% CI)	% [*] (95% CI)% [*] (95% C	I) % [*] (95% CI)% [*] (95% CI)
19.7 (17.7 - 21.8)	100	15.0 (13.6 - 16.5)	47.5 (45.3 - 49.7)	17.7 (16.0 - 19.5)	19.8 (18.1 - 21.6)
1.6 (8.3 - 15.9) ^{¶11.6 (8.3 - 15.}	.9 (4.9 - 7.0) ^{115.9 (4.9 - 7.0}	9 3.5 (2.1 - 5.6)	3.9 (2.9 - 5.3)	7.4 (5.0 - 10.9)	1.1 (8.4 - 14.6) ^{¶11.1 (8.4 - 14.€}
3.4 (1.6 - 7.0) ^{§3.4 (1.6 - 7.0)§}	5.6 (4.6 - 6.7)	4.3 (2.8 - 6.6) ^{¶4.3 (2.8 - 6.6)¶}	5.4 (4.2 - 6.9)	6.9 (4.6 - 10.3)	5.6 (3.4 - 9.1)
2.4 (1.6 - 3.5)	5.6 (4.6 - 6.7) ^{¶5.6 (4.6 - 6.7)¶}	3.2 (1.8 - 5.8)	5.1 (4.0 - 6.5) ^{¶5.1 (4.0 -} ^{6.5)¶}	7.5 (5.1 - 10.9)	5.9 (4.4 - 10.6) ^{¶6.9 (4.4 - 10.6)}
3.5 (1.6 - 7.4) ^{§3.5 (1.6 - 7.4)§}	3.5 (2.7 - 4.5)	1.4 (0.8 - 2.4)	3.5 (2.5 - 4.8)	5.4 (3.2 - 9.2)	3.5 (1.9 - 6.5)
3.9 (2.0 - 7.3) ^{§3.9 (2.0 - 7.3)§}	4.2 (3.5 - 5.0)	2.7 (1.5 - 4.6)	3.7 (2.8 - 4.9)	6.3 (4.3 - 9.1)	4.7 (3.4 - 6.5)
3.1 (1.5 - 6.2)	4.1 (3.4 - 5.0) ^{¶4.1 (3.4 - 5.0)¶}	3.2 (1.8 - 5.7)	4.1 (3.1 - 5.4)	3.5 (2.4 - 5.2)	5.5 (3.5 - 8.4) ^{¶5.5 (3.5 - 8.4)¶}
6.2 (4.1 - 9.3)	4.1 (3.3 - 5.1) ^{¶4.1 (3.3 - 5.1)¶}	2.1 (1.1 - 4.0)	1.8 (1.3 - 2.5)	7.0 (4.5 - 10.6)	3.8 (6.1 - 12.4) ^{¶8.8 (6.1 - 12.4)}
6.0 (3.4 - 10.4)	3.9 (3.2 - 4.7) ^{¶3.9 (3.2 -} 4.7)¶	1.4 (0.6 - 3.4)	3.5 (2.6 - 4.6)	4.7 (3.3 - 6.8)	5.8 (3.8 - 8.9) ^{15.8 (3.8 - 8.9)} 1
31.6 (26.5 - 37.3)"	39.0 (36.9 - 41.2)	55.2 (50.1 - 60.2)	44.3 (41.1 - 47.5)	28.7 (24.1 - 33.8)	23.2 (19.3 - 27.7) [¶]
79.2 (75.2 - 82.8)¶	88.2 (86.8 - 89.5) [¶]	95.9 (93.2 - 97.5)	95.3 (93.8 - 96.5)	88.7 (85.2 - 91.4) [¶]	64.9 (60.3 - 69.3) [¶]
43.0 (37.1 - 49.1) [¶]	65.8 (63.7 - 67.9) [¶]	80.0 (75.5 - 83.9) [¶]	77.6 (74.8 - 80.2) [¶]	54.3 (48.8 - 59.7)	34.7 (30.0 - 39.7)
70.3 (64.9 - 75.2)	84.2 (82.5 - 85.8)	88.9 (85.3 - 91.8)	87.0 (84.5 - 89.1)	84.9 (80.9 - 88.2) [¶]	73.3 (68.6 - 77.6) [¶]
25.7 (21.1 - 30.9)	36.0 (34.0 - 38.2) [¶]	50.0 (44.9 - 55.1)	38.8 (35.7 - 41.9) [¶]	30.6 (25.8 - 35.9)	23.8 (20.1 - 28.1)

d intent status among adults aged ≥18 years who completed a COVID-19 vaccine primary series — National II Hispanic

r?"

	Ivey-Addit COVID	Non-Hispanic A		-December 31, 2022	
Overall Overall	Received COVID-19 bivalent booster vaccination Received COVID-19 bivalent booster vaccination	Definitely or probably will get bivalent booster Definitely or probably will get bivalent booster	Unsure will get bivalent booster Unsure will get bivalent booster	Definitely or probably will not get bivalent booster Definitely or probably will not get bivalent booster	Overall Overall
4,674	1,315	2,027	644	688	748
5* (95% CI)% [*] (95% C	^{Ճ*} (95% CI)% [*] (95% C%	% [*] (95% CI)% [*] (95% C	i) % [*] (95% CI)% [*] (95% C	i) % [*] (95% CI)% [*] (95% CI)	* (95% CI)% [*] (95% C
100	25.1 (22.1 - 28.2)	46.6 (43.1 - 50.1)	14.4 (12.0 - 17.2)	13.9 (11.7 - 16.4)	100
4.6 (3.3 - 6.3)	2.6 (1.4 - 4.6)	3.7 (2.0 - 6.7)	9.4 (5.0 - 16.8) ^{§9.4 (5.0 - 16}	^{5.8)} 5.2 (3.1 - 11.9) ^{§6.2 (3.1 - 11.9)}	3 (6.2 - 16.6) ^{¶10.3 (6.2 - 1}
7.2 (5.5 - 9.4)	6.6 (3.9 - 11.0)	7.3 (4.9 - 11.0)	8.0 (4.1 - 15.0) ^{§8.0 (4.1 - 15}	⁰⁾ 7.1 (3.7 - 13.3) ^{§7.1 (3.7 - 13.3)}	6.7 (3.3 - 13.4) ^{§6.7} (3.3 - 13.4)§
2.6 (1.9 - 3.5)	1.2 (0.7 - 2.0) ^{¶1.2 (0.7 -} 2.0)¶	2.2 (1.5 - 3.4) ^{¶2.2 (1.5 - 3.4)}	4.9 (2.3 - 10.1) ^{§4.9 (2.3 - 10}	^{0.1)!} 3.7 (1.8 - 7.4) ^{§3.7 (1.8 - 7.4)§}	7.9 (4.2 - 14.4) ^{§7.9} (4.2 - 14.4)§
2.6 (1.8 - 3.7)	$0.9 (0.5 - 1.6)^{90.9 (0.5 - 1.6)}$	2.7 (1.7 - 4.4)	2.8 (1.0 - 7.7) ^{§2.8 (1.0 - 7.7}	^{7)§} 5.0 (2.2 - 10.9) ^{§5.0 (2.2 - 10.9)}	4.7 (1.7 - 12.0) ^{§4.7} (1.7 - 12.0)§
3.9 (2.7 - 5.4)	3.0 (1.8 - 5.1)	3.4 (2.3 - 5.1)	8.5 (3.6 - 18.8) ^{§8.5 (3.6 - 18}	^{3.8)!} 1.9 (1.1 - 3.4) ^{¶1.9 (1.1 - 3.4)¶}	6.3 (2.9 - 12.8) ^{§6.3} (2.9 - 12.8)§
3.9 (2.9 - 5.2) ^{¶3.9 (2.9 -} ^{5.2)¶}	3.0 (1.6 - 5.6)	2.9 (1.9 - 4.6)	.5 (4.1 - 13.4) ^{§,¶7.5 (4.1 - 13}	⁴⁾ [§] 4.9 (2.2 - 10.5) ^{§4.9 (2.2 - 10.5)}	5.4 (2.2 - 12.4) ^{§5.4} (2.2 - 12.4)§
4.0 (2.7 - 5.8)	0.8 (0.5 - 1.5)	3.0 (1.9 - 4.9)	0.1 (4.6 - 21.0) ^{§10.1 (4.6 - 2}	^{21.(} 5.6 (3.4 - 12.5) ^{§6.6 (3.4 - 12.5)}	2.4 (1.3 - 4.4)
2.6 (1.8 - 3.7)	1.3 (0.6 - 2.5)	2.6 (1.6 - 4.0)	5.1 (2.9 - 12.6) ^{§6.1 (2.9 - 12}	^{2.6)!} 1.6 (0.8 - 3.3) ^{¶1.6 (0.8 - 3.3)¶}	2.7 (1.4 - 4.9)
44.1 (40.6 - 47.6)	53.6 (46.5 - 60.6)	45.7 (40.6 - 50.8)	44.8 (35.1 - 54.8) [¶]	20.7 (15.2 - 27.6)	46.6 (38.9 - 54.3)
92.7 (90.9 - 94.2) [¶]	97.4 (94.5 - 98.8)	98.3 (97.2 - 98.9) [¶]	88.4 (82.2 - 92.6) [¶]	69.8 (61.0 - 77.3) [¶]	81.2 (74.0 - 86.7)
72.8 (69.4 - 76.1)	82.3 (74.8 - 87.9) [¶]	81.6 (77.3 - 85.3) [¶]	54.4 (44.0 - 64.5)	44.0 (35.0 - 53.3) [¶]	59.4 (51.2 - 67.1) [¶]
	96.5 (93.7 - 98.1) [¶]	96.2 (93.7 - 97.7) [¶]	93.7 (89.3 - 96.4) [¶]	81.1 (71.5 - 88.0) [¶]	78.2 (71.0 - 84.0)
35.4 (32.1 - 38.9) [¶]	38.8 (32.3 - 45.9) [¶]	39.5 (34.5 - 44.8)	28.0 (20.4 - 37.2)	23.3 (17.0 - 31.1)	34.7 (28.0 - 42.1)

mmunization Survey-Adult COVID Module, United States, October 30-December 31, 2022

	Non-Hispanic A	I/AN			Nativ
Received COVID-19 bivalent booster vaccination Received COVID-19 bivalent booster vaccination	Definitely or probably will get bivalent booster Definitely or probably will get bivalent booster	Unsure will get bivalent booster Unsure will get bivalent booster	Definitely or probably will not get bivalent booster Definitely or probably will not get bivalent booster	Overall Overall	Received COVID-19 bivalent booster vaccination Received COVID-19 bivalent booster vaccination
176	296	98	178	423	90
5 [*] (95% CI)% [*] (95% C	% [*] (95% CI)% [*] (95% C	I) % [*] (95% CI)% [*] (95% CI)	% [*] (95% CI)% [*] (95% CI)	* (95% CI)% [*] (95% C	Հ [*] (95% CI)% [*] (95% C
22.4 (16.2 - 30.3)	39.4 (32.2 - 47.1)	11.9 (8.2 - 17.0)	26.2 (20.3 - 33.1)	100	20.4 (12.4 - 31.5)
6 (4.5 - 42.1) ^{§15.6 (4.5 - 4}	9.5 (5.4 - 16.3)	4.2 (0.9 - 17.1) ^{§4.2 (0.9 - 17.1}	⁾ 9.4 (4.9 - 17.4) ^{§9.4 (4.9 - 17.4)}	.0 (1.9 - 8.3) ^{§4.0 (1.9 - 8.}	³ 1 (2.2 - 30.9) ^{§9.1 (2.2 - 30}
13.6 (3.2 - 42.5) ^{§13.6} (3.2 - 42.5)§	5.2 (2.5 - 10.4) ^{§5.2 (2.5 -}	4.9 (1.3 - 17.1) ^{§4.9 (1.3 - 17.1}	⁾ 4.0 (1.3 - 11.5) ^{§4.0 (1.3 - 11.5)}	5.6 (2.4 - 12.8) ^{§5.6} (2.4 - 12.8)§	10.9 (3.2 - 30.9) ^{§10.9} (3.2 - 30.9)§
12.0 (2.4 - 43.1) ^{§12.0} (2.4 - 43.1)§	6.5 (3.4 - 12.0) ^{§6.5 (3.4 - 12.0)§}	5.0 (2.0 - 16.5) ^{§6.0 (2.0 - 16.5}	^{)ب} 7.4 (2.9 - 17.6) ^{§7.4 (2.9 - 17.6)}	5.5 (2.4 - 12.2) ^{§5.5} (2.4 - 12.2)§	1.2 (0.3 - 5.0) ^{§1.2 (0.3 - 5.0)§}
12.8 (2.8 - 42.5) ^{§12.8} (2.8 - 42.5)§	3.7 (1.5 - 8.7) ^{§3.7 (1.5 - 8.7)§}	l.5 (0.5 - 4.7) ^{§,¶1.5 (0.5 - 4.7)§}	^{;,} '0.7 (0.3 - 1.8) ^{¶0.7 (0.3 - 1.8)¶}	5.2 (2.0 - 12.7) ^{§5.2} (2.0 - 12.7)§	0.0 (0.0 - 0.2) ^{¶0.0 (0.0 -} 0.2)¶
1 (2.4 - 43.1) ^{§12.1 (2.4 - 4}	.8 (3.1 - 10.5) ^{§5.8 (3.1 - 10}	^{.5} 4.0 (0.9 - 15.3) ^{§4.0 (0.9 - 15.3}	^{)!} 3.0 (1.1 - 7.9) ^{§3.0 (1.1 - 7.9)§}	5.3 (2.3 - 12.1) ^{§5.3} (2.3 - 12.1)§	4 (0.8 - 20.4) ^{§4.4 (0.8 - 20}
12.1 (2.4 - 43.1) ^{§12.1} (2.4 - 43.1)§	4.8 (2.2 - 10.0) ^{§4.8 (2.2}	3.7 (0.8 - 15.4) ^{§3.7 (0.8 - 15.4}	^{)!} 1.2 (0.4 - 3.7)	6.1 (2.8 - 13.0) ^{§6.1} (2.8 - 13.0)§	5.1 (1.1 - 19.9) ^{§5.1} (1.1 - 19.9)§
1.5 (0.5 - 4.6)	0.7 (0.2 - 2.9) ^{¶0.7 (0.2 -} 2.9)¶	2.0 (0.5 - 8.2) ^{§2.0 (0.5 - 8.2)§}	5.7 (2.3 - 13.5) ^{§5.7 (2.3 - 13.5)}	1.6 (0.7 - 3.5)	0.8 (0.2 - 3.5) ^{§0.8 (0.2 -} 3.5)§
0.4 (0.1 - 1.6)	3.2 (1.3 - 7.5) ^{§3.2 (1.3 - 7.5)§}	4.6 (1.2 - 16.3) ^{§4.6 (1.2 - 16.3}	^{)!} 3.0 (0.9 - 9.5) ^{§3.0 (0.9 - 9.5)§}	3.4 (1.0 - 10.7) ^{§3.4} (1.0 - 10.7)§	0.0 (0.0 - 0.2) ^{¶0.0 (0.0 -} 0.2)¶
64.1 (46.1 - 78.9) [§]	47.8 (35.9 - 60.1)	34.1 (19.3 - 52.7) [§]	35.3 (22.0 - 51.3) ^{§,¶}	56.3 (43.5 - 68.2) [¶]	57.7 (34.9 - 77.6) [§]
93.5 (80.7 - 98.0)	90.2 (73.2 - 96.9) [§]	82.6 (69.9 - 90.7)	55.8 (41.5 - 69.1)	85.8 (72.5 - 93.2)	73.4 (38.3 - 92.5) [§]
78.3 (58.1 - 90.4) [§]	78.2 (63.7 - 88.0)	43.5 (26.1 - 62.7) [§]	19.0 (11.8 - 29.1) [¶]	71.9 (61.1 - 80.7)	83.5 (64.4 - 93.4) [§]
86.9 (73.6 - 94.0)	85.4 (71.5 - 93.2)	83.0 (70.6 - 90.9)	57.4 (42.9 - 70.7)	92.1 (87.7 - 95.0) [¶]	93.5 (75.1 - 98.6) [§]
41.9 (26.5 - 59.0) [§]	40.5 (29.8 - 52.3)	23.1 (8.4 - 49.5) [§]	25.2 (13.7 - 41.8) [§]	43.3 (29.9 - 57.8)	31.1 (16.0 - 51.6) ^{§,¶}

ve Hawaiian/ Paci	fic Islander			Non-	Hispanic other/ mu
Definitely or probably will get bivalent booster Definitely or probably will get bivalent booster	Unsure will get bivalent booster Unsure will get bivalent booster	Definitely or probably will not get bivalent booster Definitely or probably will not get bivalent booster	Overall Overall	Received COVID-19 bivalent booster vaccination Received COVID-19 bivalent booster vaccination	probably will get bivalent booster
193	65	75	2,580	695	980
% [*] (95% CI)% [*] (95% C	I) % [*] (95% CI)% [*] (95% CI) % [*] (95% CI)% [*] (95% CI)	* (95% CI)% [*] (95% (Cś* (95% CI)% [*] (95% C	C% [*] (95% CI)% [*] (95% CI)
38.9 (27.7 - 51.5)	21.8 (13.0 - 34.2)	8.9 (7.7 - 39.5) ^{§18.9 (7.7 - 39.}	100	23.7 (20.2 - 27.7)	38.2 (33.7 - 42.9)
2.4 (1.0 - 5.8)		^{\$,} \1.5 (1.2 - 15.6) ^{\$4.5 (1.2 - 15.6)}	5.2 (3.9 - 6.9)	4.0 (2.3 - 6.8)	4.2 (2.7 - 6.6)
2.3 (1.1 - 4.7) ^{¶2.3 (1.1 - 4.7)}	0.6 (1.9 - 42.1) ^{§10.6 (1.9 - 42}	^{2.} 1.1 (0.2 - 6.1) ^{§,¶1.1 (0.2 - 6.1)§,}	7.0 (5.1 - 9.5)	7.2 (4.1 - 12.3)	8.2 (5.3 - 12.5)
5.0 (1.9 - 12.6) ^{§5.0 (1.9} 12.6)§	3.4 (3.2 - 41.6) ^{§13.4 (3.2 - 41}	^{1.6} 1.9 (0.5 - 7.6) ^{§1.9 (0.5 - 7.6)§}	5.1 (3.5 - 7.4)	1.9 (1.1 - 3.4)	7.0 (4.3 - 11.0) ^{¶7.0 (4.3 -} 11.0)¶
3.8 (1.2 - 11.5) ^{§3.8 (1.2} 11.5)§	5.7 (4.2 - 44.3) ^{§15.7 (4.2 - 44}	^{4.3} 1.5 (0.3 - 6.7) ^{§1.5 (0.3 - 6.7)§}	5.2 (2.8 - 9.5) ^{§5.2 (2.8} 9.5)§	3.8 (0.9 - 15.0) ^{§3.8} (0.9 - 15.0)§	8.1 (3.4 - 17.9) ^{§8.1 (3.4 -} ^{17.9)§}
3.4 (1.4 - 7.8) ^{§3.4 (1.4 - 7.8}	^{3)§} 3.5 (3.3 - 41.5) ^{§13.5 (3.3 - 41}	^{1.5} 1.0 (0.2 - 4.5) ^{§,¶1.0 (0.2 - 4.5)§,}	5.5 (3.2 - 9.4)	1.7 (0.9 - 3.0)	'.6 (3.1 - 17.5) ^{§7.6 (3.1 - 17.5)}
5.4 (2.2 - 12.8) ^{§5.4 (2.2} 12.8)§	3.4 (3.2 - 41.6) ^{§13.4 (3.2 - 41}	^{1.5} .4 (0.0 - 3.6) ^{§,¶0.4 (0.0 - 3.6)§,}	5.7 (3.4 - 9.6) ^{¶5.7 (3.4} 9.6)¶	⁻ 3.9 (1.8 - 8.4) ^{§3.9 (1.8 - 8.4)§}	8.6 (3.8 - 18.2) ^{§8.6 (3.8 - 18.2)§}
2.3 (0.7 - 6.8) ^{§2.3 (0.7 - 6.8)§}	L.5 (0.2 - 9.3) ^{§,¶1.5 (0.2 - 9.3)}	^{§,} 1.1 (0.3 - 5.0) ^{§,¶1.1 (0.3 - 5.0)§,}	4.8 (2.6 - 8.7) ^{§4.8 (2.6} 8.7)§	0.3 (0.1 - 0.7) ^{¶0.3 (0.1 - 0.7)}	5.4 (1.6 - 17.0) ^{§5.4 (1.6 -} 17.0)§
2.8 (1.1 - 6.7) ^{§2.8 (1.1 - 6.7)§}	9.3 (1.3 - 43.6) ^{§9.3 (1.3 - 43.6}	^{5)!} 1.6 (0.4 - 6.5) ^{§1.6 (0.4 - 6.5)§}	3.9 (2.5 - 6.0)	0.9 (0.5 - 1.8)	4.7 (2.6 - 8.5)
44.7 (29.6 - 60.8) [§]	62.9 (39.0 - 81.8) ^{§,¶}	71.0 (36.6 - 91.2) ^{§,¶}	42.6 (38.1 - 47.1)	64.5 (55.5 - 72.6) [¶]	49.8 (41.9 - 57.7)
98.7 (96.6 - 99.5) [¶]	75.4 (39.0 - 93.7) [§]	83.8 (58.5 - 95.0) ^{\$,¶}	81.8 (77.9 - 85.2)	96.2 (87.0 - 99.0)	98.0 (96.6 - 98.8) [¶]
83.1 (72.4 - 90.2)	47.1 (21.5 - 74.3) [§]	50.1 (28.3 - 71.9) [§]	69.7 (65.3 - 73.8)	84.6 (76.6 - 90.2)	85.7 (80.0 - 90.0)
94.1 (89.0 - 97.0) [¶]	88.4 (76.3 - 94.8) [¶]	90.6 (73.6 - 97.1) ^{§,¶}	82.7 (78.9 - 85.9)	85.8 (77.8 - 91.2)	89.2 (84.1 - 92.9)
50.3 (34.9 - 65.6) [§]	29.1 (12.5 - 54.0) [§]	58.5 (19.8 - 89.0) [§]	37.6 (33.2 - 42.3)	48.0 (39.4 - 56.8)	43.5 (35.7 - 51.6)

Itiple races	
Unsure will get bivalent booster	Definitely or probably will not get bivalent booster Definitely or probably will not get bivalent booster
307	598
% [*] (95% CI)% [*] (95% CI) % 11.7 (9.3 - 14.5)	
5.7 (3.3 - 13.2) ^{§6.7 (3.3 - 13.2)} !	7.1 (4.1 - 12.1)
5.9 (3.1 - 14.7) ^{§6.9 (3.1 - 14.7)} 5.	0 (1.8 - 12.6) ^{§5.0 (1.8 - 12.6)}
4.0 (1.6 - 9.9) ^{§4.0 (1.6 - 9.9)§} 5.	8 (2.4 - 13.4) ^{§5.8 (2.4 - 13.4)}
3.5 (1.2 - 9.7) ^{§3.5 (1.2 - 9.7)§} 3.	1 (0.7 - 12.0) ^{§3.1 (0.7 - 12.0)}
5.2 (2.8 - 13.0) ^{§6.2 (2.8 - 13.0)} 5.	7 (2.3 - 13.4) ^{§5.7 (2.3 - 13.4)}
5.1 (2.1 - 12.0) ^{§5.1 (2.1 - 12.0)} §.	.6 (1.0 - 12.3) ^{§3.6 (1.0 - 12.3)}
5.3 (2.3 - 11.9) ^{§5.3 (2.3 - 11.9)} 7.	.6 (3.7 - 14.8) ^{§7.6 (3.7 - 14.8)}
4.2 (1.7 - 10.1) ^{§4.2 (1.7 - 10.1)} 5.	2 (2.1 - 12.4) ^{§5.2 (2.1 - 12.4)}
29.1 (20.8 - 39.1)	18.2 (12.5 - 25.8)
79.5 (67.1 - 88.0)	45.3 (36.6 - 54.3)
65.2 (53.8 - 75.2)	31.0 (23.2 - 40.1)
82.0 (72.9 - 88.5)	70.7 (61.1 - 78.7)
22.5 (14.2 - 33.7)	26.5 (18.9 - 35.8)