



Asthma

2020 National Health Interview Survey (NHIS) Data

Previous Table | Next Table

Table 5-2
Standard Errors¹ for Asthma Attack² Population Estimates Among With Current Asthma³—Rounded by Age, United States: National Interview Survey, 2020

Characteristic	All Ages Total	Children Age <18	Adults Age 18+	0–4	5–14	15-34	15–19	20-24	25-34	35
Total:	422,400	180,000	363,900	59,200	150,700	240,800	102,000	158,700	161,700	26
Male	257,700	118,200	230,000	17,700	106,600	170,600	52,400	123,900	105,400	14
Female	319,700	134,700	280,300	56,500	103,300	177,300	85,100	96,200	125,600	20
White Non– Hispanic:	304,800	112,700	282,000	52,800	85,400	153,500	65,900	82,800	115,000	21
Male	173,100	70,600	160,300	6,800	61,500	91,200	42,200	47,000	64,200	12
Female	240,800	89,700	217,200	52,300	61,600	127,700	50,600	65,100	98,900	16
Black Non– Hispanic:	191,600	76,100	165,300	6,800	72,500	130,800	35,000	82,300	97,300	89
Male	142,600	69,300	116,700	6,800	68,900	103,900	0	74,300	72,600	43
Female	113,500	27,200	108,600	0	22,300	76,600	35,000	37,000	58,500	71
Other Non– Hispanic:	106,800	52,600	85,500	1,000	49,300	41,400	19,900	15,300	33,300	66
Male	64,500	40,400	50,500	1000	35,900	33,300	19,900	15,300	22,300	36
Female	84,500	34,100	70,700	0	34,100	24,700	0	0	24,700	55

Table 5-2
Standard Errors¹ for Asthma Attack² Population Estimates Among With Current Asthma³—Rounded by Age, United States: National Interview Survey, 2020

Characteristic	All Ages Total	Children Age <18	Adults Age 18+	0–4	5–14	15-34	15–19	20-24	25-34	3
Hispanic:	188,300	104,500	150,800	27,000	82,400	123,000	63,500	85,400	65,800	9
Male	103,600	49,800	90,900	15,000	42,800	76,200	23,900	58,100	38,800	2
Female	158,600	93,500	124,700	22,500	71,000	97,800	58,900	62,600	53,600	8
Mexican/Mexican– American: ⁴	137,600	82,600	105,400	18,600	54,000	95,000	61,700	63,600	37,500	6
Male	61,200	37,300	47,900	10,100	29,300	42,500	23,900	12,300	25,600	2
Female	121,300	74,900	94,600	15,600	46,200	85,000	56,900	62,400	27,400	(
Other Hispanic:4	127,200	65,300	110,900	19,600	62,300	79,900	15,300	57,000	55,100	(
Male	85,600	33,000	79,100	11,100	31,100	63,900	0	56,800	29,200	
Female	97,800	56,400	79,800	16,200	54,000	48,800	15,300	4,500	46,200	į
Region:										
Northeast	177,500	72,300	160,200	6,300	66,000	94,100	37,200	67,100	48,900	
Midwest	144,900	62,100	134,200	18,600	51,100	78,300	33,100	54,900	52,700	(
South	294,600	128,800	249,200	51,200	103,000	176,300	72,500	125,700	113,400	
West	197,800	82,000	163,300	22,400	71,600	109,200	51,600	43,300	90,100	
Ratio of Family Incor	me to Pove	rty Threshol	d: ⁵							
0-0.99	192,500	82,900	173,100	19,600	77,900	126,600	43,400	70,700	94,100	
1.00-2.49	257,600	113,900	217,700	34,800	84,700	160,200	74,700	114,600	88,800	
2.50-4.49	206,900	82,700	176,900	32,900	70,300	112,100	47,100	54,600	76,000	
4.50 and above	197,800	77,500	178,800	29,300	67,800	105,100	30,900	56,600	81,700	

Table 5-2 Standard Errors¹ for Asthma Attack² Population Estimates Among With Current Asthma³—Rounded by Age, United States: National Interview Survey, 2020

|--|

Source: National Health Interview Survey, National Center for Health Statistics, CDC Compiled 3/13/2022

Notes: Sex determined by "male" or "female" response to question: "Are you male or female?" Additional information on methods and variable description available at: https://www.cdc.gov/asthma/nhis/default.htm.

Asthma and Community Health Branch
National Center for Environmental Health, Centers for Disease Control and Prevention

Previous Table | Next Table

Page last reviewed: March 14, 2022

¹Standard Error which measures the variability in the estimates.

²Having had one or more asthma attacks, which is defined by persons who answered "yes" to the question: "During the past 12 months, have you had an episode of asthma or an asthma attack?" among people with current asthma.

³Persons who answered "yes" to the questions: "Have you EVER been told by a doctor or other health professional that yo u had asthma?" and "Do you still have asthma?"

⁴As a subset of Hispanic.

⁵Missing responses imputed.