


Bivalent Moderna COVID-19 Vaccine

When to Use the Pink Versus Blue-Capped Vial




For most people (those who are NOT moderately or severely immunocompromised)

There are 2 different vials of Moderna bivalent COVID-19 vaccine. Determining which presentation and dosage to use is based on the recipient's age and vaccination history and the presence of moderate or severe immune compromise. [Label](#) bins in storage units to help staff correctly identify the vials.



"Booster Doses Only" does not apply

Administer vaccine from this vial based on age, vaccination history and the presence of moderate or severe immune compromise.		
Age:	Vaccination history:	
6 months through 5 years	<ul style="list-style-type: none"> NEVER been vaccinated with ANY COVID-19 vaccine Previously vaccinated with 1 dose of monovalent COVID-19 vaccine Previously vaccinated with 1 dose of bivalent COVID-19 vaccine 	
6 years and older	<ul style="list-style-type: none"> Never been vaccinated with ANY COVID-19 vaccine Previously vaccinated with 1 or more doses of only monovalent COVID-19 vaccine Previously vaccinated with 1 or more doses of bivalent COVID-19 vaccine 	
Age:	Route:	Dose:
6 months through 11 years	Intramuscular (IM) injection	0.25 mL/25 µg
12 years and older		0.5 mL/50 µg
Note: For inventory purposes each vial contains 5 doses regardless which dosage is withdrawn.		



"Booster Doses Only" does not apply

Administer vaccine from this vial based on age, vaccination history and the presence of moderate or severe immune compromise.		
Age:	Vaccination history:	
6 months through 5 years	<ul style="list-style-type: none"> Previously vaccinated with 2 doses of monovalent COVID-19 vaccine 	
Route:	Dose:	
Intramuscular (IM) injection	0.2 mL/10 µg	
Note: This vial contains 2 doses. It is NOT a single dose vial.		


Bivalent Moderna COVID-19 Vaccine

When to Use the Pink Versus Blue-Capped Vial




For people who ARE moderately or severely immunocompromised

There are 2 different vials of Moderna bivalent COVID-19 vaccine. Determining which presentation and dosage to use is based on the recipient's age and vaccination history and the presence of moderate or severe immune compromise. [Label](#) bins in storage units to help staff correctly identify the vials.



"Booster Doses Only" does not apply



"Booster Doses Only" does not apply

Administer vaccine from this vial based on age, vaccination history and the presence of moderate or severe immune compromise.

Age:	Vaccination history:
6 months through 4 years	<ul style="list-style-type: none"> NEVER been vaccinated with ANY COVID-19 vaccine Previously vaccinated with 1 or 2 doses of monovalent COVID-19 vaccine* Previously vaccinated with 1 or 2 doses of bivalent COVID-19 vaccine*
5 years	<ul style="list-style-type: none"> NEVER been vaccinated with ANY COVID-19 vaccine Previously vaccinated with 1 or more doses of monovalent COVID-19 vaccine* Previously vaccinated with 1 or more doses of bivalent COVID-19 vaccine*
6 years and older	<ul style="list-style-type: none"> Never been vaccinated with ANY COVID-19 vaccine Previously vaccinated with 1 or more doses of only monovalent COVID-19 vaccine* Previously vaccinated with 1 or more doses of bivalent COVID-19 vaccine*

Age:	Route:	Dose:
6 months through 11 years	Intramuscular (IM) injection	0.25 mL/25 µg
12 years and older		0.5 mL/50 µg

Note: For inventory purposes each vial contains 5 doses regardless which dosage is withdrawn.

Administer vaccine from this vial based on age, vaccination history and the presence of moderate or severe immune compromise.

Age:	Vaccination history:
6 months through 4 years	<ul style="list-style-type: none"> Previously vaccinated with 3 doses of monovalent COVID-19 vaccine*

Route:	Dose:
Intramuscular (IM) injection	0.2 mL/10 µg

Note: This vial contains 2 doses. It is NOT a single dose vial.

* Additional bivalent mRNA vaccines are authorized for people who are moderately or severely immunocompromised. See [Table 2 of Interim Clinical Consideration for Use of COVID-19 Vaccines](#) for additional guidance.