

Supplementary Table. Percentage of children introduced to complementary foods before age 4 months by state among children 1–5 years – National Survey of Children's Health, United States, 2016–2018.

	Total No.	Percentage introduced early (%)*	95% CI (%)*
Alabama	431	24.3	(19.3, 30.2)
Alaska	472	12.8	(9.5, 17.0)
Arizona	421	15.0	(10.5, 21.0)
Arkansas	449	19.6	(15.1, 25.2)
California	416	10.7	(7.5, 14.9)
Colorado	482	9.3	(6.6, 13.1)
Connecticut	441	16.5	(12.3, 21.9)
District of Columbia	692	12.8	(9.1, 17.7)
Delaware	450	17.4	(13.0, 22.8)
Florida	414	16.5	(11.7, 22.7)
Georgia	394	17.3	(12.9, 22.8)
Hawaii	481	14.6	(11.0, 19.2)
Idaho	490	13.4	(10.0, 17.7)
Illinois	502	14.1	(10.1, 19.3)
Indiana	433	19.4	(14.8, 25.1)
Iowa	466	12.0	(8.7, 16.4)
Kansas	498	16.2	(11.5, 22.3)
Kentucky	458	22.8	(17.9, 28.6)
Louisiana	390	21.2	(16.1, 27.5)
Maine	445	13.2	(9.4, 18.2)
Maryland	452	19.3	(14.3, 25.5)
Massachusetts	495	15.1	(10.5, 21.1)
Michigan	483	14.3	(10.3, 19.5)
Minnesota	591	12.1	(8.1, 17.7)
Mississippi	415	34.4	(28.2, 41.1)
Missouri	479	17.0	(12.6, 22.7)
Montana	478	13.8	(9.7, 19.1)
Nebraska	549	14.5	(10.8, 19.1)
Nevada	426	17.1	(12.5, 22.9)
New Hampshire	423	12.3	(8.5, 17.5)
New Jersey	435	15.9	(11.7, 21.3)
New Mexico	381	7.6	(5.3, 10.7)
New York	441	18.2	(13.1, 24.7)
North Carolina	439	19.6	(14.2, 26.3)
North Dakota	524	12.9	(9.4, 17.4)
Ohio	471	18.0	(13.4, 23.8)
Oklahoma	453	14.5	(10.2, 20.3)

Oregon	487	13.2	(8.6, 19.6)
Pennsylvania	476	17.0	(12.6, 22.5)
Rhode Island	438	16.5	(12.4, 21.6)
South Carolina	472	17.2	(12.5, 23.3)
South Dakota	521	15.0	(10.9, 20.2)
Tennessee	436	15.9	(12.0, 20.7)
Texas	408	15.5	(11.2, 21.2)
Utah	545	12.1	(8.7, 16.5)
Vermont	477	9.7	(6.8, 13.6)
Virginia	471	15.6	(11.9, 20.2)
Washington	513	11.0	(7.5, 15.8)
West Virginia	399	17.0	(12.6, 22.5)
Wisconsin	512	11.3	(7.9, 16.0)
Wyoming	460	14.1	(10.6, 18.5)

Abbreviations: CI = confidence interval

*Percentages are weighted to account for complex survey design.