

Mortality in Adults Age 65 and Older: United States, 2000–2019

Supplemental Table

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019



**Centers for Disease
Control and Prevention**
National Center for
Health Statistics

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Diseases of heart (heart disease) (I00–I09,I11,I13,I20–I51)									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019.....	2,053	681.1	777.6	1,103	815.2	944.4	950	571.9	641.4
2018.....	2,060	717.8	805.8	1,069	829.2	948.2	991	627.0	690.0
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019.....	2,282	685.8	782.3	1,262	848.9	992.3	1,020	554.0	618.8
2018.....	2,299	726.5	817.7	1,235	872.9	1,005.0	1,064	608.1	670.0
2017.....	2,235	744.8	866.8	1,224	910.9	1,099.1	1,011	610.1	691.3
2016.....	2,131	748.0	867.3	1,161	910.3	1,101.8	970	616.5	694.5
2015.....	2,035	754.0	881.4	1,049	868.3	1,060.6	986	661.3	745.2
2014.....	1,958	768.8	893.9	1,010	886.6	1,086.1	948	673.5	753.5
2013.....	1,864	777.1	912.9	987	921.7	1,123.9	877	660.6	749.8
2012.....	1,770	784.6	918.1	936	931.9	1,147.9	834	666.3	749.1
2011.....	1,732	819.0	968.7	889	947.6	1,174.2	843	716.5	814.3
2010.....	1,609	810.1	971.4	788	898.2	1,153.6	821	740.4	840.0
2009.....	1,628	844.7	994.1	838	984.9	1,221.1	790	733.8	828.4
2008.....	1,556	841.7	994.3	780	958.1	1,190.4	776	750.0	848.9
2007.....	1,587	897.0	1,055.4	801	1,031.9	1,290.0	786	791.6	887.7
2006.....	1,638	962.1	1,127.9	792	1,065.0	1,322.0	846	882.3	987.1
2005.....	1,607	977.7	1,150.7	763	1,066.3	1,356.7	844	909.5	1,011.3
2004.....	1,633	1,034.0	1,222.2	806	1,177.9	1,495.3	827	923.9	1,034.7
2003.....	1,655	1,083.4	1,251.0	830	1,260.5	1,591.4	825	949.2	1,038.7
2002.....	1,607	1,086.7	1,251.9	799	1,260.7	1,569.1	808	956.2	1,046.8
2001.....	1,507	1,049.6	1,185.4	750	1,225.6	1,465.6	757	918.9	993.6
2000.....	1,559	1,114.1	1,253.5	770	1,295.1	1,526.8	789	980.4	1,057.7
Asian, non-Hispanic, single race ³ :									
2019.....	12,353	495.5	533.7	6,183	575.7	648.3	6,170	434.9	448.0
2018.....	12,054	508.7	552.0	6,040	591.4	673.4	6,014	446.1	463.2
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	474	784.0	839.4	265	938.6	987.2	209	648.6	700.7
2018.....	438	771.2	850.8	231	870.0	949.1	207	684.5	760.4
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	13,313	505.2	545.2	6,722	589.6	663.4	6,591	440.8	455.9
2018.....	12,985	518.7	564.2	6,553	604.8	688.7	6,432	453.0	472.2
2017.....	12,528	524.7	572.8	6,222	601.8	689.6	6,306	465.9	486.2
2016.....	11,633	521.9	571.7	5,668	586.8	675.2	5,965	472.3	494.5
2015.....	11,145	525.2	580.4	5,512	598.6	700.6	5,633	469.0	493.0
2014.....	10,278	521.3	577.8	5,029	587.7	690.1	5,249	470.4	496.0
2013.....	10,308	565.2	627.2	5,114	646.6	763.6	5,194	502.8	530.6
2012.....	9,502	560.4	627.6	4,601	626.5	749.3	4,901	509.9	541.0
2011.....	8,956	567.5	637.3	4,311	629.9	749.7	4,645	519.7	555.9
2010.....	8,977	610.9	698.5	4,418	694.3	841.9	4,559	547.2	597.2
2009.....	8,791	622.7	713.5	4,293	702.6	849.6	4,498	561.7	616.1
2008.....	8,628	644.2	743.2	4,189	723.7	881.2	4,439	583.7	645.4
2007.....	8,181	643.3	747.5	3,961	721.9	882.9	4,220	583.6	651.5
2006.....	8,221	681.3	796.6	4,040	777.3	958.0	4,181	608.7	684.4
2005.....	8,002	699.3	820.9	3,951	802.9	985.5	4,051	621.1	705.5
2004.....	7,759	717.9	858.1	3,819	824.1	1,032.0	3,940	638.2	738.3
2003.....	7,821	762.8	916.0	3,885	886.7	1,099.7	3,936	670.3	786.9
2002.....	7,796	803.3	967.6	3,967	958.0	1,188.0	3,829	688.1	813.5
2001.....	7,347	800.2	966.8	3,694	944.6	1,157.9	3,653	693.0	830.1
2000.....	7,041	823.0	1,010.1	3,696	1,013.0	1,244.3	3,345	681.7	840.8

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Diseases of heart (heart disease) (100–109,111,113,120–151)—Con.									
Black, non-Hispanic, single race ³ :									
2019	53,067	1,065.8	1,169.9	25,457	1,263.6	1,456.7	27,610	931.3	981.6
2018	52,092	1,091.9	1,192.5	24,746	1,283.8	1,475.7	27,346	961.8	1,005.3
Black, non-Hispanic, bridged race ⁴ :									
2019	53,227	1,052.6	1,155.8	25,512	1,246.5	1,436.7	27,715	920.8	971.0
2018	52,260	1,078.8	1,178.6	24,811	1,267.2	1,456.6	27,449	951.0	994.6
2017	50,208	1,078.2	1,176.5	23,705	1,261.5	1,455.5	26,503	954.2	994.4
2016	49,021	1,099.6	1,196.0	22,654	1,261.3	1,456.7	26,367	990.4	1,026.4
2015	47,304	1,108.2	1,199.5	21,827	1,272.9	1,470.3	25,477	997.6	1,022.5
2014	45,674	1,120.6	1,206.7	20,899	1,281.1	1,479.0	24,775	1,013.6	1,032.5
2013	45,131	1,159.9	1,241.3	20,207	1,302.5	1,498.9	24,924	1,065.3	1,075.4
2012	43,596	1,172.4	1,247.6	19,380	1,314.3	1,508.6	24,216	1,079.2	1,080.2
2011	42,698	1,199.1	1,274.3	18,758	1,335.4	1,531.1	23,940	1,110.3	1,110.7
2010	43,376	1,263.3	1,343.0	19,011	1,410.5	1,625.2	24,365	1,168.2	1,167.6
2009	43,563	1,295.8	1,377.7	19,052	1,447.6	1,663.4	24,511	1,198.1	1,200.6
2008	44,893	1,369.2	1,460.5	19,543	1,527.9	1,763.2	25,350	1,267.7	1,272.3
2007	45,467	1,423.8	1,519.6	19,390	1,561.7	1,808.9	26,077	1,336.1	1,341.0
2006	46,413	1,484.3	1,587.0	20,044	1,653.0	1,915.7	26,369	1,377.4	1,386.8
2005	47,974	1,563.5	1,674.0	20,033	1,687.5	1,961.8	27,941	1,485.2	1,496.1
2004	48,529	1,614.2	1,730.9	20,350	1,756.0	2,049.7	28,179	1,525.3	1,541.1
2003	51,189	1,726.9	1,846.9	21,462	1,884.6	2,178.2	29,727	1,628.6	1,642.9
2002	51,961	1,779.9	1,897.2	21,393	1,913.6	2,208.5	30,568	1,696.9	1,707.0
2001	52,625	1,825.1	1,933.3	21,870	1,986.6	2,270.1	30,755	1,725.4	1,728.8
2000	53,072	1,874.2	1,968.6	21,871	2,030.4	2,294.2	31,201	1,778.3	1,771.7
White, non-Hispanic, single race ³ :									
2019	430,037	1,044.9	1,064.2	219,278	1,178.5	1,308.2	210,759	934.6	876.1
2018	426,722	1,063.5	1,073.8	215,895	1,192.8	1,321.2	210,827	957.3	884.4
White, non-Hispanic, bridged race ⁴ :									
2019	430,743	1,040.6	1,060.4	219,602	1,173.4	1,303.1	211,141	931.0	873.3
2018	427,448	1,059.4	1,070.3	216,265	1,188.1	1,316.7	211,183	953.6	881.7
2017	423,429	1,077.1	1,082.1	212,656	1,201.9	1,331.9	210,773	975.0	892.9
2016	414,824	1,083.0	1,078.3	206,692	1,202.7	1,327.7	208,132	985.6	890.6
2015	417,905	1,119.6	1,104.8	204,890	1,226.6	1,348.9	213,015	1,032.9	921.8
2014	405,361	1,113.9	1,090.0	198,501	1,223.8	1,338.7	206,860	1,025.6	905.2
2013	405,042	1,143.6	1,107.5	196,413	1,249.5	1,359.7	208,629	1,059.1	922.3
2012	398,396	1,159.4	1,111.4	190,543	1,256.9	1,359.5	207,853	1,082.5	931.2
2011	398,682	1,205.4	1,136.6	188,556	1,300.9	1,386.9	210,126	1,130.9	955.4
2010	400,404	1,236.4	1,169.2	187,785	1,330.9	1,426.8	212,619	1,163.4	985.6
2009	402,840	1,259.6	1,192.8	187,908	1,353.9	1,452.4	214,932	1,187.4	1,009.0
2008	418,513	1,331.6	1,258.8	191,887	1,414.3	1,516.3	226,626	1,268.8	1,076.3
2007	418,941	1,361.9	1,283.1	191,090	1,448.0	1,546.7	227,851	1,297.3	1,097.5
2006	431,970	1,423.5	1,346.5	195,509	1,509.8	1,618.3	236,461	1,359.3	1,155.8
2005	450,345	1,498.2	1,428.1	202,357	1,585.4	1,715.3	247,988	1,433.9	1,230.2
2004	453,580	1,519.7	1,460.7	203,361	1,612.9	1,755.4	250,219	1,451.5	1,257.4
2003	480,003	1,616.0	1,559.7	214,615	1,719.2	1,879.6	265,388	1,541.2	1,340.5
2002	492,173	1,665.1	1,618.8	219,857	1,778.7	1,958.0	272,316	1,583.5	1,388.7
2001	498,821	1,690.7	1,653.9	220,830	1,798.2	1,989.4	277,991	1,614.0	1,424.8
2000	510,568	1,734.8	1,711.4	226,738	1,861.4	2,075.7	283,830	1,645.4	1,466.4

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Diseases of heart (heart disease) (I00–I09,I11,I13,I20–I51)—Con.									
Hispanic ⁶ :									
2019	30,700	661.8	725.2	15,556	768.6	893.4	15,144	579.1	602.4
2018	29,910	677.0	736.1	15,087	785.4	906.9	14,823	593.6	611.9
2017	28,956	688.8	749.3	14,426	791.1	913.2	14,530	610.4	629.5
2016	27,822	701.0	763.5	13,697	797.2	919.3	14,125	627.6	649.9
2015	26,686	707.3	771.4	13,148	806.5	931.9	13,538	631.9	654.0
2014	24,842	699.5	766.3	12,301	803.6	933.0	12,541	620.6	646.6
2013	24,499	735.5	807.6	11,986	837.3	974.0	12,513	658.8	687.6
2012	23,091	734.5	812.6	11,234	834.9	977.7	11,857	659.4	694.3
2011	22,083	743.8	825.7	10,616	838.1	980.9	11,467	673.6	713.1
2010	21,918	788.0	891.4	10,603	897.1	1,072.7	11,315	707.3	764.4
2009	21,455	801.8	907.5	10,417	918.5	1,094.0	11,038	715.9	776.8
2008	21,242	834.6	952.7	9,972	925.8	1,110.8	11,270	767.6	838.3
2007	21,296	878.9	1,008.5	10,060	982.5	1,190.1	11,236	803.1	880.6
2006	21,396	924.1	1,068.3	10,144	1,038.1	1,271.5	11,252	840.8	928.1
2005	22,099	998.0	1,159.4	10,552	1,130.8	1,388.8	11,547	901.2	1,001.4
2004	20,696	980.1	1,147.3	9,895	1,113.7	1,369.3	10,801	883.0	991.9
2003	21,301	1,055.3	1,241.7	9,929	1,171.1	1,443.7	11,372	971.4	1,096.5
2002	20,934	1,086.7	1,282.7	9,910	1,226.4	1,524.2	11,024	985.8	1,115.8
2001	20,731	1,126.3	1,328.5	9,744	1,262.0	1,565.2	10,987	1,028.2	1,162.9
2000	19,606	1,130.9	1,336.9	9,200	1,265.7	1,573.7	10,406	1,033.7	1,171.5
Malignant neoplasms (cancer) (C00–C97)									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019	1,863	618.1	659.6	969	716.2	770.7	894	538.2	572.9
2018	1,858	647.4	690.0	940	729.1	796.5	918	580.8	610.2
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019	2,069	621.8	665.9	1,104	742.6	805.5	965	524.2	559.0
2018	2,068	653.5	699.8	1,094	773.2	852.6	974	556.7	586.2
2017	1,936	717.3	784.5	1,022	760.6	839.2	906	546.8	580.4
2016	1,928	642.5	693.1	1,035	811.5	901.8	886	563.1	605.6
2015	1,921	674.3	732.8	1,026	849.2	957.0	910	610.4	654.8
2014	1,829	718.2	781.7	991	869.9	980.3	838	595.4	634.0
2013	1,735	723.4	794.2	907	847.0	983.0	828	623.7	663.2
2012	1,691	749.6	807.3	869	865.2	961.3	822	656.7	698.9
2011	1,617	814.1	881.1	841	896.5	1,031.4	730	620.5	653.4
2010	1,571	742.9	807.1	865	985.9	1,134.4	752	678.1	711.9
2009	1,538	831.9	897.7	724	850.9	963.6	710	659.5	694.2
2008	1,434	744.0	802.7	802	985.1	1,114.5	736	711.4	748.4
2007	1,415	799.8	871.4	724	932.7	1,094.6	691	695.9	731.7
2006	1,400	822.3	889.7	699	940.0	1,083.6	701	731.1	766.8
2005	1,333	811.0	866.9	689	962.9	1,108.9	644	693.9	718.5
2004	1,320	835.8	889.8	677	989.4	1,107.5	643	718.4	745.9
2003	1,201	812.2	865.1	610	926.4	1,070.9	591	680.0	713.1
2002	1,201	786.2	849.0	592	934.1	1,027.7	609	720.7	749.6
2001	1,190	828.8	878.0	609	995.2	1,102.7	581	705.3	731.1
2000	1,100	786.1	831.2	564	948.6	1,050.0	536	666.0	687.7

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Malignant neoplasms (cancer) (C00–C97)—Con.									
Asian, non-Hispanic, single race ³ :									
2019	12,114	485.9	513.2	6,184	575.8	622.9	5,930	418.0	433.4
2018	11,699	493.8	523.2	6,062	593.5	645.4	5,637	418.2	434.6
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019	394	651.7	671.8	192	680.0	703.8	202	626.9	643.6
2018	370	651.5	689.0	182	685.4	760.5	188	621.7	642.8
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019	12,945	491.2	518.9	6,607	579.5	626.8	6,338	423.9	439.8
2018	12,469	498.1	528.3	6,446	595.0	647.9	6,023	424.2	441.5
2017	12,042	504.4	536.3	6,296	609.0	666.3	5,746	424.5	442.6
2016	11,398	511.4	545.2	5,954	616.4	676.2	5,444	431.0	450.8
2015	11,296	532.3	568.0	5,879	638.4	701.7	5,417	451.0	472.3
2014	10,475	531.3	567.6	5,366	627.1	691.6	5,109	457.9	479.2
2013	9,803	537.5	575.4	5,096	644.3	718.6	4,707	455.7	475.6
2012	9,451	557.4	597.8	4,836	658.5	736.1	4,615	480.2	501.3
2011	9,027	572.0	610.2	4,679	683.7	758.1	4,348	486.5	507.0
2010	8,663	589.5	632.8	4,509	708.6	793.8	4,154	498.6	521.5
2009	8,175	579.1	624.8	4,301	703.9	795.6	3,874	483.8	507.2
2008	7,952	593.8	637.6	4,182	722.5	807.8	3,770	495.8	519.2
2007	7,500	589.7	636.2	4,018	732.2	821.8	3,482	481.5	506.9
2006	7,059	585.0	630.0	3,675	707.1	793.9	3,384	492.6	517.4
2005	6,884	601.6	649.3	3,649	741.5	828.2	3,235	496.0	524.3
2004	6,472	598.8	646.1	3,496	754.4	845.4	2,976	482.0	508.3
2003	6,317	616.1	665.9	3,347	763.9	854.4	2,970	505.8	535.2
2002	5,783	595.9	646.2	3,040	734.1	822.0	2,743	492.9	523.8
2001	5,743	625.5	679.3	3,076	786.6	878.6	2,667	506.0	539.1
2000	5,403	631.5	690.6	2,955	809.9	901.2	2,448	498.9	539.1
Black, non-Hispanic, single race ³ :									
2019	44,537	894.3	944.5	22,660	1,124.8	1,236.9	21,867	737.6	764.1
2018	43,480	911.4	960.9	22,204	1,151.9	1,269.1	21,276	748.3	772.7
Black, non-Hispanic, bridged race ⁴ :									
2019	44,707	884.1	933.9	22,735	1,110.8	1,221.3	21,972	730.0	756.3
2018	43,650	901.1	950.3	22,278	1,137.9	1,253.5	21,372	740.5	764.9
2017	42,877	920.8	969.9	21,900	1,165.5	1,278.3	20,977	755.2	780.3
2016	41,732	936.1	985.3	21,227	1,181.8	1,302.3	20,505	770.2	793.9
2015	40,537	949.6	996.2	20,673	1,205.6	1,325.3	19,864	777.8	797.9
2014	39,892	978.8	1,023.2	20,264	1,242.1	1,359.9	19,628	803.0	821.2
2013	39,192	1,007.2	1,050.2	19,939	1,285.2	1,408.4	19,253	822.9	838.4
2012	38,421	1,033.2	1,072.0	19,566	1,326.9	1,449.3	18,855	840.3	851.5
2011	37,859	1,063.2	1,100.7	19,222	1,368.5	1,493.0	18,637	864.3	873.6
2010	37,466	1,091.2	1,129.8	19,280	1,430.5	1,567.7	18,186	872.0	879.9
2009	36,653	1,090.2	1,128.1	18,863	1,433.2	1,567.9	17,790	869.6	878.8
2008	36,409	1,110.5	1,148.6	18,687	1,461.0	1,604.4	17,722	886.3	893.6
2007	36,665	1,148.2	1,187.3	18,913	1,523.3	1,679.3	17,752	909.5	917.6
2006	36,113	1,154.9	1,193.9	18,664	1,539.2	1,688.7	17,449	911.5	919.0
2005	36,177	1,179.0	1,217.9	18,793	1,583.0	1,738.4	17,384	924.0	930.7
2004	36,190	1,203.8	1,242.8	18,801	1,622.3	1,779.5	17,389	941.2	948.2
2003	36,426	1,228.9	1,268.5	18,817	1,652.3	1,808.5	17,609	964.7	971.7
2002	36,898	1,263.9	1,301.1	19,254	1,722.3	1,876.9	17,644	979.5	985.1
2001	37,085	1,286.2	1,320.7	19,638	1,783.9	1,931.5	17,447	978.8	984.0
2000	37,066	1,309.0	1,341.4	19,726	1,831.3	1,967.9	17,340	988.3	992.0

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Malignant neoplasms (cancer) (C00–C97)—Con.									
White, non-Hispanic, single race ³ :									
2019	347,924	845.4	867.6	185,535	997.2	1,065.4	162,389	720.1	719.3
2018	345,875	862.0	882.8	183,787	1,015.4	1,084.2	162,088	736.0	733.7
White, non-Hispanic, bridged race ⁴ :									
2019	348,572	842.1	864.5	185,851	993.1	1,061.3	162,721	717.5	716.9
2018	346,534	858.8	879.8	184,099	1,011.4	1,080.3	162,435	733.5	731.4
2017	345,411	878.7	900.5	183,250	1,035.7	1,108.3	162,161	750.2	747.3
2016	343,275	896.2	915.6	181,490	1,056.1	1,128.1	161,785	766.1	760.6
2015	341,783	915.6	931.6	180,159	1,078.6	1,147.7	161,624	783.7	774.3
2014	338,956	931.5	944.2	178,466	1,100.3	1,167.1	160,490	795.7	783.6
2013	335,309	946.7	954.3	176,236	1,121.2	1,183.8	159,073	807.5	790.7
2012	333,050	969.2	971.4	174,408	1,150.4	1,208.2	158,642	826.2	803.9
2011	328,995	994.7	987.4	171,742	1,184.9	1,232.1	157,253	846.3	815.9
2010	330,101	1,019.3	1,010.0	171,751	1,217.3	1,266.0	158,350	866.5	834.0
2009	326,809	1,021.9	1,011.9	169,880	1,224.0	1,271.8	156,929	866.9	834.3
2008	328,499	1,045.2	1,031.5	169,984	1,252.9	1,296.8	158,515	887.4	851.4
2007	327,746	1,065.5	1,047.1	169,406	1,283.6	1,323.1	158,340	901.5	862.4
2006	326,804	1,077.0	1,057.5	168,211	1,299.0	1,337.8	158,593	911.7	871.2
2005	328,024	1,091.3	1,072.6	169,262	1,326.1	1,368.6	158,762	918.0	877.5
2004	326,892	1,095.2	1,078.7	167,666	1,329.8	1,376.0	159,226	923.7	885.7
2003	330,191	1,111.6	1,096.0	169,391	1,356.9	1,406.1	160,800	933.8	895.9
2002	332,605	1,125.3	1,112.1	171,001	1,383.4	1,438.5	161,604	939.7	903.8
2001	332,342	1,126.4	1,116.1	170,910	1,391.7	1,451.8	161,432	937.3	903.9
2000	335,408	1,139.6	1,133.1	171,851	1,410.8	1,477.6	163,557	948.2	917.6
Hispanic ⁶ :									
2019	26,414	569.4	604.2	13,971	690.3	762.7	12,443	475.8	491.7
2018	25,548	578.3	613.8	13,504	703.0	775.7	12,044	482.3	499.5
2017	24,681	587.1	623.0	12,933	709.2	785.2	11,748	493.5	509.4
2016	23,560	593.6	630.9	12,489	726.9	803.1	11,071	491.9	510.0
2015	22,547	597.6	632.6	11,973	734.4	808.6	10,574	493.5	509.5
2014	21,722	611.7	647.5	11,454	748.3	823.7	10,268	508.1	524.6
2013	20,774	623.7	659.3	10,946	764.6	839.5	9,828	517.4	534.0
2012	19,985	635.7	673.0	10,484	779.2	855.7	9,501	528.4	546.1
2011	19,085	642.8	680.2	10,126	799.4	880.0	8,959	526.3	543.9
2010	18,196	654.2	694.8	9,762	826.0	913.7	8,434	527.2	546.9
2009	17,438	651.7	693.5	9,284	818.6	905.9	8,154	528.9	550.0
2008	16,725	657.1	699.1	8,982	833.9	922.5	7,743	527.4	549.0
2007	16,026	661.4	703.2	8,546	834.6	926.0	7,480	534.6	555.5
2006	15,591	673.3	717.6	8,295	848.9	942.8	7,296	545.2	568.2
2005	15,434	697.0	744.5	8,328	892.5	998.5	7,106	554.6	578.6
2004	14,344	679.3	728.4	7,673	863.6	965.7	6,671	545.4	571.7
2003	14,013	694.2	747.3	7,466	880.6	987.3	6,547	559.3	589.4
2002	13,583	705.1	761.6	7,275	900.3	1,020.5	6,308	564.1	594.5
2001	12,973	704.8	759.9	7,066	915.2	1,032.8	5,907	552.8	582.0
2000	12,469	719.3	777.8	6,760	930.0	1,055.3	5,709	567.1	598.1

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Chronic lower respiratory diseases (J40–J47)									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019.....	591	196.1	218.6	271	200.3	230.0	320	192.6	209.1
2018.....	601	209.4	233.9	281	218.0	248.3	320	202.5	223.8
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019.....	668	200.7	222.6	311	209.2	240.4	357	193.9	209.1
2018.....	692	218.7	243.4	336	237.5	269.7	356	203.5	224.9
2017.....	702	233.9	264.3	337	250.8	297.6	365	220.3	240.0
2016.....	642	225.4	252.5	327	256.4	307.1	315	200.2	214.8
2015.....	625	231.6	261.7	299	247.5	296.5	326	218.7	238.4
2014.....	573	225.0	257.9	261	229.1	281.8	312	221.7	242.7
2013.....	564	235.1	267.5	284	265.2	330.0	280	210.9	228.8
2012.....	502	222.5	253.1	263	261.9	329.2	239	190.9	203.7
2011.....	462	218.5	244.4	214	228.1	273.3	248	210.8	226.1
2010.....	499	251.2	286.7	237	270.1	328.0	262	236.3	259.0
2009.....	424	220.0	252.2	196	230.4	291.3	228	211.8	229.2
2008.....	437	236.4	265.2	211	259.2	306.9	226	218.4	237.3
2007.....	434	245.3	276.4	210	270.5	327.0	224	225.6	244.5
2006.....	361	212.0	240.7	159	213.8	267.7	202	210.7	227.3
2005.....	364	221.5	249.2	181	253.0	317.0	183	197.2	209.0
2004.....	348	220.3	245.5	166	242.6	292.0	182	203.3	217.7
2003.....	357	233.7	264.3	188	285.5	358.4	169	194.5	207.6
2002.....	339	229.2	254.9	166	261.9	319.2	173	204.7	215.9
2001.....	316	220.1	245.1	148	241.9	300.6	168	203.9	215.0
2000.....	314	224.4	246.8	160	269.1	337.8	154	191.3	196.5
Asian, non-Hispanic, single race ³ :									
2019.....	1,714	68.8	75.5	989	92.1	106.7	725	51.1	53.5
2018.....	1,793	75.7	83.3	1,049	102.7	120.1	744	55.2	57.9
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	59	97.6	111.5	32	113.3	125.9	27	83.8	97.7
2018.....	65	114.4	130.9	31	116.8	135.8	34	112.4	128.2
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	1,850	70.2	77.4	1,064	93.3	108.4	786	52.6	55.3
2018.....	1,926	76.9	84.9	1,122	103.6	121.2	804	56.6	59.7
2017.....	1,884	78.9	87.5	1,102	106.6	125.0	782	57.8	61.5
2016.....	1,729	77.6	86.0	1,021	105.7	125.3	708	56.1	59.1
2015.....	1,706	80.4	90.0	957	103.9	124.8	749	62.4	66.7
2014.....	1,615	81.9	92.2	927	108.3	131.5	688	61.7	66.1
2013.....	1,616	88.6	100.0	970	122.6	150.9	646	62.5	66.4
2012.....	1,433	84.5	95.4	855	116.4	143.0	578	60.1	64.0
2011.....	1,505	95.4	108.3	890	130.0	160.2	615	68.8	73.9
2010.....	1,315	89.5	103.4	803	126.2	157.8	512	61.5	67.3
2009.....	1,316	93.2	107.8	771	126.2	158.7	545	68.1	74.6
2008.....	1,301	97.1	112.8	772	133.4	167.5	529	69.6	76.7
2007.....	1,162	91.4	106.5	693	126.3	159.0	469	64.9	71.9
2006.....	1,183	98.0	114.4	743	143.0	179.5	440	64.1	71.4
2005.....	1,149	100.4	118.2	704	143.1	181.1	445	68.2	76.7
2004.....	1,044	96.6	115.5	655	141.3	180.5	389	63.0	72.4
2003.....	1,070	104.4	123.7	693	158.2	197.5	377	64.2	74.0
2002.....	980	101.0	119.6	648	156.5	194.3	332	59.7	68.6
2001.....	1,001	109.0	130.6	639	163.4	202.7	362	68.7	80.7
2000.....	963	112.6	136.2	622	170.5	210.2	341	69.5	83.6

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Chronic lower respiratory diseases (J40–J47)—Con.									
Black, non-Hispanic, single race ³ :									
2019	8,184	164.4	178.2	4,124	204.7	236.4	4,060	137.0	143.5
2018	8,383	175.7	191.0	4,193	217.5	251.0	4,190	147.4	154.3
Black, non-Hispanic, bridged race ⁴ :									
2019	8,215	162.5	176.2	4,134	202.0	233.1	4,081	135.6	142.0
2018	8,423	173.9	189.0	4,209	215.0	248.0	4,214	146.0	153.0
2017	8,098	173.9	189.1	4,046	215.3	251.2	4,052	145.9	152.5
2016	7,670	172.0	185.9	3,916	218.0	252.5	3,754	141.0	146.9
2015	7,290	170.8	184.2	3,688	215.1	249.0	3,602	141.0	146.3
2014	6,838	167.8	179.4	3,464	212.3	243.9	3,374	138.0	142.1
2013	6,877	176.7	188.1	3,507	226.1	260.9	3,370	144.0	146.9
2012	6,553	176.2	186.5	3,395	230.2	264.3	3,158	140.7	142.8
2011	6,353	178.4	188.7	3,253	231.6	266.1	3,100	143.8	145.5
2010	6,089	177.3	186.9	3,144	233.3	268.7	2,945	141.2	142.3
2009	5,903	175.6	185.4	3,098	235.4	272.8	2,805	137.1	138.2
2008	6,189	188.8	199.7	3,162	247.2	286.5	3,027	151.4	152.8
2007	5,542	173.5	183.2	2,937	236.5	273.6	2,605	133.5	134.8
2006	5,357	171.3	181.0	2,830	233.4	270.2	2,527	132.0	133.5
2005	5,764	187.8	197.8	3,133	263.9	304.7	2,631	139.8	141.1
2004	5,113	170.1	179.4	2,760	238.2	276.6	2,353	127.4	128.8
2003	5,403	182.3	191.4	3,004	263.8	303.7	2,399	131.4	132.6
2002	5,484	187.9	197.2	3,040	271.9	312.7	2,444	135.7	136.9
2001	5,367	186.1	194.3	3,023	274.6	311.7	2,344	131.5	132.1
2000	5,304	187.3	194.4	2,995	278.0	311.0	2,309	131.6	132.2
White, non-Hispanic, single race ³ :									
2019	117,141	284.6	294.1	53,733	288.8	315.5	63,408	281.2	278.6
2018	119,026	296.6	305.6	54,716	302.3	330.4	64,310	292.0	287.6
White, non-Hispanic, bridged race ⁴ :									
2019	117,401	283.6	293.2	53,849	287.7	314.4	63,552	280.2	277.7
2018	119,274	295.6	304.7	54,811	301.1	329.3	64,463	291.1	286.9
2017	120,347	306.1	315.2	54,991	310.8	340.8	65,356	302.3	297.8
2016	116,235	303.5	311.2	53,490	311.3	340.5	62,745	297.1	291.1
2015	117,397	314.5	320.3	53,339	319.3	348.0	64,058	310.6	301.5
2014	111,278	305.8	309.5	51,230	315.9	342.6	60,048	297.7	287.4
2013	113,828	321.4	322.9	52,115	331.5	357.9	61,713	313.3	300.0
2012	109,849	319.7	318.5	50,415	332.6	356.7	59,434	309.5	293.8
2011	109,687	331.6	325.9	50,383	347.6	367.5	59,304	319.2	299.2
2010	106,466	328.8	322.7	49,139	348.3	368.3	57,327	313.7	293.8
2009	105,915	331.2	324.8	48,913	352.4	372.7	57,002	314.9	295.1
2008	109,795	349.3	341.0	50,901	375.2	395.2	58,894	329.7	307.3
2007	99,330	322.9	313.5	46,126	349.5	365.7	53,204	302.9	281.0
2006	97,016	319.7	310.3	44,946	347.1	363.4	52,070	299.3	278.2
2005	102,376	340.6	331.2	47,420	371.5	390.3	54,956	317.8	295.1
2004	95,939	321.4	313.7	44,968	356.6	376.9	50,971	295.7	276.3
2003	99,440	334.8	327.3	46,408	371.8	394.3	53,032	308.0	288.3
2002	98,721	334.0	327.7	46,881	379.3	405.0	51,840	301.4	283.1
2001	97,615	330.8	326.1	46,301	377.0	404.1	51,314	297.9	281.2
2000	97,301	330.6	327.6	46,809	384.3	415.1	50,492	292.7	278.1

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Chronic lower respiratory diseases (J40–J47)—Con.									
Hispanic ⁶ :									
2019	4,803	103.5	114.9	2,421	119.6	143.4	2,382	91.1	95.5
2018	4,909	111.1	122.2	2,416	125.8	148.4	2,493	99.8	104.0
2017	4,711	112.1	123.3	2,300	126.1	149.9	2,411	101.3	105.2
2016	4,402	110.9	122.1	2,282	132.8	157.3	2,120	94.2	98.1
2015	4,353	115.4	127.1	2,188	134.2	158.7	2,165	101.0	105.9
2014	4,059	114.3	126.3	2,016	131.7	155.8	2,043	101.1	106.3
2013	4,053	121.7	134.8	2,090	146.0	174.4	1,963	103.3	108.6
2012	3,784	120.4	134.1	1,875	139.3	166.7	1,909	106.2	112.2
2011	3,691	124.3	138.6	1,866	147.3	176.7	1,825	107.2	113.4
2010	3,467	124.6	141.0	1,776	150.3	183.5	1,691	105.7	113.6
2009	3,370	125.9	143.5	1,677	147.9	181.6	1,693	109.8	119.0
2008	3,324	130.6	148.7	1,659	154.0	189.3	1,665	113.4	122.9
2007	2,965	122.4	139.7	1,559	152.3	187.3	1,406	100.5	109.4
2006	2,762	119.3	137.4	1,400	143.3	180.0	1,362	101.8	111.2
2005	2,891	130.6	151.4	1,505	161.3	202.5	1,386	108.2	119.3
2004	2,566	121.5	141.2	1,334	150.1	189.0	1,232	100.7	111.7
2003	2,634	130.5	153.4	1,392	164.2	212.2	1,242	106.1	118.1
2002	2,515	130.6	153.9	1,315	162.7	208.4	1,200	107.3	120.2
2001	2,342	127.2	149.5	1,234	159.8	204.2	1,108	103.7	116.1
2000	2,218	127.9	151.3	1,185	163.0	209.0	1,033	102.6	115.7
Cerebrovascular diseases (stroke) (I60–I69)									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019	500	165.9	192.9	210	155.2	181.7	290	174.6	199.8
2018	476	165.9	195.3	199	154.4	187.9	277	175.3	198.3
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019	535	160.8	187.0	235	158.1	186.2	300	163.0	186.2
2018	525	165.9	194.6	224	158.3	192.1	301	172.0	193.9
2017	544	181.3	218.6	219	163.0	204.3	325	196.1	227.7
2016	457	160.4	195.1	196	153.7	196.3	261	165.9	192.6
2015	460	170.4	202.0	194	160.6	196.6	266	178.4	202.6
2014	435	170.8	206.0	183	160.6	199.8	252	179.0	206.3
2013	413	172.2	206.2	164	153.1	188.3	249	187.5	213.6
2012	395	175.1	208.2	163	162.3	200.5	232	185.4	211.5
2011	391	184.9	223.2	154	164.2	211.4	237	201.4	229.5
2010	386	194.3	239.0	171	194.9	259.9	215	193.9	221.5
2009	376	195.1	239.0	165	193.9	261.2	211	196.0	221.8
2008	336	181.7	218.2	140	172.0	212.9	196	189.4	217.2
2007	398	225.0	273.4	166	213.8	283.7	232	233.6	262.7
2006	364	213.8	259.9	115	154.6	195.9	249	259.7	294.5
2005	417	253.7	299.4	151	211.0	264.9	266	286.6	318.3
2004	418	264.7	314.2	168	245.5	316.9	250	279.3	309.4
2003	378	247.5	290.7	152	230.8	297.2	226	260.0	287.3
2002	394	266.4	313.7	153	241.4	321.2	241	285.2	312.3
2001	423	294.6	337.7	153	250.0	313.6	270	327.7	354.6
2000	401	286.6	332.3	164	275.8	338.7	237	294.5	324.0

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Cerebrovascular diseases (stroke) (160–69)—Con.									
Asian, non-Hispanic, single race ³ :									
2019	4,660	186.9	201.6	1,975	183.9	207.8	2,685	189.2	195.2
2018	4,357	183.9	200.0	1,855	181.6	208.3	2,502	185.6	192.8
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019	152	251.4	288.9	65	230.2	274.5	87	270.0	302.7
2018	129	227.1	272.9	58	218.4	273.4	71	234.8	271.1
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019	4,960	188.2	203.9	2,096	183.8	208.5	2,864	191.5	198.8
2018	4,602	183.8	200.8	1,964	181.3	208.7	2,638	185.8	193.8
2017	4,478	187.6	206.0	1,885	182.3	211.7	2,593	191.6	200.9
2016	4,234	190.0	209.3	1,723	178.4	207.1	2,511	198.8	209.1
2015	3,880	182.8	203.3	1,627	176.7	206.5	2,253	187.6	199.2
2014	3,428	173.9	193.3	1,411	164.9	194.3	2,017	180.8	191.1
2013	3,278	179.7	199.5	1,375	173.8	204.6	1,903	184.2	194.3
2012	3,194	188.4	210.4	1,371	186.7	221.8	1,823	189.7	201.5
2011	3,026	191.7	215.2	1,283	187.5	223.4	1,743	195.0	208.5
2010	2,936	199.8	226.8	1,237	194.4	233.1	1,699	203.9	220.8
2009	2,784	197.2	225.6	1,194	195.4	237.8	1,590	198.6	216.5
2008	2,818	210.4	240.7	1,164	201.1	243.3	1,654	217.5	237.9
2007	2,779	218.5	252.8	1,158	211.0	257.6	1,621	224.2	248.3
2006	2,826	234.2	270.5	1,229	236.5	289.0	1,597	232.5	257.7
2005	2,771	242.2	283.8	1,213	246.5	302.8	1,558	238.9	269.6
2004	2,710	250.7	298.0	1,168	252.1	313.4	1,542	249.8	286.5
2003	2,792	272.3	323.4	1,224	279.4	344.7	1,568	267.0	308.1
2002	2,768	285.2	343.4	1,196	288.8	364.3	1,572	282.5	329.4
2001	2,747	299.2	362.0	1,217	311.2	387.7	1,530	290.3	343.8
2000	2,561	299.3	367.7	1,170	320.7	400.7	1,391	283.5	344.0
Black, non-Hispanic, single race ³ :									
2019	14,768	296.6	332.2	6,015	298.6	353.2	8,753	295.3	313.9
2018	14,203	297.7	331.2	5,854	303.7	359.1	8,349	293.6	309.5
Black, non-Hispanic, bridged race ⁴ :									
2019	14,817	293.0	328.4	6,027	294.5	348.4	8,790	292.0	310.6
2018	14,248	294.1	327.3	5,865	299.6	354.2	8,383	290.4	306.2
2017	13,786	296.1	328.4	5,569	296.4	350.6	8,217	295.8	310.4
2016	13,039	292.5	323.1	5,236	291.5	343.7	7,803	293.1	305.4
2015	12,548	294.0	323.0	5,003	291.8	341.2	7,545	295.4	306.3
2014	11,741	288.1	313.0	4,725	289.6	337.3	7,016	287.0	293.8
2013	11,113	285.6	308.8	4,427	285.4	331.8	6,686	285.8	291.1
2012	10,683	287.3	308.1	4,183	283.7	327.5	6,500	289.7	291.6
2011	10,644	298.9	319.8	4,102	292.0	336.6	6,542	303.4	305.1
2010	10,668	310.7	331.2	4,047	300.3	342.9	6,621	317.5	318.3
2009	10,563	314.2	336.2	4,083	310.2	358.0	6,480	316.7	318.8
2008	11,219	342.2	367.4	4,286	335.1	389.2	6,933	346.7	349.7
2007	11,531	361.1	386.8	4,527	364.6	422.8	7,004	358.9	360.9
2006	11,428	365.5	392.3	4,325	356.7	414.9	7,103	371.0	374.4
2005	11,995	390.9	420.5	4,506	379.6	444.9	7,489	398.1	401.8
2004	12,666	421.3	454.4	4,704	405.9	476.9	7,962	431.0	436.4
2003	13,179	444.6	479.8	4,871	427.7	505.0	8,308	455.1	460.0
2002	13,499	462.4	495.9	5,015	448.6	523.3	8,484	471.0	474.6
2001	13,636	472.9	504.2	5,089	462.3	535.1	8,547	479.5	481.1
2000	13,865	489.6	518.6	5,232	485.7	559.6	8,633	492.0	490.6

See footnotes at end of table.

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Cerebrovascular diseases (stroke) (I60–I69)—Con.									
White, non-Hispanic, single race ³ :									
2019	99,255	241.2	247.1	39,905	214.5	241.7	59,350	263.2	247.6
2018	98,782	246.2	249.7	39,161	216.4	243.1	59,621	270.7	251.1
White, non-Hispanic, bridged race ⁴ :									
2019	99,444	240.2	246.2	39,968	213.6	240.8	59,476	262.2	246.9
2018	98,948	245.2	248.9	39,232	215.5	242.3	59,716	269.6	250.3
2017	98,433	250.4	252.9	38,481	217.5	245.0	59,952	277.3	255.1
2016	95,821	250.2	250.5	37,020	215.4	241.6	58,801	278.4	253.0
2015	95,376	255.5	253.4	36,742	220.0	245.4	58,634	284.3	255.5
2014	90,952	249.9	245.7	34,993	215.7	238.8	55,959	277.4	247.2
2013	88,674	250.4	243.8	33,989	216.2	237.8	54,685	277.6	244.6
2012	88,947	258.9	249.0	33,464	220.7	240.9	55,483	288.9	251.3
2011	89,696	271.2	256.5	33,430	230.6	247.7	56,266	302.8	258.9
2010	90,565	279.7	264.6	33,697	238.8	257.6	56,868	311.2	265.9
2009	90,267	282.3	267.3	33,484	241.3	260.2	56,783	313.7	268.5
2008	94,771	301.5	284.8	34,836	256.8	276.8	59,935	335.5	286.4
2007	96,110	312.4	293.5	34,987	265.1	284.6	61,123	348.0	295.5
2006	97,255	320.5	302.3	35,607	275.0	296.3	61,648	354.4	302.6
2005	103,607	344.7	327.4	37,789	296.1	322.3	65,818	380.6	326.7
2004	109,604	367.2	351.5	39,873	316.2	347.4	69,731	404.5	349.8
2003	116,614	392.6	377.2	42,387	339.5	375.8	74,227	431.1	373.4
2002	121,566	411.3	398.3	43,711	353.6	395.8	77,855	452.7	395.5
2001	122,603	415.5	405.2	44,271	360.5	405.8	78,332	454.8	399.8
2000	126,283	429.1	422.4	45,542	373.9	425.5	80,741	468.1	415.6
Hispanic ⁶ :									
2019	9,270	199.8	221.6	3,960	195.7	231.9	5,310	203.0	212.4
2018	8,704	197.0	216.9	3,655	190.3	224.2	5,049	202.2	209.6
2017	8,166	194.2	213.4	3,421	187.6	220.3	4,745	199.3	206.5
2016	7,827	197.2	216.5	3,276	190.7	222.5	4,551	202.2	209.9
2015	7,506	198.9	219.2	3,156	193.6	226.2	4,350	203.0	211.8
2014	6,524	183.7	203.1	2,709	177.0	208.0	3,815	188.8	197.9
2013	5,928	178.0	196.6	2,510	175.3	204.9	3,418	180.0	188.7
2012	5,673	180.5	200.4	2,350	174.7	206.6	3,323	184.8	194.8
2011	5,451	183.6	204.3	2,260	178.4	210.7	3,191	187.4	198.9
2010	5,292	190.2	215.2	2,203	186.4	222.0	3,089	193.1	208.4
2009	5,081	189.9	215.2	2,118	186.8	221.4	2,963	192.2	208.6
2008	5,169	203.1	231.5	2,180	202.4	244.1	2,989	203.6	221.4
2007	5,020	207.2	237.0	2,065	201.7	244.3	2,955	211.2	230.2
2006	4,970	214.6	247.0	2,059	210.7	254.4	2,911	217.5	238.8
2005	4,916	222.0	257.9	2,063	221.1	272.4	2,853	222.7	246.4
2004	4,947	234.3	274.6	2,107	237.2	295.0	2,840	232.2	259.4
2003	4,930	244.2	288.0	2,040	240.6	302.1	2,890	246.9	276.9
2002	4,753	246.7	291.5	1,989	246.2	307.5	2,764	247.2	278.8
2001	4,766	258.9	307.0	2,029	262.8	330.5	2,737	256.1	289.3
2000	4,593	264.9	314.1	1,955	269.0	336.9	2,638	262.0	296.3

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Alzheimer disease (G30)									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019.....	294	97.5	126.5	90	66.5	93.7	204	122.8	146.7
2018.....	316	110.1	142.4	102	79.1	111.3	214	135.4	160.9
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019.....	338	101.6	130.7	109	73.3	102.6	229	124.4	147.6
2018.....	362	114.4	147.4	123	86.9	123.3	239	136.6	161.1
2017.....	370	123.3	162.0	117	87.1	127.0	253	152.7	184.4
2016.....	366	128.5	167.7	114	89.4	131.9	252	160.2	190.7
2015.....	304	112.6	149.0	99	81.9	120.1	205	137.5	165.7
2014.....	281	110.3	146.7	75	65.8	100.0	206	146.4	175.6
2013.....	222	92.6	123.7	71	66.3	98.8	151	113.7	137.6
2012.....	205	90.9	120.8	52	51.8	75.6	153	122.2	145.8
2011.....	212	100.3	131.9	61	65.0	102.9	151	128.3	150.6
2010.....	244	122.8	162.6	83	94.6	138.7	161	145.2	174.1
2009.....	182	94.4	125.4	62	72.9	114.6	120	111.5	132.2
2008.....	198	107.1	144.8	60	73.7	122.6	138	133.4	158.7
2007.....	177	100.0	131.3	60	77.3	126.4	117	117.8	136.3
2006.....	157	92.2	121.7	58	78.0	123.7	99	103.3	122.4
2005.....	171	104.0	140.2	48	67.1	108.1	123	132.5	158.0
2004.....	107	67.7	89.7	28	40.9	60.9	79	88.3	104.3
2003.....	116	75.9	99.5	22	33.4	50.4	94	108.2	125.5
2002.....	110	74.4	95.2	33	52.1	79.0	77	91.1	104.1
2001.....	88	61.3	77.0	26	42.5	59.0	62	75.3	85.2
2000.....	92	65.7	79.7	26	43.7	60.9	66	82.0	90.7
Asian, non-Hispanic, single race ³ :									
2019.....	2,865	114.9	124.7	876	81.6	97.8	1,989	140.2	141.0
2018.....	2,688	113.4	124.4	809	79.2	96.2	1,879	139.4	141.8
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	62	102.6	129.0	22	77.9	103.0	40	124.1	147.9
2018.....	60	105.6	133.2	20	75.3	94.3	40	132.3	160.2
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	2,995	113.6	124.2	923	81.0	97.7	2,072	138.6	140.3
2018.....	2,819	112.6	124.3	857	79.1	96.6	1,962	138.2	141.5
2017.....	2,567	107.5	120.2	783	75.7	94.7	1,784	131.8	135.8
2016.....	2,346	105.3	118.5	702	72.7	91.8	1,644	130.2	135.3
2015.....	2,159	101.7	115.8	664	72.1	91.8	1,495	124.5	129.9
2014.....	1,649	83.6	95.9	498	58.2	75.1	1,151	103.2	108.7
2013.....	1,390	76.2	87.4	432	54.6	70.4	958	92.7	97.8
2012.....	1,351	79.7	92.7	424	57.7	75.4	927	96.5	103.2
2011.....	1,183	75.0	88.1	395	57.7	76.7	788	88.2	95.0
2010.....	1,056	71.9	86.6	333	52.3	70.4	723	86.8	96.7
2009.....	1,009	71.5	86.8	316	51.7	69.7	693	86.5	97.3
2008.....	872	65.1	79.9	281	48.5	65.5	591	77.7	88.5
2007.....	727	57.2	71.6	234	42.6	59.3	493	68.2	79.1
2006.....	705	58.4	74.2	237	45.6	64.9	468	68.1	80.1
2005.....	596	52.1	66.6	221	44.9	62.7	375	57.5	68.8
2004.....	515	47.6	61.6	184	39.7	56.6	331	53.6	64.9
2003.....	422	41.2	53.8	136	31.0	44.0	286	48.7	60.0
2002.....	337	34.7	46.3	116	28.0	40.7	221	39.7	50.1
2001.....	290	31.6	42.7	106	27.1	39.3	184	34.9	45.0
2000.....	260	30.4	42.4	108	29.6	43.4	152	31.0	41.7

See footnotes at end of table.

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Alzheimer disease (G30)—Con.									
Black, non-Hispanic, single race ³ :									
2019	9,065	182.1	216.8	2,576	127.9	178.3	6,489	218.9	235.4
2018	8,750	183.4	216.1	2,468	128.0	176.8	6,282	220.9	234.7
Black, non-Hispanic, bridged race ⁴ :									
2019	9,107	180.1	214.6	2,581	126.1	175.7	6,526	216.8	233.3
2018	8,791	181.5	213.9	2,476	126.5	174.6	6,315	218.8	232.5
2017	8,864	190.4	223.6	2,420	128.8	177.9	6,444	232.0	244.8
2016	8,462	189.8	221.3	2,396	133.4	183.4	6,066	227.9	238.3
2015	7,955	186.4	213.8	2,104	122.7	167.0	5,851	229.1	235.1
2014	6,388	156.7	178.3	1,774	108.7	147.9	4,614	188.8	192.1
2013	5,577	143.3	161.0	1,595	102.8	138.6	3,982	170.2	170.1
2012	5,322	143.1	158.9	1,499	101.7	135.9	3,823	170.4	168.3
2011	5,369	150.8	167.5	1,518	108.1	144.8	3,851	178.6	176.5
2010	5,109	148.8	164.8	1,444	107.1	142.9	3,665	175.7	173.4
2009	4,962	147.6	164.4	1,385	105.2	140.9	3,577	174.8	173.6
2008	4,956	151.2	168.9	1,363	106.6	142.9	3,593	179.7	179.3
2007	4,680	146.6	164.2	1,272	102.4	139.0	3,408	174.6	174.8
2006	4,358	139.4	157.0	1,148	94.7	129.0	3,210	167.7	168.4
2005	4,528	147.6	166.0	1,262	106.3	144.3	3,266	173.6	174.6
2004	4,154	138.2	156.6	1,121	96.7	133.0	3,033	164.2	166.4
2003	3,660	123.5	139.2	1,060	93.1	125.6	2,600	142.4	144.1
2002	3,264	111.8	125.3	919	82.2	109.8	2,345	130.2	130.8
2001	3,073	106.6	118.2	886	80.5	106.2	2,187	122.7	122.7
2000	2,683	94.7	103.3	755	70.1	90.2	1,928	109.9	109.0
White, non-Hispanic, single race ³ :									
2019	99,267	241.2	246.9	31,146	167.4	196.4	68,121	302.1	279.1
2018	100,476	250.4	253.0	31,236	172.6	201.7	69,240	314.4	285.1
White, non-Hispanic, bridged race ⁴ :									
2019	99,427	240.2	246.1	31,187	166.6	195.7	68,240	300.9	278.3
2018	100,644	249.4	252.2	31,290	171.9	201.1	69,354	313.2	284.3
2017	100,850	256.5	257.0	31,124	175.9	205.3	69,726	322.6	289.0
2016	96,799	252.7	249.7	29,479	171.5	199.1	67,320	318.8	280.3
2015	92,493	247.8	241.8	28,269	169.2	194.8	64,224	311.4	270.2
2014	79,270	217.8	210.1	24,007	148.0	168.8	55,263	274.0	234.7
2013	72,426	204.5	194.4	22,020	140.1	158.5	50,406	255.9	215.3
2012	71,983	209.5	196.6	22,058	145.5	163.1	49,925	260.0	216.1
2011	73,674	222.8	204.6	22,139	152.7	167.7	51,535	277.4	225.4
2010	72,757	224.7	207.2	21,963	155.7	172.3	50,794	277.9	226.4
2009	68,993	215.7	199.3	20,778	149.7	166.0	48,215	266.4	217.5
2008	72,486	230.6	213.0	21,452	158.1	175.3	51,034	285.7	233.6
2007	65,733	213.7	196.4	19,050	144.3	159.4	46,683	265.8	216.3
2006	64,020	211.0	195.1	18,540	143.2	159.1	45,480	261.4	213.6
2005	63,323	210.7	197.0	17,925	140.4	158.3	45,398	262.5	216.8
2004	58,585	196.3	185.7	16,731	132.7	151.6	41,854	242.8	202.9
2003	56,707	190.9	181.7	16,185	129.7	149.1	40,522	235.3	197.7
2002	52,981	179.2	172.4	15,167	122.7	142.8	37,814	219.9	186.7
2001	48,482	164.3	159.4	14,055	114.4	134.6	34,427	199.9	171.0
2000	44,760	152.1	149.2	12,910	106.0	125.8	31,850	184.6	159.8

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Alzheimer disease (G30)—Con.									
Hispanic ⁶ :									
2019	8,093	174.5	198.8	2,532	125.1	160.7	5,561	212.6	221.9
2018	7,890	178.6	200.3	2,556	133.1	168.4	5,334	213.6	218.8
2017	7,266	172.8	193.5	2,250	123.4	155.3	5,016	210.7	216.8
2016	6,740	169.8	190.6	2,110	122.8	154.8	4,630	205.7	211.7
2015	6,357	168.5	190.1	1,999	122.6	154.9	4,358	203.4	211.0
2014	4,864	137.0	155.5	1,565	102.2	130.1	3,299	163.3	170.5
2013	4,061	121.9	139.0	1,268	88.6	112.7	2,793	147.0	154.2
2012	3,705	117.9	136.3	1,161	86.3	112.2	2,544	141.5	150.3
2011	3,524	118.7	138.4	1,121	88.5	115.4	2,403	141.2	151.6
2010	3,370	121.2	145.0	1,148	97.1	130.4	2,222	138.9	153.2
2009	2,939	109.8	132.5	947	83.5	112.2	1,992	129.2	143.8
2008	2,958	116.2	141.4	944	87.6	117.4	2,014	137.2	154.1
2007	2,420	99.9	122.4	784	76.6	105.4	1,636	116.9	131.9
2006	2,335	100.8	125.5	779	79.7	111.0	1,556	116.3	132.8
2005	2,160	97.5	122.6	750	80.4	112.8	1,410	110.0	127.1
2004	1,866	88.4	113.1	592	66.6	95.8	1,274	104.2	122.0
2003	1,795	88.9	113.4	616	72.7	104.9	1,179	100.7	117.7
2002	1,453	75.4	97.4	455	56.3	82.0	998	89.2	105.4
2001	1,216	66.1	84.8	391	50.6	72.6	825	77.2	90.8
2000	1,102	63.6	81.0	370	50.9	70.8	732	72.7	85.6
Diabetes mellitus (diabetes) (E10–E14)									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019	565	187.4	205.0	269	198.8	220.1	296	178.2	192.2
2018	532	185.4	201.8	265	205.5	221.8	267	168.9	184.2
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019	609	183.0	200.6	301	202.5	225.9	308	167.3	180.1
2018	568	179.5	196.0	286	202.1	218.2	282	161.2	176.9
2017	641	213.6	235.2	319	237.4	262.7	322	194.3	212.0
2016	609	213.8	235.8	294	230.5	253.5	315	200.2	220.9
2015	591	219.0	236.1	284	235.1	256.7	307	205.9	219.2
2014	491	192.8	211.8	239	209.8	237.1	252	179.0	192.8
2013	518	216.0	241.8	241	225.1	263.5	277	208.6	225.3
2012	546	242.0	267.5	260	258.9	294.1	286	228.5	246.4
2011	497	235.0	263.5	215	229.2	272.3	282	239.7	258.0
2010	461	232.1	261.6	198	225.7	266.3	263	237.2	260.1
2009	440	228.3	252.8	197	231.5	265.7	243	225.7	244.8
2008	447	241.8	265.4	185	227.2	262.5	262	253.2	268.2
2007	466	263.4	293.4	189	243.5	280.0	277	279.0	302.3
2006	448	263.2	294.3	168	225.9	269.4	280	292.0	313.7
2005	461	280.5	303.6	207	289.3	326.0	254	273.7	288.3
2004	413	261.5	280.7	172	251.4	284.9	241	269.2	279.6
2003	444	290.7	314.5	188	285.5	327.3	256	294.6	308.5
2002	426	288.1	302.1	166	261.9	282.5	260	307.7	317.0
2001	374	260.5	280.1	145	237.0	267.5	229	278.0	289.7
2000	365	260.8	273.9	140	235.5	265.5	225	279.6	285.5

See footnotes at end of table.

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Diabetes mellitus (diabetes) (E10–E14)—Con.									
Asian, non-Hispanic, single race ³ :									
2019	2,385	95.7	102.4	1,144	106.5	116.7	1,241	87.5	91.6
2018	2,276	96.1	103.2	1,118	109.5	121.5	1,158	85.9	89.6
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019	114	188.6	192.3	55	194.8	191.1	59	183.1	191.7
2018	125	220.1	234.6	67	252.3	267.5	58	191.8	203.6
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019	2,585	98.1	105.0	1,245	109.2	119.4	1,340	89.6	94.2
2018	2,488	99.4	106.7	1,228	113.3	125.6	1,260	88.7	92.6
2017	2,342	98.1	106.6	1,163	112.5	125.7	1,179	87.1	91.9
2016	2,078	93.2	101.2	1,007	104.3	116.8	1,071	84.8	89.1
2015	2,048	96.5	105.3	972	105.6	118.8	1,076	89.6	95.4
2014	1,787	90.6	99.1	862	100.7	114.2	925	82.9	87.9
2013	1,750	95.9	105.3	874	110.5	125.5	876	84.8	90.2
2012	1,604	94.6	103.6	743	101.2	116.1	861	89.6	94.4
2011	1,540	97.6	106.9	725	105.9	120.8	815	91.2	96.7
2010	1,368	93.1	103.6	625	98.2	115.4	743	89.2	95.5
2009	1,380	97.8	108.7	639	104.6	119.9	741	92.5	100.2
2008	1,358	101.4	112.9	614	106.1	123.6	744	97.8	105.3
2007	1,299	102.1	114.2	582	106.1	124.3	717	99.2	107.3
2006	1,190	98.6	110.2	536	103.1	119.7	654	95.2	103.3
2005	1,175	102.7	116.1	512	104.0	122.1	663	101.7	111.7
2004	1,095	101.3	115.3	490	105.7	123.5	605	98.0	109.1
2003	1,089	106.2	120.4	490	111.8	128.8	599	102.0	113.9
2002	1,048	108.0	121.8	462	111.6	128.9	586	105.3	117.0
2001	923	100.5	113.0	402	102.8	117.3	521	98.8	110.0
2000	822	96.1	109.5	385	105.5	121.1	437	89.1	101.2
Black, non-Hispanic, single race ³ :									
2019	9,587	192.5	207.3	4,526	224.7	249.4	5,061	170.7	179.4
2018	9,311	195.2	208.8	4,338	225.1	249.0	4,973	174.9	182.5
Black, non-Hispanic, bridged race ⁴ :									
2019	9,608	190.0	204.6	4,536	221.6	246.0	5,072	168.5	177.2
2018	9,336	192.7	206.2	4,344	221.9	245.5	4,992	173.0	180.5
2017	9,080	195.0	209.5	4,203	223.7	248.7	4,877	175.6	183.3
2016	8,586	192.6	205.8	3,908	217.6	241.6	4,678	175.7	182.1
2015	8,279	193.9	207.5	3,728	217.4	242.6	4,551	178.2	184.6
2014	8,125	199.4	212.3	3,507	215.0	239.0	4,618	188.9	194.4
2013	8,144	209.3	221.6	3,446	222.1	247.4	4,698	200.8	204.7
2012	8,000	215.1	226.3	3,354	227.5	249.0	4,646	207.0	209.8
2011	7,826	219.8	230.5	3,248	231.2	256.3	4,578	212.3	214.7
2010	7,373	214.7	225.5	3,003	222.8	247.2	4,370	209.5	211.3
2009	7,305	217.3	228.0	2,901	220.4	243.1	4,404	215.3	217.2
2008	7,532	229.7	240.9	2,997	234.3	258.4	4,535	226.8	228.9
2007	7,641	239.3	250.9	2,924	235.5	260.0	4,717	241.7	244.1
2006	7,913	253.1	265.1	3,109	256.4	284.1	4,804	250.9	253.6
2005	8,186	266.8	279.2	3,144	264.8	292.4	5,042	268.0	270.2
2004	8,211	273.1	286.3	3,124	269.6	298.4	5,087	275.3	278.2
2003	8,199	276.6	289.0	3,009	264.2	288.7	5,190	284.3	286.9
2002	8,166	279.7	291.5	2,842	254.2	275.7	5,324	295.6	297.5
2001	7,952	275.8	286.4	2,820	256.2	277.9	5,132	287.9	289.4
2000	7,943	280.5	290.5	2,737	254.1	274.1	5,206	296.7	298.4

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Diabetes mellitus (diabetes) (E10–E14)—Con.									
White, non-Hispanic, single race ³ :									
2019	42,639	103.6	106.1	23,925	128.6	137.5	18,714	83.0	81.6
2018	41,374	103.1	105.3	22,965	126.9	135.7	18,409	83.6	81.6
White, non-Hispanic, bridged race ⁴ :									
2019	42,738	103.2	105.7	23,980	128.1	137.0	18,758	82.7	81.4
2018	41,473	102.8	104.9	23,011	126.4	135.3	18,462	83.4	81.5
2017	40,689	103.5	105.5	22,156	125.2	134.3	18,533	85.7	83.5
2016	39,457	103.0	104.6	21,100	122.8	131.7	18,357	86.9	84.1
2015	39,534	105.9	107.0	20,953	125.4	134.0	18,581	90.1	86.5
2014	38,472	105.7	106.2	20,161	124.3	132.4	18,311	90.8	86.5
2013	38,110	107.6	107.4	19,493	124.0	132.0	18,617	94.5	89.1
2012	37,634	109.5	108.2	18,970	125.1	132.5	18,664	97.2	90.5
2011	37,657	113.9	111.2	18,771	129.5	135.5	18,886	101.6	93.6
2010	35,494	109.6	106.9	17,409	123.4	129.6	18,085	99.0	90.8
2009	35,555	111.2	108.5	17,250	124.3	130.2	18,305	101.1	92.8
2008	37,006	117.7	114.5	17,643	130.0	136.0	19,363	108.4	99.4
2007	37,720	122.6	118.9	17,949	136.0	141.5	19,771	112.6	102.8
2006	38,385	126.5	122.6	18,207	140.6	146.4	20,178	116.0	106.1
2005	40,757	135.6	131.7	18,780	147.1	154.1	21,977	127.1	116.5
2004	39,991	134.0	130.8	18,421	146.1	153.3	21,570	125.1	115.3
2003	40,885	137.6	134.6	18,699	149.8	157.4	22,186	128.8	119.0
2002	40,830	138.1	135.6	18,256	147.7	156.5	22,574	131.3	122.0
2001	40,373	136.8	134.8	17,756	144.6	153.4	22,617	131.3	122.5
2000	39,432	134.0	132.8	17,271	141.8	151.3	22,161	128.5	120.7
Hispanic ⁶ :									
2019	6,706	144.6	154.2	3,405	168.2	184.4	3,301	126.2	131.5
2018	6,168	139.6	148.8	3,069	159.8	176.4	3,099	124.1	128.6
2017	6,112	145.4	155.6	3,129	171.6	190.0	2,983	125.3	130.6
2016	5,554	139.9	149.3	2,763	160.8	177.1	2,791	124.0	128.9
2015	5,484	145.4	154.9	2,649	162.5	178.7	2,835	132.3	137.6
2014	5,135	144.6	154.9	2,491	162.7	181.0	2,644	130.8	136.0
2013	5,096	153.0	164.1	2,397	167.4	186.3	2,699	142.1	147.9
2012	4,972	158.2	169.7	2,303	171.2	189.8	2,669	148.4	154.7
2011	4,784	161.1	172.5	2,322	183.3	201.7	2,462	144.6	151.0
2010	4,396	158.0	171.1	2,040	172.6	192.2	2,356	147.3	155.3
2009	4,195	156.8	169.7	1,923	169.6	188.7	2,272	147.4	155.9
2008	4,434	174.2	188.7	2,051	190.4	213.1	2,383	162.3	171.3
2007	4,343	179.2	194.2	1,947	190.2	211.1	2,396	171.3	181.3
2006	4,326	186.8	202.6	1,989	203.5	228.4	2,337	174.6	184.5
2005	4,563	206.1	224.6	2,052	219.9	247.6	2,511	196.0	208.2
2004	4,125	195.3	212.4	1,772	199.4	222.0	2,353	192.4	204.5
2003	4,180	207.1	226.8	1,845	217.6	246.2	2,335	199.5	213.1
2002	4,093	212.5	233.4	1,754	217.1	246.4	2,339	209.2	223.9
2001	3,935	213.8	234.5	1,618	209.6	234.2	2,317	216.8	232.6
2000	3,703	213.6	233.2	1,594	219.3	245.4	2,109	209.5	223.8

See footnotes at end of table.

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Accidents (unintentional injuries) (V01–X59, Y85–Y86)									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019.....	324	107.5	119.4	190	140.4	161.5	134	80.7	87.5
2018.....	301	104.9	117.1	168	130.3	144.8	133	84.1	94.6
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019.....	356	107.0	118.9	215	144.6	167.5	141	76.6	82.7
2018.....	325	102.7	114.2	190	134.3	148.6	135	77.2	86.7
2017.....	332	110.6	122.3	190	141.4	161.9	142	85.7	92.3
2016.....	295	103.6	115.8	174	136.4	155.0	121	76.9	84.8
2015.....	274	101.5	115.1	153	126.6	145.0	121	81.2	90.7
2014.....	252	98.9	112.6	140	122.9	148.4	112	79.6	87.6
2013.....	245	102.1	118.2	133	124.2	147.8	112	84.4	95.9
2012.....	224	99.3	110.0	125	124.5	137.0	99	79.1	87.6
2011.....	234	110.7	123.1	139	148.2	169.3	95	80.7	87.9
2010.....	225	113.3	127.9	132	150.5	178.9	93	83.9	92.1
2009.....	195	101.2	119.5	102	119.9	147.1	93	86.4	97.5
2008.....	206	111.4	124.0	119	146.2	170.0	87	84.1	91.2
2007.....	198	111.9	122.8	122	157.2	179.8	76	76.5	81.8
2006.....	183	107.5	118.4	104	139.9	157.4	79	82.4	89.1
2005.....	160	97.3	106.7	82	114.6	130.4	78	84.0	90.3
2004.....	188	119.0	130.6	90	131.5	159.4	98	109.5	115.4
2003.....	188	123.1	136.4	98	148.8	173.7	90	103.6	111.5
2002.....	164	110.9	119.3	96	151.5	164.3	68	80.5	86.4
2001.....	163	113.5	127.6	79	129.1	155.2	84	102.0	109.0
2000.....	136	97.2	103.9	78	131.2	149.8	58	72.1	74.2
Asian, non-Hispanic, single race ³ :									
2019.....	1,496	60.0	64.2	826	76.9	84.9	670	47.2	49.1
2018.....	1,479	62.4	67.6	796	77.9	88.1	683	50.7	53.1
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	34	56.2	62.9	15	*	*	19	*	*
2018.....	39	68.7	76.6	25	94.2	102.0	14	*	*
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	1,582	60.0	64.3	875	76.7	84.9	707	47.3	49.3
2018.....	1,569	62.7	67.9	856	79.0	89.2	713	50.2	52.7
2017.....	1,420	59.5	64.6	726	70.2	79.4	694	51.3	53.7
2016.....	1,357	60.9	66.0	666	68.9	78.8	691	54.7	56.6
2015.....	1,300	61.3	66.9	673	73.1	83.5	627	52.2	55.2
2014.....	1,105	56.0	61.4	567	66.3	76.6	538	48.2	50.5
2013.....	1,031	56.5	62.1	534	67.5	79.3	497	48.1	50.4
2012.....	954	56.3	62.2	474	64.5	75.7	480	49.9	53.1
2011.....	965	61.1	67.8	522	76.3	89.9	443	49.6	52.8
2010.....	843	57.4	63.7	429	67.4	79.4	414	49.7	53.0
2009.....	788	55.8	62.7	395	64.6	78.1	393	49.1	52.7
2008.....	726	54.2	60.8	368	63.6	76.0	358	47.1	50.6
2007.....	742	58.3	65.3	386	70.3	82.8	356	49.2	53.3
2006.....	684	56.7	63.8	341	65.6	78.2	343	49.9	54.2
2005.....	711	62.1	70.7	377	76.6	92.3	334	51.2	56.2
2004.....	580	53.7	61.1	274	59.1	71.8	306	49.6	54.2
2003.....	613	59.8	68.2	310	70.8	85.4	303	51.6	56.7
2002.....	588	60.6	68.9	313	75.6	88.3	275	49.4	55.5
2001.....	490	53.4	63.0	272	69.6	86.1	218	41.4	47.4
2000.....	470	54.9	65.0	239	65.5	78.0	231	47.1	55.7

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Accidents (unintentional injuries) (V01–X59, Y85–Y86)—Con.									
Black, non-Hispanic, single race ³ :									
2019	4,345	87.3	90.0	2,619	130.0	134.6	1,726	58.2	60.4
2018	3,969	83.2	86.2	2,386	123.8	129.8	1,583	55.7	57.4
Black, non-Hispanic, bridged race ⁴ :									
2019	4,359	86.2	89.0	2,627	128.3	132.9	1,732	57.5	59.7
2018	3,981	82.2	85.1	2,389	122.0	127.9	1,592	55.2	56.9
2017	3,614	77.6	80.9	2,158	114.8	121.5	1,456	52.4	54.0
2016	3,424	76.8	80.6	2,040	113.6	123.0	1,384	52.0	53.2
2015	3,030	71.0	74.8	1,713	99.9	110.5	1,317	51.6	52.7
2014	2,732	67.0	70.3	1,545	94.7	104.2	1,187	48.6	49.3
2013	2,555	65.7	68.6	1,432	92.3	101.0	1,123	48.0	48.2
2012	2,345	63.1	65.8	1,326	89.9	98.7	1,019	45.4	45.6
2011	2,326	65.3	67.9	1,260	89.7	98.9	1,066	49.4	49.6
2010	2,351	68.5	71.6	1,278	94.8	105.1	1,073	51.4	51.6
2009	2,137	63.6	66.5	1,152	87.5	96.8	985	48.1	48.1
2008	2,195	66.9	69.8	1,187	92.8	101.6	1,008	50.4	50.5
2007	2,267	71.0	74.1	1,216	97.9	107.9	1,051	53.8	54.0
2006	2,245	71.8	75.3	1,182	97.5	108.8	1,063	55.5	56.0
2005	2,532	82.5	86.7	1,346	113.4	126.8	1,186	63.0	63.5
2004	2,214	73.6	77.4	1,202	103.7	116.6	1,012	54.8	55.3
2003	2,192	74.0	77.4	1,161	101.9	114.3	1,031	56.5	56.9
2002	2,197	75.3	78.8	1,215	108.7	122.4	982	54.5	54.8
2001	2,255	78.2	81.7	1,188	107.9	120.4	1,067	59.9	59.9
2000	2,201	77.7	80.4	1,205	111.9	123.3	996	56.8	56.5
White, non-Hispanic, single race ³ :									
2019	50,777	123.4	125.7	26,520	142.5	155.9	24,257	107.6	102.2
2018	48,072	119.8	121.1	24,619	136.0	148.6	23,453	106.5	99.8
White, non-Hispanic, bridged race ⁴ :									
2019	50,848	122.8	125.2	26,550	141.9	155.2	24,298	107.1	101.8
2018	48,159	119.4	120.8	24,669	135.5	148.1	23,490	106.1	99.5
2017	47,587	121.1	121.9	24,270	137.2	150.3	23,317	107.9	100.3
2016	45,335	118.4	118.3	22,876	133.1	145.3	22,459	106.3	97.8
2015	44,192	118.4	117.4	22,312	133.6	145.4	21,880	106.1	96.4
2014	41,810	114.9	113.2	20,766	128.0	138.9	21,044	104.3	94.0
2013	39,898	112.6	110.0	19,735	125.5	135.5	20,163	102.4	91.3
2012	39,061	113.7	110.0	19,066	125.8	134.7	19,995	104.1	92.0
2011	37,840	114.4	109.1	18,381	126.8	134.2	19,459	104.7	90.8
2010	36,101	111.5	106.5	17,660	125.2	133.2	18,441	100.9	88.0
2009	34,350	107.4	102.8	16,961	122.2	130.0	17,389	96.1	83.9
2008	34,543	109.9	105.1	17,026	125.5	133.4	17,517	98.1	85.7
2007	33,452	108.7	103.5	16,424	124.5	131.8	17,028	97.0	84.3
2006	32,051	105.6	100.9	15,636	120.7	128.3	16,415	94.4	82.7
2005	31,794	105.8	101.7	15,557	121.9	130.4	16,237	93.9	82.9
2004	30,650	102.7	99.3	14,912	118.3	127.6	15,738	91.3	81.1
2003	30,031	101.1	98.1	14,552	116.6	126.6	15,479	89.9	80.1
2002	29,376	99.4	97.0	14,138	114.4	124.9	15,238	88.6	79.4
2001	28,558	96.8	94.9	13,857	112.8	124.2	14,701	85.4	77.0
2000	27,089	92.0	91.0	12,952	106.3	118.3	14,137	82.0	74.5

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Accidents (unintentional injuries) (V01–X59,Y85–Y86)—Con.									
Hispanic ⁶ :									
2019.....	3,222	69.5	74.3	1,847	91.3	101.4	1,375	52.6	54.6
2018.....	3,018	68.3	71.8	1,714	89.2	96.6	1,304	52.2	53.4
2017.....	2,818	67.0	71.4	1,589	87.1	96.2	1,229	51.6	53.1
2016.....	2,566	64.7	68.8	1,437	83.6	91.7	1,129	50.2	52.2
2015.....	2,421	64.2	68.5	1,312	80.5	89.8	1,109	51.8	53.4
2014.....	2,237	63.0	67.4	1,227	80.2	89.1	1,010	50.0	51.9
2013.....	2,106	63.2	67.9	1,175	82.1	92.2	931	49.0	50.9
2012.....	1,991	63.3	68.8	1,082	80.4	91.4	909	50.6	52.9
2011.....	1,817	61.2	66.2	957	75.6	85.2	860	50.5	52.8
2010.....	1,697	61.0	66.9	935	79.1	90.4	762	47.6	50.7
2009.....	1,549	57.9	63.6	817	72.0	82.8	732	47.5	50.6
2008.....	1,611	63.3	69.9	843	78.3	89.6	768	52.3	56.2
2007.....	1,568	64.7	71.1	871	85.1	96.9	697	49.8	53.5
2006.....	1,457	62.9	69.1	792	81.0	92.1	665	49.7	53.3
2005.....	1,460	65.9	72.7	798	85.5	96.4	662	51.7	56.1
2004.....	1,319	62.5	69.7	710	79.9	92.8	609	49.8	54.2
2003.....	1,213	60.1	66.6	683	80.6	93.3	530	45.3	48.9
2002.....	1,206	62.6	69.5	699	86.5	100.5	507	45.3	49.3
2001.....	1,129	61.3	67.9	614	79.5	91.1	515	48.2	52.2
2000.....	1,061	61.2	68.5	587	80.8	94.1	474	47.1	51.7
Nephritis, nephrotic syndrome and nephrosis (kidney disease) (N00–N07,N17–N19,N25–N27)									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019.....	250	82.9	95.2	109	80.6	95.9	141	84.9	95.1
2018.....	223	77.7	87.1	86	66.7	77.5	137	86.7	94.1
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019.....	263	79.0	90.3	115	77.4	92.0	148	80.4	89.6
2018.....	242	76.5	86.1	98	69.3	80.9	144	82.3	89.7
2017.....	222	74.0	82.6	96	71.4	79.3	126	76.0	84.2
2016.....	226	79.3	90.1	105	82.3	98.1	121	76.9	84.5
2015.....	228	84.5	96.9	101	83.6	104.7	127	85.2	92.4
2014.....	209	82.1	95.7	98	86.0	105.5	111	78.9	89.1
2013.....	185	77.1	88.4	92	85.9	105.8	93	70.0	77.9
2012.....	193	85.5	100.6	82	81.6	104.4	111	88.7	98.4
2011.....	189	89.4	102.5	80	85.3	108.7	109	92.6	100.5
2010.....	220	110.8	132.4	84	95.7	130.0	136	122.6	136.6
2009.....	186	96.5	110.2	69	81.1	102.4	117	108.7	117.4
2008.....	212	114.7	134.2	94	115.5	152.5	118	114.1	124.0
2007.....	190	107.4	123.4	77	99.2	125.8	113	113.8	124.1
2006.....	168	98.7	108.7	77	103.5	127.6	91	94.9	98.9
2005.....	172	104.6	120.0	64	89.4	115.7	108	116.4	126.2
2004.....	150	95.0	107.7	63	92.1	115.6	87	97.2	104.8
2003.....	161	105.4	123.6	78	118.5	158.3	83	95.5	103.4
2002.....	130	87.9	97.3	47	74.2	91.7	83	98.2	102.5
2001.....	132	91.9	101.3	56	91.5	116.2	76	92.3	95.8
2000.....	138	98.6	105.2	57	95.9	111.4	81	100.6	103.9

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Nephritis, nephrotic syndrome and nephrosis (kidney disease) (N00–N07, N17–N19, N25–N27)—Con.									
Asian, non-Hispanic, single race ³ :									
2019.....	1,319	52.9	57.1	643	59.9	67.3	676	47.6	49.5
2018.....	1,232	52.0	56.4	598	58.5	66.7	634	47.0	49.3
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	61	100.9	108.9	32	113.3	125.2	29	90.0	96.1
2018.....	44	77.5	78.1	20	75.3	78.8	24	79.4	79.3
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	1,419	53.8	58.3	698	61.2	68.9	721	48.2	50.3
2018.....	1,316	52.6	57.0	639	59.0	67.1	677	47.7	50.0
2017.....	1,275	53.4	58.6	626	60.5	69.4	649	47.9	51.2
2016.....	1,140	51.1	56.4	541	56.0	65.2	599	47.4	50.1
2015.....	1,101	51.9	57.6	519	56.4	66.6	582	48.5	51.4
2014.....	1,041	52.8	58.4	523	61.1	72.3	518	46.4	48.8
2013.....	934	51.2	56.6	453	57.3	68.3	481	46.6	48.9
2012.....	866	51.1	56.7	396	53.9	63.7	470	48.9	51.8
2011.....	777	49.2	54.7	390	57.0	68.1	387	43.3	46.1
2010.....	872	59.3	67.1	407	64.0	76.6	465	55.8	60.4
2009.....	869	61.6	69.8	403	66.0	79.6	466	58.2	63.1
2008.....	741	55.3	62.8	354	61.2	73.9	387	50.9	55.3
2007.....	724	56.9	64.9	370	67.4	81.3	354	49.0	53.7
2006.....	690	57.2	65.9	344	66.2	81.5	346	50.4	55.6
2005.....	604	52.8	61.2	302	61.4	75.7	302	46.3	51.6
2004.....	556	51.4	59.6	278	60.0	73.8	278	45.0	50.1
2003.....	507	49.4	56.6	231	52.7	65.4	276	47.0	51.4
2002.....	502	51.7	61.6	245	59.2	73.6	257	46.2	53.5
2001.....	479	52.2	62.0	244	62.4	77.0	235	44.6	51.7
2000.....	416	48.6	58.7	190	52.1	65.4	226	46.1	54.1
Black, non-Hispanic, single race ³ :									
2019.....	6,843	137.4	151.5	3,145	156.1	182.5	3,698	124.7	132.5
2018.....	6,843	143.4	156.5	3,175	164.7	192.6	3,668	129.0	135.1
Black, non-Hispanic, bridged race ⁴ :									
2019.....	6,865	135.8	149.6	3,154	154.1	180.2	3,711	123.3	131.0
2018.....	6,859	141.6	154.6	3,180	162.4	190.0	3,679	127.5	133.5
2017.....	6,584	141.4	154.8	2,965	157.8	185.1	3,619	130.3	136.7
2016.....	6,367	142.8	156.0	2,789	155.3	181.7	3,578	134.4	140.7
2015.....	6,286	147.3	159.6	2,788	162.6	190.6	3,498	137.0	141.6
2014.....	5,881	144.3	154.8	2,524	154.7	180.3	3,357	137.3	140.5
2013.....	5,747	147.7	158.4	2,457	158.4	185.8	3,290	140.6	143.2
2012.....	5,502	148.0	157.6	2,358	159.9	185.2	3,144	140.1	141.6
2011.....	5,475	153.8	163.4	2,314	164.7	190.5	3,161	146.6	148.1
2010.....	6,014	175.2	185.6	2,524	187.3	216.3	3,490	167.3	168.2
2009.....	5,975	177.7	188.7	2,463	187.1	216.5	3,512	171.7	173.0
2008.....	5,780	176.3	186.5	2,386	186.5	215.4	3,394	169.7	170.7
2007.....	5,606	175.6	186.2	2,296	184.9	216.3	3,310	169.6	170.5
2006.....	5,648	180.6	191.8	2,320	191.3	223.7	3,328	173.8	175.0
2005.....	5,408	176.2	187.1	2,153	181.4	214.0	3,255	173.0	174.2
2004.....	5,141	171.0	182.2	2,110	182.1	215.1	3,031	164.1	165.8
2003.....	5,274	177.9	188.6	2,209	194.0	225.4	3,065	167.9	169.4
2002.....	5,079	174.0	183.9	2,123	189.9	222.3	2,956	164.1	165.2
2001.....	4,976	172.6	181.3	2,014	182.9	209.5	2,962	166.2	166.8
2000.....	4,703	166.1	173.2	1,888	175.3	199.3	2,815	160.4	160.3

See footnotes at end of table.

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Nephritis, nephrotic syndrome and nephrosis (kidney disease) (N00–N07, N17–N19, N25–N27)—Con.									
White, non-Hispanic, single race ³ :									
2019.....	30,311	73.6	75.7	15,527	83.5	93.3	14,784	65.6	63.4
2018.....	30,640	76.4	78.0	15,821	87.4	97.6	14,819	67.3	64.5
White, non-Hispanic, bridged race ⁴ :									
2019.....	30,362	73.3	75.5	15,552	83.1	93.0	14,810	65.3	63.2
2018.....	30,685	76.0	77.8	15,839	87.0	97.2	14,846	67.0	64.2
2017.....	30,643	78.0	79.3	15,539	87.8	98.3	15,104	69.9	66.4
2016.....	30,534	79.7	80.5	15,466	90.0	100.7	15,068	71.4	67.0
2015.....	30,897	82.8	82.8	15,660	93.8	104.1	15,237	73.9	68.6
2014.....	30,323	83.3	82.6	15,280	94.2	104.2	15,043	74.6	68.4
2013.....	29,884	84.4	82.7	14,774	94.0	103.3	15,110	76.7	69.4
2012.....	28,964	84.3	82.0	14,314	94.4	103.0	14,650	76.3	68.3
2011.....	29,291	88.6	84.4	14,460	99.8	107.2	14,831	79.8	70.0
2010.....	32,434	100.2	95.7	15,906	112.7	121.7	16,528	90.4	79.4
2009.....	31,174	97.5	93.2	15,127	109.0	117.7	16,047	88.6	78.1
2008.....	31,068	98.8	94.2	14,972	110.4	118.9	16,096	90.1	79.0
2007.....	29,995	97.5	92.5	14,477	109.7	117.8	15,518	88.4	77.3
2006.....	28,964	95.4	90.7	13,880	107.2	115.7	15,084	86.7	76.0
2005.....	28,531	94.9	90.8	13,616	106.7	116.1	14,915	86.2	76.0
2004.....	27,647	92.6	89.2	13,086	103.8	113.9	14,561	84.5	74.9
2003.....	27,717	93.3	90.2	13,174	105.5	116.6	14,543	84.5	75.3
2002.....	27,172	91.9	89.4	12,975	105.0	116.8	14,197	82.6	73.9
2001.....	26,105	88.5	86.6	12,461	101.5	114.0	13,644	79.2	71.4
2000.....	24,720	84.0	82.9	11,738	96.4	109.2	12,982	75.3	68.4
Hispanic ⁶ :									
2019.....	3,258	70.2	76.0	1,602	79.2	89.5	1,656	63.3	66.3
2018.....	3,060	69.3	74.7	1,503	78.2	88.8	1,557	62.4	64.9
2017.....	2,872	68.3	73.7	1,369	75.1	85.6	1,503	63.1	65.4
2016.....	2,731	68.8	74.2	1,316	76.6	87.4	1,415	62.9	65.1
2015.....	2,628	69.7	75.2	1,263	77.5	87.8	1,365	63.7	66.4
2014.....	2,406	67.7	73.4	1,182	77.2	88.9	1,224	60.6	63.1
2013.....	2,246	67.4	73.1	1,105	77.2	89.5	1,141	60.1	62.3
2012.....	2,126	67.6	73.8	1,044	77.6	89.9	1,082	60.2	63.0
2011.....	2,028	68.3	74.4	922	72.8	85.3	1,106	65.0	67.8
2010.....	2,378	85.5	94.5	1,162	98.3	116.3	1,216	76.0	80.5
2009.....	2,190	81.8	90.2	1,044	92.1	107.8	1,146	74.3	78.9
2008.....	2,061	81.0	89.8	990	91.9	109.2	1,071	72.9	77.6
2007.....	1,930	79.7	88.0	922	90.0	105.8	1,008	72.0	76.6
2006.....	1,845	79.7	89.2	871	89.1	106.2	974	72.8	78.3
2005.....	1,657	74.8	84.1	790	84.7	103.8	867	67.7	72.5
2004.....	1,538	72.8	81.5	722	81.3	98.0	816	66.7	71.6
2003.....	1,512	74.9	85.6	703	82.9	103.8	809	69.1	75.1
2002.....	1,322	68.6	78.3	628	77.7	95.0	694	62.1	67.9
2001.....	1,349	73.3	83.1	616	79.8	98.0	733	68.6	74.2
2000.....	1,179	68.0	77.8	545	75.0	93.2	634	63.0	68.7

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Influenza and pneumonia (J09–J18)									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019.....	232	77.0	88.7	105	77.6	95.2	127	76.5	83.7
2018.....	268	93.4	107.1	130	100.8	119.7	138	87.3	96.3
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019.....	245	73.6	84.8	112	75.3	92.1	133	72.2	79.3
2018.....	289	91.3	104.8	144	101.8	121.5	145	82.9	91.3
2017.....	247	82.3	97.7	107	79.6	99.5	140	84.5	96.2
2016.....	228	80.0	96.6	93	72.9	90.6	135	85.8	99.8
2015.....	231	85.6	101.1	123	101.8	128.6	108	72.4	81.6
2014.....	239	93.8	113.9	105	92.2	124.0	134	95.2	107.9
2013.....	226	94.2	115.5	107	99.9	135.5	119	89.6	102.5
2012.....	189	83.8	104.4	82	81.6	112.4	107	85.5	98.3
2011.....	211	99.8	123.5	100	106.6	145.6	111	94.3	109.6
2010.....	205	103.2	129.5	95	108.3	156.6	110	99.2	114.8
2009.....	201	104.3	127.1	88	103.4	139.5	113	105.0	117.5
2008.....	220	119.0	149.1	103	126.5	187.6	117	113.1	128.1
2007.....	177	100.0	125.7	76	97.9	134.6	101	101.7	117.8
2006.....	177	104.0	130.8	91	122.4	176.4	86	89.7	103.6
2005.....	247	150.3	188.6	116	162.1	239.7	131	141.2	160.4
2004.....	197	124.7	155.9	94	137.4	202.5	103	115.1	130.8
2003.....	253	165.6	206.1	106	161.0	225.3	147	169.1	192.1
2002.....	210	142.0	178.3	83	131.0	193.2	127	150.3	171.0
2001.....	213	148.4	180.7	100	163.4	229.5	113	137.2	153.0
2000.....	194	138.6	164.3	91	153.1	199.6	103	128.0	141.7
Asian, non-Hispanic, single race ³ :									
2019.....	1,558	62.5	67.5	764	71.1	82.1	794	56.0	57.1
2018.....	2,028	85.6	93.0	985	96.4	112.3	1,043	77.4	79.5
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	44	72.8	84.7	20	70.8	88.1	24	74.5	82.0
2018.....	42	74.0	81.9	16	*	*	26	86.0	93.9
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	1,640	62.2	67.5	798	70.0	81.3	842	56.3	57.7
2018.....	2,113	84.4	92.1	1,023	94.4	110.4	1,090	76.8	79.2
2017.....	2,033	85.2	94.0	1,001	96.8	115.4	1,032	76.2	79.2
2016.....	1,877	84.2	93.2	960	99.4	119.2	917	72.6	75.6
2015.....	1,959	92.3	103.6	974	105.8	129.7	985	82.0	86.0
2014.....	1,630	82.7	92.8	847	99.0	120.9	783	70.2	74.3
2013.....	1,778	97.5	110.4	872	110.3	137.6	906	87.7	92.7
2012.....	1,551	91.5	104.3	778	105.9	132.7	773	80.4	85.5
2011.....	1,431	90.7	104.4	729	106.5	135.0	702	78.5	84.5
2010.....	1,347	91.7	107.4	704	110.6	141.8	643	77.2	85.0
2009.....	1,281	90.7	107.2	647	105.9	136.9	634	79.2	87.7
2008.....	1,310	97.8	115.9	644	111.3	143.3	666	87.6	97.9
2007.....	1,181	92.9	111.9	611	111.3	146.8	570	78.8	89.3
2006.....	1,198	99.3	120.9	631	121.4	161.2	567	82.5	94.9
2005.....	1,175	102.7	126.2	626	127.2	169.1	549	84.2	98.2
2004.....	1,110	102.7	128.6	523	112.9	152.1	587	95.1	113.2
2003.....	1,103	107.6	136.6	588	134.2	182.1	515	87.7	106.7
2002.....	1,040	107.2	137.1	551	133.1	180.8	489	87.9	108.1
2001.....	1,033	112.5	145.0	539	137.8	187.2	494	93.7	116.7
2000.....	977	114.2	147.2	510	139.8	185.4	467	95.2	120.5

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Influenza and pneumonia (J09–J18)—Con.									
Black, non-Hispanic, single race ³ :									
2019	3,564	71.6	79.2	1,636	81.2	97.2	1,928	65.0	68.4
2018	4,161	87.2	96.7	1,909	99.0	119.5	2,252	79.2	83.1
Black, non-Hispanic, bridged race ⁴ :									
2019	3,582	70.8	78.4	1,645	80.4	96.2	1,937	64.4	67.7
2018	4,176	86.2	95.6	1,913	97.7	117.9	2,263	78.4	82.3
2017	3,854	82.8	91.8	1,757	93.5	112.5	2,097	75.5	79.1
2016	3,707	83.1	91.6	1,748	97.3	117.9	1,959	73.6	76.4
2015	3,895	91.2	100.4	1,738	101.4	123.9	2,157	84.5	86.4
2014	3,618	88.8	96.6	1,660	101.8	122.0	1,958	80.1	81.6
2013	3,790	97.4	105.1	1,695	109.3	131.7	2,095	89.5	90.1
2012	3,487	93.8	101.0	1,560	105.8	129.0	1,927	85.9	85.8
2011	3,536	99.3	107.0	1,529	108.9	133.6	2,007	93.1	92.8
2010	3,507	102.1	109.7	1,558	115.6	139.7	1,949	93.5	93.1
2009	3,420	101.7	109.8	1,535	116.6	141.7	1,885	92.1	92.3
2008	3,816	116.4	126.0	1,639	128.1	157.3	2,177	108.9	109.1
2007	3,677	115.1	125.2	1,636	131.8	164.0	2,041	104.6	104.7
2006	3,855	123.3	134.7	1,648	135.9	170.9	2,207	115.3	116.0
2005	4,152	135.3	147.5	1,758	148.1	184.0	2,394	127.3	128.1
2004	4,167	138.6	152.2	1,887	162.8	204.1	2,280	123.4	124.8
2003	4,205	141.9	155.1	1,915	168.2	209.5	2,290	125.5	126.6
2002	4,338	148.6	162.4	1,879	168.1	212.1	2,459	136.5	137.0
2001	4,235	146.9	159.5	1,902	172.8	214.1	2,333	130.9	130.7
2000	4,435	156.6	167.0	1,975	183.4	221.1	2,460	140.2	138.6
White, non-Hispanic, single race ³ :									
2019	32,134	78.1	79.8	15,416	82.9	93.2	16,718	74.1	70.0
2018	38,985	97.2	98.2	18,266	100.9	113.7	20,719	84.1	87.5
White, non-Hispanic, bridged race ⁴ :									
2019	32,188	77.8	79.5	15,439	82.5	92.8	16,749	73.9	69.7
2018	39,065	96.8	98.0	18,297	100.5	113.3	20,768	93.8	87.3
2017	37,689	95.9	96.4	17,387	98.3	110.9	20,302	93.9	86.5
2016	33,869	88.4	88.2	15,850	92.2	103.4	18,019	85.3	77.7
2015	39,792	106.6	104.9	17,993	107.7	120.6	21,799	105.7	94.2
2014	36,535	100.4	97.9	16,859	103.9	115.3	19,676	97.5	86.3
2013	39,390	111.2	106.9	17,714	112.7	124.6	21,676	110.0	95.2
2012	35,648	103.7	98.7	16,238	107.1	117.8	19,410	101.1	86.5
2011	37,601	113.7	106.0	17,020	117.4	126.7	20,581	110.8	93.0
2010	35,353	109.2	102.3	15,899	112.7	122.7	19,454	106.4	89.5
2009	36,182	113.1	106.3	16,157	116.4	126.9	20,025	110.6	93.4
2008	40,547	129.0	120.6	17,565	129.5	141.5	22,982	128.7	107.6
2007	38,697	125.8	117.0	16,748	126.9	138.7	21,949	125.0	104.0
2006	41,731	137.5	128.7	18,142	140.1	153.8	23,589	135.6	113.6
2005	47,377	157.6	148.7	20,011	156.8	174.6	27,366	158.2	133.1
2004	44,866	150.3	143.2	19,238	152.6	172.0	25,628	148.7	126.4
2003	49,693	167.3	160.1	20,746	166.2	189.2	28,947	168.1	143.0
2002	50,793	171.8	165.9	21,306	172.4	199.0	29,487	171.5	147.0
2001	47,653	161.5	157.2	19,915	162.2	189.4	27,738	161.0	139.0
2000	50,687	172.2	169.3	21,071	173.0	204.9	29,616	171.7	149.8

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Influenza and pneumonia (J09–J18)—Con.									
Hispanic ⁶ :									
2019	2,664	57.4	63.1	1,321	65.3	76.5	1,343	51.4	53.4
2018	3,097	70.1	76.7	1,470	76.5	90.1	1,627	65.2	67.5
2017	2,889	68.7	75.3	1,352	74.1	87.3	1,537	64.6	66.8
2016	2,653	66.8	73.0	1,242	72.3	84.3	1,411	62.7	65.0
2015	2,680	71.0	78.3	1,260	77.3	91.8	1,420	66.3	68.8
2014	2,655	74.8	82.3	1,253	81.9	97.0	1,402	69.4	72.4
2013	2,694	80.9	89.3	1,259	87.9	104.4	1,435	75.6	78.7
2012	2,330	74.1	82.8	1,107	82.3	99.9	1,223	68.0	71.5
2011	2,492	83.9	94.7	1,138	89.8	110.3	1,354	79.5	84.4
2010	2,332	83.8	95.4	1,153	97.6	119.5	1,179	73.7	79.5
2009	2,316	86.6	98.7	1,069	94.3	116.5	1,247	80.9	87.5
2008	2,422	95.2	110.7	1,103	102.4	128.7	1,319	89.8	98.7
2007	2,151	88.8	104.1	999	97.6	124.7	1,152	82.3	90.9
2006	2,299	99.3	117.7	1,033	105.7	138.2	1,266	94.6	105.1
2005	2,415	109.1	130.9	1,097	117.6	154.7	1,318	102.9	115.8
2004	2,293	108.6	132.4	1,022	115.0	154.9	1,271	103.9	118.5
2003	2,284	113.2	138.3	1,042	122.9	165.4	1,242	106.1	121.5
2002	2,275	118.1	146.1	1,043	129.1	176.8	1,232	110.2	127.4
2001	2,219	120.6	149.6	994	128.7	179.1	1,225	114.6	132.0
2000	2,065	119.1	147.0	964	132.6	181.8	1,101	109.4	125.8
Parkinson disease (G20–G21)									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019	108	35.8	44.5	66	48.8	66.3	42	25.3	29.5
2018	100	34.8	44.1	57	44.2	59.9	43	27.2	33.1
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019	115	34.6	42.9	70	47.1	63.9	45	24.4	28.5
2018	111	35.1	44.5	67	47.4	64.4	44	25.1	30.6
2017	113	37.7	47.5	68	50.6	68.6	45	27.2	32.5
2016	76	26.7	32.4	53	41.6	52.3	23	14.6	17.7
2015	86	31.9	40.5	51	42.2	60.3	35	23.5	27.9
2014	82	32.2	40.5	46	40.4	56.8	36	25.6	30.4
2013	63	26.3	33.6	37	34.6	49.7	26	19.6	23.3
2012	61	27.0	33.8	34	33.9	49.6	27	21.6	24.5
2011	69	32.6	39.9	36	38.4	50.8	33	28.0	32.6
2010	57	28.7	35.7	36	41.0	57.8	21	18.9	21.3
2009	48	24.9	30.3	23	27.0	37.2	25	23.2	26.6
2008	65	35.2	44.8	37	45.4	66.2	28	27.1	31.7
2007	51	28.8	36.2	30	38.6	54.0	21	21.1	24.7
2006	53	31.1	38.7	31	41.7	57.1	22	22.9	26.3
2005	58	35.3	43.9	30	41.9	62.4	28	30.2	33.7
2004	41	26.0	33.4	24	35.1	51.1	17	*	*
2003	56	36.7	44.1	29	44.0	63.0	27	31.1	34.5
2002	48	32.5	38.0	33	52.1	69.5	15	*	*
2001	32	22.3	25.9	18	*	*	14	*	*
2000	40	28.6	33.5	22	37.0	51.3	18	*	*

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Parkinson disease (G20–G21)—Con.									
Asian, non-Hispanic, single race ³ :									
2019.....	982	39.4	43.8	577	53.7	63.3	405	28.5	30.0
2018.....	884	37.3	41.4	487	47.7	55.9	397	29.5	31.3
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	18	*	*	15	*	*	*	*	*
2018.....	10	*	*	*	*	*	*	*	*
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	1,030	39.1	43.7	615	53.9	63.8	415	27.8	29.4
2018.....	910	36.4	40.5	502	46.3	54.6	408	28.7	30.7
2017.....	844	35.4	39.6	476	46.0	54.9	368	27.2	29.1
2016.....	727	32.6	36.8	426	44.1	52.9	301	23.8	25.7
2015.....	732	34.5	39.0	439	47.7	57.6	293	24.4	25.9
2014.....	589	29.9	33.7	349	40.8	49.8	240	21.5	23.1
2013.....	501	27.5	31.0	278	35.1	43.1	223	21.6	23.1
2012.....	458	27.0	30.9	244	33.2	42.0	214	22.3	23.8
2011.....	432	27.4	31.3	247	36.1	44.5	185	20.7	22.4
2010.....	348	23.7	27.3	186	29.2	36.8	162	19.4	21.2
2009.....	348	24.7	28.7	216	35.4	44.1	132	16.5	18.3
2008.....	322	24.0	27.6	188	32.5	40.0	134	17.6	19.4
2007.....	326	25.6	30.1	187	34.1	43.8	139	19.2	21.4
2006.....	289	24.0	28.4	169	32.5	41.5	120	17.5	19.7
2005.....	259	22.6	26.3	141	28.7	35.7	118	18.1	20.2
2004.....	264	24.4	29.4	157	33.9	43.7	107	17.3	20.0
2003.....	251	24.5	29.9	157	35.8	47.1	94	16.0	18.8
2002.....	202	20.8	25.5	107	25.8	33.9	95	17.1	19.9
2001.....	190	20.7	24.9	106	27.1	34.1	84	15.9	18.7
2000.....	151	17.6	22.4	99	27.1	35.7	52	10.6	13.1
Black, non-Hispanic, single race ³ :									
2019.....	1,562	31.4	36.5	918	45.6	58.7	644	21.7	23.6
2018.....	1,579	33.1	38.3	937	48.6	62.5	642	22.6	24.4
Black, non-Hispanic, bridged race ⁴ :									
2019.....	1,570	31.0	36.1	921	45.0	58.1	649	21.6	23.5
2018.....	1,586	32.7	37.9	940	48.0	61.8	646	22.4	24.2
2017.....	1,448	31.1	35.7	849	45.2	58.0	599	21.6	23.3
2016.....	1,295	29.0	33.2	745	41.5	52.9	550	20.7	22.1
2015.....	1,126	26.4	29.9	645	37.6	47.8	481	18.8	19.9
2014.....	1,080	26.5	30.0	620	38.0	48.8	460	18.8	19.8
2013.....	970	24.9	27.8	573	36.9	46.3	397	17.0	17.4
2012.....	864	23.2	25.5	516	35.0	43.1	348	15.5	15.9
2011.....	828	23.3	25.4	462	32.9	40.0	366	17.0	17.3
2010.....	747	21.8	23.7	413	30.6	38.1	334	16.0	16.2
2009.....	687	20.4	22.4	390	29.6	37.3	297	14.5	14.8
2008.....	703	21.4	23.5	370	28.9	36.1	333	16.7	17.0
2007.....	748	23.4	25.7	407	32.8	40.6	341	17.5	17.8
2006.....	631	20.2	21.9	351	28.9	34.9	280	14.6	14.8
2005.....	675	22.0	23.9	390	32.9	40.6	285	15.1	15.4
2004.....	596	19.8	21.8	321	27.7	35.7	275	14.9	15.2
2003.....	582	19.6	21.3	324	28.5	35.6	258	14.1	14.4
2002.....	525	18.0	19.5	294	26.3	32.1	231	12.8	13.0
2001.....	518	18.0	19.5	272	24.7	30.7	246	13.8	13.9
2000.....	504	17.8	19.2	289	26.8	32.4	215	12.3	12.3

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Parkinson disease (G20–G21)—Con.									
White, non-Hispanic, single race ³ :									
2019	29,586	71.9	75.6	18,194	97.8	111.9	11,392	50.5	49.5
2018	28,373	70.7	73.8	17,261	95.4	109.2	11,112	50.5	48.9
White, non-Hispanic, bridged race ⁴ :									
2019	29,629	71.6	75.3	18,218	97.3	111.5	11,411	50.3	49.4
2018	28,408	70.4	73.5	17,283	94.9	108.7	11,125	50.2	48.7
2017	26,963	68.6	71.7	16,423	92.8	106.8	10,540	48.8	47.0
2016	25,207	65.8	68.2	15,240	88.7	101.8	9,967	47.2	45.0
2015	23,778	63.7	65.4	14,393	86.2	98.2	9,385	45.5	42.9
2014	22,383	61.5	62.5	13,481	83.1	94.1	8,902	44.1	41.1
2013	21,706	61.3	61.6	13,010	82.8	92.9	8,696	44.1	40.6
2012	20,685	60.2	59.7	12,328	81.3	90.3	8,357	43.5	39.4
2011	20,161	61.0	59.2	11,834	81.6	88.7	8,327	44.8	40.0
2010	19,332	59.7	57.9	11,305	80.1	87.3	8,027	43.9	38.9
2009	18,104	56.6	54.7	10,628	76.6	83.4	7,476	41.3	36.6
2008	18,072	57.5	55.3	10,589	78.0	84.4	7,483	41.9	36.9
2007	17,706	57.6	54.8	10,205	77.3	83.1	7,501	42.7	37.3
2006	17,408	57.4	54.5	10,009	77.3	83.2	7,399	42.5	37.1
2005	17,331	57.7	55.1	9,949	77.9	84.3	7,382	42.7	37.4
2004	16,070	53.8	51.7	9,233	73.2	79.7	6,837	39.7	35.0
2003	16,142	54.3	52.4	9,089	72.8	79.7	7,053	41.0	36.3
2002	15,307	51.8	50.2	8,641	69.9	77.4	6,666	38.8	34.5
2001	14,934	50.6	49.4	8,460	68.9	76.9	6,474	37.6	33.7
2000	14,217	48.3	47.6	7,938	65.2	73.7	6,279	36.4	32.9
Hispanic ⁶ :									
2019	2,052	44.2	50.4	1,165	57.6	70.9	887	33.9	36.4
2018	1,919	43.4	49.3	1,114	58.0	71.3	805	32.2	34.6
2017	1,750	41.6	47.0	1,022	56.0	68.5	728	30.6	32.7
2016	1,575	39.7	44.8	878	51.1	63.1	697	31.0	32.8
2015	1,484	39.3	44.2	821	50.4	61.4	663	30.9	32.7
2014	1,312	36.9	41.6	720	47.0	57.5	592	29.3	31.0
2013	1,251	37.6	42.3	721	50.4	61.3	530	27.9	29.7
2012	1,092	34.7	39.5	591	43.9	54.4	501	27.9	29.9
2011	1,025	34.5	39.0	594	46.9	57.1	431	25.3	27.2
2010	949	34.1	39.4	532	45.0	56.3	417	26.1	28.6
2009	823	30.8	35.4	469	41.4	51.3	354	23.0	25.2
2008	810	31.8	36.7	453	42.1	52.8	357	24.3	26.5
2007	743	30.7	35.1	420	41.0	50.7	323	23.1	25.2
2006	681	29.4	34.3	408	41.8	53.9	273	20.4	22.4
2005	695	31.4	36.7	404	43.3	55.0	291	22.7	25.3
2004	568	26.9	32.0	330	37.1	48.3	238	19.5	21.9
2003	504	25.0	29.5	303	35.7	46.2	201	17.2	19.3
2002	463	24.0	28.4	261	32.3	41.1	202	18.1	20.5
2001	466	25.3	30.1	264	34.2	44.3	202	18.9	21.2
2000	405	23.4	28.0	229	31.5	42.2	176	17.5	19.7

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Intentional self-harm (suicide) (U03.X60–X84.Y87.0)									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019.....	24	8.0	8.0	22	16.3	16.9	*	*	*
2018.....	19	*	*	17	*	*	*	*	*
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019.....	27	8.1	8.1	24	16.1	16.4	*	*	*
2018.....	26	8.2	8.5	24	17.0	18.1	*	*	*
2017.....	23	7.7	7.7	21	15.6	16.7	*	*	*
2016.....	24	8.4	9.7	17	*	*	*	*	*
2015.....	26	9.6	10.4	20	16.6	19.3	*	*	*
2014.....	22	8.6	8.9	20	17.6	19.2	*	*	*
2013.....	21	8.8	9.1	18	*	*	*	*	*
2012.....	19	*	*	17	*	*	*	*	*
2011.....	14	*	*	13	*	*	*	*	*
2010.....	15	*	*	*	*	*	*	*	*
2009.....	*	*	*	*	*	*	*	*	*
2008.....	16	*	*	15	*	*	*	*	*
2007.....	15	*	*	10	*	*	*	*	*
2006.....	11	*	*	10	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*
2004.....	13	*	*	11	*	*	*	*	*
2003.....	11	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	—	*	*
2001.....	10	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	—	*	*
Asian, non-Hispanic, single race ³ :									
2019.....	203	8.1	8.3	131	12.2	12.7	72	5.1	5.1
2018.....	189	8.0	8.2	140	13.7	14.1	49	3.6	3.7
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	*	*	*	*	*	*	*	*	*
2018.....	*	*	*	*	*	*	—	*	*
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	211	8.0	8.2	138	12.1	12.6	73	4.9	4.9
2018.....	197	7.9	8.1	146	13.5	13.9	51	3.6	3.7
2017.....	202	8.5	8.5	131	12.7	12.9	71	5.2	5.2
2016.....	178	8.0	8.1	117	12.1	12.4	61	4.8	4.8
2015.....	182	8.6	8.9	118	12.8	13.2	64	5.3	5.7
2014.....	158	8.0	8.1	99	11.6	11.8	59	5.3	5.4
2013.....	121	6.6	6.7	86	10.9	11.3	35	3.4	3.3
2012.....	147	8.7	8.8	96	13.1	13.8	51	5.3	5.2
2011.....	139	8.8	9.0	92	13.4	14.0	47	5.3	5.4
2010.....	133	9.1	9.3	97	15.2	16.0	36	4.3	4.5
2009.....	134	9.5	9.8	95	15.5	16.1	39	4.9	5.1
2008.....	131	9.8	9.9	86	14.9	15.1	45	5.9	6.1
2007.....	110	8.6	9.3	71	12.9	14.5	39	5.4	5.6
2006.....	104	8.6	8.8	55	10.6	11.0	49	7.1	7.2
2005.....	101	8.8	9.5	55	11.2	12.3	46	7.1	7.5
2004.....	111	10.3	10.8	70	15.1	16.2	41	6.6	7.0
2003.....	103	10.0	10.4	76	17.3	17.8	27	4.6	4.9
2002.....	100	10.3	10.8	61	14.7	15.9	39	7.0	7.2
2001.....	97	10.6	11.1	71	18.2	19.0	26	4.9	5.3
2000.....	82	9.6	10.8	57	15.6	18.1	25	5.1	5.5

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Intentional self-harm (suicide) (U03,X60–X84,Y87.0)—Con.									
Black, non-Hispanic, single race ³ :									
2019	217	4.4	4.4	179	8.9	9.1	38	1.3	1.3
2018	208	4.4	4.4	171	8.9	9.3	37	1.3	1.2
Black, non-Hispanic, bridged race ⁴ :									
2019	219	4.3	4.3	181	8.8	9.1	38	1.3	1.2
2018	210	4.3	4.4	173	8.8	9.3	37	1.3	1.2
2017	202	4.3	4.3	166	8.8	8.9	36	1.3	1.3
2016	198	4.4	4.4	160	8.9	9.2	38	1.4	1.3
2015	173	4.1	4.2	151	8.8	9.3	22	0.9	0.8
2014	177	4.3	4.4	145	8.9	9.3	32	1.3	1.3
2013	150	3.9	3.8	133	8.6	8.8	17	*	*
2012	165	4.4	4.5	147	10.0	10.3	18	*	*
2011	156	4.4	4.3	131	9.3	9.5	25	1.2	1.1
2010	130	3.8	3.8	113	8.4	8.6	17	*	*
2009	149	4.4	4.5	129	9.8	10.4	20	1.0	1.0
2008	163	5.0	4.9	139	10.9	11.0	24	1.2	1.2
2007	122	3.8	3.8	107	8.6	8.5	15	*	*
2006	139	4.4	4.5	125	10.3	11.1	14	*	*
2005	146	4.8	4.8	119	10.0	10.7	27	1.4	1.4
2004	148	4.9	5.0	134	11.6	11.9	14	*	*
2003	132	4.5	4.4	106	9.3	9.5	26	1.4	1.4
2002	150	5.1	5.2	129	11.5	12.3	21	1.2	1.1
2001	155	5.4	5.4	126	11.4	11.6	29	1.6	1.7
2000	150	5.3	5.3	127	11.8	11.9	23	1.3	1.3
White, non-Hispanic, single race ³ :									
2019	8,401	20.4	20.6	6,994	37.6	38.8	1,407	6.2	6.2
2018	8,302	20.7	20.8	6,915	38.2	39.3	1,387	6.3	6.3
White, non-Hispanic, bridged race ⁴ :									
2019	8,411	20.3	20.5	7,002	37.4	38.7	1,409	6.2	6.2
2018	8,316	20.6	20.8	6,927	38.1	39.1	1,389	6.3	6.2
2017	7,829	19.9	20.1	6,506	36.8	38.0	1,323	6.1	6.1
2016	7,503	19.6	19.8	6,202	36.1	37.3	1,301	6.2	6.2
2015	7,220	19.3	19.4	5,991	35.9	36.9	1,229	6.0	5.9
2014	7,023	19.3	19.4	5,856	36.1	37.0	1,167	5.8	5.8
2013	6,658	18.8	18.9	5,592	35.6	36.5	1,066	5.4	5.5
2012	6,077	17.7	17.7	5,094	33.6	34.5	983	5.1	5.2
2011	5,786	17.5	17.5	4,844	33.4	34.1	942	5.1	5.1
2010	5,469	16.9	16.9	4,612	32.7	33.3	857	4.7	4.8
2009	5,330	16.7	16.7	4,517	32.5	33.1	813	4.5	4.6
2008	5,225	16.6	16.6	4,409	32.5	33.0	816	4.6	4.6
2007	4,968	16.2	16.1	4,198	31.8	32.4	770	4.4	4.4
2006	4,884	16.1	16.0	4,136	31.9	32.6	748	4.3	4.4
2005	4,970	16.5	16.4	4,217	33.0	33.8	753	4.4	4.4
2004	4,745	15.9	15.8	4,027	31.9	32.7	718	4.2	4.2
2003	4,839	16.3	16.2	4,119	33.0	33.9	720	4.2	4.2
2002	5,098	17.2	17.2	4,329	35.0	36.0	769	4.5	4.5
2001	4,954	16.8	16.7	4,221	34.4	35.4	733	4.3	4.2
2000	4,889	16.6	16.6	4,128	33.9	35.4	761	4.4	4.5

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Intentional self-harm (suicide) (U03,X60–X84,Y87.0)—Con.									
Hispanic ⁶ :									
2019	274	5.9	5.9	248	12.3	12.5	26	1.0	0.9
2018	329	7.4	7.4	288	15.0	15.3	41	1.6	1.6
2017	283	6.7	6.9	242	13.3	13.9	41	1.7	1.7
2016	276	7.0	7.2	236	13.7	14.6	40	1.8	1.8
2015	277	7.3	7.4	237	14.5	15.2	40	1.9	1.9
2014	286	8.1	8.2	244	15.9	16.7	42	2.1	2.0
2013	226	6.8	6.9	203	14.2	14.8	23	1.2	1.2
2012	219	7.0	7.1	182	13.5	14.2	37	2.1	2.0
2011	201	6.8	6.9	173	13.7	14.3	28	1.6	1.7
2010	220	7.9	8.0	185	15.7	16.6	35	2.2	2.1
2009	217	8.1	8.3	181	16.0	17.0	36	2.3	2.2
2008	203	8.0	8.2	180	16.7	17.4	23	1.6	1.6
2007	189	7.8	7.9	170	16.6	17.4	19	*	*
2006	147	6.3	6.6	124	12.7	13.9	23	1.7	1.7
2005	163	7.4	7.6	137	14.7	16.1	26	2.0	2.0
2004	168	8.0	8.2	146	16.4	17.3	22	1.8	1.9
2003	152	7.5	7.8	135	15.9	17.2	17	*	*
2002	167	8.7	9.0	145	17.9	19.7	22	2.0	2.0
2001	157	8.5	8.8	144	18.7	20.5	13	*	*
2000	159	9.2	9.5	142	19.5	21.1	17	*	*
Dementia-related causes ⁷									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019	708	234.9	303.5	240	177.4	247.8	468	281.7	337.1
2018	742	258.6	332.0	263	204.0	282.4	479	303.1	359.9
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019	784	235.6	302.6	273	183.6	256.7	511	277.6	329.6
2018	827	261.3	334.4	304	214.9	298.0	523	298.9	352.9
2017	748	249.3	324.4	279	207.6	297.8	469	283.0	340.3
2016	735	258.0	335.5	262	205.4	297.7	473	300.6	358.5
2015	688	254.9	336.6	223	184.6	270.3	465	311.9	375.0
2014	694	272.5	361.2	219	192.2	290.1	475	337.5	403.6
2013	641	267.2	355.9	230	214.8	319.1	411	309.6	374.0
2012	617	273.5	364.6	200	199.1	302.7	417	333.2	397.3
2011	542	256.3	341.5	181	192.9	299.7	361	306.8	365.1
2010	519	261.3	349.0	172	196.0	293.5	347	312.9	377.0
2009	420	217.9	289.1	149	175.1	263.3	271	251.7	301.9
2008	433	234.2	316.6	150	184.2	293.7	283	273.5	326.4
2007	357	201.8	266.6	128	164.9	267.2	229	230.6	269.0
2006	361	212.0	283.3	124	166.7	270.0	237	247.2	292.8
2005	309	188.0	251.2	91	127.2	199.1	218	234.9	278.6
2004	205	129.8	174.1	68	99.4	159.6	137	153.1	181.1
2003	208	136.2	178.3	51	77.5	112.6	157	180.6	210.5
2002	208	140.7	181.4	78	123.1	191.7	130	153.8	176.8
2001	164	114.2	146.1	50	81.7	123.4	114	138.4	157.0
2000	160	114.3	138.5	53	89.1	123.7	107	133.0	147.4

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Dementia-related causes ⁷ —Con.									
Asian, non-Hispanic, single race ³ :									
2019	5,875	235.7	255.7	1,909	177.7	212.1	3,966	279.5	282.2
2018	5,455	230.2	252.6	1,762	172.5	209.3	3,693	274.0	279.4
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019	144	238.2	297.9	61	216.0	285.0	83	257.6	306.3
2018	125	220.1	280.1	50	188.3	247.2	75	248.0	300.5
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019	6,188	234.8	256.6	2,032	178.2	214.1	4,156	277.9	282.3
2018	5,737	229.2	253.1	1,883	173.8	212.0	3,854	271.5	278.5
2017	5,267	220.6	246.2	1,708	165.2	205.4	3,559	262.9	270.7
2016	4,837	217.0	243.8	1,568	162.3	203.5	3,269	258.8	268.5
2015	4,547	214.3	242.9	1,486	161.4	204.7	3,061	254.8	265.1
2014	4,103	208.1	238.1	1,323	154.6	198.9	2,780	249.2	261.6
2013	3,849	211.0	241.6	1,276	161.3	206.9	2,573	249.1	262.4
2012	3,491	205.9	239.4	1,158	157.7	207.0	2,333	242.7	259.1
2011	2,985	189.1	221.8	1,045	152.7	202.1	1,940	217.0	234.1
2010	2,618	178.2	214.7	937	147.2	198.1	1,681	201.8	224.7
2009	2,350	166.5	202.2	807	132.1	178.4	1,543	192.7	216.6
2008	2,117	158.1	194.4	726	125.4	170.7	1,391	182.9	208.7
2007	1,695	133.3	166.7	592	107.9	148.9	1,103	152.5	177.2
2006	1,684	139.6	176.9	612	117.7	165.1	1,072	156.1	183.7
2005	1,206	105.4	135.2	456	92.7	130.8	750	115.0	137.6
2004	982	90.9	118.8	348	75.1	107.6	634	102.7	125.7
2003	871	84.9	111.4	311	71.0	99.9	560	95.4	118.5
2002	716	73.8	99.1	271	65.4	95.0	445	80.0	101.9
2001	587	63.9	87.3	225	57.5	84.5	362	68.7	89.3
2000	533	62.3	87.3	208	57.0	83.2	325	66.2	89.9
Black, non-Hispanic, single race ³ :									
2019	21,120	424.2	502.9	6,811	338.1	463.2	14,309	482.7	518.1
2018	20,566	431.1	505.9	6,505	337.5	460.2	14,061	494.5	524.1
Black, non-Hispanic, bridged race ⁴ :									
2019	21,207	419.4	497.4	6,825	333.5	456.7	14,382	477.8	513.2
2018	20,655	426.4	500.6	6,530	333.5	454.8	14,125	489.4	518.9
2017	20,191	433.6	507.5	6,275	333.9	457.1	13,916	501.0	527.4
2016	19,119	428.8	497.8	5,995	333.8	454.8	13,124	493.0	513.2
2015	18,666	437.3	500.1	5,674	330.9	445.9	12,992	508.7	520.8
2014	17,963	440.7	499.1	5,500	337.1	453.0	12,463	509.9	516.6
2013	17,437	448.1	501.5	5,413	348.9	464.4	12,024	513.9	513.2
2012	16,540	444.8	492.8	5,001	339.1	451.2	11,539	514.2	506.9
2011	15,334	430.6	477.5	4,614	328.5	437.1	10,720	497.2	491.1
2010	13,914	405.3	447.8	4,225	313.5	416.0	9,689	464.6	457.7
2009	12,661	376.6	418.3	3,816	289.9	385.4	8,845	432.4	429.1
2008	12,391	377.9	421.6	3,725	291.2	387.2	8,666	433.4	431.8
2007	10,948	342.8	383.5	3,245	261.4	350.7	7,703	394.7	394.5
2006	10,390	332.3	373.1	3,099	255.6	341.8	7,291	380.9	382.3
2005	8,960	292.0	328.3	2,612	220.0	295.6	6,348	337.4	339.0
2004	7,718	256.7	290.6	2,273	196.1	267.4	5,445	294.7	298.4
2003	6,991	235.9	266.2	2,103	184.7	248.8	4,888	267.8	270.7
2002	6,213	212.8	238.6	1,854	165.8	221.7	4,359	242.0	242.9
2001	5,643	195.7	216.8	1,695	154.0	201.9	3,948	221.5	220.9
2000	4,994	176.4	192.2	1,522	141.3	181.6	3,472	197.9	195.5

See footnotes at end of table.

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Dementia-related causes ⁷ —Con.									
White, non-Hispanic, single race ³ :									
2019	223,916	544.1	555.3	74,026	397.9	465.6	149,890	664.7	610.6
2018	220,612	549.8	553.7	71,877	397.1	462.7	148,735	675.3	608.4
White, non-Hispanic, bridged race ⁴ :									
2019	224,257	541.8	553.4	74,134	396.1	463.9	150,123	661.9	608.6
2018	220,937	547.6	551.9	71,995	395.5	461.3	148,942	672.5	606.5
2017	218,090	554.8	553.6	70,419	398.0	463.2	147,671	683.1	607.2
2016	208,498	544.3	535.9	66,769	388.5	449.6	141,729	671.1	586.4
2015	206,199	552.4	536.6	65,820	394.1	452.1	140,379	680.7	585.5
2014	201,886	554.8	532.6	64,195	395.8	450.6	137,691	682.6	579.6
2013	197,980	559.0	529.0	62,419	397.1	448.2	135,561	688.2	574.2
2012	189,480	551.4	515.5	59,764	394.2	441.2	129,716	675.5	556.9
2011	182,242	551.0	503.9	56,756	391.6	429.1	125,486	675.4	544.1
2010	168,721	521.0	478.9	52,527	372.3	411.7	116,194	635.8	514.1
2009	152,952	478.3	440.4	47,269	340.6	377.4	105,683	583.8	473.4
2008	154,959	493.0	454.2	46,871	345.5	382.9	108,088	605.1	491.1
2007	135,505	440.5	404.0	40,611	307.7	340.1	94,894	540.3	436.6
2006	131,663	433.9	400.5	39,223	302.9	337.2	92,440	531.4	431.6
2005	113,414	377.3	352.4	32,619	255.6	289.1	80,795	467.2	383.7
2004	100,499	336.7	318.2	28,938	229.5	263.4	71,561	415.1	345.1
2003	97,921	329.7	313.5	28,032	224.6	259.6	69,889	405.9	339.1
2002	91,036	308.0	295.9	26,187	211.9	248.2	64,849	377.1	318.1
2001	82,514	279.7	271.1	23,943	195.0	231.0	58,571	340.1	289.2
2000	74,823	254.2	249.4	21,505	176.5	211.4	53,318	309.1	265.9
Hispanic ⁶ :									
2019	15,127	326.1	370.6	5,104	252.2	322.4	10,023	383.3	399.2
2018	14,609	330.7	370.2	5,007	260.6	328.0	9,602	384.5	393.8
2017	13,550	322.3	360.1	4,510	247.3	310.2	9,040	379.7	390.2
2016	12,422	313.0	350.7	4,159	242.1	303.9	8,263	367.1	377.8
2015	11,877	314.8	354.3	4,001	245.4	308.9	7,876	367.6	380.1
2014	11,372	320.2	363.2	3,882	253.6	322.3	7,490	370.7	386.4
2013	10,549	316.7	361.4	3,482	243.2	311.3	7,067	372.1	389.5
2012	9,720	309.2	357.1	3,294	244.8	317.0	6,426	357.4	379.2
2011	8,603	289.8	337.8	2,897	228.7	298.2	5,706	335.2	359.6
2010	7,580	272.5	326.5	2,641	223.5	299.0	4,939	308.7	340.9
2009	6,372	238.1	287.4	2,122	187.1	251.8	4,250	275.7	307.0
2008	6,229	244.7	298.6	2,048	190.1	255.9	4,181	284.8	320.3
2007	5,078	209.6	258.3	1,717	167.7	232.2	3,361	240.2	271.7
2006	4,912	212.1	264.3	1,673	171.2	238.2	3,239	242.0	276.7
2005	3,780	170.7	215.8	1,311	140.5	199.5	2,469	192.7	223.1
2004	3,163	149.8	192.1	1,021	114.9	165.4	2,142	175.1	205.6
2003	2,918	144.6	185.5	993	117.1	170.0	1,925	164.4	193.1
2002	2,402	124.7	161.9	814	100.7	148.7	1,588	142.0	168.3
2001	2,114	114.8	148.7	702	90.9	132.8	1,412	132.1	156.4
2000	1,800	103.8	133.5	633	87.1	124.1	1,167	115.9	137.3

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Drug-induced causes ⁷									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019.....	30	10.0	9.1	12	*	*	18	*	*
2018.....	23	8.0	7.6	13	*	*	10	*	*
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019.....	37	11.1	10.1	17	*	*	20	10.9	9.8
2018.....	28	8.8	8.4	18	*	*	10	*	*
2017.....	23	7.7	6.6	14	*	*	*	*	*
2016.....	23	8.1	7.9	*	*	*	15	*	*
2015.....	19	*	*	12	*	*	*	*	*
2014.....	16	*	*	*	*	*	*	*	*
2013.....	12	*	*	*	*	*	*	*	*
2012.....	13	*	*	*	*	*	*	*	*
2011.....	10	*	*	*	*	*	*	*	*
2010.....	*	*	*	*	*	*	*	*	*
2009.....	*	*	*	*	*	*	*	*	*
2008.....	*	*	*	*	*	*	*	*	*
2007.....	11	*	*	*	*	*	*	*	*
2006.....	22	12.9	13.4	*	*	*	14	*	*
2005.....	16	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*
Asian, non-Hispanic, single race ³ :									
2019.....	47	1.9	1.9	24	2.2	2.2	23	1.6	1.6
2018.....	47	2.0	2.0	29	2.8	2.9	18	*	*
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	*	*	*	*	*	*	*	*	*
2018.....	*	*	*	*	*	*	*	*	*
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	60	2.3	2.2	31	2.7	2.6	29	1.9	1.9
2018.....	58	2.3	2.3	37	3.4	3.4	21	1.5	1.5
2017.....	51	2.1	2.1	19	*	*	32	2.4	2.4
2016.....	43	1.9	1.9	27	2.8	2.9	16	*	*
2015.....	49	2.3	2.4	24	2.6	2.6	25	2.1	2.1
2014.....	35	1.8	1.8	20	2.3	2.3	15	*	*
2013.....	31	1.7	1.8	20	2.5	2.8	11	*	*
2012.....	31	1.8	1.8	17	*	*	14	*	*
2011.....	28	1.8	1.8	12	*	*	16	*	*
2010.....	27	1.8	2.0	16	*	*	11	*	*
2009.....	34	2.4	2.5	15	*	*	19	*	*
2008.....	21	1.6	1.6	11	*	*	10	*	*
2007.....	15	*	*	*	*	*	11	*	*
2006.....	40	3.3	3.5	20	3.8	4.3	20	2.9	2.9
2005.....	25	2.2	2.4	14	*	*	11	*	*
2004.....	23	2.1	2.4	12	*	*	11	*	*
2003.....	15	*	*	*	*	*	*	*	*
2002.....	29	3.0	3.2	16	*	*	13	*	*
2001.....	14	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Drug-induced causes ⁷ —Con.									
Black, non-Hispanic, single race ³ :									
2019.....	1,051	21.1	18.5	831	41.2	34.5	220	7.4	6.9
2018.....	875	18.3	16.2	687	35.6	29.7	188	6.6	6.2
Black, non-Hispanic, bridged race ⁴ :									
2019.....	1,057	20.9	18.4	835	40.8	34.2	222	7.4	6.8
2018.....	879	18.1	16.0	690	35.2	29.4	189	6.5	6.1
2017.....	678	14.6	13.0	538	28.6	24.2	140	5.0	4.7
2016.....	528	11.8	10.6	406	22.6	19.1	122	4.6	4.3
2015.....	378	8.9	8.1	275	16.0	13.9	103	4.0	3.8
2014.....	286	7.0	6.5	196	12.0	10.4	90	3.7	3.6
2013.....	244	6.3	5.8	171	11.0	9.6	73	3.1	3.1
2012.....	197	5.3	5.1	132	9.0	8.1	65	2.9	2.9
2011.....	170	4.8	4.6	104	7.4	6.7	66	3.1	3.1
2010.....	164	4.8	4.6	112	8.3	7.5	52	2.5	2.4
2009.....	153	4.6	4.5	106	8.1	7.6	47	2.3	2.3
2008.....	154	4.7	4.5	102	8.0	7.3	52	2.6	2.6
2007.....	157	4.9	4.8	97	7.8	7.0	60	3.1	3.1
2006.....	193	6.2	6.1	118	9.7	9.0	75	3.9	4.0
2005.....	146	4.8	4.8	91	7.7	7.3	55	2.9	2.9
2004.....	136	4.5	4.5	93	8.0	8.1	43	2.3	2.3
2003.....	116	3.9	3.8	79	6.9	6.9	37	2.0	2.0
2002.....	86	2.9	3.0	52	4.7	4.5	34	1.9	1.9
2001.....	97	3.4	3.4	57	5.2	5.3	40	2.2	2.2
2000.....	94	3.3	3.4	54	5.0	5.2	40	2.3	2.3
White, non-Hispanic, single race ³ :									
2019.....	3,621	8.8	8.5	2,025	10.9	10.2	1,596	7.1	7.0
2018.....	3,279	8.2	7.9	1,758	9.7	9.2	1,521	6.9	6.8
White, non-Hispanic, bridged race ⁴ :									
2019.....	3,630	8.8	8.5	2,029	10.8	10.1	1,601	7.1	7.0
2018.....	3,290	8.2	7.9	1,768	9.7	9.2	1,522	6.9	6.8
2017.....	3,091	7.9	7.6	1,599	9.0	8.5	1,492	6.9	6.8
2016.....	2,790	7.3	7.0	1,397	8.1	7.7	1,393	6.6	6.4
2015.....	2,557	6.9	6.7	1,271	7.6	7.4	1,286	6.2	6.2
2014.....	2,414	6.6	6.5	1,099	6.8	6.6	1,315	6.5	6.5
2013.....	2,266	6.4	6.3	1,075	6.8	6.7	1,191	6.0	6.0
2012.....	2,024	5.9	5.8	931	6.1	6.0	1,093	5.7	5.7
2011.....	1,829	5.5	5.5	817	5.6	5.6	1,012	5.4	5.4
2010.....	1,641	5.1	5.0	685	4.9	4.9	956	5.2	5.2
2009.....	1,708	5.3	5.3	751	5.4	5.4	957	5.3	5.3
2008.....	1,574	5.0	5.0	677	5.0	5.0	897	5.0	5.0
2007.....	1,423	4.6	4.6	619	4.7	4.7	804	4.6	4.6
2006.....	1,878	6.2	6.1	855	6.6	6.8	1,023	5.9	5.8
2005.....	1,699	5.7	5.6	801	6.3	6.5	898	5.2	5.1
2004.....	1,462	4.9	4.9	645	5.1	5.3	817	4.7	4.7
2003.....	1,358	4.6	4.5	608	4.9	5.0	750	4.4	4.3
2002.....	1,206	4.1	4.0	514	4.2	4.3	692	4.0	4.0
2001.....	1,048	3.6	3.5	460	3.7	3.8	588	3.4	3.4
2000.....	1,018	3.5	3.4	436	3.6	3.7	582	3.4	3.3

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Drug-induced causes ⁷ —Con.									
Hispanic ⁶ :									
2019.....	260	5.6	5.2	193	9.5	8.5	67	2.6	2.4
2018.....	238	5.4	4.9	166	8.6	7.7	72	2.9	2.7
2017.....	211	5.0	4.7	142	7.8	7.0	69	2.9	2.8
2016.....	153	3.9	3.6	99	5.8	5.2	54	2.4	2.3
2015.....	156	4.1	3.9	99	6.1	5.6	57	2.7	2.6
2014.....	138	3.9	3.7	88	5.7	5.4	50	2.5	2.4
2013.....	127	3.8	3.7	72	5.0	4.7	55	2.9	2.9
2012.....	113	3.6	3.4	69	5.1	4.9	44	2.4	2.4
2011.....	95	3.2	3.1	47	3.7	3.6	48	2.8	2.8
2010.....	110	4.0	3.9	60	5.1	5.0	50	3.1	3.1
2009.....	88	3.3	3.3	45	4.0	3.8	43	2.8	2.8
2008.....	84	3.3	3.2	47	4.4	4.1	37	2.5	2.5
2007.....	64	2.6	2.5	46	4.5	4.2	18	*	*
2006.....	84	3.6	3.8	46	4.7	5.0	38	2.8	2.9
2005.....	90	4.1	4.1	49	5.3	5.5	41	3.2	3.3
2004.....	75	3.6	3.7	47	5.3	5.7	28	2.3	2.4
2003.....	72	3.6	3.7	46	5.4	5.6	26	2.2	2.3
2002.....	58	3.0	3.0	32	4.0	4.0	26	2.3	2.2
2001.....	45	2.4	2.4	26	3.4	3.3	19	*	*
2000.....	33	1.9	2.0	18	*	*	15	*	*
Drug overdose causes ⁷									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019.....	26	8.6	7.7	10	*	*	16	*	*
2018.....	16	*	*	11	*	*	*	*	*
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019.....	31	9.3	8.3	13	*	*	18	*	*
2018.....	19	*	*	14	*	*	*	*	*
2017.....	18	*	*	*	*	*	*	*	*
2016.....	21	7.4	6.9	*	*	*	14	*	*
2015.....	15	*	*	*	*	*	*	*	*
2014.....	13	*	*	*	*	*	*	*	*
2013.....	11	*	*	*	*	*	*	*	*
2012.....	12	*	*	*	*	*	*	*	*
2011.....	*	*	*	*	*	*	*	*	*
2010.....	*	*	*	*	*	*	*	*	*
2009.....	*	*	*	*	*	*	*	*	*
2008.....	*	*	*	*	*	*	*	*	*
2007.....	10	*	*	*	*	*	*	*	*
2006.....	11	*	*	*	*	*	*	*	*
2005.....	10	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	—	*	*
2001.....	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	—	*	*	*	*	*

See footnotes at end of table.

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Drug overdose causes ⁷ —Con.									
Asian, non-Hispanic, single race ³ :									
2019.....	40	1.6	1.6	22	2.0	2.1	18	*	*
2018.....	39	1.6	1.6	23	2.3	2.3	16	*	*
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	*	*	*	—	*	*	*	*	*
2018.....	*	*	*	*	*	*	*	*	*
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	48	1.8	1.8	26	2.3	2.2	22	1.5	1.4
2018.....	49	2.0	2.0	30	2.8	2.8	19	*	*
2017.....	46	1.9	1.9	16	*	*	30	2.2	2.3
2016.....	36	1.6	1.6	21	2.2	2.2	15	*	*
2015.....	45	2.1	2.1	23	2.5	2.5	22	1.8	1.9
2014.....	32	1.6	1.6	17	*	*	15	*	*
2013.....	25	1.4	1.4	15	*	*	10	*	*
2012.....	29	1.7	1.7	16	*	*	13	*	*
2011.....	26	1.6	1.7	12	*	*	14	*	*
2010.....	22	1.5	1.6	11	*	*	11	*	*
2009.....	33	2.3	2.4	15	*	*	18	*	*
2008.....	19	*	*	*	*	*	10	*	*
2007.....	14	*	*	*	*	*	10	*	*
2006.....	25	2.1	2.1	*	*	*	16	*	*
2005.....	22	1.9	2.1	12	*	*	10	*	*
2004.....	18	*	*	*	*	*	10	*	*
2003.....	14	*	*	*	*	*	*	*	*
2002.....	24	2.5	2.6	13	*	*	11	*	*
2001.....	12	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*
Black, non-Hispanic, single race ³ :									
2019.....	939	18.9	16.5	737	36.6	30.5	202	6.8	6.2
2018.....	764	16.0	14.0	601	31.2	25.8	163	5.7	5.3
Black, non-Hispanic, bridged race ⁴ :									
2019.....	944	18.7	16.3	740	36.2	30.1	204	6.8	6.2
2018.....	768	15.9	13.9	604	30.8	25.5	164	5.7	5.2
2017.....	589	12.6	11.2	468	24.9	20.9	121	4.4	4.0
2016.....	465	10.4	9.2	353	19.7	16.4	112	4.2	4.0
2015.....	313	7.3	6.7	225	13.1	11.3	88	3.4	3.2
2014.....	245	6.0	5.5	167	10.2	8.9	78	3.2	3.1
2013.....	216	5.6	5.1	153	9.9	8.6	63	2.7	2.7
2012.....	162	4.4	4.2	107	7.3	6.6	55	2.5	2.4
2011.....	139	3.9	3.8	82	5.8	5.3	57	2.6	2.7
2010.....	138	4.0	3.9	90	6.7	6.1	48	2.3	2.3
2009.....	113	3.4	3.3	73	5.5	5.2	40	2.0	1.9
2008.....	128	3.9	3.7	83	6.5	6.0	45	2.3	2.2
2007.....	128	4.0	3.9	79	6.4	5.8	49	2.5	2.6
2006.....	120	3.8	3.8	72	5.9	5.4	48	2.5	2.5
2005.....	97	3.2	3.0	64	5.4	4.8	33	1.8	1.8
2004.....	90	3.0	3.0	56	4.8	4.5	34	1.8	1.8
2003.....	94	3.2	3.1	64	5.6	5.6	30	1.6	1.6
2002.....	63	2.2	2.2	37	3.3	3.2	26	1.4	1.4
2001.....	75	2.6	2.6	42	3.8	3.8	33	1.9	1.8
2000.....	70	2.5	2.5	40	3.7	3.9	30	1.7	1.7

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Drug overdose causes ⁷ —Con.									
White, non-Hispanic, single race ³ :									
2019	3,141	7.6	7.4	1,730	9.3	8.7	1,411	6.3	6.2
2018	2,857	7.1	6.9	1,516	8.4	7.8	1,341	6.1	6.0
White, non-Hispanic, bridged race ⁴ :									
2019	3,149	7.6	7.3	1,733	9.3	8.6	1,416	6.2	6.2
2018	2,865	7.1	6.9	1,523	8.4	7.8	1,342	6.1	5.9
2017	2,651	6.7	6.5	1,316	7.4	6.9	1,335	6.2	6.1
2016	2,387	6.2	6.0	1,175	6.8	6.5	1,212	5.7	5.6
2015	2,225	6.0	5.8	1,081	6.5	6.2	1,144	5.5	5.5
2014	2,138	5.9	5.7	941	5.8	5.6	1,197	5.9	5.9
2013	1,959	5.5	5.4	898	5.7	5.6	1,061	5.4	5.4
2012	1,781	5.2	5.1	791	5.2	5.1	990	5.2	5.2
2011	1,629	4.9	4.9	697	4.8	4.8	932	5.0	5.1
2010	1,456	4.5	4.5	589	4.2	4.2	867	4.7	4.8
2009	1,481	4.6	4.6	621	4.5	4.4	860	4.8	4.8
2008	1,356	4.3	4.3	563	4.1	4.2	793	4.4	4.5
2007	1,225	4.0	4.0	518	3.9	3.9	707	4.0	4.1
2006	1,107	3.6	3.6	438	3.4	3.4	669	3.8	3.8
2005	1,011	3.4	3.3	430	3.4	3.4	581	3.4	3.3
2004	931	3.1	3.1	362	2.9	2.9	569	3.3	3.3
2003	903	3.0	3.0	357	2.9	2.9	546	3.2	3.1
2002	913	3.1	3.1	374	3.0	3.1	539	3.1	3.1
2001	779	2.6	2.6	327	2.7	2.7	452	2.6	2.6
2000	749	2.5	2.6	306	2.5	2.6	443	2.6	2.5
Hispanic ⁶ :									
2019	238	5.1	4.7	176	8.7	7.7	62	2.4	2.2
2018	219	5.0	4.6	152	7.9	7.0	67	2.7	2.6
2017	181	4.3	4.0	124	6.8	6.1	57	2.4	2.3
2016	133	3.4	3.2	85	4.9	4.5	48	2.1	2.1
2015	136	3.6	3.4	84	5.2	4.8	52	2.4	2.4
2014	117	3.3	3.1	70	4.6	4.3	47	2.3	2.3
2013	111	3.3	3.2	64	4.5	4.2	47	2.5	2.5
2012	95	3.0	2.9	53	3.9	3.8	42	2.3	2.3
2011	79	2.7	2.5	35	2.8	2.6	44	2.6	2.5
2010	90	3.2	3.2	44	3.7	3.6	46	2.9	2.9
2009	80	3.0	2.9	39	3.4	3.3	41	2.7	2.6
2008	70	2.8	2.7	36	3.3	3.1	34	2.3	2.3
2007	54	2.2	2.2	37	3.6	3.5	17	*	*
2006	55	2.4	2.5	27	2.8	3.0	28	2.1	2.2
2005	60	2.7	2.7	30	3.2	3.2	30	2.3	2.4
2004	54	2.6	2.6	31	3.5	3.6	23	1.9	2.0
2003	48	2.4	2.5	27	3.2	3.3	21	1.8	1.9
2002	47	2.4	2.4	25	3.1	3.1	22	2.0	1.9
2001	34	1.8	1.7	19	*	*	15	*	*
2000	28	1.6	1.7	15	*	*	13	*	*

See footnotes at end of table.

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Alcohol-induced causes ⁷									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019.....	127	42.1	37.6	81	59.9	53.2	46	27.7	24.9
2018.....	158	55.1	51.8	96	74.5	72.1	62	39.2	35.9
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019.....	134	40.3	36.0	87	58.5	51.9	47	25.5	22.9
2018.....	171	54.0	51.0	109	77.0	75.1	62	35.4	32.4
2017.....	136	45.3	39.9	96	71.4	61.6	40	24.1	21.9
2016.....	155	54.4	49.8	100	78.4	70.2	55	35.0	32.8
2015.....	116	43.0	40.7	81	67.0	62.8	35	23.5	22.6
2014.....	109	42.8	38.6	73	64.1	56.1	36	25.6	23.9
2013.....	99	41.3	39.1	70	65.4	59.5	29	21.8	21.9
2012.....	111	49.2	46.7	76	75.7	72.5	35	28.0	26.5
2011.....	86	40.7	37.4	71	75.7	67.2	15	*	*
2010.....	85	42.8	39.6	66	75.2	69.6	19	*	*
2009.....	78	40.5	37.2	49	57.6	49.3	29	26.9	26.1
2008.....	85	46.0	45.1	56	68.8	67.9	29	28.0	28.2
2007.....	71	40.1	37.4	50	64.4	58.6	21	21.1	20.0
2006.....	73	42.9	40.2	49	65.9	58.1	24	25.0	24.9
2005.....	65	39.5	37.6	44	61.5	59.0	21	22.6	21.7
2004.....	70	44.3	41.5	49	71.6	67.8	21	23.5	21.6
2003.....	62	40.6	37.3	42	63.8	57.9	20	23.0	21.3
2002.....	61	41.3	37.3	43	67.8	59.2	18	*	*
2001.....	58	40.4	38.1	41	67.0	66.3	17	*	*
2000.....	53	37.9	35.6	36	60.5	56.5	17	*	*
Asian, non-Hispanic, single race ³ :									
2019.....	108	4.3	4.3	89	8.3	8.2	19	*	*
2018.....	98	4.1	4.1	83	8.1	7.9	15	*	*
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	*	*	*	*	*	*	*	*	*
2018.....	*	*	*	*	*	*	—	*	*
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	122	4.6	4.5	100	8.8	8.6	22	1.5	1.5
2018.....	109	4.4	4.3	94	8.7	8.5	15	*	*
2017.....	101	4.2	4.1	82	7.9	7.8	19	*	*
2016.....	82	3.7	3.6	63	6.5	6.4	19	*	*
2015.....	63	3.0	2.8	52	5.6	5.4	11	*	*
2014.....	73	3.7	3.7	64	7.5	7.3	*	*	*
2013.....	55	3.0	2.8	50	6.3	5.9	*	*	*
2012.....	60	3.5	3.4	52	7.1	6.8	*	*	*
2011.....	63	4.0	3.8	51	7.5	7.0	12	*	*
2010.....	37	2.5	2.5	29	4.6	4.5	*	*	*
2009.....	46	3.3	3.2	36	5.9	5.6	10	*	*
2008.....	46	3.4	3.4	37	6.4	6.3	*	*	*
2007.....	40	3.1	3.2	29	5.3	5.4	11	*	*
2006.....	46	3.8	3.7	36	6.9	6.7	10	*	*
2005.....	45	3.9	3.8	36	7.3	7.0	*	*	*
2004.....	51	4.7	4.7	43	9.3	9.2	*	*	*
2003.....	28	2.7	2.7	25	5.7	5.7	*	*	*
2002.....	42	4.3	4.3	31	7.5	7.6	11	*	*
2001.....	30	3.3	3.4	25	6.4	6.7	*	*	*
2000.....	28	3.3	3.4	18	*	*	10	*	*

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Alcohol-induced causes ⁷ —Con.									
Black, non-Hispanic, single race ³ :									
2019	797	16.0	14.7	627	31.1	28.0	170	5.7	5.4
2018	724	15.2	14.0	586	30.4	27.6	138	4.9	4.5
Black, non-Hispanic, bridged race ⁴ :									
2019	799	15.8	14.5	628	30.7	27.5	171	5.7	5.3
2018	726	15.0	13.9	588	30.0	27.2	138	4.8	4.5
2017	692	14.9	14.0	548	29.2	26.9	144	5.2	4.9
2016	652	14.6	13.8	516	28.7	26.8	136	5.1	4.8
2015	598	14.0	13.2	468	27.3	25.1	130	5.1	4.9
2014	526	12.9	12.1	417	25.6	23.3	109	4.5	4.2
2013	489	12.6	11.9	399	25.7	23.5	90	3.8	3.9
2012	475	12.8	12.3	370	25.1	23.6	105	4.7	4.7
2011	414	11.6	11.1	318	22.6	21.0	96	4.5	4.3
2010	412	12.0	11.5	318	23.6	22.1	94	4.5	4.5
2009	431	12.8	12.2	333	25.3	23.1	98	4.8	4.7
2008	422	12.9	12.3	336	26.3	24.2	86	4.3	4.2
2007	420	13.2	12.7	347	27.9	26.2	73	3.7	3.7
2006	369	11.8	11.3	284	23.4	21.6	85	4.4	4.4
2005	404	13.2	12.8	307	25.9	24.4	97	5.2	5.1
2004	429	14.3	13.6	338	29.2	26.2	91	4.9	4.9
2003	386	13.0	12.6	291	25.6	24.1	95	5.2	5.2
2002	423	14.5	14.1	333	29.8	28.1	90	5.0	5.0
2001	460	16.0	15.4	358	32.5	30.4	102	5.7	5.7
2000	467	16.5	16.0	363	33.7	31.9	104	5.9	5.9
White, non-Hispanic, single race ³ :									
2019	7,366	17.9	17.4	5,509	29.6	28.3	1,857	8.2	8.2
2018	7,066	17.6	17.1	5,241	29.0	27.6	1,825	8.3	8.2
White, non-Hispanic, bridged race ⁴ :									
2019	7,386	17.8	17.4	5,523	29.5	28.2	1,863	8.2	8.2
2018	7,087	17.6	17.1	5,254	28.9	27.5	1,833	8.3	8.2
2017	6,470	16.5	16.0	4,904	27.7	26.4	1,566	7.2	7.2
2016	6,081	15.9	15.5	4,602	26.8	25.6	1,479	7.0	7.0
2015	5,533	14.8	14.6	4,213	25.2	24.2	1,320	6.4	6.4
2014	4,950	13.6	13.4	3,782	23.3	22.5	1,168	5.8	5.8
2013	4,552	12.9	12.8	3,426	21.8	21.1	1,126	5.7	5.8
2012	4,181	12.2	12.2	3,115	20.5	20.0	1,066	5.6	5.7
2011	3,834	11.6	11.7	2,891	19.9	19.5	943	5.1	5.3
2010	3,849	11.9	12.0	2,871	20.3	19.8	978	5.4	5.5
2009	3,562	11.1	11.2	2,667	19.2	18.8	895	4.9	5.1
2008	3,616	11.5	11.6	2,721	20.1	19.7	895	5.0	5.2
2007	3,448	11.2	11.4	2,593	19.6	19.3	855	4.9	5.1
2006	3,343	11.0	11.2	2,456	19.0	18.7	887	5.1	5.3
2005	3,261	10.8	11.0	2,374	18.6	18.3	887	5.1	5.4
2004	3,350	11.2	11.4	2,507	19.9	19.5	843	4.9	5.1
2003	3,250	10.9	11.1	2,411	19.3	18.8	839	4.9	5.0
2002	3,252	11.0	11.1	2,355	19.1	18.6	897	5.2	5.4
2001	3,280	11.1	11.2	2,392	19.5	19.1	888	5.2	5.4
2000	3,366	11.4	11.5	2,498	20.5	20.0	868	5.0	5.2

See footnotes at end of table.

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Alcohol-induced causes ⁷ —Con.									
Hispanic ⁶ :									
2019.....	1,025	22.1	21.1	842	41.6	39.8	183	7.0	6.7
2018.....	942	21.3	20.4	811	42.2	40.1	131	5.2	5.0
2017.....	886	21.1	20.3	744	40.8	39.1	142	6.0	5.7
2016.....	876	22.1	21.4	739	43.0	41.7	137	6.1	6.0
2015.....	820	21.7	21.0	685	42.0	40.3	135	6.3	6.1
2014.....	735	20.7	19.9	602	39.3	37.5	133	6.6	6.4
2013.....	632	19.0	18.5	521	36.4	35.2	111	5.8	5.8
2012.....	597	19.0	18.3	487	36.2	34.4	110	6.1	6.0
2011.....	573	19.3	18.8	487	38.4	37.3	86	5.1	5.0
2010.....	558	20.1	19.5	476	40.3	38.8	82	5.1	5.1
2009.....	523	19.5	18.7	432	38.1	36.0	91	5.9	5.8
2008.....	460	18.1	17.4	381	35.4	33.8	79	5.4	5.3
2007.....	517	21.3	20.7	436	42.6	41.1	81	5.8	5.7
2006.....	468	20.2	19.8	382	39.1	38.0	86	6.4	6.5
2005.....	466	21.0	20.0	401	43.0	40.8	65	5.1	4.8
2004.....	388	18.4	17.6	313	35.2	33.6	75	6.1	6.0
2003.....	405	20.1	19.2	316	37.3	35.4	89	7.6	7.4
2002.....	425	22.1	20.9	354	43.8	40.6	71	6.3	6.3
2001.....	419	22.8	21.7	356	46.1	43.2	63	5.9	5.9
2000.....	418	24.1	22.7	371	51.0	47.4	47	4.7	4.5
Injury by firearms ⁷									
American Indian and Alaska Native, non-Hispanic, single race ³ :									
2019.....	19	*	*	17	*	*	*	*	*
2018.....	23	8.0	8.0	20	15.5	15.9	*	*	*
American Indian and Alaska Native, non-Hispanic, bridged race ⁴ :									
2019.....	22	6.6	6.7	20	13.5	14.1	*	*	*
2018.....	32	10.1	9.9	29	20.5	20.5	*	*	*
2017.....	17	*	*	16	*	*	*	*	*
2016.....	20	7.0	7.6	18	*	*	*	*	*
2015.....	24	8.9	9.6	19	*	*	*	*	*
2014.....	19	*	*	18	*	*	*	*	*
2013.....	18	*	*	16	*	*	*	*	*
2012.....	16	*	*	14	*	*	*	*	*
2011.....	15	*	*	13	*	*	*	*	*
2010.....	11	*	*	*	*	*	*	*	*
2009.....	12	*	*	*	*	*	*	*	*
2008.....	16	*	*	14	*	*	*	*	*
2007.....	12	*	*	*	*	*	*	*	*
2006.....	10	*	*	10	*	*	—	*	*
2005.....	11	*	*	*	*	*	*	*	*
2004.....	10	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*
2001.....	11	*	*	10	*	*	*	*	*
2000.....	10	*	*	*	*	*	*	*	*

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Injury by firearms ⁷ —Con.									
Asian, non-Hispanic, single race ³ :									
2019.....	42	1.7	1.8	30	2.8	3.0	12	*	*
2018.....	52	2.2	2.2	41	4.0	4.0	11	*	*
Native Hawaiian or Other Pacific Islander, non-Hispanic, single race ³ :									
2019.....	*	*	*	*	*	*	—	*	*
2018.....	*	*	*	*	*	*	—	*	*
Asian or Pacific Islander, non-Hispanic, bridged race ^{4,5} :									
2019.....	46	1.7	1.8	34	3.0	3.2	12	*	*
2018.....	57	2.3	2.3	46	4.2	4.3	11	*	*
2017.....	54	2.3	2.2	41	4.0	3.8	13	*	*
2016.....	45	2.0	2.0	37	3.8	3.9	*	*	*
2015.....	41	1.9	1.9	34	3.7	3.6	*	*	*
2014.....	36	1.8	1.8	30	3.5	3.4	*	*	*
2013.....	21	1.2	1.2	18	*	*	*	*	*
2012.....	38	2.2	2.3	30	4.1	4.1	*	*	*
2011.....	33	2.1	2.0	27	3.9	3.9	*	*	*
2010.....	24	1.6	1.6	24	3.8	3.8	—	*	*
2009.....	32	2.3	2.3	29	4.7	4.9	*	*	*
2008.....	31	2.3	2.3	25	4.3	4.5	*	*	*
2007.....	29	2.3	2.2	24	4.4	4.4	*	*	*
2006.....	18	*	*	17	*	*	*	*	*
2005.....	16	*	*	13	*	*	*	*	*
2004.....	22	2.0	2.0	20	4.3	4.1	*	*	*
2003.....	22	2.1	2.1	17	*	*	*	*	*
2002.....	22	2.3	2.3	18	*	*	*	*	*
2001.....	26	2.8	2.9	21	5.4	5.5	*	*	*
2000.....	17	*	*	13	*	*	*	*	*
Black, non-Hispanic, single race ³ :									
2019.....	268	5.4	5.2	239	11.9	11.6	29	1.0	0.9
2018.....	245	5.1	5.1	201	10.4	10.7	44	1.5	1.5
Black, non-Hispanic, bridged race ⁴ :									
2019.....	271	5.4	5.2	242	11.8	11.5	29	1.0	0.9
2018.....	246	5.1	5.1	202	10.3	10.6	44	1.5	1.4
2017.....	237	5.1	4.9	199	10.6	10.4	38	1.4	1.4
2016.....	237	5.3	5.2	196	10.9	10.8	41	1.5	1.5
2015.....	207	4.8	4.9	177	10.3	10.8	30	1.2	1.2
2014.....	217	5.3	5.3	181	11.1	11.2	36	1.5	1.5
2013.....	164	4.2	4.1	142	9.2	9.3	22	0.9	0.9
2012.....	197	5.3	5.4	168	11.4	11.7	29	1.3	1.4
2011.....	173	4.9	4.8	152	10.8	11.1	21	1.0	1.0
2010.....	147	4.3	4.3	128	9.5	9.7	19	*	*
2009.....	182	5.4	5.5	165	12.5	13.1	17	*	*
2008.....	196	6.0	6.0	170	13.3	13.5	26	1.3	1.3
2007.....	164	5.1	5.1	139	11.2	11.1	25	1.3	1.3
2006.....	181	5.8	5.8	161	13.3	13.8	20	1.0	1.0
2005.....	187	6.1	6.1	161	13.6	14.0	26	1.4	1.4
2004.....	188	6.3	6.3	173	14.9	15.0	15	*	*
2003.....	173	5.8	5.8	139	12.2	12.3	34	1.9	1.8
2002.....	177	6.1	6.1	155	13.9	14.5	22	1.2	1.2
2001.....	188	6.5	6.5	162	14.7	14.9	26	1.5	1.5
2000.....	176	6.2	6.1	152	14.1	13.7	24	1.4	1.4

See footnotes at end of table.

Table. Number of deaths, death rate, and age-adjusted death rate for adults age 65 and older, by sex and race and Hispanic origin for the 10 leading causes of death, suicide, dementia-related causes, drug-induced causes, drug overdose causes, alcohol-induced causes, and injury by firearms: United States, 2000–2019—Con.

Cause of death (based on <i>International Classification of Diseases, 10th Revision</i>), race and Hispanic origin, and year	Both sexes			Men			Women		
	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²	Number of deaths	Death rate ¹	Age-adjusted rate ²
Injury by firearms ⁷ —Con.									
White, non-Hispanic, single race ³ :									
2019	6,435	15.6	15.9	5,733	30.8	32.1	702	3.1	3.1
2018	6,447	16.1	16.3	5,746	31.7	32.8	701	3.2	3.2
White, non-Hispanic, bridged race ⁴ :									
2019	6,443	15.6	15.8	5,740	30.7	32.0	703	3.1	3.1
2018	6,455	16.0	16.2	5,754	31.6	32.7	701	3.2	3.2
2017	6,084	15.5	15.7	5,431	30.7	31.9	653	3.0	3.0
2016	5,796	15.1	15.3	5,160	30.0	31.2	636	3.0	3.0
2015	5,591	15.0	15.2	4,980	29.8	30.9	611	3.0	3.0
2014	5,437	14.9	15.0	4,856	29.9	30.8	581	2.9	2.9
2013	5,228	14.8	14.9	4,652	29.6	30.4	576	2.9	3.0
2012	4,866	14.2	14.3	4,350	28.7	29.5	516	2.7	2.7
2011	4,628	14.0	14.0	4,122	28.4	29.1	506	2.7	2.8
2010	4,372	13.5	13.5	3,898	27.6	28.2	474	2.6	2.6
2009	4,344	13.6	13.6	3,877	27.9	28.4	467	2.6	2.6
2008	4,183	13.3	13.3	3,759	27.7	28.2	424	2.4	2.4
2007	3,957	12.9	12.8	3,568	27.0	27.6	389	2.2	2.3
2006	3,880	12.8	12.8	3,502	27.0	27.5	378	2.2	2.2
2005	3,994	13.3	13.2	3,581	28.1	28.6	413	2.4	2.4
2004	3,859	12.9	12.8	3,459	27.4	28.0	400	2.3	2.4
2003	3,921	13.2	13.1	3,536	28.3	29.0	385	2.2	2.3
2002	4,070	13.8	13.7	3,680	29.8	30.5	390	2.3	2.3
2001	4,018	13.6	13.6	3,604	29.3	30.1	414	2.4	2.4
2000	3,949	13.4	13.4	3,533	29.0	30.1	416	2.4	2.5
Hispanic ⁶ :									
2019	163	3.5	3.5	146	7.2	7.4	17	*	*
2018	187	4.2	4.3	171	8.9	9.3	16	*	*
2017	164	3.9	4.0	147	8.1	8.4	17	*	*
2016	158	4.0	4.1	144	8.4	8.8	14	*	*
2015	166	4.4	4.4	149	9.1	9.4	17	*	*
2014	131	3.7	3.8	120	7.8	8.2	11	*	*
2013	127	3.8	3.8	116	8.1	8.4	11	*	*
2012	142	4.5	4.6	131	9.7	10.3	11	*	*
2011	134	4.5	4.6	122	9.6	10.0	12	*	*
2010	129	4.6	4.8	117	9.9	10.6	12	*	*
2009	140	5.2	5.4	122	10.8	11.7	18	*	*
2008	124	4.9	5.0	111	10.3	10.8	13	*	*
2007	123	5.1	5.2	115	11.2	11.9	*	*	*
2006	84	3.6	3.9	78	8.0	9.0	*	*	*
2005	106	4.8	4.9	95	10.2	10.9	11	*	*
2004	104	4.9	5.0	92	10.4	10.9	12	*	*
2003	99	4.9	5.0	92	10.9	11.3	*	*	*
2002	108	5.6	5.7	102	12.6	13.5	*	*	*
2001	101	5.5	5.5	93	12.0	12.6	*	*	*
2000	101	5.8	5.8	89	12.2	12.7	12	*	*

* Estimate does not meet National Center for Health Statistics standards of reliability.

— Quantity zero.

¹Rates are on an annual basis per 100,000 population in specified group.²Age-adjusted rates are per 100,000 U.S. standard population.³Only one race was reported on the death certificate. Race and Hispanic-origin categories are consistent with the 1997 Office of Management and Budget (OMB) standards; see Technical Notes in this report.⁴Multiple-race data reported according to the 1997 OMB standards were bridged to single-race categories of the 1977 OMB standards. Race and Hispanic-origin categories are consistent with the 1977 OMB standards. For more information, see Technical Notes in this report.⁵Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander people.⁶People of Hispanic origin may be of any race. The Hispanic-origin category is consistent with the 1997 OMB standards; see Technical Notes in this report.⁷For the list of *International Classification of Diseases, 10th Revision* codes included, see Technical Notes in this report.

SOURCE: National Center for Health Statistics, National Vital Statistics System, mortality data file.