SUPPLEMENTARY TABLE 2. Estimated vaccination coverage with selected individual vaccines and a combined vaccine series* by age 24 months[†] among children born 2019-2020, by U.S. Department of Health and Human Services (HHS) region, state, selected local area, and territory – National Immunization Survey-Child 2020-2022, United States

		Vaccine / Vaccine Series, % (95% CI)							
National, HHS region, state, local area, or territory	No.	MMR (≥1 dose)¶	DTaP (≥4 doses)**	HepB (birth dose) ^{††}	Poliovirus (≥3 doses)	HepA (≥2 doses by 35 months)	Rotavirus ^{§§}	Influenza (≥2 doses)¶¶	Combined 7-vaccine series*
US National	27,733	91.6	81.0	81.5	93.0	80.0	76.6	61.3	69.1
	ŕ	(90.8-92.2)	(79.9–82.0)	(80.5-82.4)	(92.3-93.6)	(78.4–81.6)	(75.6–77.7)	(60.1–62.5)	(67.9–70.2)
HHS Region I	2,621	95.0	86.1	83.4	96.1	89.2	83.3	78.3	78.2
		(93.4-96.3)	(83.1-88.8)	(80.5–86.0)	(94.7-97.3)	(85.4-92.5)	(80.2-86.0)	(74.9–81.6)	(74.9–81.4)
Connecticut	466	93.7	86.9	84.4	95.8	89.6	84.5	85.9	77.3
		(89.9-96.4)	(81.8–91.2)	(79.1–88.5)	(92.8-97.7)	(83.7-94.0)	(79.3-88.6)	(81.0-90.1)***	(71.3-82.7)
Maine	378	94.4	86.9	85.5	96.8	90.9	80.0	74.5	76.5
		(91.3-96.7)	(82.4–90.7)	(80.5-89.4)	(94.5-98.4)	(82.3-96.3)***	(74.7-84.4)	(68.6–80.0)	(70.7-81.8)
Massachusetts	465	95.9	85.5	83.7	95.8	91.2	82.1	76.1	79.4
		(93.1–97.9)	(79.8–90.3)	(78.0–88.1)	(93.0–97.7)	(84.3-96.0)	(76.0–86.8)	(69.7–82.1)	(73.3-84.9)
New Hampshire	330	93.2	82.6	84.9	96.1	77.8	83.3	68.5	75.8
		(88.9–96.2)	(76.7–87.8)***	(78.5–89.6)	(93.0–98.1)	(67.6–86.5)	(77.5–87.9)	(61.5–75.3)***	(69.3-81.8)
Rhode Island	458	96.3	88.5	77.1	97.8	86.3	92.0	83.9	78.5
		(93.7–98.0)	(84.5–91.9)	(71.5–81.9)	(95.4–99.1)	(79.9–91.5)	(88.0–94.8)	(79.3–87.9)	(73.2-83.4)
Vermont	524	94.6	88.2	78.7	96.9	82.7	82.8	77.3	77.6
		(91.5–96.9)	(84.0–91.6)	(73.5–83.0)	(94.8–98.3)***	(75.8–88.6)	(78.0–86.8)	(71.6–82.6)	(72.1–82.6)
HHS Region II	1,485	92.3	80.6	80.7	91.5	77.4	74.9	65.9	67.0
		(89.9–94.3)	(77.0–83.9)	(77.5–83.6)	(88.9–93.7)	(70.2–84.0)	(71.3–78.1)	(62.1–69.5)	(63.2–70.8)
New Jersey	451	93.9	78.7	81.5	91.4	72.4	70.7	67.3	64.2
		(89.9–96.7)	(72.2–84.6)	(75.3–86.4)	(86.4–95.2)	(58.7 - 84.7) ^{§§§}	(64.0–76.6)	(60.7–73.8)	(57.5–71.0)
New York	1,034	91.4	81.6	80.4	91.5	79.6	76.9	65.1	68.6
		(88.4–94.0)	(77.4–85.5)	(76.5–83.8)	(88.4–94.0)	(71.0–86.9)	(72.7–80.7)	(60.7–69.5)	(63.9–73.2)
NY-City of New York	629	89.8	82.9	81.5	92.4	84.0	77.4	67.8	71.9
		(85.8–93.0)	(78.1–87.2)	(77.2–85.1)	(89.2–95.0)	(71.8–93.0)§§§	(72.5–81.7)	(62.5–73.0)	(66.7–76.9)
NY-Rest of State	405	92.5	80.4	79.4	90.6	78.1	76.4	62.9	65.6
		(87.7–95.9)	(73.5–86.4)	(72.9–84.7)	(85.3–94.6)	(66.6–87.7) ^{§§§}	(69.4–82.2)	(55.9–69.8)	(58.2–72.9)
HHS Region III	3,897	92.9	82.2	82.5	93.1	83.2	78.9	68.5	72.2
		(91.3–94.3)	(79.9–84.5)	(80.2–84.6)	(91.4–94.5)	(79.0–87.0)	(76.5–81.2)	(65.8–71.2)	(69.5–74.8)
Delaware	317	93.3	84.4	80.2	92.7	92.2	77.4	72.7	75.7
		(88.3–96.7)	(78.0–89.7)	(73.7–85.4)	(87.7–96.2)	(82.2–97.7)***	(70.0–83.5)	(65.7–79.3)***	(68.9–82.0)
Dist. of Columbia	519	88.2	80.2	76.6	91.8	77.1	76.5	70.2	69.7
		(83.4–92.2)	(74.3–85.5)	(70.6–81.7)	(88.0–94.7)	(68.3–84.9)	(70.2–81.9)	(63.6–76.6)	(63.3–76.0)
Maryland	903	94.0	85.5	81.4	95.6	82.5	78.3	71.5	76.0
	1.000	(91.4–96.1)	(82.0–88.7)	(77.2–85.0)	(93.4–97.2)	(76.4–87.9)	(73.8–82.2)	(67.0–75.8)***	(71.8–79.9)
Pennsylvania	1,024	93.0	80.1	85.2	93.1	81.1	79.7	69.2	71.0
		(89.7–95.5)	(75.5–84.4)	(80.9–88.6)	(89.8–95.6)	(74.2–87.0)	(75.2–83.5)	(64.0-74.2)	(65.9–75.9)

PA-Philadelphia	423	91.0	76.4	83.2	90.8	74.9	72.2	64.3	67.3
		(86.8-94.3)	(70.1–82.2)***	(77.6–87.6)	(86.4-94.2)	(66.4-82.6)	(65.8–77.8)	(57.8–70.8)	(60.9-73.6)
PA-Rest of State	601	93.4	80.8	85.5	93.5	82.0	81.1	70.1	71.7
		(89.5–96.2)	(75.4–85.6)	(80.5-89.5)	(89.6–96.3)	(74.2-88.5)	(75.8–85.4)	(64.1–75.9)	(65.8–77.4)
Virginia	767	93.1	83.7	81.0	92.1	86.8	80.1	68.3	73.1
_		(89.8–95.7)	(79.0–87.8)	(76.3-85.0)	(88.4–95.0)	(77.2–93.8)***	(75.1–84.3)	(63.0-73.4)	(68.0–78.0)
West Virginia	367	88.4	75.5	78.9	89.3	82.8	71.2	50.3	59.1
		(83.8–92.1)	(69.5-81.1)	(73.0-83.8)	(84.4–93.2)	(75.4–89.0)	(65.3-76.4)	(44.3-56.7)	(52.7–65.5)***
HHS Region IV	3,929	92.2	82.1	80.2	92.9	78.1	73.9	48.6	68.4
		(90.5–93.7)	(79.9–84.3)	(78.0-82.3)	(91.4–94.3)	(74.6-81.4)	(71.4–76.3)	(45.9–51.4)	(65.8–71.1)
Alabama	377	95.3	82.6	80.4	95.3	75.6	77.3	36.2	64.8
		(91.1–97.9)	(76.7–87.7)	(73.9–85.6)	(90.9–98.0)	(65.1-84.9)	(70.7–82.7)	(30.1–43.0)	(57.7–71.7)
Florida	545	92.2	82.5	76.4	90.9	76.1	69.4	43.2	67.6
		(88.0-95.4)	(76.9–87.4)	(70.6-81.4)	(86.7–94.2)	(67.5–83.7)	(62.9-75.2)	(37.0-50.1)	(61.2-73.9)
Georgia	461	89.7	81.1	81.1	92.3	82.6	77.2	48.1	68.6
		(84.5–93.7)	(75.1–86.5)	(75.3–85.8)	(87.8–95.6)	(73.0–90.3)	(70.8-82.5)	(41.2–55.5)	(61.7–75.3)
Kentucky	454	89.5	84.2	83.0	92.3	83.6	68.5	54.2	67.6
		(84.3-93.6)	(78.2-89.3)	(77.2–87.6)	(87.6–95.8)	(75.7–90.1)	(61.4-74.8)	(47.5-61.3)	(60.8-74.2)
Mississippi	505	91.0	76.3	75.5	89.1	49.7	62.9	33.0	64.7
		(85.9–94.8)	(69.8-82.2)	(68.5-81.3)	(83.7–93.3)	(41.9-58.0)	(55.8-69.5)	(27.2-39.6)***	(57.7–71.5)
North Carolina	594	94.3	84.3	87.8	97.5	79.0	81.0	62.5	72.3
		(90.6–96.9)	(78.9–89.0)	(83.9–90.9)	(95.0-98.9)	(71.4-85.8)	(75.5–85.5)	(56.3-68.7)***	(66.4–77.9)
South Carolina	394	92.5	80.4	85.3	93.2	84.3	79.5	45.2	70.8
		(88.4–95.6)	(74.0-86.1)	(79.5–89.6)	(88.1–96.7)	(76.9–90.4)	(72.2-85.3)	(38.3–52.6)	(64.1-77.1)
Tennessee	599	92.7	81.5	74.6	93.8	79.5	72.8	57.5	67.5
		(89.6–95.2)	(76.3-86.2)	(68.7–79.7)	(90.8–96.1)	(72.5–85.6)	(66.8-78.0)	(51.3-63.9)	(61.6-73.4)
HHS Region V	3,383	91.5	83.0	83.7	93.5	82.1	78.3	65.5	70.3
		(90.0–92.8)	(81.0-84.9)***	(81.9-85.4)	(92.2–94.7)	(79.1–85.0)	(76.2-80.2)***	(63.1–67.9)	(68.0-72.6)
Illinois	914	89.9	83.3	80.6	94.2	76.2	78.6	63.2	70.5
		(86.8–92.5)	(79.6–86.7)	(76.7-83.9)	(91.7–96.1)	(70.9–81.1)	(74.5–82.2)	(58.7–67.8)	(66.2–74.7)
IL-City of Chicago	295	87.0	81.8	80.9	93.6	70.1	74.1	65.5	67.2
		(80.7–92.0)	(74.1–88.3)	(73.4-86.6)	(88.8–96.9)	(59.7–79.8) ^{§§§}	(65.9-81.0)	(57.1–73.7)	(59.2–75.1)
IL-Rest of State	619	90.8	83.7	80.5	94.3	77.9	80.0	62.5	71.4
		(87.2–93.8)	(79.4–87.6)	(75.9-84.3)	(91.3–96.6)	(71.9–83.5)	(75.1–84.1)	(57.2–67.9)	(66.4–76.3)
Indiana	353	88.9	81.7	87.3	91.3	81.4	73.9	53.7	71.0
		(83.3-93.3)	(75.3–87.2)	(82.3-91.0)	(86.4–94.9)	(72.0-89.2)	(67.6–79.4)	(46.7–61.0)	(63.8–77.8)
Michigan	638	95.4	82.5	83.2	95.9	87.3	82.4	73.4	73.6
		(92.8–97.3)	(77.5–86.9)	(78.4–87.2)	(93.2–97.8)	(80.7–92.4)	(77.7–86.3)***	(68.1–78.6)***	(68.2–78.7)
Minnesota	422	92.8	86.8	82.9	94.3	78.2	84.1	71.1	72.7
		(88.6–95.9)	(81.8–91.0)	(77.1–87.4)	(90.6–96.9)	(70.5–85.0)	(78.3–88.6)	(64.0–77.8)	(65.9–79.2)
Ohio	655	90.7	83.0	85.1	93.3	86.0	76.2	65.5	67.2
		(87.1–93.6)	(78.1–87.3)	(81.2-88.3)	(90.1–95.7)	(78.7-91.8)	(71.1–80.7)	(60.2-70.7)***	(61.7–72.6)

Wisconsin	401	91.8	81.1	85.0	90.8	82.1	74.2	66.4	67.5
		(87.9–94.9)	(75.4–86.2)	(79.4–89.2)	(86.6–94.2)	(74.5–88.6)	(67.7–79.8)	(59.9–72.8)	(61.1–73.7)
HHS Region VI	3,564	89.5	77.3	80.6	91.9	80.2	74.3	51.6	65.8
	,	(87.4–91.4)	(73.9–80.5)	(77.7–83.2)	(90.0–93.7)	(75.4–84.5)	(70.8–77.4)	(48.0-55.4)	(62.1–69.5)
Arkansas	539	87.5	76.1	81.1	87.7	74.8	76.5	45.6	67.0
		(82.8-91.4)	(70.2–81.6)	(76.2-85.3)	(82.9–91.7)	(65.9-82.9)	(70.9-81.3)	(39.6-52.1)	(60.9–73.0)
Louisiana	647	90.2	77.8	75.4	94.7	75.0	70.3	46.3	67.5
		(85.9–93.7)	(72.4–82.8)	(69.7-80.4)	(91.2–97.2)	(67.7–81.7)	(64.3-75.6)	(40.5-52.4)	(61.5-73.3)
New Mexico	583	91.0	83.4	76.2	95.8	87.3	81.6	65.4	76.4
		(86.9-94.2)	(78.4–87.8)	(70.6-81.0)	(93.4–97.5)	(81.5-92.0)	(76.2-86.0)	(59.7-71.1)	(71.1-81.4)***
Oklahoma	377	86.3	74.5	74.8	93.0	76.2	72.0	49.7	61.7
		(80.7-90.9)	(68.1–80.4)	(68.3-80.4)	(88.9–96.0)	(67.6-83.9)	(65.3-77.9)	(43.1-56.6)	(55.0-68.4)
Texas ^{¶¶¶}	1,418	89.9	77.4	82.3	91.5	81.3	74.5	52.5	65.4
		(87.1–92.4)	(72.7–81.8)	(78.4–85.7)	(88.8–93.9)	(74.7–87.1)	(69.7–78.8)	(47.5–57.6)	(60.4–70.4)
TX-Bexar County	343	84.6	76.0	78.4	90.4	73.6	73.5	54.0	66.2
		(78.1–90.0)	(69.5–82.0)	(71.5–83.9)	(85.7–94.1)	(64.3–82.2)	(66.3–79.6)	(46.7–61.7)	(58.9–73.4)
TX-City of Houston	342	86.2	76.5	79.6	88.9	85.3	74.5	60.2	67.9
		(80.7–90.9)***	(69.8–82.7)	(73.3–84.8)	(83.4–93.2)	(74.7–93.1)	(67.3–80.5)	(53.1–67.4)	(61.0–74.6)
TX-Rest of State	733	91.0	77.6	83.1	92.1	81.3	74.6	51.2	64.9
		(87.5–93.8)	(71.9–82.9)	(78.2–87.1)	(88.7–94.7)	(73.2–88.1)	(68.7–79.7)	(45.2–57.4)	(58.9–71.0)
HHS Region VII	2,024	90.0	80.1	83.6	91.6	78.7	76.8	58.3	67.9
		(87.8–92.0)	(77.0–83.0)	(81.1–85.9)	(89.5–93.5)	(74.2–82.8)	(73.8–79.5)	(55.0–61.6)	(64.6-71.1)***
Iowa	409	92.7	85.1	87.3	93.8	78.3	83.1	46.7	77.0
		(88.0–96.1)	(79.1–90.1)	(82.2–91.1)	(89.8–96.7)	(70.1–85.6)	(76.8–87.9)***	(40.2–53.8)	(70.2–83.2)
Kansas	582	87.1	75.5	81.9	91.3	78.0	78.3	59.3	63.0
		(82.0–91.3)***	(69.9–80.8)	(77.0–85.9)	(86.9–94.6)	(70.7–84.6)	(73.1–82.6)	(53.7–65.1)	(57.3–68.8)***
Missouri	634	88.5	77.3	82.2	89.0	77.6	71.8	58.2	66.0
		(84.5–91.9)	(71.6–82.7)	(77.5–86.1)	(84.8–92.5)	(69.8–84.5)	(66.3–76.7)	(52.5–64.0)	(60.2–71.7)
Nebraska	399	94.5	87.5	84.9	96.3	79.0	79.8	74.5	66.5
		(91.5–96.7)	(82.5–91.6)	(79.3–89.2)	(94.0–97.9)	(72.3–85.0)	(73.4–85.0)	(68.0–80.6)	(59.9–73.1)***
HHS Region VIII	2,670	93.2	81.9	82.9	94.9	79.1	80.1	72.0	72.2
		(91.5–94.6)	(79.3–84.3)	(80.3–85.3)	(93.5–96.1)	(74.6–83.2)	(77.4–82.5)	(69.0–75.0)	(69.3–75.1)
Colorado	455	92.9	81.3	81.8	95.0	76.9	79.5	76.1	71.2
		(89.5–95.6)	(76.2–85.8)	(76.5–86.0)	(92.2–97.0)	(69.9–83.2)	(74.5–83.8)	(70.6–81.2)	(65.5–76.6)
Montana	323	89.8	74.8	75.7	93.7	70.1	75.4	67.0	66.4
		(84.8–93.7)	(68.0–81.0)	(69.6–80.9)	(89.8–96.5)	(57.2–82.1) ^{§§§}	(68.8–81.1)	(60.3–73.6)	(59.5–73.1)
North Dakota	418	91.4	81.6	89.0	94.4	84.6	80.4	73.8	76.4
	<u> </u>	(86.8–95.0)	(75.7–86.8)	(84.3–92.4)	(90.7–97.0)	(76.8–90.9)	(74.4–85.3)	(67.6–79.7)	(70.4–82.1)
South Dakota	494	92.6	72.1	87.3	93.1	78.2	80.3	70.0	63.7
	<u> </u>	(87.6–96.1)	(65.2–78.7)***	(82.3–91.0)	(87.8–96.6)	(68.9–86.3)	(74.4–85.2)	(63.6–76.2)	(57.0–70.3)***
Utah	553	95.5	87.0	84.4	96.3	81.7	81.7	69.4	76.4
		(93.3–97.1)	(83.1–90.3)	(79.7–88.1)	(93.7–98.0)	(73.9-88.4)	(76.8–85.7)	(64.0-74.6)	(71.5–81.0)

Wyoming	427	88.9	80.1	80.5	91.8	74.4	80.9	61.0	72.1
		(83.5-93.1)	(74.1–85.4)	(74.3-85.5)	(87.9–94.8)	(62.5–85.0) ^{§§§}	(75.5–85.3)	(54.3–67.7)	(65.9–78.0)
HHS Region IX	2,113	91.2	79.3	79.4	93.5	78.9	77.9	67.7	68.0
		(88.4-93.6)	(75.1–83.2)***	(75.5–82.8)	(91.0–95.5)	(73.5–83.8)	(74.1–81.2)	(63.5-71.9)	(63.6-72.4)
Arizona	414	87.1	77.5	77.9	88.2	86.8	69.1	57.8	66.2
		(81.5–91.7)***	(71.2-83.4)***	(71.6-83.1)	(83.1–92.3)***	(70.6–96.5) ^{§§§}	(62.2-75.2)***	(51.0-64.9)	(59.6–72.7)
California	802	92.1	79.5	79.2	94.6	79.2	79.6	70.5	67.6
		(88.5-94.9)	(74.2-84.4)	(74.2-83.4)	(91.3–97.0)	(72.6–85.1)	(74.7–83.7)	(65.2–75.7)	(62.0-73.2)
Hawaii	375	88.5	79.4	83.2	90.8	70.9	79.1	67.2	73.0
		(84.4-92.0)	(73.9-84.3)	(77.9–87.5)	(86.7–94.0)	(62.9–78.4)	(73.4–83.9)	(61.2-73.2)	(67.0–78.7)
Nevada	522	90.0	80.3	83.5	92.8	75.0	75.9	55.7	73.8
		(85.6-93.5)	(74.9–85.2)	(78.4–87.6)	(88.9–95.6)	(67.9-81.5)	(70.5–80.5)	(49.5-62.0)	(68.1–79.1)
HHS Region X	2,047	89.6	80.1	83.7	92.3	76.7	76.3	69.6	69.9
		(87.3-91.8)***	(77.0-83.1)	(81.0-86.1)	(90.2–94.1)	(72.5–80.6)	(73.0-79.2)	(66.3-72.9)	(66.5-73.2)
Alaska	455	84.5	74.7	78.6	84.7	68.5	64.4	66.7	59.4
		(78.9-89.3)	(68.3-80.7)	(73.4-83.1)	(79.1–89.5)	(57.6–78.9) ^{§§§}	(57.8–70.5)	(60.4–72.8)***	(52.9-66.0)
Idaho	501	89.0	80.6	80.3	89.4	79.1	79.0	61.7	71.7
		(84.4-92.7)	(75.3-85.4)	(75.1–84.7)	(84.7–93.2)	(72.0-85.4)	(73.6–83.6)	(55.3-68.0)	(65.8–77.3)
Oregon	395	88.4	77.5	85.2	90.2	72.5	73.9	68.7	66.1
		(83.6–92.3)***	(70.9–83.5)	(79.6–89.5)	(85.0–94.2)	(64.0-80.5)	(66.8–79.8)	(62.2–75.1)	(59.2-73.0)
Washington	696	91.0	81.8	84.5	94.8	78.8	77.9	72.5	72.3
		(87.3-94.0)	(77.0–86.0)	(80.2-88.0)	(92.0–96.9)	(72.7–84.3)	(73.0-82.2)	(67.6–77.2)	(67.4–77.1)
Territories****									
Guam	153	81.2	66.6	89.0	84.5	66.4	59.3	60.5	52.5
		(72.5-88.5)	(56.6–76.3)	(81.9–93.6)	(77.4–90.4)	(54.0-78.4) ^{§§§}	(49.5-68.3)	(51.1–70.1)	(43.0-62.6)
Puerto Rico	516	68.5	57.9	67.9	76.7	56.5	55.0	16.8	43.4
		(62.8-74.1)	(51.9–64.0)	(61.7–73.4)	(71.4–81.6)	(49.1–64.3)	(48.8–61.0)	(12.7–22.1)	(37.5–49.9)

Abbreviations: CI = confidence interval; DTaP = diphtheria and tetanus toxoids and acellular pertussis vaccine; HepA = hepatitis A vaccine; HepB = hepatitis B vaccine; Hib = *Haemophilus influenzae* type b conjugate vaccine; MMR = measles, mumps, and rubella vaccine; PCV = pneumococcal conjugate vaccine; VAR = varicella vaccine.

^{*} The combined 7-vaccine series (4:3:1:3*:3:1:4) includes ≥4 doses of DTaP, ≥3 doses of poliovirus vaccine, ≥1 dose of measles-containing vaccine, the full series of Hib (≥3 or ≥4 doses, depending on product type), ≥3 doses of HepB, ≥1 dose of VAR, and ≥4 doses of PCV.

[†] Includes vaccinations received by age 24 months (before the day the child turns 24 months), except for the HepB birth dose, rotavirus vaccination, and ≥2 HepA doses by 35 months. For all vaccines except the HepB birth dose and rotavirus vaccination, the Kaplan-Meier method was used to estimate vaccination coverage to account for children whose vaccination history was ascertained before age 24 months (35 months for ≥2 HepA doses).

[§] Data for the 2019 birth year are from survey years 2020, 2021, and 2022; data for the 2020 birth year are considered preliminary and are from survey years 2021 and 2022 (2023 data are not yet available).

[¶] Includes children who may have been vaccinated with measles, mumps, rubella, and varicella combination vaccine.

^{**} Includes children who may have been vaccinated with diphtheria and tetanus toxoids vaccine or diphtheria and tetanus toxoids and pertussis vaccine.

^{††} One dose HepB administered from birth through age 3 days.

^{§§} Includes ≥2 doses of Rotarix monovalent rotavirus vaccine (RV1), or ≥3 doses of RotaTeq pentavalent rotavirus vaccine (RV5). (If any dose is RotaTeq or unknown, default to the 3-dose series.) The maximum age for the final rotavirus dose is 8 months, 0 days.

¹¹ Doses must be at least 24 days apart (four weeks with a four-day grace period); doses could have been received during two influenza seasons.

^{***} Statistically significant increase in estimated coverage compared to children born in 2017-2018 (p<0.05).

Coverage estimates for vaccines not included in this table can be found at: https://www.cdc.gov/vaccines/imz-managers/coverage/childvaxview/interactive-reports/index.html.

^{***} Statistically significant decrease in estimated coverage compared to children born in 2017-2018 (p<0.05).

^{§§§} Estimate not available because the unweighted sample size for the denominator was <30, or 95% CI half width/estimate >0.588, or 95% CI half-width was ≥10.

¹⁹⁹ Estimate for Texas - Rest of State exclude Bexar County and the City of Houston.

^{****} Sample size was too small to calculate reliable coverage estimates for the U.S Virgin Islands (data collection did not occur there in 2022).