COVID Data Tracker

Maps, charts, and data provided by CDC, updates Monday, and Friday by 8 p.m. ET.

COVID-19 Home

Category

United States at a Glance

Trend in Test Positivity

0.7% a new cases per day
Trending Down

Trend in Hospital Admissions

1% a new cases per day
Trending Down

Trend in Deaths

No change in new cases per day
Trending Down

Trend in % COVID-19 Beds

No change in new cases per day
Trending Down

Total Hospitalizations
5,106,311

Total Deaths
1,150,864

CLICK TO VIEW OTHER TRENDS

Map

United States COVID-19 Hospitalizations, Deaths, Emergency Department (ED) Visits, and Test Positivity by Geographic Area

Maps, charts, and provided by CDC, updates weekly for the previous MMWR week (Sunday-Saturday) on Friday by 8 p.m. ET

View Functions and Download Data

COVID-19 HOSPITAL ADMISSIONS (PAST WEEK)
23,432

% CHANGE IN COVID-19 HOSPITAL ADMISSIONS
3.1%

COVID-19 HOSPITAL ADMISSIONS PER 100,000 (PAST WEEK)
7.06

CDC | Data through December 3, 2022, Posted December 16, 2022

View:
- Hospitalizations
- Deaths
- Emergency Department Visits
- Test Positivity

Metric:
- COVID-19 new hospital admissions
- Inpatient beds occupied by COVID-19 patients
- ICU beds occupied by COVID-19 patients

Scale:
- County
- State

Time period:
- Past Week

Measure:
- Count
- Rate per 100,000
- % Change from prior week

COVID-19 hospital admissions levels in U.S. by county
Based on new COVID-19 hospital admissions per 100,000 population

Florida	Broward County	2.9	Low (<10.0)
Florida	Brevard County	3.0	Low (<10.0)
Florida	Sarasota County	3.2	Low (<10.0)
Florida	Charlotte County	3.7	Low (<10.0)
Florida	Citrus County	3.8	Low (<10.0)
Florida	Clay County	3.9	Low (<10.0)
Florida	Collier County	3.9	Low (<10.0)
Florida	Columbia County	4.4	Low (<10.0)
Florida	Dixie County	4.4	Low (<10.0)
Florida	Citrus County	4.5	Low (<10.0)
Florida	Duval County	4.9	Low (<10.0)
Florida	Escambia County	5.0	Low (<10.0)
Florida	Flagler County	5	Low (<10.0)
Florida	Franklin County	5.1	Low (<10.0)
Florida	Gadsden County	5.6	Low (<10.0)
Florida	Gilchrist County	5.9	Low (<10.0)
Florida	Glades County	6.0	Low (<10.0)
Florida	Gulf County	6.1	Low (<10.0)
Florida	Hamilton County	6.4	Low (<10.0)
Florida	Hardee County	6.6	Low (<10.0)
Florida	Hendry County	6.7	Low (<10.0)
Florida	Hernando County	6	Low (<10.0)
Florida	Highlands County	6.1	Low (<10.0)
Florida	Hillsborough County	6.2	Low (<10.0)
Florida	Holmes County	6.4	Low (<10.0)
Florida	Indian River County	6.6	Low (<10.0)
Florida	Jackson County	2.4	Low (<10.0)
Florida	Jefferson County	1.4	Low (<10.0)
Florida	Lafayette County	4.9	Low (<10.0)
Florida	Lake County	5	Low (<10.0)
Florida	Lee County	3.5	Low (<10.0)
Florida	Leon County	3.7	Low (<10.0)
Florida	Levy County	1.8	Low (<10.0)
Florida	Liberty County	1.8	Low (<10.0)
Florida	Madison County	1.8	Low (<10.0)
Florida	Manatee County	1.7	Low (<10.0)
Florida	Marion County	1.9	Low (<10.0)
Florida	Martin County	4.1	Low (<10.0)
Florida	Miami-Dade County	4.1	Low (<10.0)
Florida	Monroe County	3.5	Low (<10.0)
Florida	Nassau County	2.9	Low (<10.0)
Florida	Okaloosa County	3.1	Low (<10.0)
Florida	Okeechobee County	4.1	Low (<10.0)
Florida	Orange County	4.2	Low (<10.0)
Florida	Osceola County	4.7	Low (<10.0)
Florida	Palm Beach County	4.7	Low (<10.0)
Florida	Pasco County	5	Low (<10.0)
Florida	Pinellas County	5	Low (<10.0)
Florida	Polk County	5.2	Low (<10.0)
Florida	Putnam County	2.1	Low (<10.0)
Florida	Santa Rosa County	2.1	Low (<10.0)
Florida	Sarasota County	4.7	Low (<10.0)
Florida	Seminole County	4.9	Low (<10.0)
Florida	St. Johns County	5	Low (<10.0)
Florida	St. Lucie County	4.1	Low (<10.0)
Florida	Sumter County	5	Low (<10.0)
Florida	Suwannee County	4.9	Low (<10.0)
Florida	Taylor County	1.6	Low (<10.0)
Florida	Union County	4.4	Low (<10.0)
Florida	Volusia County	5	Low (<10.0)
Florida	Wakulla County	1.6	Low (<10.0)
Florida	Walton County	3.3	Low (<10.0)
Florida	Washington County	2.4	Low (<10.0)
Georgia	Appling County	2.1	Low (<10.0)
Georgia	Atkinson County	2.1	Low (<10.0)
Georgia	Bacon County	4.1	Low (<10.0)
Georgia	Baker County	2.9	Low (<10.0)
Georgia	Baldwin County	2.7	Low (<10.0)
Georgia	Banks County	2.1	Low (<10.0)
Georgia	Barrow County	2.1	Low (<10.0)
Georgia	Bartow County	4.2	Low (<10.0)
Georgia	Ben Hill County	3.4	Low (<10.0)
Georgia	Berrien County	1.1	Low (<10.0)
Georgia	Bibb County	2.1	Low (<10.0)
Georgia	Bleckley County	2.2	Low (<10.0)
Georgia	Brantley County	2.2	Low (<10.0)
Georgia	Brooks County	1.1	Low (<10.0)
Georgia	Bryan County	4.6	Low (<10.0)
Georgia	Bulloch County	5.5	Low (<10.0)
Georgia	Burke County	1.4	Low (<10.0)
Georgia	Butts County	2.1	Low (<10.0)
Georgia	Calhoun County	2.9	Low (<10.0)
Georgia	Camden County	4.6	Low (<10.0)
Georgia	Candler County	2.2	Low (<10.0)
Georgia	Carroll County	4.7	Low (<10.0)
Georgia	Catoosa County	4.6	Low (<10.0)
Georgia	Charlton County	2.9	Low (<10.0)
Georgia	Chatham County	2.1	Low (<10.0)
Georgia	Chattahoochee County	1.2	Low (<10.0)
Georgia	Chattooga County	4.6	Low (<10.0)
Georgia	Cherokee County	4	Low (<10.0)
Georgia	Clarke County	1.5	Low (<10.0)
Georgia	Clay County	2.2	Low (<10.0)
Georgia	Clayton County	4	Low (<10.0)
Georgia	Clinch County	4.1	Low (<10.0)
Georgia	Cobb County	4	Low (<10.0)
Georgia	Coffee County	3.4	Low (<10.0)
Georgia	Colquitt County	2.1	Low (<10.0)
Georgia	Columbia County	1.8	Low (<10.0)
Georgia	Cook County	1.1	Low (<10.0)
Georgia	Coweta County	1.3	Low (<10.0)
Georgia	Crawford County	2.2	Low (<10.0)
Georgia	Crisp County	1.2	Low (<10.0)
Georgia	Dade County	4.6	Low (<10.0)
Georgia	Dawson County	4.6	Low (<10.0)
Georgia	Decatur County	1	Low (<10.0)
Georgia	DeKalb County	1.1	Low (<10.0)
Georgia	Dodge County	5.2	Low (<10.0)
Georgia	Dooly County	1.2	Low (<10.0)
Georgia	Dougherty County	2.3	Low (<10.0)
Georgia	Douglas County	1	Low (<10.0)
Georgia	Early County	1.1	Low (<10.0)
Georgia	Echols County	2.1	Low (<10.0)
Georgia	Effingham County	1.1	Low (<10.0)
Georgia	Elbert County	1	Low (<10.0)
Georgia	Emanuel County	1.5	Low (<10.0)
Georgia	Evans County	4.6	Low (<10.0)
Georgia	Fannin County	1.1	Low (<10.0)
Georgia	Fayette County	4	Low (<10.0)
Georgia	Floyd County	1.1	Low (<10.0)
Georgia	Forsyth County	4	Low (<10.0)
Georgia	Franklin County	1.3	Low (<10.0)
Georgia	Fulton County	4	Low (<10.0)
Georgia	Gilmer County	1.1	Low (<10.0)
Georgia	Glascock County	1.1	Low (<10.0)
Georgia	Glynn County	2.9	Low (<10.0)
Georgia	Gordon County	1.1	Low (<10.0)
Georgia	Grady County	1.1	Low (<10.0)
Georgia	Greene County	1.3	Low (<10.0)
Georgia	Gwinnett County	1	Low (<10.0)
Georgia	Habersham County	1	Low (<10.0)
Georgia	Hall County	1.1	Low (<10.0)
Georgia	Hancock County	2.7	Low (<10.0)
Georgia	Haralson County	1.1	Low (<10.0)
Georgia	Harris County	1.1	Low (<10.0)
Georgia	Hart County	1.3	Low (<10.0)
Georgia	Heard County	1.3	Low (<10.0)
Georgia	Henry County	4	Low (<10.0)
Georgia	Houston County	1.1	Low (<10.0)
Georgia	Irwin County	3.4	Low (<10.0)
Georgia	Jackson County	1.1	Low (<10.0)
Georgia	Jasper County	1	Low (<10.0)
Georgia	Jeff Davis County	1.5	Low (<10.0)
Georgia	Jefferson County	4	Low (<10.0)
Georgia	Jenkins County	1.4	Low (<10.0)
Georgia	Johnson County	4.2	Low (<10.0)
Georgia	Jones County	2.2	Low (<10.0)
Georgia	Lamar County	1.1	Low (<10.0)
Georgia	Lanier County	2.1	Low (<10.0)
Georgia	Laurens County	4.2	Low (<10.0)
Georgia	Lee County	2.2	Low (<10.0)
Georgia	Liberty County	4.6	Low (<10.0)
Georgia	Lincoln County	1.4	Low (<10.0)
Georgia	Long County	4.6	Low (<10.0)
Georgia	Lowndes County	2.9	Low (<10.0)
Georgia	Lumpkin County	1.1	Low (<10.0)
Georgia	Macon County	1.2	Low (<10.0)
Georgia	Madison County	1	Low (<10.0)
Georgia	Marion County	1.2	Low (<10.0)
Georgia	McDuffie County	1.4	Low (<10.0)
Georgia	McIntosh County	2.9	Low (<10.0)
Georgia	Meriwether County	1.1	Low (<10.0)
Georgia	Miller County	2	Low (<10.0)
Georgia	Mitchell County	2.1	Low (<10.0)
Georgia	Monroe County	1.2	Low (<10.0)
Georgia	Montgomery County	5.2	Low (<10.0)
Georgia	Morgan County	1.1	Low (<10.0)
Georgia	Murray County	2.1	Low (<10.0)
Georgia	Muscogee County	1.1	Low (<10.0)
Georgia	Newton County	1.1	Low (<10.0)
Georgia	Oconee County	1.5	Low (<10.0)
Georgia	Oglethorpe County	1.1	Low (<10.0)
Georgia	Paulding County	4	Low (<10.0)
Georgia	Peach County	2.2	Low (<10.0)
Georgia	Pickens County	4	Low (<10.0)
Georgia	Pierce County	2.9	Low (<10.0)
Georgia	Pike County	4.1	Low (<10.0)
Georgia	Polk County	1.1	Low (<10.0)
Georgia	Pulaski County	2.2	Low (<10.0)
Georgia	Putnam County	2.7	Low (<10.0)
Georgia	Quitman County	4.5	Low (<10.0)
Georgia	Rabun County	1	Low (<10.0)
Georgia	Randolph County	2.2	Low (<10.0)
Georgia	Richmond County	1.4	Low (<10.0)
Georgia	Rockdale County	4	Low (<10.0)
Georgia	Schley County	1.1	Low (<10.0)
Georgia	Screven County	5.5	Low (<10.0)
Georgia	Seminole County	5	Low (<10.0)
Georgia	Spalding County	5.5	Low (<10.0)
Georgia	Stephens County	1.1	Low (<10.0)
Georgia	Stewart County	1.2	Low (<10.0)
Georgia	Sumter County	1.1	Low (<10.0)
Georgia	Talbot County	1.2	Low (<10.0)
Georgia	Taliaferro County	1.4	Low (<10.0)
Georgia	Tattnall County	4.6	Low (<10.0)
Georgia	Taylor County	2.2	Low (<10.0)
Georgia	Telfair County	2.2	Low (<10.0)
Georgia	Terrell County	2.3	Low (<10.0)
Georgia	Thomas County	2.1	Low (<10.0)
Georgia	Tift County	3.4	Low (<10.0)
Georgia	Toombs County	4.6	Low (<10.0)
Georgia	Towns County	1.1	Low (<10.0)
Georgia	Treutlen County	5.2	Low (<10.0)
Georgia	Troup County	1.3	Low (<10.0)
Georgia	Turner County	3.4	Low (<10.0)
Georgia	Twiggs County	2.2	Low (<10.0)
Georgia	Union County	1	Low (<10.0)
Georgia	Upson County	1.1	Low (<10.0)
Georgia	Walker County	4.6	Low (<10.0)
Georgia	Walton County	4	Low (<10.0)
Georgia	Ware County	2.1	Low (<10.0)
Georgia	Warren County	1.4	Low (<10.0)
Georgia	Washington County	2.2	Low (<10.0)
Georgia	Wayne County	4.6	Low (<10.0)
Georgia	Webster County	1.2	Low (<10.0)
Georgia	Wheeler County	4.2	Low (<10.0)
Georgia	White County	1	Low (<10.0)
Georgia	Whitfield County	1.1	Low (<10.0)
Georgia	Wilcox County	1.2	Low (<10.0)
Georgia	Wilkes County	1.4	Low (<10.0)
Georgia	Wilkinson County	2.2	Low (<10.0)
Georgia	Worth County	2.1	Low (<10.0)
Hawaii	Unallocated Event	NN	Insufficient data (NN)
Hawaii	Hawaii County	2.5	Low (<10.0)
Hawaii	Honolulu County	4.8	Low (<10.0)
Hawaii	Kalawao County	4.8	Low (<10.0)
Hawaii	Kauai County	4.8	Low (<10.0)
Hawaii	Maui County	4.8	Low (<10.0)
Idaho	Ada County	15.4	Medium (10.0-19.9)
Idaho	Adams County	7.2	Low (<10.0)
Idaho	Bannock County	5.8	Low (<10.0)
Idaho	Bear Lake County	19.8	Medium (10.0-19.9)
Idaho	Benewah County	8.1	Low (<10.0)
Idaho	Bingham County	5.8	Low (<10.0)
Idaho	Blaine County	6.1	Low (<10.0)
Idaho	Boise County	7.2	Low (<10.0)
Idaho	Bonner County	8.1	Low (<10.0)
Idaho	Bonneville County	6	Low (<10.0)
Idaho	Boundary County	8.1	Low (<10.0)
Idaho	Butte County	6.1	Low (<10.0)
Idaho	Camas County	6.1	Low (<10.0)
Idaho	Canyon County	12.4	Medium (10.0-19.9)
Idaho	Caribou County	5.8	Low (<10.0)
Idaho	Cassia County	5.8	Low (<10.0)
Idaho	Clark County	6	Low (<10.0)
Idaho	Clearwater County	5.4	Low (<10.0)
Idaho	Custer County	9	Low (<10.0)
Idaho	Elmore County	11.4	Medium (10.0-19.9)
Idaho	Franklin County	19.8	Medium (10.0-19.9)
Idaho	Fremont County	6	Low (<10.0)
Idaho	Gem County	12.4	Medium (10.0-19.9)
Idaho	Gooding County	6.8	Low (<10.0)
Idaho	Idaho County	5.3	Low (<10.0)
Idaho	Jefferson County	9	Low (<10.0)
Idaho	Jerome County	7.2	Low (<10.0)
Idaho	Kootenai County	8.1	Low (<10.0)
Idaho	Latah County	8.1	Low (<10.0)
Idaho	Lemhi County	7.2	Low (<10.0)
Idaho	Lewis County	5.3	Low (<10.0)
Idaho	Lincoln County	9	Low (<10.0)
Idaho	Madison County	9	Low (<10.0)
Idaho	Minidoka County	6.8	Low (<10.0)
Idaho	Nez Perce County	5.3	Low (<10.0)
Idaho	Oneida County	5.8	Low (<10.0)
Idaho	Owyhee County	7.2	Low (<10.0)
Idaho	Payette County	7.2	Low (<10.0)
Idaho	Power County	5.8	Low (<10.0)
Idaho	Shoshone County	8.1	Low (<10.0)
Idaho	Teton County	9	Low (<10.0)
Idaho	Twin Falls County	6.6	Low (<10.0)
Idaho	Valley County	9	Low (<10.0)
Idaho	Washington County	7.2	Low (<10.0)
Illinois	Adams County	15.5	Medium (10.0-19.9)
Illinois	Alexander County	12.9	Medium (10.0-19.9)
Illinois	Bond County	7.8	Low (<10.0)
Illinois	Boone County	13.1	Medium (10.0-19.9)
Illinois	Brown County	24.2	High (≥20.0)
Illinois	Bureau County	7.8	Low (<10.0)
Illinois	Calhoun County	7.8	Low (<10.0)
Illinois	Carroll County	7.8	Low (<10.0)
Illinois	Cass County	24.2	High (≥20.0)
Illinois	Champaign County	5.6	Low (<10.0)
Illinois	Christian County	24.2	High (≥20.0)
Illinois	Clark County	7.9	Low (<10.0)
Illinois	Clay County	8.9	Low (<10.0)
Illinois	Clinton County	7.9	Low (<10.0)
Illinois	Coles County	5.6	Low (<10.0)
Illinois	Cook County	13.1	Medium (10.0-19.9)
Illinois	Crawford County	14.2	Medium (10.0-19.9)
Illinois	Cumberland County	7.9	Low (<10.0)
Illinois	De Witt County	7.9	Low (<10.0)
Illinois	Dekalb County	13.1	Medium (10.0-19.9)
Illinois	Douglas County	5.6	Low (<10.0)
Illinois	Dupage County	13.1	Medium (10.0-19.9)
Illinois	Edgar County	8.9	Low (<10.0)
Illinois	Edwards County	8.9	Low (<10.0)
Illinois	Effingham County	7.2	Low (<10.0)
Illinois	Fayette County	7.2	Low (<10.0)
Illinois	Ford County	5.6	Low (<10.0)
Illinois	Franklin County	18.1	Medium (10.0-19.9)
Illinois	Fulton County	18.1	Medium (10.0-19.9)
Illinois	Gallatin County	7.8	Low (<10.0)
Illinois	Greene County	5.8	Low (<10.0)
Illinois	Grundy County	9.5	Low (<10.0)
Illinois	Hamilton County	13.9	Medium (10.0-19.9)
Illinois	Hancock County	7	Low (<10.0)
Illinois	Hardin County	2.8	Low (<10.0)
Illinois	Henderson County	7.8	Low (<10.0)
Illinois	Henry County	14.2	Medium (10.0-19.9)
Illinois	Iroquois County	28.1	High (≥20.0)
Illinois	Jackson County	18.1	Medium (10.0-19.9)
Illinois	Jasper County	8.9	Low (<10.0)
Illinois	Jefferson County	5.3	Low (<10.0)
Illinois	Jersey County	7.8	Low (<10.0)
Illinois	Jo Daviess County	14.2	Medium (10.0-19.9)
Illinois	Johnson County	7.9	Low (<10.0)
Illinois	Kane County	8.4	Low (<10.0)
Illinois	Kankakee County	28.5	High (≥20.0)
Illinois	Kendall County	8.4	Low (<10.0)
Illinois	Knox County	15	Medium (10.0-19.9)
Illinois	La Salle County	12	Medium (10.0-19.9)
Illinois	Lake County	13.1	Medium (10.0-19.9)
Illinois	Lee County	14.2	Medium (10.0-19.9)
Illinois	Livingston County	12	Medium (10.0-19.9)
Illinois	Logan County	24.2	High (≥20.0)
Illinois	Macon County	8.5	Low (<10.0)
Illinois	Macoupin County	12.9	Medium (10.0-19.9)
Illinois	Madison County	7.8	Low (<10.0)
Illinois	Marion County	12.9	Medium (10.0-19.9)
Illinois	Marshall County	19.8	Medium (10.0-19.9)
Illinois	Mason County	19.8	Medium (10.0-19.9)
Illinois	Massac County	17.7	Medium (10.0-19.9)
Illinois	McDonough County	24.2	High (≥20.0)
Illinois	McHenry County	9.3	Low (<10.0)
Illinois	McLean County	8.5	Low (<10.0)
Illinois	Menard County	24.2	High (≥20.0)
Illinois	Mercer County	9.5	Low (<10.0)
Illinois	Monroe County	4.7	Low (<10.0)
Illinois	Montgomery County	12.9	Medium (10.0-19.9)
Illinois	Morgan County	5.8	Low (<10.0)
Illinois	Moultrie County	4.5	Low (<10.0)
Illinois	Ogle County	15	Medium (10.0-19.9)
Illinois	Peoria County	16.8	Medium (10.0-19.9)
Illinois	Perry County	12.9	Medium (10.0-19.9)
Illinois	Piatt County	9.5	Low (<10.0)
Illinois	Pike County	15.5	Medium (10.0-19.9)
Illinois	Pope County	2.8	Low (<10.0)
Illinois	Pulaski County	12.9	Medium (10.0-19.9)
Illinois	Putnam County	7.8	Low (<10.0)
Illinois	Randolph County	4.7	Low (<10.0)
Illinois	Richland County	7.9	Low (<10.0)
Illinois	Rock Island County	13.9	Medium (10.0-19.9)
Illinois	Saline County	2.8	Low (<10.0)
Illinois	Sangamon County	24.2	High (≥20.0)
Illinois	Schuyler County	24.2	High (≥20.0)
Illinois	Scott County	7.8	Low (<10.0)
Illinois	Shelby County	4.5	Low (<10.0)
Illinois	St. Clair County	7.8	Low (<10.0)
Illinois	Stark County	7.8	Low (<10.0)
Illinois	Stephenson County	14.2	Medium (10.0-19.9)
Illinois	Tazewell County	19.8	Medium (10.0-19.9)
Illinois	Union County	12.9	Medium (10.0-19.9)
Illinois	Vermilion County	8.9	Low (<10.0)
Illinois	Wabash County	15.8	Medium (10.0-19.9)
Illinois	Warren County	7	Low (<10.0)
Illinois	Washington County	7.8	Low (<10.0)
Illinois	Wayne County	5.7	Low (<10.0)
Illinois	White County	12.9	Medium (10.0-19.9)
Illinois	Whiteside County	9	Low (<10.0)
Illinois	Will County	13.1	Medium (10.0-19.9)
Illinois	Williamson County	18.1	Medium (10.0-19.9)
Illinois	Winnebago County	9.5	Low (<10.0)
Illinois	Woodford County	7.9	Low (<10.0)
Indiana	Adams County	17.4	Medium (10.0-19.9)
Indiana	Allen County	17.4	Medium (10.0-19.9)
Indiana	Bartholomew County	17.4	Medium (10.0-19.9)
Indiana	Benton County	19.4	Medium (10.0-19.9)
Indiana	Blackford County	19.4	Medium (10.0-19.9)
Indiana	Boone County	17.4	Medium (10.0-19.9)
Indiana	Brown County	7.4	Low (<10.0)
Indiana	Carroll County	15.4	Medium (10.0-19.9)
Indiana	Cass County	17.4	Medium (10.0-19.9)
Indiana	Clark County	6.2	Low (<10.0)
Indiana	Clay County	7.4	Low (<10.0)
Indiana	Clinton County	15.4	Medium (10.0-19.9)
Indiana	Crawford County	12.7	Medium (10.0-19.9)
Indiana	Daviess County	19.4	Medium (10.0-19.9)
Indiana	Dearborn County	17.4	Medium (10.0-19.9)
Indiana	Decatur County	7.1	Low (<10.0)
Indiana	Delaware County	17.4	Medium (10.0-19.9)
Indiana	Dubois County	12.9	Medium (10.0-19.9)
Indiana	Elkhart County	11.7	Medium (10.0-19.9)
Indiana	Fayette County	15.4	Medium (10.0-19.9)
Indiana	Floyd County	6.2	Low (<10.0)
Indiana	Fountain County	5.8	Low (<10.0)
Indiana	Franklin County	6.7	Low (<10.0)
Indiana	Fulton County	7.1	Low (<10.0)
Indiana	Gibson County	15.4	Medium (10.0-19.9)
Indiana	Grant County	7.4	Low (<10.0)
Indiana	Greene County	5.1	Low (<10.0)
Indiana	Hamilton County	17.4	Medium (10.0-19.9)
Indiana	Hancock County	17.4	Medium (10.0-19.9)
Indiana	Harrison County	12.7	Medium (10.0-19.9)
Indiana	Hendricks County	17.4	Medium (10.0-19.9)
Indiana	Henry County	6.8	Low (<10.0)
Indiana	Howard County	17.4	Medium (10.0-19.9)
Indiana	Huntington County	11.6	Medium (10.0-19.9)
Indiana	Jackson County	12.7	Medium (10.0-19.9)
Indiana	Jasper County	11.6	Medium (10.0-19.9)
Indiana	Jay County	11.6	Medium (10.0-19.9)
Indiana	Jefferson County	7.1	Low (<10.0)
Indiana	Jennings County	17.4	Medium (10.0-19.9)
Indiana	Johnson County	17.4	Medium (10.0-19.9)
Indiana	Knox County	14.2	Medium (10.0-19.9)
Indiana	Kosciusko County	7.4	Low (<10.0)
Indiana	La Porte County	7.7	Low (<10.0)
Indiana	Lafayette County	12.9	Medium (10.0-19.9)
Indiana	Lake County	15.8	Medium (10.0-19.9)
Indiana	Lawrence County	12.9	Medium (10.0-19.9)
Indiana	Madison County	17.4	Medium (10.0-19.9)
Indiana	Marion County	13.1	Medium (10.0-19.9)
Indiana	Marshall County	11.6	Medium (10.0-19.9)
Indiana	Martin County	12.9	Medium (10.0-19.9)
Indiana	Miami County	7.1	Low (<10.0)
Indiana	Monroe County	12.7	Medium (10.0-19.9)
Indiana	Montgomery County	17.4	Medium (10.0-19.9)
Indiana	Morgan County	17.4	Medium (10.0-19.9)
Indiana	Newton County	7.1	Low (<10.0)
Indiana	Noble County	7.4	Low (<10.0)
Indiana	Ohio County	12.7	Medium (10.0-19.9)
Indiana	Orange County	12.9	Medium (10.0-19.9)
Indiana	Owen County	17.4	Medium (10.0-19.9)
Indiana	Parke County	17.4	Medium (10.0-19.9)
Indiana	Perry County	12.9	Medium (10.0-19.9)
Indiana	Pike County	12.9	Medium (10.0-19.9)
Indiana	Porter County	15.8	Medium (10.0-19.9)
Indiana	Posey County	12.9	Medium (10.0-19.9)
Indiana	Pulaski County	11.6	Medium (10.0-19.9)
Indiana	Putnam County	17.4	Medium (10.0-19.9)
Indiana	Randolph County	7.4	Low (<10.0)
Indiana	Ripley County	12.9	Medium (10.0-19.9)
Indiana	Rush County	7.4	Low (<10.0)
Indiana	Scott County	12.7	Medium (10.0-19.9)
Indiana	Shelby County	17.4	Medium (10.0-19.9)
Indiana	Spencer County	12.9	Medium (10.0-19.9)
Indiana	St. Joseph County	7.7	Low (<10.0)
Indiana	Starke County	11.6	Medium (10.0-19.9)
Indiana	Steuben County	7.4	Low (<10.0)
Indiana	Sullivan County	12.9	Medium (10.0-19.9)
Indiana	Switzerland County	12.7	Medium (10.0-19.9)
Indiana	Tippecanoe County	17.4	Medium (10.0-19.9)
Indiana	Tipton County	17.4	Medium (10.0-19.9)
Indiana	Union County	17.4	Medium (10.0-19.9)
Indiana	Vanderburgh County	12.9	Medium (10.0-19.9)
Indiana	Vermillion County	12.9	Medium (10.0-19.9)
Indiana	Vigo County	12.9	Medium (10.0-19.9)
Indiana	Wabash County	7.1	Low (<10.0)
Indiana	Warrick County	12.9	Medium (10.0-19.9)
Indiana	Washington County	12.9	Medium (10.0-19.9)
Indiana	Wayne County	17.4	Medium (10.0-19.9)
Indiana	Wells County	7.1	Low (<10.0)
Indiana	White County	7.1	Low (<10.0)
Indiana	Whitley County	7.4	Low (<10.0)
Iowa	Adair County	19.8	Medium (10.0-19.9)
Iowa	Adams County	19.8	Medium (10.0-19.9)
Iowa	Allamakee County	19.8	Medium (10.0-19.9)
Iowa	Appanoose County	19.8	Medium (10.0-19.9)
Iowa	Audubon County	19.8	Medium (10.0-19.9)
Iowa	Benton County	19.8	Medium (10.0-19.9)
Iowa	Black Hawk County	19.8	Medium (10.0-19.9)
Iowa	Boone County	19.8	Medium (10.0-19.9)
Iowa	Bremer County	19.8	Medium (10.0-19.9)
Iowa	Buchanan County	19.8	Medium (10.0-19.9)
Iowa	Buena Vista County	19.8	Medium (10.0-19.9)
Iowa	Butler County	19.8	Medium (10.0-19.9)
Iowa	Calhoun County	19.8	Medium (10.0-19.9)
Iowa	Carroll County	19.8	Medium (10.0-19.9)
Iowa	Cass County	19.8	Medium (10.0-19.9)
Iowa	Cedar County	19.8	Medium (10.0-19.9)
Iowa	Cerro Gordo County	19.8	Medium (10.0-19.9)
Iowa	Cherokee County	19.8	Medium (10.0-19.9)
Iowa	Chickasaw County	19.8	Medium (10.0-19.9)
Iowa	Clarke County	19.8	Medium (10.0-19.9)
Iowa	Clay County	19.8	Medium (10.0-19.9)
Iowa	Clayton County	19.8	Medium (10.0-19.9)
Iowa	Clinton County	19.8	Medium (10.0-19.9)
Iowa	Crawford County	19.8	Medium (10.0-19.9)
Iowa	Dallas County	19.8	Medium (10.0-19.9)
Iowa	Davis County	19.8	Medium (10.0-19.9)
Iowa	Decatur County	19.8	Medium (10.0-19.9)
Iowa	Delaware County	19.8	Medium (10.0-19.9)
Iowa	Des Moines County	19.8	Medium (10.0-19.9)
Iowa	Dickinson County	19.8	Medium (10.0-19.9)
Iowa	Dubuque County	19.8	Medium (10.0-19.9)
Iowa	Emmet County	19.8	Medium (10.0-19.9)
Iowa	Fayette County	19.8	Medium (10.0-19.9)
Iowa	Floyd County	19.8	Medium (10.0-19.9)
Iowa	Franklin County	19.8	Medium (10.0-19.9)
Iowa	Fremont County	19.8	Medium (10.0-19.9)
Iowa	Greene County	19.8	Medium (10.0-19.9)
Iowa	Grundy County	19.8	Medium (10.0-19.9)
Iowa	Guthrie County	19.8	Medium (10.0-19.9)
Iowa	Hamilton County	19.8	Medium (10.0-19.9)
Iowa	Hancock County	19.8	Medium (10.0-19.9)
Iowa	Hardin County	19.8	Medium (10.0-19.9)
Iowa	Harrison County	19.8	Medium (10.0-19.9)
Iowa	Henry County	19.8	Medium (10.0-19.9)
Iowa	Howard County	19.8	Medium (10.0-19.9)
Iowa	Humboldt County	19.8	Medium (10.0-19.9)
Iowa	Ida County	19.8	Medium (10.0-19.9)
Iowa	Iowa County	19.8	Medium (10.0-19.9)
Iowa	Jackson County	19.8	Medium (10.0-19.9)
Iowa	Jasper County	19.8	Medium (10.0-19.9)
Iowa	Jefferson County	19.8	Medium (10.0-19.9)
Iowa	Jones County	19.8	Medium (10.0-19.9)
Iowa	Keokuk County	19.8	Medium (10.0-19.9)
Iowa	Kossuth County	19.8	Medium (10.0-19.9)
Iowa	Lee County	19.8	Medium (10.0-19.9)
Iowa	Linn County	19.8	Medium (10.0-19.9)
Iowa	Louisa County	19.8	Medium (10.0-19.9)
Iowa	Lucas County	19.8	Medium (10.0-19.9)
Iowa	Lyon County	19.8	Medium (10.0-19.9)
Iowa	Madison County	19.8	Medium (10.0-19.9)
Iowa	Mahaska County	19.8	Medium (10.0-19.9)
Iowa	Marion County	19.8	Medium (10.0-19.9)
Iowa	Marshall County	19.8	Medium (10.0-19.9)
Iowa	Mills County	19.8	Medium (10.0-19.9)
Iowa	Mitchell County	19.8	Medium (10.0-19.9)
Iowa	Monona County	19.8	Medium (10.0-19.9)
Iowa	Monroe County	19.8	Medium (10.0-19.9)
Iowa	Montgomery County	19.8	Medium (10.0-19.9)
Iowa	Morgan County	19.8	Medium (10.0-19.9)
Iowa	Muscatine County	19.8	Medium (10.0-19.9)
Iowa	O'Brien County	19.8	Medium (10.0-19.9)
Iowa	Osceola County	19.8	Medium (10.0-19.9)
Iowa	Page County	19.8	Medium (10.0-19.9)
Iowa	Palo Alto County	19.8	Medium (10.0-19.9)
Iowa	Plymouth County	19.8	Medium (10.0-19.9)
Iowa	Pocahontas County	19.8	Medium (10.0-19.9)
Iowa	Polk County	19.8	Medium (10.0-19.9)
Iowa	Pottawattamie County	19.8	Medium (10.0-19.9)
Iowa	Poweshiek County	19.8	Medium (10.0-19.9)
Iowa	Ringgold County	19.8	Medium (10.0-19.9)
Iowa	Sac County	19.8	Medium (10.0-19.9)
Iowa	Scott County	19.8	Medium (10.0-19.9)
Iowa	Shelby County	19.8	Medium (10.0-19.9)
Iowa	Sioux County	19.8	Medium (10.0-19.9)
Iowa	Story County	19.8	Medium (10.0-19.9)
Iowa	Tama County	19.8

Indiana	Montgomery County	7.8	Low (<10.0)
Indiana	Morgan County	13.5	Medium (10.0 to 19.9)
Indiana	Newton County	15.4	Medium (10.0 to 19.9)
Indiana	Noble County	7.1	Low (<10.0)
Indiana	Ohio County	7.1	Low (<10.0)
Indiana	Orange County	10.8	Medium (10.0 to 19.9)
Indiana	Owen County	5.1	Low (<10.0)
Indiana	Parke County	7.8	Low (<10.0)
Indiana	Perry County	14.2	Medium (10.0 to 19.9)
Indiana	Pike County	14.2	Medium (10.0 to 19.9)
Indiana	Porter County	7.4	Low (<10.0)
Indiana	Posey County	15.8	Medium (10.0 to 19.9)
Indiana	Pulaski County	7.8	Low (<10.0)
Indiana	Putnam County	15.8	Medium (10.0 to 19.9)
Indiana	Randolph County	13.9	Medium (10.0 to 19.9)
Indiana	Ripley County	7.5	Low (<10.0)
Indiana	Rush County	13.5	Medium (10.0 to 19.9)
Indiana	Scott County	7.5	Low (<10.0)
Indiana	Shelby County	13.9	Medium (10.0 to 19.9)
Indiana	Spencer County	15.8	Medium (10.0 to 19.9)
Indiana	St Joseph County	7.1	Low (<10.0)
Indiana	Starke County	2.3	Low (<10.0)
Indiana	Steuben County	7.8	Low (<10.0)
Indiana	Sullivan County	7.9	Low (<10.0)
Indiana	Switzerland County	7.5	Low (<10.0)
Indiana	Tippecanoe County	15.6	Medium (10.0 to 19.9)
Indiana	Tipton County	13.9	Medium (10.0 to 19.9)
Indiana	Union County	15.6	Medium (10.0 to 19.9)
Indiana	Vanderburgh County	15.8	Medium (10.0 to 19.9)
Indiana	Vermillion County	7.9	Low (<10.0)
Indiana	Vigo County	7.9	Low (<10.0)
Indiana	Wabash County	7.8	Low (<10.0)
Indiana	Warren County	8.8	Low (<10.0)
Indiana	Warrick County	15.8	Medium (10.0 to 19.9)
Indiana	Washington County	13.7	Medium (10.0 to 19.9)
Indiana	Wayne County	15.6	Medium (10.0 to 19.9)
Indiana	Wells County	15.6	Medium (10.0 to 19.9)
Indiana	White County	15.6	Medium (10.0 to 19.9)
Indiana	Whitley County	13.9	Medium (10.0 to 19.9)
Iowa	Adair County	8.5	Low (<10.0)
Iowa	Adams County	8.5	Low (<10.0)
Iowa	Allamakee County	17.2	Medium (10.0 to 19.9)
Iowa	Appanoose County	5.3	Low (<10.0)
Iowa	Audubon County	7.9	Low (<10.0)
Iowa	Benton County	13.2	Medium (10.0 to 19.9)
Iowa	Black Hawk County	13.2	Medium (10.0 to 19.9)
Iowa	Boone County	7.9	Low (<10.0)
Iowa	Bremer County	13.2	Medium (10.0 to 19.9)
Iowa	Buchanan County	16.5	Medium (10.0 to 19.9)
Iowa	Buena Vista County	17.1	Medium (10.0 to 19.9)
Iowa	Butler County	16.5	Medium (10.0 to 19.9)
Iowa	Calhoun County	17.1	Medium (10.0 to 19.9)
Iowa	Carroll County	17.2	Medium (10.0 to 19.9)
Iowa	Cass County	7.9	Low (<10.0)
Iowa	Cedar County	16.5	Medium (10.0 to 19.9)
Iowa	Cerro Gordo County	20.0	High (≥20.0)
Iowa	Cherokee County	17.1	Medium (10.0 to 19.9)
Iowa	Chickasaw County	16.9	Medium (10.0 to 19.9)
Iowa	Clarke County	8.3	Low (<10.0)
Iowa	Clay County	20.0	High (≥20.0)
Iowa	Clayton County	21.7	High (≥20.0)
Iowa	Clinton County	7.9	Low (<10.0)
Iowa	Crawford County	7.9	Low (<10.0)
Iowa	Dallas County	8.3	Low (<10.0)
Iowa	Davis County	5.3	Low (<10.0)
Iowa	Decatur County	8.3	Low (<10.0)
Iowa	Delaware County	21.7	High (≥20.0)
Iowa	Des Moines County	13.7	Medium (10.0 to 19.9)
Iowa	Dickinson County	7.9	Low (<10.0)
Iowa	Dubuque County	16.5	Medium (10.0 to 19.9)
Iowa	Emmet County	21.3	High (≥20.0)
Iowa	Fayette County	16.5	Medium (10.0 to 19.9)
Iowa	Floyd County	16.9	Medium (10.0 to 19.9)
Iowa	Franklin County	20.0	High (≥20.0)
Iowa	Fremont County	21.3	High (≥20.0)
Iowa	Greene County	7.9	Low (<10.0)
Iowa	Grundy County	16.5	Medium (10.0 to 19.9)
Iowa	Guthrie County	8.3	Low (<10.0)
Iowa	Hamilton County	5.6	Low (<10.0)
Iowa	Hancock County	20.3	High (≥20.0)
Iowa	Hardin County	5.6	Low (<10.0)
Iowa	Harrison County	7.9	Low (<10.0)
Iowa	Henry County	13.7	Medium (10.0 to 19.9)
Iowa	Howard County	9.2	Low (<10.0)
Iowa	Humboldt County	17.1	Medium (10.0 to 19.9)
Iowa	Ida County	13.2	Medium (10.0 to 19.9)
Iowa	Iowa County	13.2	Medium (10.0 to 19.9)
Iowa	Jackson County	14.2	Medium (10.0 to 19.9)
Iowa	Jasper County	8.3	Low (<10.0)
Iowa	Jefferson County	7.9	Low (<10.0)
Iowa	Johnson County	13.2	Medium (10.0 to 19.9)
Iowa	Jones County	16.5	Medium (10.0 to 19.9)
Iowa	Keokuk County	8.3	Low (<10.0)
Iowa	Kossuth County	20.3	High (≥20.0)
Iowa	Lee County	7.9	Low (<10.0)
Iowa	Linn County	13.2	Medium (10.0 to 19.9)
Iowa	Louisa County	13.2	Medium (10.0 to 19.9)
Iowa	Lucas County	8.3	Low (<10.0)
Iowa	Lyon County	21.7	High (≥20.0)
Iowa	Madison County	13.2	Medium (10.0 to 19.9)
Iowa	Mahaska County	8.3	Low (<10.0)
Iowa	Marion County	8.3	Low (<10.0)
Iowa	Marshall County	5.6	Low (<10.0)
Iowa	Mills County	7.9	Low (<10.0)
Iowa	Mitchell County	5.6	Low (<10.0)
Iowa	Monona County	7.9	Low (<10.0)
Iowa	Monroe County	8.3	Low (<10.0)
Iowa	Montgomery County	14.8	Medium (10.0 to 19.9)
Iowa	Muscatine County	7.9	Low (<10.0)
Iowa	O'Brien County	8	Low (<10.0)
Iowa	Osceola County	21.3	High (≥20.0)
Iowa	Page County	21.3	High (≥20.0)
Iowa	Palo Alto County	20.0	High (≥20.0)
Iowa	Plymouth County	21.3	High (≥20.0)
Iowa	Pocahontas County	17.1	Medium (10.0 to 19.9)
Iowa	Polk County	7.9	Low (<10.0)
Iowa	Pottawattamie County	7.9	Low (<10.0)
Iowa	Poweshiek County	5.6	Low (<10.0)
Iowa	Ringgold County	8.3	Low (<10.0)
Iowa	Sac County	16.5	Medium (10.0 to 19.9)
Iowa	Scott County	7.9	Low (<10.0)
Iowa	Shelby County	7.9	Low (<10.0)
Iowa	Sioux County	5.7	Low (<10.0)
Iowa	Story County	5.4	Low (<10.0)
Iowa	Tama County	5.6	Low (<10.0)
Iowa	Taylor County	21.3	High (≥20.0)
Iowa	Union County	8.3	Low (<10.0)
Iowa	Van Buren County	8	Low (<10.0)
Iowa	Wapello County	8.3	Low (<10.0)
Iowa	Warren County	8.3	Low (<10.0)
Iowa	Washington County	13.2	Medium (10.0 to 19.9)
Iowa	Wayne County	8	Low (<10.0)
Iowa	Webster County	5.6	Low (<10.0)
Iowa	Winnebago County	20.0	High (≥20.0)
Iowa	Winneshiek County	25	High (≥20.0)
Iowa	Woodbury County	21.3	High (≥20.0)
Iowa	Worth County	16.5	Medium (10.0 to 19.9)
Iowa	Wright County	5.4	Low (<10.0)
Kansas	Allen County	11.7	Medium (10.0 to 19.9)
Kansas	Anderson County	14	Medium (10.0 to 19.9)
Kansas	Atchison County	8	Low (<10.0)
Kansas	Barber County	2	Low (<10.0)
Kansas	Barton County	2	Low (<10.0)
Kansas	Bourbon County	2	Low (<10.0)
Kansas	Brown County	2	Low (<10.0)
Kansas	Butler County	11	Medium (10.0 to 19.9)
Kansas	Chase County	2	Low (<10.0)
Kansas	Chautauqua County	2	Low (<10.0)
Kansas	Cherokee County	11.5	Medium (10.0 to 19.9)
Kansas	Cheyenne County	2	Low (<10.0)
Kansas	Clark County	2	Low (<10.0)
Kansas	Clay County	2	Low (<10.0)
Kansas	Cloud County	2	Low (<10.0)
Kansas	Coffey County	2	Low (<10.0)
Kansas	Comanche County	2	Low (<10.0)
Kansas	Cowley County	11	Low (<10.0)
Kansas	Crawford County	11	Medium (10.0 to 19.9)
Kansas	Decatur County	2	Low (<10.0)
Kansas	Dickinson County	5.6	Low (<10.0)
Kansas	Doniphan County	12.2	Medium (10.0 to 19.9)
Kansas	Douglas County	14	Medium (10.0 to 19.9)
Kansas	Edwards County	2.6	Low (<10.0)
Kansas	Elk County	8	Low (<10.0)
Kansas	Ellis County	20.9	High (≥20.0)
Kansas	Ellsworth County	2	Low (<10.0)
Kansas	Finney County	5.6	Low (<10.0)
Kansas	Ford County	11	Medium (10.0 to 19.9)
Kansas	Franklin County	14	Medium (10.0 to 19.9)
Kansas	Geary County	3.6	Low (<10.0)
Kansas	Gove County	20.9	High (≥20.0)
Kansas	Graham County	20.9	High (≥20.0)
Kansas	Grant County	5.6	Low (<10.0)
Kansas	Gray County	11	Medium (10.0 to 19.9)
Kansas	Greeley County	2	Low (<10.0)
Kansas	Greenwood County	8	Low (<10.0)
Kansas	Hamilton County	5.6	Low (<10.0)
Kansas	Harper County	23.8	High (≥20.0)
Kansas	Harvey County	7.1	Low (<10.0)
Kansas	Haskell County	5.6	Low (<10.0)
Kansas	Hodgeman County	2	Low (<10.0)
Kansas	Jefferson County	2	Low (<10.0)
Kansas	Jewell County	8.1	Low (<10.0)
Kansas	Johnson County	14	Medium (10.0 to 19.9)
Kansas	Kearny County	2	Low (<10.0)
Kansas	Kingman County	23.8	High (≥20.0)
Kansas	Kiowa County	2	Low (<10.0)
Kansas	Labette County	11.7	Medium (10.0 to 19.9)
Kansas	Lane County	5.6	Low (<10.0)
Kansas	Leavenworth County	21.8	High (≥20.0)
Kansas	Lincoln County	8	Low (<10.0)
Kansas	Linn County	14	Medium (10.0 to 19.9)
Kansas	Logan County	20.9	High (≥20.0)
Kansas	Lyon County	8	Low (<10.0)
Kansas	Marion County	8	Low (<10.0)
Kansas	Marshall County	16.3	High (≥20.0)
Kansas	McPherson County	7.1	Low (<10.0)
Kansas	Meade County	2.1	Low (<10.0)
Kansas	Miami County	14	Medium (10.0 to 19.9)
Kansas	Mitchell County	8.1	Low (<10.0)
Kansas	Montgomery County	11.7	Medium (10.0 to 19.9)
Kansas	Morris County	8	Low (<10.0)
Kansas	Morton County	6.5	Low (<10.0)
Kansas	Nemaha County	2	Low (<10.0)
Kansas	Neosho County	11.7	Medium (10.0 to 19.9)
Kansas	Ness County	2	Low (<10.0)
Kansas	Norton County	20.3	High (≥20.0)
Kansas	Osage County	14	Medium (10.0 to 19.9)
Kansas	Osborne County	8.1	Low (<10.0)
Kansas	Ottawa County	8	Low (<10.0)
Kansas	Pawnee County	2.6	Low (<10.0)
Kansas	Phillips County	20.3	High (≥20.0)
Kansas	Pottawatomie County	2	Low (<10.0)
Kansas	Pratt County	2	Low (<10.0)
Kansas	Rawlins County	2	Low (<10.0)
Kansas	Reno County	23.8	High (≥20.0)
Kansas	Republic County	2	Low (<10.0)
Kansas	Rice County	5.6	Low (<10.0)
Kansas	Riley County	2	Low (<10.0)
Kansas	Rooks County	20.9	High (≥20.0)
Kansas	Rush County	2.6	Low (<10.0)
Kansas	Russell County	20.9	High (≥20.0)
Kansas	Saline County	8	Low (<10.0)
Kansas	Scott County	5.6	Low (<10.0)
Kansas	Sedgwick County	7.1	Low (<10.0)
Kansas	Seward County	6.5	Low (<10.0)
Kansas	Shawnee County	2	Low (<10.0)
Kansas	Sherman County	13.9	Medium (10.0 to 19.9)
Kansas	Smith County	2	Low (<10.0)
Kansas	Stafford County	20.3	High (≥20.0)
Kansas	Stanton County	2	Low (<10.0)
Kansas	Stevens County	13.7	Medium (10.0 to 19.9)
Kansas	Sumner County	7.1	Low (<10.0)
Kansas	Thomas County	2	Low (<10.0)
Kansas	Trego County	2	Low (<10.0)
Kansas	Wabaunsee County	2	Low (<10.0)
Kansas	Wallace County	2	Low (<10.0)
Kansas	Washington County	16.3	High (≥20.0)
Kansas	Wichita County	8	Low (<10.0)
Kansas	Wilson County	11.7	Medium (10.0 to 19.9)
Kansas	Woodson County	11.7	Medium (10.0 to 19.9)
Kansas	Wyandotte County	21.8	High (≥20.0)
Kentucky	Adair County	2.7	Low (<10.0)
Kentucky	Allen County	2.7	Low (<10.0)
Kentucky	Anderson County	7.1	Low (<10.0)
Kentucky	Ballard County	17.7	Medium (10.0 to 19.9)
Kentucky	Barren County	14.3	Medium (10.0 to 19.9)
Kentucky	Bath County	4.9	Low (<10.0)
Kentucky	Bell County	2.7	Low (<10.0)
Kentucky	Boone County	8.1	Low (<10.0)
Kentucky	Bourbon County	7.1	Low (<10.0)
Kentucky	Boyd County	26.2	High (≥20.0)
Kentucky	Boyle County	4.5	Low (<10.0)
Kentucky	Bracken County	7.1	Low (<10.0)
Kentucky	Breathitt County	7.5	Low (<10.0)
Kentucky	Breckinridge County	8.5	Low (<10.0)
Kentucky	Bullitt County	8.9	Low (<10.0)
Kentucky	Butler County	2.7	Low (<10.0)
Kentucky	Caldwell County	2.7	Low (<10.0)
Kentucky	Calloway County	5.5	Low (<10.0)
Kentucky	Campbell County	8.1	Low (<10.0)
Kentucky	Carlisle County	17.7	Medium (10.0 to 19.9)
Kentucky	Carroll County	7.1	Low (<10.0)
Kentucky	Carter County	20.2	High (≥20.0)
Kentucky	Casey County	2.7	Low (<10.0)
Kentucky	Christian County	8	Low (<10.0)
Kentucky	Clark County	7.1	Low (<10.0)
Kentucky	Clay County	14.2	Medium (10.0 to 19.9)
Kentucky	Clinton County	17.4	Medium (10.0 to 19.9)
Kentucky	Crittenden County	17.7	Medium (10.0 to 19.9)
Kentucky	Cumberland County	17.4	Medium (10.0 to 19.9)
Kentucky	Daviess County	14.8	Medium (10.0 to 19.9)
Kentucky	Edmonson County	14.8	Medium (10.0 to 19.9)
Kentucky	Elliott County	15.2	Medium (10.0 to 19.9)
Kentucky	Estill County	15.2	Medium (10.0 to 19.9)
Kentucky	Fayette County	15.8	Medium (10.0 to 19.9)
Kentucky	Fleming County	7.5	Low (<10.0)
Kentucky	Floyd County	20	High (≥20.0)
Kentucky	Franklin County	2.5	Low (<10.0)
Kentucky	Fulton County	8.9	Low (<10.0)
Kentucky	Gallatin County	8.1	Low (<10.0)
Kentucky	Garrard County	7.1	Low (<10.0)
Kentucky	Grant County	8.1	Low (<10.0)
Kentucky	Graves County	17.7	Medium (10.0 to 19.9)
Kentucky	Grayson County	4.5	Low (<10.0)
Kentucky	Green County	7.1	Low (<10.0)
Kentucky	Greenup County	20.2	High (≥20.0)
Kentucky	Hancock County	8.9	Low (<10.0)
Kentucky	Hardin County	9.5	Low (<10.0)
Kentucky	Harlan County	14.5	Medium (10.0 to 19.9)
Kentucky	Harrison County	8	Low (<10.0)
Kentucky	Hart County	14.3	Medium (10.0 to 19.9)
Kentucky	Henderson County	18.1	Medium (10.0 to 19.9)
Kentucky	Henry County	8.9	Low (<10.0)
Kentucky	Hopkins County	14.8	Medium (10.0 to 19.9)
Kentucky	Knights County	2.7	Low (<10.0)
Kentucky	Jackson County	15.2	Medium (10.0 to 19.9)
Kentucky	Jefferson County	8.9	Low (<10.0)
Kentucky	Jessamine County	7.5	Low (<10.0)
Kentucky	Johnson County	20.2	High (≥20.0)
Kentucky	Kenton County	8.1	Low (<10.0)
Kentucky	Knox County	14.5	Medium (10.0 to 19.9)
Kentucky	Knox County	14.5	Medium (10.0 to 19.9)
Kentucky	Larue County	8.5	Low (<10.0)
Kentucky	Laurel County	14.2	Medium (10.0 to 19.9)
Kentucky	Lawrence County	20.2	High (≥20.0)
Kentucky	Lee County	15.2	Medium (10.0 to 19.9)
Kentucky	Leslie County	15.2	Medium (10.0 to 19.9)
Kentucky	Letcher County	14.5	Medium (10.0 to 19.9)
Kentucky	Lewis County	7.5	Low (<10.0)
Kentucky	Lincoln County	4.5	Low (<10.0)
Kentucky	Livingston County	17.7	Medium (10.0 to 19.9)
Kentucky	Logan County	5.2	Low (<10.0)
Kentucky	Lyon County	17.7	Medium (10.0 to 19.9)
Kentucky	Madison County	15.2	Medium (10.0 to 19.9)
Kentucky	Magoffin County	7.5	Low (<10.0)
Kentucky	Marion County	8.9	Low (<10.0)
Kentucky	Marshall County	17.7	Medium (10.0 to 19.9)
Kentucky	Martin County	20.2	High (≥20.0)
Kentucky	Mason County	7.5	Low (<10.0)
Kentucky	McCreary County	14.2	Medium (10.0 to 19.9)
Kentucky	McLean County	17.7	Medium (10.0 to 19.9)
Kentucky	Meade County	8.9	Low (<10.0)
Kentucky	Menifee County	7.5	Low (<10.0)
Kentucky	Mercer County	4.5	Low (<10.0)
Kentucky	Metcalfe County	14.3	Medium (10.0 to 19.9)
Kentucky	Monroe County	14.3	Medium (10.0 to 19.9)
Kentucky	Montgomery County	4.9	Low (<10.0)
Kentucky	Morgan County	7.5	Low (<10.0)
Kentucky	Muhlenberg County	8	Low (<10.0)
Kentucky	Nicholas County	7.1	Low (<10.0)
Kentucky	Ohio County	17.7	Medium (10.0 to 19.9)
Kentucky	Ohio County	14.8	Medium (10.0 to 19.9)
Kentucky	Oldham County	8.9	Low (<10.0)
Kentucky	Owen County	5.5	Low (<10.0)
Kentucky	Owsley County	15.2	Medium (10.0 to 19.9)
Kentucky	Pendleton County	8.1	Low (<10.0)
Kentucky	Perry County	14.5	Medium (10.0 to 19.9)
Kentucky	Pike County	23.8	High (≥20.0)
Kentucky	Powell County	15.2	Medium (10.0 to 19.9)
Kentucky	Pulaski County	15.2	Medium (10.0 to 19.9)
Kentucky	Robertson County	8	Low (<10.0)
Kentucky	Rockcastle County	15.2	Medium (10.0 to 19.9)
Kentucky	Rowan County	17.4	Medium (10.0 to 19.9)
Kentucky	Russell County	8	Low (<10.0)
Kentucky	Scott County	7.5	Low (<10.0)
Kentucky	Shelby County	8.9	Low (<10.0)
Kentucky	Simpson County	8.2	Low (<10.0)
Kentucky	Spencer County	8.9	Low (<10.0)
Kentucky	Taylor County	5.2	Low (<10.0)
Kentucky	Todd County	8	Low (<10.0)
Kentucky	Trigg County	8.2	Low (<10.0)
Kentucky	Trimble County	8.9	Low (<10.0)
Kentucky	Union County	18.1	Medium (10.0 to 19.9)
Kentucky	Warren County	4.2	Low (<10.0)
Kentucky	Washington County	8.9	Low (<10.0)
Kentucky	Wayne County	15.7	Medium (10.0 to 19.9)
Kentucky	Webster County	8	Low (<10.0)
Kentucky	Whitley County	14.5	Medium (10.0 to 19.9)
Kentucky	Wolfe County	15.2	Medium (10.0 to 19.9)
Kentucky	Woodford County	15	Medium (10.0 to 19.9)
Louisiana	Acadia Parish	4.7	Low (<10.0)
Louisiana	Allen Parish	2.1	Low (<10.0)
Louisiana	Ascension Parish	2.1	Low (<10.0)
Louisiana	Assumption Parish	1.7	Low (<10.0)
Louisiana	Avoyelles Parish	1.7	Low (<10.0)
Louisiana	Beauregard Parish	2.1	Low (<10.0)
Louisiana	Bienville Parish	4.7	Low (<10.0)
Louisiana	Bossier Parish	7.9	Low (<10.0)
Louisiana	Caddo Parish	7.9	Low (<10.0)
Louisiana	Calcasieu Parish	2.1	Low (<10.0)
Louisiana	Caldwell Parish	2.7	Low (<10.0)
Louisiana	Cameron Parish	2.1	Low (<10.0)
Louisiana	Catahoula Parish	2.7	Low (<10.0)
Louisiana	Concordia Parish	4.4	Low (<10.0)
Louisiana	Corinth Parish	4.7	Low (<10.0)
Louisiana	De Soto Parish	7.9	Low (<10.0)
Louisiana	East Baton Rouge Parish	7.1	Low (<10.0)
Louisiana	East Carroll Parish	7.7	Low (<10.0)
Louisiana	East Feliciana Parish	7.1	Low (<10.0)
Louisiana	Evangeline Parish	2.7	Low (<10.0)
Louisiana	Franklin Parish	4.7	Low (<10.0)
Louisiana	Grant Parish	4.7	Low (<10.0)
Louisiana	Iberia Parish	4.7	Low (<10.0)
Louisiana	Iberville Parish	2.7	Low (<10.0)
Louisiana	Jackson Parish	4.7	Low (<10.0)
Louisiana	Jefferson Parish	2.1	Low (<10.0)
Louisiana	Jefferson Parish	2.1	Low (<10.0)
Louisiana	Jefferson Parish	2.1	Low (<10.0)
Louisiana	Lafayette Parish	4.7	Low (<10.0)
Louisiana	Lafourche Parish	1.7	Low (<10.0)
Louisiana	Lincoln Parish	4.7	Low (<10.0)
Louisiana	Livingston Parish	2.3	Low (<10.0)
Louisiana	Madison Parish	7.7	Low (<10.0)
Louisiana	Morehouse Parish	7.7	Low (<10.0)
Louisiana	Natchitoches Parish	4.7	Low (<10.0)
Louisiana	Orleans Parish	2.1	Low (<10.0)
Louisiana	Ouachita Parish	7.7	Low (<10.0)
Louisiana	Plaquemines Parish	1.7	Low (<10.0)
Louisiana	Pointe Coupee Parish	2.3	Low (<10.0)
Louisiana	Rapides Parish	2.7	Low (<10.0)
Louisiana	Red River Parish	7.9	Low (<10.0)
Louisiana	Richland Parish	7.7	Low (<10.0)
Louisiana	Sabine Parish	4.7	Low (<10.0)
Louisiana	St. Bernard Parish	2.1	Low (<10.0)
Louisiana	St. Charles Parish	2.1	Low (<10.0)
Louisiana	St. Helena Parish	6.2	Low (<10.0)
Louisiana	St. James Parish	1.7	Low (<10.0)
Louisiana	St. John the Baptist Parish	1.7	Low (<10.0)
Louisiana	St. Landry Parish	2.7	Low (<10.0)
Louisiana	St. Martin Parish	1.7	Low (<10.0)
Louisiana	St. Mary Parish	4.7	Low (<10.0)
Louisiana	St. Tammany Parish	5.5	Low (<10.0)
Louisiana	Tangipahoa Parish	6.2	Low (<10.0)
Louisiana	Tensas Parish	7.7	Low (<10.0)
Louisiana	Terrebonne Parish	1.7	Low (<10.0)
Louisiana	Union Parish	4.7	Low (<10.0)
Louisiana	Vermilion Parish	4.7	Low (<10.0)
Louisiana	Vernon Parish	2.8	Low (<10.0)
Louisiana	Washington Parish	6.2	Low (<10.0)
Louisiana	Webster Parish	7.9	Low (<10.0)
Louisiana	West Baton Rouge Parish	7.1	Low (<10.0)
Louisiana	West Carroll Parish	7.7	Low (<10.0)
Louisiana	West Feliciana Parish	7.1	Low (<10.0)
Louisiana	Winn Parish	4.7	Low (<10.0)

Maine	Androscoggin County	14.2	Medium (10.6 to 14.9)
Maine	Aroostook County	10.2	Medium (10.6 to 14.9)
Maine	Cumberland County	6.2	Low (< 10.6)
Maine	Franklin County	10.2	Medium (10.6 to 14.9)
Maine	Hancock County	17.8	Medium (10.6 to 14.9)
Maine	Kennebec County	11.2	Medium (10.6 to 14.9)
Maine	Knox County	6.2	Low (< 10.6)
Maine	Lincoln County	6.2	Low (< 10.6)
Maine	Oxford County	10.2	Medium (10.6 to 14.9)
Maine	Penobscot County	11.8	Medium (10.6 to 14.9)
Maine	Piscataquis County	11.8	Medium (10.6 to 14.9)
Maine	Sagadahoc County	6.2	Low (< 10.6)
Maine	Somerset County	11.8	Medium (10.6 to 14.9)
Maine	Waldo County	11.8	Medium (10.6 to 14.9)
Maine	Washington County	17.8	Medium (10.6 to 14.9)
Maine	York County	11.2	Medium (10.6 to 14.9)
Maryland	Allegany County	13.2	Medium (10.6 to 14.9)
Maryland	Anne Arundel County	5.8	Low (< 10.6)
Maryland	Baltimore City	5.8	Low (< 10.6)
Maryland	Baltimore County	5.8	Low (< 10.6)
Maryland	Calvert County	5.8	Low (< 10.6)
Maryland	Carroll County	5.8	Low (< 10.6)
Maryland	Cecil County	5.8	Low (< 10.6)
Maryland	Charles County	4	Low (< 10.6)
Maryland	Dorchester County	2	Low (< 10.6)
Maryland	Frederick County	5.8	Low (< 10.6)
Maryland	Garrett County	13.2	Medium (10.6 to 14.9)
Maryland	Harford County	5.8	Low (< 10.6)
Maryland	Howard County	5.8	Low (< 10.6)
Maryland	Kent County	2	Low (< 10.6)
Maryland	Montgomery County	4	Low (< 10.6)
Maryland	Prince George's County	4	Low (< 10.6)
Maryland	Queen Anne's County	5.8	Low (< 10.6)
Maryland	Somerset County	8.8	Low (< 10.6)
Maryland	St. Mary's County	4	Low (< 10.6)
Maryland	Talbot County	2	Low (< 10.6)
Maryland	Washington County	4.9	Low (< 10.6)
Maryland	Wicomico County	8.8	Low (< 10.6)
Maryland	Worcester County	8.9	Low (< 10.6)
Massachusetts	Barnstable County	4.7	Low (< 10.6)
Massachusetts	Berkshire County	4.7	Low (< 10.6)
Massachusetts	Bristol County	4.7	Low (< 10.6)
Massachusetts	Dukes County	4.7	Low (< 10.6)
Massachusetts	Essex County	4.2	Low (< 10.6)
Massachusetts	Franklin County	5.9	Low (< 10.6)
Massachusetts	Hampden County	5.9	Low (< 10.6)
Massachusetts	Hampshire County	5.9	Low (< 10.6)
Massachusetts	Middlesex County	4.2	Low (< 10.6)
Massachusetts	Nantucket County	4.7	Low (< 10.6)
Massachusetts	Norfolk County	4.7	Low (< 10.6)
Massachusetts	Plymouth County	4.2	Low (< 10.6)
Massachusetts	Suffolk County	4.2	Low (< 10.6)
Massachusetts	Worcester County	5.1	Medium (10.6 to 14.9)
Michigan	Alcona County	20.1	High (≥20.0)
Michigan	Alger County	15.1	Medium (10.6 to 14.9)
Michigan	Allegan County	10.9	Medium (10.6 to 14.9)
Michigan	Alpena County	15.1	Medium (10.6 to 14.9)
Michigan	Antrim County	8.5	Low (< 10.6)
Michigan	Arenac County	15.1	Medium (10.6 to 14.9)
Michigan	Baraga County	10.9	Medium (10.6 to 14.9)
Michigan	Barry County	15.3	Medium (10.6 to 14.9)
Michigan	Bay County	13.2	Medium (10.6 to 14.9)
Michigan	Benzie County	8.5	Low (< 10.6)
Michigan	Berrien County	15.3	Medium (10.6 to 14.9)
Michigan	Branch County	10.9	Medium (10.6 to 14.9)
Michigan	Calhoun County	13.2	Medium (10.6 to 14.9)
Michigan	Cass County	13.2	Medium (10.6 to 14.9)
Michigan	Charlevoix County	15.1	Medium (10.6 to 14.9)
Michigan	Cheboygan County	16.5	Medium (10.6 to 14.9)
Michigan	Chippewa County	16.5	Medium (10.6 to 14.9)
Michigan	Clare County	15.1	Medium (10.6 to 14.9)
Michigan	Clinton County	10.9	Medium (10.6 to 14.9)
Michigan	Crawford County	8	Low (< 10.6)
Michigan	Delta County	15.1	Medium (10.6 to 14.9)
Michigan	Dickinson County	16.4	Medium (10.6 to 14.9)
Michigan	Eaton County	6.5	Low (< 10.6)
Michigan	Emmet County	8.5	Low (< 10.6)
Michigan	Genesee County	6.1	Low (< 10.6)
Michigan	Gladwin County	15.1	Medium (10.6 to 14.9)
Michigan	Gogebic County	11.8	Medium (10.6 to 14.9)
Michigan	Grand Traverse County	6.5	Low (< 10.6)
Michigan	Gratiot County	7	Low (< 10.6)
Michigan	Hillsdale County	7.5	Low (< 10.6)
Michigan	Houghton County	19.8	Medium (10.6 to 14.9)
Michigan	Huron County	14.2	Medium (10.6 to 14.9)
Michigan	Ingham County	7.5	Low (< 10.6)
Michigan	Ionia County	10.9	Medium (10.6 to 14.9)
Michigan	Iosco County	12.2	Medium (10.6 to 14.9)
Michigan	Iron County	14.4	Medium (10.6 to 14.9)
Michigan	Isabella County	11.5	Medium (10.6 to 14.9)
Michigan	Jackson County	7	Low (< 10.6)
Michigan	Kalamazoo County	8.6	Low (< 10.6)
Michigan	Kalkaska County	8.5	Low (< 10.6)
Michigan	Kent County	11.1	Medium (10.6 to 14.9)
Michigan	Keweenaw County	10.9	Medium (10.6 to 14.9)
Michigan	Lake County	5.8	Low (< 10.6)
Michigan	Lapeer County	6.7	Low (< 10.6)
Michigan	Leelanau County	8.5	Low (< 10.6)
Michigan	Lenawee County	7.5	Low (< 10.6)
Michigan	Livingston County	7.5	Low (< 10.6)
Michigan	Luce County	14.4	Medium (10.6 to 14.9)
Michigan	Mackinac County	16.5	Medium (10.6 to 14.9)
Michigan	Macomb County	7.5	Low (< 10.6)
Michigan	Manistee County	6.5	Low (< 10.6)
Michigan	Marquette County	14.4	Medium (10.6 to 14.9)
Michigan	Mason County	7.2	Low (< 10.6)
Michigan	Mecosta County	11.5	Medium (10.6 to 14.9)
Michigan	Menominee County	14.4	Medium (10.6 to 14.9)
Michigan	Midland County	7.2	Low (< 10.6)
Michigan	Missaukee County	8.5	Low (< 10.6)
Michigan	Monroe County	11.1	Medium (10.6 to 14.9)
Michigan	Montcalm County	11.5	Medium (10.6 to 14.9)
Michigan	Montmorency County	23.1	High (≥20.0)
Michigan	Muskegon County	8.6	Low (< 10.6)
Michigan	Newaygo County	11.5	Medium (10.6 to 14.9)
Michigan	Oakland County	9.6	Low (< 10.6)
Michigan	Oceana County	7.2	Low (< 10.6)
Michigan	Ogemaw County	12.2	Medium (10.6 to 14.9)
Michigan	Ontonagon County	11.8	Medium (10.6 to 14.9)
Michigan	Osceola County	5.9	Low (< 10.6)
Michigan	Oscoda County	12.2	Medium (10.6 to 14.9)
Michigan	Otsego County	8	Low (< 10.6)
Michigan	Ottawa County	11.1	Medium (10.6 to 14.9)
Michigan	Presque Isle County	23.1	High (≥20.0)
Michigan	Roscommon County	8	Low (< 10.6)
Michigan	Saginaw County	14.2	Medium (10.6 to 14.9)
Michigan	Sanilac County	18	Medium (10.6 to 14.9)
Michigan	Schoolcraft County	14.4	Medium (10.6 to 14.9)
Michigan	Shiawassee County	6.5	Low (< 10.6)
Michigan	St. Clair County	14.2	Medium (10.6 to 14.9)
Michigan	St. Joseph County	8.6	Low (< 10.6)
Michigan	Tuscola County	14.2	Medium (10.6 to 14.9)
Michigan	Van Buren County	7.2	Low (< 10.6)
Michigan	Washtenaw County	9.6	Low (< 10.6)
Michigan	Wayne County	7.5	Low (< 10.6)
Michigan	Wexford County	9.6	Low (< 10.6)
Minnesota	Aitkin County	7.2	Low (< 10.6)
Minnesota	Anoka County	7.2	Low (< 10.6)
Minnesota	Becker County	8.7	Low (< 10.6)
Minnesota	Beltrami County	8.9	Low (< 10.6)
Minnesota	Benton County	14.5	Medium (10.6 to 14.9)
Minnesota	Big Stone County	7.2	Low (< 10.6)
Minnesota	Blue Earth County	19	Low (< 10.6)
Minnesota	Brown County	14.5	Medium (10.6 to 14.9)
Minnesota	Carlton County	11.5	Medium (10.6 to 14.9)
Minnesota	Carver County	7.2	Low (< 10.6)
Minnesota	Cass County	7.9	Medium (10.6 to 14.9)
Minnesota	Chippewa County	9	Low (< 10.6)
Minnesota	Chisago County	5.8	Low (< 10.6)
Minnesota	City County	8.7	Low (< 10.6)
Minnesota	Clay County	7.2	Low (< 10.6)
Minnesota	Clearwater County	7.9	Medium (10.6 to 14.9)
Minnesota	Cottonwood County	5.8	Low (< 10.6)
Minnesota	Crow Wing County	7.5	Low (< 10.6)
Minnesota	Dakota County	5.8	Low (< 10.6)
Minnesota	Dodge County	5.8	Low (< 10.6)
Minnesota	Douglas County	5.8	Low (< 10.6)
Minnesota	Fillmore County	14.5	Medium (10.6 to 14.9)
Minnesota	Freeborn County	12.1	Medium (10.6 to 14.9)
Minnesota	Goodhue County	7.7	Low (< 10.6)
Minnesota	Grant County	9.6	Low (< 10.6)
Minnesota	Hennepin County	7.2	Low (< 10.6)
Minnesota	Houston County	11.7	Medium (10.6 to 14.9)
Minnesota	Hubbard County	7.9	Medium (10.6 to 14.9)
Minnesota	Isanti County	7.2	Low (< 10.6)
Minnesota	Itasca County	11.5	Medium (10.6 to 14.9)
Minnesota	Jackson County	9.6	Low (< 10.6)
Minnesota	Kanabec County	14.4	Medium (10.6 to 14.9)
Minnesota	Kandiyohi County	9.6	Low (< 10.6)
Minnesota	Kittson County	14	Medium (10.6 to 14.9)
Minnesota	Koochiching County	11.5	Medium (10.6 to 14.9)
Minnesota	Lac qui Parle County	7	Low (< 10.6)
Minnesota	Lake County	11.5	Medium (10.6 to 14.9)
Minnesota	Lake of the Woods County	14	Medium (10.6 to 14.9)
Minnesota	Le Sueur County	7.2	Low (< 10.6)
Minnesota	Lincoln County	16.1	Medium (10.6 to 14.9)
Minnesota	Lyon County	16.1	Medium (10.6 to 14.9)
Minnesota	McLeod County	7.2	Low (< 10.6)
Minnesota	Marshall County	9.4	Low (< 10.6)
Minnesota	Martin County	9.6	Low (< 10.6)
Minnesota	Meeker County	7.2	Low (< 10.6)
Minnesota	Mille Lacs County	14.4	Medium (10.6 to 14.9)
Minnesota	Morrison County	14.5	Medium (10.6 to 14.9)
Minnesota	Mower County	9.2	Low (< 10.6)
Minnesota	Murray County	9.6	Low (< 10.6)
Minnesota	Nicollet County	7.2	Low (< 10.6)
Minnesota	Nobles County	9.6	Low (< 10.6)
Minnesota	Norman County	8.7	Low (< 10.6)
Minnesota	Olmsted County	9.2	Low (< 10.6)
Minnesota	Otter Tail County	4.6	Low (< 10.6)
Minnesota	Pennington County	9.4	Low (< 10.6)
Minnesota	Pine County	11.5	Medium (10.6 to 14.9)
Minnesota	Pipestone County	9.6	Low (< 10.6)
Minnesota	Polk County	11.5	Medium (10.6 to 14.9)
Minnesota	Pope County	5.4	Low (< 10.6)
Minnesota	Ramsey County	7.2	Low (< 10.6)
Minnesota	Red Lake County	9.4	Low (< 10.6)
Minnesota	Redwood County	12.8	Medium (10.6 to 14.9)
Minnesota	Renville County	12.8	Medium (10.6 to 14.9)
Minnesota	Rice County	7.2	Low (< 10.6)
Minnesota	Rock County	11.5	Medium (10.6 to 14.9)
Minnesota	Roseau County	5.3	Low (< 10.6)
Minnesota	Scott County	7.2	Low (< 10.6)
Minnesota	Sherburne County	7.2	Low (< 10.6)
Minnesota	Sibley County	7.2	Low (< 10.6)
Minnesota	St. Louis County	11.5	Medium (10.6 to 14.9)
Minnesota	Stearns County	7.2	Low (< 10.6)
Minnesota	Steele County	7.2	Low (< 10.6)
Minnesota	Stevens County	9.6	Low (< 10.6)
Minnesota	Swift County	5	Low (< 10.6)
Minnesota	Todd County	14.5	Medium (10.6 to 14.9)
Minnesota	Traverse County	9.4	Low (< 10.6)
Minnesota	Wabasha County	9.2	Low (< 10.6)
Minnesota	Wadena County	7.9	Medium (10.6 to 14.9)
Minnesota	Waseca County	7.2	Low (< 10.6)
Minnesota	Watonwan County	9.6	Low (< 10.6)
Minnesota	Wilkin County	9.7	Low (< 10.6)
Minnesota	Winona County	9.2	Low (< 10.6)
Minnesota	Wright County	7.2	Low (< 10.6)
Minnesota	Yellow Medicine County	9.6	Low (< 10.6)
Mississippi	Adams County	4.2	Low (< 10.6)
Mississippi	Alcorn County	5.9	Low (< 10.6)
Mississippi	Amite County	5.2	Low (< 10.6)
Mississippi	Attala County	5.9	Low (< 10.6)
Mississippi	Benton County	7.8	Low (< 10.6)
Mississippi	Bolivar County	6.1	Low (< 10.6)
Mississippi	Calhoun County	5.9	Low (< 10.6)
Mississippi	Carroll County	4.9	Low (< 10.6)
Mississippi	Chickasaw County	5.9	Low (< 10.6)
Mississippi	Choctaw County	5.9	Low (< 10.6)
Mississippi	Claiborne County	6	Low (< 10.6)
Mississippi	Clarke County	6.5	Low (< 10.6)
Mississippi	Clay County	6	Low (< 10.6)
Mississippi	Coahoma County	2.9	Low (< 10.6)
Mississippi	Copiah County	5.6	Low (< 10.6)
Mississippi	Covington County	5.2	Low (< 10.6)
Mississippi	DeSoto County	7.8	Low (< 10.6)
Mississippi	Forrest County	12.1	Medium (10.6 to 14.9)
Mississippi	Franklin County	4.3	Low (< 10.6)
Mississippi	George County	4.8	Low (< 10.6)
Mississippi	Greene County	5.2	Low (< 10.6)
Mississippi	Grenada County	4.9	Low (< 10.6)
Mississippi	Hancock County	5.2	Low (< 10.6)
Mississippi	Harrison County	5.2	Low (< 10.6)
Mississippi	Hinds County	5.9	Low (< 10.6)
Mississippi	Holmes County	5.9	Low (< 10.6)
Mississippi	Humphreys County	6.7	Low (< 10.6)
Mississippi	Issaquena County	4	Low (< 10.6)
Mississippi	Itawamba County	3.8	Low (< 10.6)
Mississippi	Jackson County	5.2	Low (< 10.6)
Mississippi	Jasper County	5.6	Low (< 10.6)
Mississippi	Jefferson County	4.3	Low (< 10.6)
Mississippi	Jefferson Davis County	6	Low (< 10.6)
Mississippi	Jones County	5.9	Low (< 10.6)
Mississippi	Kemper County	6	Low (< 10.6)
Mississippi	Lafayette County	6.1	Low (< 10.6)
Mississippi	Lamar County	7.8	Low (< 10.6)
Mississippi	Lauderdale County	6.1	Low (< 10.6)
Mississippi	Leake County	6.1	Low (< 10.6)
Mississippi	Lee County	5.9	Low (< 10.6)
Mississippi	Leflore County	6.7	Low (< 10.6)
Mississippi	Lincoln County	5.6	Low (< 10.6)
Mississippi	Lowndes County	6.1	Low (< 10.6)
Mississippi	Madison County	5.9	Low (< 10.6)
Mississippi	Marion County	5.6	Low (< 10.6)
Mississippi	Marshall County	5.9	Low (< 10.6)
Mississippi	Monroe County	5.9	Low (< 10.6)
Mississippi	Montgomery County	6.1	Low (< 10.6)
Mississippi	Neshoba County	6.3	Low (< 10.6)
Mississippi	Newton County	5.6	Low (< 10.6)
Mississippi	Noxubee County	6	Low (< 10.6)
Mississippi	Oktibbeha County	6	Low (< 10.6)
Mississippi	Panola County	7.8	Low (< 10.6)
Mississippi	Pearl River County	5.5	Low (< 10.6)
Mississippi	Perry County	14.1	Medium (10.6 to 14.9)
Mississippi	Pike County	5.2	Low (< 10.6)
Mississippi	Pontotoc County	3.8	Low (< 10.6)
Mississippi	Prentiss County	3.8	Low (< 10.6)
Mississippi	Quitman County	4.9	Low (< 10.6)
Mississippi	Rankin County	5.5	Low (< 10.6)
Mississippi	Scott County	5.9	Low (< 10.6)
Mississippi	Sharkey County	4	Low (< 10.6)
Mississippi	Simpson County	5.9	Low (< 10.6)
Mississippi	Smith County	5.6	Low (< 10.6)
Mississippi	Stone County	5.2	Low (< 10.6)
Mississippi	Sunflower County	4	Low (< 10.6)
Mississippi	Tallahatchie County	2.9	Low (< 10.6)
Mississippi	Tate County	7.8	Low (< 10.6)
Mississippi	Tippah County	6	Low (< 10.6)
Mississippi	Tishomingo County	14.2	Medium (10.6 to 14.9)
Mississippi	Tunica County	4	Low (< 10.6)
Mississippi	Union County	6	Low (< 10.6)
Mississippi	Walthall County	5.2	Low (< 10.6)
Mississippi	Warren County	6	Low (< 10.6)
Mississippi	Washington County	6	Low (< 10.6)
Mississippi	Webster County	6	Low (< 10.6)
Mississippi	Wilkinson County	6	Low (< 10.6)
Mississippi	Winston County	6	Low (< 10.6)
Mississippi	Yalobusha County	6	Low (< 10.6)
Mississippi	Yazoo County	6	Low (< 10.6)
Missouri	Adair County	8.7	Low (< 10.6)
Missouri	Andrew County	12.2	Medium (10.6 to 14.9)
Missouri	Atchison County	21	High (≥20.0)
Missouri	Audrain County	8.7	Low (< 10.6)
Missouri	Barry County	8.8	Low (< 10.6)
Missouri	Barton County	12.9	Medium (10.6 to 14.9)
Missouri	Bates County	20.3	High (≥20.0)
Missouri	Benton County	8.8	Low (< 10.6)
Missouri	Bollinger County	12.9	Medium (10.6 to 14.9)
Missouri	Boone County	6.1	Low (< 10.6)
Missouri	Buchanan County	12.9	Medium (10.6 to 14.9)
Missouri	Butler County	12.9	Medium (10.6 to 14.9)
Missouri	Caldwell County	8.8	Low (< 10.6)
Missouri	Callaway County	6.1	Low (< 10.6)
Missouri	Camden County	2.2	Low (< 10.6)
Missouri	Cape Girardeau County	12.9	Medium (10.6 to 14.9)
Missouri	Carroll County	16.7	Medium (10.6 to 14.9)
Missouri	Carter County	12.9	Medium (10.6 to 14.9)
Missouri	Cass County	14.8	Medium (10.6 to 14.9)
Missouri	Cedar County	7.7	Low (< 10.6)
Missouri	Chariton County	8.8	Low (< 10.6)
Missouri	Christian County	8.8	Low (< 10.6)
Missouri	Clark County	8.8	Low (< 10.6)
Missouri	Clay County	14.8	Medium (10.6 to 14.9)
Missouri	Clinton County	14.8	Medium (10.6 to 14.9)
Missouri	Cole County	6.1	Low (< 10.6)
Missouri	Cooper County	6.1	Low (< 10.6)
Missouri	Crawford County	8.8	Low (< 10.6)
Missouri	Dade County	8.8	Low (< 10.6)
Missouri	Dallas County	8.8	Low (< 10.6)
Missouri	Daviess County	14.8	Medium (10.6 to 14.9)
Missouri	DeKalb County	12.2	Medium (10.6 to 14.9)
Missouri	Dent County	8.8	Low (< 10.6)
Missouri	Douglas County	8.8	Low (< 10.6)
Missouri	Dunklin County	16.1	Medium (10.6 to 14.9)
Missouri	Franklin County	6.1	Low (< 10.6)
Missouri	Gasconade County	5.1	Low (< 10.6)
Missouri	Gentry County	12.2	Medium (10.6 to 14.9)
Missouri	Greene County	8.8	Low (< 10.6)
Missouri	Grundy County	7.6	Low (< 10.6)
Missouri	Harrison County	12.2	Medium (10.6 to 14.9)
Missouri	Henry County	23.3	High (≥20.0)
Missouri	Hickory County	8.8	Low (< 10.6)
Missouri	Holt County	12.2	Medium (10.6 to 14.9)
Missouri	Howard County	6.1	Low (< 10.6)
Missouri	Howell County	8.8	Low (< 10.6)
Missouri	Iron County	14.3	Medium (10.6 to 14.9)
Missouri	Jackson County	14.8	Medium (10.6 to 14.9)
Missouri	Jasper County	14.8	Medium (10.6 to 14.9)
Missouri	Jefferson County	6.1	Low (< 10.6)
Missouri	Johnson County	14.8	Medium (10.6 to 14.9)
Missouri	Knox County	8.1	Low (< 10.6)
Missouri	Laclede County	8.8	Low (< 10.6)
Missouri	Lafayette County	14.8	Medium (10.6 to 14.9)
Missouri	Lawrence County	8.8	Low (< 10.6)
Missouri	Lewis County	15.5	Medium (10.6 to 14.9)
Missouri	Lincoln County	6.1	Low (< 10.6)
Missouri	Linn County	21.2	High (≥20.0)
Missouri	Livingston County	16.7	Medium (10.6 to 14.9)
Missouri	Macon County	8.1	Low (< 10.6)
Missouri	Madison County	15.3	Medium (10.6 to 14.9)
Missouri	Maries County	8.1	Low (< 10.6)
Missouri	Marion County	15.3	Medium (10.6 to 14.9)
Missouri	McDonald County	8.8	Low (< 10.6)
Missouri	Mercer County	8.1	Low (< 10.6)
Missouri	Miller County	8.1	Low (< 10.6)
Missouri	Mississippi County	16.1	Medium (10.6 to 14.9)
Missouri	Moniteau County	8.1	Low (< 10.6)
Missouri	Monroe County	8.1	Low (< 10.6)
Missouri	Montgomery County	5.7	Low (< 10.6)
Missouri	Morgan County	8.1	Low (< 10.6)
Missouri	New Madrid County	16.1	Medium (10.6 to 14.9)
Missouri	Newton County	17.3	Medium (10.6 to 14.9)
Missouri	Nodaway County	12.2	Medium (10.6 to 14.9)
Missouri	Oregon County	23.3	High (≥20.0)
Missouri	Osage County	8.1	Low (< 10.6)
Missouri	Ozark County	8.8	Low (< 10.6)
Missouri	Pemiscot County	16.1	Medium (10.6 to 14.9)
Missouri	Perry County	12.9	Medium (10.6 to 14.9)
Missouri	Pettis County	8.8	Low (< 10.6)
Missouri	Phelps County	8.8	Low (< 10.6)
Missouri	Pike County	15.5	Medium (10.6 to 14.9)
Missouri	Plattes County	14.8	Medium (10.6 to 14.9)
Missouri	Polk County	8.8	Low (< 10.6)
Missouri	Pulaski County	8.8	Low (< 10.6)
Missouri	Putnam County	8.1	Low (< 10.6)
Missouri	Ralls County	15.5	Medium (10.6 to 14.9)
Missouri	Randolph County	8.1	Low (< 10.6)
Missouri	Ray County	14.8	Medium (10.6 to 14.9)
Missouri	Reynolds County	8.8	Low (< 10.6)
Missouri	Ripley County	12.9	Medium (10.6 to 14.9)
Missouri	Saline County	8.1	Low (< 10.6)
Missouri	Schuyler County	8.1	Low (< 10.6)
Missouri	Scotland County	8.1	Low (< 10.6)
Missouri	Scott County	12.9	Medium (10.6 to 14.9)
Missouri	Shannon County	23.3	High (≥20.0)
Missouri	Shelby County	8.1	Low (< 10.6)
Missouri	St. Charles County	5.7	Low (< 10.6)
Missouri	St. Clair County	23.3	High (≥20.0)
Missouri	St. Francois County	16.1	Medium (10.6 to 14.9)
Missouri	St. Louis County	5.7	Low (< 10.6)
Missouri	St. Louis City	14.3	Medium (10.6 to 14.9)
Missouri	St. Louis County	14.3	Medium (10.6 to 14.9)
Missouri	Stoddard County	12.9	Medium (10.6 to 14.9)
Missouri	Stone County	8.8	Low (< 10.6)
Missouri	Sullivan County	8.1	Low (< 10.6)
Missouri	Taney County	8.8	Low (< 10.6)
Missouri	Texas County	8.8	Low (< 10.6)
Missouri	Vernon County	12.2	Medium (10.6 to 14.9)
Missouri	Warren County	5.7	Low (< 10.6)
Missouri	Washington County	12.9	Medium (10.6 to 14.9)
Missouri	Wayne County	12.9	Medium (10.6 to 14.9)
Missouri	Webster County	8.8	Low (< 10.6)
Missouri	Worth County	12.2	Medium (10.6 to 14.9)
Missouri	Wright County	8.8	Low (< 10.6)
Montana	Beaverhead County	20.9	High (≥20.0)
Montana	Big Horn County	17.6	Medium (10.6 to 14.9)
Montana	Blaine County	17.6	Medium (10.6 to 14.9)
Montana	Broadwater County	8	Low (< 10.6)
Montana	Carbon County	8	Low (< 10.6)
Montana	Carter County	8	Low (< 10.6)
Montana	Cascade County	8	Low (< 10.6)
Montana	Chouteau County	8	Low (< 10.6)
Montana	Custer County	8	Low (< 10.6)
Montana	Daniels County	8	Low (< 10.6)
Montana	Dawson County	8	Low (< 10.6)
Montana	Deer Lodge County	8	Low (< 10.6)
Montana	Fallon County	8	Low (< 10.6)
Montana	Fergus County	8	Low (< 10.6)
Montana	Flathead County	8	Low (< 10.6)
Montana	Gallatin County	8	Low (< 10.6)
Montana	Garfield County	8	Low (< 10.6)
Montana	Glacier County	8	Low (< 10.6)
Montana	Goldenrod County	8	Low (< 10.6)
Montana	Granite County	8	Low (< 10.6)
Montana	Hill County	8	Low (< 10.6)
Montana	Jefferson County	8	Low (< 10.6)
Montana	Judith Basin County	8	Low (< 10.6)
Montana	Lake County	8	Low (< 10.6)
Montana	Lewis and Clark County	8	Low (< 10.6)
Montana	Liberty County	8	Low (< 10.6)
Montana	Lincoln County	8	Low (< 10.6)
Montana	McCone County	8	Low (< 10.6)
Montana	Madison County	8	Low (< 10.6)
Montana	Meagher County	8	Low (< 10.6)
Montana	Mineral County	8	Low (< 10.6)
Montana	Missoula County	8	Low (< 10.6)
Montana	Musselshell County	8	Low (< 10.6)
Montana	Park County	8	Low (< 10.6)
Montana	Petroleum County	8	Low (< 10.6)
Montana	Phillips County	8	Low (< 10.6)
Montana	Pondera County	8	Low (< 10.6)
Montana	Powder River County	8	Low (< 10.6)
Montana	Powell County	8	Low (< 10.6)
Montana	Prairie County	8	Low (< 10.6)
Montana	Ravalli County	8	Low (< 10.6)
Montana	Richland County	8	Low (< 10.6)
Montana	Rosebud County	8	Low (< 10.6)
Montana	Sanders County	8	Low (< 10.6)
Montana	Sheridan County	8	Low (< 10.6)
Montana	Silver Bow County	8	Low (< 10.6)
Montana	Stillwater County	8	Low (< 10.6)
Montana	Sweet Grass County	8	Low (< 10.6)
Montana	Teton County	8	Low (< 10.6)
Montana	Toole County	8	Low (< 10.6)
Montana	Treasure County	8	Low (< 10.6)
Montana	Valley County	8	Low (< 10.6)
Montana	Wheatland County	8	Low (< 10.6)
Montana	Wibaux County	8	Low (< 10.6)
Montana	Yellowstone County	8	Low (< 10.6)

Montana	Carter County	15.4	Medium (15.0 to 19.9)
Montana	Cascade County	15.4	Medium (15.0 to 19.9)
Montana	Chouteau County	15.4	Medium (15.0 to 19.9)
Montana	Custer County	15.4	Medium (15.0 to 19.9)
Montana	Daniels County	15.4	Medium (15.0 to 19.9)
Montana	Dawson County	15.4	Medium (15.0 to 19.9)
Montana	Deer Lodge County	20.9	High (≥20.0)
Montana	Fallon County	15.4	Medium (15.0 to 19.9)
Montana	Fergus County	20.9	High (≥20.0)
Montana	Flathead County	5.6	Low (<10.0)
Montana	Gallatin County and Yellowstone National Park	0.8	Low (<10.0)
Montana	Garfield County	15.4	Medium (15.0 to 19.9)
Montana	Glacier County	15.4	Medium (15.0 to 19.9)
Montana	Golden Valley County	15.4	Medium (15.0 to 19.9)
Montana	Granite County	20.9	High (≥20.0)
Montana	Hill County	15.4	Medium (15.0 to 19.9)
Montana	Jefferson County	8.1	Low (<10.0)
Montana	Judith Basin County	15.4	Medium (15.0 to 19.9)
Montana	Lake County	6.1	Low (<10.0)
Montana	Lewis and Clark County	8	Low (<10.0)
Montana	Liberty County	15.4	Medium (15.0 to 19.9)
Montana	Lincoln County	6.1	Low (<10.0)
Montana	Madison County	15.4	Medium (15.0 to 19.9)
Montana	McCone County	15.4	Medium (15.0 to 19.9)
Montana	Meagher County	8	Low (<10.0)
Montana	Mineral County	6.1	Low (<10.0)
Montana	Missoula County	6.1	Low (<10.0)
Montana	Musselshell County	15.4	Medium (15.0 to 19.9)
Montana	Park County	8	Low (<10.0)
Montana	Petroleum County	20	High (≥20.0)
Montana	Phillips County	15.4	Medium (15.0 to 19.9)
Montana	Pondera County	15.4	Medium (15.0 to 19.9)
Montana	Powder River County	15.4	Medium (15.0 to 19.9)
Montana	Powell County	8	Low (<10.0)
Montana	Prairie County	15.4	Medium (15.0 to 19.9)
Montana	Ravalli County	8	Low (<10.0)
Montana	Richland County	15.4	Medium (15.0 to 19.9)
Montana	Roosevelt County	15.4	Medium (15.0 to 19.9)
Montana	Rosebud County	17.6	Medium (15.0 to 19.9)
Montana	Sanders County	6.1	Low (<10.0)
Montana	Sheridan County	15.4	Medium (15.0 to 19.9)
Montana	Silver Bow County	20.9	High (≥20.0)
Montana	Stillwater County	15.4	Medium (15.0 to 19.9)
Montana	Sweet Grass County	8	Low (<10.0)
Montana	Teton County	10.9	Medium (10.0 to 14.9)
Montana	Toole County	10.9	Medium (10.0 to 14.9)
Montana	Treasure County	17.6	Medium (15.0 to 19.9)
Montana	Valley County	20.5	High (≥20.0)
Montana	Wheatland County	8	Low (<10.0)
Montana	Wibaux County	15.4	Medium (15.0 to 19.9)
Montana	Yellowstone County	17.6	Medium (15.0 to 19.9)
Nebraska	Adams County	20.4	High (≥20.0)
Nebraska	Antelope County	20.4	High (≥20.0)
Nebraska	Arthur County	27.4	High (≥20.0)
Nebraska	Banner County	17.2	Medium (15.0 to 19.9)
Nebraska	Blaine County	19.7	Medium (15.0 to 19.9)
Nebraska	Boone County	20.4	High (≥20.0)
Nebraska	Box Butte County	17.2	Medium (15.0 to 19.9)
Nebraska	Boyd County	8.4	Low (<10.0)
Nebraska	Brown County	19.8	Medium (15.0 to 19.9)
Nebraska	Buffalo County	19.8	Medium (15.0 to 19.9)
Nebraska	Burt County	8.1	Low (<10.0)
Nebraska	Butler County	10.6	Medium (10.0 to 14.9)
Nebraska	Cass County	8	Low (<10.0)
Nebraska	Cedar County	2.5	Low (<10.0)
Nebraska	Chase County	17.2	Medium (15.0 to 19.9)
Nebraska	Cherry County	17.2	Medium (15.0 to 19.9)
Nebraska	Cheyenne County	7.9	Low (<10.0)
Nebraska	Clay County	17.7	Medium (15.0 to 19.9)
Nebraska	Colfax County	6.7	Low (<10.0)
Nebraska	Cuming County	8.7	Low (<10.0)
Nebraska	Custer County	19.7	Medium (15.0 to 19.9)
Nebraska	Dakota County	10.6	Medium (10.0 to 14.9)
Nebraska	Dawes County	5.2	Low (<10.0)
Nebraska	Dawson County	19.8	Medium (15.0 to 19.9)
Nebraska	Deuel County	7.9	Low (<10.0)
Nebraska	Dixon County	17.1	Medium (15.0 to 19.9)
Nebraska	Dodge County	8	Low (<10.0)
Nebraska	Douglas County	6.7	Low (<10.0)
Nebraska	Dundy County	7.9	Low (<10.0)
Nebraska	Fillmore County	26.7	High (≥20.0)
Nebraska	Franklin County	19.8	Medium (15.0 to 19.9)
Nebraska	Frontier County	19.8	Medium (15.0 to 19.9)
Nebraska	Furnas County	5.9	Low (<10.0)
Nebraska	Gage County	19.8	Medium (15.0 to 19.9)
Nebraska	Garden County	17.2	Medium (15.0 to 19.9)
Nebraska	Garfield County	19.8	Medium (15.0 to 19.9)
Nebraska	Gosper County	19.8	Medium (15.0 to 19.9)
Nebraska	Grant County	17.2	Medium (15.0 to 19.9)
Nebraska	Greeley County	19.8	Medium (15.0 to 19.9)
Nebraska	Hall County	14.9	Medium (10.0 to 14.9)
Nebraska	Hamilton County	14.9	Medium (10.0 to 14.9)
Nebraska	Harlan County	5.9	Low (<10.0)
Nebraska	Hayes County	17.2	Medium (15.0 to 19.9)
Nebraska	Hitchcock County	19.8	Medium (15.0 to 19.9)
Nebraska	Holt County	19.8	Medium (15.0 to 19.9)
Nebraska	Hooker County	27.4	High (≥20.0)
Nebraska	Howard County	14.9	Medium (10.0 to 14.9)
Nebraska	Jefferson County	10.6	Medium (10.0 to 14.9)
Nebraska	Johnson County	14.2	Medium (10.0 to 14.9)
Nebraska	Kearney County	14.9	Medium (10.0 to 14.9)
Nebraska	Keith County	27.4	High (≥20.0)
Nebraska	Keya Paha County	19.8	Medium (15.0 to 19.9)
Nebraska	Kimball County	7.9	Low (<10.0)
Nebraska	Knox County	2.9	Low (<10.0)
Nebraska	Lancaster County	14.9	Medium (10.0 to 14.9)
Nebraska	Lincoln County	27.4	High (≥20.0)
Nebraska	Logan County	19.7	Medium (15.0 to 19.9)
Nebraska	Loup County	19.7	Medium (15.0 to 19.9)
Nebraska	Madison County	10.6	Medium (10.0 to 14.9)
Nebraska	McPherson County	27.4	High (≥20.0)
Nebraska	Merrick County	14.9	Medium (10.0 to 14.9)
Nebraska	Morrill County	17.2	Medium (15.0 to 19.9)
Nebraska	Nance County	7.1	Low (<10.0)
Nebraska	Nemaha County	8	Low (<10.0)
Nebraska	Nuckolls County	17.7	Medium (15.0 to 19.9)
Nebraska	Otoe County	14.9	Medium (10.0 to 14.9)
Nebraska	Pawnee County	14.9	Medium (10.0 to 14.9)
Nebraska	Perkins County	27.4	High (≥20.0)
Nebraska	Phelps County	5.9	Low (<10.0)
Nebraska	Pierce County	20.4	High (≥20.0)
Nebraska	Platte County	8.1	Low (<10.0)
Nebraska	Polk County	5.9	Low (<10.0)
Nebraska	Red Willow County	5.9	Low (<10.0)
Nebraska	Richardson County	14.9	Medium (10.0 to 14.9)
Nebraska	Rock County	19.8	Medium (15.0 to 19.9)
Nebraska	Saline County	14.9	Medium (10.0 to 14.9)
Nebraska	Sarpy County	6.7	Low (<10.0)
Nebraska	Saunders County	8	Low (<10.0)
Nebraska	Scotts Bluff County	17.2	Medium (15.0 to 19.9)
Nebraska	Seward County	14.9	Medium (10.0 to 14.9)
Nebraska	Sheridan County	7.9	Low (<10.0)
Nebraska	Sherman County	19.8	Medium (15.0 to 19.9)
Nebraska	Sioux County	7.9	Low (<10.0)
Nebraska	Stanton County	20.4	High (≥20.0)
Nebraska	Thayer County	26.7	High (≥20.0)
Nebraska	Thomas County	19.7	Medium (15.0 to 19.9)
Nebraska	Thurston County	20.4	High (≥20.0)
Nebraska	Valley County	19.7	Medium (15.0 to 19.9)
Nebraska	Washington County	6.7	Low (<10.0)
Nebraska	Wayne County	20.4	High (≥20.0)
Nebraska	Webster County	17.7	Medium (15.0 to 19.9)
Nebraska	Wheeler County	19.7	Medium (15.0 to 19.9)
Nebraska	York County	5.3	Low (<10.0)
Nevada	Carson City	4.9	Low (<10.0)
Nevada	Churchill County	4	Low (<10.0)
Nevada	Clark County	4.9	Low (<10.0)
Nevada	Douglas County	4	Low (<10.0)
Nevada	Elko County	4	Low (<10.0)
Nevada	Esmeralda County	4.9	Low (<10.0)
Nevada	Eureka County	4	Low (<10.0)
Nevada	Humboldt County	4	Low (<10.0)
Nevada	Lander County	4	Low (<10.0)
Nevada	Lincoln County	4.9	Low (<10.0)
Nevada	Lyon County	4	Low (<10.0)
Nevada	Mineral County	4	Low (<10.0)
Nevada	Nye County	4	Low (<10.0)
Nevada	Pershing County	4	Low (<10.0)
Nevada	Storey County	4	Low (<10.0)
Nevada	Washoe County	4	Low (<10.0)
Nevada	White Pine County	4	Low (<10.0)
New Hampshire	Belknap County	7.1	Low (<10.0)
New Hampshire	Carroll County	7.1	Low (<10.0)
New Hampshire	Cheshire County	8.3	Low (<10.0)
New Hampshire	Coos County	2.7	Low (<10.0)
New Hampshire	Grafton County	7.1	Low (<10.0)
New Hampshire	Hillsborough County	7.1	Low (<10.0)
New Hampshire	Merrimack County	7.1	Low (<10.0)
New Hampshire	Rockingham County	4.2	Low (<10.0)
New Hampshire	Strafford County	7.1	Low (<10.0)
New Hampshire	Sullivan County	7.1	Low (<10.0)
New Jersey	Atlantic County	11.2	Medium (10.0 to 14.9)
New Jersey	Bergen County	5.5	Low (<10.0)
New Jersey	Burlington County	5.5	Low (<10.0)
New Jersey	Camden County	5.5	Low (<10.0)
New Jersey	Cape May County	11.2	Medium (10.0 to 14.9)
New Jersey	Cumberland County	6.7	Low (<10.0)
New Jersey	Essex County	5.2	Low (<10.0)
New Jersey	Gloucester County	5.5	Low (<10.0)
New Jersey	Hudson County	5.2	Low (<10.0)
New Jersey	Hunterdon County	4.7	Low (<10.0)
New Jersey	Mercer County	5.5	Low (<10.0)
New Jersey	Middlesex County	5.5	Low (<10.0)
New Jersey	Monmouth County	5.8	Low (<10.0)
New Jersey	Morris County	7.4	Low (<10.0)
New Jersey	Ocean County	5.8	Low (<10.0)
New Jersey	Passaic County	5.2	Low (<10.0)
New Jersey	Salem County	5.5	Low (<10.0)
New Jersey	Somerset County	5.5	Low (<10.0)
New Jersey	Sussex County	7.4	Low (<10.0)
New Jersey	Union County	5.2	Low (<10.0)
New Jersey	Warren County	4.7	Low (<10.0)
New Mexico	Bernalillo County	7.1	Low (<10.0)
New Mexico	Catron County	4	Low (<10.0)
New Mexico	Chaves County	3.8	Low (<10.0)
New Mexico	Cibola County	12.4	Medium (10.0 to 14.9)
New Mexico	Colfax County	4.5	Low (<10.0)
New Mexico	Curry County	4.5	Low (<10.0)
New Mexico	De Baca County	6.1	Low (<10.0)
New Mexico	Dona Ana County	2.8	Low (<10.0)
New Mexico	Eddy County	3.8	Low (<10.0)
New Mexico	Grant County	8	Low (<10.0)
New Mexico	Guadalupe County	6.1	Low (<10.0)
New Mexico	Harding County	6.8	Low (<10.0)
New Mexico	Hidalgo County	8	Low (<10.0)
New Mexico	Lea County	16.2	Medium (15.0 to 19.9)
New Mexico	Lincoln County	2.3	Low (<10.0)
New Mexico	Los Alamos County	7.1	Low (<10.0)
New Mexico	Luna County	2.8	Low (<10.0)
New Mexico	McKinley County	8	Low (<10.0)
New Mexico	Mora County	6.1	Low (<10.0)
New Mexico	Otero County	3.8	Low (<10.0)
New Mexico	Quay County	4.5	Low (<10.0)
New Mexico	Rio Arriba County	2.1	Low (<10.0)
New Mexico	Roosevelt County	4.5	Low (<10.0)
New Mexico	San Juan County	5.4	Low (<10.0)
New Mexico	San Miguel County	6.1	Low (<10.0)
New Mexico	Sandoval County	7.1	Low (<10.0)
New Mexico	Santa Fe County	2.1	Low (<10.0)
New Mexico	Sierra County	2.8	Low (<10.0)
New Mexico	Socorro County	7.1	Low (<10.0)
New Mexico	Taos County	2.1	Low (<10.0)
New Mexico	Torrance County	7.1	Low (<10.0)
New Mexico	Union County	8	Low (<10.0)
New Mexico	Valencia County	7.1	Low (<10.0)
New York	Albany County	6.7	Low (<10.0)
New York	Allegany County	6.7	Low (<10.0)
New York	Bronx County	6	Low (<10.0)
New York	Broome County	4.1	Low (<10.0)
New York	Cattaraugus County	4.1	Low (<10.0)
New York	Cayuga County	7	Low (<10.0)
New York	Chautauqua County	4.9	Low (<10.0)
New York	Chemung County	10.9	Medium (10.0 to 14.9)
New York	Chenango County	14.3	Medium (10.0 to 14.9)
New York	Clinton County	1.2	Low (<10.0)
New York	Columbia County	4.7	Low (<10.0)
New York	Cortland County	2.7	Low (<10.0)
New York	Delaware County	5.9	Low (<10.0)
New York	Dutchess County	7.7	Low (<10.0)
New York	Erie County	4.9	Low (<10.0)
New York	Essex County	1.2	Low (<10.0)
New York	Franklin County	7.2	Low (<10.0)
New York	Fulton County	5.9	Low (<10.0)
New York	Genesee County	7.5	Medium (10.0 to 14.9)
New York	Greene County	7.7	Low (<10.0)
New York	Hamilton County	21.2	High (≥20.0)
New York	Herkimer County	14.3	Medium (10.0 to 14.9)
New York	Jefferson County	10.9	Medium (10.0 to 14.9)
New York	Kings County	6	Low (<10.0)
New York	Lewis County	2.9	Low (<10.0)
New York	Livingston County	7.5	Medium (10.0 to 14.9)
New York	Madison County	6.1	Low (<10.0)
New York	Monroe County	7.5	Medium (10.0 to 14.9)
New York	Montgomery County	14.3	Medium (10.0 to 14.9)
New York	Nassau County	6.7	Low (<10.0)
New York	New York County	6	Low (<10.0)
New York	Niagara County	7.2	Medium (10.0 to 14.9)
New York	Oneida County	6.1	Low (<10.0)
New York	Onondaga County	7.5	Medium (10.0 to 14.9)
New York	Ontario County	13.5	Medium (10.0 to 14.9)
New York	Orange County	7.7	Low (<10.0)
New York	Orleans County	7.5	Medium (10.0 to 14.9)
New York	Oswego County	7.5	Medium (10.0 to 14.9)
New York	Otsego County	14.3	Medium (10.0 to 14.9)
New York	Putnam County	7.7	Low (<10.0)
New York	Queens County	6	Low (<10.0)
New York	Rensselaer County	16.6	Medium (15.0 to 19.9)
New York	Richmond County	6	Low (<10.0)
New York	Rockland County	7.7	Low (<10.0)
New York	Saint Lawrence County	1.2	Low (<10.0)
New York	Schenectady County	21.2	High (≥20.0)
New York	Schoharie County	5.9	Low (<10.0)
New York	Schuyler County	7.2	Medium (10.0 to 14.9)
New York	Seneca County	13.5	Medium (10.0 to 14.9)
New York	St. Lawrence County	20.4	High (≥20.0)
New York	Steuben County	7.7	Low (<10.0)
New York	Sullivan County	14.3	Medium (10.0 to 14.9)
New York	Suffolk County	6.3	Low (<10.0)
New York	Tioga County	6.1	Low (<10.0)
New York	Tompkins County	2.7	Low (<10.0)
New York	Ulster County	7.7	Low (<10.0)
New York	Warren County	21.2	High (≥20.0)
New York	Washington County	21.2	High (≥20.0)
New York	Wayne County	7.5	Medium (10.0 to 14.9)
New York	Westchester County	7.7	Low (<10.0)
New York	Wyoming County	7.2	Medium (10.0 to 14.9)
New York	Yates County	7.5	Medium (10.0 to 14.9)
North Carolina	Alamance County	7.3	Low (<10.0)
North Carolina	Alexander County	7.3	Low (<10.0)
North Carolina	Alleghany County	2.1	Low (<10.0)
North Carolina	Anson County	10.2	Medium (10.0 to 14.9)
North Carolina	Ashe County	2.1	Low (<10.0)
North Carolina	Avery County	8	Low (<10.0)
North Carolina	Beaufort County	7.8	Low (<10.0)
North Carolina	Bertie County	4.4	Low (<10.0)
North Carolina	Bladen County	4.4	Low (<10.0)
North Carolina	Brunswick County	4.5	Low (<10.0)
North Carolina	Buncombe County	7.3	Low (<10.0)
North Carolina	Burke County	10.2	Medium (10.0 to 14.9)
North Carolina	Cabarrus County	10.2	Medium (10.0 to 14.9)
North Carolina	Caldwell County	10.2	Medium (10.0 to 14.9)
North Carolina	Camden County	5.9	Low (<10.0)
North Carolina	Carteret County	7.8	Low (<10.0)
North Carolina	Caswell County	2.5	Low (<10.0)
North Carolina	Catawba County	10.2	Medium (10.0 to 14.9)
North Carolina	Chatham County	7.3	Low (<10.0)
North Carolina	Cherokee County	5	Low (<10.0)
North Carolina	Chowan County	4.4	Low (<10.0)
North Carolina	Clay County	5	Low (<10.0)
North Carolina	Cleveland County	10.2	Medium (10.0 to 14.9)
North Carolina	Columbus County	5.8	Low (<10.0)
North Carolina	Craven County	7.8	Low (<10.0)
North Carolina	Cumberland County	7.8	Low (<10.0)
North Carolina	Currituck County	5.9	Low (<10.0)
North Carolina	Dare County	5.9	Low (<10.0)
North Carolina	Davidson County	5.9	Low (<10.0)
North Carolina	Davie County	5.9	Low (<10.0)
North Carolina	Duplin County	4.3	Low (<10.0)
North Carolina	Durham County	7.3	Low (<10.0)
North Carolina	Edgecombe County	4.4	Low (<10.0)
North Carolina	Forsyth County	5.9	Low (<10.0)
North Carolina	Franklin County	2.7	Low (<10.0)
North Carolina	Gaston County	4.4	Low (<10.0)
North Carolina	Gates County	4.4	Low (<10.0)
North Carolina	Graham County	7	Low (<10.0)
North Carolina	Granville County	2.5	Low (<10.0)
North Carolina	Greene County	4.5	Low (<10.0)
North Carolina	Guilford County	5.9	Low (<10.0)
North Carolina	Halifax County	5.9	Low (<10.0)
North Carolina	Harnett County	5	Low (<10.0)
North Carolina	Haywood County	5	Low (<10.0)
North Carolina	Henderson County	5	Low (<10.0)
North Carolina	Hertford County	4.4	Low (<10.0)
North Carolina	Hoke County	5.9	Low (<10.0)
North Carolina	Hyde County	7.8	Low (<10.0)
North Carolina	Iredell County	7.3	Low (<10.0)
North Carolina	Jackson County	7	Low (<10.0)
North Carolina	Johnston County	7.3	Low (<10.0)
North Carolina	Jones County	5.8	Low (<10.0)
North Carolina	Lee County	5.9	Low (<10.0)
North Carolina	Lenoir County	4.3	Low (<10.0)
North Carolina	Lincoln County	5	Low (<10.0)
North Carolina	Macon County	7	Low (<10.0)
North Carolina	Madison County	5	Low (<10.0)
North Carolina	Martin County	4.4	Low (<10.0)
North Carolina	McDowell County	5	Low (<10.0)
North Carolina	Mecklenburg County	5.9	Low (<10.0)
North Carolina	Mitchell County	7	Low (<10.0)
North Carolina	Montgomery County	2.5	Low (<10.0)
North Carolina	Moore County	5	Low (<10.0)
North Carolina	Nash County	7.8	Low (<10.0)
North Carolina	New Hanover County	5.9	Low (<10.0)
North Carolina	Northampton County	7.8	Low (<10.0)
North Carolina	Onslow County	5.8	Low (<10.0)
North Carolina	Orange County	7.8	Low (<10.0)
North Carolina	Pamlico County	7.8	Low (<10.0)
North Carolina	Pasquotank County	4.4	Low (<10.0)
North Carolina	Pender County	4.5	Low (<10.0)
North Carolina	Perquimans County	5.8	Low (<10.0)
North Carolina	Person County	7.8	Low (<10.0)
North Carolina	Pitt County	7.8	Low (<10.0)
North Carolina	Polk County	4.6	Low (<10.0)
North Carolina	Randolph County	7.3	Low (<10.0)
North Carolina	Richmond County	4.4	Low (<10.0)
North Carolina	Robeson County	5.8	Low (<10.0)
North Carolina	Rockingham County	5.9	Low (<10.0)
North Carolina	Rowan County	10.2	Medium (10.0 to 14.9)
North Carolina	Rutherford County	4.4	Low (<10.0)
North Carolina	Sampson County	2	Low (<10.0)
North Carolina	Scotland County	5.8	Low (<10.0)
North Carolina	Stanly County	10.2	Medium (10.0 to 14.9)
North Carolina	Stokes County	7.3	Low (<10.0)
North Carolina	Surry County	5.9	Low (<10.0)
North Carolina	Swain County	7	Low (<10.0)
North Carolina	Transylvania County	7	Low (<10.0)
North Carolina	Tyrrell County	7.8	Low (<10.0)
North Carolina	Union County	5.9	Low (<10.0)
North Carolina	Vance County	2.7	Low (<10.0)
North Carolina	Wake County	7.8	Low (<10.0)
North Carolina	Warren County	2.7	Low (<10.0)
North Carolina	Washington County	7.8	Low (<10.0)
North Carolina	Watauga County	8.6	Low (<10.0)
North Carolina	Wayne County	4.2	Low (<10.0)
North Carolina	Wilkes County	7	Low (<10.0)
North Carolina	Wilson County	2.7	Low (<10.0)
North Carolina	Yadkin County	7.3	Low (<10.0)
North Carolina	Yancey County	8	Low (<10.0)
North Dakota	Adams County	8.7	Low (<10.0)
North Dakota	Barnes County	8.7	Low (<10.0)
North Dakota	Benson County	6.9	Low (<10.0)
North Dakota	Billings County	11.5	Medium (10.0 to 14.9)
North Dakota	Bottineau County	8	Low (<10.0)
North Dakota	Bowman County	11.5	Medium (10.0 to 14.9)
North Dakota	Burke County	8.7	Low (<10.0)
North Dakota	Burleigh County	6.9	Low (<10.0)
North Dakota	Cass County	8.7	Low (<10.0)
North Dakota	Cavalier County	2.8	Low (<10.0)
North Dakota	Dickey County	8.7	Low (<10.0)
North Dakota	Divide County	7.3	Low (<10.0)
North Dakota	Dunn County	6.9	Low (<10.0)
North Dakota	Eddy County	4.8	Low (<10.0)
North Dakota	Emmons County	6.9	Low (<10.0)
North Dakota	Foster County	4.8	Low (<10.0)
North Dakota	Golden Valley County	7.3	Medium (10.0 to 14.9)
North Dakota	Grand Forks County	2.8	Low (<10.0)
North Dakota	Grant County	8	Low (<10.0)
North Dakota	Griggs County	4.8	Low (<10.0)
North Dakota	Hettinger County	7.3	Medium (10.0 to 14.9)
North Dakota	Kidder County	6.9	Low (<10.0)
North Dakota	LaMoure County	8	Low (<10.0)
North Dakota	Logan County	8	Low (<10.0)
North Dakota	McHenry County	6.9	Low (<10.0)
North Dakota	McIntosh County	2.5	High (≥20.0)
North Dakota	McKenzie County	8.7	Low (<10.0)
North Dakota	Mercer County	6.9	Low (<10.0)
North Dakota	Morton County	6.9	Low (<10.0)
North Dakota	Mountrail County	10.8	Medium (10.0 to 14.9)
North Dakota	Nelson County	8.7	Low (<10.0)
North Dakota	Oliver County	6.9	Low (<10.0)
North Dakota	Pembina County	2.8	Low (<10.0)
North Dakota	Pierce County	8.7	Low (<10.0)
North Dakota	Ramsey County	8.7	Low (<10.0)
North Dakota	Ransom County	8.7	Low (<10.0)
North Dakota	Renville County	7.3	Medium (10.0 to 14.9)
North Dakota	Richland County	8.7	Low (<10.0)

North Dakota	Bottineau County	4.9	Low (<10.0)
North Dakota	Burke County	4.9	Low (<10.0)
North Dakota	Burleigh County	4.9	Low (<10.0)
North Dakota	Cass County	4.9	Low (<10.0)
North Dakota	Dickey County	4.9	Low (<10.0)
North Dakota	Dunn County	7.5	Medium (10.0 to <19.9)
North Dakota	Eddy County	4.9	Low (<10.0)
North Dakota	Emmons County	5.6	Low (<10.0)
North Dakota	Foster County	4.9	Low (<10.0)
North Dakota	Grand Forks County	4.9	Low (<10.0)
North Dakota	Grant County	7.5	Medium (10.0 to <19.9)
North Dakota	Hettinger County	5.6	Low (<10.0)
North Dakota	Kidder County	5.6	Low (<10.0)
North Dakota	LaMoure County	4.9	Low (<10.0)
North Dakota	McHenry County	4.9	Low (<10.0)
North Dakota	McIntosh County	5.6	Low (<10.0)
North Dakota	Mercer County	4.9	Low (<10.0)
North Dakota	Morton County	4.9	Low (<10.0)
North Dakota	Oliver County	4.9	Low (<10.0)
North Dakota	Pierce County	4.9	Low (<10.0)
North Dakota	Ramsey County	4.9	Low (<10.0)
North Dakota	Ransom County	4.9	Low (<10.0)
North Dakota	Sargent County	4.9	Low (<10.0)
North Dakota	Sheridan County	5.6	Low (<10.0)
North Dakota	Stutsman County	5.6	Low (<10.0)
Northern Mariana Islands	Saipan Municipality	N/A	Insufficient data (N/A)
Northern Mariana Islands	Unallocated Northern Mariana Islands	N/A	Insufficient data (N/A)
Ohio	Adams County	12.4	Medium (10.0 to <19.9)
Ohio	Allen County	15.6	Medium (10.0 to <19.9)
Ohio	Ashland County	9.7	Low (<10.0)
Ohio	Ashtabula County	6.9	Low (<10.0)
Ohio	Athens County	11.0	Low (<10.0)
Ohio	Auglaize County	15.6	Medium (10.0 to <19.9)
Ohio	Belmont County	9.7	Low (<10.0)
Ohio	Brown County	8.7	Low (<10.0)
Ohio	Butler County	8.7	Low (<10.0)
Ohio	Carroll County	5.7	Low (<10.0)
Ohio	Champaign County	12.7	Medium (10.0 to <19.9)
Ohio	Clark County	11.0	Low (<10.0)
Ohio	Clermont County	8.7	Low (<10.0)
Ohio	Clinton County	8.7	Low (<10.0)
Ohio	Columbiana County	9.8	Low (<10.0)
Ohio	Coshocton County	11.9	Medium (10.0 to <19.9)
Ohio	Crawford County	11.2	Medium (10.0 to <19.9)
Ohio	Cuyahoga County	6.9	Low (<10.0)
Ohio	Darke County	16.4	Medium (10.0 to <19.9)
Ohio	Defiance County	9.1	Low (<10.0)
Ohio	Delaware County	7.5	Medium (10.0 to <19.9)
Ohio	Erie County	9.1	Low (<10.0)
Ohio	Fairfield County	4.2	Low (<10.0)
Ohio	Fayette County	6	Low (<10.0)
Ohio	Franklin County	6	Low (<10.0)
Ohio	Fulton County	11.2	Medium (10.0 to <19.9)
Ohio	Gallia County	5.6	Low (<10.0)
Ohio	Geauga County	7.5	Medium (10.0 to <19.9)
Ohio	Greene County	11.0	Low (<10.0)
Ohio	Guernsey County	11.9	Medium (10.0 to <19.9)
Ohio	Hamilton County	11.0	Low (<10.0)
Ohio	Hancock County	11.5	Medium (10.0 to <19.9)
Ohio	Hardin County	11.6	Medium (10.0 to <19.9)
Ohio	Harrison County	5	Low (<10.0)
Ohio	Henry County	9.1	Low (<10.0)
Ohio	Highland County	9.7	Low (<10.0)
Ohio	Hocking County	9.7	Low (<10.0)
Ohio	Holmes County	5.7	Low (<10.0)
Ohio	Huron County	8.8	Low (<10.0)
Ohio	Jackson County	11.0	Low (<10.0)
Ohio	Jefferson County	5	Low (<10.0)
Ohio	Knox County	24.8	High (≥20.0)
Ohio	Lake County	6.9	Low (<10.0)
Ohio	Lawrence County	11.0	Low (<10.0)
Ohio	Licking County	24.8	High (≥20.0)
Ohio	Logan County	8.8	Low (<10.0)
Ohio	Lorain County	8.8	Low (<10.0)
Ohio	Lucas County	11.2	Medium (10.0 to <19.9)
Ohio	Madison County	4	Low (<10.0)
Ohio	Mahoning County	16.7	Medium (10.0 to <19.9)
Ohio	Marion County	11.2	Medium (10.0 to <19.9)
Ohio	Medina County	15.1	Medium (10.0 to <19.9)
Ohio	Meigs County	5.6	Low (<10.0)
Ohio	Mercer County	15.6	Medium (10.0 to <19.9)
Ohio	Miami County	10.1	Medium (10.0 to <19.9)
Ohio	Monroe County	4	Low (<10.0)
Ohio	Montgomery County	15.6	Medium (10.0 to <19.9)
Ohio	Morgan County	11.0	Low (<10.0)
Ohio	Morrow County	15.6	Medium (10.0 to <19.9)
Ohio	Muskingum County	11.9	Medium (10.0 to <19.9)
Ohio	Noble County	11.9	Medium (10.0 to <19.9)
Ohio	Ottawa County	11.2	Medium (10.0 to <19.9)
Ohio	Paulding County	9.1	Low (<10.0)
Ohio	Perry County	11.9	Medium (10.0 to <19.9)
Ohio	Pickaway County	15.6	Medium (10.0 to <19.9)
Ohio	Pike County	16.7	Medium (10.0 to <19.9)
Ohio	Portage County	5.5	Low (<10.0)
Ohio	Preble County	15.6	Medium (10.0 to <19.9)
Ohio	Putnam County	15.6	Medium (10.0 to <19.9)
Ohio	Richland County	8.7	Low (<10.0)
Ohio	Ross County	16.7	Medium (10.0 to <19.9)
Ohio	Sandusky County	11.2	Medium (10.0 to <19.9)
Ohio	Scioto County	16.7	Medium (10.0 to <19.9)
Ohio	Seneca County	11.5	Medium (10.0 to <19.9)
Ohio	Shelby County	15.1	Medium (10.0 to <19.9)
Ohio	Stark County	5.7	Low (<10.0)
Ohio	Summit County	6.9	Low (<10.0)
Ohio	Trumbull County	16.7	Medium (10.0 to <19.9)
Ohio	Tuscarawas County	11.9	Medium (10.0 to <19.9)
Ohio	Union County	15.1	Medium (10.0 to <19.9)
Ohio	Van Wert County	15.6	Medium (10.0 to <19.9)
Ohio	Vinton County	9.7	Low (<10.0)
Ohio	Warren County	8.7	Low (<10.0)
Ohio	Washington County	15.6	Medium (10.0 to <19.9)
Ohio	Wayne County	5.7	Low (<10.0)
Ohio	Williams County	9.1	Low (<10.0)
Ohio	Wood County	11.2	Medium (10.0 to <19.9)
Ohio	Wyandot County	11.2	Medium (10.0 to <19.9)
Oklahoma	Adair County	16	Medium (10.0 to <19.9)
Oklahoma	Alfalfa County	16.9	Medium (10.0 to <19.9)
Oklahoma	Atoka County	7.7	Low (<10.0)
Oklahoma	Beaver County	18.8	Medium (10.0 to <19.9)
Oklahoma	Beckham County	7.9	Low (<10.0)
Oklahoma	Blaine County	16.9	Medium (10.0 to <19.9)
Oklahoma	Bryan County	8	Low (<10.0)
Oklahoma	Caddo County	7.7	Low (<10.0)
Oklahoma	Canadian County	15	Medium (10.0 to <19.9)
Oklahoma	Carter County	15	Medium (10.0 to <19.9)
Oklahoma	Cherokee County	15	Medium (10.0 to <19.9)
Oklahoma	Choctaw County	8	Low (<10.0)
Oklahoma	Cimarron County	4.5	Low
Oklahoma	Cleveland County	8	Low (<10.0)
Oklahoma	Coal County	16.4	Medium (10.0 to <19.9)
Oklahoma	Comanche County	5.8	Low (<10.0)
Oklahoma	Cotton County	5.8	Low (<10.0)
Oklahoma	Craig County	9.1	Low (<10.0)
Oklahoma	Crook County	9.1	Low (<10.0)
Oklahoma	Custer County	2.5	Low (<10.0)
Oklahoma	Delaware County	8	Low (<10.0)
Oklahoma	Dewey County	2.5	Low (<10.0)
Oklahoma	Ellis County	9	Low (<10.0)
Oklahoma	Garfield County	16.9	Medium (10.0 to <19.9)
Oklahoma	Garvin County	8	Low (<10.0)
Oklahoma	Grady County	8	Low (<10.0)
Oklahoma	Grant County	16.9	Medium (10.0 to <19.9)
Oklahoma	Greer County	5.8	Low (<10.0)
Oklahoma	Harmon County	8	Low (<10.0)
Oklahoma	Harper County	8	Low (<10.0)
Oklahoma	Haskell County	8	Low (<10.0)
Oklahoma	Hughes County	18.4	Medium (10.0 to <19.9)
Oklahoma	Jackson County	8	Low (<10.0)
Oklahoma	Jefferson County	14.2	Medium (10.0 to <19.9)
Oklahoma	Johnston County	8	Low (<10.0)
Oklahoma	Kay County	15.1	Medium (10.0 to <19.9)
Oklahoma	Kingfisher County	16.9	Medium (10.0 to <19.9)
Oklahoma	Kiowa County	5.8	Low (<10.0)
Oklahoma	Latimer County	26.3	High (≥20.0)
Oklahoma	Le Flore County	8	Low (<10.0)
Oklahoma	Lincoln County	10	Medium (10.0 to <19.9)
Oklahoma	Logan County	15	Medium (10.0 to <19.9)
Oklahoma	Love County	7.7	Low (<10.0)
Oklahoma	Major County	16.9	Medium (10.0 to <19.9)
Oklahoma	Marshall County	15	Medium (10.0 to <19.9)
Oklahoma	Mayes County	9.1	Low (<10.0)
Oklahoma	McClain County	8	Low (<10.0)
Oklahoma	McCurtain County	11.3	Medium (10.0 to <19.9)
Oklahoma	McIntosh County	8	Low (<10.0)
Oklahoma	Murray County	8	Low (<10.0)
Oklahoma	Muskogee County	15	Medium (10.0 to <19.9)
Oklahoma	Noble County	2.7	Low (<10.0)
Oklahoma	Nowata County	8	Low (<10.0)
Oklahoma	Okfuskee County	8	Low (<10.0)
Oklahoma	Oklahoma County	15	Medium (10.0 to <19.9)
Oklahoma	Okmulgee County	8	Low (<10.0)
Oklahoma	Osage County	9.1	Low (<10.0)
Oklahoma	Ottawa County	15	Medium (10.0 to <19.9)
Oklahoma	Pawnee County	15	Medium (10.0 to <19.9)
Oklahoma	Payne County	2.7	Low (<10.0)
Oklahoma	Pittsburg County	26.3	High (≥20.0)
Oklahoma	Pontotoc County	18.4	Medium (10.0 to <19.9)
Oklahoma	Pottawatomie County	8	Low (<10.0)
Oklahoma	Pushmataha County	26.3	High (≥20.0)
Oklahoma	Roger Mills County	5.8	Low (<10.0)
Oklahoma	Rogers County	9.1	Low (<10.0)
Oklahoma	Seminole County	18.4	Medium (10.0 to <19.9)
Oklahoma	Sequoyah County	8	Low (<10.0)
Oklahoma	Stephens County	16.4	Medium (10.0 to <19.9)
Oklahoma	Texas County	5.5	Low
Oklahoma	Tillman County	8.8	Low (<10.0)
Oklahoma	Tulsa County	9.1	Low (<10.0)
Oklahoma	Wagoner County	9.1	Low (<10.0)
Oklahoma	Washington County	8	Low (<10.0)
Oklahoma	Washita County	2.5	Low (<10.0)
Oklahoma	Woods County	16.9	Medium (10.0 to <19.9)
Oklahoma	Woodward County	8	Low (<10.0)
Oregon	Baker County	4	Low (<10.0)
Oregon	Benton County	4	Low (<10.0)
Oregon	Clackamas County	5.3	Low (<10.0)
Oregon	Clatsop County	5.3	Low (<10.0)
Oregon	Columbia County	5.3	Low (<10.0)
Oregon	Coos County	0.9	Low (<10.0)
Oregon	Crook County	5.3	Low (<10.0)
Oregon	Curry County	5.9	Low (<10.0)
Oregon	Deschutes County	5.3	Low (<10.0)
Oregon	Douglas County	5.3	Low (<10.0)
Oregon	Gilliam County	2.3	Low (<10.0)
Oregon	Grant County	6	Low (<10.0)
Oregon	Harney County	5.9	Low (<10.0)
Oregon	Hood River County	5.3	Low (<10.0)
Oregon	Jefferson County	3.7	Low (<10.0)
Oregon	Jackson County	5.3	Low (<10.0)
Oregon	Josephine County	5.3	Low (<10.0)
Oregon	Klamath County	2.3	Low (<10.0)
Oregon	Lake County	2.6	Low (<10.0)
Oregon	Lane County	6.1	Low (<10.0)
Oregon	Lincoln County	2.6	Low (<10.0)
Oregon	Linn County	1.3	Low (<10.0)
Oregon	Malheur County	2.6	Low (<10.0)
Oregon	Marion County	6.1	Low (<10.0)
Oregon	Morrow County	6.9	Low (<10.0)
Oregon	Multnomah County	5.3	Low (<10.0)
Oregon	Polk County	6.9	Low (<10.0)
Oregon	Sherman County	2.3	Low (<10.0)
Oregon	Tillamook County	3.9	Low (<10.0)
Oregon	Umatilla County	6.9	Low (<10.0)
Oregon	Union County	4	Low (<10.0)
Oregon	Wallowa County	4	Low (<10.0)
Oregon	Wasco County	2.3	Low (<10.0)
Oregon	Washington County	5.3	Low (<10.0)
Oregon	Wheeler County	2.6	Low (<10.0)
Oregon	Yamhill County	4	Low (<10.0)
Pennsylvania	Adams County	7.4	Low (<10.0)
Pennsylvania	Allegheny County	7.4	Low (<10.0)
Pennsylvania	Armstrong County	7.4	Low (<10.0)
Pennsylvania	Beaver County	7.4	Low (<10.0)
Pennsylvania	Bedford County	13.5	Medium (10.0 to <19.9)
Pennsylvania	Berks County	7.4	Low (<10.0)
Pennsylvania	Blair County	13.5	Medium (10.0 to <19.9)
Pennsylvania	Bradford County	8.1	Low (<10.0)
Pennsylvania	Bucks County	8.6	Low (<10.0)
Pennsylvania	Butler County	7.4	Low (<10.0)
Pennsylvania	Cambria County	13.5	Medium (10.0 to <19.9)
Pennsylvania	Cameron County	8.7	Low (<10.0)
Pennsylvania	Carbon County	8.6	Low (<10.0)
Pennsylvania	Centre County	10.2	Medium (10.0 to <19.9)
Pennsylvania	Chester County	7.4	Low (<10.0)
Pennsylvania	Clarion County	8.9	Low
Pennsylvania	Clearfield County	13.5	Medium (10.0 to <19.9)
Pennsylvania	Clinton County	10.2	Medium (10.0 to <19.9)
Pennsylvania	Columbia County	13.2	Medium (10.0 to <19.9)
Pennsylvania	Crawford County	7.4	Low (<10.0)
Pennsylvania	Cumberland County	8	Low (<10.0)
Pennsylvania	Dauphin County	8	Low (<10.0)
Pennsylvania	Delaware County	8.6	Low (<10.0)
Pennsylvania	Elk County	8.7	Low
Pennsylvania	Erie County	7.4	Low (<10.0)
Pennsylvania	Fayette County	8.1	Low (<10.0)
Pennsylvania	Forest County	8.2	Low (<10.0)
Pennsylvania	Franklin County	6.9	Low (<10.0)
Pennsylvania	Fulton County	8.1	Low (<10.0)
Pennsylvania	Greene County	8.1	Low (<10.0)
Pennsylvania	Huntingdon County	10.2	Medium (10.0 to <19.9)
Pennsylvania	Indiana County	8.1	Low (<10.0)
Pennsylvania	Jefferson County	10.2	Medium (10.0 to <19.9)
Pennsylvania	Juniata County	8.1	Low (<10.0)
Pennsylvania	Lackawanna County	11.1	Medium (10.0 to <19.9)
Pennsylvania	Lancaster County	5.9	Low (<10.0)
Pennsylvania	Lawrence County	11.7	Medium (10.0 to <19.9)
Pennsylvania	Lebanon County	8	Low (<10.0)
Pennsylvania	Lehigh County	8.6	Low (<10.0)
Pennsylvania	Luzerne County	12.2	Medium (10.0 to <19.9)
Pennsylvania	Lycoming County	5.4	Low (<10.0)
Pennsylvania	Mc Kean County	8.7	Low
Pennsylvania	Mercer County	7.4	Low (<10.0)
Pennsylvania	Mifflin County	6.9	Low (<10.0)
Pennsylvania	Monroe County	8.6	Low (<10.0)
Pennsylvania	Montgomery County	8.6	Low (<10.0)
Pennsylvania	Montour County	26.3	High (≥20.0)
Pennsylvania	Northampton County	8.6	Low (<10.0)
Pennsylvania	Northumberland County	23.2	High (≥20.0)
Pennsylvania	Perry County	8.1	Low (<10.0)
Pennsylvania	Philadelphia County	8.6	Low (<10.0)
Pennsylvania	Pike County	8.7	Low
Pennsylvania	Potter County	8.7	Low
Pennsylvania	Schuylkill County	23.2	High (≥20.0)
Pennsylvania	Snyder County	23.2	High (≥20.0)
Pennsylvania	Somerset County	13.5	Medium (10.0 to <19.9)
Pennsylvania	Sullivan County	8.7	Low
Pennsylvania	Susquehanna County	8.7	Low
Pennsylvania	Tioga County	8.7	Low
Pennsylvania	Union County	23.2	High (≥20.0)
Pennsylvania	Venango County	7.4	Low (<10.0)
Pennsylvania	Warren County	8.7	Low
Pennsylvania	Washington County	8.1	Low (<10.0)
Pennsylvania	Wayne County	8.7	Low
Pennsylvania	Westmoreland County	7.4	Low (<10.0)
Pennsylvania	Wyoming County	10.2	Medium (10.0 to <19.9)
Pennsylvania	York County	6	Low (<10.0)
Puerto Rico	Adjuntas	2.9	Low
Puerto Rico	Aguadilla	2.9	Low
Puerto Rico	Aguada	2.9	Low
Puerto Rico	Aguas Buenas	2.9	Low
Puerto Rico	Aibonito	2.9	Low
Puerto Rico	Arecibo	2.9	Low
Puerto Rico	Arroyo	2.9	Low
Puerto Rico	Barceloneta	2.9	Low
Puerto Rico	Barranquitas	2.9	Low
Puerto Rico	Bayamón	2.9	Low
Puerto Rico	Cabo Rojo	2.9	Low
Puerto Rico	Caguas	2.9	Low
Puerto Rico	Camuy	2.9	Low
Puerto Rico	Canóvanas	2.9	Low
Puerto Rico	Carolina	2.9	Low
Puerto Rico	Cataño	2.9	Low
Puerto Rico	Cayey	2.9	Low
Puerto Rico	Ceiba	2.9	Low
Puerto Rico	Ciales	2.9	Low
Puerto Rico	Cidra	2.9	Low
Puerto Rico	Coamo	2.9	Low
Puerto Rico	Comerío	2.9	Low
Puerto Rico	Corozal	2.9	Low
Puerto Rico	Culebra	2.9	Low
Puerto Rico	Dorado	2.9	Low
Puerto Rico	Fajardo	2.9	Low
Puerto Rico	Florida	2.9	Low
Puerto Rico	Guánica	2.9	Low
Puerto Rico	Guayama	2.9	Low
Puerto Rico	Guayanilla	2.9	Low
Puerto Rico	Guaynabo	2.9	Low
Puerto Rico	Gurabo	2.9	Low
Puerto Rico	Hatillo	2.9	Low
Puerto Rico	Hormigueros	2.9	Low
Puerto Rico	Humacao	2.9	Low
Puerto Rico	Isabela	2.9	Low
Puerto Rico	Jayuya	2.9	Low
Puerto Rico	Juana Díaz	2.9	Low
Puerto Rico	Juncos	2.9	Low
Puerto Rico	Lajas	2.9	Low
Puerto Rico	Lares	2.9	Low
Puerto Rico	Las Marías	2.9	Low
Puerto Rico	Las Piedras	2.9	Low
Puerto Rico	Loíza	2.9	Low
Puerto Rico	Luquillo	2.9	Low
Puerto Rico	Manatí	2.9	Low
Puerto Rico	Maricao	2.9	Low
Puerto Rico	Maunabo	2.9	Low
Puerto Rico	Mayagüez	2.9	Low
Puerto Rico	Moca	2.9	Low
Puerto Rico	Morovis	2.9	Low
Puerto Rico	Naguabo	2.9	Low
Puerto Rico	Naranjito	2.9	Low
Puerto Rico	Orocovis	2.9	Low
Puerto Rico	Patillas	2.9	Low
Puerto Rico	Peñuelas	2.9	Low
Puerto Rico	Ponce	2.9	Low
Puerto Rico	Quebradillas	2.9	Low
Puerto Rico	Rincón	2.9	Low
Puerto Rico	Río Grande	2.9	Low
Puerto Rico	Sabana Grande	2.9	Low
Puerto Rico	Salinas	2.9	Low
Puerto Rico	San Germán	2.9	Low
Puerto Rico	San Juan	2.9	Low
Puerto Rico	San Lorenzo	2.9	Low
Puerto Rico	San Sebastián	2.9	Low
Puerto Rico	Santa Isabel	2.9	Low
Puerto Rico	Toa Alta	2.9	Low
Puerto Rico	Toa Baja	2.9	Low
Puerto Rico	Trujillo Alto	2.9	Low
Puerto Rico	Utuado	2.9	Low
Puerto Rico	Vega Alta	2.9	Low
Puerto Rico	Vega Baja	2.9	Low
Puerto Rico	Vieques	2.9	Low
Puerto Rico	Villalba	2.9	Low
Puerto Rico	Yabucoa	2.9	Low
Puerto Rico	Yauco	2.9	Low
Rhode Island	Bristol County	5.6	Low
Rhode Island	Kent County	5.6	Low
Rhode Island	Newport County	5.6	Low
Rhode Island	Providence County	5.6	Low
Rhode Island	Washington County	5.6	Low
South Carolina	Abbeville County	7.3	Low (<10.0)
South Carolina	Aiken County	7.4	Low (<10.0)
South Carolina	Allendale County	7	Low (<10.0)
South Carolina	Anderson County	7.4	Low (<10.0)
South Carolina	Bamberg County	8	Low (<10.0)
South Carolina	Barnwell County	8	Low (<10.0)
South Carolina	Beaufort County	8	Low (<10.0)
South Carolina	Berkeley County	8	Low (<10.0)
South Carolina	Calhoun County	8	Low (<10.0)
South Carolina	Charleston County	8	Low (<10.0)
South Carolina	Cherokee County	8	Low (<10.0)
South Carolina	Chester County	8	Low (<10.0)
South Carolina	Chesterfield County	8	Low (<10.0)
South Carolina	Clarendon County	8	Low (<10.0)
South Carolina	Colleton County	8	Low (<10.0)
South Carolina	Darlington County	8.2	Low (<10.0)
South Carolina	Dillon County	8	Low (<10.0)
South Carolina	Dorchester County	8	Low (<10.0)
South Carolina	Edgefield County	7.4	Low (<10.0)
South Carolina	Fairfield County	8.2	Low (<10.0)
South Carolina	Florence County	8.2	Low (<10.0)
South Carolina	Georgetown County	8	Low (<10.0)
South Carolina	Greenville County	8.6	Low (<10.0)
South Carolina	Greenwood County	7.3	Low (<10.0)
South Carolina	Hampton County	8	Low (<10.0)
South Carolina	Horry County	8	Low (<10.0)
South Carolina	Jasper County	8	Low (<10.0)
South Carolina	Kershaw County	8.2	Low (<10.0)
South Carolina	Lancaster County	4.9	Low (<10.0)
South Carolina	Laurens County	7.3	Low (<10.0)
South Carolina	Lee County	8	Low (<10.0)
South Carolina	Lexington County	8.6	Low (<10.0)
South Carolina	Marion County	8.2	Low (<10.0)
South Carolina	Marlboro County	8.2	Low (<10.0)
South Carolina	McCormick County	7.4	Low (<10.0)
South Carolina	Newberry County	8	Low (<10.0)
South Carolina	Oconee County	8	Low (<10.0)
South Carolina	Orangeburg County	8	Low (<10.0)
South Carolina	Pickens County	8	Low (<10.0)
South Carolina	Richland County	8	Low (<10.0)
South Carolina	Saluda County	7.4	Low (<10.0)
South Carolina	Spartanburg County	7.3	Low (<10.0)
South Carolina	Sumter County	4.2	Low (<10.0)
South Carolina	Union County	7.3	Low (<10.0)
South Carolina	Williamsburg County	8.2	Low (<10.0)
South Carolina	York County	7.4	Low (<10.0)
South Dakota	Aurora County	11.4	Medium (10.0 to <19.9)
South Dakota	Beadle County	16.7	High (≥20.0)
South Dakota	Bennett County	11.4	Low
South Dakota	Bon Homme County	8.9	Low
South Dakota	Brookings County	11.4	Low
South Dakota	Brown County	6.7	Low
South Dakota	Brule County	11.4	Low
South Dakota	Buffalo County	11.4	Medium (10.0 to <19.9)
South Dakota	Butte County	6.7	Low
South Dakota	Campbell County	11.4	Low
South Dakota	Charles Mix County	11.4	Medium (10.0 to <19.9)
South Dakota	Clark County	11.4	Medium (10.0 to <19.9)
South Dakota	Clay County	11.4	Low
South Dakota	Codington County	11.4	Low

South Dakota	Carson County	5.3	Low (<10.0)
South Dakota	Cheyenne River	5.3	Low (<10.0)
South Dakota	Dawson County	17.6	Medium (10.0to 19.9)
South Dakota	Day County	4.7	Low (<10.0)
South Dakota	Dewey County	5.2	Low (<10.0)
South Dakota	Douglas County	11.6	Medium (10.0to 19.9)
South Dakota	Edmunds County	4.7	Low (<10.0)
South Dakota	Fall River County	4.7	Low (<10.0)
South Dakota	Faulk County	4.7	Low (<10.0)
South Dakota	Grant County	4.7	Low (<10.0)
South Dakota	Gregory County	9.6	Low (<10.0)
South Dakota	Haakon County	14.5	Medium (10.0to 19.9)
South Dakota	Hamlin County	14.5	Medium (10.0to 19.9)
South Dakota	Hand County	20	High (≥20.0)
South Dakota	Hanson County	11.6	Medium (10.0to 19.9)
South Dakota	Harding County	7.6	Low (<10.0)
South Dakota	Hughes County	11.6	Medium (10.0to 19.9)
South Dakota	Hutchinson County	12.6	Medium (10.0to 19.9)
South Dakota	Hyde County	20	High (≥20.0)
South Dakota	Jackson County	8.2	Low (<10.0)
South Dakota	Jerauld County	20	High (≥20.0)
South Dakota	Jones County	7.6	Low (<10.0)
South Dakota	Kingsbury County	7.5	Low (<10.0)
South Dakota	Lake County	17.6	Medium (10.0to 19.9)
South Dakota	Lawrence County	7.5	Low (<10.0)
South Dakota	Lincoln County	17.9	Medium (10.0to 19.9)
South Dakota	Lyman County	17.6	Medium (10.0to 19.9)
South Dakota	Marshall County	4.7	Low (<10.0)
South Dakota	McCook County	17.9	Medium (10.0to 19.9)
South Dakota	McPherson County	4.7	Low (<10.0)
South Dakota	Meade County	7.6	Low (<10.0)
South Dakota	Mellette County	14.5	Medium (10.0to 19.9)
South Dakota	Miner County	17.9	Medium (10.0to 19.9)
South Dakota	Minnehaha County	17.9	Medium (10.0to 19.9)
South Dakota	Moody County	17.9	Medium (10.0to 19.9)
South Dakota	Oglala Lakota County	7.6	Low (<10.0)
South Dakota	Pennington County	8.2	Low (<10.0)
South Dakota	Perkins County	7.6	Low (<10.0)
South Dakota	Potter County	7.5	Low (<10.0)
South Dakota	Roberts County	5.4	Low (<10.0)
South Dakota	Sanborn County	11.6	Medium (10.0to 19.9)
South Dakota	Spink County	4.7	Low (<10.0)
South Dakota	Sterling Sioux Tribe	14.5	Medium (10.0to 19.9)
South Dakota	Sully County	14.5	Medium (10.0to 19.9)
South Dakota	Tripp County	9.6	Low (<10.0)
South Dakota	Ziebach County	8.6	Low (<10.0)
Tennessee	Anderson County	4.7	Low (<10.0)
Tennessee	Cocke County	5.3	Low (<10.0)
Tennessee	Cumberland County	5.3	Low (<10.0)
Tennessee	Fentress County	5.3	Low (<10.0)
Tennessee	Jackson County	14.5	Medium (10.0to 19.9)
Tennessee	Knox County	4	Low (<10.0)
Tennessee	Morgan County	4	Low (<10.0)
Tennessee	Pickett County	4	Low (<10.0)
Tennessee	Scott County	4	Low (<10.0)
Tennessee	Sullivan County	4	Low (<10.0)
Tennessee	Unicoi County	4	Low (<10.0)
Tennessee	Union County	4	Low (<10.0)
Tennessee	Campbell County	4	Low (<10.0)
Tennessee	Claiborne County	4	Low (<10.0)
Tennessee	Clay County	5.2	Low (<10.0)
Tennessee	Cocke County	15.2	Medium (10.0to 19.9)
Tennessee	Coffee County	4	Low (<10.0)
Tennessee	Cumberland County	4	Low (<10.0)
Tennessee	Davidson County	4	Low (<10.0)
Tennessee	Decatur County	5.4	Low (<10.0)
Tennessee	DeKalb County	6.5	Low (<10.0)
Tennessee	Dickson County	4	Low (<10.0)
Tennessee	Dyer County	4.3	Low (<10.0)
Tennessee	Fayette County	4	Low (<10.0)
Tennessee	Fentress County	4	Low (<10.0)
Tennessee	Franklin County	2.5	Low (<10.0)
Tennessee	Giles County	4	Low (<10.0)
Tennessee	Grainger County	2.5	Low (<10.0)
Tennessee	Greene County	15.2	Medium (10.0to 19.9)
Tennessee	Grundy County	4	Low (<10.0)
Tennessee	Hamblen County	4.3	Low (<10.0)
Tennessee	Hamilton County	4.6	Low (<10.0)
Tennessee	Hancock County	5.3	Low (<10.0)
Tennessee	Hardeman County	5.4	Low (<10.0)
Tennessee	Hardin County	4	Low (<10.0)
Tennessee	Hawkins County	20	High (≥20.0)
Tennessee	Henderson County	4.3	Low (<10.0)
Tennessee	Henry County	4	Low (<10.0)
Tennessee	Hickman County	4	Low (<10.0)
Tennessee	Houston County	1.7	Low (<10.0)
Tennessee	Humphreys County	4	Low (<10.0)
Tennessee	Jackson County	5.3	Low (<10.0)
Tennessee	Jefferson County	4.3	Low (<10.0)
Tennessee	Johnson County	4	Low (<10.0)
Tennessee	Knox County	4.6	Low (<10.0)
Tennessee	Lake County	4.3	Low (<10.0)
Tennessee	Lauderdale County	4.3	Low (<10.0)
Tennessee	Lawrence County	4.7	Low (<10.0)
Tennessee	Lewis County	6.4	Low (<10.0)
Tennessee	Lincoln County	4.6	Low (<10.0)
Tennessee	Loudon County	4.6	Low (<10.0)
Tennessee	McMinn County	4.6	Low (<10.0)
Tennessee	Madison County	5.4	Low (<10.0)
Tennessee	Marion County	4.6	Low (<10.0)
Tennessee	Marshall County	4.6	Low (<10.0)
Tennessee	Maury County	4.4	Low (<10.0)
Tennessee	McNairy County	4	Low (<10.0)
Tennessee	Williams County	4	Low (<10.0)
Tennessee	Wilson County	4.7	Low (<10.0)
Tennessee	Monroe County	4.6	Low (<10.0)
Tennessee	Montgomery County	1.7	Low (<10.0)
Tennessee	Moore County	2.5	Low (<10.0)
Tennessee	Morgan County	4	Low (<10.0)
Tennessee	Obion County	4.3	Low (<10.0)
Tennessee	Overton County	4.7	Low (<10.0)
Tennessee	Pickett County	4	Low (<10.0)
Tennessee	Polk County	1.7	Low (<10.0)
Tennessee	Putnam County	5.2	Low (<10.0)
Tennessee	Rhea County	4	Low (<10.0)
Tennessee	Roane County	4.7	Low (<10.0)
Tennessee	Robertson County	4	Low (<10.0)
Tennessee	Rutherford County	4.6	Low (<10.0)
Tennessee	Scott County	4.3	Low (<10.0)
Tennessee	Sequatchie County	4.6	Low (<10.0)
Tennessee	Sevier County	4.6	Low (<10.0)
Tennessee	Shelby County	1.9	Low (<10.0)
Tennessee	Smith County	4.7	Low (<10.0)
Tennessee	Stewart County	1.7	Low (<10.0)
Tennessee	Sullivan County	4.7	Low (<10.0)
Tennessee	Sumner County	4.6	Low (<10.0)
Tennessee	Tipton County	1.9	Low (<10.0)
Tennessee	Trousdale County	4.6	Low (<10.0)
Tennessee	Unicoi County	22.8	High (≥20.0)
Tennessee	Union County	4.7	Low (<10.0)
Tennessee	Van Buren County	3.5	Low (<10.0)
Tennessee	Warren County	4.6	Low (<10.0)
Tennessee	Washington County	22.8	High (≥20.0)
Tennessee	Wayne County	4.7	Low (<10.0)
Tennessee	Weakley County	4.6	Low (<10.0)
Tennessee	White County	5.2	Low (<10.0)
Tennessee	Williamson County	4	Low (<10.0)
Tennessee	Wilson County	4.6	Low (<10.0)
Texas	Anderson County	11.6	Medium (10.0to 19.9)
Texas	Andrews County	14.5	Medium (10.0to 19.9)
Texas	Angelina County	7.6	Low (<10.0)
Texas	Aransas County	19.8	Medium (10.0to 19.9)
Texas	Archer County	9.6	Low (<10.0)
Texas	Armstrong County	5.3	Low (<10.0)
Texas	Atascosa County	5.5	Low (<10.0)
Texas	Austin County	2.7	Low (<10.0)
Texas	Bailey County	14.5	Medium (10.0to 19.9)
Texas	Bandera County	2.7	Low (<10.0)
Texas	Bastrop County	2.7	Low (<10.0)
Texas	Baylor County	9.6	Low (<10.0)
Texas	Bee County	5.1	Low (<10.0)
Texas	Bell County	2.7	Low (<10.0)
Texas	Bexar County	2.7	Low (<10.0)
Texas	Blanco County	2.8	Low (<10.0)
Texas	Borden County	14.5	Medium (10.0to 19.9)
Texas	Bosque County	9.4	Low (<10.0)
Texas	Bowie County	11.3	Medium (10.0to 19.9)
Texas	Brazoria County	2.4	Low (<10.0)
Texas	Brazos County	12.1	Medium (10.0to 19.9)
Texas	Brewster County	7.1	Medium (10.0to 19.9)
Texas	Briscoe County	2.9	Low (<10.0)
Texas	Brooks County	5.1	Low (<10.0)
Texas	Brown County	5.3	Low (<10.0)
Texas	Burleson County	12.1	Medium (10.0to 19.9)
Texas	Burnet County	2.8	Low (<10.0)
Texas	Caldwell County	6.9	Low (<10.0)
Texas	Calhoun County	5.1	Low (<10.0)
Texas	Callahan County	5.3	Low (<10.0)
Texas	Cameron County	5.1	Low (<10.0)
Texas	Camp County	4.7	Low (<10.0)
Texas	Carson County	2.9	Low (<10.0)
Texas	Cass County	8	Low (<10.0)
Texas	Castro County	9.6	Low (<10.0)
Texas	Chambers County	2.4	Low (<10.0)
Texas	Cherokee County	2.7	Low (<10.0)
Texas	Childress County	9.6	Low (<10.0)
Texas	Clay County	9.6	Low (<10.0)
Texas	Cochran County	10	Medium (10.0to 19.9)
Texas	Coke County	9.6	Low (<10.0)
Texas	Coleman County	5.3	Low (<10.0)
Texas	Collin County	2.7	Low (<10.0)
Texas	Collingsworth County	9	Low (<10.0)
Texas	Colorado County	2.7	Low (<10.0)
Texas	Comal County	5.8	Low (<10.0)
Texas	Comanche County	1.8	Low (<10.0)
Texas	Concho County	5.6	Low (<10.0)
Texas	Cooke County	5.5	Low (<10.0)
Texas	Coryell County	9.1	Low (<10.0)
Texas	Cottle County	9	Low (<10.0)
Texas	Crane County	14.5	Medium (10.0to 19.9)
Texas	Crockett County	5.6	Low (<10.0)
Texas	Crosby County	10	Medium (10.0to 19.9)
Texas	Culberson County	9.5	Low (<10.0)
Texas	Dallam County	2.9	Low (<10.0)
Texas	Dallas County	2.7	Low (<10.0)
Texas	Dawson County	10	Medium (10.0to 19.9)
Texas	Deaf smith County	2.9	Low (<10.0)
Texas	Delta County	20.2	High (≥20.0)
Texas	Denton County	2.7	Low (<10.0)
Texas	DeWitt County	4.9	Low (<10.0)
Texas	Dickens County	10	Medium (10.0to 19.9)
Texas	Dimmit County	5	Low (<10.0)
Texas	Donley County	2.9	Low (<10.0)
Texas	Duval County	5.1	Low (<10.0)
Texas	Eastland County	9.1	Low (<10.0)
Texas	Ector County	14.5	Medium (10.0to 19.9)
Texas	Edwards County	5.6	Low (<10.0)
Texas	El Paso County	8.8	Low (<10.0)
Texas	Ellis County	2.4	Low (<10.0)
Texas	Erath County	1.8	Low (<10.0)
Texas	Falls County	9.4	Low (<10.0)
Texas	Fannin County	7.7	Low (<10.0)
Texas	Fayette County	2.7	Low (<10.0)
Texas	Fisher County	20.2	High (≥20.0)
Texas	Floyd County	8.6	Low (<10.0)
Texas	Foard County	9.6	Low (<10.0)
Texas	Fort Bend County	2.7	Low (<10.0)
Texas	Franklin County	2.7	Low (<10.0)
Texas	Freestone County	9	Low (<10.0)
Texas	Frio County	5.1	Low (<10.0)
Texas	Gaines County	14.5	Medium (10.0to 19.9)
Texas	Galveston County	2.6	Low (<10.0)
Texas	Garza County	10	Medium (10.0to 19.9)
Texas	Gillespie County	1.8	Low (<10.0)
Texas	Glasscock County	9	Low (<10.0)
Texas	Goliad County	4.9	Low (<10.0)
Texas	Gonzales County	4.9	Low (<10.0)
Texas	Gray County	2.9	Low (<10.0)
Texas	Grayson County	7.7	Low (<10.0)
Texas	Gregg County	2.9	Low (<10.0)
Texas	Grimes County	12.1	Medium (10.0to 19.9)
Texas	Guadalupe County	5.8	Low (<10.0)
Texas	Hale County	8.6	Low (<10.0)
Texas	Hall County	9.6	Low (<10.0)
Texas	Hamilton County	4.4	Low (<10.0)
Texas	Hansford County	2.9	Low (<10.0)
Texas	Hardeman County	9	Low (<10.0)
Texas	Harrell County	10.8	Medium (10.0to 19.9)
Texas	Harris County	2.7	Low (<10.0)
Texas	Harrison County	2	Low (<10.0)
Texas	Hartley County	2.9	Low (<10.0)
Texas	Haskell County	9	Low (<10.0)
Texas	Hays County	4.9	Low (<10.0)
Texas	Hemphill County	8.2	Low (<10.0)
Texas	Henderson County	5.3	Low (<10.0)
Texas	Hidalgo County	4.6	Low (<10.0)
Texas	Hill County	5.4	Low (<10.0)
Texas	Hockley County	14.5	Medium (10.0to 19.9)
Texas	Hood County	7.6	Low (<10.0)
Texas	Hopkins County	4.4	Low (<10.0)
Texas	Houston County	4.4	Low (<10.0)
Texas	Howard County	9	Low (<10.0)
Texas	Hudspeth County	8.8	Low (<10.0)
Texas	Hunt County	4.4	Low (<10.0)
Texas	Hutchinson County	2.9	Low (<10.0)
Texas	Irion County	9.6	Low (<10.0)
Texas	Jack County	7.6	Low (<10.0)
Texas	Jackson County	4.9	Low (<10.0)
Texas	Jasper County	10.8	Medium (10.0to 19.9)
Texas	Jeff Davis County	7.1	Medium (10.0to 19.9)
Texas	Jefferson County	10.8	Medium (10.0to 19.9)
Texas	Jim Hogg County	5	Low (<10.0)
Texas	Jim Wells County	10.8	Medium (10.0to 19.9)
Texas	Johnson County	7.6	Low (<10.0)
Texas	Jones County	9.1	Low (<10.0)
Texas	Karnes County	2.7	Low (<10.0)
Texas	Kaufman County	4.4	Low (<10.0)
Texas	Kendall County	5.5	Low (<10.0)
Texas	Kenedy County	10.8	Medium (10.0to 19.9)
Texas	Kent County	2.9	Low (<10.0)
Texas	Kerr County	1.8	Low (<10.0)
Texas	Kimble County	1.8	Low (<10.0)
Texas	King County	10	Medium (10.0to 19.9)
Texas	Kinney County	2.7	Low (<10.0)
Texas	Kleberg County	10.8	Medium (10.0to 19.9)
Texas	Knox County	9.6	Low (<10.0)
Texas	La Salle County	5.6	Low (<10.0)
Texas	Lamar County	7.7	Low (<10.0)
Texas	Lamb County	14.5	Medium (10.0to 19.9)
Texas	Lampasas County	9.1	Low (<10.0)
Texas	Leon County	4.9	Low (<10.0)
Texas	Liberty County	2.7	Low (<10.0)
Texas	Limestone County	9.4	Low (<10.0)
Texas	Lipscomb County	2.9	Low (<10.0)
Texas	Live Oak County	10.8	Medium (10.0to 19.9)
Texas	Llano County	2.8	Low (<10.0)
Texas	Loving County	9.9	Low (<10.0)
Texas	Lubbock County	10	Medium (10.0to 19.9)
Texas	Lynn County	10	Medium (10.0to 19.9)
Texas	Madison County	9.4	Low (<10.0)
Texas	Marion County	7.6	Low (<10.0)
Texas	Martin County	2	Low (<10.0)
Texas	Mason County	1.8	Low (<10.0)
Texas	Matagorda County	2.4	Low (<10.0)
Texas	Maverick County	5.6	Low (<10.0)
Texas	McCulloch County	9.9	Low (<10.0)
Texas	McLennan County	9.4	Low (<10.0)
Texas	McMullen County	5.1	Low (<10.0)
Texas	Medina County	5.5	Low (<10.0)
Texas	Menard County	1.8	Low (<10.0)
Texas	Midland County	2	Low (<10.0)
Texas	Milam County	9.4	Low (<10.0)
Texas	Mills County	5.3	Low (<10.0)
Texas	Mitchell County	20.2	High (≥20.0)
Texas	Montague County	7.7	Low (<10.0)
Texas	Montgomery County	2.7	Low (<10.0)
Texas	Moore County	9.6	Low (<10.0)
Texas	Morris County	8.7	Low (<10.0)
Texas	Motley County	10	Medium (10.0to 19.9)
Texas	Nacogdoches County	9.9	Low (<10.0)
Texas	Navarro County	9	Low (<10.0)
Texas	Newton County	10.8	Medium (10.0to 19.9)
Texas	Nolan County	9.6	Low (<10.0)
Texas	Nueces County	10.8	Medium (10.0to 19.9)
Texas	Ochiltree County	2.9	Low (<10.0)
Texas	Oldham County	2.9	Low (<10.0)
Texas	Orange County	10.8	Medium (10.0to 19.9)
Texas	Palo Pinto County	7.6	Low (<10.0)
Texas	Panola County	2.9	Low (<10.0)
Texas	Parker County	7.6	Low (<10.0)
Texas	Parmer County	2.9	Low (<10.0)
Texas	Pecos County	2	Low (<10.0)
Texas	Polk County	1.8	Low (<10.0)
Texas	Potter County	2.9	Low (<10.0)
Texas	Presidio County	7.1	Medium (10.0to 19.9)
Texas	Rains County	2.9	Low (<10.0)
Texas	Randall County	2.9	Low (<10.0)
Texas	Reagan County	9	Low (<10.0)
Texas	Real County	1.8	Low (<10.0)
Texas	Red River County	20.2	High (≥20.0)
Texas	Reeves County	4.3	Low (<10.0)
Texas	Refugio County	5.1	Low (<10.0)
Texas	Roberts County	2.9	Low (<10.0)
Texas	Rockwall County	4.4	Low (<10.0)
Texas	Runnels County	9.9	Low (<10.0)
Texas	Rusk County	9.9	Low (<10.0)
Texas	Sabine County	9.9	Low (<10.0)
Texas	San Augustine County	9.9	Low (<10.0)
Texas	San Jacinto County	2.7	Low (<10.0)
Texas	San Patricio County	10.8	Medium (10.0to 19.9)
Texas	San Saba County	10.2	Medium (10.0to 19.9)
Texas	Schleicher County	9.9	Low (<10.0)
Texas	Scurry County	9	Low (<10.0)
Texas	Shackelford County	9.9	Low (<10.0)
Texas	Shelby County	9.9	Low (<10.0)
Texas	Sherman County	2.9	Low (<10.0)
Texas	Smith County	7.6	Low (<10.0)
Texas	Somervell County	7.6	Low (<10.0)
Texas	Starr County	5.6	Low (<10.0)
Texas	Stephens County	9.9	Low (<10.0)
Texas	Sterling County	9.9	Low (<10.0)
Texas	Stonewall County	9.9	Low (<10.0)
Texas	Sutton County	9.9	Low (<10.0)
Texas	Swisher County	9.6	Low (<10.0)
Texas	Tarrant County	7.6	Low (<10.0)
Texas	Taylor County	9.9	Low (<10.0)
Texas	Terrell County	2	Low (<10.0)
Texas	Terry County	9	Low (<10.0)
Texas	Throckmorton County	9.9	Low (<10.0)
Texas	Titus County	8.1	Low (<10.0)
Texas	Tom Green County	9.9	Low (<10.0)
Texas	Travis County	2.8	Low (<10.0)
Texas	Trinity County	9.4	Low (<10.0)
Texas	Tyler County	10.8	Medium (10.0to 19.9)
Texas	Upshur County	2.9	Low (<10.0)
Texas	Upton County	2	Low (<10.0)
Texas	Uvalde County	7.1	Low (<10.0)
Texas	Val Verde County	5.6	Low (<10.0)
Texas	Van Zandt County	5.3	Low (<10.0)
Texas	Victoria County	10.8	Medium (10.0to 19.9)
Texas	Walker County	9.4	Low (<10.0)
Texas	Waller County	2.7	Low (<10.0)
Texas	Ward County	9.9	Low (<10.0)
Texas	Washington County	12.1	Medium (10.0to 19.9)
Texas	Webb County	5	Low (<10.0)
Texas	Wharton County	2.4	Low (<10.0)
Texas	Wheeler County	2.9	Low (<10.0)
Texas	Wichita County	9.6	Low (<10.0)
Texas	Wilbarger County	9	Low (<10.0)
Texas	Willacy County	4.6	Low (<10.0)
Texas	Williamson County	2.8	Low (<10.0)
Texas	Wilson County	5.8	Low (<10.0)
Texas	Winkler County	4.3	Low (<10.0)
Texas	Wise County	7.6	Low (<10.0)
Texas	Wood County	5.3	Low (<10.0)
Texas	Yoakum County	2	Low (<10.0)
Texas	Young County	9.6	Low (<10.0)
Texas	Zapata County	5	Low (<10.0)
Texas	Zavala County	5.6	Low (<10.0)
Utah	Beaver County	11.4	Medium (10.0to 19.9)
Utah	Box Elder County	7.7	Low (<10.0)
Utah	Tooele County	10.6	Medium (10.0to 19.9)
Utah	Cache County	5.8	Low (<10.0)
Utah	Daggett County	13.9	Medium (10.0to 19.9)
Utah	Davis County	5.8	Low (<10.0)
Utah	Duchesne County	7.7	Low (<10.0)
Utah	Emery County	9.8	Low (<10.0)
Utah	Garfield County	11.4	Medium (10.0to 19.9)
Utah	Grand County	9.8	Medium (10.0to 19.9)
Utah	Iron County	11.4	Medium (10.0to 19.9)
Utah	Juab County	7.7	Low (<10.0)
Utah	Kane County	9.8	Low (<10.0)
Utah	Millard County	5.8	Low (<10.0)
Utah	Morgan County	5.8	Low (<10.0)
Utah	Piute County	9.8	Low (<10.0)
Utah	Rich County	5.8	Low (<10.0)
Utah	Salt Lake County	7.7	Low (<10.0)
Utah	San juan County	9.8	Low (<10.0)
Utah	Sanpete County	5.8	Low (<10.0)
Utah	Sevier County	7.7	Low (<10.0)
Utah	Summit County	7.7	Low (<10.0)
Utah	Tooele County	10.6	Medium (10.0to 19.9)
Utah	Uintah County	7.7	Low (<10.0)
Utah	Utah County	7.7	Low (<10.0)
Utah	Wasatch County	7.7	Low (<10.0)
Utah	Washington County	11.4	Medium (10.0to 19.9)
Utah	Wayne County	9.8	Low (<10.0)
Utah	Weber County	7.7	Low (<10.0)
Vermont	Bennington County	4.3	Low (<10.0)
Vermont	Caledonia County	4.3	Low (<10.0)
Vermont	Chittenden County	4.3	Low (<10.0)
Vermont	Essex County	4.3	Low (<10.0)
Vermont	Franklin County	4.3	Low (<10.0)
Vermont	Grand Isle County	4.3	Low (<10.0)
Vermont	Lamoille County	4.3	Low (<10.0)
Vermont	Orange County	4.3	Low (<10.0)
Vermont	Orleans County	4.3	Low (<10.0)
Vermont	Rutland County	4.3	Low (<10.0)
Vermont	Washington County	4.3	Low (<10.0)
Vermont	Windham County	4.3	Low (<10.0)
Vermont	Windsor County	4.3	Low (<10.0)
Virginia	Accomack County	4.3	Low (<10.0)
Virginia	Albemarle County	4.3	Low (<10.0)
Virginia	Alleghany County	4.3	Low (<10.0)
Virginia	Amelia County	4.3	Low (<10.0)
Virginia	Amherst County	4.3	Low (<10.0)
Virginia	Appomattox County	4.3	Low (<10.0)
Virginia	Arlington County	4.3	Low (<10.0)
Virginia	Augusta County	4.3	Low (<10.0)
Virginia	Bedford County	4.3	Low (<10.0)
Virginia	Bland County	4.3	Low (<10.0)
Virginia	Botetourt County	4.3	Low (<10.0)
Virginia	Brunswick County	4.3	Low (<10.0)
Virginia	Buchanan County	4.3	Low (<10.0)
Virginia	Buckingham County	4.3	Low (<10.0)
Virginia	Campbell County	4.3	Low (<10.0)
Virginia	Caroline County	4.3	Low (<10.0)
Virginia	Carroll County	4.3	Low (<10.0)
Virginia	Charles City County	4.3	Low (<10.0)
Virginia	Chesterfield County	4.3	Low (<10.0)
Virginia	Clarke County	4.3	Low (<10.0)
Virginia	Craig County	4.3	Low (<10.0)
Virginia	Culpeper County	4.3	Low (<10.0)
Virginia	Cumberland County	4.3	Low (<10.0)
Virginia	Dickenson County	4.3	Low (<10.0)
Virginia	Dinwiddie County	4.3	Low (<10.0)
Virginia	Essex County	4.3	Low (<10.0)
Virginia	Fairfax County	4.3	Low (<10.0)
Virginia	Fauquier County	4.3	Low (<10.0)
Virginia	Floyd County	4.3	Low (<10.0)
Virginia	Fluvanna County	4.3	Low (<10.0)
Virginia	Franklin County	4.3	Low (<10.0)
Virginia	Frederick County	4.3	Low (<10.0)
Virginia	Giles County	4.3	Low (<10.0)
Virginia	Gloucester County	4.3	Low (<10.0)
Virginia	Goochland County	4.3	Low (<10.0)
Virginia	Grayson County	4.3	Low (<10.0)
Virginia	Greene County	4.3	Low (<10.0)
Virginia	Greensville County	4.3	Low (<10.0)
Virginia	Halifax County	4.3	Low (<10.0)
Virginia	Hanover County	4.3	Low (<10.0)
Virginia	Henrico County	4.3	Low (<10.0)
Virginia	Henry County	4.3	Low (<10.0)
Virginia	Highland County	4.3	Low (<10.0)
Virginia	Isle of Wight County	4.3	Low (<10.0)
Virginia	James City County	4.3	Low (<10.0)
Virginia	King and Queen County	4.3	Low (<10.0)
Virginia	King George County	4.3	Low (<10.0)
Virginia	King William County	4.3	Low (<10.0)
Virginia	Lancaster County	4.3	Low (<10.0)
Virginia	Lee County	4.3	Low (<10.0)
Virginia	Loudoun County	4.3	Low (<10.0)
Virginia	Louisa County	4.3	Low (<10.0)
Virginia	Lunenburg County	4.3	Low (<10.0)
Virginia	Madison County	4.3	Low (<10.0)
Virginia	Mathews County	4.3	Low (<10.0)
Virginia	Mecklenburg County	4.3	Low (<10.0)
Virginia	Middlesex County	4.3	Low (<10.0)
Virginia	Montgomery County	4.3	Low (<10.0)
Virginia	Nelson County	4.3	Low (<10.0)
Virginia	New Kent County	4.3	Low (<10.0)
Virginia	Northampton County	4.3	Low (<10.0)
Virginia	Northumberland County	4.3	Low (<10.0)
Virginia	Nottoway County	4.3	Low (<10.0)
Virginia	Pittsylvania County	4.3	Low (<10.0)
Virginia	Powhatan County	4.3	Low (<10.0)
Virginia	Prince Edward County	4.3	Low (<10.0)
Virginia	Prince George County	4.3	Low (<10.0)
Virginia	Prince William County	4.3	Low (<10.0)
Virginia	Pulaski County	4.3	Low (<10.0)
Virginia	Rappahannock County	4.3	Low (<10.0)
Virginia	Richmond County	4.3	Low (<10.0)
Virginia	Roanoke County	4.3	Low (<10.0)
Virginia	Rockbridge County	4.3	Low (<10.0)
Virginia	Rockingham County	4.3	Low (<10.0)
Virginia	Russell County	4.3	Low (<10.0)
Virginia	Scott County	4.3	Low (<10.0)
Virginia	Shenandoah County	4.3	Low (<10.0)
Virginia	Smyth County	4.3	Low (<10.0)
Virginia	Southampton County	4.3	Low (<10.0)
Virginia	Spotsylvania County	4.3	Low (<10.0)
Virginia	Stafford County	4.3	Low (<10.0)
Virginia	Surry County	4.3	Low (<10.0)
Virginia	Tazewell County	4.3	Low (<10.0)
Virginia	Warren County	4.3	Low (<10.0)
Virginia	Westmoreland County	4.3	Low (<10.0)
Virginia	Wythe County	4.3	Low (<10.0)
Virginia	York County	4.3	Low (<10.0)
Virginia	Alexandria City	4.3	Low (<10.0)
Virginia	Bristol City	4.3	Low (<10.0)
Virginia	Buena Vista City	4.3	Low (<10.0)
Virginia	Charlottesville City	4.3	Low (<10.0)
Virginia	Chesapeake City	4.3	Low (<10.0)
Virginia	Colonial Heights City	4.3	Low (<10.0)
Virginia	Covington City	4.3	Low (<10.0)
Virginia	Danville City	4.3	Low (<10.0)
Virginia	Emporia City	4.3	Low (<10.0)
Virginia	Fairfax City	4.3	Low (<10.0)
Virginia	Falls Church City	4.3	Low (<10.0)
Virginia	Fredericksburg City	4.3	Low (<10.0)
Virginia	Galax City	4.3	Low (<10.0)
Virginia	Hampton City	4.3	Low (<10.0)
Virginia	Harrisonburg City	4.3	Low (<10.0)
Virginia	Hopewell City	4.3	Low (<10.0)
Virginia	Lynchburg City	4.3	Low (<10.0)
Virginia	Manassas City	4.3	Low (<10.0)
Virginia	Manassas Park City	4.3	Low (<10.0)
Virginia	Martinsville City	4.3	Low (<10.0)
Virginia	Newport News City	4.3	Low (<10.0)
Virginia	Norfolk City	4.3	Low (<10.0)
Virginia	Petersburg City	4.3	Low (<10.0)
Virginia	Poquoson City	4.3	Low (<10.0)
Virginia	Portsmouth City	4.3	Low (<10.0)
Virginia	Radford City	4.3	Low (<10.0)
Virginia	Richmond City	4.3	Low (<10.0)
Virginia	Roanoke City	4.3	Low (<10.0)
Virginia	Salem City	4.3	Low (<10.0)
Virginia	Staunton City	4.3	Low (<10.0)
Virginia	Suffolk City	4.3	Low (<10.0)
Virginia	Virginia Beach City	4.3	Low (<10.0)
Virginia	Waynesboro City	4.3	Low (<10.0)
Virginia	Williamsburg City	4.3	Low (<10.0)
Virginia	Winchester City	4.3	Low (<10.0)
Washington	Adams County	5.3	Low (<10.0)
Washington	Asotin County	5.3	Low (<10.0)
Washington	Benton County	5.3	Low (<10.0)
Washington	Chelan County	5.3	Low (<10.0)
Washington	Clallam County	5.3	Low (<10.0)
Washington	Clark County	5.3	Low (<10.0)
Washington	Columbia County	5.3	Low (<10.0)
Washington	Cowlitz County	5.3	Low (<10.0)
Washington	Douglas County	5.3	Low (<10.0)
Washington	Ferry County	5.3	Low (<10.0)
Washington	Franklin County	5.3	Low (<10.0)
Washington	Garfield County	5.3	Low (<10.0)
Washington	Grant County	5.3	Low (<10.0)
Washington

Utah	Washington County	6.9	Low (<10.0)
Utah	Wayne County	3.9	Low (<10.0)
Utah	Weber County	9.8	Low (<10.0)
Vermont	Addison County	4.7	Low (<10.0)
Vermont	Bennington County	16.6	Medium (10.0 to 19.9)
Vermont	Caledonia County	9.7	Low (<10.0)
Vermont	Chittenden County	4.7	Low (<10.0)
Vermont	Essex County	2.7	Low (<10.0)
Vermont	Franklin County	4.7	Low (<10.0)
Vermont	Grand Isle County	4.7	Low (<10.0)
Vermont	Lamoille County	9.7	Low (<10.0)
Vermont	Orange County	8.4	Low (<10.0)
Vermont	Orleans County	9.7	Low (<10.0)
Vermont	Rutland County	5.2	Low (<10.0)
Vermont	Washington County	8.4	Low (<10.0)
Vermont	Windham County	8.5	Low (<10.0)
Vermont	Windsor County	8.4	Low (<10.0)
Virgin Islands	Unallocated U.S. Virgin Islands	0	Low (<10.0)
Virginia	Accomack County	0	Low (<10.0)
Virginia	Albemarle County	4.4	Low (<10.0)
Virginia	Alexandria City	5.1	Low (<10.0)
Virginia	Alleghany Cnty and Clifton Forge Cty	12.4	Medium (10.0 to 19.9)
Virginia	Amelia County	8.3	Low (<10.0)
Virginia	Amherst County	14	Medium (10.0 to 19.9)
Virginia	Appomattox County	14	Medium (10.0 to 19.9)
Virginia	Arlington County	5.1	Low (<10.0)
Virginia	Augusta County	4.9	Low (<10.0)
Virginia	Bath County	12.4	Medium (10.0 to 19.9)
Virginia	Bedford County	14	Medium (10.0 to 19.9)
Virginia	Bland County	11.8	Medium (10.0 to 19.9)
Virginia	Botetourt County	14	Medium (10.0 to 19.9)
Virginia	Bristol City	25	High (≥20.0)
Virginia	Brunswick County	0	Low (<10.0)
Virginia	Buchanan County	11.8	Medium (10.0 to 19.9)
Virginia	Buckingham County	4.4	Low (<10.0)
Virginia	Buena Vista City	4.9	Low (<10.0)
Virginia	Campbell County	14	Medium (10.0 to 19.9)
Virginia	Caroline County	4	Low (<10.0)
Virginia	Carroll County	3.2	Low (<10.0)
Virginia	Charles City County	8.3	Low (<10.0)
Virginia	Charlotte County	8.3	Low (<10.0)
Virginia	Charlottesville City	4.4	Low (<10.0)
Virginia	Chesapeake City	5.4	Low (<10.0)
Virginia	Chesterfield County	8.3	Low (<10.0)
Virginia	Clarke County	9.9	Low (<10.0)
Virginia	Colonial Heights City	8.3	Low (<10.0)
Virginia	Covington City	12.4	Medium (10.0 to 19.9)
Virginia	Craig County	14	Medium (10.0 to 19.9)
Virginia	Culpeper County	4.4	Low (<10.0)
Virginia	Cumberland County	8.3	Low (<10.0)
Virginia	Danville City	2.5	Low (<10.0)
Virginia	Dickenson County	11.4	Medium (10.0 to 19.9)
Virginia	Dinwiddie County	13.7	Medium (10.0 to 19.9)
Virginia	Emporia City	0	Low (<10.0)
Virginia	Essex County	8.3	Low (<10.0)
Virginia	Fairfax City	5.1	Low (<10.0)
Virginia	Fairfax County	5.1	Low (<10.0)
Virginia	Falls Church City	5.1	Low (<10.0)
Virginia	Fauquier County	0.8	Low (<10.0)
Virginia	Floyd County	14	Medium (10.0 to 19.9)
Virginia	Fluvanna County	4.4	Low (<10.0)
Virginia	Franklin City	5.4	Low (<10.0)
Virginia	Franklin County	14	Medium (10.0 to 19.9)
Virginia	Frederick County	9.9	Low (<10.0)
Virginia	Fredericksburg City	4	Low (<10.0)
Virginia	Galax City	3.2	Low (<10.0)
Virginia	Giles County	11.7	Medium (10.0 to 19.9)
Virginia	Gloucester County	3.2	Low (<10.0)
Virginia	Goochland County	8.3	Low (<10.0)
Virginia	Grayson County	3.2	Low (<10.0)
Virginia	Greene County	4.4	Low (<10.0)
Virginia	Greensville County	0	Low (<10.0)
Virginia	Halifax County with South Boston City	1.3	Low (<10.0)
Virginia	Hampton City	3.2	Low (<10.0)
Virginia	Hanover County	8.3	Low (<10.0)
Virginia	Harrisonburg City	8.4	Low (<10.0)
Virginia	Henrico County	8.3	Low (<10.0)
Virginia	Henry County	2.5	Low (<10.0)
Virginia	Highland County	4.9	Low (<10.0)
Virginia	Hopewell City	13.7	Medium (10.0 to 19.9)
Virginia	Isle of Wight County	5.4	Low (<10.0)
Virginia	James City County	3.2	Low (<10.0)
Virginia	King and Queen County	8.3	Low (<10.0)
Virginia	King George County	4	Low (<10.0)
Virginia	King William County	8.3	Low (<10.0)
Virginia	Lancaster County	8.3	Low (<10.0)
Virginia	Lee County	11.4	Medium (10.0 to 19.9)
Virginia	Lexington City	4.9	Low (<10.0)
Virginia	Loudoun County	5.1	Low (<10.0)
Virginia	Louisa County	4.4	Low (<10.0)
Virginia	Lunenburg County	1.3	Low (<10.0)
Virginia	Lynchburg City	14	Medium (10.0 to 19.9)
Virginia	Madison County	4.4	Low (<10.0)
Virginia	Manassas City	0.8	Low (<10.0)
Virginia	Manassas Park City	0.8	Low (<10.0)
Virginia	Martinsville City	2.5	Low (<10.0)
Virginia	Mathews County	3.2	Low (<10.0)
Virginia	Mecklenburg County	1.3	Low (<10.0)
Virginia	Middlesex County	8.3	Low (<10.0)
Virginia	Montgomery County	11.7	Medium (10.0 to 19.9)
Virginia	Nelson County	4.4	Low (<10.0)
Virginia	New Kent County	8.3	Low (<10.0)
Virginia	Newport News City	3.2	Low (<10.0)
Virginia	Norfolk City	5.4	Low (<10.0)
Virginia	Northampton County	0	Low (<10.0)
Virginia	Northumberland County	8.3	Low (<10.0)
Virginia	Norton City	11.4	Medium (10.0 to 19.9)
Virginia	Nottoway County	8.3	Low (<10.0)
Virginia	Orange County	4.4	Low (<10.0)
Virginia	Page County	8.4	Low (<10.0)
Virginia	Patrick County	2.5	Low (<10.0)
Virginia	Petersburg City	13.7	Medium (10.0 to 19.9)
Virginia	Pittsylvania County	2.5	Low (<10.0)
Virginia	Poquoson City	3.2	Low (<10.0)
Virginia	Portsmouth City	5.4	Low (<10.0)
Virginia	Powhatan County	8.3	Low (<10.0)
Virginia	Prince Edward County	8.3	Low (<10.0)
Virginia	Prince George County	13.7	Medium (10.0 to 19.9)
Virginia	Prince William County	0.8	Low (<10.0)
Virginia	Pulaski County	11.7	Medium (10.0 to 19.9)
Virginia	Radford City	11.7	Medium (10.0 to 19.9)
Virginia	Rappahannock County	4.4	Low (<10.0)
Virginia	Richmond City	8.3	Low (<10.0)
Virginia	Richmond County	8.3	Low (<10.0)
Virginia	Roanoke City	14	Medium (10.0 to 19.9)
Virginia	Roanoke County	14	Medium (10.0 to 19.9)
Virginia	Rockbridge County	4.9	Low (<10.0)
Virginia	Rockingham County	8.4	Low (<10.0)
Virginia	Russell County	25	High (≥20.0)
Virginia	Salem City	14	Medium (10.0 to 19.9)
Virginia	Scott County	25	High (≥20.0)
Virginia	Shenandoah County	9.9	Low (<10.0)
Virginia	Smyth County	25	High (≥20.0)
Virginia	Southampton County	5.4	Low (<10.0)
Virginia	Spotsylvania County	4	Low (<10.0)
Virginia	Stafford County	4	Low (<10.0)
Virginia	Staunton City	4.9	Low (<10.0)
Virginia	Suffolk City	5.4	Low (<10.0)
Virginia	Surry County	13.7	Medium (10.0 to 19.9)
Virginia	Sussex County	13.7	Medium (10.0 to 19.9)
Virginia	Tazewell County	11.8	Medium (10.0 to 19.9)
Virginia	Virginia Beach City	5.4	Low (<10.0)
Virginia	Warren County	9.9	Low (<10.0)
Virginia	Washington County	25	High (≥20.0)
Virginia	Waynesboro City	4.9	Low (<10.0)
Virginia	Westmoreland County	8.3	Low (<10.0)
Virginia	Williamsburg City	3.2	Low (<10.0)
Virginia	Winchester City	9.9	Low (<10.0)
Virginia	Wise County	11.4	Medium (10.0 to 19.9)
Virginia	Wythe County	11.7	Medium (10.0 to 19.9)
Virginia	York County	3.2	Low (<10.0)
Washington	Adams County	5.8	Low (<10.0)
Washington	Asotin County	5.3	Low (<10.0)
Washington	Benton County	3.3	Low (<10.0)
Washington	Chelan County	4.2	Low (<10.0)
Washington	Clallam County	10	Medium (10.0 to 19.9)
Washington	Clark County	5.3	Low (<10.0)
Washington	Columbia County	0.6	Low (<10.0)
Washington	Cowlitz County	5.3	Low (<10.0)
Washington	Douglas County	4.2	Low (<10.0)
Washington	Ferry County	5.8	Low (<10.0)
Washington	Franklin County	3.3	Low (<10.0)
Washington	Garfield County	5.3	Low (<10.0)
Washington	Grant County	4.2	Low (<10.0)
Washington	Grays Harbor County	2.8	Low (<10.0)
Washington	Island County	3.4	Low (<10.0)
Washington	Jefferson County	10	Medium (10.0 to 19.9)
Washington	King County	3.4	Low (<10.0)
Washington	Kitsap County	3.4	Low (<10.0)
Washington	Kittitas County	7.7	Low (<10.0)
Washington	Klickitat County	2.3	Low (<10.0)
Washington	Lewis County	2.8	Low (<10.0)
Washington	Lincoln County	5.8	Low (<10.0)
Washington	Mason County	2.8	Low (<10.0)
Washington	Okanogan County	4.2	Low (<10.0)
Washington	Pacific County	2.8	Low (<10.0)
Washington	Pend Oreille County	5.8	Low (<10.0)
Washington	Pierce County	2.9	Low (<10.0)
Washington	San Juan County	3.4	Low (<10.0)
Washington	Skagit County	3.4	Low (<10.0)
Washington	Skamania County	2.3	Low (<10.0)
Washington	Snohomish County	3.4	Low (<10.0)
Washington	Spokane County	5.8	Low (<10.0)
Washington	Stevens County	5.8	Low (<10.0)
Washington	Thurston County	2.8	Low (<10.0)
Washington	Wahkiakum County	5.3	Low (<10.0)
Washington	Walla Walla County	0.6	Low (<10.0)
Washington	Whatcom County	7.4	Low (<10.0)
Washington	Whitman County	3.3	Low (<10.0)
Washington	Yakima County	7.7	Low (<10.0)
West Virginia	Barbour County	5	Low (<10.0)
West Virginia	Berkeley County	9.9	Low (<10.0)
West Virginia	Boone County	19.2	Medium (10.0 to 19.9)
West Virginia	Braxton County	20.4	High (≥20.0)
West Virginia	Brooke County	5.9	Low (<10.0)
West Virginia	Cabell County	20.2	High (≥20.0)
West Virginia	Calhoun County	19.5	Medium (10.0 to 19.9)
West Virginia	Clay County	19.2	Medium (10.0 to 19.9)
West Virginia	Doddridge County	20.4	High (≥20.0)
West Virginia	Fayette County	22.9	High (≥20.0)
West Virginia	Gilmer County	20.4	High (≥20.0)
West Virginia	Grant County	13.2	Medium (10.0 to 19.9)
West Virginia	Greenbrier County	12.4	Medium (10.0 to 19.9)
West Virginia	Hampshire County	9.9	Low (<10.0)
West Virginia	Hancock County	5.9	Low (<10.0)
West Virginia	Hardy County	13.2	Medium (10.0 to 19.9)
West Virginia	Harrison County	20.4	High (≥20.0)
West Virginia	Jackson County	19.5	Medium (10.0 to 19.9)
West Virginia	Jefferson County	9.9	Low (<10.0)
West Virginia	Kanawha County	19.2	Medium (10.0 to 19.9)
West Virginia	Lewis County	20.4	High (≥20.0)
West Virginia	Lincoln County	20.2	High (≥20.0)
West Virginia	Logan County	23.8	High (≥20.0)
West Virginia	Marion County	14.2	Medium (10.0 to 19.9)
West Virginia	Marshall County	4	Low (<10.0)
West Virginia	Mason County	9.8	Low (<10.0)
West Virginia	McDowell County	11.8	Medium (10.0 to 19.9)
West Virginia	Mercer County	11.8	Medium (10.0 to 19.9)
West Virginia	Mineral County	13.2	Medium (10.0 to 19.9)
West Virginia	Mingo County	23.8	High (≥20.0)
West Virginia	Monongalia County	14.2	Medium (10.0 to 19.9)
West Virginia	Monroe County	12.4	Medium (10.0 to 19.9)
West Virginia	Morgan County	9.9	Low (<10.0)
West Virginia	Nicholas County	19.2	Medium (10.0 to 19.9)
West Virginia	Ohio County	4	Low (<10.0)
West Virginia	Pendleton County	8.4	Low (<10.0)
West Virginia	Pleasants County	19.5	Medium (10.0 to 19.9)
West Virginia	Pocahontas County	5	Low (<10.0)
West Virginia	Preston County	14.2	Medium (10.0 to 19.9)
West Virginia	Putnam County	19.2	Medium (10.0 to 19.9)
West Virginia	Raleigh County	22.9	High (≥20.0)
West Virginia	Randolph County	5	Low (<10.0)
West Virginia	Ritchie County	19.5	Medium (10.0 to 19.9)
West Virginia	Roane County	19.5	Medium (10.0 to 19.9)
West Virginia	Summers County	22.9	High (≥20.0)
West Virginia	Taylor County	14.2	Medium (10.0 to 19.9)
West Virginia	Tucker County	5	Low (<10.0)
West Virginia	Tyler County	4	Low (<10.0)
West Virginia	Upshur County	20.4	High (≥20.0)
West Virginia	Wayne County	20.2	High (≥20.0)
West Virginia	Webster County	19.2	Medium (10.0 to 19.9)
West Virginia	Wetzel County	4	Low (<10.0)
West Virginia	Wirt County	19.5	Medium (10.0 to 19.9)
West Virginia	Wood County	19.5	Medium (10.0 to 19.9)
West Virginia	Wyoming County	22.9	High (≥20.0)
Wisconsin	Adams County	8.5	Low (<10.0)
Wisconsin	Ashland County	6.6	Low (<10.0)
Wisconsin	Barron County	6.7	Low (<10.0)
Wisconsin	Bayfield County	6.6	Low (<10.0)
Wisconsin	Brown County	8	Low (<10.0)
Wisconsin	Buffalo County	8.1	Low (<10.0)
Wisconsin	Burnett County	6.4	Low (<10.0)
Wisconsin	Calumet County	6.1	Low (<10.0)
Wisconsin	Chippewa County	8.1	Low (<10.0)
Wisconsin	Clark County	4.1	Low (<10.0)
Wisconsin	Columbia County	5.9	Low (<10.0)
Wisconsin	Crawford County	21.7	High (≥20.0)
Wisconsin	Dane County	5.9	Low (<10.0)
Wisconsin	Dodge County	6.1	Low (<10.0)
Wisconsin	Door County	8	Low (<10.0)
Wisconsin	Douglas County	11.5	Medium (10.0 to 19.9)
Wisconsin	Dunn County	8.1	Low (<10.0)
Wisconsin	Eau Claire County	8.1	Low (<10.0)
Wisconsin	Florence County	16.4	Medium (10.0 to 19.9)
Wisconsin	Fond du Lac County	6.1	Low (<10.0)
Wisconsin	Forest County	11.9	Medium (10.0 to 19.9)
Wisconsin	Grant County	5.9	Low (<10.0)
Wisconsin	Green County	13.4	Medium (10.0 to 19.9)
Wisconsin	Green Lake County	6.1	Low (<10.0)
Wisconsin	Iowa County	5.9	Low (<10.0)
Wisconsin	Iron County	11.9	Medium (10.0 to 19.9)
Wisconsin	Jackson County	0	Low (<10.0)
Wisconsin	Jefferson County	2.1	Low (<10.0)
Wisconsin	Juneau County	8.5	Low (<10.0)
Wisconsin	Kenosha County	8.7	Low (<10.0)
Wisconsin	Kewaunee County	8	Low (<10.0)
Wisconsin	La Crosse County	11.7	Medium (10.0 to 19.9)
Wisconsin	Lafayette County	13.4	Medium (10.0 to 19.9)
Wisconsin	Langlade County	6.2	Low (<10.0)
Wisconsin	Lincoln County	4.1	Low (<10.0)
Wisconsin	Manitowoc County	6.1	Low (<10.0)
Wisconsin	Marathon County	4.1	Low (<10.0)
Wisconsin	Marinette County	16.4	Medium (10.0 to 19.9)
Wisconsin	Marquette County	5.9	Low (<10.0)
Wisconsin	Menominee County	6.2	Low (<10.0)
Wisconsin	Milwaukee County	16.1	Medium (10.0 to 19.9)
Wisconsin	Monroe County	11.7	Medium (10.0 to 19.9)
Wisconsin	Oconto County	8	Low (<10.0)
Wisconsin	Oneida County	11.9	Medium (10.0 to 19.9)
Wisconsin	Outagamie County	10.5	Medium (10.0 to 19.9)
Wisconsin	Ozaukee County	16.1	Medium (10.0 to 19.9)
Wisconsin	Pepin County	8.1	Low (<10.0)
Wisconsin	Pierce County	1.7	Low (<10.0)
Wisconsin	Polk County	5.4	Low (<10.0)
Wisconsin	Portage County	1.4	Low (<10.0)
Wisconsin	Price County	6.6	Low (<10.0)
Wisconsin	Racine County	8.7	Low (<10.0)
Wisconsin	Richland County	5.9	Low (<10.0)
Wisconsin	Rock County	13.4	Medium (10.0 to 19.9)
Wisconsin	Rusk County	6.7	Low (<10.0)
Wisconsin	Sauk County	5.9	Low (<10.0)
Wisconsin	Sawyer County	6.6	Low (<10.0)
Wisconsin	Shawano County	6.2	Low (<10.0)
Wisconsin	Sheboygan County	6.1	Low (<10.0)
Wisconsin	St. Croix County	1.7	Low (<10.0)
Wisconsin	Taylor County	4.1	Low (<10.0)
Wisconsin	Trempealeau County	11.7	Medium (10.0 to 19.9)
Wisconsin	Vernon County	11.7	Medium (10.0 to 19.9)
Wisconsin	Vilas County	11.9	Medium (10.0 to 19.9)
Wisconsin	Walworth County	2.1	Low (<10.0)
Wisconsin	Washburn County	6.4	Low (<10.0)
Wisconsin	Washington County	16.1	Medium (10.0 to 19.9)
Wisconsin	Waukesha County	16.1	Medium (10.0 to 19.9)
Wisconsin	Waupaca County	10.5	Medium (10.0 to 19.9)
Wisconsin	Waushara County	6.1	Low (<10.0)
Wisconsin	Winnebago County	6.1	Low (<10.0)
Wisconsin	Wood County	4.1	Low (<10.0)
Wyoming	Albany County	3.6	Low (<10.0)
Wyoming	Big Horn County	31.7	High (≥20.0)
Wyoming	Campbell County	2.5	Low (<10.0)
Wyoming	Carbon County	3.6	Low (<10.0)
Wyoming	Converse County	21.3	High (≥20.0)
Wyoming	Crook County	2.5	Low (<10.0)
Wyoming	Fremont County	11.7	Medium (10.0 to 19.9)
Wyoming	Goshen County	17.2	Medium (10.0 to 19.9)
Wyoming	Hot Springs County	11.7	Medium (10.0 to 19.9)
Wyoming	Johnson County	10.3	Medium (10.0 to 19.9)
Wyoming	Laramie County	7.9	Low (<10.0)
Wyoming	Lincoln County	3.8	Low (<10.0)
Wyoming	Natrona County	21.3	High (≥20.0)
Wyoming	Niobrara County	17.2	Medium (10.0 to 19.9)
Wyoming	Park County	31.7	High (≥20.0)
Wyoming	Platte County	11.9	Medium (10.0 to 19.9)
Wyoming	Sheridan County	10.3	Medium (10.0 to 19.9)
Wyoming	Sublette County	3.8	Low (<10.0)
Wyoming	Sweetwater County	13.9	Medium (10.0 to 19.9)
Wyoming	Teton County	3.8	Low (<10.0)
Wyoming	Uinta County	0	Low (<10.0)
Wyoming	Washakie County	11.7	Medium (10.0 to 19.9)
Wyoming	Weston County	0	Low (<10.0)

Footnotes

†Data for the previous MMWR week (Sunday-Saturday) will update weekly on Fridays as soon as they are reviewed and verified, usually before 8 p.m. ET. Updates will occur the following business day when reporting coincides with a federal holiday. Note: Weekly updates might be delayed due to delays in reporting. Data featured on COVID Data Tracker and within data.cdc.gov datasets may be incomplete for recent days due to processing and reporting delays. All data are provisional.

Please note: Aggregate COVID-19 case and death data reporting has been discontinued with the end of the Public Health Emergency (PHE) on May 11, 2023. These data have been archived at data.cdc.gov. For death data, CDC has transitioned to displaying provisional COVID-19 deaths reported to the National Center for Health Statistics (NCHS) National Vital Statistics Surveillance (NVSS) (see more below). Test positivity data from the National Respiratory and Enteric Virus Surveillance System (NREVSS) are being used for the maps at the national and regional levels. Test positivity data from COVID-19 Electronic Laboratory Reporting (CELR) that was previously posted on COVID Data Tracker has been archived on health.data.gov also related to the end of the PHE.

Health and Human Services (HHS) regions: The ten (10) U.S. Department of HHS regions are defined here: https://www.hhs.gov/about/agencies/iea/regional-offices/index.html

Hospitalization Data

- **Source:** COVID-19–associated hospitalization data reported to CDC's National Healthcare Safety Network (NHSN).
- As of December 15, 2022, COVID-19 hospital data are required to be reported to CDC's NHSN, which monitors national and local trends in healthcare system stress, capacity, and community disease levels for approximately 6,000 hospitals in the United States. Data reported by hospitals to NHSN represent aggregated counts and include metrics capturing information specific to hospital capacity, occupancy, hospitalizations, and admissions. This system change does not impact requirements. Prior to December 15, 2022, hospitals reported data directly to the U.S. Department of Health and Human Services (HHS) or via a state submission for collection in the HHS Unified Hospital Data Surveillance System (UHDSS). More information on the transition to the NHSN system can be found here: https://www.cdc.gov/nhsn/covid19/hospital-reporting.html.
- While CDC reviews these data for errors and corrects those found, some reporting errors might still exist within the data. To minimize errors and inconsistencies in data reported, CDC removes outliers before calculating the metrics. CDC and partners work with reporters to correct these errors and update the data in subsequent weeks.
- Many hospital subtypes, including acute care and critical access hospitals, as well as Veterans Administration, Defense Health Agency, and Indian Health Service hospitals, are included in the metric calculations displayed on CDT. Psychiatric, rehabilitation, and religious non-medical hospital types are excluded from calculations.
- COVID-19–associated hospitalization data displayed on COVID Data Tracker represent facility-level data reported by U.S hospitals in the 50 states, plus the District of Columbia (included in HHS Region 3), American Samoa (HHS Region 9), the Commonwealth of Northern Mariana Islands (HHS Region 9), Guam (HHS Region 9), Puerto Rico (HHS Region 2), and the U.S. Virgin Islands (HHS Region 2). Assignment to a geographic area is based on the location of the CMS-registered reporting facility.
- Full details on COVID-19 hospital data reporting guidance can be found here: https://www.hhs.gov/sites/default/files/covid-19-faqs-hospitals-hospital-laboratory-acute-care-facility-data-reporting.pdf.
- County-level hospital data displayed on COVID Data Tracker are derived using calculations performed at the Health Service Area (HSA) level. Although the county is typically the smallest geographic unit for which national data are available, not all U.S. counties have hospitals. Additionally, analyses of these data at the local level are complicated by unequal distribution of hospitals within regions, as they are often clustered in large population centers and have service areas that overlap and extend across multiple communities. The unequal distribution of hospitals can lead to a mismatch between places where people live and places where they receive care.
- An HSA is defined by CDC's National Center for Health Statistics as a geographic area containing at least one county which is self-contained with respect to the population's provision of routine hospital care. Every county in the United States is assigned to an HSA, and each HSA must contain at least one hospital. Therefore, use of HSAs in the calculation of local hospital metrics allows for more accurate characterization of the relationship between health care utilization and health status at the local level.
- Data presented at the county-level represent admissions, hospital inpatient and ICU bed capacity and occupancy among hospitals within the selected HSA. Therefore, admissions, capacity, and occupancy are not limited to residents of the selected HSA.
- For all county-level hospital metrics listed below the values are calculated first for the entire HSA, and then the HSA-level value is then applied to each county within the HSA.
- **New hospital admissions with confirmed COVID-19, past week:** Total number of admissions of patients with laboratory-confirmed COVID-19 in the previous week (including both adult and pediatric admissions) in the entire jurisdiction
- **New hospital admissions with confirmed COVID-19 per 100,000 population, past week:** Total number of new admissions of patients with laboratory-confirmed COVID-19 in the past week (including both adult and pediatric admissions) for the entire jurisdiction divided by 2019 intercensal population estimate for that jurisdiction multiplied by 100,000. (Note: This metric is used to determine each county's COVID-19 Hospital Admissions Level for a given week).
  - **Data Notes**:
    - December 15, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 15th, 2023: Due to incomplete or missing hospital data received for the December 3rd, 2023 through December 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 15th, 2023.
    - December 15, 2023: American Samoa (AS) – December 15th, 2023: Due to incomplete or missing hospital data received for the December 3rd, 2023 through December 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 15th, 2023.
    - December 15, 2023: Government of Guam (GU) – December 15th, 2023: Due to incomplete or missing hospital data received for the December 3rd, 2023 through December 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for GU and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 15th, 2023.
    - December 8, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 8th, 2023: Due to incomplete or missing hospital data received for the November 26th, 2023 through December 2nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 8th, 2023.
    - December 1, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 1st, 2023: Due to incomplete or missing hospital data received for the November 19th, 2023 through November 25th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 1st,2023.
    - December 1, 2023: American Samoa (AS) - December 1st, 2023: Due to incomplete or missing hospital data received for the November 19th, 2023 through November 25th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 1st, 2023.
    - November 27, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 27th, 2023: Due to incomplete or missing hospital data received for the November 12th, 2023 through November 18th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 27th, 2023.
    - November 17, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 17th, 2023: Due to incomplete or missing hospital data received for the November 5th, 2023 through November 11th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 17th, 2023.
    - November 17, 2023: American Samoa (AS) - November 17th, 2023: Due to incomplete or missing hospital data received for the November 5th, 2023 through November 11th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 17th, 2023.
    - November 13, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 13th, 2023: Due to incomplete or missing hospital data received for the October 29th, 2023 through November 4th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 13th, 2023.
    - November 13, 2023: American Samoa (AS) - November 13th, 2023: Due to incomplete or missing hospital data received for the October 29th, 2023 through November 4th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 13th, 2023.
    - November 3, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 3rd, 2023: Due to incomplete or missing hospital data received for the October 22nd, 2023 through October 28th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 3rd, 2023.
    - October 27, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – October 27th, 2023: Due to incomplete or missing hospital data received for the October 15th, 2023 through October 21st reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 27th, 2023.
    - October 27, 2023**:** Government of Guam (GU) – October 27th, 2023: Due to incomplete or missing hospital data received for the October 15th, 2023 through October 21st reporting period, the COVID-19 Hospital Admissions Level could not be calculated for GU and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 27th, 2023.
    - October 27, 2023: Due to a data processing error, reported values for "% Inpatient Beds Occupied By COVID-19 Patients (Past Week)" will appear lower than previously reported values by an average difference of less than 1%. Therefore, previously reported values for "% Inpatient Beds Occupied By COVID-19 Patients (Past Week)" may have been overestimated and should

Reported values for "Inpatient beds occupied by COVID-19 patients (7-day average)" may have been overestimated and should be interpreted with caution.

- October 27, 2023: Due to a data processing error, reported values for "Percentage of Staffed Inpatient Beds Occupied by COVID-19 Patients" in the week ending October 15, 2023 "Percentage" will appear lower than previously reported. Average difference of less than 1%. Therefore, previously reported values for "Percentage of Staffed Inpatient Beds Occupied by COVID-19 Patients in the Past Week, by Facility" (Page 3) have been overestimated and should be interpreted with caution.
- October 20, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - October 20th, 2023: Due to incomplete or missing hospital data received for the October 8, 2023 reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 20, 2023.
- October 13, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - October 13th, 2023: Due to incomplete or missing hospital data received for the October 1, 2023 reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 13th, 2023.
- October 6, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - October 6th, 2023: Due to incomplete or missing hospital data received for the September 24th, 2023 through September 30th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 6th, 2023.
- October 6, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - October 6th, 2023: Due to incomplete or missing hospital data received for the September 24, 2023 through September 30th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 6th, 2023.
- September 29, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 29th, 2023: Due to incomplete or missing hospital data received for the September 17th, 2023 through September 23rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 29th, 2023.
- September 29, 2023: American Samoa (AS) - September 29th, 2023: Due to incomplete or missing hospital data received for the September 17th, 2023 through September 23rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 29th, 2023.
- September 18, 2023: American Samoa (AS) - September 18th, 2023: Due to incomplete or missing hospital data received for the September 3rd, 2023 through September 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 18th, 2023.
- September 18, 2023: American Samoa (AS) - September 18th, 2023: Due to incomplete or missing hospital data received for the September 3rd, 2023 through September 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 18th, 2023.
- September 11, 2023: American Samoa (AS) - September 11th, 2023: Due to incomplete or missing hospital data received for the August 27th, 2023 through September 2nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 11th, 2023.
- September 11, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 11th, 2023: Due to incomplete or missing hospital data received for the August 27th, 2023 through September 2nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 11th, 2023.
- September 5, 2023: American Samoa (AS) - September 5th, 2023: Due to incomplete or missing hospital data received for the August 20th, 2023 through August 26th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 5th, 2023.
- September 5, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 5th, 2023: Due to incomplete or missing hospital data received for the August 20th, 2023 through August 26th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 5th, 2023.
- August 28, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 28th, 2023: Due to incomplete or missing hospital data received for the August 13th, 2023 through August 19th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 28th, 2023.
- August 28, 2023: American Samoa (AS) - August 28th, 2023: Due to incomplete or missing hospital data received for the August 13th, 2023 through August 19th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 28th, 2023.
- August 21, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 21st, 2023: Due to incomplete or missing hospital data received for the August 6th, 2023 through August 12th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 21st, 2023.
- August 21, 2023: American Samoa (AS) - August 21st, 2023: Due to incomplete or missing hospital data received for the August 6th, 2023 through August 12th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 21st, 2023.
- August 14, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 14th, 2023: Due to incomplete or missing hospital data received for the July 30th, 2023 through August 5th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 14th, 2023.
- August 14, 2023: American Samoa (AS) - August 14th, 2023: Due to incomplete or missing hospital data received for the July 30th, 2023 through August 5th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 14th, 2023.
- August 7, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 7th, 2023: Due to incomplete or missing hospital data received for the July 23rd, 2023 through July 29th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 7th, 2023.
- August 7, 2023: American Samoa (AS) - August 7th, 2023: Due to incomplete or missing hospital data received for the July 23rd, 2023 through July 29th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 7th, 2023.
- July 31, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 31st, 2023: Due to incomplete or missing hospital data received for the July 16th, 2023 through July 22nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 31st, 2023.
- July 31, 2023: American Samoa (AS) - July 31st, 2023: Due to incomplete or missing hospital data received for the July 16th, 2023 through July 22nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 31st, 2023.
- July 24, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 24th, 2023: Due to incomplete or missing hospital data received for the July 9th, 2023 through July 15 reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 24th, 2023.
- July 17, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 17th, 2023: Due to incomplete or missing hospital data received for the July 2nd, 2023 through July 8th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 17th, 2023.
- July 17, 2023: American Samoa (AS) - July 17th, 2023: Due to incomplete or missing hospital data received for the July 2nd, 2023 through July 8th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 17th, 2023.
- July 10, 2023: American Samoa (AS) - July 10th, 2023: Due to incomplete or missing hospital data received for the June 25th, 2023 through July 1st reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 10th, 2023.
- July 10, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 10th, 2023: Due to incomplete or missing hospital data received for the June 25th, 2023 through July 1st reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 10th, 2023.
- June 26, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 26th, 2023: Due to incomplete or missing hospital data received for the June 11th, 2023 through June 17th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 26th, 2023.
- June 26, 2023: American Samoa (AS) - June 26th, 2023: Due to incomplete or missing hospital data received for the June 11th, 2023 through June 17th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 26th, 2023.
- June 15, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 15th, 2023: Due to incomplete or missing hospital data received for the June 4th, 2023 through June 10th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 15th, 2023.
- June 15, 2023: American Samoa (AS) - June 15th, 2023: Due to incomplete or missing hospital data received for the June 4th, 2023 through June 10th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 15th, 2023.
- June 8, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 8th, 2023: Due to incomplete or missing hospital data received for the May 28th, 2023 through June 3rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 8th, 2023.
- June 8, 2023: American Samoa (AS) - June 8th, 2023: Due to incomplete or missing hospital data received for the May 28th, 2023 through June 3rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 8th, 2023.
- June 1, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 1st, 2023: Due to incomplete or missing hospital data received for the May 21st, 2023 through May 27th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 1st, 2023.
- May 25, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - May 25th, 2023: Due to incomplete or missing hospital data received for the May 14th, 2023 through May 20th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on May 25th, 2023.
- May 18, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - May 18th, 2023: Due to incomplete or missing hospital data received for the May 7th, 2023 through May 13th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on May 18th, 2023.

- **% Change in new hospital admissions with confirmed COVID-19 from the prior week:** Percent change in the current weekly total new admissions of patients with laboratory-confirmed COVID-19 per 100,000 population compared with the prior week.
- **% Staffed inpatient beds occupied by patients with confirmed COVID-19, past week:** Percentage of all staffed inpatient beds occupied by patients with laboratory-confirmed COVID-19 (including both adult and pediatric patients) within the in the entire jurisdiction is calculated as an average of staffed beds using all days in the past week (e.g., if only three days of data are reported across all three states). Averages are separately calculated for the daily numerators (patients hospitalized with confirmed COVID-19) and denominators (staffed inpatient beds). The average percentage can then be taken as the ratio of these two values for the entire jurisdiction.
- **Absolute change, % staffed inpatient beds occupied by patients with confirmed COVID-19 from the prior week:** The absolute change in the percent of staffed inpatient beds occupied by patients with laboratory-confirmed COVID-19 reported the week-over-week absolute difference between the average occupancy of patients with confirmed COVID-19 in staffed inpatient beds in the past week, compared with the prior week, in the entire jurisdiction.
- **% Staffed ICU beds occupied by patients with confirmed COVID-19, past week:** Percentage of all staffed inpatient beds occupied by adult patients with confirmed COVID-19 within the entire jurisdiction is calculated as an average of valid daily values within the past week (e.g., if only three valid values, the average of those three is taken). Averages are separately calculated for the daily numerators (patients hospitalized with confirmed COVID-19) and denominators (staffed adult ICU beds). The average percentage can then be taken as the ratio of these two values for the entire jurisdiction.
- **New hospital admissions with confirmed COVID-19 since August 1, 2020:** Total number of new admissions of patients with laboratory-confirmed COVID-19 since hospital data collection began on August 1, 2020 (including both adult and pediatric admissions) in the entire jurisdiction. (Note: This metric is presented for the state/territory level only)
- For all metrics, if there are no data in the specified time period for a given week, the metric is shown as "insufficient data".
- For downloading the county-level NHSN hospitalization data displayed here: https://data.cdc.gov/Public-Health-Surveillance/Weekly-United-States-COVID-19-Hospitalization-Metrics/ayzz-ipsi

Death Data

- **Source:** Provisional Deaths from the CDC's National Center for Health Statistics (NCHS) National Vital Statistics System (NVSS).
- Provisional data are from final counts of deaths based on the date the death was recorded in the National Death Index. Deaths include those with COVID-19 coded on ICD-10 codes U07.1, as an underlying or contributing cause of death on the death certificate. Death data are displayed by date of death (event) first, by date received from the jurisdiction vital statistics offices second, and by date of death record filed last, in the underlying report.
- Number of deaths reported in this file are the total number of COVID-19 deaths received and coded as of the date of analysis and may not represent all deaths that occurred in that period. Counts of deaths with dates of death occurring before or after the reporting period are not included in the file.
- Data during recent periods are incomplete because of the lag in time between when a death occurs and when a death certificate is completed, submitted to NCHS, and processed for reporting. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction. The most recent 3 weeks of mortality data are displayed grey and mortality rates shown as dotted lines because NCHS reporting is <95% during this period.
- Provisional death counts and rates are for deaths among U.S. residents and occurring in the 50 states, plus the District of Columbia and New York City. Assignment to a geographic area is based on the place of residence listed on the death certificate. New York state estimates include New York City but are also provided in the data tables including New York City. Data are reported separately for Puerto Rico (and as part of HHS Region 2). Data from other U.S. territories are not included in NVSS provisional reporting.
- The percentage of all reported deaths with confirmed COVID-19 is calculated as the number of COVID-19 deaths divided by the number of deaths from all causes x 100. The percentage of COVID-19 deaths is less affected by incomplete reporting in recent weeks because death certificates take from COVID-19 and all other causes are similarly affected.
- Rates were calculated as the number of provisional deaths occurring in the specified week/month divided by the population estimated as of July 1, 2021, multiplied by 100,000 and annualized to the weekly/monthly rate. Population data are produced by the U.S. Census Bureau in lieu of the April 1, 2020 decennial population count (see https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2020-2021/methods-statement-v2021.pdf).
- Rates were age-adjusted to the 2000 standard population using the direct method (see https://www.cdc.gov/nchs/data/nvsr/nvsr70/nvsr70-08.pdf). These rates differ from annual age-adjusted rates, typically presented in NCHS publications based on a full year of data and annualized weekly/monthly age-adjusted rates which have been adjusted to allow comparison with annual rates. Annualized rates present deaths per year per 100,000 population that would be expected in a year if the observed period specific between-age mortality rates were held for a full year.
- Sub-national death counts between 1-9 are suppressed in accordance with NCHS data confidentiality standards. Rates based on death counts <20 do not meet NCHS standards of reliability and are not generally shown. Rates based on death counts of 20-40 should be interpreted with caution.
- Death counts compared to the previous week are based on 7-day week ending dates (e.g. counts of 1 through 8 COVID-19 deaths correspond to the minimal burden category. However, in jurisdictions with smaller populations, death counts between 1-9 may represent a higher level of COVID-19 mortality burden.
- For more information or to view the Provisional Death Data on the NCHS website: https://www.cdc.gov/nchs/covid19/mortality-overview.htm
- For downloading the NVSS mortality data displayed here: https://data.cdc.gov/NCHS/Provisional-COVID-19-death-counts-rates-and-percent/muzy-jte6.

Emergency Department Visits Data

- **Source:** Emergency Department (ED) visits from the National Syndromic Surveillance Program (NSSP)
- NSSP is a collaboration among CDC, federal partners, local and state health departments, and academic and private sector partners to collect, analyze, and share electronic patient encounter data received from multiple health care settings. For insights into COVID-19 trends, visits that have a COVID-19 diagnosis at discharge are monitored for a subset of emergency departments in 50 states, the District of Columbia, and Guam. Coverage level: https://www.cdc.gov/nssp/ssuq/ssuq-data.html.
- The percentage of ED visits for patients with a discharge diagnosis of COVID-19 is calculated nationally, regionally, and for each state presented. Percent change is calculated using the previous week's data (e.g. the week ending 9/3 last week)%(this week)/%(the week before). Some states reporting very few ED visits will show large differences in the denominators used.
- ED visit data are available for Northern Mariana Islands, Puerto Rico, and the U.S. Virgin Islands. Jurisdictions with low ED facility participation or where diagnosis information is incomplete are not shown.
- For some jurisdictions with a fewer number of ED visits, percentages are reported to 1 decimal. Rates are rounded to 1 decimal place.
- For more information on NSSP, see: https://www.cdc.gov/nssp/index.html. For technical information, see: https://www.cdc.gov/nssp/syndromic/index.htm#Technical.

Testing Data

- **Source:** National Respiratory and Enteric Virus Surveillance System (NREVSS)
- The data represent SARS-CoV-2 Nucleic Acid Amplification Tests (NAATs), which include reverse transcriptase-polymerase chain reaction (RT-PCR) tests from a sentinel network of NREVSS-reporting laboratories in the United States, including clinical, public health and commercial laboratories (https://www.cdc.gov/surveillance/nrevss/index.html). Data are reported by specimen collection date, and at-home test results. Test positivity data are displayed at the HHS Region level.
- All data are provisional and subject to change. Reporting is less complete in the past 1 week, and more complete for data reported for the period 2 weeks earlier (>90%).
- Because the data are from a sentinel network of laboratories, results may vary geographically. The data do not include all test results within a jurisdiction and therefore may not reflect all COVID-19 NAATs in the United States. There are data from all 50 states, including the District of Columbia, Puerto Rico and the U.S. Virgin Islands, across the 10 HHS regions. Test results from Puerto Rico and the U.S. Virgin Islands are reported as part of HHS Region 2. Data from other U.S. territories are not reported to NREVSS.
- Percent positivity is one of the metrics used to monitor COVID-19 transmission over time and by area. Percent positivity is calculated by dividing the number of positive NAATs by the total number of NAATs administered, then multiplying by 100 (# of positive NAAT tests / total NAAT tests) x 100).
- The data represent laboratory tests performed, not individual people. In the table and upon hovering on the map, the total test counts in the data reflect the latest reported data from NREVSS laboratories and may not match the data presented by various jurisdictions.
- On May 11, 2023 CDC discontinued utilizing the COVID electronic laboratory reporting (CELR) platform as the primary laboratory source of COVID-19 results. These data are archived at health.data.gov.
- For more information about NREVSS, please see: https://www.cdc.gov/surveillance/nrevss/index.html
- For downloading the NREVSS COVID-19 testing data displayed here: https://data.cdc.gov/Laboratory-Surveillance/Percent-Positivity-of-COVID-19-Nucleic-Acid-Amplifi/pxdq-yw8e

Looking for more information on COVID-19 Hospital Admission Levels?

See how COVID Hospital Admission Levels are determined and connected to preventive behaviors and public health strategies.

Want COVID-19 trends over time?

View trends in the data here

Curious about the historical number of updated vaccines distributed and administered in the United States?

Check out the COVID-19 Vaccinations in the United States page.

How does COVID-19 Spread?

Learn more

Information on U.S. COVID-19 Cases Caused by Variants

Learn more here.

Do you need information in Spanish?

Find it here

COVID Data Tracker Weekly Review

Sign up to receive the COVID Data Tracker Weekly Review.

Email Address:

Email Address

Submit

What's this?

Cite COVID Data Tracker

Centers for Disease Control and Prevention. COVID Data Tracker. Atlanta, GA: U.S. Department of Health and Human Services, CDC; 2023. December 19. https://covid.cdc.gov/covid-data-tracker

COVID-19 Home >

All COVID-19 topics including prevention, treats, and vaccines.