Centers for Disease Control and Prevention

COVID Data Tracker

Maps, charts, and data provided by CDC, updates Mondays and Fridays by 8 p.m. ET

COVID-19 Home >

United States at a Glance

Collapse —

Trend in % Test Positivity

+0.2% **in most recent week**

Trend in % Emergency Department Visits

+6.6% **in most recent week**

Trend in Hospital Admissions

+10.4% **in most recent week**

Trend in % COVID-19 Deaths

+3.4% **in most recent week**

Total Hospitalizations
6,593,929

Total Deaths
1,161,602

CLICK TO VIEW OTHER PAGES:
Maps ☰

United States COVID-19 Hospitalizations, Deaths, Emergency Department (ED) Visits, and Test Positivity by Geographic Area

Maps, charts, and data provided by CDC, updates weekly for the previous MMWR week (Sunday-Saturday) on Fridays by 8 pm ET[†]

View Footnotes and Download Data

COVID-19 HOSPITAL ADMISSIONS (PAST WEEK)
25,577

% CHANGE IN COVID-19 HOSPITAL ADMISSIONS
10.4%

COVID-19 HOSPITAL ADMISSIONS PER 100,000 (PAST WEEK)
7.7

CDC | Data through: December 16, 2023. Posted: December 26, 2023

View:
● Hospitalizations
○ Deaths
○ Emergency Department Visits
○ Test Positivity

Scale:
● County
○ State

Time period:
● In Past Week

Metric:
● COVID-19 new hospital admissions
○ Inpatient beds occupied by COVID-19 patients
○ ICU beds occupied by COVID-19 patients

Measure:
○ Count
● Rate per 100,000
○ % Change from prior week

This shows the total number of new COVID-19 hospital admissions for every 100,000 people in the past week, allowing for comparisons between areas with different population sizes but not adjusted for age distribution. To find hospital admission levels for your county, see the COVID-19 County Check tool. For more information on hospitalizations, see the trends page.

COVID-19 hospital admissions levels in U.S. by county

Based on new COVID-19 hospital admissions per 100,000 population

		Total	Percent	% Change
🟧	≥ 20.0	202	6.28%	1.18%
🟨	10.0 - 19.9	868	26.96%	3.23%
🟩	<10.0	2149	66.76%	-4.41%

Time Period: New COVID-19 hospital admissions per 100,000 population (7-day total) are calculated using data from the MMWR week (Sun-Sat) ending December 16, 2023.

Reported COVID-19 New Hospital Admissions Rate per 100,000 Population in the Past Week, by County – United States



Territories

🟩 GU	🟩 AS	▨ MP	🟩 VI

New COVID-19 hospital admissions per 100,000 population, past week (total)

🟢 Low (<10.0) 🟡 Medium (10.0 to 19.9) 🟠 High (≥20.0) ▨ Insufficient data

Download Image

Data Downloads and Footnotes

Expand each accordion to view data table and download data

Data Table for New hospital admissions per 100,000, past week

CDC | Data through: December 16, 2023. Posted: December 26, 2023

Download Data

State/Territory	County	New hospital admissions per 100,000, past week	COVID-19 hospital admissions level
Alabama	Autauga County	4.1	Low (<10.0)
Alabama	Baldwin County	6.5	Low (<10.0)
Alabama	Barbour County	5.8	Low (<10.0)
Alabama	Bibb County	9.3	Low (<10.0)
Alabama	Blount County	9.3	Low (<10.0)
Alabama	Bullock County	4.1	Low (<10.0)
Alabama	Butler County	0	Low (<10.0)
Alabama	Calhoun County	5.4	Low (<10.0)
Alabama	Chambers County	5.5	Low (<10.0)
Alabama	Cherokee County	9.1	Low (<10.0)
Alabama	Chilton County	9.3	Low (<10.0)
Alabama	Choctaw County	4.6	Low (<10.0)
Alabama	Clarke County	6.5	Low (<10.0)
Alabama	Clay County	4.8	Low (<10.0)
Alabama	Cleburne County	5.4	Low (<10.0)
Alabama	Coffee County	5.8	Low (<10.0)
Alabama	Colbert County	9.4	Low (<10.0)
Alabama	Conecuh County	5.5	Low (<10.0)
Alabama	Coosa County	4.8	Low (<10.0)
Alabama	Covington County	4.1	Low (<10.0)
Alabama	Crenshaw County	4.1	Low (<10.0)
Alabama	Cullman County	9.3	Low (<10.0)
Alabama	Dale County	5.8	Low (<10.0)
Alabama	Dallas County	11.9	Medium (10.0 to 19.9)
Alabama	DeKalb County	9.1	Low (<10.0)
Alabama	Elmore County	3	Low (<10.0)
Alabama	Escambia County	5.5	Low (<10.0)
Alabama	Etowah County	9.1	Low (<10.0)
Alabama	Fayette County	2.2	Low (<10.0)
Alabama	Franklin County	9.4	Low (<10.0)
Alabama	Geneva County	5.8	Low (<10.0)
Alabama	Greene County	7.9	Low (<10.0)
Alabama	Hale County	7.9	Low (<10.0)
Alabama	Henry County	5.8	Low (<10.0)
Alabama	Houston County	5.8	Low (<10.0)
Alabama	Jackson County	15.1	Medium (10.0 to 19.9)
Alabama	Jefferson County	9.3	Low (<10.0)
Alabama	Lamar County	3.9	Low (<10.0)
Alabama	Lauderdale County	9.4	Low (<10.0)
Alabama	Lawrence County	4.6	Low (<10.0)

Alabama	Lee County	3	Low (<10.0)
Alabama	Limestone County	15.1	Medium (10.0 to 19.9)
Alabama	Lowndes County	4.1	Low (<10.0)
Alabama	Macon County	3	Low (<10.0)
Alabama	Madison County	15.1	Medium (10.0 to 19.9)
Alabama	Marengo County	11.9	Medium (10.0 to 19.9)
Alabama	Marion County	2.2	Low (<10.0)
Alabama	Marshall County	9.1	Low (<10.0)
Alabama	Mobile County	6.5	Low (<10.0)
Alabama	Monroe County	6.5	Low (<10.0)
Alabama	Montgomery County	4.1	Low (<10.0)
Alabama	Morgan County	4.6	Low (<10.0)
Alabama	Perry County	11.9	Medium (10.0 to 19.9)
Alabama	Pickens County	7.9	Low (<10.0)
Alabama	Pike County	4.1	Low (<10.0)
Alabama	Randolph County	5.5	Low (<10.0)
Alabama	Russell County	3.6	Low (<10.0)
Alabama	Shelby County	9.3	Low (<10.0)
Alabama	St. Clair County	9.3	Low (<10.0)
Alabama	Sumter County	4.6	Low (<10.0)
Alabama	Talladega County	4.8	Low (<10.0)
Alabama	Tallapoosa County	3	Low (<10.0)
Alabama	Tuscaloosa County	7.9	Low (<10.0)
Alabama	Walker County	9.3	Low (<10.0)
Alabama	Washington County	6.5	Low (<10.0)
Alabama	Wilcox County	11.9	Medium (10.0 to 19.9)
Alabama	Winston County	9.4	Low (<10.0)
Alaska	Aleutians East Borough	2.9	Low (<10.0)
Alaska	Aleutians West Census Area	2.9	Low (<10.0)
Alaska	Anchorage Municipality	2.9	Low (<10.0)
Alaska	Bethel Census Area	2.9	Low (<10.0)
Alaska	Bristol Bay Borough	2.9	Low (<10.0)
Alaska	Denali Borough	2.7	Low (<10.0)
Alaska	Dillingham Census Area	2.9	Low (<10.0)
Alaska	Fairbanks North Star Borough	2.7	Low (<10.0)
Alaska	Haines Borough	0	Low (<10.0)
Alaska	Hoonah-Angoon Census Area	0	Low (<10.0)
Alaska	Juneau City and Borough	0	Low (<10.0)
Alaska	Kenai Peninsula Borough	2.9	Low (<10.0)
Alaska	Ketchikan Gateway Borough	0	Low (<10.0)
Alaska	Kodiak Island Borough	2.9	Low (<10.0)
Alaska	Kusilvak Census Area	2.9	Low (<10.0)
Alaska	Lake and Peninsula Borough	2.9	Low (<10.0)
Alaska	Matanuska-Susitna Borough	2.9	Low (<10.0)
Alaska	Nome Census Area	2.9	Low (<10.0)
Alaska	North Slope Borough	2.9	Low (<10.0)
Alaska	Northwest Arctic Borough	2.9	Low (<10.0)
Alaska	Petersburg Borough	0	Low (<10.0)

Alaska	Prince of Wales-Hyder Census Area	0	Low (<10.0)
Alaska	Sitka City and Borough	0	Low (<10.0)
Alaska	Skagway Municipality	0	Low (<10.0)
Alaska	Southeast Fairbanks Census Area	2.7	Low (<10.0)
Alaska	Valdez-Cordova Census Area	2.9	Low (<10.0)
Alaska	Wrangell City and Borough	0	Low (<10.0)
Alaska	Yakutat City and Borough	0	Low (<10.0)
Alaska	Yukon-Koyukuk Census Area	2.7	Low (<10.0)
American Samoa	Unallocated American Samoa	0	Low (<10.0)
Arizona	Apache County	4.9	Low (<10.0)
Arizona	Cochise County	5	Low (<10.0)
Arizona	Coconino County	6.3	Low (<10.0)
Arizona	Gila County	6.3	Low (<10.0)
Arizona	Graham County	5	Low (<10.0)
Arizona	Greenlee County	5	Low (<10.0)
Arizona	La Paz County	4.3	Low (<10.0)
Arizona	Maricopa County	6.3	Low (<10.0)
Arizona	Mohave County	21.7	High (≥20.0)
Arizona	Navajo County	6.6	Low (<10.0)
Arizona	Pima County	5	Low (<10.0)
Arizona	Pinal County	6.3	Low (<10.0)
Arizona	Santa Cruz County	5	Low (<10.0)
Arizona	Yavapai County	6.3	Low (<10.0)
Arizona	Yuma County	4.3	Low (<10.0)
Arkansas	Arkansas County	4.1	Low (<10.0)
Arkansas	Ashley County	3.4	Low (<10.0)
Arkansas	Baxter County	8.5	Low (<10.0)
Arkansas	Benton County	4.8	Low (<10.0)
Arkansas	Boone County	4.9	Low (<10.0)
Arkansas	Bradley County	11.7	Medium (10.0 to 19.9)
Arkansas	Calhoun County	5.9	Low (<10.0)
Arkansas	Carroll County	4.9	Low (<10.0)
Arkansas	Chicot County	3.4	Low (<10.0)
Arkansas	Clark County	4.6	Low (<10.0)
Arkansas	Clay County	10.1	Medium (10.0 to 19.9)
Arkansas	Cleburne County	26	High (≥20.0)
Arkansas	Cleveland County	11.7	Medium (10.0 to 19.9)
Arkansas	Columbia County	5.9	Low (<10.0)
Arkansas	Conway County	8.6	Low (<10.0)
Arkansas	Craighead County	10.1	Medium (10.0 to 19.9)
Arkansas	Crawford County	9.3	Low (<10.0)
Arkansas	Crittenden County	1	Low (<10.0)
Arkansas	Cross County	1	Low (<10.0)
Arkansas	Dallas County	0	Low (<10.0)
Arkansas	Desha County	11.7	Medium (10.0 to 19.9)
Arkansas	Drew County	11.7	Medium (10.0 to 19.9)

Arkansas	Faulkner County	8.6	Low (<10.0)
Arkansas	Franklin County	9.3	Low (<10.0)
Arkansas	Fulton County	38	High (≥20.0)
Arkansas	Garland County	4.6	Low (<10.0)
Arkansas	Grant County	8.6	Low (<10.0)
Arkansas	Greene County	10.1	Medium (10.0 to 19.9)
Arkansas	Hempstead County	8.5	Low (<10.0)
Arkansas	Hot Spring County	4.6	Low (<10.0)
Arkansas	Howard County	8.5	Low (<10.0)
Arkansas	Independence County	38	High (≥20.0)
Arkansas	Izard County	38	High (≥20.0)
Arkansas	Jackson County	26	High (≥20.0)
Arkansas	Jefferson County	11.7	Medium (10.0 to 19.9)
Arkansas	Johnson County	18.8	Medium (10.0 to 19.9)
Arkansas	Lafayette County	8.5	Low (<10.0)
Arkansas	Lawrence County	10.1	Medium (10.0 to 19.9)
Arkansas	Lee County	1	Low (<10.0)
Arkansas	Lincoln County	11.7	Medium (10.0 to 19.9)
Arkansas	Little River County	8.5	Low (<10.0)
Arkansas	Logan County	9.3	Low (<10.0)
Arkansas	Lonoke County	8.6	Low (<10.0)
Arkansas	Madison County	4.8	Low (<10.0)
Arkansas	Marion County	8.5	Low (<10.0)
Arkansas	Miller County	8.5	Low (<10.0)
Arkansas	Mississippi County	0	Low (<10.0)
Arkansas	Monroe County	4.1	Low (<10.0)
Arkansas	Montgomery County	4.6	Low (<10.0)
Arkansas	Nevada County	8.5	Low (<10.0)
Arkansas	Newton County	4.9	Low (<10.0)
Arkansas	Ouachita County	0	Low (<10.0)
Arkansas	Perry County	8.6	Low (<10.0)
Arkansas	Phillips County	0	Low (<10.0)
Arkansas	Pike County	4.6	Low (<10.0)
Arkansas	Poinsett County	10.1	Medium (10.0 to 19.9)
Arkansas	Polk County	10	Medium (10.0 to 19.9)
Arkansas	Pope County	1.2	Low (<10.0)
Arkansas	Prairie County	8.6	Low (<10.0)
Arkansas	Pulaski County	8.6	Low (<10.0)
Arkansas	Randolph County	10.1	Medium (10.0 to 19.9)
Arkansas	Saline County	8.6	Low (<10.0)
Arkansas	Scott County	9.3	Low (<10.0)
Arkansas	Searcy County	4.9	Low (<10.0)
Arkansas	Sebastian County	9.3	Low (<10.0)
Arkansas	Sevier County	8.5	Low (<10.0)
Arkansas	Sharp County	38	High (≥20.0)
Arkansas	St. Francis County	1	Low (<10.0)
Arkansas	Stone County	38	High (≥20.0)
Arkansas	Union County	5.9	Low (<10.0)

Arkansas	Van Buren County	8.6	Low (<10.0)
Arkansas	Washington County	4.8	Low (<10.0)
Arkansas	White County	26	High (≥20.0)
Arkansas	Woodruff County	26	High (≥20.0)
Arkansas	Yell County	1.2	Low (<10.0)
California	Alameda County	8.6	Low (<10.0)
California	Alpine County	2.5	Low (<10.0)
California	Amador County	5.8	Low (<10.0)
California	Butte County	4.8	Low (<10.0)
California	Calaveras County	5.8	Low (<10.0)
California	Colusa County	5.1	Low (<10.0)
California	Contra Costa County	8.6	Low (<10.0)
California	Del Norte County	1.7	Low (<10.0)
California	El Dorado County	10.4	Medium (10.0 to 19.9)
California	Fresno County	6.7	Low (<10.0)
California	Glenn County	4.8	Low (<10.0)
California	Humboldt County	6.6	Low (<10.0)
California	Imperial County	5.9	Low (<10.0)
California	Inyo County	15.4	Medium (10.0 to 19.9)
California	Kern County	3.2	Low (<10.0)
California	Kings County	6.7	Low (<10.0)
California	Lake County	7.4	Low (<10.0)
California	Lassen County	6.1	Low (<10.0)
California	Los Angeles County	8.3	Low (<10.0)
California	Madera County	6.7	Low (<10.0)
California	Marin County	5.4	Low (<10.0)
California	Mariposa County	9.3	Low (<10.0)
California	Mendocino County	3.5	Low (<10.0)
California	Merced County	9.3	Low (<10.0)
California	Modoc County	7	Low (<10.0)
California	Mono County	15.4	Medium (10.0 to 19.9)
California	Monterey County	6.9	Low (<10.0)
California	Napa County	7.4	Low (<10.0)
California	Nevada County	7.8	Low (<10.0)
California	Orange County	8.4	Low (<10.0)
California	Placer County	10.4	Medium (10.0 to 19.9)
California	Plumas County	6.1	Low (<10.0)
California	Riverside County	7	Low (<10.0)
California	Sacramento County	10.4	Medium (10.0 to 19.9)
California	San Benito County	6.9	Low (<10.0)
California	San Bernardino County	7	Low (<10.0)
California	San Diego County	5.9	Low (<10.0)
California	San Francisco County	7.5	Low (<10.0)
California	San Joaquin County	5.8	Low (<10.0)
California	San Luis Obispo County	3.8	Low (<10.0)
California	San Mateo County	7.5	Low (<10.0)
California	Santa Barbara County	3.8	Low (<10.0)
California	Santa Clara County	6.9	Low (<10.0)

California	Santa Cruz County	0	Low (<10.0)
California	Shasta County	7	Low (<10.0)
California	Sierra County	7.8	Low (<10.0)
California	Siskiyou County	2.3	Low (<10.0)
California	Solano County	7.4	Low (<10.0)
California	Sonoma County	5.4	Low (<10.0)
California	Stanislaus County	9.3	Low (<10.0)
California	Sutter County	5.1	Low (<10.0)
California	Tehama County	4.8	Low (<10.0)
California	Trinity County	7	Low (<10.0)
California	Tulare County	4.9	Low (<10.0)
California	Tuolumne County	9.3	Low (<10.0)
California	Ventura County	5.8	Low (<10.0)
California	Yolo County	10.4	Medium (10.0 to 19.9)
California	Yuba County	5.1	Low (<10.0)
Colorado	Adams County	7.2	Low (<10.0)
Colorado	Alamosa County	31.8	High (≥20.0)
Colorado	Arapahoe County	7.2	Low (<10.0)
Colorado	Archuleta County	6.6	Low (<10.0)
Colorado	Baca County	15.7	Medium (10.0 to 19.9)
Colorado	Bent County	13.8	Medium (10.0 to 19.9)
Colorado	Boulder County	7.8	Low (<10.0)
Colorado	Broomfield County	7.8	Low (<10.0)
Colorado	Chaffee County	0	Low (<10.0)
Colorado	Cheyenne County	5.5	Low (<10.0)
Colorado	Clear Creek County	7.2	Low (<10.0)
Colorado	Conejos County	31.8	High (≥20.0)
Colorado	Costilla County	31.8	High (≥20.0)
Colorado	Crowley County	13.8	Medium (10.0 to 19.9)
Colorado	Custer County	1.9	Low (<10.0)
Colorado	Delta County	11.4	Medium (10.0 to 19.9)
Colorado	Denver County	7.2	Low (<10.0)
Colorado	Dolores County	6.6	Low (<10.0)
Colorado	Douglas County	7.2	Low (<10.0)
Colorado	Eagle County	8.2	Low (<10.0)
Colorado	El Paso County	5.5	Low (<10.0)
Colorado	Elbert County	7.2	Low (<10.0)
Colorado	Fremont County	1.9	Low (<10.0)
Colorado	Garfield County	8.2	Low (<10.0)
Colorado	Gilpin County	7.2	Low (<10.0)
Colorado	Grand County	7.2	Low (<10.0)
Colorado	Gunnison County	11.4	Medium (10.0 to 19.9)
Colorado	Hinsdale County	11.4	Medium (10.0 to 19.9)
Colorado	Huerfano County	7.9	Low (<10.0)
Colorado	Jackson County	0	Low (<10.0)
Colorado	Jefferson County	7.2	Low (<10.0)
Colorado	Kiowa County	13.8	Medium (10.0 to 19.9)

Colorado	Kit Carson County	5.5	Low (<10.0)
Colorado	La Plata County	6.6	Low (<10.0)
Colorado	Lake County	0	Low (<10.0)
Colorado	Larimer County	8.1	Low (<10.0)
Colorado	Las Animas County	7.9	Low (<10.0)
Colorado	Lincoln County	5.5	Low (<10.0)
Colorado	Logan County	17.3	Medium (10.0 to 19.9)
Colorado	Mesa County	8.2	Low (<10.0)
Colorado	Mineral County	31.8	High (≥20.0)
Colorado	Moffat County	0	Low (<10.0)
Colorado	Montezuma County	6.6	Low (<10.0)
Colorado	Montrose County	11.4	Medium (10.0 to 19.9)
Colorado	Morgan County	4.3	Low (<10.0)
Colorado	Otero County	13.8	Medium (10.0 to 19.9)
Colorado	Ouray County	11.4	Medium (10.0 to 19.9)
Colorado	Park County	7.2	Low (<10.0)
Colorado	Phillips County	17.3	Medium (10.0 to 19.9)
Colorado	Pitkin County	8.2	Low (<10.0)
Colorado	Prowers County	13.8	Medium (10.0 to 19.9)
Colorado	Pueblo County	7.9	Low (<10.0)
Colorado	Rio Blanco County	8.2	Low (<10.0)
Colorado	Rio Grande County	31.8	High (≥20.0)
Colorado	Routt County	0	Low (<10.0)
Colorado	Saguache County	31.8	High (≥20.0)
Colorado	San Juan County	6.6	Low (<10.0)
Colorado	San Miguel County	11.4	Medium (10.0 to 19.9)
Colorado	Sedgwick County	17.3	Medium (10.0 to 19.9)
Colorado	Summit County	7.2	Low (<10.0)
Colorado	Teller County	5.5	Low (<10.0)
Colorado	Washington County	4.3	Low (<10.0)
Colorado	Weld County	4.3	Low (<10.0)
Colorado	Yuma County	4.3	Low (<10.0)
Connecticut	Fairfield County	9	Low (<10.0)
Connecticut	Hartford County	8.7	Low (<10.0)
Connecticut	Litchfield County	11.4	Medium (10.0 to 19.9)
Connecticut	Middlesex County	11.4	Medium (10.0 to 19.9)
Connecticut	New Haven County	11.4	Medium (10.0 to 19.9)
Connecticut	New London County	7.6	Low (<10.0)
Connecticut	Tolland County	8.7	Low (<10.0)
Connecticut	Windham County	8.7	Low (<10.0)
Delaware	Kent County	9.4	Low (<10.0)
Delaware	New Castle County	4.6	Low (<10.0)
Delaware	Sussex County	9.4	Low (<10.0)
District of Columbia	District of Columbia	4.7	Low (<10.0)
Florida	Alachua County	4	Low (<10.0)
Florida	Baker County	4.4	Low (<10.0)
Florida	Bay County	2.7	Low (<10.0)
Florida	Bradford County	4	Low (<10.0)
Florida	Brevard County	5.1	Low (<10.0)
Florida	Broward County	4.5	Low (<10.0)
Florida	Calhoun County	2.7	Low (<10.0)
Florida	Charlotte County	10.3	Medium (10.0 to 19.9)
Florida	Citrus County	5.8	Low (<10.0)
Florida	Clay County	4.4	Low (<10.0)
Florida	Collier County	5	Low (<10.0)
Florida	Columbia County	4	Low (<10.0)
Florida	DeSoto County	10.3	Medium (10.0 to 19.9)
Florida	Dixie County	4	Low (<10.0)
Florida	Duval County	4.4	Low (<10.0)

Florida	Escambia County	5.5	Low (<10.0)
Florida	Flagler County	5.5	Low (<10.0)
Florida	Franklin County	3.8	Low (<10.0)
Florida	Gadsden County	3.8	Low (<10.0)
Florida	Gilchrist County	4	Low (<10.0)
Florida	Glades County	5	Low (<10.0)
Florida	Gulf County	2.7	Low (<10.0)
Florida	Hamilton County	4	Low (<10.0)
Florida	Hardee County	4.7	Low (<10.0)
Florida	Hendry County	5	Low (<10.0)
Florida	Hernando County	6.7	Low (<10.0)
Florida	Highlands County	4.7	Low (<10.0)
Florida	Hillsborough County	6.7	Low (<10.0)
Florida	Holmes County	2.7	Low (<10.0)
Florida	Indian River County	5.1	Low (<10.0)
Florida	Jackson County	2.7	Low (<10.0)
Florida	Jefferson County	3.8	Low (<10.0)
Florida	Lafayette County	4	Low (<10.0)
Florida	Lake County	5.5	Low (<10.0)
Florida	Lee County	5	Low (<10.0)
Florida	Leon County	3.8	Low (<10.0)
Florida	Levy County	4	Low (<10.0)
Florida	Liberty County	3.8	Low (<10.0)
Florida	Madison County	3.8	Low (<10.0)
Florida	Manatee County	2.7	Low (<10.0)
Florida	Marion County	5.8	Low (<10.0)
Florida	Martin County	5.2	Low (<10.0)
Florida	Miami-Dade County	4.5	Low (<10.0)
Florida	Monroe County	4.5	Low (<10.0)
Florida	Nassau County	4.4	Low (<10.0)
Florida	Okaloosa County	5.5	Low (<10.0)
Florida	Okeechobee County	5.2	Low (<10.0)
Florida	Orange County	5.5	Low (<10.0)
Florida	Osceola County	9	Low (<10.0)
Florida	Palm Beach County	5.2	Low (<10.0)
Florida	Pasco County	6.7	Low (<10.0)
Florida	Pinellas County	6.7	Low (<10.0)
Florida	Polk County	4.7	Low (<10.0)
Florida	Putnam County	2.1	Low (<10.0)
Florida	Santa Rosa County	5.5	Low (<10.0)
Florida	Sarasota County	10.3	Medium (10.0 to 19.9)
Florida	Seminole County	5.5	Low (<10.0)
Florida	St. Johns County	2.1	Low (<10.0)
Florida	St. Lucie County	5.2	Low (<10.0)
Florida	Sumter County	5.5	Low (<10.0)
Florida	Suwannee County	4	Low (<10.0)
Florida	Taylor County	3.8	Low (<10.0)

Florida	Union County	4	Low (<10.0)
Florida	Volusia County	5.5	Low (<10.0)
Florida	Wakulla County	3.8	Low (<10.0)
Florida	Walton County	5.5	Low (<10.0)
Florida	Washington County	2.7	Low (<10.0)
Georgia	Appling County	0	Low (<10.0)
Georgia	Atkinson County	9	Low (<10.0)
Georgia	Bacon County	2.7	Low (<10.0)
Georgia	Baker County	1.7	Low (<10.0)
Georgia	Baldwin County	0	Low (<10.0)
Georgia	Banks County	1	Low (<10.0)
Georgia	Barrow County	4.2	Low (<10.0)
Georgia	Bartow County	8.4	Low (<10.0)
Georgia	Ben Hill County	6.7	Low (<10.0)
Georgia	Berrien County	2.7	Low (<10.0)
Georgia	Bibb County	2.4	Low (<10.0)
Georgia	Bleckley County	2.4	Low (<10.0)
Georgia	Brantley County	4.4	Low (<10.0)
Georgia	Brooks County	2.7	Low (<10.0)
Georgia	Bryan County	5.3	Low (<10.0)
Georgia	Bulloch County	7.9	Low (<10.0)
Georgia	Burke County	3.5	Low (<10.0)
Georgia	Butts County	4.4	Low (<10.0)
Georgia	Calhoun County	1.7	Low (<10.0)
Georgia	Camden County	4.4	Low (<10.0)
Georgia	Candler County	7.9	Low (<10.0)
Georgia	Carroll County	5.4	Low (<10.0)
Georgia	Catoosa County	4.4	Low (<10.0)
Georgia	Charlton County	4.4	Low (<10.0)
Georgia	Chatham County	5.3	Low (<10.0)
Georgia	Chattahoochee County	3.6	Low (<10.0)
Georgia	Chattooga County	8.4	Low (<10.0)
Georgia	Cherokee County	4.6	Low (<10.0)
Georgia	Clarke County	4.2	Low (<10.0)
Georgia	Clay County	1.7	Low (<10.0)
Georgia	Clayton County	6.2	Low (<10.0)
Georgia	Clinch County	2.7	Low (<10.0)
Georgia	Cobb County	4.6	Low (<10.0)
Georgia	Coffee County	9	Low (<10.0)
Georgia	Colquitt County	4.4	Low (<10.0)
Georgia	Columbia County	3.5	Low (<10.0)
Georgia	Cook County	2.7	Low (<10.0)
Georgia	Coweta County	5.5	Low (<10.0)
Georgia	Crawford County	2.4	Low (<10.0)
Georgia	Crisp County	1.2	Low (<10.0)
Georgia	Dade County	4.4	Low (<10.0)
Georgia	Dawson County	1	Low (<10.0)
Georgia	Decatur County	7.5	Low (<10.0)

Georgia	DeKalb County	6.2	Low (<10.0)
Georgia	Dodge County	8.3	Low (<10.0)
Georgia	Dooly County	1.2	Low (<10.0)
Georgia	Dougherty County	1.7	Low (<10.0)
Georgia	Douglas County	4.6	Low (<10.0)
Georgia	Early County	1.7	Low (<10.0)
Georgia	Echols County	2.7	Low (<10.0)
Georgia	Effingham County	5.3	Low (<10.0)
Georgia	Elbert County	13.8	Medium (10.0 to 19.9)
Georgia	Emanuel County	7.9	Low (<10.0)
Georgia	Evans County	5.3	Low (<10.0)
Georgia	Fannin County	6	Low (<10.0)
Georgia	Fayette County	6.2	Low (<10.0)
Georgia	Floyd County	8.4	Low (<10.0)
Georgia	Forsyth County	6.2	Low (<10.0)
Georgia	Franklin County	0	Low (<10.0)
Georgia	Fulton County	6.2	Low (<10.0)
Georgia	Gilmer County	6	Low (<10.0)
Georgia	Glascock County	3.5	Low (<10.0)
Georgia	Glynn County	4.4	Low (<10.0)
Georgia	Gordon County	8.4	Low (<10.0)
Georgia	Grady County	0	Low (<10.0)
Georgia	Greene County	4.2	Low (<10.0)
Georgia	Gwinnett County	6.2	Low (<10.0)
Georgia	Habersham County	1	Low (<10.0)
Georgia	Hall County	1	Low (<10.0)
Georgia	Hancock County	0	Low (<10.0)
Georgia	Haralson County	5.4	Low (<10.0)
Georgia	Harris County	3.6	Low (<10.0)
Georgia	Hart County	0	Low (<10.0)
Georgia	Heard County	5.5	Low (<10.0)
Georgia	Henry County	6.2	Low (<10.0)
Georgia	Houston County	2.4	Low (<10.0)
Georgia	Irwin County	6.7	Low (<10.0)
Georgia	Jackson County	4.2	Low (<10.0)
Georgia	Jasper County	6.4	Low (<10.0)
Georgia	Jeff Davis County	9	Low (<10.0)
Georgia	Jefferson County	0	Low (<10.0)
Georgia	Jenkins County	3.5	Low (<10.0)
Georgia	Johnson County	8.3	Low (<10.0)
Georgia	Jones County	2.4	Low (<10.0)
Georgia	Lamar County	1.6	Low (<10.0)
Georgia	Lanier County	2.7	Low (<10.0)
Georgia	Laurens County	8.3	Low (<10.0)
Georgia	Lee County	1.7	Low (<10.0)
Georgia	Liberty County	5.3	Low (<10.0)
Georgia	Lincoln County	3.5	Low (<10.0)
Georgia	Long County	5.3	Low (<10.0)

Georgia	Lowndes County	2.7	Low (<10.0)
Georgia	Lumpkin County	1	Low (<10.0)
Georgia	Macon County	1.2	Low (<10.0)
Georgia	Madison County	4.2	Low (<10.0)
Georgia	Marion County	3.6	Low (<10.0)
Georgia	McDuffie County	3.5	Low (<10.0)
Georgia	McIntosh County	4.4	Low (<10.0)
Georgia	Meriwether County	5.5	Low (<10.0)
Georgia	Miller County	7.5	Low (<10.0)
Georgia	Mitchell County	0	Low (<10.0)
Georgia	Monroe County	2.4	Low (<10.0)
Georgia	Montgomery County	8.3	Low (<10.0)
Georgia	Morgan County	4.2	Low (<10.0)
Georgia	Murray County	9	Low (<10.0)
Georgia	Muscogee County	3.6	Low (<10.0)
Georgia	Newton County	6.4	Low (<10.0)
Georgia	Oconee County	4.2	Low (<10.0)
Georgia	Oglethorpe County	4.2	Low (<10.0)
Georgia	Paulding County	4.6	Low (<10.0)
Georgia	Peach County	2.4	Low (<10.0)
Georgia	Pickens County	4.6	Low (<10.0)
Georgia	Pierce County	2.7	Low (<10.0)
Georgia	Pike County	1.6	Low (<10.0)
Georgia	Polk County	8.4	Low (<10.0)
Georgia	Pulaski County	2.4	Low (<10.0)
Georgia	Putnam County	0	Low (<10.0)
Georgia	Quitman County	5.8	Low (<10.0)
Georgia	Rabun County	0	Low (<10.0)
Georgia	Randolph County	1.7	Low (<10.0)
Georgia	Richmond County	3.5	Low (<10.0)
Georgia	Rockdale County	6.2	Low (<10.0)
Georgia	Schley County	3.6	Low (<10.0)
Georgia	Screven County	7.9	Low (<10.0)
Georgia	Seminole County	7.5	Low (<10.0)
Georgia	Spalding County	4.4	Low (<10.0)
Georgia	Stephens County	0	Low (<10.0)
Georgia	Stewart County	3.6	Low (<10.0)
Georgia	Sumter County	1.2	Low (<10.0)
Georgia	Talbot County	3.6	Low (<10.0)
Georgia	Taliaferro County	3.5	Low (<10.0)
Georgia	Tattnall County	5.3	Low (<10.0)
Georgia	Taylor County	2.4	Low (<10.0)
Georgia	Telfair County	8.3	Low (<10.0)
Georgia	Terrell County	1.7	Low (<10.0)
Georgia	Thomas County	0	Low (<10.0)
Georgia	Tift County	6.7	Low (<10.0)
Georgia	Toombs County	8.3	Low (<10.0)
Georgia	Towns County	1	Low (<10.0)

Georgia	Treutlen County	8.3	Low (<10.0)
Georgia	Troup County	5.5	Low (<10.0)
Georgia	Turner County	6.7	Low (<10.0)
Georgia	Twiggs County	2.4	Low (<10.0)
Georgia	Union County	1	Low (<10.0)
Georgia	Upson County	1.6	Low (<10.0)
Georgia	Walker County	4.4	Low (<10.0)
Georgia	Walton County	6.2	Low (<10.0)
Georgia	Ware County	2.7	Low (<10.0)
Georgia	Warren County	3.5	Low (<10.0)
Georgia	Washington County	0	Low (<10.0)
Georgia	Wayne County	0	Low (<10.0)
Georgia	Webster County	3.6	Low (<10.0)
Georgia	Wheeler County	8.3	Low (<10.0)
Georgia	White County	1	Low (<10.0)
Georgia	Whitfield County	9	Low (<10.0)
Georgia	Wilcox County	1.2	Low (<10.0)
Georgia	Wilkes County	13.8	Medium (10.0 to 19.9)
Georgia	Wilkinson County	2.4	Low (<10.0)
Georgia	Worth County	1.7	Low (<10.0)
Guam	Unallocated Guam	1.8	Low (<10.0)
Hawaii	Hawaii County	3	Low (<10.0)
Hawaii	Honolulu County	5.9	Low (<10.0)
Hawaii	Kalawao County	5.9	Low (<10.0)
Hawaii	Kauai County	1.4	Low (<10.0)
Hawaii	Maui County	5.9	Low (<10.0)
Idaho	Ada County	14.1	Medium (10.0 to 19.9)
Idaho	Adams County	21.7	High (≥20.0)
Idaho	Bannock County	5.2	Low (<10.0)
Idaho	Bear Lake County	4.7	Low (<10.0)
Idaho	Benewah County	5.7	Low (<10.0)
Idaho	Bingham County	5.2	Low (<10.0)
Idaho	Blaine County	4.1	Low (<10.0)
Idaho	Boise County	14.1	Medium (10.0 to 19.9)
Idaho	Bonner County	5.7	Low (<10.0)
Idaho	Bonneville County	3.2	Low (<10.0)
Idaho	Boundary County	5.7	Low (<10.0)
Idaho	Butte County	3.2	Low (<10.0)
Idaho	Camas County	4.1	Low (<10.0)
Idaho	Canyon County	14.1	Medium (10.0 to 19.9)
Idaho	Caribou County	5.2	Low (<10.0)
Idaho	Cassia County	4.4	Low (<10.0)
Idaho	Clark County	3.2	Low (<10.0)
Idaho	Clearwater County	6.4	Low (<10.0)
Idaho	Custer County	3.2	Low (<10.0)
Idaho	Elmore County	14.1	Medium (10.0 to 19.9)
Idaho	Franklin County	4.7	Low (<10.0)

Idaho	Fremont County	3.2	Low (<10.0)
Idaho	Gem County	14.1	Medium (10.0 to 19.9)
Idaho	Gooding County	4.6	Low (<10.0)
Idaho	Idaho County	6.4	Low (<10.0)
Idaho	Jefferson County	3.2	Low (<10.0)
Idaho	Jerome County	4.6	Low (<10.0)
Idaho	Kootenai County	5.7	Low (<10.0)
Idaho	Latah County	2.2	Low (<10.0)
Idaho	Lemhi County	37.4	High (≥20.0)
Idaho	Lewis County	6.4	Low (<10.0)
Idaho	Lincoln County	4.6	Low (<10.0)
Idaho	Madison County	3.2	Low (<10.0)
Idaho	Minidoka County	4.4	Low (<10.0)
Idaho	Nez Perce County	6.4	Low (<10.0)
Idaho	Oneida County	5.2	Low (<10.0)
Idaho	Owyhee County	14.1	Medium (10.0 to 19.9)
Idaho	Payette County	21.7	High (≥20.0)
Idaho	Power County	5.2	Low (<10.0)
Idaho	Shoshone County	5.7	Low (<10.0)
Idaho	Teton County	3.2	Low (<10.0)
Idaho	Twin Falls County	4.6	Low (<10.0)
Idaho	Valley County	14.1	Medium (10.0 to 19.9)
Idaho	Washington County	21.7	High (≥20.0)
Illinois	Adams County	14.9	Medium (10.0 to 19.9)
Illinois	Alexander County	12.6	Medium (10.0 to 19.9)
Illinois	Bond County	11.4	Medium (10.0 to 19.9)
Illinois	Boone County	11.6	Medium (10.0 to 19.9)
Illinois	Brown County	20.1	High (≥20.0)
Illinois	Bureau County	7.7	Low (<10.0)
Illinois	Calhoun County	11.4	Medium (10.0 to 19.9)
Illinois	Carroll County	13.8	Medium (10.0 to 19.9)
Illinois	Cass County	20.1	High (≥20.0)
Illinois	Champaign County	7.2	Low (<10.0)
Illinois	Christian County	20.1	High (≥20.0)
Illinois	Clark County	14.9	Medium (10.0 to 19.9)
Illinois	Clay County	15.7	Medium (10.0 to 19.9)
Illinois	Clinton County	6.3	Low (<10.0)
Illinois	Coles County	7.2	Low (<10.0)
Illinois	Cook County	8.9	Low (<10.0)
Illinois	Crawford County	10.2	Medium (10.0 to 19.9)
Illinois	Cumberland County	7.2	Low (<10.0)
Illinois	De Witt County	12.4	Medium (10.0 to 19.9)
Illinois	DeKalb County	8.2	Low (<10.0)
Illinois	Douglas County	7.2	Low (<10.0)
Illinois	DuPage County	8.9	Low (<10.0)
Illinois	Edgar County	11.1	Medium (10.0 to 19.9)
Illinois	Edwards County	15.7	Medium (10.0 to 19.9)
Illinois	Effingham County	1.8	Low (<10.0)

Illinois	Fayette County	1.8	Low (<10.0)
Illinois	Ford County	7.2	Low (<10.0)
Illinois	Franklin County	13.7	Medium (10.0 to 19.9)
Illinois	Fulton County	18.4	Medium (10.0 to 19.9)
Illinois	Gallatin County	13.8	Medium (10.0 to 19.9)
Illinois	Greene County	5.8	Low (<10.0)
Illinois	Grundy County	6.7	Low (<10.0)
Illinois	Hamilton County	0	Low (<10.0)
Illinois	Hancock County	3.4	Low (<10.0)
Illinois	Hardin County	13.8	Medium (10.0 to 19.9)
Illinois	Henderson County	10.7	Medium (10.0 to 19.9)
Illinois	Henry County	5.2	Low (<10.0)
Illinois	Iroquois County	31.4	High (≥20.0)
Illinois	Jackson County	13.7	Medium (10.0 to 19.9)
Illinois	Jasper County	15.7	Medium (10.0 to 19.9)
Illinois	Jefferson County	13	Medium (10.0 to 19.9)
Illinois	Jersey County	11.4	Medium (10.0 to 19.9)
Illinois	Jo Daviess County	24.7	High (≥20.0)
Illinois	Johnson County	16.7	Medium (10.0 to 19.9)
Illinois	Kane County	8.2	Low (<10.0)
Illinois	Kankakee County	31.4	High (≥20.0)
Illinois	Kendall County	8.2	Low (<10.0)
Illinois	Knox County	25.5	High (≥20.0)
Illinois	La Salle County	7.7	Low (<10.0)
Illinois	Lake County	8.9	Low (<10.0)
Illinois	Lawrence County	10.2	Medium (10.0 to 19.9)
Illinois	Lee County	11.6	Medium (10.0 to 19.9)
Illinois	Livingston County	7.7	Low (<10.0)
Illinois	Logan County	20.1	High (≥20.0)
Illinois	Macon County	7	Low (<10.0)
Illinois	Macoupin County	17.7	Medium (10.0 to 19.9)
Illinois	Madison County	11.4	Medium (10.0 to 19.9)
Illinois	Marion County	13.7	Medium (10.0 to 19.9)
Illinois	Marshall County	18.4	Medium (10.0 to 19.9)
Illinois	Mason County	18.4	Medium (10.0 to 19.9)
Illinois	Massac County	16.7	Medium (10.0 to 19.9)
Illinois	McDonough County	20.1	High (≥20.0)
Illinois	McHenry County	8.9	Low (<10.0)
Illinois	McLean County	12.4	Medium (10.0 to 19.9)
Illinois	Menard County	20.1	High (≥20.0)
Illinois	Mercer County	5.2	Low (<10.0)
Illinois	Monroe County	6.3	Low (<10.0)
Illinois	Montgomery County	17.7	Medium (10.0 to 19.9)
Illinois	Morgan County	5.8	Low (<10.0)
Illinois	Moultrie County	7	Low (<10.0)
Illinois	Ogle County	11.6	Medium (10.0 to 19.9)
Illinois	Peoria County	18.4	Medium (10.0 to 19.9)
Illinois	Perry County	13.7	Medium (10.0 to 19.9)

Illinois	Piatt County	7	Low (<10.0)
Illinois	Pike County	14.9	Medium (10.0 to 19.9)
Illinois	Pope County	13.8	Medium (10.0 to 19.9)
Illinois	Pulaski County	12.6	Medium (10.0 to 19.9)
Illinois	Putnam County	7.7	Low (<10.0)
Illinois	Randolph County	6.3	Low (<10.0)
Illinois	Richland County	15.7	Medium (10.0 to 19.9)
Illinois	Rock Island County	5.2	Low (<10.0)
Illinois	Saline County	13.8	Medium (10.0 to 19.9)
Illinois	Sangamon County	20.1	High (≥20.0)
Illinois	Schuyler County	20.1	High (≥20.0)
Illinois	Scott County	5.8	Low (<10.0)
Illinois	Shelby County	7	Low (<10.0)
Illinois	St. Clair County	6.3	Low (<10.0)
Illinois	Stark County	5.2	Low (<10.0)
Illinois	Stephenson County	24.7	High (≥20.0)
Illinois	Tazewell County	18.4	Medium (10.0 to 19.9)
Illinois	Union County	12.6	Medium (10.0 to 19.9)
Illinois	Vermilion County	11.1	Medium (10.0 to 19.9)
Illinois	Wabash County	14.6	Medium (10.0 to 19.9)
Illinois	Warren County	25.5	High (≥20.0)
Illinois	Washington County	13.7	Medium (10.0 to 19.9)
Illinois	Wayne County	13	Medium (10.0 to 19.9)
Illinois	White County	0	Low (<10.0)
Illinois	Whiteside County	13.8	Medium (10.0 to 19.9)
Illinois	Will County	6.7	Low (<10.0)
Illinois	Williamson County	13.7	Medium (10.0 to 19.9)
Illinois	Winnebago County	11.6	Medium (10.0 to 19.9)
Illinois	Woodford County	12.4	Medium (10.0 to 19.9)
Indiana	Adams County	9.9	Low (<10.0)
Indiana	Allen County	11.2	Medium (10.0 to 19.9)
Indiana	Bartholomew County	15.9	Medium (10.0 to 19.9)
Indiana	Benton County	12.1	Medium (10.0 to 19.9)
Indiana	Blackford County	12	Medium (10.0 to 19.9)
Indiana	Boone County	1.5	Low (<10.0)
Indiana	Brown County	8.3	Low (<10.0)
Indiana	Carroll County	12.1	Medium (10.0 to 19.9)
Indiana	Cass County	11.1	Medium (10.0 to 19.9)
Indiana	Clark County	4.9	Low (<10.0)
Indiana	Clay County	14.9	Medium (10.0 to 19.9)
Indiana	Clinton County	12.1	Medium (10.0 to 19.9)
Indiana	Crawford County	11.4	Medium (10.0 to 19.9)
Indiana	Daviess County	10.2	Medium (10.0 to 19.9)
Indiana	De Kalb County	11.2	Medium (10.0 to 19.9)
Indiana	Dearborn County	8.2	Low (<10.0)
Indiana	Decatur County	15.9	Medium (10.0 to 19.9)
Indiana	Delaware County	12	Medium (10.0 to 19.9)

Indiana	Dubois County	16.4	Medium (10.0 to 19.9)
Indiana	Elkhart County	10.8	Medium (10.0 to 19.9)
Indiana	Fayette County	11.5	Medium (10.0 to 19.9)
Indiana	Floyd County	11.4	Medium (10.0 to 19.9)
Indiana	Fountain County	11.1	Medium (10.0 to 19.9)
Indiana	Franklin County	14.9	Medium (10.0 to 19.9)
Indiana	Fulton County	14.8	Medium (10.0 to 19.9)
Indiana	Gibson County	14.6	Medium (10.0 to 19.9)
Indiana	Grant County	9.1	Low (<10.0)
Indiana	Greene County	8.3	Low (<10.0)
Indiana	Hamilton County	9.8	Low (<10.0)
Indiana	Hancock County	3.2	Low (<10.0)
Indiana	Harrison County	11.4	Medium (10.0 to 19.9)
Indiana	Hendricks County	14	Medium (10.0 to 19.9)
Indiana	Henry County	3.2	Low (<10.0)
Indiana	Howard County	11.1	Medium (10.0 to 19.9)
Indiana	Huntington County	9.9	Low (<10.0)
Indiana	Jackson County	15.9	Medium (10.0 to 19.9)
Indiana	Jasper County	19	Medium (10.0 to 19.9)
Indiana	Jay County	9.9	Low (<10.0)
Indiana	Jefferson County	8.2	Low (<10.0)
Indiana	Jennings County	15.9	Medium (10.0 to 19.9)
Indiana	Johnson County	14	Medium (10.0 to 19.9)
Indiana	Knox County	10.2	Medium (10.0 to 19.9)
Indiana	Kosciusko County	10.8	Medium (10.0 to 19.9)
Indiana	La Porte County	6.8	Low (<10.0)
Indiana	LaGrange County	11.2	Medium (10.0 to 19.9)
Indiana	Lake County	19	Medium (10.0 to 19.9)
Indiana	Lawrence County	6.2	Low (<10.0)
Indiana	Madison County	9.8	Low (<10.0)
Indiana	Marion County	14	Medium (10.0 to 19.9)
Indiana	Marshall County	14.8	Medium (10.0 to 19.9)
Indiana	Martin County	10.2	Medium (10.0 to 19.9)
Indiana	Miami County	9.1	Low (<10.0)
Indiana	Monroe County	8.3	Low (<10.0)
Indiana	Montgomery County	18.3	Medium (10.0 to 19.9)
Indiana	Morgan County	14	Medium (10.0 to 19.9)
Indiana	Newton County	19	Medium (10.0 to 19.9)
Indiana	Noble County	11.2	Medium (10.0 to 19.9)
Indiana	Ohio County	8.2	Low (<10.0)
Indiana	Orange County	6.2	Low (<10.0)
Indiana	Owen County	8.3	Low (<10.0)
Indiana	Parke County	14.9	Medium (10.0 to 19.9)
Indiana	Perry County	13.5	Medium (10.0 to 19.9)
Indiana	Pike County	10.2	Medium (10.0 to 19.9)
Indiana	Porter County	19	Medium (10.0 to 19.9)
Indiana	Posey County	14.6	Medium (10.0 to 19.9)
Indiana	Pulaski County	14.8	Medium (10.0 to 19.9)
Indiana	Putnam County	14	Medium (10.0 to 19.9)
Indiana	Randolph County	12	Medium (10.0 to 19.9)
Indiana	Ripley County	8.2	Low (<10.0)
Indiana	Rush County	14	Medium (10.0 to 19.9)
Indiana	Scott County	4.9	Low (<10.0)
Indiana	Shelby County	14	Medium (10.0 to 19.9)
Indiana	Spencer County	14.6	Medium (10.0 to 19.9)
Indiana	St. Joseph County	14.8	Medium (10.0 to 19.9)
Indiana	Starke County	6.8	Low (<10.0)
Indiana	Steuben County	11.2	Medium (10.0 to 19.9)
Indiana	Sullivan County	14.9	Medium (10.0 to 19.9)

Indiana	Sullivan County	14.9	Medium (10.0 to 19.9)
Indiana	Switzerland County	8.2	Low (<10.0)
Indiana	Tippecanoe County	12.1	Medium (10.0 to 19.9)
Indiana	Tipton County	11.1	Medium (10.0 to 19.9)
Indiana	Union County	11.5	Medium (10.0 to 19.9)
Indiana	Vanderburgh County	14.6	Medium (10.0 to 19.9)
Indiana	Vermillion County	14.9	Medium (10.0 to 19.9)
Indiana	Vigo County	14.9	Medium (10.0 to 19.9)
Indiana	Wabash County	9.1	Low (<10.0)
Indiana	Warren County	11.1	Medium (10.0 to 19.9)
Indiana	Warrick County	14.6	Medium (10.0 to 19.9)
Indiana	Washington County	11.4	Medium (10.0 to 19.9)
Indiana	Wayne County	11.5	Medium (10.0 to 19.9)
Indiana	Wells County	9.9	Low (<10.0)
Indiana	White County	12.1	Medium (10.0 to 19.9)
Indiana	Whitley County	11.2	Medium (10.0 to 19.9)
Iowa	Adair County	8.9	Low (<10.0)
Iowa	Adams County	14.8	Medium (10.0 to 19.9)
Iowa	Allamakee County	10.1	Medium (10.0 to 19.9)
Iowa	Appanoose County	4.7	Low (<10.0)
Iowa	Audubon County	17.7	Medium (10.0 to 19.9)
Iowa	Benton County	14.4	Medium (10.0 to 19.9)
Iowa	Black Hawk County	13.4	Medium (10.0 to 19.9)
Iowa	Boone County	7.8	Low (<10.0)
Iowa	Bremer County	13.4	Medium (10.0 to 19.9)
Iowa	Buchanan County	13.4	Medium (10.0 to 19.9)
Iowa	Buena Vista County	12	Medium (10.0 to 19.9)
Iowa	Butler County	13.4	Medium (10.0 to 19.9)
Iowa	Calhoun County	7.6	Low (<10.0)
Iowa	Carroll County	7.6	Low (<10.0)
Iowa	Cass County	17.7	Medium (10.0 to 19.9)
Iowa	Cedar County	14.4	Medium (10.0 to 19.9)
Iowa	Cerro Gordo County	17.8	Medium (10.0 to 19.9)
Iowa	Cherokee County	12	Medium (10.0 to 19.9)
Iowa	Chickasaw County	10.9	Medium (10.0 to 19.9)
Iowa	Clarke County	8.9	Low (<10.0)
Iowa	Clay County	47.4	High (≥20.0)
Iowa	Clayton County	23.7	High (≥20.0)
Iowa	Clinton County	13.8	Medium (10.0 to 19.9)
Iowa	Crawford County	5.9	Low (<10.0)
Iowa	Dallas County	8.9	Low (<10.0)
Iowa	Davis County	4.7	Low (<10.0)
Iowa	Decatur County	8.9	Low (<10.0)
Iowa	Delaware County	23.7	High (≥20.0)
Iowa	Des Moines County	10.7	Medium (10.0 to 19.9)
Iowa	Dickinson County	47.4	High (≥20.0)
Iowa	Dubuque County	24.7	High (≥20.0)
Iowa	Emmet County	6.9	Low (<10.0)

Iowa	Fayette County	13.4	Medium (10.0 to 19.9)
Iowa	Floyd County	10.9	Medium (10.0 to 19.9)
Iowa	Franklin County	17.8	Medium (10.0 to 19.9)
Iowa	Fremont County	21.3	High (≥20.0)
Iowa	Greene County	0	Low (<10.0)
Iowa	Grundy County	13.4	Medium (10.0 to 19.9)
Iowa	Guthrie County	0	Low (<10.0)
Iowa	Hamilton County	7.8	Low (<10.0)
Iowa	Hancock County	17.8	Medium (10.0 to 19.9)
Iowa	Hardin County	7.8	Low (<10.0)
Iowa	Harrison County	17.7	Medium (10.0 to 19.9)
Iowa	Henry County	10.7	Medium (10.0 to 19.9)
Iowa	Howard County	7.3	Low (<10.0)
Iowa	Humboldt County	5.8	Low (<10.0)
Iowa	Ida County	12	Medium (10.0 to 19.9)
Iowa	Iowa County	14.4	Medium (10.0 to 19.9)
Iowa	Jackson County	24.7	High (≥20.0)
Iowa	Jasper County	8.9	Low (<10.0)
Iowa	Jefferson County	17.9	Medium (10.0 to 19.9)
Iowa	Johnson County	14.4	Medium (10.0 to 19.9)
Iowa	Jones County	14.4	Medium (10.0 to 19.9)
Iowa	Keokuk County	17.9	Medium (10.0 to 19.9)
Iowa	Kossuth County	17.8	Medium (10.0 to 19.9)
Iowa	Lee County	3.4	Low (<10.0)
Iowa	Linn County	14.4	Medium (10.0 to 19.9)
Iowa	Louisa County	14.4	Medium (10.0 to 19.9)
Iowa	Lucas County	13.3	Medium (10.0 to 19.9)
Iowa	Lyon County	20.8	High (≥20.0)
Iowa	Madison County	8.9	Low (<10.0)
Iowa	Mahaska County	17.9	Medium (10.0 to 19.9)
Iowa	Marion County	8.9	Low (<10.0)
Iowa	Marshall County	5.3	Low (<10.0)
Iowa	Mills County	17.7	Medium (10.0 to 19.9)
Iowa	Mitchell County	0	Low (<10.0)
Iowa	Monona County	12	Medium (10.0 to 19.9)
Iowa	Monroe County	17.9	Medium (10.0 to 19.9)
Iowa	Montgomery County	14.8	Medium (10.0 to 19.9)
Iowa	Muscatine County	11.1	Medium (10.0 to 19.9)
Iowa	OBrien County	15.2	Medium (10.0 to 19.9)
Iowa	Osceola County	15.2	Medium (10.0 to 19.9)
Iowa	Page County	21.3	High (≥20.0)
Iowa	Palo Alto County	47.4	High (≥20.0)
Iowa	Plymouth County	12	Medium (10.0 to 19.9)
Iowa	Pocahontas County	5.8	Low (<10.0)
Iowa	Polk County	8.9	Low (<10.0)
Iowa	Pottawattamie County	17.7	Medium (10.0 to 19.9)
Iowa	Poweshiek County	5.4	Low (<10.0)
Iowa	Ringgold County	8.9	Low (<10.0)

Iowa	Sac County	7.6	Low (<10.0)
Iowa	Scott County	11.1	Medium (10.0 to 19.9)
Iowa	Shelby County	17.7	Medium (10.0 to 19.9)
Iowa	Sioux County	17.2	Medium (10.0 to 19.9)
Iowa	Story County	7.8	Low (<10.0)
Iowa	Tama County	5.3	Low (<10.0)
Iowa	Taylor County	21.3	High (≥20.0)
Iowa	Union County	8.9	Low (<10.0)
Iowa	Van Buren County	17.9	Medium (10.0 to 19.9)
Iowa	Wapello County	17.9	Medium (10.0 to 19.9)
Iowa	Warren County	8.9	Low (<10.0)
Iowa	Washington County	14.4	Medium (10.0 to 19.9)
Iowa	Wayne County	13.3	Medium (10.0 to 19.9)
Iowa	Webster County	5.8	Low (<10.0)
Iowa	Winnebago County	17.8	Medium (10.0 to 19.9)
Iowa	Winneshiek County	20	High (≥20.0)
Iowa	Woodbury County	12	Medium (10.0 to 19.9)
Iowa	Worth County	17.8	Medium (10.0 to 19.9)
Iowa	Wright County	7.8	Low (<10.0)
Kansas	Allen County	9.8	Low (<10.0)
Kansas	Anderson County	7.8	Low (<10.0)
Kansas	Atchison County	0	Low (<10.0)
Kansas	Barber County	45.2	High (≥20.0)
Kansas	Barton County	5.3	Low (<10.0)
Kansas	Bourbon County	0	Low (<10.0)
Kansas	Brown County	4.3	Low (<10.0)
Kansas	Butler County	13.7	Medium (10.0 to 19.9)
Kansas	Chase County	6	Low (<10.0)
Kansas	Chautauqua County	10.1	Medium (10.0 to 19.9)
Kansas	Cherokee County	11.5	Medium (10.0 to 19.9)
Kansas	Cheyenne County	0	Low (<10.0)
Kansas	Clark County	0	Low (<10.0)
Kansas	Clay County	0	Low (<10.0)
Kansas	Cloud County	0	Low (<10.0)
Kansas	Coffey County	6	Low (<10.0)
Kansas	Comanche County	15	Medium (10.0 to 19.9)
Kansas	Cowley County	13.7	Medium (10.0 to 19.9)
Kansas	Crawford County	0	Low (<10.0)
Kansas	Decatur County	53.1	High (≥20.0)
Kansas	Dickinson County	1.8	Low (<10.0)
Kansas	Doniphan County	16.4	Medium (10.0 to 19.9)
Kansas	Douglas County	7.8	Low (<10.0)
Kansas	Edwards County	5.3	Low (<10.0)
Kansas	Elk County	10.1	Medium (10.0 to 19.9)
Kansas	Ellis County	20.4	High (≥20.0)
Kansas	Ellsworth County	0	Low (<10.0)
Kansas	Finney County	9.4	Low (<10.0)
Kansas	Ford County	0	Low (<10.0)

Kansas	Franklin County	7.8	Low (<10.0)
Kansas	Geary County	1.8	Low (<10.0)
Kansas	Gove County	20.4	High (≥20.0)
Kansas	Graham County	20.4	High (≥20.0)
Kansas	Grant County	15.7	Medium (10.0 to 19.9)
Kansas	Gray County	0	Low (<10.0)
Kansas	Greeley County	0	Low (<10.0)
Kansas	Greenwood County	6	Low (<10.0)
Kansas	Hamilton County	9.4	Low (<10.0)
Kansas	Harper County	7.9	Low (<10.0)
Kansas	Harvey County	13.7	Medium (10.0 to 19.9)
Kansas	Haskell County	9.4	Low (<10.0)
Kansas	Hodgeman County	0	Low (<10.0)
Kansas	Jackson County	4.3	Low (<10.0)
Kansas	Jefferson County	4.3	Low (<10.0)
Kansas	Jewell County	24.4	High (≥20.0)
Kansas	Johnson County	7.8	Low (<10.0)
Kansas	Kearny County	9.4	Low (<10.0)
Kansas	Kingman County	7.9	Low (<10.0)
Kansas	Kiowa County	15	Medium (10.0 to 19.9)
Kansas	Labette County	9.8	Low (<10.0)
Kansas	Lane County	9.4	Low (<10.0)
Kansas	Leavenworth County	18.6	Medium (10.0 to 19.9)
Kansas	Lincoln County	0	Low (<10.0)
Kansas	Linn County	0	Low (<10.0)
Kansas	Logan County	20.4	High (≥20.0)
Kansas	Lyon County	6	Low (<10.0)
Kansas	Marion County	13.7	Medium (10.0 to 19.9)
Kansas	Marshall County	26.5	High (≥20.0)
Kansas	McPherson County	7	Low (<10.0)
Kansas	Meade County	0	Low (<10.0)
Kansas	Miami County	7.8	Low (<10.0)
Kansas	Mitchell County	24.4	High (≥20.0)
Kansas	Montgomery County	10.1	Medium (10.0 to 19.9)
Kansas	Morris County	1.8	Low (<10.0)
Kansas	Morton County	13	Medium (10.0 to 19.9)
Kansas	Nemaha County	4.3	Low (<10.0)
Kansas	Neosho County	9.8	Low (<10.0)
Kansas	Ness County	0	Low (<10.0)
Kansas	Norton County	7.1	Low (<10.0)
Kansas	Osage County	4.3	Low (<10.0)
Kansas	Osborne County	24.4	High (≥20.0)
Kansas	Ottawa County	0	Low (<10.0)
Kansas	Pawnee County	5.3	Low (<10.0)
Kansas	Phillips County	7.1	Low (<10.0)
Kansas	Pottawatomie County	4.3	Low (<10.0)
Kansas	Pratt County	15	Medium (10.0 to 19.9)
Kansas	Rawlins County	0	Low (<10.0)

Kansas	Reno County	13.2	Medium (10.0 to 19.9)
Kansas	Republic County	0	Low (<10.0)
Kansas	Rice County	13.2	Medium (10.0 to 19.9)
Kansas	Riley County	4.3	Low (<10.0)
Kansas	Rooks County	20.4	High (≥20.0)
Kansas	Rush County	5.3	Low (<10.0)
Kansas	Russell County	N/A	Insufficient data (N/A)
Kansas	Saline County	0	Low (<10.0)
Kansas	Scott County	9.4	Low (<10.0)
Kansas	Sedgwick County	13.7	Medium (10.0 to 19.9)
Kansas	Seward County	13	Medium (10.0 to 19.9)
Kansas	Shawnee County	4.3	Low (<10.0)
Kansas	Sheridan County	53.1	High (≥20.0)
Kansas	Sherman County	0	Low (<10.0)
Kansas	Smith County	7.1	Low (<10.0)
Kansas	Stafford County	13.2	Medium (10.0 to 19.9)
Kansas	Stanton County	15.7	Medium (10.0 to 19.9)
Kansas	Stevens County	0	Low (<10.0)
Kansas	Sumner County	13.7	Medium (10.0 to 19.9)
Kansas	Thomas County	0	Low (<10.0)
Kansas	Trego County	20.4	High (≥20.0)
Kansas	Wabaunsee County	4.3	Low (<10.0)
Kansas	Wallace County	0	Low (<10.0)
Kansas	Washington County	26.5	High (≥20.0)
Kansas	Wichita County	0	Low (<10.0)
Kansas	Wilson County	0	Low (<10.0)
Kansas	Woodson County	9.8	Low (<10.0)
Kansas	Wyandotte County	18.6	Medium (10.0 to 19.9)
Kentucky	Adair County	0	Low (<10.0)
Kentucky	Allen County	6.7	Low (<10.0)
Kentucky	Anderson County	4.7	Low (<10.0)
Kentucky	Ballard County	16.7	Medium (10.0 to 19.9)
Kentucky	Barren County	17.9	Medium (10.0 to 19.9)
Kentucky	Bath County	9.8	Low (<10.0)
Kentucky	Bell County	13.1	Medium (10.0 to 19.9)
Kentucky	Boone County	10.4	Medium (10.0 to 19.9)
Kentucky	Bourbon County	11.1	Medium (10.0 to 19.9)
Kentucky	Boyd County	20.5	High (≥20.0)
Kentucky	Boyle County	6.3	Low (<10.0)
Kentucky	Bracken County	15	Medium (10.0 to 19.9)
Kentucky	Breathitt County	9.3	Low (<10.0)
Kentucky	Breckinridge County	10	Medium (10.0 to 19.9)
Kentucky	Bullitt County	7.5	Low (<10.0)
Kentucky	Butler County	6.7	Low (<10.0)
Kentucky	Caldwell County	6.6	Low (<10.0)
Kentucky	Calloway County	1.7	Low (<10.0)
Kentucky	Campbell County	10.4	Medium (10.0 to 19.9)

Kentucky	Carlisle County	16.7	Medium (10.0 to 19.9)
Kentucky	Carroll County	8.2	Low (<10.0)
Kentucky	Carter County	20.5	High (≥20.0)
Kentucky	Casey County	6.3	Low (<10.0)
Kentucky	Christian County	6.6	Low (<10.0)
Kentucky	Clark County	9.3	Low (<10.0)
Kentucky	Clay County	8.8	Low (<10.0)
Kentucky	Clinton County	11.9	Medium (10.0 to 19.9)
Kentucky	Crittenden County	16.7	Medium (10.0 to 19.9)
Kentucky	Cumberland County	11.9	Medium (10.0 to 19.9)
Kentucky	Daviess County	13.5	Medium (10.0 to 19.9)
Kentucky	Edmonson County	6.7	Low (<10.0)
Kentucky	Elliott County	21.2	High (≥20.0)
Kentucky	Estill County	10.2	Medium (10.0 to 19.9)
Kentucky	Fayette County	9.3	Low (<10.0)
Kentucky	Fleming County	15	Medium (10.0 to 19.9)
Kentucky	Floyd County	12.9	Medium (10.0 to 19.9)
Kentucky	Franklin County	4.7	Low (<10.0)
Kentucky	Fulton County	4.3	Low (<10.0)
Kentucky	Gallatin County	10.4	Medium (10.0 to 19.9)
Kentucky	Garrard County	6.3	Low (<10.0)
Kentucky	Grant County	10.4	Medium (10.0 to 19.9)
Kentucky	Graves County	16.7	Medium (10.0 to 19.9)
Kentucky	Grayson County	10	Medium (10.0 to 19.9)
Kentucky	Green County	0	Low (<10.0)
Kentucky	Greenup County	20.5	High (≥20.0)
Kentucky	Hancock County	13.5	Medium (10.0 to 19.9)
Kentucky	Hardin County	10	Medium (10.0 to 19.9)
Kentucky	Harlan County	13.1	Medium (10.0 to 19.9)
Kentucky	Harrison County	N/A	Insufficient data (N/A)
Kentucky	Hart County	17.9	Medium (10.0 to 19.9)
Kentucky	Henderson County	13.4	Medium (10.0 to 19.9)
Kentucky	Henry County	7.5	Low (<10.0)
Kentucky	Hickman County	16.7	Medium (10.0 to 19.9)
Kentucky	Hopkins County	6.6	Low (<10.0)
Kentucky	Jackson County	10.2	Medium (10.0 to 19.9)
Kentucky	Jefferson County	7.5	Low (<10.0)
Kentucky	Jessamine County	9.3	Low (<10.0)
Kentucky	Johnson County	12.9	Medium (10.0 to 19.9)
Kentucky	Kenton County	10.4	Medium (10.0 to 19.9)
Kentucky	Knott County	9.3	Low (<10.0)
Kentucky	Knox County	8.8	Low (<10.0)
Kentucky	Larue County	10	Medium (10.0 to 19.9)
Kentucky	Laurel County	8.8	Low (<10.0)
Kentucky	Lawrence County	20.5	High (≥20.0)
Kentucky	Lee County	9.3	Low (<10.0)
Kentucky	Leslie County	9.3	Low (<10.0)
Kentucky	Letcher County	23.2	High (≥20.0)

Kentucky	Lewis County	20.7	High (≥20.0)
Kentucky	Lincoln County	6.3	Low (<10.0)
Kentucky	Livingston County	16.7	Medium (10.0 to 19.9)
Kentucky	Logan County	6.7	Low (<10.0)
Kentucky	Lyon County	16.7	Medium (10.0 to 19.9)
Kentucky	Madison County	10.2	Medium (10.0 to 19.9)
Kentucky	Magoffin County	12.9	Medium (10.0 to 19.9)
Kentucky	Marion County	7.5	Low (<10.0)
Kentucky	Marshall County	16.7	Medium (10.0 to 19.9)
Kentucky	Martin County	20.5	High (≥20.0)
Kentucky	Mason County	15	Medium (10.0 to 19.9)
Kentucky	McCracken County	16.7	Medium (10.0 to 19.9)
Kentucky	McCreary County	8.8	Low (<10.0)
Kentucky	McLean County	13.5	Medium (10.0 to 19.9)
Kentucky	Meade County	10	Medium (10.0 to 19.9)
Kentucky	Menifee County	21.2	High (≥20.0)
Kentucky	Mercer County	6.3	Low (<10.0)
Kentucky	Metcalfe County	17.9	Medium (10.0 to 19.9)
Kentucky	Monroe County	17.9	Medium (10.0 to 19.9)
Kentucky	Montgomery County	9.8	Low (<10.0)
Kentucky	Morgan County	21.2	High (≥20.0)
Kentucky	Muhlenberg County	6.6	Low (<10.0)
Kentucky	Nelson County	7.5	Low (<10.0)
Kentucky	Nicholas County	11.1	Medium (10.0 to 19.9)
Kentucky	Ohio County	13.5	Medium (10.0 to 19.9)
Kentucky	Oldham County	7.5	Low (<10.0)
Kentucky	Owen County	4.7	Low (<10.0)
Kentucky	Owsley County	9.3	Low (<10.0)
Kentucky	Pendleton County	10.4	Medium (10.0 to 19.9)
Kentucky	Perry County	9.3	Low (<10.0)
Kentucky	Pike County	19.4	Medium (10.0 to 19.9)
Kentucky	Powell County	9.3	Low (<10.0)
Kentucky	Pulaski County	8.8	Low (<10.0)
Kentucky	Robertson County	N/A	Insufficient data (N/A)
Kentucky	Rockcastle County	10.2	Medium (10.0 to 19.9)
Kentucky	Rowan County	21.2	High (≥20.0)
Kentucky	Russell County	0	Low (<10.0)
Kentucky	Scott County	9.3	Low (<10.0)
Kentucky	Shelby County	7.5	Low (<10.0)
Kentucky	Simpson County	6.7	Low (<10.0)
Kentucky	Spencer County	7.5	Low (<10.0)
Kentucky	Taylor County	0	Low (<10.0)
Kentucky	Todd County	6.6	Low (<10.0)
Kentucky	Trigg County	6.6	Low (<10.0)
Kentucky	Trimble County	8.2	Low (<10.0)
Kentucky	Union County	13.4	Medium (10.0 to 19.9)
Kentucky	Warren County	6.7	Low (<10.0)
Kentucky	Washington County	7.5	Low (<10.0)

Kentucky	Wayne County	8.8	Low (<10.0)
Kentucky	Webster County	6.6	Low (<10.0)
Kentucky	Whitley County	8.8	Low (<10.0)
Kentucky	Wolfe County	9.3	Low (<10.0)
Kentucky	Woodford County	9.3	Low (<10.0)
Louisiana	Acadia Parish	4.1	Low (<10.0)
Louisiana	Allen Parish	5	Low (<10.0)
Louisiana	Ascension Parish	3.4	Low (<10.0)
Louisiana	Assumption Parish	2.2	Low (<10.0)
Louisiana	Avoyelles Parish	5	Low (<10.0)
Louisiana	Beauregard Parish	1.8	Low (<10.0)
Louisiana	Bienville Parish	4.1	Low (<10.0)
Louisiana	Bossier Parish	7	Low (<10.0)
Louisiana	Caddo Parish	7	Low (<10.0)
Louisiana	Calcasieu Parish	1.8	Low (<10.0)
Louisiana	Caldwell Parish	9.8	Low (<10.0)
Louisiana	Cameron Parish	1.8	Low (<10.0)
Louisiana	Catahoula Parish	5	Low (<10.0)
Louisiana	Claiborne Parish	12.8	Medium (10.0 to 19.9)
Louisiana	Concordia Parish	2.9	Low (<10.0)
Louisiana	De Soto Parish	7	Low (<10.0)
Louisiana	East Baton Rouge Parish	3.4	Low (<10.0)
Louisiana	East Carroll Parish	9.8	Low (<10.0)
Louisiana	East Feliciana Parish	3.4	Low (<10.0)
Louisiana	Evangeline Parish	4.3	Low (<10.0)
Louisiana	Franklin Parish	9.8	Low (<10.0)
Louisiana	Grant Parish	5	Low (<10.0)
Louisiana	Iberia Parish	4.1	Low (<10.0)
Louisiana	Iberville Parish	3.4	Low (<10.0)
Louisiana	Jackson Parish	4.1	Low (<10.0)
Louisiana	Jefferson Davis Parish	1.8	Low (<10.0)
Louisiana	Jefferson Parish	3.7	Low (<10.0)
Louisiana	La Salle Parish	5	Low (<10.0)
Louisiana	Lafayette Parish	4.1	Low (<10.0)
Louisiana	Lafourche Parish	2.2	Low (<10.0)
Louisiana	Lincoln Parish	4.1	Low (<10.0)
Louisiana	Livingston Parish	3.4	Low (<10.0)
Louisiana	Madison Parish	0	Low (<10.0)
Louisiana	Morehouse Parish	9.8	Low (<10.0)
Louisiana	Natchitoches Parish	7	Low (<10.0)
Louisiana	Orleans Parish	3.7	Low (<10.0)
Louisiana	Ouachita Parish	9.8	Low (<10.0)
Louisiana	Plaquemines Parish	3.7	Low (<10.0)
Louisiana	Pointe Coupee Parish	3.4	Low (<10.0)
Louisiana	Rapides Parish	5	Low (<10.0)
Louisiana	Red River Parish	7	Low (<10.0)
Louisiana	Richland Parish	9.8	Low (<10.0)
Louisiana	Sabine Parish	7	Low (<10.0)

Louisiana	St. Bernard Parish	3.7	Low (<10.0)
Louisiana	St. Charles Parish	3.7	Low (<10.0)
Louisiana	St. Helena Parish	6.9	Low (<10.0)
Louisiana	St. James Parish	3.7	Low (<10.0)
Louisiana	St. John the Baptist Parish	3.7	Low (<10.0)
Louisiana	St. Landry Parish	4.3	Low (<10.0)
Louisiana	St. Martin Parish	4.1	Low (<10.0)
Louisiana	St. Mary Parish	4.1	Low (<10.0)
Louisiana	St. Tammany Parish	4.4	Low (<10.0)
Louisiana	Tangipahoa Parish	6.9	Low (<10.0)
Louisiana	Tensas Parish	2.9	Low (<10.0)
Louisiana	Terrebonne Parish	2.2	Low (<10.0)
Louisiana	Union Parish	4.1	Low (<10.0)
Louisiana	Vermilion Parish	4.1	Low (<10.0)
Louisiana	Vernon Parish	1.8	Low (<10.0)
Louisiana	Washington Parish	4.4	Low (<10.0)
Louisiana	Webster Parish	7	Low (<10.0)
Louisiana	West Baton Rouge Parish	3.4	Low (<10.0)
Louisiana	West Carroll Parish	9.8	Low (<10.0)
Louisiana	West Feliciana Parish	3.4	Low (<10.0)
Louisiana	Winn Parish	0	Low (<10.0)
Maine	Androscoggin County	9.7	Low (<10.0)
Maine	Aroostook County	11.9	Medium (10.0 to 19.9)
Maine	Cumberland County	4.9	Low (<10.0)
Maine	Franklin County	9.7	Low (<10.0)
Maine	Hancock County	11.4	Medium (10.0 to 19.9)
Maine	Kennebec County	11.8	Medium (10.0 to 19.9)
Maine	Knox County	4.9	Low (<10.0)
Maine	Lincoln County	4.9	Low (<10.0)
Maine	Oxford County	9.7	Low (<10.0)
Maine	Penobscot County	11.4	Medium (10.0 to 19.9)
Maine	Piscataquis County	11.4	Medium (10.0 to 19.9)
Maine	Sagadahoc County	4.9	Low (<10.0)
Maine	Somerset County	11.8	Medium (10.0 to 19.9)
Maine	Waldo County	11.8	Medium (10.0 to 19.9)
Maine	Washington County	11.4	Medium (10.0 to 19.9)
Maine	York County	5	Low (<10.0)
Maryland	Allegany County	14.5	Medium (10.0 to 19.9)
Maryland	Anne Arundel County	9.9	Low (<10.0)
Maryland	Baltimore City	9.9	Low (<10.0)
Maryland	Baltimore County	9.9	Low (<10.0)
Maryland	Calvert County	9.9	Low (<10.0)
Maryland	Caroline County	1.3	Low (<10.0)
Maryland	Carroll County	9.9	Low (<10.0)
Maryland	Cecil County	4.6	Low (<10.0)
Maryland	Charles County	4.7	Low (<10.0)
Maryland	Dorchester County	1.3	Low (<10.0)
Maryland	Frederick County	6.5	Low (<10.0)
Maryland	Garrett County	14.5	Medium (10.0 to 19.9)
Maryland	Harford County	4.6	Low (<10.0)
Maryland	Howard County	9.9	Low (<10.0)
Maryland	Kent County	5.1	Low (<10.0)
Maryland	Montgomery County	4.7	Low (<10.0)
Maryland	Prince Georges County	4.7	Low (<10.0)
Maryland	Queen Annes County	1.3	Low (<10.0)
Maryland	Somerset County	9.4	Low (<10.0)
Maryland	St. Marys County	4.7	Low (<10.0)

Maryland	Talbot County	1.3	Low (<10.0)
Maryland	Washington County	10	Medium (10.0 to 19.9)
Maryland	Wicomico County	9.4	Low (<10.0)
Maryland	Worcester County	9.4	Low (<10.0)
Massachusetts	Barnstable County	10.3	Medium (10.0 to 19.9)
Massachusetts	Berkshire County	10.8	Medium (10.0 to 19.9)
Massachusetts	Bristol County	9.1	Low (<10.0)
Massachusetts	Dukes County	10.3	Medium (10.0 to 19.9)
Massachusetts	Essex County	8.3	Low (<10.0)
Massachusetts	Franklin County	12.4	Medium (10.0 to 19.9)
Massachusetts	Hampden County	6.2	Low (<10.0)
Massachusetts	Hampshire County	6.2	Low (<10.0)
Massachusetts	Middlesex County	10.3	Medium (10.0 to 19.9)
Massachusetts	Nantucket County	10.3	Medium (10.0 to 19.9)
Massachusetts	Norfolk County	10.3	Medium (10.0 to 19.9)
Massachusetts	Plymouth County	10.3	Medium (10.0 to 19.9)
Massachusetts	Suffolk County	10.3	Medium (10.0 to 19.9)
Massachusetts	Worcester County	12.4	Medium (10.0 to 19.9)
Michigan	Alcona County	8.2	Low (<10.0)
Michigan	Alger County	7.1	Low (<10.0)
Michigan	Allegan County	3.2	Low (<10.0)
Michigan	Alpena County	8.2	Low (<10.0)
Michigan	Antrim County	9.1	Low (<10.0)
Michigan	Arenac County	13.9	Medium (10.0 to 19.9)
Michigan	Baraga County	6.5	Low (<10.0)
Michigan	Barry County	6.6	Low (<10.0)
Michigan	Bay County	13.9	Medium (10.0 to 19.9)
Michigan	Benzie County	9.1	Low (<10.0)
Michigan	Berrien County	9.6	Low (<10.0)
Michigan	Branch County	13.9	Medium (10.0 to 19.9)
Michigan	Calhoun County	6.6	Low (<10.0)
Michigan	Cass County	9.6	Low (<10.0)
Michigan	Charlevoix County	9.8	Low (<10.0)
Michigan	Cheboygan County	9.8	Low (<10.0)
Michigan	Chippewa County	9.8	Low (<10.0)
Michigan	Clare County	12.4	Medium (10.0 to 19.9)
Michigan	Clinton County	8.5	Low (<10.0)
Michigan	Crawford County	9.6	Low (<10.0)
Michigan	Delta County	7.1	Low (<10.0)
Michigan	Dickinson County	16.4	Medium (10.0 to 19.9)
Michigan	Eaton County	8.5	Low (<10.0)
Michigan	Emmet County	9.8	Low (<10.0)
Michigan	Genesee County	10.3	Medium (10.0 to 19.9)
Michigan	Gladwin County	12.4	Medium (10.0 to 19.9)
Michigan	Gogebic County	7.6	Low (<10.0)
Michigan	Grand Traverse County	9.1	Low (<10.0)
Michigan	Gratiot County	11.3	Medium (10.0 to 19.9)
Michigan	Hillsdale County	13.9	Medium (10.0 to 19.9)

Michigan	Houghton County	6.5	Low (<10.0)
Michigan	Huron County	16.1	Medium (10.0 to 19.9)
Michigan	Ingham County	8.5	Low (<10.0)
Michigan	Ionia County	11.3	Medium (10.0 to 19.9)
Michigan	Iosco County	13.9	Medium (10.0 to 19.9)
Michigan	Iron County	16.4	Medium (10.0 to 19.9)
Michigan	Isabella County	12.4	Medium (10.0 to 19.9)
Michigan	Jackson County	13.9	Medium (10.0 to 19.9)
Michigan	Kalamazoo County	7.1	Low (<10.0)
Michigan	Kalkaska County	9.1	Low (<10.0)
Michigan	Kent County	11.3	Medium (10.0 to 19.9)
Michigan	Keweenaw County	6.5	Low (<10.0)
Michigan	Lake County	5.9	Low (<10.0)
Michigan	Lapeer County	10.3	Medium (10.0 to 19.9)
Michigan	Leelanau County	9.1	Low (<10.0)
Michigan	Lenawee County	13.9	Medium (10.0 to 19.9)
Michigan	Livingston County	9.5	Low (<10.0)
Michigan	Luce County	7.1	Low (<10.0)
Michigan	Mackinac County	9.8	Low (<10.0)
Michigan	Macomb County	9.5	Low (<10.0)
Michigan	Manistee County	9.1	Low (<10.0)
Michigan	Marquette County	7.1	Low (<10.0)
Michigan	Mason County	8.6	Low (<10.0)
Michigan	Mecosta County	11.3	Medium (10.0 to 19.9)
Michigan	Menominee County	16.4	Medium (10.0 to 19.9)
Michigan	Midland County	12.4	Medium (10.0 to 19.9)
Michigan	Missaukee County	5.9	Low (<10.0)
Michigan	Monroe County	13.5	Medium (10.0 to 19.9)
Michigan	Montcalm County	11.3	Medium (10.0 to 19.9)
Michigan	Montmorency County	8.2	Low (<10.0)
Michigan	Muskegon County	8.6	Low (<10.0)
Michigan	Newaygo County	8.6	Low (<10.0)
Michigan	Oakland County	9.5	Low (<10.0)
Michigan	Oceana County	8.6	Low (<10.0)
Michigan	Ogemaw County	13.9	Medium (10.0 to 19.9)
Michigan	Ontonagon County	7.6	Low (<10.0)
Michigan	Osceola County	5.9	Low (<10.0)
Michigan	Oscoda County	13.9	Medium (10.0 to 19.9)
Michigan	Otsego County	9.6	Low (<10.0)
Michigan	Ottawa County	3.2	Low (<10.0)
Michigan	Presque Isle County	8.2	Low (<10.0)
Michigan	Roscommon County	9.6	Low (<10.0)
Michigan	Saginaw County	16.1	Medium (10.0 to 19.9)
Michigan	Sanilac County	15	Medium (10.0 to 19.9)
Michigan	Schoolcraft County	7.1	Low (<10.0)
Michigan	Shiawassee County	8.5	Low (<10.0)
Michigan	St. Clair County	15	Medium (10.0 to 19.9)
Michigan	St. Joseph County	7.1	Low (<10.0)

Michigan	Tuscola County	16.1	Medium (10.0 to 19.9)
Michigan	Van Buren County	9.6	Low (<10.0)
Michigan	Washtenaw County	9.5	Low (<10.0)
Michigan	Wayne County	9.5	Low (<10.0)
Michigan	Wexford County	5.9	Low (<10.0)
Minnesota	Aitkin County	13	Medium (10.0 to 19.9)
Minnesota	Anoka County	7.9	Low (<10.0)
Minnesota	Becker County	10.1	Medium (10.0 to 19.9)
Minnesota	Beltrami County	16.1	Medium (10.0 to 19.9)
Minnesota	Benton County	11.7	Medium (10.0 to 19.9)
Minnesota	Big Stone County	26.8	High (≥20.0)
Minnesota	Blue Earth County	3.8	Low (<10.0)
Minnesota	Brown County	29.2	High (≥20.0)
Minnesota	Carlton County	12.9	Medium (10.0 to 19.9)
Minnesota	Carver County	7.9	Low (<10.0)
Minnesota	Cass County	13	Medium (10.0 to 19.9)
Minnesota	Chippewa County	8.7	Low (<10.0)
Minnesota	Chisago County	4.3	Low (<10.0)
Minnesota	Clay County	10.1	Medium (10.0 to 19.9)
Minnesota	Clearwater County	16.1	Medium (10.0 to 19.9)
Minnesota	Cook County	12.9	Medium (10.0 to 19.9)
Minnesota	Cottonwood County	3.9	Low (<10.0)
Minnesota	Crow Wing County	13	Medium (10.0 to 19.9)
Minnesota	Dakota County	4.3	Low (<10.0)
Minnesota	Dodge County	7.3	Low (<10.0)
Minnesota	Douglas County	10.1	Medium (10.0 to 19.9)
Minnesota	Faribault County	11.4	Medium (10.0 to 19.9)
Minnesota	Fillmore County	7.3	Low (<10.0)
Minnesota	Freeborn County	11.4	Medium (10.0 to 19.9)
Minnesota	Goodhue County	5	Low (<10.0)
Minnesota	Grant County	4.6	Low (<10.0)
Minnesota	Hennepin County	7.9	Low (<10.0)
Minnesota	Houston County	10.1	Medium (10.0 to 19.9)
Minnesota	Hubbard County	13	Medium (10.0 to 19.9)
Minnesota	Isanti County	4.8	Low (<10.0)
Minnesota	Itasca County	12.9	Medium (10.0 to 19.9)
Minnesota	Jackson County	3.9	Low (<10.0)
Minnesota	Kanabec County	4.8	Low (<10.0)
Minnesota	Kandiyohi County	8.7	Low (<10.0)
Minnesota	Kittson County	12.6	Medium (10.0 to 19.9)
Minnesota	Koochiching County	12.9	Medium (10.0 to 19.9)
Minnesota	Lac qui Parle County	8.7	Low (<10.0)
Minnesota	Lake County	12.9	Medium (10.0 to 19.9)
Minnesota	Lake of the Woods County	0	Low (<10.0)
Minnesota	Le Sueur County	7.9	Low (<10.0)
Minnesota	Lincoln County	16.1	Medium (10.0 to 19.9)
Minnesota	Lyon County	16.1	Medium (10.0 to 19.9)

Minnesota	Mahnomen County	10.1	Medium (10.0 to 19.9)
Minnesota	Marshall County	12.6	Medium (10.0 to 19.9)
Minnesota	Martin County	6.9	Low (<10.0)
Minnesota	McLeod County	7.9	Low (<10.0)
Minnesota	Meeker County	11.7	Medium (10.0 to 19.9)
Minnesota	Mille Lacs County	4.8	Low (<10.0)
Minnesota	Morrison County	11.7	Medium (10.0 to 19.9)
Minnesota	Mower County	7.3	Low (<10.0)
Minnesota	Murray County	3.9	Low (<10.0)
Minnesota	Nicollet County	3.8	Low (<10.0)
Minnesota	Nobles County	3.9	Low (<10.0)
Minnesota	Norman County	10.1	Medium (10.0 to 19.9)
Minnesota	Olmsted County	7.3	Low (<10.0)
Minnesota	Otter Tail County	4.6	Low (<10.0)
Minnesota	Pennington County	12.6	Medium (10.0 to 19.9)
Minnesota	Pine County	12.9	Medium (10.0 to 19.9)
Minnesota	Pipestone County	20.8	High (≥20.0)
Minnesota	Polk County	1.6	Low (<10.0)
Minnesota	Pope County	10.1	Medium (10.0 to 19.9)
Minnesota	Ramsey County	4.3	Low (<10.0)
Minnesota	Red Lake County	12.6	Medium (10.0 to 19.9)
Minnesota	Redwood County	29.2	High (≥20.0)
Minnesota	Renville County	29.2	High (≥20.0)
Minnesota	Rice County	10.5	Medium (10.0 to 19.9)
Minnesota	Rock County	20.8	High (≥20.0)
Minnesota	Roseau County	0	Low (<10.0)
Minnesota	Scott County	7.9	Low (<10.0)
Minnesota	Sherburne County	7.9	Low (<10.0)
Minnesota	Sibley County	7.9	Low (<10.0)
Minnesota	St. Louis County	12.9	Medium (10.0 to 19.9)
Minnesota	Stearns County	11.7	Medium (10.0 to 19.9)
Minnesota	Steele County	7.3	Low (<10.0)
Minnesota	Stevens County	10.1	Medium (10.0 to 19.9)
Minnesota	Swift County	8.7	Low (<10.0)
Minnesota	Todd County	11.7	Medium (10.0 to 19.9)
Minnesota	Traverse County	26.8	High (≥20.0)
Minnesota	Wabasha County	7.3	Low (<10.0)
Minnesota	Wadena County	13	Medium (10.0 to 19.9)
Minnesota	Waseca County	3.8	Low (<10.0)
Minnesota	Washington County	4.3	Low (<10.0)
Minnesota	Watonwan County	3.8	Low (<10.0)
Minnesota	Wilkin County	10.1	Medium (10.0 to 19.9)
Minnesota	Winona County	7.3	Low (<10.0)
Minnesota	Wright County	7.9	Low (<10.0)
Minnesota	Yellow Medicine County	8.7	Low (<10.0)
Mississippi	Adams County	2.9	Low (<10.0)
Mississippi	Alcorn County	12.4	Medium (10.0 to 19.9)
Mississippi	Amite County	4.4	Low (<10.0)

Mississippi	Attala County	9.7	Low (<10.0)
Mississippi	Benton County	4.3	Low (<10.0)
Mississippi	Bolivar County	8.7	Low (<10.0)
Mississippi	Calhoun County	0	Low (<10.0)
Mississippi	Carroll County	4.9	Low (<10.0)
Mississippi	Chickasaw County	4.8	Low (<10.0)
Mississippi	Choctaw County	2.3	Low (<10.0)
Mississippi	Claiborne County	0	Low (<10.0)
Mississippi	Clarke County	4.6	Low (<10.0)
Mississippi	Clay County	3.9	Low (<10.0)
Mississippi	Coahoma County	0	Low (<10.0)
Mississippi	Copiah County	1.6	Low (<10.0)
Mississippi	Covington County	7.1	Low (<10.0)
Mississippi	DeSoto County	4.3	Low (<10.0)
Mississippi	Forrest County	7.1	Low (<10.0)
Mississippi	Franklin County	2.9	Low (<10.0)
Mississippi	George County	1.2	Low (<10.0)
Mississippi	Greene County	7.1	Low (<10.0)
Mississippi	Grenada County	4.9	Low (<10.0)
Mississippi	Hancock County	0.4	Low (<10.0)
Mississippi	Harrison County	0.4	Low (<10.0)
Mississippi	Hinds County	9.7	Low (<10.0)
Mississippi	Holmes County	9.7	Low (<10.0)
Mississippi	Humphreys County	8.7	Low (<10.0)
Mississippi	Issaquena County	0	Low (<10.0)
Mississippi	Itawamba County	4.8	Low (<10.0)
Mississippi	Jackson County	1.2	Low (<10.0)
Mississippi	Jasper County	2.5	Low (<10.0)
Mississippi	Jefferson County	2.9	Low (<10.0)
Mississippi	Jefferson Davis County	4.2	Low (<10.0)
Mississippi	Jones County	2.5	Low (<10.0)
Mississippi	Kemper County	4.6	Low (<10.0)
Mississippi	Lafayette County	0	Low (<10.0)
Mississippi	Lamar County	7.1	Low (<10.0)
Mississippi	Lauderdale County	4.6	Low (<10.0)
Mississippi	Lawrence County	4.2	Low (<10.0)
Mississippi	Leake County	9.7	Low (<10.0)
Mississippi	Lee County	4.8	Low (<10.0)
Mississippi	Leflore County	8.7	Low (<10.0)
Mississippi	Lincoln County	1.6	Low (<10.0)
Mississippi	Lowndes County	3.9	Low (<10.0)
Mississippi	Madison County	9.7	Low (<10.0)
Mississippi	Marion County	4.4	Low (<10.0)
Mississippi	Marshall County	4.3	Low (<10.0)
Mississippi	Monroe County	4.8	Low (<10.0)
Mississippi	Montgomery County	4.9	Low (<10.0)
Mississippi	Neshoba County	4.6	Low (<10.0)
Mississippi	Newton County	4.6	Low (<10.0)

Mississippi	Noxubee County	3.9	Low (<10.0)
Mississippi	Oktibbeha County	2.3	Low (<10.0)
Mississippi	Panola County	4.3	Low (<10.0)
Mississippi	Pearl River County	4.4	Low (<10.0)
Mississippi	Perry County	7.1	Low (<10.0)
Mississippi	Pike County	4.4	Low (<10.0)
Mississippi	Pontotoc County	1.2	Low (<10.0)
Mississippi	Prentiss County	4.8	Low (<10.0)
Mississippi	Quitman County	0	Low (<10.0)
Mississippi	Rankin County	9.7	Low (<10.0)
Mississippi	Scott County	9.7	Low (<10.0)
Mississippi	Sharkey County	0	Low (<10.0)
Mississippi	Simpson County	9.7	Low (<10.0)
Mississippi	Smith County	2.5	Low (<10.0)
Mississippi	Stone County	0.4	Low (<10.0)
Mississippi	Sunflower County	8.7	Low (<10.0)
Mississippi	Tallahatchie County	0	Low (<10.0)
Mississippi	Tate County	4.3	Low (<10.0)
Mississippi	Tippah County	1.2	Low (<10.0)
Mississippi	Tishomingo County	12.4	Medium (10.0 to 19.9)
Mississippi	Tunica County	4.3	Low (<10.0)
Mississippi	Union County	1.2	Low (<10.0)
Mississippi	Walthall County	4.4	Low (<10.0)
Mississippi	Warren County	0	Low (<10.0)
Mississippi	Washington County	0	Low (<10.0)
Mississippi	Wayne County	2.5	Low (<10.0)
Mississippi	Webster County	2.3	Low (<10.0)
Mississippi	Wilkinson County	0	Low (<10.0)
Mississippi	Winston County	2.3	Low (<10.0)
Mississippi	Yalobusha County	0	Low (<10.0)
Mississippi	Yazoo County	0	Low (<10.0)
Missouri	Adair County	6	Low (<10.0)
Missouri	Andrew County	16.4	Medium (10.0 to 19.9)
Missouri	Atchison County	10.5	Medium (10.0 to 19.9)
Missouri	Audrain County	8.1	Low (<10.0)
Missouri	Barry County	10.1	Medium (10.0 to 19.9)
Missouri	Barton County	11.5	Medium (10.0 to 19.9)
Missouri	Bates County	25.3	High (≥20.0)
Missouri	Benton County	5.7	Low (<10.0)
Missouri	Bollinger County	12.6	Medium (10.0 to 19.9)
Missouri	Boone County	8.1	Low (<10.0)
Missouri	Buchanan County	16.4	Medium (10.0 to 19.9)
Missouri	Butler County	12.6	Medium (10.0 to 19.9)
Missouri	Caldwell County	14.2	Medium (10.0 to 19.9)
Missouri	Callaway County	8.9	Low (<10.0)
Missouri	Camden County	4.3	Low (<10.0)
Missouri	Cape Girardeau County	12.6	Medium (10.0 to 19.9)
Missouri	Carroll County	20.9	High (≥20.0)

Missouri	Carter County	12.6	Medium (10.0 to 19.9)
Missouri	Cass County	14.2	Medium (10.0 to 19.9)
Missouri	Cedar County	0	Low (<10.0)
Missouri	Chariton County	8.1	Low (<10.0)
Missouri	Christian County	10.1	Medium (10.0 to 19.9)
Missouri	Clark County	3.4	Low (<10.0)
Missouri	Clay County	14.2	Medium (10.0 to 19.9)
Missouri	Clinton County	14.2	Medium (10.0 to 19.9)
Missouri	Cole County	8.9	Low (<10.0)
Missouri	Cooper County	8.1	Low (<10.0)
Missouri	Crawford County	8.9	Low (<10.0)
Missouri	Dade County	10.1	Medium (10.0 to 19.9)
Missouri	Dallas County	10.1	Medium (10.0 to 19.9)
Missouri	Daviess County	14.2	Medium (10.0 to 19.9)
Missouri	DeKalb County	16.4	Medium (10.0 to 19.9)
Missouri	Dent County	15.1	Medium (10.0 to 19.9)
Missouri	Douglas County	10.1	Medium (10.0 to 19.9)
Missouri	Dunklin County	10.1	Medium (10.0 to 19.9)
Missouri	Franklin County	12.2	Medium (10.0 to 19.9)
Missouri	Gasconade County	8.9	Low (<10.0)
Missouri	Gentry County	16.4	Medium (10.0 to 19.9)
Missouri	Greene County	10.1	Medium (10.0 to 19.9)
Missouri	Grundy County	0	Low (<10.0)
Missouri	Harrison County	16.4	Medium (10.0 to 19.9)
Missouri	Henry County	25.3	High (≥20.0)
Missouri	Hickory County	10.1	Medium (10.0 to 19.9)
Missouri	Holt County	10.5	Medium (10.0 to 19.9)
Missouri	Howard County	8.1	Low (<10.0)
Missouri	Howell County	38	High (≥20.0)
Missouri	Iron County	12.2	Medium (10.0 to 19.9)
Missouri	Jackson County	14.2	Medium (10.0 to 19.9)
Missouri	Jasper County	11.5	Medium (10.0 to 19.9)
Missouri	Jefferson County	12.2	Medium (10.0 to 19.9)
Missouri	Johnson County	14.2	Medium (10.0 to 19.9)
Missouri	Knox County	6	Low (<10.0)
Missouri	Laclede County	10.1	Medium (10.0 to 19.9)
Missouri	Lafayette County	14.2	Medium (10.0 to 19.9)
Missouri	Lawrence County	10.1	Medium (10.0 to 19.9)
Missouri	Lewis County	14.9	Medium (10.0 to 19.9)
Missouri	Lincoln County	7.7	Low (<10.0)
Missouri	Linn County	25.2	High (≥20.0)
Missouri	Livingston County	20.9	High (≥20.0)
Missouri	Macon County	8.1	Low (<10.0)
Missouri	Madison County	33.1	High (≥20.0)
Missouri	Maries County	8.9	Low (<10.0)
Missouri	Marion County	14.9	Medium (10.0 to 19.9)
Missouri	McDonald County	11.5	Medium (10.0 to 19.9)

Missouri	Mercer County	0	Low (<10.0)
Missouri	Miller County	8.9	Low (<10.0)
Missouri	Mississippi County	12.6	Medium (10.0 to 19.9)
Missouri	Moniteau County	8.9	Low (<10.0)
Missouri	Monroe County	8.1	Low (<10.0)
Missouri	Montgomery County	7.7	Low (<10.0)
Missouri	Morgan County	5.7	Low (<10.0)
Missouri	New Madrid County	12.6	Medium (10.0 to 19.9)
Missouri	Newton County	11.5	Medium (10.0 to 19.9)
Missouri	Nodaway County	16.4	Medium (10.0 to 19.9)
Missouri	Oregon County	38	High (≥20.0)
Missouri	Osage County	8.9	Low (<10.0)
Missouri	Ozark County	10.1	Medium (10.0 to 19.9)
Missouri	Pemiscot County	0	Low (<10.0)
Missouri	Perry County	12.6	Medium (10.0 to 19.9)
Missouri	Pettis County	5.7	Low (<10.0)
Missouri	Phelps County	15.1	Medium (10.0 to 19.9)
Missouri	Pike County	14.9	Medium (10.0 to 19.9)
Missouri	Platte County	14.2	Medium (10.0 to 19.9)
Missouri	Polk County	10.1	Medium (10.0 to 19.9)
Missouri	Pulaski County	15.1	Medium (10.0 to 19.9)
Missouri	Putnam County	6	Low (<10.0)
Missouri	Ralls County	14.9	Medium (10.0 to 19.9)
Missouri	Randolph County	8.1	Low (<10.0)
Missouri	Ray County	14.2	Medium (10.0 to 19.9)
Missouri	Reynolds County	15.1	Medium (10.0 to 19.9)
Missouri	Ripley County	12.6	Medium (10.0 to 19.9)
Missouri	Saline County	5.7	Low (<10.0)
Missouri	Schuyler County	6	Low (<10.0)
Missouri	Scotland County	6	Low (<10.0)
Missouri	Scott County	12.6	Medium (10.0 to 19.9)
Missouri	Shannon County	38	High (≥20.0)
Missouri	Shelby County	8.1	Low (<10.0)
Missouri	St. Charles County	7.7	Low (<10.0)
Missouri	St. Clair County	25.3	High (≥20.0)
Missouri	St. Francois County	12.2	Medium (10.0 to 19.9)
Missouri	St. Genevieve County	12.2	Medium (10.0 to 19.9)
Missouri	St. Louis City	12.2	Medium (10.0 to 19.9)
Missouri	St. Louis County	12.2	Medium (10.0 to 19.9)
Missouri	Stoddard County	12.6	Medium (10.0 to 19.9)
Missouri	Stone County	10.1	Medium (10.0 to 19.9)
Missouri	Sullivan County	6	Low (<10.0)
Missouri	Taney County	12.5	Medium (10.0 to 19.9)
Missouri	Texas County	10.1	Medium (10.0 to 19.9)
Missouri	Vernon County	0	Low (<10.0)
Missouri	Warren County	7.7	Low (<10.0)
Missouri	Washington County	12.2	Medium (10.0 to 19.9)
Missouri	Wayne County	12.6	Medium (10.0 to 19.9)

Missouri	Webster County	10.1	Medium (10.0 to 19.9)
Missouri	Worth County	16.4	Medium (10.0 to 19.9)
Missouri	Wright County	10.1	Medium (10.0 to 19.9)
Montana	Beaverhead County	9.3	Low (<10.0)
Montana	Big Horn County	20	High (≥20.0)
Montana	Blaine County	3.4	Low (<10.0)
Montana	Broadwater County	3.4	Low (<10.0)
Montana	Carbon County	20	High (≥20.0)
Montana	Carter County	51.2	High (≥20.0)
Montana	Cascade County	6.7	Low (<10.0)
Montana	Chouteau County	6.7	Low (<10.0)
Montana	Custer County	51.2	High (≥20.0)
Montana	Daniels County	180	High (≥20.0)
Montana	Dawson County	40.8	High (≥20.0)
Montana	Deer Lodge County	9.3	Low (<10.0)
Montana	Fallon County	51.2	High (≥20.0)
Montana	Fergus County	34.7	High (≥20.0)
Montana	Flathead County	4.8	Low (<10.0)
Montana	Gallatin County and Yellowstone National Park	5.7	Low (<10.0)
Montana	Garfield County	51.2	High (≥20.0)
Montana	Glacier County	6.7	Low (<10.0)
Montana	Golden Valley County	20	High (≥20.0)
Montana	Granite County	3.7	Low (<10.0)
Montana	Hill County	3.4	Low (<10.0)
Montana	Jefferson County	3.4	Low (<10.0)
Montana	Judith Basin County	6.7	Low (<10.0)
Montana	Lake County	3.7	Low (<10.0)
Montana	Lewis and Clark County	3.4	Low (<10.0)
Montana	Liberty County	3.4	Low (<10.0)
Montana	Lincoln County	4.8	Low (<10.0)
Montana	Madison County	5.7	Low (<10.0)
Montana	McCone County	40.8	High (≥20.0)
Montana	Meagher County	0	Low (<10.0)
Montana	Mineral County	3.7	Low (<10.0)
Montana	Missoula County	3.7	Low (<10.0)
Montana	Musselshell County	20	High (≥20.0)
Montana	Park County	0	Low (<10.0)
Montana	Petroleum County	34.7	High (≥20.0)
Montana	Phillips County	3.4	Low (<10.0)
Montana	Pondera County	6.7	Low (<10.0)
Montana	Powder River County	51.2	High (≥20.0)
Montana	Powell County	0	Low (<10.0)
Montana	Prairie County	51.2	High (≥20.0)
Montana	Ravalli County	3.7	Low (<10.0)
Montana	Richland County	40.8	High (≥20.0)
Montana	Roosevelt County	21.7	High (≥20.0)
Montana	Rosebud County	20	High (≥20.0)
Montana	Sanders County	3.7	Low (<10.0)
Montana	Sheridan County	180	High (≥20.0)
Montana	Silver Bow County	9.3	Low (<10.0)
Montana	Stillwater County	20	High (≥20.0)
Montana	Sweet Grass County	0	Low (<10.0)
Montana	Teton County	6.7	Low (<10.0)
Montana	Toole County	6.7	Low (<10.0)
Montana	Treasure County	20	High (≥20.0)
Montana	Valley County	21.7	High (≥20.0)
Montana	Wheatland County	0	Low (<10.0)

Montana	Wibaux County	40.8	High (≥20.0)
Montana	Yellowstone County	20	High (≥20.0)
Nebraska	Adams County	17.7	Medium (10.0 to 19.9)
Nebraska	Antelope County	12.5	Medium (10.0 to 19.9)
Nebraska	Arthur County	21.1	High (≥20.0)
Nebraska	Banner County	10	Medium (10.0 to 19.9)
Nebraska	Blaine County	83.8	High (≥20.0)
Nebraska	Boone County	4.7	Low (<10.0)
Nebraska	Box Butte County	10	Medium (10.0 to 19.9)
Nebraska	Boyd County	8.4	Low (<10.0)
Nebraska	Brown County	13.2	Medium (10.0 to 19.9)
Nebraska	Buffalo County	14.4	Medium (10.0 to 19.9)
Nebraska	Burt County	9.9	Low (<10.0)
Nebraska	Butler County	9	Low (<10.0)
Nebraska	Cass County	9.9	Low (<10.0)
Nebraska	Cedar County	14.7	Medium (10.0 to 19.9)
Nebraska	Chase County	15.3	Medium (10.0 to 19.9)
Nebraska	Cherry County	0	Low (<10.0)
Nebraska	Cheyenne County	11.4	Medium (10.0 to 19.9)
Nebraska	Clay County	17.7	Medium (10.0 to 19.9)
Nebraska	Colfax County	9.9	Low (<10.0)
Nebraska	Cuming County	9.9	Low (<10.0)
Nebraska	Custer County	83.8	High (≥20.0)
Nebraska	Dakota County	12	Medium (10.0 to 19.9)
Nebraska	Dawes County	21.5	High (≥20.0)
Nebraska	Dawson County	14.4	Medium (10.0 to 19.9)
Nebraska	Deuel County	11.4	Medium (10.0 to 19.9)
Nebraska	Dixon County	12	Medium (10.0 to 19.9)
Nebraska	Dodge County	9.9	Low (<10.0)
Nebraska	Douglas County	9.9	Low (<10.0)
Nebraska	Dundy County	15.3	Medium (10.0 to 19.9)
Nebraska	Fillmore County	9.6	Low (<10.0)
Nebraska	Franklin County	14.4	Medium (10.0 to 19.9)
Nebraska	Frontier County	14.4	Medium (10.0 to 19.9)
Nebraska	Furnas County	11.7	Medium (10.0 to 19.9)
Nebraska	Gage County	9	Low (<10.0)
Nebraska	Garden County	10	Medium (10.0 to 19.9)
Nebraska	Garfield County	83.8	High (≥20.0)
Nebraska	Gosper County	14.4	Medium (10.0 to 19.9)
Nebraska	Grant County	10	Medium (10.0 to 19.9)
Nebraska	Greeley County	16	Medium (10.0 to 19.9)
Nebraska	Hall County	16	Medium (10.0 to 19.9)
Nebraska	Hamilton County	16	Medium (10.0 to 19.9)
Nebraska	Harlan County	11.7	Medium (10.0 to 19.9)
Nebraska	Hayes County	15.3	Medium (10.0 to 19.9)
Nebraska	Hitchcock County	53.1	High (≥20.0)
Nebraska	Holt County	13.2	Medium (10.0 to 19.9)
Nebraska	Hooker County	21.1	High (≥20.0)

Nebraska	Howard County	16	Medium (10.0 to 19.9)
Nebraska	Jefferson County	9	Low (<10.0)
Nebraska	Johnson County	33.2	High (≥20.0)
Nebraska	Kearney County	14.4	Medium (10.0 to 19.9)
Nebraska	Keith County	21.1	High (≥20.0)
Nebraska	Keya Paha County	13.2	Medium (10.0 to 19.9)
Nebraska	Kimball County	11.4	Medium (10.0 to 19.9)
Nebraska	Knox County	14.7	Medium (10.0 to 19.9)
Nebraska	Lancaster County	9	Low (<10.0)
Nebraska	Lincoln County	21.1	High (≥20.0)
Nebraska	Logan County	83.8	High (≥20.0)
Nebraska	Loup County	83.8	High (≥20.0)
Nebraska	Madison County	12.5	Medium (10.0 to 19.9)
Nebraska	McPherson County	21.1	High (≥20.0)
Nebraska	Merrick County	16	Medium (10.0 to 19.9)
Nebraska	Morrill County	10	Medium (10.0 to 19.9)
Nebraska	Nance County	4.7	Low (<10.0)
Nebraska	Nemaha County	14.3	Medium (10.0 to 19.9)
Nebraska	Nuckolls County	17.7	Medium (10.0 to 19.9)
Nebraska	Otoe County	33.2	High (≥20.0)
Nebraska	Pawnee County	19.1	Medium (10.0 to 19.9)
Nebraska	Perkins County	21.1	High (≥20.0)
Nebraska	Phelps County	11.7	Medium (10.0 to 19.9)
Nebraska	Pierce County	12.5	Medium (10.0 to 19.9)
Nebraska	Platte County	4.7	Low (<10.0)
Nebraska	Polk County	31.8	High (≥20.0)
Nebraska	Red Willow County	53.1	High (≥20.0)
Nebraska	Richardson County	19.1	Medium (10.0 to 19.9)
Nebraska	Rock County	13.2	Medium (10.0 to 19.9)
Nebraska	Saline County	9	Low (<10.0)
Nebraska	Sarpy County	9.9	Low (<10.0)
Nebraska	Saunders County	9.9	Low (<10.0)
Nebraska	Scotts Bluff County	10	Medium (10.0 to 19.9)
Nebraska	Seward County	9	Low (<10.0)
Nebraska	Sheridan County	21.5	High (≥20.0)
Nebraska	Sherman County	14.4	Medium (10.0 to 19.9)
Nebraska	Sioux County	21.5	High (≥20.0)
Nebraska	Stanton County	12.5	Medium (10.0 to 19.9)
Nebraska	Thayer County	9.6	Low (<10.0)
Nebraska	Thomas County	83.8	High (≥20.0)
Nebraska	Thurston County	12	Medium (10.0 to 19.9)
Nebraska	Valley County	83.8	High (≥20.0)
Nebraska	Washington County	9.9	Low (<10.0)
Nebraska	Wayne County	12.5	Medium (10.0 to 19.9)
Nebraska	Webster County	17.7	Medium (10.0 to 19.9)
Nebraska	Wheeler County	83.8	High (≥20.0)
Nebraska	York County	31.8	High (≥20.0)
Nevada	Carson City	2.5	Low (<10.0)

Nevada	Churchill County	2.5	Low (<10.0)
Nevada	Clark County	7.5	Low (<10.0)
Nevada	Douglas County	2.5	Low (<10.0)
Nevada	Elko County	0	Low (<10.0)
Nevada	Esmeralda County	7.5	Low (<10.0)
Nevada	Eureka County	0	Low (<10.0)
Nevada	Humboldt County	2.5	Low (<10.0)
Nevada	Lander County	0	Low (<10.0)
Nevada	Lincoln County	7.5	Low (<10.0)
Nevada	Lyon County	2.5	Low (<10.0)
Nevada	Mineral County	2.5	Low (<10.0)
Nevada	Nye County	7.5	Low (<10.0)
Nevada	Pershing County	2.5	Low (<10.0)
Nevada	Storey County	2.5	Low (<10.0)
Nevada	Washoe County	2.5	Low (<10.0)
Nevada	White Pine County	10.4	Medium (10.0 to 19.9)
New Hampshire	Belknap County	8.8	Low (<10.0)
New Hampshire	Carroll County	8.8	Low (<10.0)
New Hampshire	Cheshire County	7.6	Low (<10.0)
New Hampshire	Coos County	10.6	Medium (10.0 to 19.9)
New Hampshire	Grafton County	11.6	Medium (10.0 to 19.9)
New Hampshire	Hillsborough County	8.8	Low (<10.0)
New Hampshire	Merrimack County	8.8	Low (<10.0)
New Hampshire	Rockingham County	8.3	Low (<10.0)
New Hampshire	Strafford County	5	Low (<10.0)
New Hampshire	Sullivan County	11.6	Medium (10.0 to 19.9)
New Jersey	Atlantic County	11.2	Medium (10.0 to 19.9)
New Jersey	Bergen County	7.2	Low (<10.0)
New Jersey	Burlington County	10	Medium (10.0 to 19.9)
New Jersey	Camden County	10	Medium (10.0 to 19.9)
New Jersey	Cape May County	11.2	Medium (10.0 to 19.9)
New Jersey	Cumberland County	16.7	Medium (10.0 to 19.9)
New Jersey	Essex County	6	Low (<10.0)
New Jersey	Gloucester County	10	Medium (10.0 to 19.9)
New Jersey	Hudson County	7.2	Low (<10.0)
New Jersey	Hunterdon County	7.8	Low (<10.0)
New Jersey	Mercer County	7.3	Low (<10.0)
New Jersey	Middlesex County	6	Low (<10.0)
New Jersey	Monmouth County	8.4	Low (<10.0)
New Jersey	Morris County	9.2	Low (<10.0)
New Jersey	Ocean County	8.4	Low (<10.0)
New Jersey	Passaic County	7.2	Low (<10.0)
New Jersey	Salem County	10	Medium (10.0 to 19.9)
New Jersey	Somerset County	6	Low (<10.0)
New Jersey	Sussex County	9.2	Low (<10.0)
New Jersey	Union County	6	Low (<10.0)
New Jersey	Warren County	7.8	Low (<10.0)

New Mexico	Bernalillo County	7.2	Low (<10.0)
New Mexico	Catron County	0	Low (<10.0)
New Mexico	Chaves County	3.3	Low (<10.0)
New Mexico	Cibola County	7.2	Low (<10.0)
New Mexico	Colfax County	7.9	Low (<10.0)
New Mexico	Curry County	3.9	Low (<10.0)
New Mexico	De Baca County	3.9	Low (<10.0)
New Mexico	Dona Ana County	4.7	Low (<10.0)
New Mexico	Eddy County	3.3	Low (<10.0)
New Mexico	Grant County	0	Low (<10.0)
New Mexico	Guadalupe County	2.7	Low (<10.0)
New Mexico	Harding County	2.7	Low (<10.0)
New Mexico	Hidalgo County	0	Low (<10.0)
New Mexico	Lea County	16.2	Medium (10.0 to 19.9)
New Mexico	Lincoln County	3.4	Low (<10.0)
New Mexico	Los Alamos County	4.1	Low (<10.0)
New Mexico	Luna County	4.7	Low (<10.0)
New Mexico	McKinley County	4.9	Low (<10.0)
New Mexico	Mora County	2.7	Low (<10.0)
New Mexico	Otero County	3.4	Low (<10.0)
New Mexico	Quay County	3.9	Low (<10.0)
New Mexico	Rio Arriba County	4.1	Low (<10.0)
New Mexico	Roosevelt County	3.9	Low (<10.0)
New Mexico	San Juan County	6.6	Low (<10.0)
New Mexico	San Miguel County	2.7	Low (<10.0)
New Mexico	Sandoval County	7.2	Low (<10.0)
New Mexico	Santa Fe County	4.1	Low (<10.0)
New Mexico	Sierra County	4.7	Low (<10.0)
New Mexico	Socorro County	7.2	Low (<10.0)
New Mexico	Taos County	4.1	Low (<10.0)
New Mexico	Torrance County	7.2	Low (<10.0)
New Mexico	Union County	0	Low (<10.0)
New Mexico	Valencia County	7.2	Low (<10.0)
New York	Albany County	13.4	Medium (10.0 to 19.9)
New York	Allegany County	14.1	Medium (10.0 to 19.9)
New York	Bronx County	7.5	Low (<10.0)
New York	Broome County	4.3	Low (<10.0)
New York	Cattaraugus County	14.1	Medium (10.0 to 19.9)
New York	Cayuga County	13.9	Medium (10.0 to 19.9)
New York	Chautauqua County	4.6	Low (<10.0)
New York	Chemung County	12.2	Medium (10.0 to 19.9)
New York	Chenango County	9.3	Low (<10.0)
New York	Clinton County	8.4	Low (<10.0)
New York	Columbia County	10.8	Medium (10.0 to 19.9)
New York	Cortland County	1.3	Low (<10.0)
New York	Delaware County	9.3	Low (<10.0)
New York	Dutchess County	9.6	Low (<10.0)
New York	Erie County	12.5	Medium (10.0 to 19.9)

New York	Essex County	8.4	Low (<10.0)
New York	Franklin County	8.4	Low (<10.0)
New York	Fulton County	2.9	Low (<10.0)
New York	Genesee County	12.5	Medium (10.0 to 19.9)
New York	Greene County	10.8	Medium (10.0 to 19.9)
New York	Hamilton County	18.7	Medium (10.0 to 19.9)
New York	Herkimer County	7.5	Low (<10.0)
New York	Jefferson County	18	Medium (10.0 to 19.9)
New York	Kings County	7.5	Low (<10.0)
New York	Lewis County	18	Medium (10.0 to 19.9)
New York	Livingston County	12.5	Medium (10.0 to 19.9)
New York	Madison County	7.5	Low (<10.0)
New York	Monroe County	12.5	Medium (10.0 to 19.9)
New York	Montgomery County	2.9	Low (<10.0)
New York	Nassau County	12.6	Medium (10.0 to 19.9)
New York	New York County	7.5	Low (<10.0)
New York	Niagara County	12.5	Medium (10.0 to 19.9)
New York	Oneida County	7.5	Low (<10.0)
New York	Onondaga County	13.9	Medium (10.0 to 19.9)
New York	Ontario County	15.9	Medium (10.0 to 19.9)
New York	Orange County	9.3	Low (<10.0)
New York	Orleans County	12.5	Medium (10.0 to 19.9)
New York	Oswego County	13.9	Medium (10.0 to 19.9)
New York	Otsego County	9.3	Low (<10.0)
New York	Putnam County	9.6	Low (<10.0)
New York	Queens County	7.5	Low (<10.0)
New York	Rensselaer County	13.4	Medium (10.0 to 19.9)
New York	Richmond County	7.5	Low (<10.0)
New York	Rockland County	7.2	Low (<10.0)
New York	Saratoga County	18.7	Medium (10.0 to 19.9)
New York	Schenectady County	18.7	Medium (10.0 to 19.9)
New York	Schoharie County	9.3	Low (<10.0)
New York	Schuyler County	12.2	Medium (10.0 to 19.9)
New York	Seneca County	15.9	Medium (10.0 to 19.9)
New York	St. Lawrence County	18	Medium (10.0 to 19.9)
New York	Steuben County	12.2	Medium (10.0 to 19.9)
New York	Suffolk County	12.6	Medium (10.0 to 19.9)
New York	Sullivan County	9.3	Low (<10.0)
New York	Tioga County	4.3	Low (<10.0)
New York	Tompkins County	1.3	Low (<10.0)
New York	Ulster County	9.6	Low (<10.0)
New York	Warren County	18.7	Medium (10.0 to 19.9)
New York	Washington County	18.7	Medium (10.0 to 19.9)
New York	Wayne County	15.9	Medium (10.0 to 19.9)
New York	Westchester County	9.6	Low (<10.0)
New York	Wyoming County	12.5	Medium (10.0 to 19.9)
New York	Yates County	15.9	Medium (10.0 to 19.9)
North Carolina	Alamance County	2.9	Low (<10.0)

North Carolina	Alexander County	5	Low (<10.0)
North Carolina	Alleghany County	1.6	Low (<10.0)
North Carolina	Anson County	6.5	Low (<10.0)
North Carolina	Ashe County	3	Low (<10.0)
North Carolina	Avery County	5.9	Low (<10.0)
North Carolina	Beaufort County	7.8	Low (<10.0)
North Carolina	Bertie County	2.9	Low (<10.0)
North Carolina	Bladen County	3.5	Low (<10.0)
North Carolina	Brunswick County	2.7	Low (<10.0)
North Carolina	Buncombe County	4.2	Low (<10.0)
North Carolina	Burke County	6.3	Low (<10.0)
North Carolina	Cabarrus County	9.5	Low (<10.0)
North Carolina	Caldwell County	6.3	Low (<10.0)
North Carolina	Camden County	7.9	Low (<10.0)
North Carolina	Carteret County	4.9	Low (<10.0)
North Carolina	Caswell County	2.9	Low (<10.0)
North Carolina	Catawba County	6.3	Low (<10.0)
North Carolina	Chatham County	4	Low (<10.0)
North Carolina	Cherokee County	2.5	Low (<10.0)
North Carolina	Chowan County	2.9	Low (<10.0)
North Carolina	Clay County	2.5	Low (<10.0)
North Carolina	Cleveland County	2.7	Low (<10.0)
North Carolina	Columbus County	3.5	Low (<10.0)
North Carolina	Craven County	4.9	Low (<10.0)
North Carolina	Cumberland County	4	Low (<10.0)
North Carolina	Currituck County	6.8	Low (<10.0)
North Carolina	Dare County	7.9	Low (<10.0)
North Carolina	Davidson County	6	Low (<10.0)
North Carolina	Davie County	11.9	Medium (10.0 to 19.9)
North Carolina	Duplin County	4.2	Low (<10.0)
North Carolina	Durham County	8.2	Low (<10.0)
North Carolina	Edgecombe County	3.7	Low (<10.0)
North Carolina	Forsyth County	11.9	Medium (10.0 to 19.9)
North Carolina	Franklin County	2.6	Low (<10.0)
North Carolina	Gaston County	2.7	Low (<10.0)
North Carolina	Gates County	2.9	Low (<10.0)
North Carolina	Graham County	1	Low (<10.0)
North Carolina	Granville County	8.2	Low (<10.0)
North Carolina	Greene County	4.2	Low (<10.0)
North Carolina	Guilford County	6	Low (<10.0)
North Carolina	Halifax County	3.7	Low (<10.0)
North Carolina	Harnett County	4	Low (<10.0)
North Carolina	Haywood County	4.2	Low (<10.0)
North Carolina	Henderson County	4.2	Low (<10.0)
North Carolina	Hertford County	2.9	Low (<10.0)
North Carolina	Hoke County	3.9	Low (<10.0)
North Carolina	Hyde County	7.8	Low (<10.0)
North Carolina	Iredell County	5	Low (<10.0)

North Carolina	Jackson County	1	Low (<10.0)
North Carolina	Johnston County	2.6	Low (<10.0)
North Carolina	Jones County	4.9	Low (<10.0)
North Carolina	Lee County	4	Low (<10.0)
North Carolina	Lenoir County	4.2	Low (<10.0)
North Carolina	Lincoln County	2.7	Low (<10.0)
North Carolina	Macon County	1	Low (<10.0)
North Carolina	Madison County	4.2	Low (<10.0)
North Carolina	Martin County	7.8	Low (<10.0)
North Carolina	McDowell County	0	Low (<10.0)
North Carolina	Mecklenburg County	6.5	Low (<10.0)
North Carolina	Mitchell County	5.9	Low (<10.0)
North Carolina	Montgomery County	3.9	Low (<10.0)
North Carolina	Moore County	3.9	Low (<10.0)
North Carolina	Nash County	3.7	Low (<10.0)
North Carolina	New Hanover County	2.7	Low (<10.0)
North Carolina	Northampton County	3.7	Low (<10.0)
North Carolina	Onslow County	4.9	Low (<10.0)
North Carolina	Orange County	4	Low (<10.0)
North Carolina	Pamlico County	4.9	Low (<10.0)
North Carolina	Pasquotank County	7.9	Low (<10.0)
North Carolina	Pender County	2.7	Low (<10.0)
North Carolina	Perquimans County	7.9	Low (<10.0)
North Carolina	Person County	8.2	Low (<10.0)
North Carolina	Pitt County	7.8	Low (<10.0)
North Carolina	Polk County	6.6	Low (<10.0)
North Carolina	Randolph County	6	Low (<10.0)
North Carolina	Richmond County	3.9	Low (<10.0)
North Carolina	Robeson County	3.5	Low (<10.0)
North Carolina	Rockingham County	6	Low (<10.0)
North Carolina	Rowan County	9.5	Low (<10.0)
North Carolina	Rutherford County	2.7	Low (<10.0)
North Carolina	Sampson County	4	Low (<10.0)
North Carolina	Scotland County	3.5	Low (<10.0)
North Carolina	Stanly County	9.5	Low (<10.0)
North Carolina	Stokes County	11.9	Medium (10.0 to 19.9)
North Carolina	Surry County	11.9	Medium (10.0 to 19.9)
North Carolina	Swain County	1	Low (<10.0)
North Carolina	Transylvania County	4.2	Low (<10.0)
North Carolina	Tyrrell County	7.8	Low (<10.0)
North Carolina	Union County	6.5	Low (<10.0)
North Carolina	Vance County	8.2	Low (<10.0)
North Carolina	Wake County	2.6	Low (<10.0)
North Carolina	Warren County	8.2	Low (<10.0)
North Carolina	Washington County	7.8	Low (<10.0)
North Carolina	Watauga County	3	Low (<10.0)
North Carolina	Wayne County	4.2	Low (<10.0)

North Carolina	Wilkes County	8.8	Low (<10.0)
North Carolina	Wilson County	2.6	Low (<10.0)
North Carolina	Yadkin County	11.9	Medium (10.0 to 19.9)
North Carolina	Yancey County	5.9	Low (<10.0)
North Dakota	Adams County	0	Low (<10.0)
North Dakota	Barnes County	10.1	Medium (10.0 to 19.9)
North Dakota	Benson County	4.8	Low (<10.0)
North Dakota	Billings County	15.5	Medium (10.0 to 19.9)
North Dakota	Bottineau County	12.7	Medium (10.0 to 19.9)
North Dakota	Bowman County	0	Low (<10.0)
North Dakota	Burke County	12.7	Medium (10.0 to 19.9)
North Dakota	Burleigh County	13.9	Medium (10.0 to 19.9)
North Dakota	Cass County	10.1	Medium (10.0 to 19.9)
North Dakota	Cavalier County	1.6	Low (<10.0)
North Dakota	Dickey County	0	Low (<10.0)
North Dakota	Divide County	3.6	Low (<10.0)
North Dakota	Dunn County	15.5	Medium (10.0 to 19.9)
North Dakota	Eddy County	4.8	Low (<10.0)
North Dakota	Emmons County	13.9	Medium (10.0 to 19.9)
North Dakota	Foster County	0	Low (<10.0)
North Dakota	Golden Valley County	15.5	Medium (10.0 to 19.9)
North Dakota	Grand Forks County	1.6	Low (<10.0)
North Dakota	Grant County	0	Low (<10.0)
North Dakota	Griggs County	10.1	Medium (10.0 to 19.9)
North Dakota	Hettinger County	0	Low (<10.0)
North Dakota	Kidder County	13.9	Medium (10.0 to 19.9)
North Dakota	LaMoure County	0	Low (<10.0)
North Dakota	Logan County	0	Low (<10.0)
North Dakota	McHenry County	12.7	Medium (10.0 to 19.9)
North Dakota	McIntosh County	0	Low (<10.0)
North Dakota	McKenzie County	3.6	Low (<10.0)
North Dakota	McLean County	13.9	Medium (10.0 to 19.9)
North Dakota	Mercer County	13.9	Medium (10.0 to 19.9)
North Dakota	Morton County	13.9	Medium (10.0 to 19.9)
North Dakota	Mountrail County	12.7	Medium (10.0 to 19.9)
North Dakota	Nelson County	1.6	Low (<10.0)
North Dakota	Oliver County	13.9	Medium (10.0 to 19.9)
North Dakota	Pembina County	1.6	Low (<10.0)
North Dakota	Pierce County	0	Low (<10.0)
North Dakota	Ramsey County	4.8	Low (<10.0)
North Dakota	Ransom County	10.1	Medium (10.0 to 19.9)
North Dakota	Renville County	12.7	Medium (10.0 to 19.9)
North Dakota	Richland County	10.1	Medium (10.0 to 19.9)
North Dakota	Rolette County	0	Low (<10.0)
North Dakota	Sargent County	10.1	Medium (10.0 to 19.9)
North Dakota	Sheridan County	13.9	Medium (10.0 to 19.9)
North Dakota	Sioux County	13.9	Medium (10.0 to 19.9)
North Dakota	Slope County	0	Low (<10.0)

North Dakota	Stark County	15.5	Medium (10.0 to 19.9)
North Dakota	Steele County	10.1	Medium (10.0 to 19.9)
North Dakota	Stutsman County	0	Low (<10.0)
North Dakota	Towner County	0	Low (<10.0)
North Dakota	Traill County	10.1	Medium (10.0 to 19.9)
North Dakota	Walsh County	1.6	Low (<10.0)
North Dakota	Ward County	12.7	Medium (10.0 to 19.9)
North Dakota	Wells County	0	Low (<10.0)
North Dakota	Williams County	3.6	Low (<10.0)
Northern Mariana Islands	Unallocated Northern Mariana Islands	N/A	Insufficient data (N/A)
Ohio	Adams County	14.9	Medium (10.0 to 19.9)
Ohio	Allen County	23	High (≥20.0)
Ohio	Ashland County	16	Medium (10.0 to 19.9)
Ohio	Ashtabula County	6.7	Low (<10.0)
Ohio	Athens County	7.2	Low (<10.0)
Ohio	Auglaize County	23	High (≥20.0)
Ohio	Belmont County	13	Medium (10.0 to 19.9)
Ohio	Brown County	14.9	Medium (10.0 to 19.9)
Ohio	Butler County	14.9	Medium (10.0 to 19.9)
Ohio	Carroll County	5.7	Low (<10.0)
Ohio	Champaign County	15.6	Medium (10.0 to 19.9)
Ohio	Clark County	15.6	Medium (10.0 to 19.9)
Ohio	Clermont County	14.9	Medium (10.0 to 19.9)
Ohio	Clinton County	17.6	Medium (10.0 to 19.9)
Ohio	Columbiana County	9.8	Low (<10.0)
Ohio	Coshocton County	13.7	Medium (10.0 to 19.9)
Ohio	Crawford County	9.4	Low (<10.0)
Ohio	Cuyahoga County	6.7	Low (<10.0)
Ohio	Darke County	16.4	Medium (10.0 to 19.9)
Ohio	Defiance County	8.3	Low (<10.0)
Ohio	Delaware County	7	Low (<10.0)
Ohio	Erie County	10	Medium (10.0 to 19.9)
Ohio	Fairfield County	7.2	Low (<10.0)
Ohio	Fayette County	7	Low (<10.0)
Ohio	Franklin County	7	Low (<10.0)
Ohio	Fulton County	13.5	Medium (10.0 to 19.9)
Ohio	Gallia County	8.1	Low (<10.0)
Ohio	Geauga County	6.7	Low (<10.0)
Ohio	Greene County	16.4	Medium (10.0 to 19.9)
Ohio	Guernsey County	13.7	Medium (10.0 to 19.9)
Ohio	Hamilton County	14.9	Medium (10.0 to 19.9)
Ohio	Hancock County	18.3	Medium (10.0 to 19.9)
Ohio	Hardin County	23	High (≥20.0)
Ohio	Harrison County	12.4	Medium (10.0 to 19.9)
Ohio	Henry County	8.3	Low (<10.0)
Ohio	Highland County	17.6	Medium (10.0 to 19.9)
Ohio	Hocking County	7.2	Low (<10.0)
Ohio	Holmes County	5.7	Low (<10.0)
Ohio	Huron County	10	Medium (10.0 to 19.9)
Ohio	Jackson County	8.1	Low (<10.0)
Ohio	Jefferson County	12.4	Medium (10.0 to 19.9)
Ohio	Knox County	23	High (≥20.0)
Ohio	Lake County	6.7	Low (<10.0)
Ohio	Lawrence County	20.5	High (≥20.0)
Ohio	Licking County	23	High (≥20.0)
Ohio	Logan County	8.8	Low (<10.0)
Ohio	Lorain County	10	Medium (10.0 to 19.9)

Ohio	Lucas County	13.5	Medium (10.0 to 19.9)
Ohio	Madison County	7	Low (<10.0)
Ohio	Mahoning County	16.6	Medium (10.0 to 19.9)
Ohio	Marion County	9.4	Low (<10.0)
Ohio	Medina County	7.5	Low (<10.0)
Ohio	Meigs County	8.1	Low (<10.0)
Ohio	Mercer County	23	High (≥20.0)
Ohio	Miami County	9.6	Low (<10.0)
Ohio	Monroe County	13	Medium (10.0 to 19.9)
Ohio	Montgomery County	16.4	Medium (10.0 to 19.9)
Ohio	Morgan County	13.7	Medium (10.0 to 19.9)
Ohio	Morrow County	9.4	Low (<10.0)
Ohio	Muskingum County	13.7	Medium (10.0 to 19.9)
Ohio	Noble County	13.7	Medium (10.0 to 19.9)
Ohio	Ottawa County	13.5	Medium (10.0 to 19.9)
Ohio	Paulding County	8.3	Low (<10.0)
Ohio	Perry County	13.7	Medium (10.0 to 19.9)
Ohio	Pickaway County	7	Low (<10.0)
Ohio	Pike County	20.7	High (≥20.0)
Ohio	Portage County	7.5	Low (<10.0)
Ohio	Preble County	16.4	Medium (10.0 to 19.9)
Ohio	Putnam County	23	High (≥20.0)
Ohio	Richland County	16	Medium (10.0 to 19.9)
Ohio	Ross County	20.7	High (≥20.0)
Ohio	Sandusky County	10	Medium (10.0 to 19.9)
Ohio	Scioto County	20.7	High (≥20.0)
Ohio	Seneca County	18.3	Medium (10.0 to 19.9)
Ohio	Shelby County	9.6	Low (<10.0)
Ohio	Stark County	5.7	Low (<10.0)
Ohio	Summit County	7.5	Low (<10.0)
Ohio	Trumbull County	16.6	Medium (10.0 to 19.9)
Ohio	Tuscarawas County	5.7	Low (<10.0)
Ohio	Union County	9.4	Low (<10.0)
Ohio	Van Wert County	23	High (≥20.0)
Ohio	Vinton County	7.2	Low (<10.0)
Ohio	Warren County	14.9	Medium (10.0 to 19.9)
Ohio	Washington County	18.1	Medium (10.0 to 19.9)
Ohio	Wayne County	5.7	Low (<10.0)
Ohio	Williams County	8.3	Low (<10.0)
Ohio	Wood County	13.5	Medium (10.0 to 19.9)
Ohio	Wyandot County	9.4	Low (<10.0)
Oklahoma	Adair County	24.6	High (≥20.0)
Oklahoma	Alfalfa County	10.6	Medium (10.0 to 19.9)
Oklahoma	Atoka County	9	Low (<10.0)
Oklahoma	Beaver County	0	Low (<10.0)
Oklahoma	Beckham County	11.8	Medium (10.0 to 19.9)
Oklahoma	Blaine County	10.6	Medium (10.0 to 19.9)
Oklahoma	Bryan County	9	Low (<10.0)

Oklahoma	Caddo County	2.4	Low (<10.0)
Oklahoma	Canadian County	9.6	Low (<10.0)
Oklahoma	Carter County	20.8	High (≥20.0)
Oklahoma	Cherokee County	24.6	High (≥20.0)
Oklahoma	Choctaw County	29.3	High (≥20.0)
Oklahoma	Cimarron County	13	Medium (10.0 to 19.9)
Oklahoma	Cleveland County	3.5	Low (<10.0)
Oklahoma	Coal County	4.9	Low (<10.0)
Oklahoma	Comanche County	17.6	Medium (10.0 to 19.9)
Oklahoma	Cotton County	17.6	Medium (10.0 to 19.9)
Oklahoma	Craig County	11.6	Medium (10.0 to 19.9)
Oklahoma	Creek County	11.6	Medium (10.0 to 19.9)
Oklahoma	Custer County	0	Low (<10.0)
Oklahoma	Delaware County	4.8	Low (<10.0)
Oklahoma	Dewey County	2.8	Low (<10.0)
Oklahoma	Ellis County	2.8	Low (<10.0)
Oklahoma	Garfield County	10.6	Medium (10.0 to 19.9)
Oklahoma	Garvin County	3.5	Low (<10.0)
Oklahoma	Grady County	2.4	Low (<10.0)
Oklahoma	Grant County	10.6	Medium (10.0 to 19.9)
Oklahoma	Greer County	0	Low (<10.0)
Oklahoma	Harmon County	0	Low (<10.0)
Oklahoma	Harper County	2.8	Low (<10.0)
Oklahoma	Haskell County	9.3	Low (<10.0)
Oklahoma	Hughes County	4.9	Low (<10.0)
Oklahoma	Jackson County	0	Low (<10.0)
Oklahoma	Jefferson County	12.2	Medium (10.0 to 19.9)
Oklahoma	Johnston County	20.8	High (≥20.0)
Oklahoma	Kay County	9.9	Low (<10.0)
Oklahoma	Kingfisher County	10.6	Medium (10.0 to 19.9)
Oklahoma	Kiowa County	17.6	Medium (10.0 to 19.9)
Oklahoma	Latimer County	12.3	Medium (10.0 to 19.9)
Oklahoma	Le Flore County	9.3	Low (<10.0)
Oklahoma	Lincoln County	9.6	Low (<10.0)
Oklahoma	Logan County	9.6	Low (<10.0)
Oklahoma	Love County	20.8	High (≥20.0)
Oklahoma	Major County	10.6	Medium (10.0 to 19.9)
Oklahoma	Marshall County	20.8	High (≥20.0)
Oklahoma	Mayes County	11.6	Medium (10.0 to 19.9)
Oklahoma	McClain County	3.5	Low (<10.0)
Oklahoma	McCurtain County	8.5	Low (<10.0)
Oklahoma	McIntosh County	24.6	High (≥20.0)
Oklahoma	Murray County	3.5	Low (<10.0)
Oklahoma	Muskogee County	24.6	High (≥20.0)
Oklahoma	Noble County	10.1	Medium (10.0 to 19.9)
Oklahoma	Nowata County	10.1	Medium (10.0 to 19.9)
Oklahoma	Okfuskee County	0	Low (<10.0)
Oklahoma	Oklahoma County	9.6	Low (<10.0)

Oklahoma	Okmulgee County	0	Low (<10.0)
Oklahoma	Osage County	9.9	Low (<10.0)
Oklahoma	Ottawa County	11.6	Medium (10.0 to 19.9)
Oklahoma	Pawnee County	10.1	Medium (10.0 to 19.9)
Oklahoma	Payne County	10.1	Medium (10.0 to 19.9)
Oklahoma	Pittsburg County	12.3	Medium (10.0 to 19.9)
Oklahoma	Pontotoc County	4.9	Low (<10.0)
Oklahoma	Pottawatomie County	9.6	Low (<10.0)
Oklahoma	Pushmataha County	12.3	Medium (10.0 to 19.9)
Oklahoma	Roger Mills County	11.8	Medium (10.0 to 19.9)
Oklahoma	Rogers County	11.6	Medium (10.0 to 19.9)
Oklahoma	Seminole County	4.9	Low (<10.0)
Oklahoma	Sequoyah County	9.3	Low (<10.0)
Oklahoma	Stephens County	12.2	Medium (10.0 to 19.9)
Oklahoma	Texas County	13	Medium (10.0 to 19.9)
Oklahoma	Tillman County	17.6	Medium (10.0 to 19.9)
Oklahoma	Tulsa County	11.6	Medium (10.0 to 19.9)
Oklahoma	Wagoner County	24.6	High (≥20.0)
Oklahoma	Washington County	10.1	Medium (10.0 to 19.9)
Oklahoma	Washita County	0	Low (<10.0)
Oklahoma	Woods County	10.6	Medium (10.0 to 19.9)
Oklahoma	Woodward County	2.8	Low (<10.0)
Oregon	Baker County	6	Low (<10.0)
Oregon	Benton County	5.4	Low (<10.0)
Oregon	Clackamas County	5.1	Low (<10.0)
Oregon	Clatsop County	5.1	Low (<10.0)
Oregon	Columbia County	5.1	Low (<10.0)
Oregon	Coos County	1.7	Low (<10.0)
Oregon	Crook County	3.1	Low (<10.0)
Oregon	Curry County	1.7	Low (<10.0)
Oregon	Deschutes County	3.1	Low (<10.0)
Oregon	Douglas County	5.1	Low (<10.0)
Oregon	Gilliam County	0	Low (<10.0)
Oregon	Grant County	N/A	Insufficient data (N/A)
Oregon	Harney County	3.1	Low (<10.0)
Oregon	Hood River County	0	Low (<10.0)
Oregon	Jackson County	2.3	Low (<10.0)
Oregon	Jefferson County	3.1	Low (<10.0)
Oregon	Josephine County	2.3	Low (<10.0)
Oregon	Klamath County	5.3	Low (<10.0)
Oregon	Lake County	5.3	Low (<10.0)
Oregon	Lane County	5.1	Low (<10.0)
Oregon	Lincoln County	0	Low (<10.0)
Oregon	Linn County	5.4	Low (<10.0)
Oregon	Malheur County	21.7	High (≥20.0)
Oregon	Marion County	3.3	Low (<10.0)
Oregon	Morrow County	3.2	Low (<10.0)

Oregon	Multnomah County	5.1	Low (<10.0)
Oregon	Polk County	3.3	Low (<10.0)
Oregon	Sherman County	0	Low (<10.0)
Oregon	Tillamook County	0	Low (<10.0)
Oregon	Umatilla County	3.2	Low (<10.0)
Oregon	Union County	6	Low (<10.0)
Oregon	Wallowa County	6	Low (<10.0)
Oregon	Wasco County	0	Low (<10.0)
Oregon	Washington County	5.1	Low (<10.0)
Oregon	Wheeler County	3.1	Low (<10.0)
Oregon	Yamhill County	3.3	Low (<10.0)
Pennsylvania	Adams County	6.5	Low (<10.0)
Pennsylvania	Allegheny County	8	Low (<10.0)
Pennsylvania	Armstrong County	8	Low (<10.0)
Pennsylvania	Beaver County	8	Low (<10.0)
Pennsylvania	Bedford County	24.1	High (≥20.0)
Pennsylvania	Berks County	5	Low (<10.0)
Pennsylvania	Blair County	24.1	High (≥20.0)
Pennsylvania	Bradford County	4.3	Low (<10.0)
Pennsylvania	Bucks County	7.8	Low (<10.0)
Pennsylvania	Butler County	8	Low (<10.0)
Pennsylvania	Cambria County	24.1	High (≥20.0)
Pennsylvania	Cameron County	14.1	Medium (10.0 to 19.9)
Pennsylvania	Carbon County	8.1	Low (<10.0)
Pennsylvania	Centre County	7.4	Low (<10.0)
Pennsylvania	Chester County	7.8	Low (<10.0)
Pennsylvania	Clarion County	5.2	Low (<10.0)
Pennsylvania	Clearfield County	7.4	Low (<10.0)
Pennsylvania	Clinton County	9.9	Low (<10.0)
Pennsylvania	Columbia County	10	Medium (10.0 to 19.9)
Pennsylvania	Crawford County	4.7	Low (<10.0)
Pennsylvania	Cumberland County	8.1	Low (<10.0)
Pennsylvania	Dauphin County	8.1	Low (<10.0)
Pennsylvania	Delaware County	7.8	Low (<10.0)
Pennsylvania	Elk County	10	Medium (10.0 to 19.9)
Pennsylvania	Erie County	4.6	Low (<10.0)
Pennsylvania	Fayette County	6.4	Low (<10.0)
Pennsylvania	Forest County	5.2	Low (<10.0)
Pennsylvania	Franklin County	10	Medium (10.0 to 19.9)
Pennsylvania	Fulton County	10	Medium (10.0 to 19.9)
Pennsylvania	Greene County	6.4	Low (<10.0)
Pennsylvania	Huntingdon County	12.9	Medium (10.0 to 19.9)
Pennsylvania	Indiana County	8	Low (<10.0)
Pennsylvania	Jefferson County	7.4	Low (<10.0)
Pennsylvania	Juniata County	12.9	Medium (10.0 to 19.9)
Pennsylvania	Lackawanna County	8.8	Low (<10.0)
Pennsylvania	Lancaster County	6.6	Low (<10.0)
Pennsylvania	Lawrence County	11.7	Medium (10.0 to 19.9)

Pennsylvania	Lebanon County	8.1	Low (<10.0)
Pennsylvania	Lehigh County	8.1	Low (<10.0)
Pennsylvania	Luzerne County	10	Medium (10.0 to 19.9)
Pennsylvania	Lycoming County	9.9	Low (<10.0)
Pennsylvania	Mc Kean County	14.1	Medium (10.0 to 19.9)
Pennsylvania	Mercer County	16.6	Medium (10.0 to 19.9)
Pennsylvania	Mifflin County	12.9	Medium (10.0 to 19.9)
Pennsylvania	Monroe County	8.1	Low (<10.0)
Pennsylvania	Montgomery County	7.8	Low (<10.0)
Pennsylvania	Montour County	31.6	High (≥20.0)
Pennsylvania	Northampton County	8.1	Low (<10.0)
Pennsylvania	Northumberland County	31.6	High (≥20.0)
Pennsylvania	Perry County	8.1	Low (<10.0)
Pennsylvania	Philadelphia County	7.8	Low (<10.0)
Pennsylvania	Pike County	9.3	Low (<10.0)
Pennsylvania	Potter County	14.1	Medium (10.0 to 19.9)
Pennsylvania	Schuylkill County	31.6	High (≥20.0)
Pennsylvania	Snyder County	31.6	High (≥20.0)
Pennsylvania	Somerset County	24.1	High (≥20.0)
Pennsylvania	Sullivan County	4.3	Low (<10.0)
Pennsylvania	Susquehanna County	4.3	Low (<10.0)
Pennsylvania	Tioga County	7.4	Low (<10.0)
Pennsylvania	Union County	31.6	High (≥20.0)
Pennsylvania	Venango County	5.2	Low (<10.0)
Pennsylvania	Warren County	4.6	Low (<10.0)
Pennsylvania	Washington County	6.4	Low (<10.0)
Pennsylvania	Wayne County	8.8	Low (<10.0)
Pennsylvania	Westmoreland County	8	Low (<10.0)
Pennsylvania	Wyoming County	10	Medium (10.0 to 19.9)
Pennsylvania	York County	6.5	Low (<10.0)
Puerto Rico	A?asco	2.1	Low (<10.0)
Puerto Rico	Adjuntas	2.1	Low (<10.0)
Puerto Rico	Aguada	2.1	Low (<10.0)
Puerto Rico	Aguadilla	2.1	Low (<10.0)
Puerto Rico	Aguas Buenas	2.1	Low (<10.0)
Puerto Rico	Aibonito	2.1	Low (<10.0)
Puerto Rico	Arecibo	2.1	Low (<10.0)
Puerto Rico	Arroyo	2.1	Low (<10.0)
Puerto Rico	Barceloneta	2.1	Low (<10.0)
Puerto Rico	Barranquitas	2.1	Low (<10.0)
Puerto Rico	Bayam?n	2.1	Low (<10.0)
Puerto Rico	Cabo Rojo	2.1	Low (<10.0)
Puerto Rico	Caguas	2.1	Low (<10.0)
Puerto Rico	Camuy	2.1	Low (<10.0)
Puerto Rico	Can?vanas	2.1	Low (<10.0)
Puerto Rico	Carolina	2.1	Low (<10.0)
Puerto Rico	Cata?o	2.1	Low (<10.0)
Puerto Rico	Cayey	2.1	Low (<10.0)

Puerto Rico	Ceiba	2.1	Low (<10.0)
Puerto Rico	Ciales	2.1	Low (<10.0)
Puerto Rico	Cidra	2.1	Low (<10.0)
Puerto Rico	Coamo	2.1	Low (<10.0)
Puerto Rico	Comer?o	2.1	Low (<10.0)
Puerto Rico	Corozal	2.1	Low (<10.0)
Puerto Rico	Culebra	2.1	Low (<10.0)
Puerto Rico	Dorado	2.1	Low (<10.0)
Puerto Rico	Fajardo	2.1	Low (<10.0)
Puerto Rico	Florida	2.1	Low (<10.0)
Puerto Rico	Gu?nica	2.1	Low (<10.0)
Puerto Rico	Guayama	2.1	Low (<10.0)
Puerto Rico	Guayanilla	2.1	Low (<10.0)
Puerto Rico	Guaynabo	2.1	Low (<10.0)
Puerto Rico	Gurabo	2.1	Low (<10.0)
Puerto Rico	Hatillo	2.1	Low (<10.0)
Puerto Rico	Hormigueros	2.1	Low (<10.0)
Puerto Rico	Humacao	2.1	Low (<10.0)
Puerto Rico	Isabela	2.1	Low (<10.0)
Puerto Rico	Jayuya	2.1	Low (<10.0)
Puerto Rico	Juana D?az	2.1	Low (<10.0)
Puerto Rico	Juncos	2.1	Low (<10.0)
Puerto Rico	Lajas	2.1	Low (<10.0)
Puerto Rico	Lares	2.1	Low (<10.0)
Puerto Rico	Las Mar?as	2.1	Low (<10.0)
Puerto Rico	Las Piedras	2.1	Low (<10.0)
Puerto Rico	Lo?za	2.1	Low (<10.0)
Puerto Rico	Luquillo	2.1	Low (<10.0)
Puerto Rico	Manat?	2.1	Low (<10.0)
Puerto Rico	Maricao	2.1	Low (<10.0)
Puerto Rico	Maunabo	2.1	Low (<10.0)
Puerto Rico	Mayag?ez	2.1	Low (<10.0)
Puerto Rico	Moca	2.1	Low (<10.0)
Puerto Rico	Morovis	2.1	Low (<10.0)
Puerto Rico	Naguabo	2.1	Low (<10.0)
Puerto Rico	Naranjito	2.1	Low (<10.0)
Puerto Rico	Orocovis	2.1	Low (<10.0)
Puerto Rico	Patillas	2.1	Low (<10.0)
Puerto Rico	Pe?uelas	2.1	Low (<10.0)
Puerto Rico	Ponce	2.1	Low (<10.0)
Puerto Rico	Quebradillas	2.1	Low (<10.0)
Puerto Rico	R?o Grande	2.1	Low (<10.0)
Puerto Rico	Rinc?n	2.1	Low (<10.0)
Puerto Rico	Sabana Grande	2.1	Low (<10.0)
Puerto Rico	Salinas	2.1	Low (<10.0)
Puerto Rico	San Germ?n	2.1	Low (<10.0)
Puerto Rico	San Juan	2.1	Low (<10.0)
Puerto Rico	San Lorenzo	2.1	Low (<10.0)

Puerto Rico	San Sebasti?n	2.1	Low (<10.0)
Puerto Rico	Santa Isabel	2.1	Low (<10.0)
Puerto Rico	Toa Alta	2.1	Low (<10.0)
Puerto Rico	Toa Baja	2.1	Low (<10.0)
Puerto Rico	Trujillo Alto	2.1	Low (<10.0)
Puerto Rico	Utuado	2.1	Low (<10.0)
Puerto Rico	Vega Alta	2.1	Low (<10.0)
Puerto Rico	Vega Baja	2.1	Low (<10.0)
Puerto Rico	Vieques	2.1	Low (<10.0)
Puerto Rico	Villalba	2.1	Low (<10.0)
Puerto Rico	Yabucoa	2.1	Low (<10.0)
Puerto Rico	Yauco	2.1	Low (<10.0)
Rhode Island	Bristol County	7.6	Low (<10.0)
Rhode Island	Kent County	7.6	Low (<10.0)
Rhode Island	Newport County	9.1	Low (<10.0)
Rhode Island	Providence County	7.6	Low (<10.0)
Rhode Island	Washington County	7.6	Low (<10.0)
South Carolina	Abbeville County	4.2	Low (<10.0)
South Carolina	Aiken County	3.5	Low (<10.0)
South Carolina	Allendale County	5.7	Low (<10.0)
South Carolina	Anderson County	5.8	Low (<10.0)
South Carolina	Bamberg County	5.7	Low (<10.0)
South Carolina	Barnwell County	3.5	Low (<10.0)
South Carolina	Beaufort County	5.3	Low (<10.0)
South Carolina	Berkeley County	6.1	Low (<10.0)
South Carolina	Calhoun County	5.7	Low (<10.0)
South Carolina	Charleston County	6.1	Low (<10.0)
South Carolina	Cherokee County	6.6	Low (<10.0)
South Carolina	Chester County	3.8	Low (<10.0)
South Carolina	Chesterfield County	7.5	Low (<10.0)
South Carolina	Clarendon County	5.7	Low (<10.0)
South Carolina	Colleton County	6.1	Low (<10.0)
South Carolina	Darlington County	7.5	Low (<10.0)
South Carolina	Dillon County	8.2	Low (<10.0)
South Carolina	Dorchester County	6.1	Low (<10.0)
South Carolina	Edgefield County	3.5	Low (<10.0)
South Carolina	Fairfield County	4.1	Low (<10.0)
South Carolina	Florence County	7.5	Low (<10.0)
South Carolina	Georgetown County	4.3	Low (<10.0)
South Carolina	Greenville County	5.8	Low (<10.0)
South Carolina	Greenwood County	4.2	Low (<10.0)
South Carolina	Hampton County	6.1	Low (<10.0)
South Carolina	Horry County	4.3	Low (<10.0)
South Carolina	Jasper County	5.3	Low (<10.0)
South Carolina	Kershaw County	1.2	Low (<10.0)
South Carolina	Lancaster County	1.2	Low (<10.0)
South Carolina	Laurens County	4.2	Low (<10.0)

South Carolina	Lee County	5.7	Low (<10.0)
South Carolina	Lexington County	4.1	Low (<10.0)
South Carolina	Marion County	8.2	Low (<10.0)
South Carolina	Marlboro County	7.5	Low (<10.0)
South Carolina	McCormick County	4.2	Low (<10.0)
South Carolina	Newberry County	4.1	Low (<10.0)
South Carolina	Oconee County	5.8	Low (<10.0)
South Carolina	Orangeburg County	5.7	Low (<10.0)
South Carolina	Pickens County	5.8	Low (<10.0)
South Carolina	Richland County	4.1	Low (<10.0)
South Carolina	Saluda County	4.2	Low (<10.0)
South Carolina	Spartanburg County	6.6	Low (<10.0)
South Carolina	Sumter County	5.7	Low (<10.0)
South Carolina	Union County	6.6	Low (<10.0)
South Carolina	Williamsburg County	7.5	Low (<10.0)
South Carolina	York County	3.8	Low (<10.0)
South Dakota	Aurora County	7.8	Low (<10.0)
South Dakota	Beadle County	8	Low (<10.0)
South Dakota	Bennett County	21.5	High (≥20.0)
South Dakota	Bon Homme County	14.7	Medium (10.0 to 19.9)
South Dakota	Brookings County	2.5	Low (<10.0)
South Dakota	Brown County	15.6	Medium (10.0 to 19.9)
South Dakota	Brule County	7.8	Low (<10.0)
South Dakota	Buffalo County	7.8	Low (<10.0)
South Dakota	Butte County	10.5	Medium (10.0 to 19.9)
South Dakota	Campbell County	0	Low (<10.0)
South Dakota	Charles Mix County	7.8	Low (<10.0)
South Dakota	Clark County	4.1	Low (<10.0)
South Dakota	Clay County	14.7	Medium (10.0 to 19.9)
South Dakota	Codington County	4.1	Low (<10.0)
South Dakota	Corson County	0	Low (<10.0)
South Dakota	Custer County	10.5	Medium (10.0 to 19.9)
South Dakota	Davison County	7.8	Low (<10.0)
South Dakota	Day County	15.6	Medium (10.0 to 19.9)
South Dakota	Deuel County	4.1	Low (<10.0)
South Dakota	Dewey County	0	Low (<10.0)
South Dakota	Douglas County	7.8	Low (<10.0)
South Dakota	Edmunds County	15.6	Medium (10.0 to 19.9)
South Dakota	Fall River County	10.5	Medium (10.0 to 19.9)
South Dakota	Faulk County	15.6	Medium (10.0 to 19.9)
South Dakota	Grant County	4.1	Low (<10.0)
South Dakota	Gregory County	8.4	Low (<10.0)
South Dakota	Haakon County	7.3	Low (<10.0)
South Dakota	Hamlin County	4.1	Low (<10.0)
South Dakota	Hand County	8	Low (<10.0)
South Dakota	Hanson County	7.8	Low (<10.0)
South Dakota	Harding County	0	Low (<10.0)
South Dakota	Hughes County	7.3	Low (<10.0)

South Dakota	Hutchinson County	14.7	Medium (10.0 to 19.9)
South Dakota	Hyde County	8	Low (<10.0)
South Dakota	Jackson County	10.5	Medium (10.0 to 19.9)
South Dakota	Jerauld County	8	Low (<10.0)
South Dakota	Jones County	7.3	Low (<10.0)
South Dakota	Kingsbury County	2.5	Low (<10.0)
South Dakota	Lake County	20.8	High (≥20.0)
South Dakota	Lawrence County	3.8	Low (<10.0)
South Dakota	Lincoln County	20.8	High (≥20.0)
South Dakota	Lyman County	7.8	Low (<10.0)
South Dakota	Marshall County	15.6	Medium (10.0 to 19.9)
South Dakota	McCook County	20.8	High (≥20.0)
South Dakota	McPherson County	15.6	Medium (10.0 to 19.9)
South Dakota	Meade County	10.5	Medium (10.0 to 19.9)
South Dakota	Mellette County	8.4	Low (<10.0)
South Dakota	Miner County	20.8	High (≥20.0)
South Dakota	Minnehaha County	20.8	High (≥20.0)
South Dakota	Moody County	20.8	High (≥20.0)
South Dakota	Oglala Lakota County	21.5	High (≥20.0)
South Dakota	Pennington County	10.5	Medium (10.0 to 19.9)
South Dakota	Perkins County	0	Low (<10.0)
South Dakota	Potter County	0	Low (<10.0)
South Dakota	Roberts County	26.8	High (≥20.0)
South Dakota	Sanborn County	7.8	Low (<10.0)
South Dakota	Spink County	15.6	Medium (10.0 to 19.9)
South Dakota	Stanley County	7.3	Low (<10.0)
South Dakota	Sully County	7.3	Low (<10.0)
South Dakota	Todd County	8.4	Low (<10.0)
South Dakota	Tripp County	8.4	Low (<10.0)
South Dakota	Turner County	20.8	High (≥20.0)
South Dakota	Union County	20.8	High (≥20.0)
South Dakota	Walworth County	0	Low (<10.0)
South Dakota	Yankton County	14.7	Medium (10.0 to 19.9)
South Dakota	Ziebach County	7.3	Low (<10.0)
Tennessee	Anderson County	4.9	Low (<10.0)
Tennessee	Bedford County	0	Low (<10.0)
Tennessee	Benton County	1.7	Low (<10.0)
Tennessee	Bledsoe County	2.1	Low (<10.0)
Tennessee	Blount County	6.2	Low (<10.0)
Tennessee	Bradley County	6	Low (<10.0)
Tennessee	Campbell County	4.9	Low (<10.0)
Tennessee	Cannon County	3.1	Low (<10.0)
Tennessee	Carroll County	1.7	Low (<10.0)
Tennessee	Carter County	25.5	High (≥20.0)
Tennessee	Cheatham County	6.1	Low (<10.0)
Tennessee	Chester County	10	Medium (10.0 to 19.9)
Tennessee	Claiborne County	13.1	Medium (10.0 to 19.9)
Tennessee	Clay County	6.5	Low (<10.0)
Tennessee	Cocke County	8.6	Low (<10.0)
Tennessee	Coffee County	0.8	Low (<10.0)
Tennessee	Crockett County	10	Medium (10.0 to 19.9)
Tennessee	Cumberland County	2.1	Low (<10.0)
Tennessee	Davidson County	6.1	Low (<10.0)
Tennessee	Decatur County	10	Medium (10.0 to 19.9)
Tennessee	DeKalb County	3.1	Low (<10.0)
Tennessee	Dickson County	6.1	Low (<10.0)
Tennessee	Dyer County	11.5	Medium (10.0 to 19.9)
Tennessee	Fayette County	4.3	Low (<10.0)

Tennessee	Fentress County	2.1	Low (<10.0)
Tennessee	Franklin County	0.8	Low (<10.0)
Tennessee	Gibson County	10	Medium (10.0 to 19.9)
Tennessee	Giles County	3.5	Low (<10.0)
Tennessee	Grainger County	6	Low (<10.0)
Tennessee	Greene County	8.6	Low (<10.0)
Tennessee	Grundy County	0.8	Low (<10.0)
Tennessee	Hamblen County	6	Low (<10.0)
Tennessee	Hamilton County	4.4	Low (<10.0)
Tennessee	Hancock County	6	Low (<10.0)
Tennessee	Hardeman County	10	Medium (10.0 to 19.9)
Tennessee	Hardin County	0	Low (<10.0)
Tennessee	Hawkins County	23.4	High (≥20.0)
Tennessee	Haywood County	10	Medium (10.0 to 19.9)
Tennessee	Henderson County	10	Medium (10.0 to 19.9)
Tennessee	Henry County	1.7	Low (<10.0)
Tennessee	Hickman County	6.1	Low (<10.0)
Tennessee	Houston County	2.6	Low (<10.0)
Tennessee	Humphreys County	6.1	Low (<10.0)
Tennessee	Jackson County	6.5	Low (<10.0)
Tennessee	Jefferson County	6	Low (<10.0)
Tennessee	Johnson County	3	Low (<10.0)
Tennessee	Knox County	6.2	Low (<10.0)
Tennessee	Lake County	11.5	Medium (10.0 to 19.9)
Tennessee	Lauderdale County	11.5	Medium (10.0 to 19.9)
Tennessee	Lawrence County	1.5	Low (<10.0)
Tennessee	Lewis County	3.5	Low (<10.0)
Tennessee	Lincoln County	15.1	Medium (10.0 to 19.9)
Tennessee	Loudon County	6.2	Low (<10.0)
Tennessee	Macon County	5.9	Low (<10.0)
Tennessee	Madison County	10	Medium (10.0 to 19.9)
Tennessee	Marion County	4.4	Low (<10.0)
Tennessee	Marshall County	3.5	Low (<10.0)
Tennessee	Maury County	3.5	Low (<10.0)
Tennessee	McMinn County	6.2	Low (<10.0)
Tennessee	McNairy County	0	Low (<10.0)
Tennessee	Meigs County	6.2	Low (<10.0)
Tennessee	Monroe County	6.2	Low (<10.0)
Tennessee	Montgomery County	2.6	Low (<10.0)
Tennessee	Moore County	0.8	Low (<10.0)
Tennessee	Morgan County	4.9	Low (<10.0)
Tennessee	Obion County	4.3	Low (<10.0)
Tennessee	Overton County	6.5	Low (<10.0)
Tennessee	Perry County	1.5	Low (<10.0)
Tennessee	Pickett County	6.5	Low (<10.0)
Tennessee	Polk County	6	Low (<10.0)
Tennessee	Putnam County	6.5	Low (<10.0)

Tennessee	Rhea County	4.9	Low (<10.0)
Tennessee	Roane County	4.9	Low (<10.0)
Tennessee	Robertson County	6.1	Low (<10.0)
Tennessee	Rutherford County	3.1	Low (<10.0)
Tennessee	Scott County	0	Low (<10.0)
Tennessee	Sequatchie County	4.4	Low (<10.0)
Tennessee	Sevier County	6.2	Low (<10.0)
Tennessee	Shelby County	4.3	Low (<10.0)
Tennessee	Smith County	5.9	Low (<10.0)
Tennessee	Stewart County	2.6	Low (<10.0)
Tennessee	Sullivan County	23.4	High (≥20.0)
Tennessee	Sumner County	5.9	Low (<10.0)
Tennessee	Tipton County	4.3	Low (<10.0)
Tennessee	Trousdale County	5.9	Low (<10.0)
Tennessee	Unicoi County	25.5	High (≥20.0)
Tennessee	Union County	6.2	Low (<10.0)
Tennessee	Van Buren County	3.1	Low (<10.0)
Tennessee	Warren County	3.1	Low (<10.0)
Tennessee	Washington County	25.5	High (≥20.0)
Tennessee	Wayne County	1.5	Low (<10.0)
Tennessee	Weakley County	4.3	Low (<10.0)
Tennessee	White County	6.5	Low (<10.0)
Tennessee	Williamson County	6.1	Low (<10.0)
Tennessee	Wilson County	5.9	Low (<10.0)
Texas	Anderson County	3.7	Low (<10.0)
Texas	Andrews County	16.2	Medium (10.0 to 19.9)
Texas	Angelina County	0.9	Low (<10.0)
Texas	Aransas County	13.2	Medium (10.0 to 19.9)
Texas	Archer County	7.6	Low (<10.0)
Texas	Armstrong County	4.6	Low (<10.0)
Texas	Atascosa County	5	Low (<10.0)
Texas	Austin County	4.4	Low (<10.0)
Texas	Bailey County	10.2	Medium (10.0 to 19.9)
Texas	Bandera County	5	Low (<10.0)
Texas	Bastrop County	2.7	Low (<10.0)
Texas	Baylor County	7.6	Low (<10.0)
Texas	Bee County	2.1	Low (<10.0)
Texas	Bell County	8	Low (<10.0)
Texas	Bexar County	5	Low (<10.0)
Texas	Blanco County	6.6	Low (<10.0)
Texas	Borden County	10.2	Medium (10.0 to 19.9)
Texas	Bosque County	5	Low (<10.0)
Texas	Bowie County	8.5	Low (<10.0)
Texas	Brazoria County	2.2	Low (<10.0)
Texas	Brazos County	12.4	Medium (10.0 to 19.9)
Texas	Brewster County	0	Low (<10.0)
Texas	Briscoe County	4.6	Low (<10.0)
Texas	Brooks County	13.2	Medium (10.0 to 19.9)

Texas	Brown County	8.8	Low (<10.0)
Texas	Burleson County	12.4	Medium (10.0 to 19.9)
Texas	Burnet County	2.7	Low (<10.0)
Texas	Caldwell County	5.5	Low (<10.0)
Texas	Calhoun County	5.5	Low (<10.0)
Texas	Callahan County	6.2	Low (<10.0)
Texas	Cameron County	3.6	Low (<10.0)
Texas	Camp County	0	Low (<10.0)
Texas	Carson County	4.6	Low (<10.0)
Texas	Cass County	0	Low (<10.0)
Texas	Castro County	15	Medium (10.0 to 19.9)
Texas	Chambers County	4.4	Low (<10.0)
Texas	Cherokee County	3.7	Low (<10.0)
Texas	Childress County	0	Low (<10.0)
Texas	Clay County	7.6	Low (<10.0)
Texas	Cochran County	10.2	Medium (10.0 to 19.9)
Texas	Coke County	11.1	Medium (10.0 to 19.9)
Texas	Coleman County	8.8	Low (<10.0)
Texas	Collin County	5.8	Low (<10.0)
Texas	Collingsworth County	0	Low (<10.0)
Texas	Colorado County	0	Low (<10.0)
Texas	Comal County	1.9	Low (<10.0)
Texas	Comanche County	5.3	Low (<10.0)
Texas	Concho County	11.1	Medium (10.0 to 19.9)
Texas	Cooke County	4.2	Low (<10.0)
Texas	Coryell County	8	Low (<10.0)
Texas	Cottle County	0	Low (<10.0)
Texas	Crane County	3.4	Low (<10.0)
Texas	Crockett County	11.1	Medium (10.0 to 19.9)
Texas	Crosby County	10.2	Medium (10.0 to 19.9)
Texas	Culberson County	7.7	Low (<10.0)
Texas	Dallam County	4.6	Low (<10.0)
Texas	Dallas County	5.8	Low (<10.0)
Texas	Dawson County	10.2	Medium (10.0 to 19.9)
Texas	Deaf Smith County	0	Low (<10.0)
Texas	Delta County	29.3	High (≥20.0)
Texas	Denton County	4.2	Low (<10.0)
Texas	DeWitt County	5.5	Low (<10.0)
Texas	Dickens County	10.2	Medium (10.0 to 19.9)
Texas	Dimmit County	0	Low (<10.0)
Texas	Donley County	4.6	Low (<10.0)
Texas	Duval County	13.2	Medium (10.0 to 19.9)
Texas	Eastland County	6.2	Low (<10.0)
Texas	Ector County	3.4	Low (<10.0)
Texas	Edwards County	6.6	Low (<10.0)
Texas	El Paso County	7.7	Low (<10.0)
Texas	Ellis County	5.8	Low (<10.0)
Texas	Erath County	5.3	Low (<10.0)

Texas	Falls County	5	Low (<10.0)
Texas	Fannin County	9	Low (<10.0)
Texas	Fayette County	0	Low (<10.0)
Texas	Fisher County	0	Low (<10.0)
Texas	Floyd County	15	Medium (10.0 to 19.9)
Texas	Foard County	0	Low (<10.0)
Texas	Fort Bend County	4.4	Low (<10.0)
Texas	Franklin County	0	Low (<10.0)
Texas	Freestone County	0	Low (<10.0)
Texas	Frio County	5	Low (<10.0)
Texas	Gaines County	16.2	Medium (10.0 to 19.9)
Texas	Galveston County	0	Low (<10.0)
Texas	Garza County	10.2	Medium (10.0 to 19.9)
Texas	Gillespie County	6.6	Low (<10.0)
Texas	Glasscock County	2.6	Low (<10.0)
Texas	Goliad County	5.5	Low (<10.0)
Texas	Gonzales County	5	Low (<10.0)
Texas	Gray County	3.2	Low (<10.0)
Texas	Grayson County	9	Low (<10.0)
Texas	Gregg County	2.9	Low (<10.0)
Texas	Grimes County	12.4	Medium (10.0 to 19.9)
Texas	Guadalupe County	5	Low (<10.0)
Texas	Hale County	15	Medium (10.0 to 19.9)
Texas	Hall County	0	Low (<10.0)
Texas	Hamilton County	5	Low (<10.0)
Texas	Hansford County	4.6	Low (<10.0)
Texas	Hardeman County	0	Low (<10.0)
Texas	Hardin County	5	Low (<10.0)
Texas	Harris County	4.4	Low (<10.0)
Texas	Harrison County	0	Low (<10.0)
Texas	Hartley County	4.6	Low (<10.0)
Texas	Haskell County	6.2	Low (<10.0)
Texas	Hays County	5.5	Low (<10.0)
Texas	Hemphill County	3.2	Low (<10.0)
Texas	Henderson County	5.3	Low (<10.0)
Texas	Hidalgo County	4.5	Low (<10.0)
Texas	Hill County	5	Low (<10.0)
Texas	Hockley County	10.2	Medium (10.0 to 19.9)
Texas	Hood County	9.3	Low (<10.0)
Texas	Hopkins County	5.8	Low (<10.0)
Texas	Houston County	3.7	Low (<10.0)
Texas	Howard County	2.6	Low (<10.0)
Texas	Hudspeth County	7.7	Low (<10.0)
Texas	Hunt County	5.8	Low (<10.0)
Texas	Hutchinson County	4.6	Low (<10.0)
Texas	Irion County	11.1	Medium (10.0 to 19.9)
Texas	Jack County	47.2	High (≥20.0)

Texas	Jackson County	5.5	Low (<10.0)
Texas	Jasper County	5	Low (<10.0)
Texas	Jeff Davis County	0	Low (<10.0)
Texas	Jefferson County	5	Low (<10.0)
Texas	Jim Hogg County	0.3	Low (<10.0)
Texas	Jim Wells County	13.2	Medium (10.0 to 19.9)
Texas	Johnson County	9.3	Low (<10.0)
Texas	Jones County	6.2	Low (<10.0)
Texas	Karnes County	2.1	Low (<10.0)
Texas	Kaufman County	5.8	Low (<10.0)
Texas	Kendall County	5	Low (<10.0)
Texas	Kenedy County	13.2	Medium (10.0 to 19.9)
Texas	Kent County	6.2	Low (<10.0)
Texas	Kerr County	6.6	Low (<10.0)
Texas	Kimble County	6.6	Low (<10.0)
Texas	King County	10.2	Medium (10.0 to 19.9)
Texas	Kinney County	0	Low (<10.0)
Texas	Kleberg County	13.2	Medium (10.0 to 19.9)
Texas	Knox County	7.6	Low (<10.0)
Texas	La Salle County	5	Low (<10.0)
Texas	Lamar County	29.3	High (≥20.0)
Texas	Lamb County	10.2	Medium (10.0 to 19.9)
Texas	Lampasas County	8	Low (<10.0)
Texas	Lavaca County	5.5	Low (<10.0)
Texas	Lee County	2.7	Low (<10.0)
Texas	Leon County	0	Low (<10.0)
Texas	Liberty County	4.4	Low (<10.0)
Texas	Limestone County	5	Low (<10.0)
Texas	Lipscomb County	2.8	Low (<10.0)
Texas	Live Oak County	13.2	Medium (10.0 to 19.9)
Texas	Llano County	2.7	Low (<10.0)
Texas	Loving County	7.7	Low (<10.0)
Texas	Lubbock County	10.2	Medium (10.0 to 19.9)
Texas	Lynn County	10.2	Medium (10.0 to 19.9)
Texas	Madison County	0	Low (<10.0)
Texas	Marion County	0	Low (<10.0)
Texas	Martin County	7.9	Low (<10.0)
Texas	Mason County	6.6	Low (<10.0)
Texas	Matagorda County	2.2	Low (<10.0)
Texas	Maverick County	0	Low (<10.0)
Texas	McCulloch County	11.1	Medium (10.0 to 19.9)
Texas	McLennan County	5	Low (<10.0)
Texas	McMullen County	5	Low (<10.0)
Texas	Medina County	5	Low (<10.0)
Texas	Menard County	11.1	Medium (10.0 to 19.9)
Texas	Midland County	7.9	Low (<10.0)
Texas	Milam County	8	Low (<10.0)
Texas	Mills County	8.8	Low (<10.0)

Texas	Mitchell County	0	Low (<10.0)
Texas	Montague County	7.6	Low (<10.0)
Texas	Montgomery County	4.4	Low (<10.0)
Texas	Moore County	4.6	Low (<10.0)
Texas	Morris County	0	Low (<10.0)
Texas	Motley County	10.2	Medium (10.0 to 19.9)
Texas	Nacogdoches County	0.9	Low (<10.0)
Texas	Navarro County	0	Low (<10.0)
Texas	Newton County	5	Low (<10.0)
Texas	Nolan County	0	Low (<10.0)
Texas	Nueces County	13.2	Medium (10.0 to 19.9)
Texas	Ochiltree County	4.6	Low (<10.0)
Texas	Oldham County	4.6	Low (<10.0)
Texas	Orange County	5	Low (<10.0)
Texas	Palo Pinto County	47.2	High (≥20.0)
Texas	Panola County	2.9	Low (<10.0)
Texas	Parker County	9.3	Low (<10.0)
Texas	Parmer County	0	Low (<10.0)
Texas	Pecos County	7.9	Low (<10.0)
Texas	Polk County	0.9	Low (<10.0)
Texas	Potter County	4.6	Low (<10.0)
Texas	Presidio County	0	Low (<10.0)
Texas	Rains County	5.8	Low (<10.0)
Texas	Randall County	4.6	Low (<10.0)
Texas	Reagan County	11.1	Medium (10.0 to 19.9)
Texas	Real County	6.6	Low (<10.0)
Texas	Red River County	29.3	High (≥20.0)
Texas	Reeves County	3.4	Low (<10.0)
Texas	Refugio County	5.5	Low (<10.0)
Texas	Roberts County	3.2	Low (<10.0)
Texas	Robertson County	12.4	Medium (10.0 to 19.9)
Texas	Rockwall County	5.8	Low (<10.0)
Texas	Runnels County	11.1	Medium (10.0 to 19.9)
Texas	Rusk County	2.9	Low (<10.0)
Texas	Sabine County	0.9	Low (<10.0)
Texas	San Augustine County	0.9	Low (<10.0)
Texas	San Jacinto County	4.4	Low (<10.0)
Texas	San Patricio County	13.2	Medium (10.0 to 19.9)
Texas	San Saba County	8.8	Low (<10.0)
Texas	Schleicher County	11.1	Medium (10.0 to 19.9)
Texas	Scurry County	6	Low (<10.0)
Texas	Shackelford County	6.2	Low (<10.0)
Texas	Shelby County	0.9	Low (<10.0)
Texas	Sherman County	4.6	Low (<10.0)
Texas	Smith County	5.3	Low (<10.0)
Texas	Somervell County	9.3	Low (<10.0)
Texas	Starr County	4.5	Low (<10.0)
Texas	Stephens County	6.2	Low (<10.0)

Texas	Sterling County	11.1	Medium (10.0 to 19.9)
Texas	Stonewall County	6.2	Low (<10.0)
Texas	Sutton County	11.1	Medium (10.0 to 19.9)
Texas	Swisher County	4.6	Low (<10.0)
Texas	Tarrant County	9.3	Low (<10.0)
Texas	Taylor County	6.2	Low (<10.0)
Texas	Terrell County	7.9	Low (<10.0)
Texas	Terry County	0	Low (<10.0)
Texas	Throckmorton County	7.6	Low (<10.0)
Texas	Titus County	0	Low (<10.0)
Texas	Tom Green County	11.1	Medium (10.0 to 19.9)
Texas	Travis County	2.7	Low (<10.0)
Texas	Trinity County	0.9	Low (<10.0)
Texas	Tyler County	5	Low (<10.0)
Texas	Upshur County	2.9	Low (<10.0)
Texas	Upton County	7.9	Low (<10.0)
Texas	Uvalde County	7.5	Low (<10.0)
Texas	Val Verde County	0	Low (<10.0)
Texas	Van Zandt County	5.3	Low (<10.0)
Texas	Victoria County	5.5	Low (<10.0)
Texas	Walker County	0.9	Low (<10.0)
Texas	Waller County	4.4	Low (<10.0)
Texas	Ward County	3.4	Low (<10.0)
Texas	Washington County	12.4	Medium (10.0 to 19.9)
Texas	Webb County	0.3	Low (<10.0)
Texas	Wharton County	2.2	Low (<10.0)
Texas	Wheeler County	3.2	Low (<10.0)
Texas	Wichita County	7.6	Low (<10.0)
Texas	Wilbarger County	0	Low (<10.0)
Texas	Willacy County	3.6	Low (<10.0)
Texas	Williamson County	2.7	Low (<10.0)
Texas	Wilson County	5	Low (<10.0)
Texas	Winkler County	3.4	Low (<10.0)
Texas	Wise County	4.2	Low (<10.0)
Texas	Wood County	5.3	Low (<10.0)
Texas	Yoakum County	0	Low (<10.0)
Texas	Young County	7.6	Low (<10.0)
Texas	Zapata County	0.3	Low (<10.0)
Texas	Zavala County	5	Low (<10.0)
Utah	Beaver County	1.6	Low (<10.0)
Utah	Box Elder County	8.5	Low (<10.0)
Utah	Cache County	4.7	Low (<10.0)
Utah	Carbon County	23	High (≥20.0)
Utah	Daggett County	11.5	Medium (10.0 to 19.9)
Utah	Davis County	8.5	Low (<10.0)
Utah	Duchesne County	8.9	Low (<10.0)
Utah	Emery County	23	High (≥20.0)

Utah	Garfield County	7.5	Low (<10.0)
Utah	Grand County	8.2	Low (<10.0)
Utah	Iron County	1.6	Low (<10.0)
Utah	Juab County	5.7	Low (<10.0)
Utah	Kane County	7.5	Low (<10.0)
Utah	Millard County	5.7	Low (<10.0)
Utah	Morgan County	8.5	Low (<10.0)
Utah	Piute County	7.5	Low (<10.0)
Utah	Rich County	8.5	Low (<10.0)
Utah	Salt Lake County	8.9	Low (<10.0)
Utah	San Juan County	6.6	Low (<10.0)
Utah	Sanpete County	5.7	Low (<10.0)
Utah	Sevier County	5.7	Low (<10.0)
Utah	Summit County	8.9	Low (<10.0)
Utah	Tooele County	8.9	Low (<10.0)
Utah	Uintah County	8.9	Low (<10.0)
Utah	Utah County	5.7	Low (<10.0)
Utah	Wasatch County	8.9	Low (<10.0)
Utah	Washington County	7.5	Low (<10.0)
Utah	Wayne County	5.7	Low (<10.0)
Utah	Weber County	8.5	Low (<10.0)
Vermont	Addison County	3.5	Low (<10.0)
Vermont	Bennington County	13.4	Medium (10.0 to 19.9)
Vermont	Caledonia County	9.7	Low (<10.0)
Vermont	Chittenden County	3.5	Low (<10.0)
Vermont	Essex County	10.6	Medium (10.0 to 19.9)
Vermont	Franklin County	3.5	Low (<10.0)
Vermont	Grand Isle County	3.5	Low (<10.0)
Vermont	Lamoille County	9.7	Low (<10.0)
Vermont	Orange County	11.6	Medium (10.0 to 19.9)
Vermont	Orleans County	9.7	Low (<10.0)
Vermont	Rutland County	8.6	Low (<10.0)
Vermont	Washington County	11.6	Medium (10.0 to 19.9)
Vermont	Windham County	7.6	Low (<10.0)
Vermont	Windsor County	11.6	Medium (10.0 to 19.9)
Virgin Islands	Unallocated U.S. Virgin Islands	0	Low (<10.0)
Virginia	Accomack County	0	Low (<10.0)
Virginia	Albemarle County	6.3	Low (<10.0)
Virginia	Alexandria City	5	Low (<10.0)
Virginia	Alleghany Cnty and Clifton Forge Cty	6.9	Low (<10.0)
Virginia	Amelia County	10	Medium (10.0 to 19.9)
Virginia	Amherst County	14.5	Medium (10.0 to 19.9)
Virginia	Appomattox County	14.5	Medium (10.0 to 19.9)
Virginia	Arlington County	5	Low (<10.0)
Virginia	Augusta County	10.5	Medium (10.0 to 19.9)
Virginia	Bath County	6.9	Low (<10.0)
Virginia	Bedford County	14.5	Medium (10.0 to 19.9)

Virginia	Bland County	7.6	Low (<10.0)
Virginia	Botetourt County	14.5	Medium (10.0 to 19.9)
Virginia	Bristol City	23.4	High (≥20.0)
Virginia	Brunswick County	0	Low (<10.0)
Virginia	Buchanan County	7.6	Low (<10.0)
Virginia	Buckingham County	6.3	Low (<10.0)
Virginia	Buena Vista City	10.5	Medium (10.0 to 19.9)
Virginia	Campbell County	14.5	Medium (10.0 to 19.9)
Virginia	Caroline County	6.9	Low (<10.0)
Virginia	Carroll County	1.6	Low (<10.0)
Virginia	Charles City County	10	Medium (10.0 to 19.9)
Virginia	Charlotte County	10	Medium (10.0 to 19.9)
Virginia	Charlottesville City	6.3	Low (<10.0)
Virginia	Chesapeake City	6.8	Low (<10.0)
Virginia	Chesterfield County	10	Medium (10.0 to 19.9)
Virginia	Clarke County	10.4	Medium (10.0 to 19.9)
Virginia	Colonial Heights City	10	Medium (10.0 to 19.9)
Virginia	Covington City	6.9	Low (<10.0)
Virginia	Craig County	14.5	Medium (10.0 to 19.9)
Virginia	Culpeper County	6.3	Low (<10.0)
Virginia	Cumberland County	10	Medium (10.0 to 19.9)
Virginia	Danville City	2.9	Low (<10.0)
Virginia	Dickenson County	11.4	Medium (10.0 to 19.9)
Virginia	Dinwiddie County	15.9	Medium (10.0 to 19.9)
Virginia	Emporia City	0	Low (<10.0)
Virginia	Essex County	10	Medium (10.0 to 19.9)
Virginia	Fairfax City	5	Low (<10.0)
Virginia	Fairfax County	5	Low (<10.0)
Virginia	Falls Church City	5	Low (<10.0)
Virginia	Fauquier County	2	Low (<10.0)
Virginia	Floyd County	14.5	Medium (10.0 to 19.9)
Virginia	Fluvanna County	6.3	Low (<10.0)
Virginia	Franklin City	6.8	Low (<10.0)
Virginia	Franklin County	14.5	Medium (10.0 to 19.9)
Virginia	Frederick County	10.4	Medium (10.0 to 19.9)
Virginia	Fredericksburg City	6.9	Low (<10.0)
Virginia	Galax City	1.6	Low (<10.0)
Virginia	Giles County	11.2	Medium (10.0 to 19.9)
Virginia	Gloucester County	2.1	Low (<10.0)
Virginia	Goochland County	10	Medium (10.0 to 19.9)
Virginia	Grayson County	1.6	Low (<10.0)
Virginia	Greene County	6.3	Low (<10.0)
Virginia	Greensville County	0	Low (<10.0)
Virginia	Halifax County with South Boston City	11.7	Medium (10.0 to 19.9)
Virginia	Hampton City	2.1	Low (<10.0)
Virginia	Hanover County	10	Medium (10.0 to 19.9)
Virginia	Harrisonburg City	15.7	Medium (10.0 to 19.9)
Virginia	Henrico County	10	Medium (10.0 to 19.9)
Virginia	Henry County	2.9	Low (<10.0)
Virginia	Highland County	10.5	Medium (10.0 to 19.9)
Virginia	Hopewell City	15.9	Medium (10.0 to 19.9)
Virginia	Isle of Wight County	6.8	Low (<10.0)
Virginia	James City County	2.1	Low (<10.0)
Virginia	King and Queen County	10	Medium (10.0 to 19.9)
Virginia	King George County	6.9	Low (<10.0)
Virginia	King William County	10	Medium (10.0 to 19.9)
Virginia	Lancaster County	10	Medium (10.0 to 19.9)
Virginia	Lee County	11.4	Medium (10.0 to 19.9)

Virginia	Lexington City	10.5	Medium (10.0 to 19.9)
Virginia	Loudoun County	5	Low (<10.0)
Virginia	Louisa County	6.3	Low (<10.0)
Virginia	Lunenburg County	11.7	Medium (10.0 to 19.9)
Virginia	Lynchburg City	14.5	Medium (10.0 to 19.9)
Virginia	Madison County	6.3	Low (<10.0)
Virginia	Manassas City	2	Low (<10.0)
Virginia	Manassas Park City	2	Low (<10.0)
Virginia	Martinsville City	2.9	Low (<10.0)
Virginia	Mathews County	2.1	Low (<10.0)
Virginia	Mecklenburg County	11.7	Medium (10.0 to 19.9)
Virginia	Middlesex County	10	Medium (10.0 to 19.9)
Virginia	Montgomery County	11.2	Medium (10.0 to 19.9)
Virginia	Nelson County	6.3	Low (<10.0)
Virginia	New Kent County	10	Medium (10.0 to 19.9)
Virginia	Newport News City	2.1	Low (<10.0)
Virginia	Norfolk City	6.8	Low (<10.0)
Virginia	Northampton County	0	Low (<10.0)
Virginia	Northumberland County	10	Medium (10.0 to 19.9)
Virginia	Norton City	11.4	Medium (10.0 to 19.9)
Virginia	Nottoway County	10	Medium (10.0 to 19.9)
Virginia	Orange County	6.3	Low (<10.0)
Virginia	Page County	15.7	Medium (10.0 to 19.9)
Virginia	Patrick County	2.9	Low (<10.0)
Virginia	Petersburg City	15.9	Medium (10.0 to 19.9)
Virginia	Pittsylvania County	2.9	Low (<10.0)
Virginia	Poquoson City	2.1	Low (<10.0)
Virginia	Portsmouth City	6.8	Low (<10.0)
Virginia	Powhatan County	10	Medium (10.0 to 19.9)
Virginia	Prince Edward County	10	Medium (10.0 to 19.9)
Virginia	Prince George County	15.9	Medium (10.0 to 19.9)
Virginia	Prince William County	2	Low (<10.0)
Virginia	Pulaski County	11.2	Medium (10.0 to 19.9)
Virginia	Radford City	11.2	Medium (10.0 to 19.9)
Virginia	Rappahannock County	6.3	Low (<10.0)
Virginia	Richmond City	10	Medium (10.0 to 19.9)
Virginia	Richmond County	10	Medium (10.0 to 19.9)
Virginia	Roanoke City	14.5	Medium (10.0 to 19.9)
Virginia	Roanoke County	14.5	Medium (10.0 to 19.9)
Virginia	Rockbridge County	10.5	Medium (10.0 to 19.9)
Virginia	Rockingham County	15.7	Medium (10.0 to 19.9)
Virginia	Russell County	23.4	High (≥20.0)
Virginia	Salem City	14.5	Medium (10.0 to 19.9)
Virginia	Scott County	23.4	High (≥20.0)
Virginia	Shenandoah County	10.4	Medium (10.0 to 19.9)
Virginia	Smyth County	23.4	High (≥20.0)
Virginia	Southampton County	6.8	Low (<10.0)
Virginia	Spotsylvania County	6.9	Low (<10.0)

Virginia	Stafford County	6.9	Low (<10.0)
Virginia	Staunton City	10.5	Medium (10.0 to 19.9)
Virginia	Suffolk City	6.8	Low (<10.0)
Virginia	Surry County	15.9	Medium (10.0 to 19.9)
Virginia	Sussex County	15.9	Medium (10.0 to 19.9)
Virginia	Tazewell County	7.6	Low (<10.0)
Virginia	Virginia Beach City	6.8	Low (<10.0)
Virginia	Warren County	10.4	Medium (10.0 to 19.9)
Virginia	Washington County	23.4	High (≥20.0)
Virginia	Waynesboro City	10.5	Medium (10.0 to 19.9)
Virginia	Westmoreland County	10	Medium (10.0 to 19.9)
Virginia	Williamsburg City	2.1	Low (<10.0)
Virginia	Winchester City	10.4	Medium (10.0 to 19.9)
Virginia	Wise County	11.4	Medium (10.0 to 19.9)
Virginia	Wythe County	11.2	Medium (10.0 to 19.9)
Virginia	York County	2.1	Low (<10.0)
Washington	Adams County	6.3	Low (<10.0)
Washington	Asotin County	6.4	Low (<10.0)
Washington	Benton County	2.7	Low (<10.0)
Washington	Chelan County	2.3	Low (<10.0)
Washington	Clallam County	6.4	Low (<10.0)
Washington	Clark County	5.1	Low (<10.0)
Washington	Columbia County	3.2	Low (<10.0)
Washington	Cowlitz County	5.1	Low (<10.0)
Washington	Douglas County	2.3	Low (<10.0)
Washington	Ferry County	6.3	Low (<10.0)
Washington	Franklin County	2.7	Low (<10.0)
Washington	Garfield County	6.4	Low (<10.0)
Washington	Grant County	2.3	Low (<10.0)
Washington	Grays Harbor County	3.7	Low (<10.0)
Washington	Island County	3.1	Low (<10.0)
Washington	Jefferson County	6.4	Low (<10.0)
Washington	King County	3.1	Low (<10.0)
Washington	Kitsap County	3.1	Low (<10.0)
Washington	Kittitas County	2.3	Low (<10.0)
Washington	Klickitat County	0	Low (<10.0)
Washington	Lewis County	3.7	Low (<10.0)
Washington	Lincoln County	6.3	Low (<10.0)
Washington	Mason County	3.7	Low (<10.0)
Washington	Okanogan County	2.3	Low (<10.0)
Washington	Pacific County	3.7	Low (<10.0)
Washington	Pend Oreille County	6.3	Low (<10.0)
Washington	Pierce County	4	Low (<10.0)
Washington	San Juan County	3.1	Low (<10.0)
Washington	Skagit County	3.1	Low (<10.0)
Washington	Skamania County	0	Low (<10.0)
Washington	Snohomish County	3.1	Low (<10.0)
Washington	Spokane County	6.3	Low (<10.0)

Washington	Stevens County	6.3	Low (<10.0)
Washington	Thurston County	3.7	Low (<10.0)
Washington	Wahkiakum County	5.1	Low (<10.0)
Washington	Walla Walla County	3.2	Low (<10.0)
Washington	Whatcom County	5.2	Low (<10.0)
Washington	Whitman County	2.2	Low (<10.0)
Washington	Yakima County	2.3	Low (<10.0)
West Virginia	Barbour County	1.7	Low (<10.0)
West Virginia	Berkeley County	10.4	Medium (10.0 to 19.9)
West Virginia	Boone County	16.5	Medium (10.0 to 19.9)
West Virginia	Braxton County	13.1	Medium (10.0 to 19.9)
West Virginia	Brooke County	9.8	Low (<10.0)
West Virginia	Cabell County	20.5	High (≥20.0)
West Virginia	Calhoun County	18.1	Medium (10.0 to 19.9)
West Virginia	Clay County	16.5	Medium (10.0 to 19.9)
West Virginia	Doddridge County	13.1	Medium (10.0 to 19.9)
West Virginia	Fayette County	6.7	Low (<10.0)
West Virginia	Gilmer County	13.1	Medium (10.0 to 19.9)
West Virginia	Grant County	14.5	Medium (10.0 to 19.9)
West Virginia	Greenbrier County	6.9	Low (<10.0)
West Virginia	Hampshire County	10.4	Medium (10.0 to 19.9)
West Virginia	Hancock County	9.8	Low (<10.0)
West Virginia	Hardy County	14.5	Medium (10.0 to 19.9)
West Virginia	Harrison County	13.1	Medium (10.0 to 19.9)
West Virginia	Jackson County	18.1	Medium (10.0 to 19.9)
West Virginia	Jefferson County	10.4	Medium (10.0 to 19.9)
West Virginia	Kanawha County	16.5	Medium (10.0 to 19.9)
West Virginia	Lewis County	13.1	Medium (10.0 to 19.9)
West Virginia	Lincoln County	20.5	High (≥20.0)
West Virginia	Logan County	19.4	Medium (10.0 to 19.9)
West Virginia	Marion County	10.9	Medium (10.0 to 19.9)
West Virginia	Marshall County	13	Medium (10.0 to 19.9)
West Virginia	Mason County	8.1	Low (<10.0)
West Virginia	McDowell County	7.6	Low (<10.0)
West Virginia	Mercer County	7.6	Low (<10.0)
West Virginia	Mineral County	14.5	Medium (10.0 to 19.9)
West Virginia	Mingo County	19.4	Medium (10.0 to 19.9)
West Virginia	Monongalia County	10.9	Medium (10.0 to 19.9)
West Virginia	Monroe County	6.9	Low (<10.0)
West Virginia	Morgan County	10.4	Medium (10.0 to 19.9)
West Virginia	Nicholas County	16.5	Medium (10.0 to 19.9)
West Virginia	Ohio County	13	Medium (10.0 to 19.9)
West Virginia	Pendleton County	15.7	Medium (10.0 to 19.9)
West Virginia	Pleasants County	18.1	Medium (10.0 to 19.9)
West Virginia	Pocahontas County	1.7	Low (<10.0)
West Virginia	Preston County	10.9	Medium (10.0 to 19.9)
West Virginia	Putnam County	16.5	Medium (10.0 to 19.9)

West Virginia	Raleigh County	6.7	Low (<10.0)
West Virginia	Randolph County	1.7	Low (<10.0)
West Virginia	Ritchie County	18.1	Medium (10.0 to 19.9)
West Virginia	Roane County	18.1	Medium (10.0 to 19.9)
West Virginia	Summers County	6.7	Low (<10.0)
West Virginia	Taylor County	10.9	Medium (10.0 to 19.9)
West Virginia	Tucker County	1.7	Low (<10.0)
West Virginia	Tyler County	13	Medium (10.0 to 19.9)
West Virginia	Upshur County	13.1	Medium (10.0 to 19.9)
West Virginia	Wayne County	20.5	High (≥20.0)
West Virginia	Webster County	16.5	Medium (10.0 to 19.9)
West Virginia	Wetzel County	13	Medium (10.0 to 19.9)
West Virginia	Wirt County	18.1	Medium (10.0 to 19.9)
West Virginia	Wood County	18.1	Medium (10.0 to 19.9)
West Virginia	Wyoming County	6.7	Low (<10.0)
Wisconsin	Adams County	27.7	High (≥20.0)
Wisconsin	Ashland County	6.6	Low (<10.0)
Wisconsin	Barron County	6.7	Low (<10.0)
Wisconsin	Bayfield County	6.6	Low (<10.0)
Wisconsin	Brown County	8	Low (<10.0)
Wisconsin	Buffalo County	8.1	Low (<10.0)
Wisconsin	Burnett County	3.2	Low (<10.0)
Wisconsin	Calumet County	5.7	Low (<10.0)
Wisconsin	Chippewa County	8.1	Low (<10.0)
Wisconsin	Clark County	6.2	Low (<10.0)
Wisconsin	Columbia County	8.4	Low (<10.0)
Wisconsin	Crawford County	23.7	High (≥20.0)
Wisconsin	Dane County	8.4	Low (<10.0)
Wisconsin	Dodge County	6.6	Low (<10.0)
Wisconsin	Door County	8	Low (<10.0)
Wisconsin	Douglas County	12.9	Medium (10.0 to 19.9)
Wisconsin	Dunn County	8.1	Low (<10.0)
Wisconsin	Eau Claire County	8.1	Low (<10.0)
Wisconsin	Florence County	16.4	Medium (10.0 to 19.9)
Wisconsin	Fond du Lac County	6.6	Low (<10.0)
Wisconsin	Forest County	7.6	Low (<10.0)
Wisconsin	Grant County	8.4	Low (<10.0)
Wisconsin	Green County	16.1	Medium (10.0 to 19.9)
Wisconsin	Green Lake County	6.6	Low (<10.0)
Wisconsin	Iowa County	8.4	Low (<10.0)
Wisconsin	Iron County	7.6	Low (<10.0)
Wisconsin	Jackson County	4.8	Low (<10.0)
Wisconsin	Jefferson County	2.1	Low (<10.0)
Wisconsin	Juneau County	27.7	High (≥20.0)
Wisconsin	Kenosha County	4.9	Low (<10.0)
Wisconsin	Kewaunee County	8	Low (<10.0)
Wisconsin	La Crosse County	10.1	Medium (10.0 to 19.9)
Wisconsin	Lafayette County	16.1	Medium (10.0 to 19.9)

Wisconsin	Langlade County	6.2	Low (<10.0)
Wisconsin	Lincoln County	6.2	Low (<10.0)
Wisconsin	Manitowoc County	5.7	Low (<10.0)
Wisconsin	Marathon County	6.2	Low (<10.0)
Wisconsin	Marinette County	16.4	Medium (10.0 to 19.9)
Wisconsin	Marquette County	8.4	Low (<10.0)
Wisconsin	Menominee County	6.2	Low (<10.0)
Wisconsin	Milwaukee County	15.7	Medium (10.0 to 19.9)
Wisconsin	Monroe County	10.1	Medium (10.0 to 19.9)
Wisconsin	Oconto County	8	Low (<10.0)
Wisconsin	Oneida County	7.6	Low (<10.0)
Wisconsin	Outagamie County	15.5	Medium (10.0 to 19.9)
Wisconsin	Ozaukee County	15.7	Medium (10.0 to 19.9)
Wisconsin	Pepin County	8.1	Low (<10.0)
Wisconsin	Pierce County	5	Low (<10.0)
Wisconsin	Polk County	4.3	Low (<10.0)
Wisconsin	Portage County	9.9	Low (<10.0)
Wisconsin	Price County	6.6	Low (<10.0)
Wisconsin	Racine County	4.9	Low (<10.0)
Wisconsin	Richland County	8.4	Low (<10.0)
Wisconsin	Rock County	16.1	Medium (10.0 to 19.9)
Wisconsin	Rusk County	6.7	Low (<10.0)
Wisconsin	Sauk County	8.4	Low (<10.0)
Wisconsin	Sawyer County	6.6	Low (<10.0)
Wisconsin	Shawano County	6.2	Low (<10.0)
Wisconsin	Sheboygan County	5.7	Low (<10.0)
Wisconsin	St. Croix County	5	Low (<10.0)
Wisconsin	Taylor County	6.2	Low (<10.0)
Wisconsin	Trempealeau County	10.1	Medium (10.0 to 19.9)
Wisconsin	Vernon County	10.1	Medium (10.0 to 19.9)
Wisconsin	Vilas County	7.6	Low (<10.0)
Wisconsin	Walworth County	2.1	Low (<10.0)
Wisconsin	Washburn County	3.2	Low (<10.0)
Wisconsin	Washington County	15.7	Medium (10.0 to 19.9)
Wisconsin	Waukesha County	15.7	Medium (10.0 to 19.9)
Wisconsin	Waupaca County	15.5	Medium (10.0 to 19.9)
Wisconsin	Waushara County	6.6	Low (<10.0)
Wisconsin	Winnebago County	6.6	Low (<10.0)
Wisconsin	Wood County	6.2	Low (<10.0)
Wyoming	Albany County	0	Low (<10.0)
Wyoming	Big Horn County	9.8	Low (<10.0)
Wyoming	Campbell County	3.8	Low (<10.0)
Wyoming	Carbon County	0	Low (<10.0)
Wyoming	Converse County	10.7	Medium (10.0 to 19.9)
Wyoming	Crook County	3.8	Low (<10.0)
Wyoming	Fremont County	7.8	Low (<10.0)
Wyoming	Goshen County	10	Medium (10.0 to 19.9)
Wyoming	Hot Springs County	7.8	Low (<10.0)

Wyoming	Johnson County	5.1	Low (<10.0)
Wyoming	Laramie County	11.4	Medium (10.0 to 19.9)
Wyoming	Lincoln County	1.9	Low (<10.0)
Wyoming	Natrona County	10.7	Medium (10.0 to 19.9)
Wyoming	Niobrara County	10	Medium (10.0 to 19.9)
Wyoming	Park County	9.8	Low (<10.0)
Wyoming	Platte County	23.8	High (≥20.0)
Wyoming	Sheridan County	5.1	Low (<10.0)
Wyoming	Sublette County	1.9	Low (<10.0)
Wyoming	Sweetwater County	11.5	Medium (10.0 to 19.9)
Wyoming	Teton County	1.9	Low (<10.0)
Wyoming	Uinta County	0	Low (<10.0)
Wyoming	Washakie County	7.8	Low (<10.0)
Wyoming	Weston County	14.4	Medium (10.0 to 19.9)

Footnotes

†Data for the previous MMWR week (Sunday-Saturday) will update weekly on Fridays as soon as they are reviewed and verified, usually before 8 p.m. ET. Updates will occur the following business day when reporting coincides with a federal holiday. Note: Weekly updates might be delayed due to delays in reporting. Data featured on COVID Data Tracker and within data.cdc.gov datasets may be incomplete for recent days due to processing and reporting delays. All data are provisional.

Please note: Aggregate COVID-19 case and death data reporting has been discontinued with the end of the Public Health Emergency (PHE) on May 11, 2023. These data have been archived at data.cdc.gov. For death data, CDC has transitioned to displaying provisional COVID-19 deaths reported to the National Center for Health Statistics (NCHS) National Vital Statistics Surveillance (NVSS) (see more below). Test positivity data from the National Respiratory and Enteric Virus Surveillance System (NREVSS) are being used for the maps at the national and regional levels. Test positivity data from COVID-19 Electronic Laboratory Reporting (CELR) that was previously posted on COVID Data Tracker has been archived on health.data.gov also related to the end of the PHE.

Health and Human Services (HHS) regions: The ten (10) U.S. Department of HHS regions are defined here: https://www.hhs.gov/about/agencies/iea/regional-offices/index.html

Hospitalization Data

- **Source:** COVID-19–associated hospitalization data reported to CDC's National Healthcare Safety Network (NHSN).
- As of December 15, 2022, COVID-19 hospital data are required to be reported to CDC's NHSN, which monitors national and local trends in healthcare system stress, capacity, and community disease levels for approximately 6,000 hospitals in the United States. Data reported by hospitals to NHSN represent aggregated counts and include metrics capturing information specific to hospital capacity, occupancy, hospitalizations, and admissions. This system change does not impact requirements. Prior to December 15, 2022, hospitals reported data directly to the U.S. Department of Health and Human Services (HHS) or via a state submission for collection in the HHS Unified Hospital Data Surveillance System (UHDSS). More information on the transition to the NHSN system can be found here: https://www.cdc.gov/nhsn/covid19/hospital-reporting.html.
- While CDC reviews these data for errors and corrects those found, some reporting errors might still exist within the data. To minimize errors and inconsistencies in data reported, CDC removes outliers before calculating the metrics. CDC and partners work with reporters to correct these errors and update the data in subsequent weeks.
- Many hospital subtypes, including acute care and critical access hospitals, as well as Veterans Administration, Defense Health Agency, and Indian Health Service hospitals, are included in the metric calculations displayed on CDT. Psychiatric, rehabilitation, and religious non-medical hospital types are excluded from calculations.
- COVID-19–associated hospitalization data displayed on COVID Data Tracker represent facility-level data reported by U.S hospitals in the 50 states, plus the District of Columbia (included in HHS Region 3), American Samoa (HHS Region 9), the Commonwealth of Northern Mariana Islands (HHS Region 9), Guam (HHS Region 9), Puerto Rico (HHS Region 2), and the U.S. Virgin Islands (HHS Region 2). Assignment to a geographic area is based on the location of the CMS-registered reporting facility.
- Full details on COVID-19 hospital data reporting guidance can be found here: https://www.hhs.gov/sites/default/files/covid-19-faqs-hospitals-hospital-laboratory-acute-care-facility-data-reporting.pdf.
- County-level hospital data displayed on COVID Data Tracker are derived using calculations performed at the Health Service Area (HSA) level. Although the county is typically the smallest geographic unit for which national data are available, not all U.S. counties have hospitals. Additionally, analyses of these data at the local level are complicated by unequal distribution of hospitals within regions, as they are often clustered in large population centers and have service areas that overlap and extend across multiple communities. The unequal distribution of hospitals can lead to a mismatch between places where people live and places where they receive care.
- An HSA is defined by CDC's National Center for Health Statistics as a geographic area containing at least one county which is self-contained

with respect to the population's provision of routine hospital care. Every county in the United States is assigned to an HSA, and each HSA must contain at least one hospital. Therefore, use of HSAs in the calculation of local hospital metrics allows for more accurate characterization of the relationship between health care utilization and health status at the local level.

- Data presented at the county-level represent admissions, hospital inpatient and ICU bed capacity and occupancy among hospitals within the selected HSA. Therefore, admissions, capacity, and occupancy are not limited to residents of the selected HSA.
- For all county-level hospital metrics listed below the values are calculated first for the entire HSA, and then the HSA-level value is then applied to each county within the HSA.
- **New hospital admissions with confirmed COVID-19, past week:** Total number of admissions of patients with laboratory-confirmed COVID-19 in the previous week (including both adult and pediatric admissions) in the entire jurisdiction
- **New hospital admissions with confirmed COVID-19 per 100,000 population, past week:** Total number of new admissions of patients with laboratory-confirmed COVID-19 in the past week (including both adult and pediatric admissions) for the entire jurisdiction divided by 2019 intercensal population estimate for that jurisdiction multiplied by 100,000. (Note: This metric is used to determine each county's COVID-19 Hospital Admissions Level for a given week).
    - **Data Notes**:
        - December 22, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 22nd,2023: Due to incomplete or missing hospital data received for the December 10th, 2023 through December 16th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 22nd, 2023.
        - December 15, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 15th, 2023: Due to incomplete or missing hospital data received for the December 3rd, 2023 through December 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 15th, 2023.
        - December 15, 2023: American Samoa (AS) – December 15th, 2023: Due to incomplete or missing hospital data received for the December 3rd, 2023 through December 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 15th, 2023.
        - December 15, 2023: Government of Guam (GU) – December 15th, 2023: Due to incomplete or missing hospital data received for the December 3rd, 2023 through December 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for GU and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 15th, 2023.
        - December 8, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 8th, 2023: Due to incomplete or missing hospital data received for the November 26th, 2023 through December 2nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 8th, 2023.
        - December 1, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 1st, 2023: Due to incomplete or missing hospital data received for the November 19th, 2023 through November 25th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 1st,2023.
        - December 1, 2023: American Samoa (AS) - December 1st, 2023: Due to incomplete or missing hospital data received for the November 19th, 2023 through November 25th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on December 1st, 2023.
        - November 27, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 27th, 2023: Due to incomplete or missing hospital data received for the November 12th, 2023 through November 18th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 27th, 2023.
        - November 17, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 17th, 2023: Due to incomplete or missing hospital data received for the November 5th, 2023 through November 11th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 17th, 2023.
        - November 17, 2023: American Samoa (AS) - November 17th, 2023: Due to incomplete or missing hospital data received for the November 5th, 2023 through November 11th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 17th, 2023.
        - November 13, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 13th, 2023: Due to incomplete or missing hospital data received for the October 29th, 2023 through November 4th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 13th, 2023.
        - November 13, 2023: American Samoa (AS) - November 13th, 2023: Due to incomplete or missing hospital data received for the October 29th, 2023 through November 4th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 13th, 2023.
        - November 3, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 3rd, 2023: Due to incomplete or missing hospital data received for the October 22nd, 2023 through October 28th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 3rd, 2023.
        - October 27, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – October 27th, 2023: Due to incomplete or missing hospital data received for the October 15th, 2023 through October 21st reporting period, the COVID-19 Hospital Admissions

Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on October 27th, 2023.

- October 27, 2023**:** Government of Guam (GU) – October 27th, 2023: Due to incomplete or missing hospital data received for the October 15th, 2023 through October 21st reporting period, the COVID-19 Hospital Admissions Level could not be calculated for GU and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on October 27th, 2023.
- October 27, 2023: Due to a data processing error, reported values for “% Inpatient Beds Occupied By COVID-19 Patients (Past Week)” will appear lower than previously reported values by an average difference of less than 1%. Therefore, previously reported values for “% Inpatient Beds Occupied By COVID-19 Patients (Past Week)” may have been overestimated and should be interpreted with caution.
- October 27, 2023: Due to a data processing error, reported values for “Percentage of Staffed Inpatient Beds Occupied by COVID-19 Patients in the Past Week, by State/Territory” will appear lower than previously reported by an average difference of less than 1%. Therefore, previously reported values for “Percentage of Staffed Inpatient Beds Occupied by COVID-19 Patients in the Past Week, by State/Territory” may have been overestimated and should be interpreted with caution.
- October 20, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – October 20th, 2023: Due to incomplete or missing hospital data received for the October 8th, 2023 through October 14th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on October 20th, 2023.
- October 13, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – October 13th, 2023: Due to incomplete or missing hospital data received for the October 1st, 2023 through October 7th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on October 13th, 2023.
- October 6, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - October 6th, 2023: Due to incomplete or missing hospital data received for the September 24th, 2023 through September 30th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on October 6th, 2023.
- October 6, 2023: American Samoa (AS) - October 6th, 2023: Due to incomplete or missing hospital data received for the September 24th, 2023 through September 30th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on October 6th, 2023.
- September 29, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 29th, 2023: Due to incomplete or missing hospital data received for the September 17th, 2023 through September 23rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on September 29th, 2023.
- September 29, 2023: American Samoa (AS) - September 29th, 2023: Due to incomplete or missing hospital data received for the September 17th, 2023 through September 23rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on September 29th, 2023.
- September 25, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 25th, 2023: Due to incomplete or missing hospital data received for the September 10th, 2023 through September 16th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on September 25th, 2023.
- September 25, 2023: American Samoa (AS) - September 25th, 2023: Due to incomplete or missing hospital data received for the September 10th, 2023 through September 16th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on September 25th, 2023.
- September 18, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 18th, 2023: Due to incomplete or missing hospital data received for the September 3rd, 2023 through September 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on September 18th, 2023.
- September 18, 2023: American Samoa (AS) - September 18th, 2023: Due to incomplete or missing hospital data received for the September 3rd, 2023 through September 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on September 18th, 2023.
- September 11, 2023: American Samoa (AS) -September 11th, 2023: Due to incomplete or missing hospital data received for the August 27th, 2023 through September 2nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on September 11th, 2023.
- September 11, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 11th, 2023: Due to incomplete or missing hospital data received for the August 27th, 2023 through September 2nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on September 11th, 2023.
- September 5, 2023: American Samoa (AS) -September 5th, 2023: Due to incomplete or missing hospital data received for the August 20th, 2023 through August 26th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on September 5th, 2023.
- September 5, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 5th, 2023: Due to incomplete or missing hospital data received for the August 20th, 2023 through August 26th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital

Admissions Level data released on September 5th, 2023.

- August 28, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 28th, 2023: Due to incomplete or missing hospital data received for the August 13th, 2023 through August 19th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on August 28th, 2023.
- August 28, 2023: American Samoa (AS) - August 28th, 2023: Due to incomplete or missing hospital data received for the August 13th, 2023 through August 19th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on August 28th, 2023.
- August 21, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 21st, 2023: Due to incomplete or missing hospital data received for the August 6th, 2023 through August 12th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on August 21st, 2023.
- August 21, 2023: American Samoa (AS) - August 21st, 2023: Due to incomplete or missing hospital data received for the August 6th, 2023 through August 12th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on August 21st, 2023.
- August 14, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 14th, 2023: Due to incomplete or missing hospital data received for the July 30th, 2023 through August 5th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on August 14th, 2023.
- August 14, 2023: American Samoa (AS) - August 14th, 2023: Due to incomplete or missing hospital data received for the July 30th, 2023 through August 5th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on August 14th, 2023.
- August 7, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 7th, 2023: Due to incomplete or missing hospital data received for the July 23rd, 2023 through July 29th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on August 7th, 2023.
- August 7, 2023: American Samoa (AS) - August 7th, 2023: Due to incomplete or missing hospital data received for the July 23rd, 2023 through July 29th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on August 7th, 2023.
- July 31, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 31st, 2023: Due to incomplete or missing hospital data received for the July 16th, 2023 through July 22nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on July 31st, 2023.
- July 31, 2023: American Samoa (AS) - July 31st, 2023: Due to incomplete or missing hospital data received for the July 16th, 2023 through July 22nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on July 31st, 2023.
- July 24, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 24th, 2023: Due to incomplete or missing hospital data received for the July 9th, 2023 through July 15th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on July 24th, 2023.
- July 17, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 17th, 2023: Due to incomplete or missing hospital data received for the July 2nd, 2023 through July 8th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on July 17th, 2023.
- July 17, 2023: American Samoa (AS) - July 17th, 2023: Due to incomplete or missing hospital data received for the July 2nd, 2023 through July 8th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on July 17th, 2023.
- July 10, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 10th, 2023: Due to incomplete or missing hospital data received for the June 25th, 2023 through July 1st reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on July 10th, 2023.
- July 10, 2023: American Samoa (AS) - July 10th, 2023: Due to incomplete or missing hospital data received for the June 25th, 2023 through July 1st reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on July 10th, 2023.
- July 3, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – July 3rd, 2023: Due to incomplete or missing hospital data received for the June 18th, 2023 through June 24th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on July 3rd, 2023.
- June 26, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 26th, 2023: Due to incomplete or missing hospital data received for the June 11th, 2023 through June 17th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on June 26th, 2023.
- June 26, 2023: American Samoa (AS) - June 26th, 2023: Due to incomplete or missing hospital data received for the June 11th, 2023 through June 17th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on June 26th, 2023.
- June 15, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 15th, 2023: Due to incomplete or missing hospital data received for the June 4th, 2023 through June 10th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on June 15th, 2023.
- June 15, 2023: American Samoa (AS) - June 15th, 2023: Due to incomplete or missing hospital data received for the June 4th, 2023 through June 10th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on June 15th, 2023.
- June 8, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 8th, 2023: Due to incomplete or missing hospital data received for the May 28th, 2023 through June 3rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on June 8th, 2023.
- June 8, 2023: American Samoa (AS) - June 8th, 2023: Due to incomplete or missing hospital data received for the May 28th, 2023 through June 3rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on June 8th, 2023.
- June 1, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 1st, 2023: Due to incomplete or missing hospital data received for the May 21st, 2023 through May 27th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on June 1st, 2023.

  - May 25, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - May 25th, 2023: Due to incomplete or missing hospital data received for the May 14th, 2023 through May 20th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on May 25th, 2023.
  - May 18, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - May 18th, 2023: Due to incomplete or missing hospital data received for the May 7th, 2023 through May 13th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on May 18th, 2023.
- **% Change in new hospital admissions with confirmed COVID-19 from the prior week:** Percent change in the current weekly total new admissions of patients with laboratory-confirmed COVID-19 per 100,000 population compared with the prior week.
- **% Staffed inpatient beds occupied by patients with confirmed COVID-19, past week:** Percentage of all staffed inpatient beds occupied by patients with laboratory-confirmed COVID-19 (including both adult and pediatric patients) within the in the entire jurisdiction is calculated as an average of valid daily values within the past week (e.g., if only three valid values, the average of those three is taken). Averages are separately calculated for the daily numerators (patients hospitalized with confirmed COVID-19) and denominators (staffed inpatient beds). The average percentage can then be taken as the ratio of these two values for the entire jurisdiction.
- **Absolute change, % staffed inpatient beds occupied by patients with confirmed COVID-19 from the prior week:** The absolute change in the percent of staffed inpatient beds occupied by patients with laboratory-confirmed COVID-19 represents the week-over-week absolute difference between the average occupancy of patients with confirmed COVID-19 in staffed inpatient beds in the past week, compared with the prior week, in the entire jurisdiction.
- **% Staffed ICU beds occupied by patients with confirmed COVID-19, past week:** Percentage of all staffed inpatient beds occupied by adult patients with confirmed COVID-19 within the entire jurisdiction is calculated as an average of valid daily values within the past week (e.g., if only three valid values, the average of those three is taken). Averages are separately calculated for the daily numerators (adult patients hospitalized with confirmed COVID-19) and denominators (staffed adult ICU beds). The average percentage can then be taken as the ratio of these two values for the entire jurisdiction.
- **Absolute change, % staffed ICU beds occupied by patients with confirmed COVID-19 from the prior week:** The absolute change in the percent of staffed ICU beds occupied by patients with laboratory-confirmed COVID-19 represents the week-over-week absolute difference between the average occupancy of patients with confirmed COVID-19 in staffed adult ICU beds for the past week, compared with the prior week, in the in the entire jurisdiction.
- **New hospital admissions with confirmed COVID-19 since August 1, 2020:** Total number of new admissions of patients with laboratory-confirmed COVID-19 since hospital data collection began on August 1, 2020 (including both adult and pediatric admissions) in the entire jurisdiction. (Note: This metric is presented for the state/territory level only)
- For all metrics, if there are no data in the specified locality for a given week, the metric value is displayed as “insufficient data”.
- For downloading the county-level NHSN hospitalization data displayed here: https://data.cdc.gov/Public-Health-Surveillance/Weekly-United-States-COVID-19-Hospitalization-Metr/akn2-qxic

Death Data

- **Source:** Provisional Deaths from the CDC’s National Center for Health Statistics (NCHS) National Vital Statistics System (NVSS).
- Provisional data are non-final counts of deaths based on the flow of mortality data in NVSS. Deaths include those with COVID-19, coded to ICD–10 code U07.1, as an underlying or contributing cause of death on the death certificate. Death data are displayed by date of death (event). This is a change from the surveillance data used previously in COVID Data Tracker which were displayed by date of report.
- Number of deaths reported in this file are the total number of COVID-19 deaths received and coded as of the date of analysis and may not represent all deaths that occurred in that period. Counts of deaths with dates of death occurring before or after the reporting period are not included in the file.
- Data during recent periods are incomplete because of the lag in time between when a death occurs and when a death certificate is completed, submitted to NCHS, and processed for reporting. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction. The most recent 3 weeks of mortality counts are shaded grey and mortality rates shown as dotted lines because NVSS reporting is <95% during this period.
- Provisional death counts and rates are for deaths among U.S. residents and occurring in the 50 states, plus the District of Columbia and New York City. Assignment to a geographic area is based on the place of residence listed on the death certificate. New York state estimates include New York City but are also provided in the data table excluding New York City. Data are reported separately for Puerto Rico (and as part of HHS Region 2). Data from other U.S. territories are not included in NVSS provisional reporting.
- The percentage of all reported deaths that are attributed as COVID-19 is calculated as the number of COVID-19 deaths divided by the number of deaths from all causes x 100. The percentage of COVID-19 deaths is less affected by incomplete reporting in recent weeks because death certificate data from COVID-19 and all causes have similar timeliness.
- Rates were calculated as the number of provisional deaths occurring in the specified week/month divided by the population estimated as of July 1, 2021, multiplied by 100,000. Population estimates are from the Blended Base produced by the U.S. Census Bureau in lieu of the April 1, 2020 decennial population count (see https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2020-2021/methods-statement-v2021.pdf).
- Rates were age-adjusted to the 2000 standard population using the direct method (see https://www.cdc.gov/nchs/data/nvsr/nvsr70/nvsr70-08-508.pdf). These rates differ from annual age-adjusted rates, typically presented in NCHS publications based on a full year of data and annualized weekly/monthly age-adjusted rates which have been adjusted to allow comparison with annual rates. Annualized rates present deaths per year per 100,000 population that would be expected in a year if the observed period- specific (weekly/monthly) rate prevailed for a full year.
- Sub-national death counts between 1-9 are suppressed in accordance with NCHS data confidentiality standards. Rates based on death counts <20 do not meet NCHS standards of reliability and are not provided. For most jurisdictions, counts of 1 through 9 COVID-19 deaths correspond to the minimal burden category. However, in jurisdictions with smaller populations, death counts between 1-9 may represent a

higher level of COVID-19-associated mortality.

- For more information or to view the Provisional Death Data on the NCHS website: https://www.cdc.gov/nchs/covid19/mortality-overview.htm
- For downloading the NVSS mortality data displayed here: https://data.cdc.gov/NCHS/Provisional-COVID-19-death-counts-rates-and-percen/mpx5-t7tu

Emergency Department Visits Data

- **Source:** Emergency Department (ED) visits from the National Syndromic Surveillance Program (NSSP)
- NSSP is a collaboration among CDC, federal partners, local and state health departments, and academic and private sector partners to collect, analyze, and share electronic patient encounter data received from multiple health care settings. For insights into COVID-19 trends, visits that have a COVID-19 diagnosis at discharge are monitored for a subset of emergency departments in 50 states, the District of Columbia, and Guam. Coverage map: https://www.cdc.gov/nssp/participation-coverage-map.html
- The percentage of ED visits for patients with a discharge-diagnosis of COVID-19 is calculated nationally, regionally, and for each state presented. Percent change is calculated relative to the previous week as ([% this week]-[% last week])/[% last week]. Data presented on state websites may vary due to slight differences in the definitions used.
- ED visit data are not available for Northern Mariana Islands, Palau, Puerto Rico, and the U.S. Virgin Islands. Jurisdictions with low ED facility participation or where diagnosis information is incomplete are not shown.
- For some jurisdictions with a fewer number of overall visits reported to NSSP, rapid and large changes may appear in the data displayed.
- For more information on NSSP, see: https://www.cdc.gov/nssp/index.html. For technical information, see: https://www.cdc.gov/ncird/surveillance/respiratory-illnesses/index.html#companion-guide

Testing Data

- **Source:** National Respiratory and Enteric Virus Surveillance System (NREVSS)
- The data represent SARS-CoV-2 Nucleic Acid Amplification Test (NAAT) results, which include reverse transcriptase-polymerase chain reaction (RT-PCR) tests from a sentinel network of NREVSS-reporting laboratories in the United States, including clinical, public health and commercial laboratories (https://www.cdc.gov/surveillance/nrevss/labs/index.html). These data exclude antigen, antibody, and at-home test results. Test positivity data are displayed at the HHS Region level.
- All data are provisional and subject to change. Reporting is less complete for the past 1 week, and more complete for data reported for the period 2 weeks earlier (>90%).
- Because the data are from a sentinel network of laboratories, results may vary geographically. The data do not include all test results within a jurisdiction and therefore may not reflect all, COVID-19 NAATs in the United States. There are data from all 50 states, including the District of Columbia, Puerto Rico and the U.S. Virgin Islands, across the 10 HHS regions. Test results from Puerto Rico and the U.S. Virgin Islands are reported as part of HHS Region 2. Data from other U.S. territories are not reported to NREVSS.
- Percent positivity is one of the metrics used to monitor COVID-19 transmission over time and by area. Percent positivity is calculated by dividing the number of positive NAATs by the total number of NAATs administered, then multiplying by 100 [(# of positive NAAT tests / total NAAT tests) x 100].
- The data represent laboratory tests performed, not individual people. In the table and upon hovering on the map, the total test counts in the data reflect the latest reported data from NREVSS laboratories and may not match the data presented by various jurisdictions.
- On May 11, 2023 CDC discontinued utilizing the COVID electronic laboratory reporting (CELR) platform as the primary laboratory source of COVID-19 results. These data are archived at health.data.gov.
- For more information about NREVSS, please see: https://www.cdc.gov/surveillance/nrevss/index.html
- For downloading the NREVSS COVID-19 testing data displayed here: https://data.cdc.gov/Laboratory-Surveillance/Percent-Positivity-of-COVID-19-Nucleic-Acid-Amplif/gvsb-yw6g

Looking for more information on COVID-19 Hospital Admission Levels?

See how COVID-19 Hospital Admission Levels are determined and connected to preventive behaviors and public health strategies.

Want COVID-19 trends over time?

View trends in the data here

Curious about the historical number of updated vaccines distributed and administered in the United States?

Check out the COVID-19 Vaccinations in the United States page.

How does COVID-19 Spread?

Learn more

Information on U.S. COVID-19 Cases Caused by Variants

Learn more here

Do you need information on testing?

Find it here

COVID Data Tracker Weekly Review

Sign up to receive the COVID Data Tracker Weekly Review.

Email Address:

Email Address | Submit

What's this?

Cite COVID Data Tracker

Centers for Disease Control and Prevention. COVID Data Tracker. Atlanta, GA: U.S. Department of Health and Human Services, CDC; 2023, December 27. https://covid.cdc.gov/covid-data-tracker

COVID-19 Home >

All COVID-19 topics including prevention, travel, work, and school