

Table L1
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by State or Territory: BRFSS 2006

State	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
Total **	62,959	12.8	0.29	(12.3 - 13.4)		6,573,331	(6,275,805 - 6,870,857)
AK	802	9.7	1.33	(7.4 - 12.6)		18,280	(13,431 - 23,129)
AZ	1,417	14.3	1.80	(11.1 - 18.2)		226,092	(167,623 - 284,561)
CA	1,740	12.6	0.96	(10.8 - 14.6)		1,186,312	(1,006,739 - 1,365,884)
DC	897	19.3	1.78	(16.0 - 23.0)		20,016	(16,215 - 23,816)
GA	2,387	14.3	0.95	(12.5 - 16.3)		332,356	(287,927 - 376,785)
HI	2,202	20.6	1.16	(18.4 - 22.9)		61,827	(54,681 - 68,973)
ID	1,882	9.4	0.77	(8.0 - 11.1)		35,786	(30,048 - 41,524)
IN	2,061	12.3	0.86	(10.7 - 14.1)		192,803	(165,905 - 219,701)
IA	1,663	9.1	0.82	(7.6 - 10.8)		61,671	(50,741 - 72,600)
KS	2,538	11.8	0.74	(10.5 - 13.4)		80,438	(70,393 - 90,483)
KY	1,541	13.2	1.14	(11.2 - 15.6)		128,638	(106,685 - 150,591)
ME	1,136	12.4	1.08	(10.5 - 14.7)		34,465	(28,579 - 40,351)
MD	2,678	13.1	0.88	(11.5 - 14.9)		180,054	(156,160 - 203,948)
MI	1,777	12.7	1.04	(10.8 - 14.9)		315,704	(262,772 - 368,635)
MN	1,333	9.5	0.87	(7.9 - 11.3)		115,806	(95,034 - 136,578)
MS	1,955	14.3	0.96	(12.5 - 16.3)		105,528	(91,229 - 119,828)
MO	1,574	13.7	1.30	(11.4 - 16.5)		187,220	(152,874 - 221,567)
MT	1,679	9.9	0.91	(8.2 - 11.8)		20,378	(16,636 - 24,120)
NE	2,421	10.1	0.79	(8.7 - 11.8)		43,882	(37,144 - 50,621)
NV	1,140	11.7	1.46	(9.2 - 14.9)		73,097	(54,969 - 91,226)
NH	1,831	13.1	0.96	(11.3 - 15.1)		39,060	(33,335 - 44,785)
NJ	3,822	15.4	0.78	(14.0 - 17.0)		329,298	(295,556 - 363,039)
NY	1,661	15.0	1.13	(12.9 - 17.3)		666,903	(564,536 - 769,270)
OH	1,656	9.7	1.27	(7.5 - 12.5)		263,037	(195,095 - 330,979)
OK	2,132	13.0	0.82	(11.5 - 14.7)		111,258	(97,538 - 124,978)
PA	3,599	12.0	1.01	(10.2 - 14.2)		331,033	(275,122 - 386,944)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L1
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by State or Territory: BRFSS 2006

State	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
RI	1,323	16.3	1.22	(14.1 - 18.9)		38,492	(32,720 - 44,264)
TX	2,227	13.4	1.18	(11.3 - 15.9)		844,388	(697,524 - 991,252)
UT	2,295	9.1	0.72	(7.8 - 10.6)		68,648	(58,022 - 79,275)
VT	1,922	12.8	0.87	(11.2 - 14.6)		16,970	(14,684 - 19,255)
VA	1,660	14.3	1.18	(12.2 - 16.8)		257,498	(216,061 - 298,935)
WV	1,027	11.3	1.12	(9.3 - 13.7)		42,132	(33,812 - 50,452)
WI	1,469	10.2	0.98	(8.4 - 12.3)		131,464	(106,318 - 156,610)
WY	1,512	11.0	0.92	(9.3 - 12.9)		12,797	(10,659 - 14,934)
Territories							
PR	1,480	29.3	1.34	(26.7 - 32.0)		304,128	(275,683 - 332,574)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.