

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	12,695	19.4	0.59	(18.3 - 20.6)		5,113,937	(4,778,824 - 5,449,051)
U.S. Total**	25-34	36,411	14.7	0.32	(14.1 - 15.3)		6,144,382	(5,860,507 - 6,428,257)
U.S. Total**	35-44	58,733	12.4	0.27	(11.9 - 12.9)		5,570,767	(5,313,104 - 5,828,431)
U.S. Total**	45-54	85,062	12.5	0.20	(12.1 - 12.9)		5,492,471	(5,315,837 - 5,669,105)
U.S. Total**	55-64	93,319	12.8	0.20	(12.4 - 13.2)		4,300,438	(4,164,192 - 4,436,685)
U.S. Total**	65+	133,641	10.7	0.15	(10.4 - 11.0)		4,227,500	(4,108,703 - 4,346,298)
AL	18-24	216	20.0	3.81	(12.5 - 27.5)		61,662	(36,048 - 87,275)
AL	25-34	643	11.8	1.63	(8.6 - 15.0)		73,341	(52,484 - 94,198)
AL	35-44	849	11.4	1.32	(8.8 - 14.0)		73,071	(55,835 - 90,307)
AL	45-54	1,309	9.1	0.96	(7.3 - 11.0)		64,289	(50,872 - 77,706)
AL	55-64	1,486	12.9	1.19	(10.5 - 15.2)		69,615	(56,294 - 82,937)
AL	65+	2,200	10.9	0.91	(9.1 - 12.7)		76,784	(63,719 - 89,848)
AK	18-24	151	17.0	4.10	(8.9 - 25.1)		12,375	(6,254 - 18,497)
AK	25-34	328	12.5	2.63	(7.4 - 17.7)		12,786	(7,184 - 18,388)
AK	35-44	434	15.7	2.47	(10.8 - 20.5)		15,035	(10,032 - 20,038)
AK	45-54	579	15.5	2.17	(11.3 - 19.8)		16,220	(11,438 - 21,001)
AK	55-64	513	14.8	1.99	(10.8 - 18.7)		11,376	(8,225 - 14,527)
AK	65+	390	8.6	1.69	(5.3 - 11.9)		4,518	(2,749 - 6,286)
AZ	18-24	143	20.2	5.27	(9.7 - 30.6)		110,485	(50,648 - 170,321)
AZ	25-34	440	16.7	2.91	(11.0 - 22.4)		167,080	(104,269 - 229,890)
AZ	35-44	661	14.2	2.00	(10.3 - 18.1)		125,734	(88,891 - 162,578)
AZ	45-54	914	16.1	1.93	(12.4 - 19.9)		137,924	(102,963 - 172,886)
AZ	55-64	1,161	17.1	1.79	(13.6 - 20.6)		112,986	(87,725 - 138,248)
AZ	65+	2,097	11.0	0.99	(9.0 - 12.9)		95,577	(78,051 - 113,103)
AR	18-24	96	8.8	3.46	(2.0 - 15.7)		18,263	(3,361 - 33,166)
AR	25-34	298	13.8	2.53	(8.8 - 18.7)		61,642	(37,506 - 85,778)
AR	35-44	472	11.5	1.79	(8.0 - 15.0)		42,935	(29,115 - 56,755)
AR	45-54	699	12.7	1.52	(9.7 - 15.7)		49,733	(37,416 - 62,051)
AR	55-64	936	10.2	1.13	(8.0 - 12.4)		33,203	(25,699 - 40,706)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	1,466	10.3	0.91	(8.5 - 12.1)		42,400	(34,776 - 50,024)
CA	18-24	745	18.6	1.73	(15.2 - 22.0)		720,225	(573,772 - 866,677)
CA	25-34	1,830	13.0	0.96	(11.1 - 14.9)		695,537	(588,466 - 802,607)
CA	35-44	2,820	13.1	0.72	(11.7 - 14.5)		715,235	(634,603 - 795,868)
CA	45-54	3,329	13.6	0.69	(12.3 - 15.0)		715,348	(640,982 - 789,713)
CA	55-64	3,476	13.5	0.74	(12.0 - 14.9)		517,510	(459,021 - 575,998)
CA	65+	5,183	10.4	0.54	(9.4 - 11.5)		438,578	(392,185 - 484,971)
CO	18-24	338	18.6	2.38	(13.9 - 23.3)		86,322	(62,522 - 110,122)
CO	25-34	1,049	13.2	1.26	(10.7 - 15.7)		97,259	(77,887 - 116,632)
CO	35-44	1,807	13.4	0.97	(11.5 - 15.3)		96,700	(82,056 - 111,344)
CO	45-54	2,526	11.6	0.74	(10.1 - 13.0)		85,869	(74,611 - 97,127)
CO	55-64	2,736	13.3	0.81	(11.7 - 14.9)		72,457	(63,283 - 81,631)
CO	65+	3,341	10.9	0.63	(9.7 - 12.1)		57,509	(50,770 - 64,248)
CT	18-24	162	31.1	4.61	(22.0 - 40.2)		89,038	(57,717 - 120,359)
CT	25-34	530	17.1	2.28	(12.6 - 21.6)		71,498	(50,717 - 92,280)
CT	35-44	944	13.5	1.36	(10.8 - 16.2)		71,177	(56,231 - 86,123)
CT	45-54	1,261	13.5	1.15	(11.2 - 15.7)		74,569	(61,545 - 87,594)
CT	55-64	1,322	12.7	1.11	(10.5 - 14.9)		49,287	(40,348 - 58,226)
CT	65+	2,143	11.3	0.85	(9.6 - 12.9)		54,905	(46,464 - 63,346)
DE	18-24	146	22.0	4.30	(13.5 - 30.5)		18,712	(10,660 - 26,763)
DE	25-34	368	20.3	3.03	(14.4 - 26.3)		22,264	(14,801 - 29,728)
DE	35-44	623	12.7	1.56	(9.6 - 15.7)		15,288	(11,402 - 19,174)
DE	45-54	796	11.4	1.41	(8.6 - 14.1)		14,322	(10,665 - 17,979)
DE	55-64	926	11.9	1.40	(9.1 - 14.6)		11,809	(8,935 - 14,683)
DE	65+	1,433	10.1	0.99	(8.2 - 12.0)		12,479	(9,990 - 14,969)
DC	18-24	90	25.5	5.13	(15.3 - 35.6)		9,611	(5,233 - 13,989)
DC	25-34	458	17.1	1.96	(13.3 - 21.0)		23,798	(17,973 - 29,624)
DC	35-44	628	14.8	1.61	(11.6 - 17.9)		12,757	(9,818 - 15,697)
DC	45-54	716	14.8	1.51	(11.9 - 17.8)		11,206	(8,800 - 13,612)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	55-64	835	15.1	1.42	(12.3 - 17.9)		9,073	(7,287 - 10,860)
DC	65+	1,091	12.9	1.18	(10.6 - 15.2)		9,306	(7,540 - 11,073)
FL	18-24	282	11.9	2.62	(6.7 - 17.0)		112,800	(64,514 - 161,086)
FL	25-34	793	13.2	2.09	(9.1 - 17.3)		269,398	(179,250 - 359,545)
FL	35-44	1,301	14.0	2.11	(9.8 - 18.1)		495,803	(332,492 - 659,115)
FL	45-54	2,181	10.5	0.93	(8.7 - 12.3)		276,360	(227,049 - 325,671)
FL	55-64	2,677	12.4	1.05	(10.4 - 14.5)		267,037	(221,001 - 313,072)
FL	65+	4,683	9.0	0.56	(7.9 - 10.1)		293,497	(257,484 - 329,510)
GA	18-24	134	21.6	4.98	(11.7 - 31.4)		121,251	(57,747 - 184,755)
GA	25-34	532	12.5	1.78	(9.0 - 16.0)		219,349	(155,273 - 283,425)
GA	35-44	900	8.2	0.99	(6.3 - 10.2)		120,425	(91,480 - 149,370)
GA	45-54	1,217	10.8	1.07	(8.7 - 12.9)		147,367	(117,507 - 177,228)
GA	55-64	1,313	11.1	1.09	(9.0 - 13.3)		112,809	(89,943 - 135,675)
GA	65+	1,733	9.1	0.85	(7.5 - 10.8)		92,503	(75,045 - 109,961)
HI	18-24	274	30.8	3.52	(23.9 - 37.7)		37,205	(27,178 - 47,231)
HI	25-34	585	15.6	1.88	(11.9 - 19.3)		27,806	(20,685 - 34,928)
HI	35-44	901	14.5	1.43	(11.7 - 17.3)		25,567	(20,329 - 30,805)
HI	45-54	1,383	16.6	1.28	(14.0 - 19.1)		29,962	(25,083 - 34,840)
HI	55-64	1,532	17.3	1.35	(14.6 - 19.9)		26,564	(22,087 - 31,041)
HI	65+	1,950	11.6	1.02	(9.6 - 13.6)		21,994	(17,956 - 26,032)
ID	18-24	171	19.6	3.26	(13.2 - 26.0)		25,382	(16,521 - 34,243)
ID	25-34	528	10.2	1.47	(7.3 - 13.1)		24,463	(17,274 - 31,652)
ID	35-44	719	13.8	1.53	(10.8 - 16.8)		27,084	(20,844 - 33,323)
ID	45-54	1,038	12.0	1.19	(9.6 - 14.3)		24,741	(19,693 - 29,789)
ID	55-64	1,175	10.8	0.98	(8.8 - 12.7)		17,853	(14,569 - 21,136)
ID	65+	1,707	12.0	0.97	(10.1 - 13.9)		22,207	(18,507 - 25,906)
IL	18-24	212	17.4	2.92	(11.7 - 23.2)		224,033	(142,787 - 305,278)
IL	25-34	519	15.0	1.75	(11.5 - 18.4)		263,968	(198,924 - 329,012)
IL	35-44	882	11.7	1.34	(9.1 - 14.3)		212,714	(161,718 - 263,710)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IL	45-54	1,278	12.7	1.04	(10.6 - 14.7)		233,971	(194,801 - 273,141)
IL	55-64	1,154	12.3	1.27	(9.9 - 14.8)		170,401	(133,393 - 207,409)
IL	65+	1,770	11.2	0.87	(9.5 - 12.9)		178,396	(149,837 - 206,955)
IN	18-24	295	17.7	2.70	(12.4 - 23.1)		110,393	(74,188 - 146,598)
IN	25-34	859	12.5	1.44	(9.7 - 15.3)		105,367	(80,296 - 130,437)
IN	35-44	1,219	14.0	1.31	(11.4 - 16.5)		121,369	(97,086 - 145,651)
IN	45-54	1,949	13.5	0.98	(11.6 - 15.4)		124,701	(105,972 - 143,431)
IN	55-64	2,041	12.5	0.88	(10.7 - 14.2)		87,724	(74,949 - 100,499)
IN	65+	2,820	9.5	0.70	(8.2 - 10.9)		78,142	(66,369 - 89,916)
IA	18-24	172	13.3	3.09	(7.2 - 19.4)		39,498	(19,892 - 59,103)
IA	25-34	547	13.8	1.58	(10.7 - 16.9)		51,935	(39,527 - 64,344)
IA	35-44	829	9.0	1.12	(6.8 - 11.2)		34,217	(25,444 - 42,989)
IA	45-54	1,164	9.8	1.17	(7.5 - 12.0)		42,590	(31,928 - 53,252)
IA	55-64	1,253	8.7	0.85	(7.0 - 10.4)		29,189	(23,402 - 34,977)
IA	65+	1,978	9.2	0.70	(7.8 - 10.6)		41,112	(34,784 - 47,439)
KS	18-24	504	22.0	2.05	(18.0 - 26.0)		62,365	(49,420 - 75,310)
KS	25-34	1,579	13.8	0.95	(11.9 - 15.6)		50,285	(43,000 - 57,571)
KS	35-44	2,519	11.1	0.67	(9.7 - 12.4)		39,944	(34,953 - 44,934)
KS	45-54	3,946	10.8	0.55	(9.7 - 11.9)		43,129	(38,653 - 47,606)
KS	55-64	4,101	11.3	0.53	(10.2 - 12.3)		34,351	(31,029 - 37,673)
KS	65+	6,091	8.7	0.39	(8.0 - 9.5)		32,120	(29,192 - 35,049)
KY	18-24	248	24.7	4.21	(16.4 - 33.0)		66,167	(40,184 - 92,151)
KY	25-34	751	14.7	1.96	(10.9 - 18.6)		93,168	(66,735 - 119,600)
KY	35-44	1,277	12.7	1.38	(10.0 - 15.4)		85,250	(66,557 - 103,942)
KY	45-54	2,023	15.0	1.27	(12.5 - 17.5)		92,204	(75,686 - 108,721)
KY	55-64	2,248	14.4	1.10	(12.2 - 16.6)		71,987	(60,722 - 83,251)
KY	65+	3,015	13.3	0.97	(11.4 - 15.2)		75,880	(64,358 - 87,401)
LA	18-24	296	15.4	2.59	(10.4 - 20.5)		54,043	(34,740 - 73,346)
LA	25-34	763	13.3	1.57	(10.2 - 16.4)		81,423	(61,294 - 101,553)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
LA	35-44	1,168	10.7	1.07	(8.6 - 12.8)		73,263	(58,324 - 88,203)
LA	45-54	1,819	10.0	0.88	(8.2 - 11.7)		62,873	(51,466 - 74,281)
LA	55-64	1,989	9.4	0.75	(7.9 - 10.9)		46,749	(39,225 - 54,273)
LA	65+	2,781	8.5	0.62	(7.3 - 9.8)		47,440	(40,468 - 54,412)
ME	18-24	208	20.0	2.96	(14.1 - 25.8)		23,017	(15,562 - 30,472)
ME	25-34	506	19.8	2.06	(15.7 - 23.8)		29,368	(22,680 - 36,056)
ME	35-44	1,098	14.7	1.15	(12.4 - 16.9)		26,495	(22,158 - 30,832)
ME	45-54	1,738	15.5	0.96	(13.6 - 17.4)		33,455	(29,118 - 37,793)
ME	55-64	1,989	11.8	0.79	(10.2 - 13.3)		20,603	(17,757 - 23,449)
ME	65+	2,459	12.4	0.75	(10.9 - 13.8)		25,019	(21,918 - 28,119)
MD	18-24	256	21.1	3.07	(15.1 - 27.2)		106,274	(72,516 - 140,032)
MD	25-34	792	16.9	1.70	(13.6 - 20.3)		127,923	(100,379 - 155,468)
MD	35-44	1,339	13.2	1.21	(10.9 - 15.6)		108,362	(87,817 - 128,906)
MD	45-54	1,915	11.6	0.85	(9.9 - 13.3)		97,683	(83,292 - 112,074)
MD	55-64	1,756	12.2	1.06	(10.1 - 14.2)		76,929	(63,073 - 90,786)
MD	65+	2,383	10.6	0.81	(9.0 - 12.2)		73,292	(61,857 - 84,727)
MA	18-24	472	23.2	2.91	(17.4 - 28.9)		146,381	(105,146 - 187,616)
MA	25-34	1,529	18.6	1.46	(15.7 - 21.4)		152,305	(126,758 - 177,852)
MA	35-44	2,581	15.6	0.98	(13.7 - 17.5)		146,379	(127,174 - 165,585)
MA	45-54	3,596	13.6	0.78	(12.0 - 15.1)		133,378	(117,616 - 149,140)
MA	55-64	3,499	14.1	0.83	(12.5 - 15.8)		102,076	(89,571 - 114,581)
MA	65+	4,735	12.1	0.67	(10.7 - 13.4)		105,950	(93,692 - 118,209)
MI	18-24	350	22.1	2.51	(17.1 - 27.0)		230,378	(172,762 - 287,995)
MI	25-34	622	17.4	1.85	(13.8 - 21.0)		209,438	(161,378 - 257,497)
MI	35-44	1,175	15.1	1.25	(12.6 - 17.5)		207,589	(171,128 - 244,050)
MI	45-54	1,837	15.4	0.99	(13.5 - 17.4)		232,043	(200,665 - 263,421)
MI	55-64	2,117	15.3	0.95	(13.4 - 17.1)		177,149	(153,683 - 200,614)
MI	65+	3,035	10.9	0.65	(9.6 - 12.1)		142,902	(125,572 - 160,232)
MN	18-24	125	13.8	3.41	(7.0 - 20.5)		70,033	(33,096 - 106,969)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	450	10.4	1.52	(7.4 - 13.4)		71,578	(50,040 - 93,115)
MN	35-44	777	8.9	1.06	(6.9 - 11.0)		64,780	(49,200 - 80,360)
MN	45-54	1,175	9.1	0.94	(7.2 - 10.9)		72,805	(57,273 - 88,336)
MN	55-64	1,250	7.4	0.74	(5.9 - 8.8)		43,390	(34,677 - 52,104)
MN	65+	1,813	8.7	0.72	(7.3 - 10.1)		57,265	(47,690 - 66,841)
MS	18-24	354	13.1	2.27	(8.6 - 17.5)		33,604	(21,217 - 45,991)
MS	25-34	863	12.8	1.40	(10.0 - 15.5)		55,378	(42,750 - 68,005)
MS	35-44	1,372	13.3	1.22	(10.9 - 15.7)		46,171	(37,225 - 55,118)
MS	45-54	2,059	12.2	0.88	(10.5 - 14.0)		52,137	(44,348 - 59,925)
MS	55-64	2,517	12.2	0.80	(10.7 - 13.8)		38,973	(33,716 - 44,230)
MS	65+	3,940	11.0	0.58	(9.9 - 12.2)		41,222	(36,772 - 45,673)
MO	18-24	161	26.2	4.81	(16.7 - 35.7)		124,554	(70,672 - 178,437)
MO	25-34	447	17.4	2.40	(12.7 - 22.1)		151,164	(105,964 - 196,364)
MO	35-44	649	11.7	1.59	(8.6 - 14.8)		91,366	(65,756 - 116,976)
MO	45-54	1,019	13.2	1.51	(10.2 - 16.1)		113,471	(86,309 - 140,633)
MO	55-64	1,071	12.4	1.27	(9.9 - 14.9)		82,037	(64,949 - 99,126)
MO	65+	1,662	10.4	0.96	(8.6 - 12.3)		86,738	(70,491 - 102,984)
MT	18-24	239	16.4	2.92	(10.6 - 22.1)		15,696	(9,860 - 21,531)
MT	25-34	563	10.3	1.60	(7.2 - 13.5)		12,283	(8,374 - 16,192)
MT	35-44	919	10.7	1.18	(8.3 - 13.0)		12,438	(9,618 - 15,259)
MT	45-54	1,584	11.5	0.94	(9.7 - 13.4)		17,382	(14,475 - 20,289)
MT	55-64	1,784	13.5	0.99	(11.6 - 15.4)		17,156	(14,556 - 19,756)
MT	65+	2,479	11.3	0.79	(9.8 - 12.9)		15,831	(13,567 - 18,094)
NE	18-24	367	18.3	3.01	(12.3 - 24.2)		22,773	(14,954 - 30,592)
NE	25-34	1,174	13.2	1.88	(9.5 - 16.9)		38,479	(26,800 - 50,158)
NE	35-44	1,943	10.6	1.26	(8.1 - 13.1)		24,001	(18,083 - 29,919)
NE	45-54	3,036	10.0	0.89	(8.3 - 11.8)		25,256	(20,687 - 29,825)
NE	55-64	3,417	10.5	0.84	(8.9 - 12.2)		20,496	(17,142 - 23,851)
NE	65+	5,953	8.4	0.54	(7.4 - 9.5)		20,321	(17,716 - 22,926)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	18-24	95	26.2	6.24	(13.8 - 38.5)		38,062	(16,801 - 59,324)
NV	25-34	343	12.5	2.59	(7.4 - 17.6)		57,759	(32,886 - 82,632)
NV	35-44	546	11.0	1.83	(7.4 - 14.6)		42,911	(28,304 - 57,518)
NV	45-54	717	14.7	2.06	(10.7 - 18.8)		53,899	(37,912 - 69,887)
NV	55-64	869	14.0	1.80	(10.4 - 17.5)		39,772	(28,956 - 50,587)
NV	65+	1,217	12.2	1.35	(9.5 - 14.8)		37,486	(28,874 - 46,097)
NH	18-24	154	27.0	4.58	(17.9 - 36.0)		28,764	(17,601 - 39,926)
NH	25-34	402	20.9	2.39	(16.2 - 25.6)		34,650	(26,150 - 43,150)
NH	35-44	841	17.0	1.65	(13.8 - 20.2)		32,914	(26,052 - 39,777)
NH	45-54	1,254	14.5	1.27	(12.0 - 17.0)		32,270	(26,373 - 38,167)
NH	55-64	1,401	12.9	1.06	(10.8 - 15.0)		20,847	(17,318 - 24,376)
NH	65+	1,867	10.8	0.86	(9.1 - 12.5)		18,842	(15,780 - 21,904)
NJ	18-24	277	16.4	2.59	(11.3 - 21.5)		125,198	(84,167 - 166,230)
NJ	25-34	1,079	16.5	1.49	(13.6 - 19.4)		173,958	(140,760 - 207,156)
NJ	35-44	2,117	11.3	0.84	(9.7 - 13.0)		146,718	(124,455 - 168,980)
NJ	45-54	2,782	11.5	0.80	(10.0 - 13.1)		152,436	(130,590 - 174,282)
NJ	55-64	2,553	12.6	0.93	(10.8 - 14.5)		121,554	(102,826 - 140,282)
NJ	65+	3,365	9.5	0.74	(8.0 - 10.9)		110,267	(92,363 - 128,170)
NM	18-24	302	16.3	2.53	(11.4 - 21.3)		33,247	(22,404 - 44,091)
NM	25-34	754	13.5	1.67	(10.2 - 16.7)		36,464	(26,990 - 45,939)
NM	35-44	1,142	13.5	1.30	(10.9 - 16.0)		34,183	(27,251 - 41,115)
NM	45-54	1,806	12.3	0.94	(10.5 - 14.2)		33,788	(28,475 - 39,100)
NM	55-64	2,045	13.8	0.96	(11.9 - 15.6)		30,670	(26,223 - 35,118)
NM	65+	2,696	12.8	0.80	(11.2 - 14.3)		33,147	(28,832 - 37,462)
NY	18-24	231	20.8	2.90	(15.1 - 26.5)		400,369	(278,800 - 521,938)
NY	25-34	560	15.5	1.79	(12.0 - 19.0)		391,474	(295,893 - 487,056)
NY	35-44	964	11.7	1.20	(9.4 - 14.1)		321,932	(254,641 - 389,223)
NY	45-54	1,412	13.9	1.16	(11.6 - 16.2)		388,383	(320,769 - 455,998)
NY	55-64	1,493	15.1	1.18	(12.8 - 17.4)		318,915	(267,270 - 370,561)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NY	65+	2,128	11.9	0.83	(10.3 - 13.5)		310,921	(267,140 - 354,702)
NC	18-24	408	18.3	2.69	(13.0 - 23.5)		161,536	(111,251 - 211,821)
NC	25-34	1,226	15.7	1.64	(12.5 - 18.9)		191,948	(149,467 - 234,429)
NC	35-44	1,993	10.6	0.91	(8.8 - 12.4)		142,348	(117,845 - 166,851)
NC	45-54	2,565	12.1	1.00	(10.2 - 14.1)		159,519	(132,089 - 186,950)
NC	55-64	2,771	12.1	0.80	(10.5 - 13.7)		126,964	(110,020 - 143,908)
NC	65+	4,169	10.5	0.78	(9.0 - 12.1)		123,245	(104,339 - 142,151)
ND	18-24	150	16.9	3.20	(10.6 - 23.2)		13,684	(8,129 - 19,238)
ND	25-34	433	12.6	1.71	(9.2 - 15.9)		10,294	(7,399 - 13,189)
ND	35-44	642	11.9	1.42	(9.1 - 14.6)		8,858	(6,646 - 11,070)
ND	45-54	1,021	10.4	1.05	(8.4 - 12.5)		9,439	(7,484 - 11,395)
ND	55-64	993	9.5	0.98	(7.6 - 11.4)		6,705	(5,302 - 8,108)
ND	65+	1,461	10.6	0.88	(8.8 - 12.3)		9,987	(8,294 - 11,681)
OH	18-24	255	23.0	3.34	(16.4 - 29.6)		180,645	(121,801 - 239,488)
OH	25-34	763	19.4	1.93	(15.6 - 23.2)		340,749	(265,726 - 415,771)
OH	35-44	1,346	13.1	1.13	(10.8 - 15.3)		201,198	(164,774 - 237,621)
OH	45-54	2,013	13.2	0.94	(11.4 - 15.1)		225,937	(192,611 - 259,262)
OH	55-64	2,232	14.8	0.92	(13.0 - 16.6)		194,417	(169,069 - 219,765)
OH	65+	3,050	10.1	0.65	(8.8 - 11.4)		158,824	(137,991 - 179,657)
OK	18-24	247	21.1	3.36	(14.5 - 27.7)		54,863	(34,964 - 74,761)
OK	25-34	800	20.3	1.80	(16.8 - 23.8)		121,187	(97,579 - 144,795)
OK	35-44	990	13.8	1.21	(11.4 - 16.2)		62,282	(50,842 - 73,722)
OK	45-54	1,450	14.6	1.05	(12.5 - 16.6)		75,667	(64,298 - 87,035)
OK	55-64	1,683	12.4	0.87	(10.7 - 14.1)		51,868	(44,450 - 59,286)
OK	65+	2,627	12.2	0.72	(10.8 - 13.6)		60,276	(52,985 - 67,567)
OR	18-24	114	16.7	3.61	(9.5 - 23.8)		57,706	(30,866 - 84,546)
OR	25-34	284	19.3	2.67	(14.1 - 24.6)		101,460	(71,081 - 131,839)
OR	35-44	485	14.8	1.72	(11.4 - 18.2)		76,100	(57,606 - 94,593)
OR	45-54	773	18.2	1.52	(15.2 - 21.2)		101,684	(83,626 - 119,742)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,049	15.6	1.31	(13.0 - 18.2)		73,052	(59,996 - 86,109)
OR	65+	1,543	13.4	0.96	(11.5 - 15.2)		69,628	(59,239 - 80,016)
PA	18-24	311	22.9	3.00	(17.0 - 28.8)		275,643	(194,879 - 356,406)
PA	25-34	695	15.8	1.72	(12.4 - 19.2)		229,359	(176,691 - 282,028)
PA	35-44	1,240	13.2	1.17	(10.9 - 15.5)		220,543	(180,260 - 260,826)
PA	45-54	1,744	11.6	1.03	(9.5 - 13.6)		216,704	(176,469 - 256,939)
PA	55-64	1,999	11.1	0.89	(9.4 - 12.9)		162,204	(135,547 - 188,861)
PA	65+	3,065	9.7	0.67	(8.3 - 11.0)		186,827	(160,436 - 213,218)
RI	18-24	164	22.3	3.70	(15.0 - 29.6)		24,949	(15,697 - 34,200)
RI	25-34	561	16.6	1.83	(13.1 - 20.2)		21,756	(16,720 - 26,793)
RI	35-44	945	17.0	1.41	(14.2 - 19.8)		25,011	(20,605 - 29,416)
RI	45-54	1,320	15.6	1.21	(13.2 - 18.0)		24,500	(20,485 - 28,514)
RI	55-64	1,324	15.6	1.16	(13.3 - 17.9)		18,620	(15,732 - 21,508)
RI	65+	1,886	9.9	0.73	(8.5 - 11.3)		14,814	(12,611 - 17,018)
SC	18-24	285	20.6	3.63	(13.4 - 27.7)		70,677	(42,800 - 98,554)
SC	25-34	695	13.9	1.72	(10.5 - 17.2)		78,046	(57,931 - 98,160)
SC	35-44	1,239	11.5	1.34	(8.8 - 14.1)		81,397	(61,852 - 100,941)
SC	45-54	1,823	12.4	1.06	(10.4 - 14.5)		80,328	(66,218 - 94,439)
SC	55-64	2,294	11.2	0.94	(9.3 - 13.0)		59,197	(49,057 - 69,336)
SC	65+	3,395	12.2	0.92	(10.4 - 14.0)		73,735	(62,112 - 85,358)
SD	18-24	207	16.6	3.27	(10.1 - 23.0)		13,608	(7,919 - 19,297)
SD	25-34	575	13.8	1.66	(10.5 - 17.0)		13,941	(10,501 - 17,381)
SD	35-44	840	10.1	1.28	(7.5 - 12.6)		9,772	(7,212 - 12,331)
SD	45-54	1,385	9.0	0.92	(7.2 - 10.8)		10,298	(8,162 - 12,434)
SD	55-64	1,440	10.4	1.01	(8.4 - 12.4)		9,520	(7,619 - 11,421)
SD	65+	2,327	10.5	0.76	(9.0 - 12.0)		12,247	(10,452 - 14,042)
TN	18-24	126	11.7	3.78	(4.2 - 19.2)		34,225	(11,004 - 57,446)
TN	25-34	422	12.8	2.08	(8.7 - 16.9)		98,809	(65,507 - 132,111)
TN	35-44	697	12.3	1.74	(8.9 - 15.7)		151,530	(106,618 - 196,443)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	1,054	10.5	1.16	(8.3 - 12.8)		95,332	(74,108 - 116,555)
TN	55-64	1,288	12.2	1.23	(9.8 - 14.6)		89,057	(70,283 - 107,831)
TN	65+	1,946	11.9	0.96	(10.0 - 13.8)		99,047	(82,517 - 115,577)
TX	18-24	391	20.7	3.10	(14.6 - 26.7)		372,748	(250,175 - 495,320)
TX	25-34	1,157	12.3	1.35	(9.7 - 15.0)		437,255	(339,663 - 534,847)
TX	35-44	1,757	10.8	1.14	(8.6 - 13.1)		444,132	(348,000 - 540,264)
TX	45-54	2,289	10.3	0.90	(8.6 - 12.1)		337,958	(278,426 - 397,489)
TX	55-64	2,451	12.3	0.91	(10.5 - 14.1)		293,233	(249,581 - 336,885)
TX	65+	3,433	11.0	0.86	(9.3 - 12.7)		279,777	(234,855 - 324,699)
UT	18-24	443	17.2	2.08	(13.1 - 21.2)		56,747	(42,217 - 71,277)
UT	25-34	1,415	14.2	1.21	(11.8 - 16.6)		62,990	(51,602 - 74,379)
UT	35-44	1,795	11.5	0.90	(9.8 - 13.3)		39,091	(32,802 - 45,380)
UT	45-54	1,943	13.2	0.90	(11.4 - 15.0)		40,098	(34,417 - 45,779)
UT	55-64	1,934	12.4	0.88	(10.7 - 14.1)		28,575	(24,383 - 32,766)
UT	65+	2,523	12.4	0.78	(10.9 - 13.9)		30,544	(26,558 - 34,530)
VT	18-24	175	20.3	3.27	(13.8 - 26.7)		12,300	(7,930 - 16,669)
VT	25-34	468	19.5	2.00	(15.6 - 23.5)		13,716	(10,648 - 16,785)
VT	35-44	935	15.6	1.26	(13.2 - 18.1)		13,038	(10,828 - 15,249)
VT	45-54	1,446	11.1	0.88	(9.4 - 12.8)		11,372	(9,534 - 13,211)
VT	55-64	1,613	13.4	0.92	(11.6 - 15.2)		11,152	(9,566 - 12,738)
VT	65+	1,952	12.1	0.81	(10.5 - 13.7)		10,621	(9,157 - 12,085)
VA	18-24	111	20.4	5.44	(9.6 - 31.1)		156,067	(62,835 - 249,298)
VA	25-34	426	13.6	1.96	(9.7 - 17.4)		142,144	(99,409 - 184,879)
VA	35-44	799	10.3	1.33	(7.7 - 12.9)		116,438	(85,735 - 147,141)
VA	45-54	1,109	10.7	1.15	(8.4 - 13.0)		121,395	(94,923 - 147,867)
VA	55-64	1,160	11.7	1.23	(9.3 - 14.1)		101,535	(79,668 - 123,401)
VA	65+	1,483	12.5	1.25	(10.0 - 14.9)		119,137	(94,102 - 144,173)
WA	18-24	589	19.4	1.98	(15.5 - 23.3)		117,522	(91,413 - 143,631)
WA	25-34	1,622	15.7	1.08	(13.6 - 17.8)		142,091	(121,466 - 162,715)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	2,637	13.8	0.77	(12.3 - 15.3)		128,823	(113,815 - 143,830)
WA	45-54	3,960	14.6	0.66	(13.3 - 15.9)		144,243	(130,592 - 157,893)
WA	55-64	4,820	15.1	0.62	(13.8 - 16.3)		114,595	(104,771 - 124,420)
WA	65+	6,440	13.4	0.51	(12.4 - 14.4)		107,440	(98,981 - 115,898)
WV	18-24	167	16.4	3.01	(10.5 - 22.4)		26,839	(16,345 - 37,332)
WV	25-34	480	17.2	1.98	(13.3 - 21.1)		39,221	(29,498 - 48,944)
WV	35-44	649	11.2	1.40	(8.5 - 14.0)		26,553	(19,681 - 33,424)
WV	45-54	869	11.9	1.22	(9.5 - 14.2)		31,887	(25,084 - 38,690)
WV	55-64	1,110	10.4	0.97	(8.5 - 12.3)		24,797	(20,081 - 29,513)
WV	65+	1,509	9.5	0.78	(8.0 - 11.1)		27,560	(22,971 - 32,149)
WI	18-24	143	18.6	4.00	(10.7 - 26.5)		97,850	(52,728 - 142,972)
WI	25-34	366	17.7	2.85	(12.1 - 23.4)		131,806	(85,559 - 178,053)
WI	35-44	624	13.9	1.78	(10.4 - 17.4)		106,240	(78,024 - 134,456)
WI	45-54	984	12.9	1.75	(9.5 - 16.4)		110,274	(78,575 - 141,972)
WI	55-64	1,038	9.9	1.36	(7.2 - 12.5)		64,173	(46,062 - 82,285)
WI	65+	1,355	10.8	1.20	(8.4 - 13.1)		82,046	(63,348 - 100,745)
WY	18-24	143	15.3	3.25	(8.9 - 21.8)		8,152	(4,443 - 11,861)
WY	25-34	539	18.3	1.82	(14.7 - 21.9)		13,022	(10,227 - 15,816)
WY	35-44	704	11.7	1.25	(9.2 - 14.1)		7,608	(5,933 - 9,282)
WY	45-54	1,257	12.4	0.99	(10.5 - 14.4)		10,071	(8,420 - 11,721)
WY	55-64	1,485	12.8	0.97	(10.8 - 14.7)		8,228	(6,917 - 9,538)
WY	65+	1,873	10.7	0.77	(9.2 - 12.2)		7,194	(6,145 - 8,242)
Territories								
GU	18-24	131	13.2	3.15	(6.9 - 19.4)		2,266	(1,124 - 3,407)
GU	25-34	208	8.7	1.92	(4.9 - 12.5)		2,183	(1,221 - 3,145)
GU	35-44	263	9.5	2.10	(5.4 - 13.7)		2,357	(1,301 - 3,412)
GU	45-54	278	7.5	1.59	(4.4 - 10.6)		1,324	(764 - 1,884)
GU	55-64	212	10.5	2.10	(6.3 - 14.6)		1,150	(682 - 1,618)
GU	65+	162	8.4	2.25	(3.9 - 12.8)		821	(374 - 1,267)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	18-24	243	18.6	2.61	(13.5 - 23.8)		77,422	(53,907 - 100,938)
PR	25-34	347	17.0	2.23	(12.6 - 21.4)		93,032	(66,900 - 119,163)
PR	35-44	540	15.7	1.72	(12.3 - 19.1)		82,762	(63,643 - 101,880)
PR	45-54	695	15.7	1.50	(12.7 - 18.6)		75,166	(59,957 - 90,374)
PR	55-64	906	12.1	1.17	(9.9 - 14.4)		47,986	(38,559 - 57,413)
PR	65+	1,483	11.4	0.90	(9.7 - 13.2)		54,354	(45,584 - 63,123)
VI	18-24	152	15.1	3.51	(8.2 - 22.0)		1,348	(672 - 2,025)
VI	25-34	256	10.4	2.14	(6.2 - 14.6)		1,408	(822 - 1,994)
VI	35-44	417	11.2	1.76	(7.7 - 14.6)		1,741	(1,176 - 2,306)
VI	45-54	551	7.3	1.40	(4.6 - 10.1)		1,057	(646 - 1,468)
VI	55-64	556	8.2	1.38	(5.5 - 10.9)		947	(623 - 1,271)
VI	65+	519	6.5	1.27	(4.0 - 9.0)		589	(356 - 823)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.