

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory: BRFSS 2009**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
U.S. Total**	< \$15,000	40,768	17.2	0.43	(16.4 - 18.1)		3,575,907	(3,388,083 - 3,763,732)
U.S. Total**	\$15-\$24,999	64,636	15.0	0.33	(14.4 - 15.7)		4,789,739	(4,565,334 - 5,014,144)
U.S. Total**	\$25-\$49,999	101,278	12.9	0.25	(12.4 - 13.4)		6,502,251	(6,234,336 - 6,770,167)
U.S. Total**	\$50-\$74,999	60,329	13.0	0.30	(12.4 - 13.6)		4,243,793	(4,040,154 - 4,447,432)
U.S. Total**	>=\$75,000	99,594	11.8	0.21	(11.4 - 12.2)		7,745,257	(7,457,135 - 8,033,379)
AL	< \$15,000	898	21.4	2.39	(16.7 - 26.1)		73,954	(56,205 - 91,703)
AL	\$15-\$24,999	1,222	12.5	1.32	(9.9 - 15.1)		71,457	(56,183 - 86,731)
AL	\$25-\$49,999	1,426	10.5	1.16	(8.2 - 12.8)		74,667	(57,742 - 91,591)
AL	\$50-\$74,999	779	12.5	1.61	(9.3 - 15.7)		60,592	(44,384 - 76,799)
AL	>=\$75,000	1,048	8.2	1.43	(5.4 - 11.0)		61,958	(39,823 - 84,093)
AK	< \$15,000	192	25.3	5.42	(14.6 - 36.0)		8,146	(4,272 - 12,021)
AK	\$15-\$24,999	249	10.8	2.36	(6.2 - 15.5)		4,644	(2,853 - 6,435)
AK	\$25-\$49,999	491	13.8	2.56	(8.8 - 18.8)		13,957	(8,521 - 19,392)
AK	\$50-\$74,999	409	13.1	2.48	(8.3 - 18.0)		10,472	(6,302 - 14,642)
AK	>=\$75,000	770	13.6	1.76	(10.1 - 17.1)		24,066	(17,620 - 30,511)
AZ	< \$15,000	605	12.0	2.57	(7.0 - 17.1)		53,842	(34,311 - 73,372)
AZ	\$15-\$24,999	894	19.6	3.38	(13.0 - 26.3)		128,804	(78,019 - 179,590)
AZ	\$25-\$49,999	1,325	11.8	1.54	(8.8 - 14.9)		120,947	(89,840 - 152,053)
AZ	\$50-\$74,999	749	18.1	2.88	(12.4 - 23.7)		123,446	(80,053 - 166,839)
AZ	>=\$75,000	1,121	14.8	1.97	(10.9 - 18.7)		218,448	(156,709 - 280,187)
AR	< \$15,000	523	20.2	3.39	(13.5 - 26.8)		44,072	(27,346 - 60,797)
AR	\$15-\$24,999	689	13.9	2.43	(9.2 - 18.7)		44,904	(28,057 - 61,752)
AR	\$25-\$49,999	973	10.7	1.31	(8.1 - 13.3)		56,942	(42,818 - 71,066)
AR	\$50-\$74,999	498	9.0	1.53	(6.0 - 12.0)		27,581	(18,174 - 36,988)
AR	>=\$75,000	714	9.5	1.61	(6.3 - 12.6)		46,853	(30,350 - 63,356)
CA	< \$15,000	2,612	11.9	0.94	(10.0 - 13.7)		578,921	(483,943 - 673,899)
CA	\$15-\$24,999	2,156	12.5	1.01	(10.5 - 14.5)		475,650	(395,444 - 555,856)
CA	\$25-\$49,999	3,453	13.1	0.87	(11.4 - 14.8)		719,138	(619,642 - 818,634)
CA	\$50-\$74,999	2,360	15.9	1.07	(13.8 - 18.0)		536,855	(460,142 - 613,568)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory: BRFSS 2009**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
CA	>=\$75,000	5,264	14.1	0.69	(12.8 - 15.5)		1,124,472	(1,008,812 - 1,240,131)
CO	< \$15,000	840	13.9	2.08	(9.8 - 18.0)		32,017	(21,891 - 42,143)
CO	\$15-\$24,999	1,491	13.0	1.50	(10.1 - 16.0)		55,816	(42,227 - 69,405)
CO	\$25-\$49,999	2,683	13.9	1.10	(11.7 - 16.1)		107,820	(89,799 - 125,841)
CO	\$50-\$74,999	1,828	13.5	1.11	(11.3 - 15.7)		77,601	(64,246 - 90,955)
CO	>=\$75,000	3,561	12.9	0.76	(11.4 - 14.4)		164,502	(144,261 - 184,744)
CT	< \$15,000	398	23.2	4.06	(15.2 - 31.1)		26,512	(15,842 - 37,182)
CT	\$15-\$24,999	692	19.4	2.81	(13.9 - 24.9)		42,175	(28,597 - 55,753)
CT	\$25-\$49,999	1,239	12.0	1.41	(9.2 - 14.7)		52,024	(39,279 - 64,770)
CT	\$50-\$74,999	894	15.3	2.09	(11.2 - 19.4)		62,685	(44,049 - 81,320)
CT	>=\$75,000	2,281	15.5	1.21	(13.2 - 17.9)		179,949	(149,772 - 210,126)
DE	< \$15,000	453	20.0	3.44	(13.3 - 26.8)		10,405	(6,339 - 14,470)
DE	\$15-\$24,999	428	15.0	2.27	(10.5 - 19.5)		7,514	(5,216 - 9,813)
DE	\$25-\$49,999	978	15.3	2.23	(10.9 - 19.7)		20,939	(14,255 - 27,624)
DE	\$50-\$74,999	675	14.9	2.33	(10.3 - 19.5)		17,657	(11,734 - 23,579)
DE	>=\$75,000	1,169	12.1	1.44	(9.3 - 14.9)		26,783	(20,121 - 33,444)
DC	< \$15,000	358	21.7	2.85	(16.1 - 27.3)		8,225	(5,852 - 10,598)
DC	\$15-\$24,999	360	20.0	2.96	(14.2 - 25.8)		8,076	(5,478 - 10,674)
DC	\$25-\$49,999	644	14.2	2.13	(10.0 - 18.4)		10,683	(7,289 - 14,077)
DC	\$50-\$74,999	452	15.6	2.34	(11.0 - 20.2)		7,915	(5,368 - 10,462)
DC	>=\$75,000	1,605	15.0	1.25	(12.5 - 17.4)		32,209	(26,510 - 37,907)
FL	< \$15,000	1,180	16.5	2.02	(12.5 - 20.5)		173,893	(130,076 - 217,710)
FL	\$15-\$24,999	2,283	13.2	1.62	(10.1 - 16.4)		320,825	(238,320 - 403,330)
FL	\$25-\$49,999	2,982	13.3	1.79	(9.8 - 16.9)		482,513	(341,513 - 623,513)
FL	\$50-\$74,999	1,447	8.8	1.12	(6.6 - 11.0)		157,369	(116,791 - 197,947)
FL	>=\$75,000	2,117	10.0	1.37	(7.3 - 12.7)		360,953	(258,061 - 463,845)
GA	< \$15,000	595	16.3	2.40	(11.6 - 21.0)		94,356	(65,292 - 123,420)
GA	\$15-\$24,999	915	14.1	2.43	(9.3 - 18.8)		156,661	(98,356 - 214,966)
GA	\$25-\$49,999	1,300	9.7	1.21	(7.3 - 12.0)		150,229	(112,406 - 188,053)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory: BRFSS 2009**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
GA	\$50-\$74,999	825	11.4	1.78	(7.9 - 14.9)		112,770	(75,909 - 149,631)
GA	>=\$75,000	1,387	8.8	1.11	(6.6 - 11.0)		183,188	(136,007 - 230,369)
HI	< \$15,000	502	16.4	2.44	(11.6 - 21.2)		8,443	(5,811 - 11,075)
HI	\$15-\$24,999	843	20.7	2.26	(16.3 - 25.2)		22,390	(16,924 - 27,855)
HI	\$25-\$49,999	1,793	17.4	1.46	(14.5 - 20.2)		43,704	(35,672 - 51,735)
HI	\$50-\$74,999	1,127	16.7	1.64	(13.4 - 19.9)		29,761	(23,463 - 36,059)
HI	>=\$75,000	1,859	14.8	1.20	(12.5 - 17.2)		46,256	(38,348 - 54,163)
ID	< \$15,000	562	19.3	2.67	(14.1 - 24.6)		19,590	(13,795 - 25,385)
ID	\$15-\$24,999	925	14.3	1.80	(10.7 - 17.8)		24,598	(17,984 - 31,212)
ID	\$25-\$49,999	1,479	13.5	1.22	(11.1 - 15.9)		40,835	(33,168 - 48,502)
ID	\$50-\$74,999	816	12.6	1.58	(9.5 - 15.7)		21,694	(15,972 - 27,416)
ID	>=\$75,000	940	9.5	1.20	(7.1 - 11.8)		22,487	(16,679 - 28,295)
IL	< \$15,000	455	23.5	3.15	(17.3 - 29.7)		170,890	(119,071 - 222,710)
IL	\$15-\$24,999	770	15.7	2.12	(11.6 - 19.9)		197,319	(139,933 - 254,706)
IL	\$25-\$49,999	1,429	12.3	1.18	(10.0 - 14.6)		271,376	(217,564 - 325,189)
IL	\$50-\$74,999	910	13.7	1.73	(10.3 - 17.1)		211,207	(154,330 - 268,084)
IL	>=\$75,000	1,824	10.5	0.91	(8.8 - 12.3)		348,178	(286,616 - 409,739)
IN	< \$15,000	1,048	22.1	2.28	(17.6 - 26.6)		95,786	(74,148 - 117,423)
IN	\$15-\$24,999	1,621	15.5	1.56	(12.4 - 18.5)		110,919	(86,840 - 134,998)
IN	\$25-\$49,999	2,326	13.2	1.08	(11.0 - 15.3)		143,850	(119,018 - 168,682)
IN	\$50-\$74,999	1,277	9.2	1.14	(7.0 - 11.5)		69,487	(51,948 - 87,026)
IN	>=\$75,000	1,656	9.6	0.94	(7.8 - 11.5)		105,412	(84,484 - 126,339)
IA	< \$15,000	436	14.9	2.27	(10.4 - 19.3)		19,239	(13,299 - 25,179)
IA	\$15-\$24,999	835	14.8	1.81	(11.3 - 18.4)		41,349	(30,656 - 52,043)
IA	\$25-\$49,999	1,547	11.2	1.33	(8.6 - 13.9)		61,009	(45,700 - 76,318)
IA	\$50-\$74,999	941	6.7	0.89	(4.9 - 8.4)		25,723	(18,861 - 32,585)
IA	>=\$75,000	1,424	9.8	1.17	(7.5 - 12.1)		62,278	(46,637 - 77,920)
KS	< \$15,000	1,267	18.2	1.67	(15.0 - 21.5)		21,110	(17,050 - 25,171)
KS	\$15-\$24,999	2,752	13.6	0.99	(11.7 - 15.6)		33,575	(28,402 - 38,747)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory: BRFSS 2009**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
KS	\$25-\$49,999	5,119	13.3	0.78	(11.8 - 14.8)		71,247	(62,327 - 80,166)
KS	\$50-\$74,999	2,948	11.9	0.94	(10.1 - 13.8)		41,816	(34,820 - 48,812)
KS	>=\$75,000	4,521	10.5	0.64	(9.2 - 11.8)		60,946	(53,184 - 68,707)
KY	< \$15,000	1,495	23.5	2.45	(18.7 - 28.4)		75,126	(57,526 - 92,726)
KY	\$15-\$24,999	1,947	15.3	1.39	(12.5 - 18.0)		79,944	(64,842 - 95,046)
KY	\$25-\$49,999	2,349	13.8	1.40	(11.0 - 16.5)		108,266	(84,818 - 131,713)
KY	\$50-\$74,999	1,246	13.9	1.72	(10.5 - 17.3)		77,070	(57,025 - 97,114)
KY	>=\$75,000	1,478	12.5	1.38	(9.8 - 15.2)		97,256	(74,943 - 119,569)
LA	< \$15,000	1,171	17.3	1.70	(14.0 - 20.7)		60,666	(48,067 - 73,265)
LA	\$15-\$24,999	1,534	14.2	1.41	(11.5 - 17.0)		69,856	(55,224 - 84,488)
LA	\$25-\$49,999	1,937	10.4	1.09	(8.2 - 12.5)		73,434	(57,444 - 89,424)
LA	\$50-\$74,999	1,110	9.3	1.20	(6.9 - 11.6)		41,468	(30,460 - 52,476)
LA	>=\$75,000	1,852	6.8	0.74	(5.4 - 8.3)		60,125	(47,035 - 73,214)
ME	< \$15,000	905	21.4	1.97	(17.5 - 25.3)		18,861	(15,125 - 22,597)
ME	\$15-\$24,999	1,241	18.7	1.60	(15.6 - 21.8)		25,305	(20,612 - 29,998)
ME	\$25-\$49,999	2,056	13.5	0.95	(11.6 - 15.4)		34,627	(29,576 - 39,678)
ME	\$50-\$74,999	1,249	13.7	1.29	(11.1 - 16.2)		24,923	(19,949 - 29,897)
ME	>=\$75,000	1,671	12.4	1.00	(10.5 - 14.4)		30,903	(25,735 - 36,071)
MD	< \$15,000	530	17.2	2.94	(11.4 - 22.9)		42,214	(26,613 - 57,814)
MD	\$15-\$24,999	886	19.8	2.35	(15.1 - 24.4)		78,561	(57,972 - 99,149)
MD	\$25-\$49,999	1,652	16.3	1.64	(13.1 - 19.5)		128,305	(100,097 - 156,514)
MD	\$50-\$74,999	1,170	14.7	1.66	(11.4 - 17.9)		82,140	(62,080 - 102,201)
MD	>=\$75,000	3,157	11.6	0.77	(10.1 - 13.1)		204,275	(176,769 - 231,782)
MA	< \$15,000	1,533	22.2	2.12	(18.1 - 26.4)		67,202	(53,676 - 80,729)
MA	\$15-\$24,999	2,310	18.5	1.78	(15.0 - 22.0)		96,885	(76,255 - 117,515)
MA	\$25-\$49,999	3,223	17.0	1.35	(14.3 - 19.6)		151,066	(124,922 - 177,211)
MA	\$50-\$74,999	2,017	15.1	1.30	(12.6 - 17.7)		89,289	(72,970 - 105,607)
MA	>=\$75,000	4,778	13.6	0.84	(11.9 - 15.2)		258,120	(224,228 - 292,012)
MI	< \$15,000	900	20.8	2.07	(16.7 - 24.9)		118,982	(93,449 - 144,515)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory: BRFSS 2009**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
MI	\$15-\$24,999	1,484	19.3	1.65	(16.0 - 22.5)		193,741	(157,005 - 230,478)
MI	\$25-\$49,999	2,309	13.9	1.01	(12.0 - 15.9)		246,083	(209,396 - 282,770)
MI	\$50-\$74,999	1,294	13.3	1.26	(10.8 - 15.7)		154,654	(123,869 - 185,438)
MI	>=\$75,000	1,772	14.1	1.05	(12.0 - 16.2)		266,296	(224,691 - 307,901)
MN	< \$15,000	343	16.6	4.02	(8.7 - 24.5)		29,635	(13,393 - 45,877)
MN	\$15-\$24,999	739	12.8	2.32	(8.2 - 17.3)		51,891	(31,633 - 72,149)
MN	\$25-\$49,999	1,429	9.5	1.12	(7.3 - 11.7)		82,641	(62,484 - 102,798)
MN	\$50-\$74,999	922	7.9	1.07	(5.8 - 10.0)		55,555	(40,543 - 70,568)
MN	>=\$75,000	1,642	8.4	0.86	(6.7 - 10.1)		119,529	(94,848 - 144,210)
MS	< \$15,000	1,913	20.4	1.63	(17.2 - 23.6)		59,504	(48,842 - 70,165)
MS	\$15-\$24,999	2,073	14.0	1.22	(11.6 - 16.3)		54,278	(44,473 - 64,084)
MS	\$25-\$49,999	2,574	9.7	0.79	(8.2 - 11.3)		48,240	(40,304 - 56,175)
MS	\$50-\$74,999	1,241	11.8	1.38	(9.1 - 14.5)		31,591	(23,822 - 39,361)
MS	>=\$75,000	1,695	8.9	0.96	(7.0 - 10.8)		35,480	(27,599 - 43,362)
MO	< \$15,000	550	21.8	3.54	(14.9 - 28.8)		79,294	(49,690 - 108,899)
MO	\$15-\$24,999	848	20.0	2.50	(15.0 - 24.9)		129,785	(93,104 - 166,465)
MO	\$25-\$49,999	1,343	14.0	1.78	(10.5 - 17.5)		166,302	(120,871 - 211,733)
MO	\$50-\$74,999	693	11.9	2.00	(8.0 - 15.8)		84,851	(54,901 - 114,802)
MO	>=\$75,000	905	11.0	1.53	(8.0 - 14.0)		112,145	(79,644 - 144,646)
MT	< \$15,000	841	18.4	2.08	(14.3 - 22.5)		12,570	(9,585 - 15,555)
MT	\$15-\$24,999	1,362	15.2	1.58	(12.1 - 18.3)		17,166	(13,415 - 20,917)
MT	\$25-\$49,999	2,161	11.5	1.01	(9.5 - 13.5)		23,433	(19,192 - 27,673)
MT	\$50-\$74,999	1,189	10.1	1.30	(7.6 - 12.7)		12,625	(9,264 - 15,986)
MT	>=\$75,000	1,332	10.3	1.13	(8.1 - 12.5)		16,821	(13,032 - 20,609)
NE	< \$15,000	1,367	20.9	3.50	(14.0 - 27.8)		16,081	(9,758 - 22,404)
NE	\$15-\$24,999	2,744	13.8	1.68	(10.5 - 17.1)		23,961	(17,762 - 30,160)
NE	\$25-\$49,999	4,666	13.0	1.23	(10.6 - 15.4)		45,945	(36,701 - 55,190)
NE	\$50-\$74,999	2,442	10.3	1.15	(8.1 - 12.6)		21,814	(16,763 - 26,864)
NE	>=\$75,000	2,915	7.5	0.89	(5.8 - 9.3)		28,876	(21,997 - 35,754)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory: BRFSS 2009**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
NV	< \$15,000	306	19.6	4.05	(11.6 - 27.5)		26,170	(14,972 - 37,367)
NV	\$15-\$24,999	565	14.5	3.16	(8.3 - 20.7)		39,899	(21,246 - 58,551)
NV	\$25-\$49,999	879	15.6	2.28	(11.1 - 20.1)		66,748	(46,206 - 87,290)
NV	\$50-\$74,999	621	11.5	2.26	(7.1 - 16.0)		36,809	(21,696 - 51,922)
NV	>=\$75,000	1,001	11.6	1.67	(8.3 - 14.9)		69,844	(48,971 - 90,717)
NH	< \$15,000	403	23.0	3.10	(17.0 - 29.1)		12,019	(8,651 - 15,386)
NH	\$15-\$24,999	785	22.5	2.80	(17.0 - 27.9)		22,916	(16,322 - 29,509)
NH	\$25-\$49,999	1,345	16.0	1.62	(12.8 - 19.1)		32,419	(25,302 - 39,536)
NH	\$50-\$74,999	938	12.3	1.41	(9.6 - 15.1)		20,610	(15,783 - 25,438)
NH	>=\$75,000	1,666	14.6	1.25	(12.2 - 17.1)		52,760	(43,303 - 62,217)
NJ	< \$15,000	675	14.6	2.10	(10.5 - 18.7)		48,250	(34,413 - 62,086)
NJ	\$15-\$24,999	1,576	16.5	1.56	(13.4 - 19.6)		128,858	(102,808 - 154,908)
NJ	\$25-\$49,999	2,397	13.2	1.15	(11.0 - 15.5)		156,511	(127,989 - 185,032)
NJ	\$50-\$74,999	1,650	11.7	1.26	(9.2 - 14.1)		95,662	(74,162 - 117,163)
NJ	>=\$75,000	4,244	11.8	0.76	(10.4 - 13.3)		298,382	(259,050 - 337,714)
NM	< \$15,000	949	14.7	1.68	(11.4 - 17.9)		19,682	(15,036 - 24,328)
NM	\$15-\$24,999	1,636	13.5	1.34	(10.9 - 16.2)		37,161	(29,516 - 44,807)
NM	\$25-\$49,999	2,160	14.8	1.27	(12.4 - 17.3)		50,464	(41,176 - 59,752)
NM	\$50-\$74,999	1,262	13.4	1.35	(10.8 - 16.1)		27,280	(21,560 - 33,001)
NM	>=\$75,000	1,723	12.7	1.19	(10.4 - 15.0)		43,149	(34,796 - 51,501)
NY	< \$15,000	596	21.6	2.58	(16.5 - 26.6)		284,177	(210,271 - 358,084)
NY	\$15-\$24,999	969	15.5	1.74	(12.0 - 18.9)		308,979	(234,825 - 383,133)
NY	\$25-\$49,999	1,512	14.8	1.29	(12.3 - 17.4)		451,552	(368,913 - 534,192)
NY	\$50-\$74,999	862	13.7	1.57	(10.6 - 16.8)		254,038	(193,954 - 314,122)
NY	>=\$75,000	1,971	12.2	1.11	(10.0 - 14.4)		546,847	(442,238 - 651,455)
NC	< \$15,000	1,444	17.3	1.99	(13.4 - 21.2)		117,438	(89,220 - 145,656)
NC	\$15-\$24,999	2,099	16.2	1.78	(12.7 - 19.7)		168,430	(127,964 - 208,896)
NC	\$25-\$49,999	3,067	12.1	1.05	(10.0 - 14.1)		178,323	(146,225 - 210,421)
NC	\$50-\$74,999	1,808	14.1	1.56	(11.0 - 17.2)		139,293	(105,850 - 172,737)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory: BRFSS 2009**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NC	>=\$75,000	2,798	9.0	0.70	(7.6 - 10.3)		154,032	(130,269 - 177,796)
ND	< \$15,000	334	18.7	3.06	(12.7 - 24.7)		5,856	(3,841 - 7,872)
ND	\$15-\$24,999	667	11.6	1.57	(8.6 - 14.7)		6,608	(4,809 - 8,406)
ND	\$25-\$49,999	1,247	12.6	1.43	(9.8 - 15.4)		15,920	(12,118 - 19,723)
ND	\$50-\$74,999	787	10.2	1.46	(7.3 - 13.0)		8,552	(5,982 - 11,123)
ND	>=\$75,000	1,033	10.5	1.41	(7.8 - 13.3)		12,527	(8,998 - 16,056)
OH	< \$15,000	996	23.9	2.58	(18.8 - 29.0)		174,226	(130,544 - 217,908)
OH	\$15-\$24,999	1,526	18.2	1.74	(14.8 - 21.6)		211,884	(167,400 - 256,368)
OH	\$25-\$49,999	2,408	14.3	1.23	(11.9 - 16.7)		289,696	(236,125 - 343,267)
OH	\$50-\$74,999	1,381	11.8	1.26	(9.4 - 14.3)		161,470	(125,768 - 197,172)
OH	>=\$75,000	2,026	12.0	0.99	(10.1 - 14.0)		274,971	(227,578 - 322,363)
OK	< \$15,000	1,003	24.1	2.10	(20.0 - 28.2)		72,996	(58,662 - 87,331)
OK	\$15-\$24,999	1,492	18.9	1.71	(15.5 - 22.2)		91,144	(72,657 - 109,630)
OK	\$25-\$49,999	1,894	14.2	1.18	(11.9 - 16.5)		91,835	(75,690 - 107,980)
OK	\$50-\$74,999	1,091	14.4	1.38	(11.7 - 17.1)		61,205	(48,770 - 73,641)
OK	>=\$75,000	1,456	11.2	1.13	(9.0 - 13.4)		67,541	(53,210 - 81,872)
OR	< \$15,000	361	26.9	3.72	(19.6 - 34.2)		63,080	(43,269 - 82,890)
OR	\$15-\$24,999	651	19.6	2.33	(15.0 - 24.1)		80,993	(60,208 - 101,777)
OR	\$25-\$49,999	1,029	16.1	1.63	(12.9 - 19.3)		103,098	(81,105 - 125,090)
OR	\$50-\$74,999	671	15.3	2.15	(11.1 - 19.5)		76,228	(52,948 - 99,507)
OR	>=\$75,000	932	12.8	1.35	(10.1 - 15.4)		95,408	(74,466 - 116,349)
PA	< \$15,000	856	16.7	2.42	(11.9 - 21.4)		117,548	(80,509 - 154,588)
PA	\$15-\$24,999	1,517	16.1	1.66	(12.8 - 19.3)		199,921	(154,900 - 244,943)
PA	\$25-\$49,999	2,303	12.5	1.10	(10.4 - 14.7)		275,762	(225,197 - 326,327)
PA	\$50-\$74,999	1,243	11.9	1.23	(9.5 - 14.3)		168,479	(132,468 - 204,489)
PA	>=\$75,000	1,861	11.6	1.02	(9.6 - 13.6)		304,859	(248,950 - 360,769)
RI	< \$15,000	538	18.5	2.34	(14.0 - 23.1)		9,588	(7,141 - 12,034)
RI	\$15-\$24,999	829	21.4	2.46	(16.6 - 26.2)		18,845	(13,886 - 23,803)
RI	\$25-\$49,999	1,334	14.8	1.75	(11.4 - 18.2)		23,806	(17,671 - 29,941)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory: BRFSS 2009**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
RI	\$50-\$74,999	936	13.4	1.48	(10.5 - 16.3)		16,951	(13,064 - 20,838)
RI	>=\$75,000	1,717	15.3	1.18	(13.0 - 17.6)		41,170	(34,407 - 47,934)
SC	< \$15,000	1,167	17.7	1.91	(14.0 - 21.5)		54,120	(42,266 - 65,974)
SC	\$15-\$24,999	1,663	16.8	1.69	(13.5 - 20.1)		81,422	(63,983 - 98,860)
SC	\$25-\$49,999	2,310	11.1	1.24	(8.6 - 13.5)		88,520	(67,802 - 109,237)
SC	\$50-\$74,999	1,239	12.1	1.72	(8.7 - 15.5)		58,307	(40,645 - 75,969)
SC	>=\$75,000	1,815	10.2	1.22	(7.8 - 12.6)		82,500	(62,113 - 102,888)
SD	< \$15,000	702	18.4	2.72	(13.1 - 23.7)		7,785	(5,327 - 10,243)
SD	\$15-\$24,999	1,089	15.1	1.77	(11.6 - 18.6)		10,646	(8,032 - 13,260)
SD	\$25-\$49,999	1,912	10.9	1.18	(8.6 - 13.2)		17,142	(13,258 - 21,026)
SD	\$50-\$74,999	1,069	9.5	1.13	(7.3 - 11.7)		11,141	(8,475 - 13,806)
SD	>=\$75,000	1,185	7.4	0.87	(5.7 - 9.1)		10,298	(7,885 - 12,711)
TN	< \$15,000	624	20.2	2.53	(15.2 - 25.1)		96,393	(70,603 - 122,183)
TN	\$15-\$24,999	1,235	13.5	1.56	(10.4 - 16.5)		132,624	(100,510 - 164,739)
TN	\$25-\$49,999	1,184	10.3	1.43	(7.5 - 13.1)		109,445	(78,324 - 140,565)
TN	\$50-\$74,999	467	9.0	2.04	(5.0 - 13.0)		43,177	(22,847 - 63,506)
TN	>=\$75,000	667	10.7	1.86	(7.0 - 14.3)		78,982	(50,207 - 107,756)
TX	< \$15,000	1,272	13.8	1.64	(10.5 - 17.0)		247,438	(186,927 - 307,950)
TX	\$15-\$24,999	1,705	10.1	1.14	(7.8 - 12.3)		267,963	(208,976 - 326,949)
TX	\$25-\$49,999	2,440	11.6	1.25	(9.1 - 14.0)		409,212	(316,740 - 501,685)
TX	\$50-\$74,999	1,591	14.9	1.95	(11.1 - 18.7)		356,198	(254,134 - 458,263)
TX	>=\$75,000	3,009	11.7	0.97	(9.8 - 13.6)		591,814	(491,573 - 692,055)
UT	< \$15,000	584	19.5	3.11	(13.4 - 25.7)		17,106	(10,997 - 23,216)
UT	\$15-\$24,999	1,207	15.5	1.70	(12.1 - 18.8)		32,306	(24,726 - 39,887)
UT	\$25-\$49,999	2,333	13.9	1.15	(11.6 - 16.1)		56,767	(46,743 - 66,791)
UT	\$50-\$74,999	1,739	12.9	1.09	(10.8 - 15.1)		42,743	(35,319 - 50,167)
UT	>=\$75,000	2,955	12.7	0.88	(11.0 - 14.4)		73,565	(62,916 - 84,214)
VT	< \$15,000	571	24.8	2.66	(19.6 - 30.0)		8,548	(6,590 - 10,506)
VT	\$15-\$24,999	907	16.7	1.92	(13.0 - 20.5)		9,461	(7,101 - 11,822)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory: BRFSS 2009**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	\$25-\$49,999	1,633	15.3	1.30	(12.8 - 17.9)		17,611	(14,376 - 20,847)
VT	\$50-\$74,999	1,085	14.1	1.42	(11.3 - 16.9)		12,326	(9,673 - 14,979)
VT	>=\$75,000	1,682	10.9	0.86	(9.3 - 12.6)		14,778	(12,416 - 17,140)
VA	< \$15,000	387	17.9	3.42	(11.2 - 24.6)		50,880	(29,220 - 72,540)
VA	\$15-\$24,999	705	18.7	3.03	(12.8 - 24.7)		123,669	(79,113 - 168,225)
VA	\$25-\$49,999	1,127	12.5	1.53	(9.5 - 15.5)		146,318	(109,241 - 183,395)
VA	\$50-\$74,999	691	11.5	1.68	(8.2 - 14.8)		94,811	(66,943 - 122,678)
VA	>=\$75,000	1,492	12.2	1.83	(8.6 - 15.8)		265,526	(180,529 - 350,523)
WA	< \$15,000	1,240	21.8	1.90	(18.1 - 25.6)		53,554	(43,467 - 63,640)
WA	\$15-\$24,999	3,029	15.3	1.13	(13.1 - 17.5)		98,216	(82,846 - 113,586)
WA	\$25-\$49,999	5,320	14.8	0.72	(13.4 - 16.2)		162,844	(146,388 - 179,300)
WA	\$50-\$74,999	3,371	15.6	0.88	(13.9 - 17.3)		131,268	(115,572 - 146,965)
WA	>=\$75,000	4,892	13.7	0.70	(12.3 - 15.0)		213,203	(190,046 - 236,360)
WV	< \$15,000	554	19.7	2.07	(15.7 - 23.8)		24,942	(19,385 - 30,499)
WV	\$15-\$24,999	837	13.6	1.60	(10.5 - 16.8)		30,976	(23,281 - 38,671)
WV	\$25-\$49,999	1,579	12.3	1.17	(10.0 - 14.6)		58,689	(46,961 - 70,418)
WV	\$50-\$74,999	600	9.0	1.31	(6.4 - 11.5)		18,071	(12,708 - 23,433)
WV	>=\$75,000	691	9.5	1.39	(6.7 - 12.2)		22,013	(15,316 - 28,710)
WI	< \$15,000	276	19.6	5.42	(8.9 - 30.2)		40,465	(15,172 - 65,758)
WI	\$15-\$24,999	807	17.1	2.66	(11.9 - 22.4)		110,691	(72,769 - 148,613)
WI	\$25-\$49,999	1,531	11.0	1.27	(8.5 - 13.5)		136,940	(104,388 - 169,492)
WI	\$50-\$74,999	681	16.6	2.44	(11.8 - 21.4)		128,740	(87,285 - 170,196)
WI	>=\$75,000	757	11.9	1.69	(8.6 - 15.2)		118,642	(83,880 - 153,403)
WY	< \$15,000	458	15.1	2.49	(10.2 - 20.0)		4,112	(2,803 - 5,421)
WY	\$15-\$24,999	847	15.8	2.10	(11.7 - 19.9)		8,079	(5,778 - 10,380)
WY	\$25-\$49,999	1,448	14.2	1.29	(11.7 - 16.7)		12,409	(10,009 - 14,810)
WY	\$50-\$74,999	1,038	13.2	1.33	(10.5 - 15.8)		9,824	(7,762 - 11,887)
WY	>=\$75,000	1,563	11.5	1.00	(9.6 - 13.5)		13,684	(11,240 - 16,128)
Territories								

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Income and State or Territory: BRFSS 2009**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
GU	< \$15,000	164	7.9	2.56	(2.8 - 12.9)		946	(317 - 1,576)
GU	\$15-\$24,999	138	15.5	3.76	(8.1 - 22.9)		1,710	(823 - 2,596)
GU	\$25-\$49,999	353	9.4	1.67	(6.1 - 12.6)		2,828	(1,811 - 3,845)
GU	\$50-\$74,999	174	10.2	2.53	(5.2 - 15.2)		1,511	(743 - 2,278)
GU	>=\$75,000	210	8.4	2.20	(4.1 - 12.8)		1,404	(658 - 2,149)
PR	< \$15,000	1,650	15.4	1.18	(13.0 - 17.7)		131,741	(110,722 - 152,759)
PR	\$15-\$24,999	917	13.5	1.45	(10.7 - 16.4)		93,561	(72,469 - 114,652)
PR	\$25-\$49,999	554	16.8	1.99	(12.9 - 20.7)		76,050	(56,636 - 95,464)
PR	\$50-\$74,999	128	15.0	3.63	(7.9 - 22.2)		17,321	(8,397 - 26,244)
PR	>=\$75,000	134	10.7	3.15	(4.5 - 16.9)		12,816	(4,942 - 20,690)
VI	< \$15,000	312	9.2	1.93	(5.3 - 13.0)		798	(459 - 1,138)
VI	\$15-\$24,999	442	11.8	1.81	(8.3 - 15.4)		1,533	(1,050 - 2,016)
VI	\$25-\$49,999	691	6.7	1.25	(4.3 - 9.2)		1,363	(853 - 1,872)
VI	\$50-\$74,999	299	12.4	2.91	(6.6 - 18.1)		956	(472 - 1,441)
VI	>=\$75,000	436	9.0	1.68	(5.7 - 12.3)		1,167	(723 - 1,611)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.