

# **National Immunization Survey -- Child**

**A Codebook for the  
2021 Public-Use Data File**

**Centers for Disease Control and Prevention**

**National Center for Immunization  
and Respiratory Diseases**

**Presented by:  
NORC at the University of Chicago**

**December 2022**

## TABLE OF CONTENTS

<a href="#">Section Index of Variables</a> .....	1
<a href="#">Section 1: ID, Weight, and Flag Variables</a> .....	18
<a href="#">Section 2: Household Vaccination Variables</a> .....	22
<a href="#">Section 3: Demographic and Socio-Economic Variables</a> .....	23
<a href="#">Section 4: Geographic Variables</a> .....	39
<a href="#">Section 5: Number of Providers Identified and Consent Variables</a> .....	45
<a href="#">Section 6: Number of Responding Provider Variables</a> .....	46
<a href="#">Section 7: Characteristics of Provider Variables</a> .....	47
<a href="#">Section 8: Provider-Reported Up-to-Date Vaccination Variables</a> .....	49
<a href="#">Section 9: Provider-Reported Age-at-Vaccination Variables</a> .....	97
<a href="#">Section 10: Health Insurance Module Variables</a> .....	238
<a href="#">Alphabetic Index of Variables</a> .....	240

## NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
PROVWT_C	13	31	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_C_TERR	32	50	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
RDDWT_C	51	69	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_C_TERR	70	88	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES
STRATUM	89	92	1	STRATUM VARIABLE FOR VARIANCE ESTIMATION
YEAR	93	96	1	YEAR OF INTERVIEW
AGECPOXR	97	97	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
HAD_CPOX	98	99	2	CHILD EVER HAD CHICKEN POX DISEASE?
AGEGRP	100	100	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	101	108	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	109	116	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR20	117	124	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
BFENDFL06	125	125	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	126	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	127	127	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	128	129	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	130	131	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	132	132	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	133	133	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	134	135	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	136	137	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	138	138	3	EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)
FRSTBRN	139	139	3	FIRST BORN STATUS OF CHILD: IMPUTED
I_HISP_K	140	140	3	HISPANIC ORIGIN OF CHILD: IMPUTED
INCPORAR	141	156	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	157	172	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
INCPOV1	173	173	3	POVERTY STATUS
INCQ298A	174	175	3	FAMILY INCOME CATEGORIES (RECODE)
LANGUAGE	176	176	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
M_AGEGRP2	177	177	3	AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)
MARITAL2	178	178	3	MARITAL STATUS OF MOTHER: IMPUTED (RECODE)
MOBIL_I	179	179	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE: IMPUTED
NUM_PHONE	180	181	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
NUM_CELLS_HH	182	183	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	184	185	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
RACE_K	186	186	3	RACE OF CHILD: IMPUTED (RECODE)
RACEETHK	187	187	3	RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)
RENT_OWN	188	189	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
SEX	190	190	3	SEX OF CHILD: IMPUTED
ESTIAP21	191	193	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	194	195	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
STATE	196	197	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
D6R	198	198	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	199	199	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
N_PRVR	200	200	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PROV_FAC	201	201	7	PROVIDER FACILITY TYPES: IMPUTED
REGISTRY	202	202	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	203	203	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	204	204	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	205	205	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	206	206	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	207	207	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUHPHB	208	208	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	209	209	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	210	210	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	211	211	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDIHB	212	212	8	NUMBER OF DTAP/IPV/HIB/HEPB SHOTS BY 19-35 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.
P_NUMDTA	213	213	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	214	214	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	215	215	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	216	216	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	217	217	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	218	218	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	219	219	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	220	220	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	221	221	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMHG	222	222	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHHY	223	223	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	224	224	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	225	225	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	226	226	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	227	227	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	228	228	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	229	229	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	230	230	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	231	231	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	232	232	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	233	233	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	234	234	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	235	235	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	236	236	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMMS	237	237	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	238	238	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	239	239	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	240	240	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	241	241	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	242	242	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	243	243	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC	244	244	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	245	245	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	246	246	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	247	247	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	248	248	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	249	249	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	250	250	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.



## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMRG	251	251	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	252	252	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	253	253	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	254	254	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	255	255	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	256	256	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	257	257	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	258	258	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	259	259	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_UTDHIB_ROUT_S	266	266	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	268	268	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	271	271	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	272	272	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	273	273	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	276	276	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431331	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_UTD431H31_ROUT_S	278	278	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	279	279	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	280	280	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	281	281	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	282	282	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	283	283	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	284	284	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	285	285	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	286	286	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U24_FLU_24D	287	287	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U19_FLU_24D	288	288	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 19 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U24_FLU3_24D	289	289	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U1D_HEP	290	290	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
U2D_HEP	291	291	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	292	292	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
DDTP1	293	296	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	297	300	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	301	304	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	305	308	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	309	312	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	313	316	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	317	320	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	321	324	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	325	327	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	328	331	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	332	335	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	336	339	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	340	343	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	344	347	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	348	351	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	352	352	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	353	353	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	354	354	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	355	358	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	359	362	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	363	366	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	367	370	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	371	371	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	372	372	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	373	373	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	374	374	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	375	375	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	376	379	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	380	383	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	384	387	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	388	391	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	392	395	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	396	398	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	399	401	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	402	402	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DHEPB9	403	403	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	404	407	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	408	411	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	412	415	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	416	419	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	420	423	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	424	426	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	427	429	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	430	432	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	433	435	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	436	439	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	440	443	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	444	447	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	448	448	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	449	449	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	450	450	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	451	451	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	452	452	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	453	453	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	454	456	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	457	457	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	458	458	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	459	459	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	460	460	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	461	461	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	462	462	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	463	463	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	464	464	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	465	465	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	466	466	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	467	467	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	468	468	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	469	469	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	470	470	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	471	471	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	472	472	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	473	473	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DPCV1	474	477	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	478	481	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	482	485	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	486	489	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	490	493	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	494	496	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	497	499	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	500	502	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	503	503	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	504	507	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	508	511	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	512	515	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	516	519	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	520	523	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	524	526	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	527	529	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	530	532	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	533	533	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	534	536	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	537	537	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	538	538	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	539	539	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	540	540	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	541	541	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	542	542	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	543	543	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	544	544	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	545	547	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	548	550	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	551	554	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	555	557	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	558	560	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	561	563	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	564	564	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	565	565	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	566	566	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DVRC1	567	570	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DVRC2	571	574	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	575	575	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	576	576	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	577	577	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	578	578	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	579	579	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	580	580	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	581	581	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
DTP1_AGE	582	583	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	584	585	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	586	587	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	588	589	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	590	591	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	592	593	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	594	595	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	596	597	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	598	599	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
FLU1_AGE	600	601	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	602	603	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	604	605	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	610	611	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	614	614	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
HEA1_AGE	615	616	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	617	618	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	619	620	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	621	622	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	623	623	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HEA6_AGE	624	624	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	625	625	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	626	626	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	627	627	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	634	635	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	636	637	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	642	642	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	643	643	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HIB1_AGE	644	645	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	646	647	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	648	649	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	650	651	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	652	653	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	654	655	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	656	657	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	660	661	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	662	663	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	664	665	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	666	667	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	673	673	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	674	675	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	676	676	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	677	677	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	678	678	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	679	679	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	680	680	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6



## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
MP7_AGE	681	681	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	682	682	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	683	683	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	684	684	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	685	685	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	686	686	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	687	687	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	688	688	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	689	689	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	690	690	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	692	692	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	693	694	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	695	696	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	697	698	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	699	700	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	701	702	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	703	704	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	705	706	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	707	708	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	709	709	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
POL1_AGE	710	711	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	712	713	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	714	715	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	716	717	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	718	719	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	720	721	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	722	723	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	724	725	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	726	726	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	727	727	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	728	728	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	731	731	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	732	732	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	733	733	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
RB8_AGE	734	734	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	735	735	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	736	737	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	738	739	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	740	741	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	742	743	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	744	745	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	746	747	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	748	748	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	749	749	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	750	750	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	751	752	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	753	754	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	755	755	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	756	756	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	757	757	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	758	758	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	759	759	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	760	760	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	761	761	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	762	763	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	764	765	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	766	767	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	768	769	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	770	771	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	772	773	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	774	775	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	776	777	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	778	779	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	780	781	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	782	783	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	784	785	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	786	787	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	788	789	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	790	791	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	792	792	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	793	793	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XFLUTY9	794	794	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	795	796	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	797	798	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	799	800	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	801	802	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	803	804	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	805	806	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	807	808	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	809	809	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	810	810	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	811	812	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	813	814	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	815	816	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	817	818	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	819	820	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	821	822	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	823	824	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	825	826	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	827	828	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	829	830	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	831	832	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	833	834	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	835	835	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	836	836	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	837	837	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	838	838	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	839	839	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	840	840	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	841	842	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	843	844	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	845	846	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	847	848	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	849	850	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	851	852	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	853	854	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	855	856	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	857	857	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XPOLTY1	858	859	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	860	861	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	862	863	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	864	865	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	866	867	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	868	869	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	870	871	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	872	873	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	874	874	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	875	876	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	877	878	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	879	880	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	881	882	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	883	884	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	885	886	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	887	887	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	888	888	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	889	889	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	890	891	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	892	893	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	894	894	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	895	895	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	896	896	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	897	897	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	898	898	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	899	899	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	900	900	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
INS_STAT2_I	901	901	10	INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED
INS_BREAK_I	902	902	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMC Type: Character Position: 1-6

Label: UNIQUE CHILD IDENTIFIER

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35995	100.0%	100.0%	18319	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: SEQNUMHH Type: Character Position: 7-11

Label: UNIQUE HOUSEHOLD IDENTIFIER

Notes: Each household contains one or more children age 19 - 35 months.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35995	100.0%	100.0%	18319	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: PDAT Type: Numeric Position: 12-12

Label: CHILD HAS ADEQUATE PROVIDER DATA

Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	18319	50.9%	50.9%	18319	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	17676	49.1%	49.1%	0	0.0%	0.0%
SUBTOTALS:		35995	100.0%	100.0%	18319	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: PROVWT\_C Type: Numeric Position: 13-31

Label: FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)

Notes: Final child weight to use for the single-frame cell-phone calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1). Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17967	49.9%	100.0%	17967	98.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18028	50.1%	n/a	352	1.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: PROVWT\_C Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	303.6	130.7	1.5	5812.3	527.0
Adequate Provider Data	303.6	130.7	1.5	5812.3	527.0

Variable: PROVWT\_C\_TERR Type: Numeric Position: 32-50

Label: FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES

Notes: Final child weight to use for the single-frame cell-phone calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1), including territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: PROVWT\_C\_TERR Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	299.3	127.8	1.3	5812.3	523.0
Adequate Provider Data	299.3	127.8	1.3	5812.3	523.0

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

**Variable: RDDWT\_C Type: Numeric Position: 51-69**

**Label: FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)**

**Notes: Final single-frame cell-phone household interview weight for child. Use this weight for estimates based on children with completed household interviews. Missing for territories.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		34863	96.9%	100.0%	17967	98.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	1132	3.1%	n/a	352	1.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: RDDWT\_C Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	156.5	74.2	1.0	2932.4	252.3
Adequate Provider Data	147.5	70.6	1.1	2932.4	237.6

**Variable: RDDWT\_C\_TERR Type: Numeric Position: 70-88**

**Label: FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES**

**Notes: Final single-frame cell-phone household interview weight for child. Use this weight for estimates based on children with completed household interviews, including territories.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: RDDWT\_C\_TERR Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	152.3	71.1	1.0	2932.4	249.4
Adequate Provider Data	145.1	68.5	1.0	2932.4	236.0

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: STRATUM Type: Numeric Position: 89-92

Label: STRATUM VARIABLE FOR VARIANCE ESTIMATION

Notes: Use STRATUM as the stratum variable for variance estimation when calculating estimates.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35995	100.0%	100.0%	18319	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: YEAR Type: Numeric Position: 93-96

Label: YEAR OF INTERVIEW

Notes: Sampling year.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2021	2021	35995	100.0%	100.0%	18319	100.0%	100.0%
SUBTOTALS:		35995	100.0%	100.0%	18319	100.0%	100.0%
RESERVED CODES:							
TOTALS:		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: AGECP0XR Type: Numeric Position: 97-97

Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0 TO 6 MONTHS OLD	1	66	0.2%	29.1%	24	0.1%	23.3%
7 TO 12 MONTHS OLD	2	65	0.2%	28.6%	30	0.2%	29.1%
13 TO 18 MONTHS OLD	3	48	0.1%	21.1%	27	0.1%	26.2%
19+ MONTHS OLD	4	48	0.1%	21.1%	22	0.1%	21.4%
<b>SUBTOTALS:</b>		227	0.6%	100.0%	103	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35768	99.4%	n/a	18216	99.4%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: HAD\_CPOX Type: Numeric Position: 98-99

Label: CHILD EVER HAD CHICKEN POX DISEASE?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	244	0.7%	0.7%	107	0.6%	0.6%
NO	2	35649	99.0%	99.3%	18175	99.2%	99.4%
<b>SUBTOTALS:</b>		35893	99.7%	100.0%	18282	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	89	0.2%	n/a	36	0.2%	n/a
REFUSED	99	13	0.0%	n/a	1	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: AGEGRP Type: Numeric Position: 100-100

Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
19 - 23 MONTHS	1	10147	28.2%	28.2%	5126	28.0%	28.0%
24 - 29 MONTHS	2	10680	29.7%	29.7%	5416	29.6%	29.6%
30 - 35 MONTHS	3	15168	42.1%	42.1%	7777	42.5%	42.5%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: BF\_ENDR06 Type: Numeric Position: 101-108

Label: DURATION OF BREASTFEEDING IN DAYS (RECODE)

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		28296	78.6%	100.0%	14778	80.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	7699	21.4%	n/a	3541	19.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: BF\_ENDR06 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	290.3	273.9	1.0	730.5	196.5
Adequate Provider Data	293.6	273.9	1.0	730.5	197.4

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **BF\_EXCLR06** Type: Numeric Position: 109-116Label: **DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		29676	82.4%	100.0%	15655	85.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	6319	17.6%	n/a	2664	14.5%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: **BF\_EXCLR06** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	177.3	182.6	1.0	273.9	60.0
Adequate Provider Data	175.4	182.6	1.0	273.9	57.6

Variable: **BF\_FORMR20** Type: Numeric Position: 117-124Label: **AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)**Notes: **BF\_FROMR20** replaces **BF\_FORMR08** and includes a code of 888 for children never fed formula. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18548	51.5%	100.0%	9500	51.9%	100.0%
<b>RESERVED CODES:</b>							
NEVER FED FORMULA	888	8202	22.8%	n/a	4453	24.3%	n/a
MISSING	.	9245	25.7%	n/a	4366	23.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: **BF\_FORMR20** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	125.0	91.3	0.0	365.3	111.8
Adequate Provider Data	117.8	91.3	0.0	365.3	107.6

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **BFENDFL06** Type: Numeric Position: 125-125Label: **DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	2	0.0%	100.0%	2	0.0%	100.0%
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: **BFFORMFL06** Type: Numeric Position: 126-126Label: **AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: **C1R** Type: Numeric Position: 127-127Label: **NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2	2	987	2.7%	2.7%	461	2.5%	2.5%
3	3	8652	24.0%	24.0%	4420	24.1%	24.1%
4	4	13010	36.1%	36.1%	6886	37.6%	37.6%
5	5	7274	20.2%	20.2%	3713	20.3%	20.3%
6	6	3326	9.2%	9.2%	1640	9.0%	9.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C1R Type: Numeric Position: 127-127

Label: NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
7	7	1458	4.1%	4.1%	668	3.6%	3.6%
8+	8	1288	3.6%	3.6%	531	2.9%	2.9%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: C5R Type: Numeric Position: 128-129

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	23783	66.1%	66.1%	13251	72.3%	72.4%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	10528	29.2%	29.3%	4586	25.0%	25.0%
GRANDPARENT	3	1288	3.6%	3.6%	398	2.2%	2.2%
OTHER FAMILY MEMBER/FRIEND	4	379	1.1%	1.1%	78	0.4%	0.4%
<b>SUBTOTALS:</b>		35978	100.0%	100.0%	18313	100.0%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	1	0.0%	n/a	0	0.0%	n/a
REFUSED	99	16	0.0%	n/a	6	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CBF\_01 Type: Numeric Position: 130-131

Label: WAS CHILD EVER BREASTFED OR FED BREAST MILK?

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	31150	86.5%	86.9%	16271	88.8%	89.0%
NO	2	4701	13.1%	13.1%	2008	11.0%	11.0%
<b>SUBTOTALS:</b>		35851	99.6%	100.0%	18279	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	119	0.3%	n/a	36	0.2%	n/a
REFUSED	99	25	0.1%	n/a	4	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: CEN\_REG Type: Numeric Position: 132-132

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes: Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	6727	18.7%	19.3%	3447	18.8%	19.2%
MIDWEST	2	7403	20.6%	21.2%	3879	21.2%	21.6%
SOUTH	3	12738	35.4%	36.5%	6291	34.3%	35.0%
WEST	4	7995	22.2%	22.9%	4350	23.7%	24.2%
<b>SUBTOTALS:</b>		34863	96.9%	100.0%	17967	98.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	1132	3.1%	n/a	352	1.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **CHILDNM** Type: **Numeric** Position: **133-133**Label: **NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	10345	28.7%	28.7%	5212	28.5%	28.5%
TWO OR THREE	2	21286	59.1%	59.1%	11102	60.6%	60.6%
FOUR OR MORE	3	4364	12.1%	12.1%	2005	10.9%	10.9%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: **CWIC\_01** Type: **Numeric** Position: **134-135**Label: **CHILD EVER RECEIVED WIC BENEFITS?**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	12809	35.6%	35.8%	6278	34.3%	34.4%
NO	2	22937	63.7%	64.0%	11952	65.2%	65.4%
NEVER HEARD OF WIC	3	74	0.2%	0.2%	38	0.2%	0.2%
<b>SUBTOTALS:</b>		35820	99.5%	100.0%	18268	99.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	153	0.4%	n/a	48	0.3%	n/a
REFUSED	99	22	0.1%	n/a	3	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CWIC\_02 Type: Numeric Position: 136-137

Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	7290	20.3%	57.3%	3625	19.8%	58.0%
NO	2	5423	15.1%	42.7%	2627	14.3%	42.0%
<b>SUBTOTALS:</b>		12713	35.3%	100.0%	6252	34.1%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	92	0.3%	n/a	26	0.1%	n/a
REFUSED	99	4	0.0%	n/a	0	0.0%	n/a
MISSING	.	23186	64.4%	n/a	12041	65.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: EDUC1 Type: Numeric Position: 138-138

Label: EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
< 12 YEARS	1	1949	5.4%	5.4%	936	5.1%	5.1%
12 YEARS	2	6153	17.1%	17.1%	2847	15.5%	15.5%
> 12 YEARS, NON-COLLEGE GRAD	3	8963	24.9%	24.9%	4412	24.1%	24.1%
COLLEGE GRAD	4	18930	52.6%	52.6%	10124	55.3%	55.3%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: FRSTBRN Type: Numeric Position: 139-139

Label: FIRST BORN STATUS OF CHILD: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NO	1	21826	60.6%	60.6%	11159	60.9%	60.9%
YES	2	14169	39.4%	39.4%	7160	39.1%	39.1%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: I\_HISP\_K Type: Numeric Position: 140-140

Label: HISPANIC ORIGIN OF CHILD: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	7709	21.4%	21.4%	3704	20.2%	20.2%
NON-HISPANIC	2	28286	78.6%	78.6%	14615	79.8%	79.8%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: INCPORAR Type: Numeric Position: 141-156

Label: INCOME TO POVERTY RATIO (RECODE)

Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2018 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		33016	91.7%	100.0%	17402	95.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	2979	8.3%	n/a	917	5.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: INCPORAR** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.9	0.5	3.0	0.9
Adequate Provider Data	2.3	3.0	0.5	3.0	0.9

**Variable: INCPORAR\_I** Type: Numeric Position: 157-172**Label: INCOME TO POVERTY RATIO: IMPUTED (RECODE)****Notes: Variable contains some imputed values. Determined from family income, number of persons in the household, number of children in the household, and the 2018 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: INCPORAR\_I** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.9	0.5	3.0	0.9
Adequate Provider Data	2.3	3.0	0.5	3.0	0.9

**Variable: INCPOV1** Type: Numeric Position: 173-173**Label: POVERTY STATUS****Notes: Based on 2021 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > \$75K	1	17149	47.6%	50.6%	9343	51.0%	52.7%
ABOVE POVERTY, <= \$75K	2	10534	29.3%	31.1%	5317	29.0%	30.0%
BELOW POVERTY	3	6195	17.2%	18.3%	3073	16.8%	17.3%
<b>SUBTOTALS:</b>		33878	94.1%	100.0%	17733	96.8%	100.0%
<b>RESERVED CODES:</b>							
UNKNOWN	4	2117	5.9%	n/a	586	3.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCQ298A Type: Numeric Position: 174-175

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Family income in 2021.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
\$0 - \$7500	3	999	2.8%	3.0%	483	2.6%	2.8%
\$7501 - \$10000	4	847	2.4%	2.6%	410	2.2%	2.4%
\$10001 - \$17500	5	1182	3.3%	3.6%	594	3.2%	3.4%
\$17501 - \$20000	6	1145	3.2%	3.5%	564	3.1%	3.2%
\$20001 - \$25000	7	1046	2.9%	3.2%	568	3.1%	3.3%
\$25001 - \$30000	8	1341	3.7%	4.1%	666	3.6%	3.8%
\$30001 - \$35000	9	955	2.7%	2.9%	486	2.7%	2.8%
\$35001 - \$40000	10	1478	4.1%	4.5%	751	4.1%	4.3%
\$40001 - \$50000	11	2112	5.9%	6.4%	1044	5.7%	6.0%
\$50001 - \$60000	12	1980	5.5%	6.0%	1013	5.5%	5.8%
\$60001 - \$75000	13	2782	7.7%	8.4%	1480	8.1%	8.5%
\$75001+	14	17149	47.6%	51.9%	9343	51.0%	53.7%
<b>SUBTOTALS:</b>		33016	91.7%	100.0%	17402	95.0%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	1485	4.1%	n/a	598	3.3%	n/a
REFUSED	99	1494	4.2%	n/a	319	1.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: LANGUAGE Type: Numeric Position: 176-176

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes: Interviews conducted in languages other than English and Spanish were administered using LanguageLine Solutions® (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ENGLISH	1	33350	92.7%	92.7%	17196	93.9%	93.9%
SPANISH	2	2311	6.4%	6.4%	957	5.2%	5.2%
OTHER	3	334	0.9%	0.9%	166	0.9%	0.9%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: LANGUAGE** Type: Numeric Position: 176-176

**Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED**

**Notes:** Interviews conducted in languages other than English and Spanish were administered using LanguageLine Solutions® (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: M\_AGEGRP2** Type: Numeric Position: 177-177

**Label: AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)**

**Notes:** Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<= 29 YEARS	1	9759	27.1%	27.1%	4687	25.6%	25.6%
>= 30 YEARS	2	26236	72.9%	72.9%	13632	74.4%	74.4%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: MARITAL2 Type: Numeric Position: 178-178

Label: MARITAL STATUS OF MOTHER: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MARRIED	1	25774	71.6%	71.6%	13603	74.3%	74.3%
NEVER MARRIED/WIDOWED/ DIVORCED/SEPARATED/ DECEASED/LIVING WITH PARTNER	2	10221	28.4%	28.4%	4716	25.7%	25.7%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: MOBIL\_I Type: Numeric Position: 179-179

Label: GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS  
CURRENT STATE: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	3754	10.4%	10.4%	1842	10.1%	10.1%
DID NOT MOVE FROM DIFFERENT STATE	2	32241	89.6%	89.6%	16477	89.9%	89.9%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM\_PHONE Type: Numeric Position: 180-181

Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	3475	9.7%	94.0%	1716	9.4%	94.8%
TWO	2	108	0.3%	2.9%	42	0.2%	2.3%
THREE OR MORE	3	36	0.1%	1.0%	12	0.1%	0.7%
NONE	4	77	0.2%	2.1%	40	0.2%	2.2%
<b>SUBTOTALS:</b>		3696	10.3%	100.0%	1810	9.9%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	18	0.1%	n/a	7	0.0%	n/a
REFUSED	99	10	0.0%	n/a	0	0.0%	n/a
MISSING	.	32271	89.7%	n/a	16502	90.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: NUM\_CELLS\_HH Type: Numeric Position: 182-183

Label: NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	3209	8.9%	9.0%	1434	7.8%	7.8%
TWO	2	23167	64.4%	64.9%	12383	67.6%	67.7%
THREE OR MORE	3	9293	25.8%	26.1%	4463	24.4%	24.4%
<b>SUBTOTALS:</b>		35669	99.1%	100.0%	18280	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	35	0.1%	n/a	3	0.0%	n/a
REFUSED	99	291	0.8%	n/a	36	0.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM\_CELLS\_PARENTS Type: Numeric Position: 184-185

Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	5766	16.0%	16.3%	2599	14.2%	14.3%
TWO	2	27764	77.1%	78.4%	14774	80.6%	81.1%
THREE OR MORE	3	1895	5.3%	5.3%	838	4.6%	4.6%
<b>SUBTOTALS:</b>		35425	98.4%	100.0%	18211	99.4%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	79	0.2%	n/a	12	0.1%	n/a
REFUSED	99	308	0.9%	n/a	40	0.2%	n/a
MISSING	.	183	0.5%	n/a	56	0.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: RACE\_K Type: Numeric Position: 186-186

Label: RACE OF CHILD: IMPUTED (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	24916	69.2%	69.2%	13089	71.5%	71.5%
BLACK ONLY	2	4379	12.2%	12.2%	1790	9.8%	9.8%
OTHER + MULTIPLE RACE	3	6700	18.6%	18.6%	3440	18.8%	18.8%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: RACEETHK Type: Numeric Position: 187-187

Label: RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	7709	21.4%	21.4%	3704	20.2%	20.2%
NON-HISPANIC WHITE ONLY	2	19152	53.2%	53.2%	10300	56.2%	56.2%
NON-HISPANIC BLACK ONLY	3	3605	10.0%	10.0%	1462	8.0%	8.0%
NON-HISPANIC OTHER + MULTIPLE RACE	4	5529	15.4%	15.4%	2853	15.6%	15.6%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: RENT\_OWN Type: Numeric Position: 188-189

Label: IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
OWNED OR BEING BOUGHT	1	22743	63.2%	63.8%	11918	65.1%	65.3%
RENTED	2	11638	32.3%	32.7%	5738	31.3%	31.4%
OTHER ARRANGMENT	3	1262	3.5%	3.5%	609	3.3%	3.3%
<b>SUBTOTALS:</b>		35643	99.0%	100.0%	18265	99.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	60	0.2%	n/a	16	0.1%	n/a
REFUSED	99	292	0.8%	n/a	38	0.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: SEX Type: Numeric Position: 190-190

Label: SEX OF CHILD: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MALE	1	18367	51.0%	51.0%	9361	51.1%	51.1%
FEMALE	2	17628	49.0%	49.0%	8958	48.9%	48.9%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP21 Type: Numeric Position: 191-193

Label: ESTIMATION AREA OF RESIDENCE

Notes: For variance estimation, use STRATUM.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	755	2.1%	2.1%	409	2.2%	2.2%
MA	2	590	1.6%	1.6%	335	1.8%	1.8%
ME	4	434	1.2%	1.2%	235	1.3%	1.3%
NH	5	499	1.4%	1.4%	248	1.4%	1.4%
RI	6	473	1.3%	1.3%	247	1.3%	1.3%
VT	7	557	1.5%	1.5%	323	1.8%	1.8%
NJ	8	615	1.7%	1.7%	283	1.5%	1.5%
NY-REST OF STATE	10	527	1.5%	1.5%	253	1.4%	1.4%
NY-CITY OF NEW YORK	11	909	2.5%	2.5%	437	2.4%	2.4%
DC	12	712	2.0%	2.0%	334	1.8%	1.8%
DE	13	412	1.1%	1.1%	192	1.0%	1.0%
MD	14	1392	3.9%	3.9%	730	4.0%	4.0%
PA-REST OF STATE	16	836	2.3%	2.3%	434	2.4%	2.4%
PA-PHILADELPHIA COUNTY	17	532	1.5%	1.5%	243	1.3%	1.3%
VA	18	976	2.7%	2.7%	520	2.8%	2.8%
WV	19	419	1.2%	1.2%	210	1.1%	1.1%
AL	20	510	1.4%	1.4%	254	1.4%	1.4%
FL	22	590	1.6%	1.6%	291	1.6%	1.6%
GA	25	558	1.6%	1.6%	266	1.5%	1.5%
KY	27	526	1.5%	1.5%	242	1.3%	1.3%
MS	28	764	2.1%	2.1%	314	1.7%	1.7%
NC	29	550	1.5%	1.5%	272	1.5%	1.5%
SC	30	520	1.4%	1.4%	235	1.3%	1.3%
TN	31	783	2.2%	2.2%	408	2.2%	2.2%
IL-REST OF STATE	34	730	2.0%	2.0%	389	2.1%	2.1%
IL-CITY OF CHICAGO	35	266	0.7%	0.7%	141	0.8%	0.8%
IN	36	414	1.2%	1.2%	216	1.2%	1.2%
MI	38	683	1.9%	1.9%	343	1.9%	1.9%
MN	40	536	1.5%	1.5%	260	1.4%	1.4%
OH	41	866	2.4%	2.4%	442	2.4%	2.4%
WI	44	487	1.4%	1.4%	245	1.3%	1.3%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP21 Type: Numeric Position: 191-193

Label: ESTIMATION AREA OF RESIDENCE

Notes: For variance estimation, use STRATUM.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	780	2.2%	2.2%	413	2.3%	2.3%
LA	47	759	2.1%	2.1%	380	2.1%	2.1%
NM	49	648	1.8%	1.8%	386	2.1%	2.1%
OK	50	427	1.2%	1.2%	192	1.0%	1.0%
TX-REST OF STATE	51	1128	3.1%	3.1%	589	3.2%	3.2%
TX-CITY OF HOUSTON	54	446	1.2%	1.2%	216	1.2%	1.2%
TX-BEXAR COUNTY	55	486	1.4%	1.4%	233	1.3%	1.3%
IA	56	440	1.2%	1.2%	228	1.2%	1.2%
KS	57	627	1.7%	1.7%	348	1.9%	1.9%
MO	58	730	2.0%	2.0%	398	2.2%	2.2%
NE	59	447	1.2%	1.2%	262	1.4%	1.4%
CO	60	475	1.3%	1.3%	258	1.4%	1.4%
MT	61	458	1.3%	1.3%	225	1.2%	1.2%
ND	62	596	1.7%	1.7%	280	1.5%	1.5%
SD	63	581	1.6%	1.6%	327	1.8%	1.8%
UT	64	609	1.7%	1.7%	384	2.1%	2.1%
WY	65	458	1.3%	1.3%	242	1.3%	1.3%
AZ	66	446	1.2%	1.2%	234	1.3%	1.3%
CA	68	1188	3.3%	3.3%	553	3.0%	3.0%
HI	72	523	1.5%	1.5%	271	1.5%	1.5%
NV	73	744	2.1%	2.1%	386	2.1%	2.1%
AK	74	515	1.4%	1.4%	285	1.6%	1.6%
ID	75	630	1.8%	1.8%	364	2.0%	2.0%
OR	76	498	1.4%	1.4%	284	1.6%	1.6%
WA	77	803	2.2%	2.2%	478	2.6%	2.6%
PUERTO RICO	106	1132	3.1%	3.1%	352	1.9%	1.9%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST\_GRANT Type: Numeric Position: 194-195

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	755	2.1%	2.2%	409	2.2%	2.3%
MA	2	590	1.6%	1.7%	335	1.8%	1.9%
ME	4	434	1.2%	1.2%	235	1.3%	1.3%
NH	5	499	1.4%	1.4%	248	1.4%	1.4%
RI	6	473	1.3%	1.4%	247	1.3%	1.4%
VT	7	557	1.5%	1.6%	323	1.8%	1.8%
NJ	8	615	1.7%	1.8%	283	1.5%	1.6%
NY-REST OF STATE	10	527	1.5%	1.5%	253	1.4%	1.4%
NY-CITY OF NEW YORK	11	909	2.5%	2.6%	437	2.4%	2.4%
DC	12	712	2.0%	2.0%	334	1.8%	1.9%
DE	13	412	1.1%	1.2%	192	1.0%	1.1%
MD	14	1392	3.9%	4.0%	730	4.0%	4.1%
PA-REST OF STATE	16	836	2.3%	2.4%	434	2.4%	2.4%
PA-PHILADELPHIA COUNTY	17	532	1.5%	1.5%	243	1.3%	1.4%
VA	18	976	2.7%	2.8%	520	2.8%	2.9%
WV	19	419	1.2%	1.2%	210	1.1%	1.2%
AL	20	510	1.4%	1.5%	254	1.4%	1.4%
FL	22	590	1.6%	1.7%	291	1.6%	1.6%
GA	25	558	1.6%	1.6%	266	1.5%	1.5%
KY	27	526	1.5%	1.5%	242	1.3%	1.3%
MS	28	764	2.1%	2.2%	314	1.7%	1.7%
NC	29	550	1.5%	1.6%	272	1.5%	1.5%
SC	30	520	1.4%	1.5%	235	1.3%	1.3%
TN	31	783	2.2%	2.2%	408	2.2%	2.3%
IL-REST OF STATE	34	730	2.0%	2.1%	389	2.1%	2.2%
IL-CITY OF CHICAGO	35	266	0.7%	0.8%	141	0.8%	0.8%
IN	36	414	1.2%	1.2%	216	1.2%	1.2%
MI	38	683	1.9%	2.0%	343	1.9%	1.9%
MN	40	536	1.5%	1.5%	260	1.4%	1.4%
OH	41	866	2.4%	2.5%	442	2.4%	2.5%
WI	44	487	1.4%	1.4%	245	1.3%	1.4%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST\_GRANT Type: Numeric Position: 194-195

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	780	2.2%	2.2%	413	2.3%	2.3%
LA	47	759	2.1%	2.2%	380	2.1%	2.1%
NM	49	648	1.8%	1.9%	386	2.1%	2.1%
OK	50	427	1.2%	1.2%	192	1.0%	1.1%
TX-REST OF STATE	51	1128	3.1%	3.2%	589	3.2%	3.3%
TX-CITY OF HOUSTON	54	446	1.2%	1.3%	216	1.2%	1.2%
TX-BEXAR COUNTY	55	486	1.4%	1.4%	233	1.3%	1.3%
IA	56	440	1.2%	1.3%	228	1.2%	1.3%
KS	57	627	1.7%	1.8%	348	1.9%	1.9%
MO	58	730	2.0%	2.1%	398	2.2%	2.2%
NE	59	447	1.2%	1.3%	262	1.4%	1.5%
CO	60	475	1.3%	1.4%	258	1.4%	1.4%
MT	61	458	1.3%	1.3%	225	1.2%	1.3%
ND	62	596	1.7%	1.7%	280	1.5%	1.6%
SD	63	581	1.6%	1.7%	327	1.8%	1.8%
UT	64	609	1.7%	1.7%	384	2.1%	2.1%
WY	65	458	1.3%	1.3%	242	1.3%	1.3%
AZ	66	446	1.2%	1.3%	234	1.3%	1.3%
CA	68	1188	3.3%	3.4%	553	3.0%	3.1%
HI	72	523	1.5%	1.5%	271	1.5%	1.5%
NV	73	744	2.1%	2.1%	386	2.1%	2.1%
AK	74	515	1.4%	1.5%	285	1.6%	1.6%
ID	75	630	1.8%	1.8%	364	2.0%	2.0%
OR	76	498	1.4%	1.4%	284	1.6%	1.6%
WA	77	803	2.2%	2.3%	478	2.6%	2.7%
<b>SUBTOTALS:</b>		34863	96.9%	100.0%	17967	98.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	1132	3.1%	n/a	352	1.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 196-197

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

## Notes:

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALABAMA	1	510	1.4%	1.4%	254	1.4%	1.4%
ALASKA	2	515	1.4%	1.4%	285	1.6%	1.6%
ARIZONA	4	446	1.2%	1.2%	234	1.3%	1.3%
ARKANSAS	5	780	2.2%	2.2%	413	2.3%	2.3%
CALIFORNIA	6	1188	3.3%	3.3%	553	3.0%	3.0%
COLORADO	8	475	1.3%	1.3%	258	1.4%	1.4%
CONNECTICUT	9	755	2.1%	2.1%	409	2.2%	2.2%
DELAWARE	10	412	1.1%	1.1%	192	1.0%	1.0%
DISTRICT OF COLUMBIA	11	712	2.0%	2.0%	334	1.8%	1.8%
FLORIDA	12	590	1.6%	1.6%	291	1.6%	1.6%
GEORGIA	13	558	1.6%	1.6%	266	1.5%	1.5%
HAWAII	15	523	1.5%	1.5%	271	1.5%	1.5%
IDAHO	16	630	1.8%	1.8%	364	2.0%	2.0%
ILLINOIS	17	996	2.8%	2.8%	530	2.9%	2.9%
INDIANA	18	414	1.2%	1.2%	216	1.2%	1.2%
IOWA	19	440	1.2%	1.2%	228	1.2%	1.2%
KANSAS	20	627	1.7%	1.7%	348	1.9%	1.9%
KENTUCKY	21	526	1.5%	1.5%	242	1.3%	1.3%
LOUISIANA	22	759	2.1%	2.1%	380	2.1%	2.1%
MAINE	23	434	1.2%	1.2%	235	1.3%	1.3%
MARYLAND	24	1392	3.9%	3.9%	730	4.0%	4.0%
MASSACHUSETTS	25	590	1.6%	1.6%	335	1.8%	1.8%
MICHIGAN	26	683	1.9%	1.9%	343	1.9%	1.9%
MINNESOTA	27	536	1.5%	1.5%	260	1.4%	1.4%
MISSISSIPPI	28	764	2.1%	2.1%	314	1.7%	1.7%
MISSOURI	29	730	2.0%	2.0%	398	2.2%	2.2%
MONTANA	30	458	1.3%	1.3%	225	1.2%	1.2%
NEBRASKA	31	447	1.2%	1.2%	262	1.4%	1.4%
NEVADA	32	744	2.1%	2.1%	386	2.1%	2.1%
NEW HAMPSHIRE	33	499	1.4%	1.4%	248	1.4%	1.4%
NEW JERSEY	34	615	1.7%	1.7%	283	1.5%	1.5%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 196-197

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NEW MEXICO	35	648	1.8%	1.8%	386	2.1%	2.1%
NEW YORK	36	1436	4.0%	4.0%	690	3.8%	3.8%
NORTH CAROLINA	37	550	1.5%	1.5%	272	1.5%	1.5%
NORTH DAKOTA	38	596	1.7%	1.7%	280	1.5%	1.5%
OHIO	39	866	2.4%	2.4%	442	2.4%	2.4%
OKLAHOMA	40	427	1.2%	1.2%	192	1.0%	1.0%
OREGON	41	498	1.4%	1.4%	284	1.6%	1.6%
PENNSYLVANIA	42	1368	3.8%	3.8%	677	3.7%	3.7%
RHODE ISLAND	44	473	1.3%	1.3%	247	1.3%	1.3%
SOUTH CAROLINA	45	520	1.4%	1.4%	235	1.3%	1.3%
SOUTH DAKOTA	46	581	1.6%	1.6%	327	1.8%	1.8%
TENNESSEE	47	783	2.2%	2.2%	408	2.2%	2.2%
TEXAS	48	2060	5.7%	5.7%	1038	5.7%	5.7%
UTAH	49	609	1.7%	1.7%	384	2.1%	2.1%
VERMONT	50	557	1.5%	1.5%	323	1.8%	1.8%
VIRGINIA	51	976	2.7%	2.7%	520	2.8%	2.8%
WASHINGTON	53	803	2.2%	2.2%	478	2.6%	2.6%
WEST VIRGINIA	54	419	1.2%	1.2%	210	1.1%	1.1%
WISCONSIN	55	487	1.4%	1.4%	245	1.3%	1.3%
WYOMING	56	458	1.3%	1.3%	242	1.3%	1.3%
PUERTO RICO	72	1132	3.1%	3.1%	352	1.9%	1.9%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Variable: D6R Type: Numeric Position: 198-198

Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)

Notes: Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	206	0.6%	0.6%	133	0.7%	0.7%
1	1	22791	63.3%	70.7%	12968	70.8%	70.8%
2	2	7433	20.7%	23.1%	4326	23.6%	23.6%
3+	3	1811	5.0%	5.6%	892	4.9%	4.9%
<b>SUBTOTALS:</b>		32241	89.6%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	3754	10.4%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: D7 Type: Numeric Position: 199-199

Label: CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS

Notes: A blank value means consent was not obtained because of an interview break-off.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	22038	61.2%	98.9%	18186	99.3%	100.0%
NO	2	234	0.7%	1.1%	0	0.0%	0.0%
<b>SUBTOTALS:</b>		22272	61.9%	100.0%	18186	99.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13723	38.1%	n/a	133	0.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 6: NUMBER OF RESPONDING PROVIDERS VARIABLES

Variable: N\_PRVR Type: Numeric Position: 200-200

Label: NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)

Notes: Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17897	49.7%	49.7%	221	1.2%	1.2%
1	1	15222	42.3%	42.3%	15222	83.1%	83.1%
2	2	2615	7.3%	7.3%	2615	14.3%	14.3%
3+	3	261	0.7%	0.7%	261	1.4%	1.4%
<b>SUBTOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: PROV\_FAC Type: Numeric Position: 201-201

Label: PROVIDER FACILITY TYPES: IMPUTED

Notes: Variable contains some imputed values. Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PUBLIC FACILITIES	1	1689	4.7%	9.3%	1689	9.2%	9.3%
ALL HOSPITAL FACILITIES	2	3398	9.4%	18.8%	3398	18.5%	18.8%
ALL PRIVATE FACILITIES	3	10491	29.1%	58.0%	10491	57.3%	58.0%
ALL MILITARY/OTHER FACILITIES	4	322	0.9%	1.8%	322	1.8%	1.8%
MIXED	5	2198	6.1%	12.1%	2198	12.0%	12.1%
<b>SUBTOTALS:</b>		18098	50.3%	100.0%	18098	98.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17897	49.7%	n/a	221	1.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: REGISTRY Type: Numeric Position: 202-202

Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	12331	34.3%	68.1%	12331	67.3%	68.1%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1228	3.4%	6.8%	1228	6.7%	6.8%
NO PROVIDERS	3	920	2.6%	5.1%	920	5.0%	5.1%
UNKNOWN/DON'T KNOW	4	3619	10.1%	20.0%	3619	19.8%	20.0%
<b>SUBTOTALS:</b>		18098	50.3%	100.0%	18098	98.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17897	49.7%	n/a	221	1.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: VFC\_ORDER Type: Numeric Position: 203-203

Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	11828	32.9%	65.4%	11828	64.6%	65.4%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1297	3.6%	7.2%	1297	7.1%	7.2%
NO PROVIDERS	3	1528	4.2%	8.4%	1528	8.3%	8.4%
UNKNOWN/DON'T KNOW	4	3445	9.6%	19.0%	3445	18.8%	19.0%
<b>SUBTOTALS:</b>		18098	50.3%	100.0%	18098	98.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17897	49.7%	n/a	221	1.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: HEP\_BRTH Type: Numeric Position: 204-204

Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG

Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	15153	42.1%	84.4%	15153	82.7%	84.4%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	2793	7.8%	15.6%	2793	15.2%	15.6%
<b>SUBTOTALS:</b>		17946	49.9%	100.0%	17946	98.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18049	50.1%	n/a	373	2.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: HEP\_FLAG Type: Numeric Position: 205-205

Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG

Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES	2	93	0.3%	100.0%	93	0.5%	100.0%
<b>SUBTOTALS:</b>		93	0.3%	100.0%	93	0.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35902	99.7%	n/a	18226	99.5%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUHEPX Type: Numeric Position: 206-206

Label: NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 60

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1596	4.4%	8.7%	1596	8.7%	8.7%
1	1	7038	19.6%	38.4%	7038	38.4%	38.4%
2	2	1300	3.6%	7.1%	1300	7.1%	7.1%
3	3	7637	21.2%	41.7%	7637	41.7%	41.7%
4	4	724	2.0%	4.0%	724	4.0%	4.0%
5	5	19	0.1%	0.1%	19	0.1%	0.1%
6	6	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUHIBX Type: Numeric Position: 207-207

Label: NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 44, HM, HG or HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	6807	18.9%	37.2%	6807	37.2%	37.2%
1	1	2880	8.0%	15.7%	2880	15.7%	15.7%
2	2	1337	3.7%	7.3%	1337	7.3%	7.3%
3	3	4820	13.4%	26.3%	4820	26.3%	26.3%
4	4	2457	6.8%	13.4%	2457	13.4%	13.4%
5	5	16	0.0%	0.1%	16	0.1%	0.1%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUHIBX Type: Numeric Position: 207-207

Label: NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 44, HM, HG or HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUHPHB Type: Numeric Position: 208-208

Label: NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 43

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18318	50.9%	100.0%	18318	100.0%	100.0%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMDAH Type: Numeric Position: 209-209

Label: NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18285	50.8%	99.8%	18285	99.8%	99.8%
1	1	26	0.1%	0.1%	26	0.1%	0.1%
2	2	4	0.0%	0.0%	4	0.0%	0.0%
3	3	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMDAH Type: Numeric Position: 209-209

Label: NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMDHI Type: Numeric Position: 210-210

Label: NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	9459	26.3%	51.6%	9459	51.6%	51.6%
1	1	927	2.6%	5.1%	927	5.1%	5.1%
2	2	1515	4.2%	8.3%	1515	8.3%	8.3%
3	3	6225	17.3%	34.0%	6225	34.0%	34.0%
4	4	187	0.5%	1.0%	187	1.0%	1.0%
5	5	5	0.0%	0.0%	5	0.0%	0.0%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMDIH Type: Numeric Position: 211-211

Label: NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	9157	25.4%	50.0%	9157	50.0%	50.0%
1	1	1538	4.3%	8.4%	1538	8.4%	8.4%
2	2	955	2.7%	5.2%	955	5.2%	5.2%
3	3	3287	9.1%	17.9%	3287	17.9%	17.9%
4	4	3350	9.3%	18.3%	3350	18.3%	18.3%
5	5	30	0.1%	0.2%	30	0.2%	0.2%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMDIHB Type: Numeric Position: 212-212

Label: NUMBER OF DTAP/IPV/HIB/HEPB SHOTS BY 19-35 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.

Notes: Vaccine type D4

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18180	50.5%	99.2%	18180	99.2%	99.2%
1	1	46	0.1%	0.3%	46	0.3%	0.3%
2	2	23	0.1%	0.1%	23	0.1%	0.1%
3	3	54	0.2%	0.3%	54	0.3%	0.3%
4	4	16	0.0%	0.1%	16	0.1%	0.1%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMDIHB Type: Numeric Position: 212-212

Label: NUMBER OF DTAP/IPV/HIB/HEPB SHOTS BY 19-35 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.

Notes: Vaccine type D4

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMDTA Type: Numeric Position: 213-213

Label: NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 04

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	6716	18.7%	36.7%	6716	36.7%	36.7%
1	1	9170	25.5%	50.1%	9170	50.1%	50.1%
2	2	510	1.4%	2.8%	510	2.8%	2.8%
3	3	365	1.0%	2.0%	365	2.0%	2.0%
4	4	1540	4.3%	8.4%	1540	8.4%	8.4%
5	5	18	0.1%	0.1%	18	0.1%	0.1%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMDTP Type: Numeric Position: 214-214

Label: NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 03, 04, 07, 08, or D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	479	1.3%	2.6%	479	2.6%	2.6%
1	1	173	0.5%	0.9%	173	0.9%	0.9%
2	2	232	0.6%	1.3%	232	1.3%	1.3%
3	3	1635	4.5%	8.9%	1635	8.9%	8.9%
4	4	15543	43.2%	84.8%	15543	84.8%	84.8%
5	5	237	0.7%	1.3%	237	1.3%	1.3%
6	6	15	0.0%	0.1%	15	0.1%	0.1%
7	7	3	0.0%	0.0%	3	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
9	9	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMFLU Type: Numeric Position: 215-215

Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM, FN, or FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3598	10.0%	19.6%	3598	19.6%	19.6%
1	1	1609	4.5%	8.8%	1609	8.8%	8.8%
2	2	3482	9.7%	19.0%	3482	19.0%	19.0%
3	3	6925	19.2%	37.8%	6925	37.8%	37.8%
4	4	2660	7.4%	14.5%	2660	14.5%	14.5%
5	5	40	0.1%	0.2%	40	0.2%	0.2%
6	6	5	0.0%	0.0%	5	0.0%	0.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMFLU Type: Numeric Position: 215-215

**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FM, FN, or FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMFLUL Type: Numeric Position: 216-216

**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16825	46.7%	91.8%	16825	91.8%	91.8%
1	1	362	1.0%	2.0%	362	2.0%	2.0%
2	2	428	1.2%	2.3%	428	2.3%	2.3%
3	3	530	1.5%	2.9%	530	2.9%	2.9%
4	4	172	0.5%	0.9%	172	0.9%	0.9%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMFLUM Type: Numeric Position: 217-217

Label: NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18155	50.4%	99.1%	18155	99.1%	99.1%
1	1	103	0.3%	0.6%	103	0.6%	0.6%
2	2	30	0.1%	0.2%	30	0.2%	0.2%
3	3	31	0.1%	0.2%	31	0.2%	0.2%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMFLUN Type: Numeric Position: 218-218

Label: NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FN

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4813	13.4%	26.3%	4813	26.3%	26.3%
1	1	1601	4.4%	8.7%	1601	8.7%	8.7%
2	2	3252	9.0%	17.8%	3252	17.8%	17.8%
3	3	6299	17.5%	34.4%	6299	34.4%	34.4%
4	4	2321	6.4%	12.7%	2321	12.7%	12.7%
5	5	28	0.1%	0.2%	28	0.2%	0.2%
6	6	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHEA Type: Numeric Position: 219-219

Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1710	4.8%	9.3%	1710	9.3%	9.3%
1	1	4160	11.6%	22.7%	4160	22.7%	22.7%
2	2	12324	34.2%	67.3%	12324	67.3%	67.3%
3	3	121	0.3%	0.7%	121	0.7%	0.7%
4	4	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMHEN Type: Numeric Position: 220-220

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18160	50.5%	99.1%	18160	99.1%	99.1%
1	1	71	0.2%	0.4%	71	0.4%	0.4%
2	2	56	0.2%	0.3%	56	0.3%	0.3%
3	3	32	0.1%	0.2%	32	0.2%	0.2%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHEP Type: Numeric Position: 221-221

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 43, 60, or HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	381	1.1%	2.1%	381	2.1%	2.1%
1	1	332	0.9%	1.8%	332	1.8%	1.8%
2	2	468	1.3%	2.6%	468	2.6%	2.6%
3	3	10508	29.2%	57.4%	10508	57.4%	57.4%
4	4	6384	17.7%	34.8%	6384	34.8%	34.8%
5	5	228	0.6%	1.2%	228	1.2%	1.2%
6	6	14	0.0%	0.1%	14	0.1%	0.1%
7	7	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMHG Type: Numeric Position: 222-222

Label: NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17631	49.0%	96.2%	17631	96.2%	96.2%
1	1	146	0.4%	0.8%	146	0.8%	0.8%
2	2	73	0.2%	0.4%	73	0.4%	0.4%
3	3	465	1.3%	2.5%	465	2.5%	2.5%
4	4	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHHY Type: Numeric Position: 223-223

Label: NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HY

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18046	50.1%	98.5%	18046	98.5%	98.5%
1	1	154	0.4%	0.8%	154	0.8%	0.8%
2	2	26	0.1%	0.1%	26	0.1%	0.1%
3	3	53	0.1%	0.3%	53	0.3%	0.3%
4	4	40	0.1%	0.2%	40	0.2%	0.2%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMHIB Type: Numeric Position: 224-224

Label: NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07, 43, 44, D3, HI, HM, HG, HS, or HY.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	518	1.4%	2.8%	518	2.8%	2.8%
1	1	212	0.6%	1.2%	212	1.2%	1.2%
2	2	478	1.3%	2.6%	478	2.6%	2.6%
3	3	5343	14.8%	29.2%	5343	29.2%	29.2%
4	4	11577	32.2%	63.2%	11577	63.2%	63.2%
5	5	181	0.5%	1.0%	181	1.0%	1.0%
6	6	7	0.0%	0.0%	7	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
9	9	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHIB Type: Numeric Position: 224-224

Label: NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07, 43, 44, D3, HI, HM, HG, HS, or HY.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMHIN Type: Numeric Position: 225-225

Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HI

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15861	44.1%	86.6%	15861	86.6%	86.6%
1	1	669	1.9%	3.7%	669	3.7%	3.7%
2	2	236	0.7%	1.3%	236	1.3%	1.3%
3	3	585	1.6%	3.2%	585	3.2%	3.2%
4	4	960	2.7%	5.2%	960	5.2%	5.2%
5	5	8	0.0%	0.0%	8	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHION Type: Numeric Position: 226-226

Label: NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 44

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18201	50.6%	99.4%	18201	99.4%	99.4%
1	1	62	0.2%	0.3%	62	0.3%	0.3%
2	2	25	0.1%	0.1%	25	0.1%	0.1%
3	3	26	0.1%	0.1%	26	0.1%	0.1%
4	4	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMHM Type: Numeric Position: 227-227

Label: NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	12941	36.0%	70.6%	12941	70.6%	70.6%
1	1	879	2.4%	4.8%	879	4.8%	4.8%
2	2	871	2.4%	4.8%	871	4.8%	4.8%
3	3	3356	9.3%	18.3%	3356	18.3%	18.3%
4	4	271	0.8%	1.5%	271	1.5%	1.5%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHS Type: Numeric Position: 228-228

Label: NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	12280	34.1%	67.0%	12280	67.0%	67.0%
1	1	2541	7.1%	13.9%	2541	13.9%	13.9%
2	2	690	1.9%	3.8%	690	3.8%	3.8%
3	3	924	2.6%	5.0%	924	5.0%	5.0%
4	4	1871	5.2%	10.2%	1871	10.2%	10.2%
5	5	12	0.0%	0.1%	12	0.1%	0.1%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMIPV Type: Numeric Position: 229-229

Label: NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 21

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16381	45.5%	89.4%	16381	89.4%	89.4%
1	1	590	1.6%	3.2%	590	3.2%	3.2%
2	2	236	0.7%	1.3%	236	1.3%	1.3%
3	3	992	2.8%	5.4%	992	5.4%	5.4%
4	4	119	0.3%	0.6%	119	0.6%	0.6%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMCN Type: Numeric Position: 230-230

Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18171	50.5%	99.2%	18171	99.2%	99.2%
1	1	144	0.4%	0.8%	144	0.8%	0.8%
2	2	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMMMR Type: Numeric Position: 231-231

Label: NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30, 31, 32, 33, MM or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1136	3.2%	6.2%	1136	6.2%	6.2%
1	1	16339	45.4%	89.2%	16339	89.2%	89.2%
2	2	818	2.3%	4.5%	818	4.5%	4.5%
3	3	26	0.1%	0.1%	26	0.1%	0.1%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMMRX Type: Numeric Position: 232-232

Label: NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3505	9.7%	19.1%	3505	19.1%	19.1%
1	1	14155	39.3%	77.3%	14155	77.3%	77.3%
2	2	642	1.8%	3.5%	642	3.5%	3.5%
3	3	17	0.0%	0.1%	17	0.1%	0.1%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMMMX Type: Numeric Position: 233-233

Label: NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30 or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1283	3.6%	7.0%	1283	7.0%	7.0%
1	1	16224	45.1%	88.6%	16224	88.6%	88.6%
2	2	790	2.2%	4.3%	790	4.3%	4.3%
3	3	22	0.1%	0.1%	22	0.1%	0.1%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMP Type: Numeric Position: 234-234

Label: NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MP

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18318	50.9%	100.0%	18318	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMMPR Type: Numeric Position: 235-235

Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18319	50.9%	100.0%	18319	100.0%	100.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMRV Type: Numeric Position: 236-236

Label: NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15976	44.4%	87.2%	15976	87.2%	87.2%
1	1	2306	6.4%	12.6%	2306	12.6%	12.6%
2	2	37	0.1%	0.2%	37	0.2%	0.2%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMMS Type: Numeric Position: 237-237

Label: NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 31

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18291	50.8%	99.8%	18291	99.8%	99.8%
1	1	25	0.1%	0.1%	25	0.1%	0.1%
2	2	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMSM Type: Numeric Position: 238-238

Label: NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 32

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18319	50.9%	100.0%	18319	100.0%	100.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMMSR Type: Numeric Position: 239-239

Label: NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 33

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18319	50.9%	100.0%	18319	100.0%	100.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMOLN Type: Numeric Position: 240-240

Label: NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17386	48.3%	94.9%	17386	94.9%	94.9%
1	1	128	0.4%	0.7%	128	0.7%	0.7%
2	2	60	0.2%	0.3%	60	0.3%	0.3%
3	3	575	1.6%	3.1%	575	3.1%	3.1%
4	4	166	0.5%	0.9%	166	0.9%	0.9%
5	5	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMOPV Type: Numeric Position: 241-241

Label: NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 20

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18284	50.8%	99.8%	18284	99.8%	99.8%
1	1	22	0.1%	0.1%	22	0.1%	0.1%
2	2	4	0.0%	0.0%	4	0.0%	0.0%
3	3	4	0.0%	0.0%	4	0.0%	0.0%
4	4	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCV Type: Numeric Position: 242-242

Label: NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 70, 71, 72, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	551	1.5%	3.0%	551	3.0%	3.0%
1	1	182	0.5%	1.0%	182	1.0%	1.0%
2	2	318	0.9%	1.7%	318	1.7%	1.7%
3	3	1385	3.8%	7.6%	1385	7.6%	7.6%
4	4	15714	43.7%	85.8%	15714	85.8%	85.8%
5	5	162	0.5%	0.9%	162	0.9%	0.9%
6	6	5	0.0%	0.0%	5	0.0%	0.0%
8	8	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMPCP Type: Numeric Position: 243-243

Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 71

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18266	50.7%	99.7%	18266	99.7%	99.7%
1	1	22	0.1%	0.1%	22	0.1%	0.1%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
4	4	27	0.1%	0.1%	27	0.1%	0.1%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCP Type: Numeric Position: 243-243

**Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 71

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMPCC Type: Numeric Position: 244-244

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 70, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1441	4.0%	7.9%	1441	7.9%	7.9%
1	1	242	0.7%	1.3%	242	1.3%	1.3%
2	2	348	1.0%	1.9%	348	1.9%	1.9%
3	3	1362	3.8%	7.4%	1362	7.4%	7.4%
4	4	14793	41.1%	80.8%	14793	80.8%	80.8%
5	5	128	0.4%	0.7%	128	0.7%	0.7%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
8	8	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCC7 Type: Numeric Position: 245-245

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 73

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18205	50.6%	99.4%	18205	99.4%	99.4%
1	1	27	0.1%	0.1%	27	0.1%	0.1%
2	2	8	0.0%	0.0%	8	0.0%	0.0%
3	3	6	0.0%	0.0%	6	0.0%	0.0%
4	4	73	0.2%	0.4%	73	0.4%	0.4%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMPCC13 Type: Numeric Position: 246-246

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1529	4.2%	8.3%	1529	8.3%	8.3%
1	1	239	0.7%	1.3%	239	1.3%	1.3%
2	2	352	1.0%	1.9%	352	1.9%	1.9%
3	3	1369	3.8%	7.5%	1369	7.5%	7.5%
4	4	14698	40.8%	80.2%	14698	80.2%	80.2%
5	5	127	0.4%	0.7%	127	0.7%	0.7%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
8	8	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCC13 Type: Numeric Position: 246-246

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMPCCN Type: Numeric Position: 247-247

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 70

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18315	50.9%	100.0%	18315	100.0%	100.0%
1	1	2	0.0%	0.0%	2	0.0%	0.0%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCN Type: Numeric Position: 248-248

**Label: NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 72

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17254	47.9%	94.2%	17254	94.2%	94.2%
1	1	108	0.3%	0.6%	108	0.6%	0.6%
2	2	59	0.2%	0.3%	59	0.3%	0.3%
3	3	149	0.4%	0.8%	149	0.8%	0.8%
4	4	743	2.1%	4.1%	743	4.1%	4.1%
5	5	6	0.0%	0.0%	6	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMPOL Type: Numeric Position: 249-249

**Label: NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 08, 20, 21, 22, or D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	535	1.5%	2.9%	535	2.9%	2.9%
1	1	173	0.5%	0.9%	173	0.9%	0.9%
2	2	293	0.8%	1.6%	293	1.6%	1.6%
3	3	12307	34.2%	67.2%	12307	67.2%	67.2%
4	4	4912	13.6%	26.8%	4912	26.8%	26.8%
5	5	86	0.2%	0.5%	86	0.5%	0.5%
6	6	10	0.0%	0.1%	10	0.1%	0.1%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPOL Type: Numeric Position: 249-249

Label: NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 20, 21, 22, or D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMRB Type: Numeric Position: 250-250

Label: NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18318	50.9%	100.0%	18318	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMRG Type: Numeric Position: 251-251

Label: NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14382	40.0%	78.5%	14382	78.5%	78.5%
1	1	396	1.1%	2.2%	396	2.2%	2.2%
2	2	3417	9.5%	18.7%	3417	18.7%	18.7%
3	3	123	0.3%	0.7%	123	0.7%	0.7%
4	4	1	0.0%	0.0%	1	0.0%	0.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMRG Type: Numeric Position: 251-251

Label: NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMRM Type: Numeric Position: 252-252

Label: NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	6624	18.4%	36.2%	6624	36.2%	36.2%
1	1	491	1.4%	2.7%	491	2.7%	2.7%
2	2	1217	3.4%	6.6%	1217	6.6%	6.6%
3	3	9970	27.7%	54.4%	9970	54.4%	54.4%
4	4	16	0.0%	0.1%	16	0.1%	0.1%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMRO Type: Numeric Position: 253-253

Label: NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16537	45.9%	90.3%	16537	90.3%	90.3%
1	1	204	0.6%	1.1%	204	1.1%	1.1%
2	2	538	1.5%	2.9%	538	2.9%	2.9%
3	3	1039	2.9%	5.7%	1039	5.7%	5.7%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMROT Type: Numeric Position: 254-254

Label: NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RG, RM, or RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1401	3.9%	7.6%	1401	7.6%	7.6%
1	1	485	1.3%	2.6%	485	2.6%	2.6%
2	2	4916	13.7%	26.8%	4916	26.8%	26.8%
3	3	11479	31.9%	62.7%	11479	62.7%	62.7%
4	4	36	0.1%	0.2%	36	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMTPN Type: Numeric Position: 255-255

Label: NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 03

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17954	49.9%	98.0%	17954	98.0%	98.0%
1	1	172	0.5%	0.9%	172	0.9%	0.9%
2	2	28	0.1%	0.2%	28	0.2%	0.2%
3	3	44	0.1%	0.2%	44	0.2%	0.2%
4	4	121	0.3%	0.7%	121	0.7%	0.7%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMVRC Type: Numeric Position: 256-256

Label: NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1281	3.6%	7.0%	1281	7.0%	7.0%
1	1	16757	46.6%	91.5%	16757	91.5%	91.5%
2	2	281	0.8%	1.5%	281	1.5%	1.5%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMVRN Type: Numeric Position: 257-257

Label: NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18164	50.5%	99.2%	18164	99.2%	99.2%
1	1	154	0.4%	0.8%	154	0.8%	0.8%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_NUMVRX Type: Numeric Position: 258-258

Label: NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3701	10.3%	20.2%	3701	20.2%	20.2%
1	1	14453	40.2%	78.9%	14453	78.9%	78.9%
2	2	165	0.5%	0.9%	165	0.9%	0.9%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_U12VRC Type: Numeric Position: 259-259

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type VO, VM, or VA, excluding shots before 12 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1349	3.7%	7.4%	1349	7.4%	7.4%
UTD	1	16970	47.1%	92.6%	16970	92.6%	92.6%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_UTD331 Type: Numeric Position: 260-260

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1397	3.9%	7.6%	1397	7.6%	7.6%
UTD	1	16922	47.0%	92.4%	16922	92.4%	92.4%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P\_UTD431** Type: Numeric Position: 261-261

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), and 1+ Measles-containing (30,31,32,33,MM,VM)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2701	7.5%	14.7%	2701	14.7%	14.7%
UTD	1	15618	43.4%	85.3%	15618	85.3%	85.3%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: P\_UTDHEP** Type: Numeric Position: 262-262

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 3+ Hepatitis B-containing (08,43,60,HB)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1181	3.3%	6.4%	1181	6.4%	6.4%
UTD	1	17138	47.6%	93.6%	17138	93.6%	93.6%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHEPA1 Type: Numeric Position: 263-263

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 1+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1710	4.8%	9.3%	1710	9.3%	9.3%
UTD	1	16609	46.1%	90.7%	16609	90.7%	90.7%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_UTDHEPA2 Type: Numeric Position: 264-264

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 2+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5870	16.3%	32.0%	5870	32.0%	32.0%
UTD	1	12449	34.6%	68.0%	12449	68.0%	68.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHIB Type: Numeric Position: 265-265

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1208	3.4%	6.6%	1208	6.6%	6.6%
UTD	1	17111	47.5%	93.4%	17111	93.4%	93.4%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_UTDHIB\_ROUT\_S Type: Numeric Position: 266-266

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), or 2 Hib-Merck (HM,43) followed by 1 Hib of any type (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3155	8.8%	17.2%	3155	17.2%	17.2%
UTD	1	15164	42.1%	82.8%	15164	82.8%	82.8%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHIB\_SHORT\_S Type: Numeric Position: 267-267

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY) or 2+ Hib-Merck (HM,43)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1006	2.8%	5.5%	1006	5.5%	5.5%
UTD	1	17313	48.1%	94.5%	17313	94.5%	94.5%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_UTDMCV Type: Numeric Position: 268-268

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1136	3.2%	6.2%	1136	6.2%	6.2%
UTD	1	17183	47.7%	93.8%	17183	93.8%	93.8%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: P\_UTDMMX** Type: Numeric Position: 269-269

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 1+ MMR combo shot (30)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1283	3.6%	7.0%	1283	7.0%	7.0%
UTD	1	17036	47.3%	93.0%	17036	93.0%	93.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: P\_UTDPC3** Type: Numeric Position: 270-270

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 3+ Pneumococcal-containing (70,71,72,73,74)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1051	2.9%	5.7%	1051	5.7%	5.7%
UTD	1	17268	48.0%	94.3%	17268	94.3%	94.3%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDPCV Type: Numeric Position: 271-271

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2436	6.8%	13.3%	2436	13.3%	13.3%
UTD	1	15883	44.1%	86.7%	15883	86.7%	86.7%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_UTDPCVB13 Type: Numeric Position: 272-272

Label: UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ dose of PCV Conjugate 13 (vaccine type code 74), given 4+ doses of PCV Conjugate 7 (vaccine type code 73)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
4+ PCV7 PLUS 1+ PCV13	1	1	0.0%	0.0%	1	0.0%	0.0%
4+ PCV7, NO FOLLOWING PCV13, WITH TYPE OF ALL VACCINES (IF ANY) FOLLOWING THE 4 PCV7 KNOWN	2	72	0.2%	0.4%	72	0.4%	0.4%
ALL OTHERS WITH ADEQUATE PROVIDER DATA	3	18246	50.7%	99.6%	18246	99.6%	99.6%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDPOL Type: Numeric Position: 273-273

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Polio-containing (08,20,21,22,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1001	2.8%	5.5%	1001	5.5%	5.5%
UTD	1	17318	48.1%	94.5%	17318	94.5%	94.5%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_UTDROT\_S Type: Numeric Position: 274-274

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Rotavirus-containing (RG,RM,RO) or 2+ Rotarix (RG)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3465	9.6%	18.9%	3465	18.9%	18.9%
UTD	1	14854	41.3%	81.1%	14854	81.1%	81.1%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDTP3 Type: Numeric Position: 275-275

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	884	2.5%	4.8%	884	4.8%	4.8%
UTD	1	17435	48.4%	95.2%	17435	95.2%	95.2%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_UTDTP4 Type: Numeric Position: 276-276

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2519	7.0%	13.8%	2519	13.8%	13.8%
UTD	1	15800	43.9%	86.2%	15800	86.2%	86.2%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PU431331 Type: Numeric Position: 277-277**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3203	8.9%	17.5%	3203	17.5%	17.5%
UTD	1	15116	42.0%	82.5%	15116	82.5%	82.5%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: P\_UTD431H31\_ROUT\_S Type: Numeric Position: 278-278**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4223	11.7%	23.1%	4223	23.1%	23.1%
UTD	1	14096	39.2%	76.9%	14096	76.9%	76.9%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PU4313313 Type: Numeric Position: 279-279**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3231	9.0%	17.6%	3231	17.6%	17.6%
UTD	1	15088	41.9%	82.4%	15088	82.4%	82.4%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: P\_UTD431H313\_ROUT\_S Type: Numeric Position: 280-280**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4241	11.8%	23.2%	4241	23.2%	23.2%
UTD	1	14078	39.1%	76.8%	14078	76.8%	76.8%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PU4313314 Type: Numeric Position: 281-281**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3745	10.4%	20.4%	3745	20.4%	20.4%
UTD	1	14574	40.5%	79.6%	14574	79.6%	79.6%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: P\_UTD431H314\_ROUT\_S Type: Numeric Position: 282-282**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4604	12.8%	25.1%	4604	25.1%	25.1%
UTD	1	13715	38.1%	74.9%	13715	74.9%	74.9%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PUT43133 Type: Numeric Position: 283-283**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), and 3+ Hepatitis B-containing (08,43,60,HB)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3047	8.5%	16.6%	3047	16.6%	16.6%
UTD	1	15272	42.4%	83.4%	15272	83.4%	83.4%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: P\_UTD431H3\_ROUT\_S Type: Numeric Position: 284-284**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), and 3+ Hepatitis B-containing (08,43,60,HB)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4086	11.4%	22.3%	4086	22.3%	22.3%
UTD	1	14233	39.5%	77.7%	14233	77.7%	77.7%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PUTD4313 Type: Numeric Position: 285-285

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2793	7.8%	15.2%	2793	15.2%	15.2%
UTD	1	15526	43.1%	84.8%	15526	84.8%	84.8%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: P\_UTD431H\_ROUT\_S Type: Numeric Position: 286-286

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and HIB (routine, strict definition)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3854	10.7%	21.0%	3854	21.0%	21.0%
UTD	1	14465	40.2%	79.0%	14465	79.0%	79.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U24\_FLU\_24D Type: Numeric Position: 287-287

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 2+ Influenza (FN, FM, FL) at least 4 weeks (minus 4 days) apart, by 24 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5758	16.0%	31.4%	5758	31.4%	31.4%
UTD	1	12561	34.9%	68.6%	12561	68.6%	68.6%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: U19\_FLU\_24D Type: Numeric Position: 288-288

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 19 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 2+ Influenza (FN, FM, FL) vaccinations at least 4 weeks (minus 4 days) apart, by 19 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	6237	17.3%	34.0%	6237	34.0%	34.0%
UTD	1	12082	33.6%	66.0%	12082	66.0%	66.0%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U24\_FLU3\_24D Type: Numeric Position: 289-289

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 3+ Influenza (FN, FM, FL) vaccinations at least 4 weeks (minus 4 days) apart, by 24 months

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	10599	29.4%	57.9%	10599	57.9%	57.9%
UTD	1	7720	21.4%	42.1%	7720	42.1%	42.1%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: U1D\_HEP Type: Numeric Position: 290-290

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or 1st day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4416	12.3%	24.1%	4416	24.1%	24.1%
UTD	1	13903	38.6%	75.9%	13903	75.9%	75.9%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U2D\_HEP Type: Numeric Position: 291-291

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st or 2nd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3748	10.4%	20.5%	3748	20.5%	20.5%
UTD	1	14571	40.5%	79.5%	14571	79.5%	79.5%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: U3D\_HEP Type: Numeric Position: 292-292

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st, 2nd, or 3rd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3525	9.8%	19.2%	3525	19.2%	19.2%
UTD	1	14794	41.1%	80.8%	14794	80.8%	80.8%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP1 Type: Numeric Position: 293-296

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17845	49.6%	100.0%	17845	97.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18150	50.4%	n/a	474	2.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DDTP1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	71.4	63.0	0.0	1161.0	51.1
Adequate Provider Data	71.4	63.0	0.0	1161.0	51.1

Variable: DDTP2 Type: Numeric Position: 297-300

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17686	49.1%	100.0%	17686	96.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18309	50.9%	n/a	633	3.5%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DDTP2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	140.8	127.0	42.0	1464.0	63.5
Adequate Provider Data	140.8	127.0	42.0	1464.0	63.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DDTP3 Type: Numeric Position: 301-304**

**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17469	48.5%	100.0%	17469	95.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18526	51.5%	n/a	850	4.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DDTP3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	213.1	190.0	71.0	1128.0	80.9
Adequate Provider Data	213.1	190.0	71.0	1128.0	80.9

**Variable: DDTP4 Type: Numeric Position: 305-308**

**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16060	44.6%	100.0%	16060	87.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19935	55.4%	n/a	2259	12.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DDTP4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	515.4	477.0	102.0	1257.0	99.9
Adequate Provider Data	515.4	477.0	102.0	1257.0	99.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP5 Type: Numeric Position: 309-312

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		278	0.8%	100.0%	278	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35717	99.2%	n/a	18041	98.5%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DDTP5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	608.8	555.5	278.0	1490.0	195.6
Adequate Provider Data	608.8	555.5	278.0	1490.0	195.6

Variable: DDTP6 Type: Numeric Position: 313-316

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		24	0.1%	100.0%	24	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35971	99.9%	n/a	18295	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DDTP6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	732.9	680.5	456.0	1189.0	246.1
Adequate Provider Data	732.9	680.5	456.0	1189.0	246.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP7 Type: Numeric Position: 317-320

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35988	100.0%	n/a	18312	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DDTP7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	785.0	763.0	582.0	1170.0	189.4
Adequate Provider Data	785.0	763.0	582.0	1170.0	189.4

Variable: DDTP8 Type: Numeric Position: 321-324

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35992	100.0%	n/a	18316	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DDTP8 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	882.3	817.0	725.0	1105.0	198.2
Adequate Provider Data	882.3	817.0	725.0	1105.0	198.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP9 Type: Numeric Position: 325-327

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DDTP9 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	894.0	894.0	894.0	894.0	.
Adequate Provider Data	894.0	894.0	894.0	894.0	.

Variable: DFLU1 Type: Numeric Position: 328-331

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14824	41.2%	100.0%	14824	80.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21171	58.8%	n/a	3495	19.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DFLU1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	287.9	237.0	0.0	1303.0	141.8
Adequate Provider Data	287.9	237.0	0.0	1303.0	141.8



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DFLU2 Type: Numeric Position: 332-335**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13267	36.9%	100.0%	13267	72.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22728	63.1%	n/a	5052	27.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DFLU2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	361.0	313.0	78.0	1372.0	159.9
Adequate Provider Data	361.0	313.0	78.0	1372.0	159.9

**Variable: DFLU3 Type: Numeric Position: 336-339**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10189	28.3%	100.0%	10189	55.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	25806	71.7%	n/a	8130	44.4%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DFLU3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	600.6	569.0	185.0	1345.0	148.2
Adequate Provider Data	600.6	569.0	185.0	1345.0	148.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DFLU4 Type: Numeric Position: 340-343**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3628	10.1%	100.0%	3628	19.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	32367	89.9%	n/a	14691	80.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DFLU4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	895.1	904.0	257.0	1317.0	134.0
Adequate Provider Data	895.1	904.0	257.0	1317.0	134.0

**Variable: DFLU5 Type: Numeric Position: 344-347**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		232	0.6%	100.0%	232	1.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35763	99.4%	n/a	18087	98.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DFLU5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1089.0	1123.0	393.0	1370.0	161.6
Adequate Provider Data	1089.0	1123.0	393.0	1370.0	161.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU6 Type: Numeric Position: 348-351

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11	0.0%	100.0%	11	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35984	100.0%	n/a	18308	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DFLU6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1006.5	1097.0	668.0	1235.0	178.8
Adequate Provider Data	1006.5	1097.0	668.0	1235.0	178.8

Variable: DFLU7 Type: Numeric Position: 352-352

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU8 Type: Numeric Position: 353-353

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DFLU9 Type: Numeric Position: 354-354

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DHEPA1 Type: Numeric Position: 355-358

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16732	46.5%	100.0%	16732	91.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19263	53.5%	n/a	1587	8.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPA1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	421.8	378.0	0.0	1190.0	102.2
Adequate Provider Data	421.8	378.0	0.0	1190.0	102.2

**Variable: DHEPA2 Type: Numeric Position: 359-362****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13328	37.0%	100.0%	13328	72.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22667	63.0%	n/a	4991	27.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DHEPA2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	649.8	594.0	129.0	1263.0	116.4
Adequate Provider Data	649.8	594.0	129.0	1263.0	116.4

**Variable: DHEPA3 Type: Numeric Position: 363-366****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		140	0.4%	100.0%	140	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35855	99.6%	n/a	18179	99.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DHEPA3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	708.1	732.0	415.0	1123.0	130.5
Adequate Provider Data	708.1	732.0	415.0	1123.0	130.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPA4 Type: Numeric Position: 367-370**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35988	100.0%	n/a	18312	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DHEPA4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	927.7	977.0	631.0	1096.0	154.9
Adequate Provider Data	927.7	977.0	631.0	1096.0	154.9

**Variable: DHEPA5 Type: Numeric Position: 371-371**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA6 Type: Numeric Position: 372-372

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DHEPA7 Type: Numeric Position: 373-373

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DHEPA8 Type: Numeric Position: 374-374

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA9 Type: Numeric Position: 375-375

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DHEPB1 Type: Numeric Position: 376-379

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17946	49.9%	100.0%	17946	98.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18049	50.1%	n/a	373	2.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DHEPB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	12.5	0.0	0.0	1219.0	53.9
Adequate Provider Data	12.5	0.0	0.0	1219.0	53.9



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPB2 Type: Numeric Position: 380-383**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17620	49.0%	100.0%	17620	96.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18375	51.0%	n/a	699	3.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DHEPB2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	78.0	63.0	16.0	1266.0	70.3
Adequate Provider Data	78.0	63.0	16.0	1266.0	70.3

**Variable: DHEPB3 Type: Numeric Position: 384-387**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17188	47.8%	100.0%	17188	93.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18807	52.2%	n/a	1131	6.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DHEPB3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	206.1	187.0	48.0	1464.0	105.2
Adequate Provider Data	206.1	187.0	48.0	1464.0	105.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB4 Type: Numeric Position: 388-391

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6650	18.5%	100.0%	6650	36.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	29345	81.5%	n/a	11669	63.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DHEPB4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	223.5	191.0	64.0	1197.0	101.3
Adequate Provider Data	223.5	191.0	64.0	1197.0	101.3

Variable: DHEPB5 Type: Numeric Position: 392-395

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		252	0.7%	100.0%	252	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35743	99.3%	n/a	18067	98.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DHEPB5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	439.9	460.0	177.0	1068.0	170.0
Adequate Provider Data	439.9	460.0	177.0	1068.0	170.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB6 Type: Numeric Position: 396-398

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		19	0.1%	100.0%	19	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35976	99.9%	n/a	18300	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DHEPB6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	543.9	551.0	236.0	934.0	193.0
Adequate Provider Data	543.9	551.0	236.0	934.0	193.0

Variable: DHEPB7 Type: Numeric Position: 399-401

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35991	100.0%	n/a	18315	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DHEPB7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	582.8	553.0	459.0	766.0	148.5
Adequate Provider Data	582.8	553.0	459.0	766.0	148.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB8 Type: Numeric Position: 402-402

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DHEPB9 Type: Numeric Position: 403-403

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DHIB1 Type: Numeric Position: 404-407

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17809	49.5%	100.0%	17809	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18186	50.5%	n/a	510	2.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	73.5	63.0	0.0	1201.0	54.3
Adequate Provider Data	73.5	63.0	0.0	1201.0	54.3

**Variable: DHIB2 Type: Numeric Position: 408-411****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17600	48.9%	100.0%	17600	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18395	51.1%	n/a	719	3.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DHIB2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	142.2	127.0	42.0	1266.0	61.2
Adequate Provider Data	142.2	127.0	42.0	1266.0	61.2

**Variable: DHIB3 Type: Numeric Position: 412-415****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17156	47.7%	100.0%	17156	93.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18839	52.3%	n/a	1163	6.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	274.2	196.0	71.0	1151.0	136.1
Adequate Provider Data	274.2	196.0	71.0	1151.0	136.1

**Variable: DHIB4 Type: Numeric Position: 416-419****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11888	33.0%	100.0%	11888	64.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	24107	67.0%	n/a	6431	35.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DHIB4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	485.4	465.0	102.0	1190.0	95.0
Adequate Provider Data	485.4	465.0	102.0	1190.0	95.0

**Variable: DHIB5 Type: Numeric Position: 420-423****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		199	0.6%	100.0%	199	1.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35796	99.4%	n/a	18120	98.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	550.0	504.0	193.0	1224.0	151.7
Adequate Provider Data	550.0	504.0	193.0	1224.0	151.7

**Variable: DHIB6 Type: Numeric Position: 424-426****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10	0.0%	100.0%	10	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35985	100.0%	n/a	18309	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DHIB6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	585.2	561.5	385.0	983.0	173.9
Adequate Provider Data	585.2	561.5	385.0	983.0	173.9

**Variable: DHIB7 Type: Numeric Position: 427-429****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35992	100.0%	n/a	18316	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	658.0	641.0	459.0	874.0	208.0
Adequate Provider Data	658.0	641.0	459.0	874.0	208.0

**Variable: DHIB8 Type: Numeric Position: 430-432****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DHIB8 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	777.0	777.0	725.0	829.0	73.5
Adequate Provider Data	777.0	777.0	725.0	829.0	73.5

**Variable: DHIB9 Type: Numeric Position: 433-435****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB9 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	894.0	894.0	894.0	894.0	.
Adequate Provider Data	894.0	894.0	894.0	894.0	.

**Variable: DMMR1 Type: Numeric Position: 436-439****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17258	47.9%	100.0%	17258	94.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18737	52.1%	n/a	1061	5.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DMMR1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	396.3	373.0	0.0	1210.0	82.4
Adequate Provider Data	396.3	373.0	0.0	1210.0	82.4

**Variable: DMMR2 Type: Numeric Position: 440-443****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		895	2.5%	100.0%	895	4.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35100	97.5%	n/a	17424	95.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	508.9	408.0	210.0	1483.0	197.9
Adequate Provider Data	508.9	408.0	210.0	1483.0	197.9

Variable: DMMR3 Type: Numeric Position: 444-447

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35	0.1%	100.0%	35	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35960	99.9%	n/a	18284	99.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DMMR3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	784.9	831.0	370.0	1190.0	266.4
Adequate Provider Data	784.9	831.0	370.0	1190.0	266.4

Variable: DMMR4 Type: Numeric Position: 448-448

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR5 Type: Numeric Position: 449-449

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMMR6 Type: Numeric Position: 450-450

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMMR7 Type: Numeric Position: 451-451

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR8 Type: Numeric Position: 452-452

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMMR9 Type: Numeric Position: 453-453

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMP1 Type: Numeric Position: 454-456

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DMP1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	470.0	470.0	470.0	470.0	.
Adequate Provider Data	470.0	470.0	470.0	470.0	.

**Variable: DMP2 Type: Numeric Position: 457-457****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

**Variable: DMP3 Type: Numeric Position: 458-458****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP4 Type: Numeric Position: 459-459

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMP5 Type: Numeric Position: 460-460

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMP6 Type: Numeric Position: 461-461

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP7 Type: Numeric Position: 462-462

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMP8 Type: Numeric Position: 463-463

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMP9 Type: Numeric Position: 464-464

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB1 Type: Numeric Position: 465-465

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMPRB2 Type: Numeric Position: 466-466

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMPRB3 Type: Numeric Position: 467-467

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB4 Type: Numeric Position: 468-468

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMPRB5 Type: Numeric Position: 469-469

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMPRB6 Type: Numeric Position: 470-470

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB7 Type: Numeric Position: 471-471

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMPRB8 Type: Numeric Position: 472-472

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DMPRB9 Type: Numeric Position: 473-473

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV1 Type: Numeric Position: 474-477**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17776	49.4%	100.0%	17776	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18219	50.6%	n/a	543	3.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPCV1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	72.3	63.0	0.0	1161.0	51.5
Adequate Provider Data	72.3	63.0	0.0	1161.0	51.5

**Variable: DPCV2 Type: Numeric Position: 478-481**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17600	48.9%	100.0%	17600	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18395	51.1%	n/a	719	3.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPCV2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	141.8	127.0	42.0	1114.0	62.7
Adequate Provider Data	141.8	127.0	42.0	1114.0	62.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV3 Type: Numeric Position: 482-485**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17296	48.1%	100.0%	17296	94.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18699	51.9%	n/a	1023	5.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPCV3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	215.6	191.0	85.0	1182.0	81.3
Adequate Provider Data	215.6	191.0	85.0	1182.0	81.3

**Variable: DPCV4 Type: Numeric Position: 486-489**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15995	44.4%	100.0%	15995	87.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	20000	55.6%	n/a	2324	12.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPCV4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	438.8	412.0	120.0	1193.0	93.6
Adequate Provider Data	438.8	412.0	120.0	1193.0	93.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV5 Type: Numeric Position: 490-493**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		177	0.5%	100.0%	177	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35818	99.5%	n/a	18142	99.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPCV5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	588.7	527.0	235.0	1214.0	189.6
Adequate Provider Data	588.7	527.0	235.0	1214.0	189.6

**Variable: DPCV6 Type: Numeric Position: 494-496**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35988	100.0%	n/a	18312	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPCV6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	602.0	552.0	385.0	983.0	201.0
Adequate Provider Data	602.0	552.0	385.0	983.0	201.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV7 Type: Numeric Position: 497-499****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPCV7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	550.0	550.0	459.0	641.0	128.7
Adequate Provider Data	550.0	550.0	459.0	641.0	128.7

**Variable: DPCV8 Type: Numeric Position: 500-502****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPCV8 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	724.0	724.0	646.0	802.0	110.3
Adequate Provider Data	724.0	724.0	646.0	802.0	110.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV9 Type: Numeric Position: 503-503**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

**Variable: DPOLIO1 Type: Numeric Position: 504-507**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17787	49.4%	100.0%	17787	97.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18208	50.6%	n/a	532	2.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPOLIO1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	71.8	63.0	0.0	1161.0	50.9
Adequate Provider Data	71.8	63.0	0.0	1161.0	50.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO2 Type: Numeric Position: 508-511**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17633	49.0%	100.0%	17633	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18362	51.0%	n/a	686	3.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPOLIO2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	141.7	127.0	42.0	1464.0	67.1
Adequate Provider Data	141.7	127.0	42.0	1464.0	67.1

**Variable: DPOLIO3 Type: Numeric Position: 512-515**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17355	48.2%	100.0%	17355	94.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18640	51.8%	n/a	964	5.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPOLIO3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	217.4	191.0	70.0	1133.0	89.0
Adequate Provider Data	217.4	191.0	70.0	1133.0	89.0



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO4 Type: Numeric Position: 516-519**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5057	14.0%	100.0%	5057	27.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	30938	86.0%	n/a	13262	72.4%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPOLIO4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	495.8	469.0	99.0	1490.0	101.2
Adequate Provider Data	495.8	469.0	99.0	1490.0	101.2

**Variable: DPOLIO5 Type: Numeric Position: 520-523**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		106	0.3%	100.0%	106	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35889	99.7%	n/a	18213	99.4%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPOLIO5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	568.6	545.5	187.0	1224.0	171.1
Adequate Provider Data	568.6	545.5	187.0	1224.0	171.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO6 Type: Numeric Position: 524-526**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13	0.0%	100.0%	13	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35982	100.0%	n/a	18306	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPOLIO6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	608.8	584.0	459.0	874.0	126.8
Adequate Provider Data	608.8	584.0	459.0	874.0	126.8

**Variable: DPOLIO7 Type: Numeric Position: 527-529**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35992	100.0%	n/a	18316	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DPOLIO7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	752.7	725.0	716.0	817.0	55.9
Adequate Provider Data	752.7	725.0	716.0	817.0	55.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO8 Type: Numeric Position: 530-532

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DPOLIO8 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	894.0	894.0	894.0	894.0	.
Adequate Provider Data	894.0	894.0	894.0	894.0	.

Variable: DPOLIO9 Type: Numeric Position: 533-533

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DRB1 Type: Numeric Position: 534-536**

**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DRB1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	291.0	291.0	291.0	291.0	.
Adequate Provider Data	291.0	291.0	291.0	291.0	.

**Variable: DRB2 Type: Numeric Position: 537-537**

**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB3 Type: Numeric Position: 538-538

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DRB4 Type: Numeric Position: 539-539

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DRB5 Type: Numeric Position: 540-540

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB6 Type: Numeric Position: 541-541

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DRB7 Type: Numeric Position: 542-542

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DRB8 Type: Numeric Position: 543-543

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB9 Type: Numeric Position: 544-544

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DROT1 Type: Numeric Position: 545-547

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16918	47.0%	100.0%	16918	92.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19077	53.0%	n/a	1401	7.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DROT1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	66.5	63.0	0.0	550.0	18.5
Adequate Provider Data	66.5	63.0	0.0	550.0	18.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DROT2** Type: Numeric Position: 548-550

**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16433	45.7%	100.0%	16433	89.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19562	54.3%	n/a	1886	10.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DROT2** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	132.3	126.0	30.0	789.0	25.2
Adequate Provider Data	132.3	126.0	30.0	789.0	25.2

**Variable: DROT3** Type: Numeric Position: 551-554

**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11518	32.0%	100.0%	11518	62.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	24477	68.0%	n/a	6801	37.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DROT3** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	195.3	189.0	102.0	1123.0	32.1
Adequate Provider Data	195.3	189.0	102.0	1123.0	32.1



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT4 Type: Numeric Position: 555-557

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		39	0.1%	100.0%	39	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35956	99.9%	n/a	18280	99.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DROT4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	334.0	282.0	181.0	758.0	162.4
Adequate Provider Data	334.0	282.0	181.0	758.0	162.4

Variable: DROT5 Type: Numeric Position: 558-560

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DROT5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	482.0	482.0	385.0	579.0	137.2
Adequate Provider Data	482.0	482.0	385.0	579.0	137.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT6 Type: Numeric Position: 561-563

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: DROT6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	459.0	459.0	459.0	459.0	.
Adequate Provider Data	459.0	459.0	459.0	459.0	.

Variable: DROT7 Type: Numeric Position: 564-564

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT8 Type: Numeric Position: 565-565

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DROT9 Type: Numeric Position: 566-566

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DVRC1 Type: Numeric Position: 567-570

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17122	47.6%	100.0%	17122	93.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18873	52.4%	n/a	1197	6.5%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DVRC1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	411.3	376.0	0.0	1219.0	85.7
Adequate Provider Data	411.3	376.0	0.0	1219.0	85.7

**Variable: DVRC2 Type: Numeric Position: 571-574****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2**

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		335	0.9%	100.0%	335	1.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35660	99.1%	n/a	17984	98.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DVRC2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	718.0	732.0	368.0	1483.0	210.1
Adequate Provider Data	718.0	732.0	368.0	1483.0	210.1

**Variable: DVRC3 Type: Numeric Position: 575-575****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3**

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC4 Type: Numeric Position: 576-576

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DVRC5 Type: Numeric Position: 577-577

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DVRC6 Type: Numeric Position: 578-578

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC7 Type: Numeric Position: 579-579

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DVRC8 Type: Numeric Position: 580-580

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: DVRC9 Type: Numeric Position: 581-581

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP1\_AGE** Type: Numeric Position: 582-583

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17845	49.6%	100.0%	17845	97.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18150	50.4%	n/a	474	2.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DTP1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.1	2.0	0.0	38.0	1.7
Adequate Provider Data	2.1	2.0	0.0	38.0	1.7

**Variable: DTP2\_AGE** Type: Numeric Position: 584-585

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17686	49.1%	100.0%	17686	96.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18309	50.9%	n/a	633	3.5%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DTP2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.3	4.0	1.0	48.0	2.1
Adequate Provider Data	4.3	4.0	1.0	48.0	2.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP3\_AGE** Type: Numeric Position: 586-587

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17469	48.5%	100.0%	17469	95.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18526	51.5%	n/a	850	4.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DTP3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	6.7	6.0	2.0	37.0	2.6
Adequate Provider Data	6.7	6.0	2.0	37.0	2.6

**Variable: DTP4\_AGE** Type: Numeric Position: 588-589

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16060	44.6%	100.0%	16060	87.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19935	55.4%	n/a	2259	12.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DTP4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	16.6	15.0	3.0	41.0	3.2
Adequate Provider Data	16.6	15.0	3.0	41.0	3.2



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP5\_AGE** Type: Numeric Position: 590-591

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		278	0.8%	100.0%	278	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35717	99.2%	n/a	18041	98.5%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DTP5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.6	18.0	9.0	48.0	6.4
Adequate Provider Data	19.6	18.0	9.0	48.0	6.4

**Variable: DTP6\_AGE** Type: Numeric Position: 592-593

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		24	0.1%	100.0%	24	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35971	99.9%	n/a	18295	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DTP6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	23.7	22.0	15.0	39.0	7.9
Adequate Provider Data	23.7	22.0	15.0	39.0	7.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP7\_AGE** Type: Numeric Position: 594-595

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35988	100.0%	n/a	18312	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DTP7\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	25.6	25.0	19.0	38.0	6.1
Adequate Provider Data	25.6	25.0	19.0	38.0	6.1

**Variable: DTP8\_AGE** Type: Numeric Position: 596-597

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35992	100.0%	n/a	18316	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DTP8\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	28.3	26.0	23.0	36.0	6.8
Adequate Provider Data	28.3	26.0	23.0	36.0	6.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP9\_AGE** Type: Numeric Position: 598-599

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: DTP9\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	29.0	29.0	29.0	29.0	.
Adequate Provider Data	29.0	29.0	29.0	29.0	.

**Variable: FLU1\_AGE** Type: Numeric Position: 600-601

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1**

**Notes:** See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14824	41.2%	100.0%	14824	80.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21171	58.8%	n/a	3495	19.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: FLU1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	9.1	7.0	0.0	42.0	4.6
Adequate Provider Data	9.1	7.0	0.0	42.0	4.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU2\_AGE** Type: Numeric Position: 602-603

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13267	36.9%	100.0%	13267	72.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22728	63.1%	n/a	5052	27.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: FLU2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	11.5	10.0	2.0	45.0	5.2
Adequate Provider Data	11.5	10.0	2.0	45.0	5.2

**Variable: FLU3\_AGE** Type: Numeric Position: 604-605

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10189	28.3%	100.0%	10189	55.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	25806	71.7%	n/a	8130	44.4%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: FLU3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	19.3	18.0	6.0	44.0	4.9
Adequate Provider Data	19.3	18.0	6.0	44.0	4.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU4\_AGE** Type: Numeric Position: 606-607

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3628	10.1%	100.0%	3628	19.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	32367	89.9%	n/a	14691	80.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: FLU4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	28.9	29.0	8.0	43.0	4.4
Adequate Provider Data	28.9	29.0	8.0	43.0	4.4

**Variable: FLU5\_AGE** Type: Numeric Position: 608-609

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		232	0.6%	100.0%	232	1.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35763	99.4%	n/a	18087	98.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: FLU5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	35.3	36.0	12.0	45.0	5.3
Adequate Provider Data	35.3	36.0	12.0	45.0	5.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU6\_AGE Type: Numeric Position: 610-611

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6

Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11	0.0%	100.0%	11	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35984	100.0%	n/a	18308	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: FLU6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	32.6	36.0	21.0	40.0	6.0
Adequate Provider Data	32.6	36.0	21.0	40.0	6.0

Variable: FLU7\_AGE Type: Numeric Position: 612-612

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7

Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU8\_AGE Type: Numeric Position: 613-613

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8

Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: FLU9\_AGE Type: Numeric Position: 614-614

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9

Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: HEA1\_AGE Type: Numeric Position: 615-616

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16732	46.5%	100.0%	16732	91.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19263	53.5%	n/a	1587	8.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEA1\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.5	12.0	0.0	39.0	3.3
Adequate Provider Data	13.5	12.0	0.0	39.0	3.3

**Variable: HEA2\_AGE Type: Numeric Position: 617-618****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13328	37.0%	100.0%	13328	72.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22667	63.0%	n/a	4991	27.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: HEA2\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.0	19.0	4.0	41.0	3.8
Adequate Provider Data	21.0	19.0	4.0	41.0	3.8

**Variable: HEA3\_AGE Type: Numeric Position: 619-620****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		140	0.4%	100.0%	140	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35855	99.6%	n/a	18179	99.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEA3\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	22.9	24.0	13.0	36.0	4.3
Adequate Provider Data	22.9	24.0	13.0	36.0	4.3

**Variable: HEA4\_AGE Type: Numeric Position: 621-622****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35988	100.0%	n/a	18312	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: HEA4\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	30.1	32.0	20.0	36.0	5.3
Adequate Provider Data	30.1	32.0	20.0	36.0	5.3

**Variable: HEA5\_AGE Type: Numeric Position: 623-623****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA6\_AGE Type: Numeric Position: 624-624

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: HEA7\_AGE Type: Numeric Position: 625-625

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: HEA8\_AGE Type: Numeric Position: 626-626

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA9\_AGE Type: Numeric Position: 627-627

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: HEP1\_AGE Type: Numeric Position: 628-629

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17946	49.9%	100.0%	17946	98.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18049	50.1%	n/a	373	2.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: HEP1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	0.3	0.0	0.0	40.0	1.7
Adequate Provider Data	0.3	0.0	0.0	40.0	1.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEP2\_AGE** Type: Numeric Position: 630-631

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17620	49.0%	100.0%	17620	96.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18375	51.0%	n/a	699	3.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: HEP2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.3	2.0	0.0	41.0	2.3
Adequate Provider Data	2.3	2.0	0.0	41.0	2.3

**Variable: HEP3\_AGE** Type: Numeric Position: 632-633

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17188	47.8%	100.0%	17188	93.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18807	52.2%	n/a	1131	6.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: HEP3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.5	6.0	1.0	48.0	3.4
Adequate Provider Data	6.5	6.0	1.0	48.0	3.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP4\_AGE Type: Numeric Position: 634-635

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6650	18.5%	100.0%	6650	36.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	29345	81.5%	n/a	11669	63.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: HEP4\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	7.0	6.0	2.0	39.0	3.3
Adequate Provider Data	7.0	6.0	2.0	39.0	3.3

Variable: HEP5\_AGE Type: Numeric Position: 636-637

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		252	0.7%	100.0%	252	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35743	99.3%	n/a	18067	98.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: HEP5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	14.1	15.0	5.0	35.0	5.5
Adequate Provider Data	14.1	15.0	5.0	35.0	5.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP6\_AGE Type: Numeric Position: 638-639

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		19	0.1%	100.0%	19	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35976	99.9%	n/a	18300	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: HEP6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	17.5	18.0	7.0	30.0	6.3
Adequate Provider Data	17.5	18.0	7.0	30.0	6.3

Variable: HEP7\_AGE Type: Numeric Position: 640-641

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35991	100.0%	n/a	18315	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: HEP7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	19.0	18.0	15.0	25.0	4.9
Adequate Provider Data	19.0	18.0	15.0	25.0	4.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP8\_AGE Type: Numeric Position: 642-642

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: HEP9\_AGE Type: Numeric Position: 643-643

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: HIB1\_AGE Type: Numeric Position: 644-645

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17809	49.5%	100.0%	17809	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18186	50.5%	n/a	510	2.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.0	0.0	39.0	1.8
Adequate Provider Data	2.1	2.0	0.0	39.0	1.8

Variable: HIB2\_AGE Type: Numeric Position: 646-647

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17600	48.9%	100.0%	17600	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18395	51.1%	n/a	719	3.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: HIB2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.4	4.0	1.0	41.0	2.0
Adequate Provider Data	4.4	4.0	1.0	41.0	2.0

Variable: HIB3\_AGE Type: Numeric Position: 648-649

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17156	47.7%	100.0%	17156	93.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18839	52.3%	n/a	1163	6.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HIB3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	8.7	6.0	2.0	37.0	4.4
Adequate Provider Data	8.7	6.0	2.0	37.0	4.4

**Variable: HIB4\_AGE** Type: Numeric Position: 650-651**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11888	33.0%	100.0%	11888	64.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	24107	67.0%	n/a	6431	35.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: HIB4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.6	15.0	3.0	39.0	3.1
Adequate Provider Data	15.6	15.0	3.0	39.0	3.1

**Variable: HIB5\_AGE** Type: Numeric Position: 652-653**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		199	0.6%	100.0%	199	1.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35796	99.4%	n/a	18120	98.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HIB5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	17.7	16.0	6.0	40.0	4.9
Adequate Provider Data	17.7	16.0	6.0	40.0	4.9

**Variable: HIB6\_AGE** Type: Numeric Position: 654-655**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10	0.0%	100.0%	10	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35985	100.0%	n/a	18309	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: HIB6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	18.9	18.0	12.0	32.0	5.8
Adequate Provider Data	18.9	18.0	12.0	32.0	5.8

**Variable: HIB7\_AGE** Type: Numeric Position: 656-657**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35992	100.0%	n/a	18316	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.3	21.0	15.0	28.0	6.5
Adequate Provider Data	21.3	21.0	15.0	28.0	6.5

Variable: HIB8\_AGE Type: Numeric Position: 658-659

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: HIB8\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	25.0	25.0	23.0	27.0	2.8
Adequate Provider Data	25.0	25.0	23.0	27.0	2.8

Variable: HIB9\_AGE Type: Numeric Position: 660-661

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HIB9\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	29.0	29.0	29.0	29.0	.
Adequate Provider Data	29.0	29.0	29.0	29.0	.

**Variable: MMR1\_AGE Type: Numeric Position: 662-663****Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17258	47.9%	100.0%	17258	94.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18737	52.1%	n/a	1061	5.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: MMR1\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	12.7	12.0	0.0	39.0	2.7
Adequate Provider Data	12.7	12.0	0.0	39.0	2.7

**Variable: MMR2\_AGE Type: Numeric Position: 664-665****Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		895	2.5%	100.0%	895	4.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35100	97.5%	n/a	17424	95.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	16.4	13.0	6.0	48.0	6.5
Adequate Provider Data	16.4	13.0	6.0	48.0	6.5

Variable: MMR3\_AGE Type: Numeric Position: 666-667

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35	0.1%	100.0%	35	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35960	99.9%	n/a	18284	99.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: MMR3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	25.5	27.0	12.0	39.0	8.8
Adequate Provider Data	25.5	27.0	12.0	39.0	8.8

Variable: MMR4\_AGE Type: Numeric Position: 668-668

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR5\_AGE Type: Numeric Position: 669-669

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: MMR6\_AGE Type: Numeric Position: 670-670

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: MMR7\_AGE Type: Numeric Position: 671-671

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR8\_AGE Type: Numeric Position: 672-672

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: MMR9\_AGE Type: Numeric Position: 673-673

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: MP1\_AGE Type: Numeric Position: 674-675

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.0	15.0	15.0	15.0	.
Adequate Provider Data	15.0	15.0	15.0	15.0	.

Variable: MP2\_AGE Type: Numeric Position: 676-676

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: MP3\_AGE Type: Numeric Position: 677-677

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP4\_AGE Type: Numeric Position: 678-678

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: MP5\_AGE Type: Numeric Position: 679-679

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: MP6\_AGE Type: Numeric Position: 680-680

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP7\_AGE Type: Numeric Position: 681-681

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: MP8\_AGE Type: Numeric Position: 682-682

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: MP9\_AGE Type: Numeric Position: 683-683

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MPR1\_AGE Type: Numeric Position: 684-684**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

**Variable: MPR2\_AGE Type: Numeric Position: 685-685**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

**Variable: MPR3\_AGE Type: Numeric Position: 686-686**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MPR4\_AGE Type: Numeric Position: 687-687**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

**Variable: MPR5\_AGE Type: Numeric Position: 688-688**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

**Variable: MPR6\_AGE Type: Numeric Position: 689-689**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR7\_AGE Type: Numeric Position: 690-690

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: MPR8\_AGE Type: Numeric Position: 691-691

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: MPR9\_AGE Type: Numeric Position: 692-692

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV1\_AGE Type: Numeric Position: 693-694

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17776	49.4%	100.0%	17776	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18219	50.6%	n/a	543	3.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: PCV1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.0	0.0	38.0	1.7
Adequate Provider Data	2.1	2.0	0.0	38.0	1.7

Variable: PCV2\_AGE Type: Numeric Position: 695-696

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17600	48.9%	100.0%	17600	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18395	51.1%	n/a	719	3.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: PCV2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.4	4.0	1.0	36.0	2.0
Adequate Provider Data	4.4	4.0	1.0	36.0	2.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV3\_AGE Type: Numeric Position: 697-698

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17296	48.1%	100.0%	17296	94.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18699	51.9%	n/a	1023	5.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: PCV3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.8	6.0	2.0	38.0	2.6
Adequate Provider Data	6.8	6.0	2.0	38.0	2.6

Variable: PCV4\_AGE Type: Numeric Position: 699-700

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15995	44.4%	100.0%	15995	87.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	20000	55.6%	n/a	2324	12.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: PCV4\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	14.1	13.0	4.0	39.0	3.0
Adequate Provider Data	14.1	13.0	4.0	39.0	3.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV5\_AGE Type: Numeric Position: 701-702

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		177	0.5%	100.0%	177	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35818	99.5%	n/a	18142	99.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: PCV5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	18.9	17.0	7.0	39.0	6.1
Adequate Provider Data	18.9	17.0	7.0	39.0	6.1

Variable: PCV6\_AGE Type: Numeric Position: 703-704

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35988	100.0%	n/a	18312	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: PCV6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.4	18.0	12.0	32.0	6.7
Adequate Provider Data	19.4	18.0	12.0	32.0	6.7



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PCV7\_AGE** Type: Numeric Position: 705-706

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: PCV7\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	18.0	18.0	15.0	21.0	4.2
Adequate Provider Data	18.0	18.0	15.0	21.0	4.2

**Variable: PCV8\_AGE** Type: Numeric Position: 707-708

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: PCV8\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	23.5	23.5	21.0	26.0	3.5
Adequate Provider Data	23.5	23.5	21.0	26.0	3.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV9\_AGE Type: Numeric Position: 709-709

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: POL1\_AGE Type: Numeric Position: 710-711

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17787	49.4%	100.0%	17787	97.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18208	50.6%	n/a	532	2.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: POL1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.0	0.0	38.0	1.7
Adequate Provider Data	2.1	2.0	0.0	38.0	1.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL2\_AGE Type: Numeric Position: 712-713

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17633	49.0%	100.0%	17633	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18362	51.0%	n/a	686	3.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: POL2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.4	4.0	1.0	48.0	2.2
Adequate Provider Data	4.4	4.0	1.0	48.0	2.2

Variable: POL3\_AGE Type: Numeric Position: 714-715

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17355	48.2%	100.0%	17355	94.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18640	51.8%	n/a	964	5.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: POL3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.8	6.0	2.0	37.0	2.9
Adequate Provider Data	6.8	6.0	2.0	37.0	2.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL4\_AGE Type: Numeric Position: 716-717

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5057	14.0%	100.0%	5057	27.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	30938	86.0%	n/a	13262	72.4%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: POL4\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	15.9	15.0	3.0	48.0	3.3
Adequate Provider Data	15.9	15.0	3.0	48.0	3.3

Variable: POL5\_AGE Type: Numeric Position: 718-719

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		106	0.3%	100.0%	106	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35889	99.7%	n/a	18213	99.4%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: POL5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	18.3	17.0	6.0	40.0	5.6
Adequate Provider Data	18.3	17.0	6.0	40.0	5.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL6\_AGE Type: Numeric Position: 720-721

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13	0.0%	100.0%	13	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35982	100.0%	n/a	18306	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: POL6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.8	19.0	15.0	28.0	4.1
Adequate Provider Data	19.8	19.0	15.0	28.0	4.1

Variable: POL7\_AGE Type: Numeric Position: 722-723

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35992	100.0%	n/a	18316	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: POL7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	24.0	23.0	23.0	26.0	1.7
Adequate Provider Data	24.0	23.0	23.0	26.0	1.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL8\_AGE Type: Numeric Position: 724-725

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: POL8\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	29.0	29.0	29.0	29.0	.
Adequate Provider Data	29.0	29.0	29.0	29.0	.

Variable: POL9\_AGE Type: Numeric Position: 726-726

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB1\_AGE Type: Numeric Position: 727-727

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: RB1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	9.0	9.0	9.0	9.0	.
Adequate Provider Data	9.0	9.0	9.0	9.0	.

Variable: RB2\_AGE Type: Numeric Position: 728-728

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB3\_AGE Type: Numeric Position: 729-729

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: RB4\_AGE Type: Numeric Position: 730-730

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: RB5\_AGE Type: Numeric Position: 731-731

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB6\_AGE Type: Numeric Position: 732-732

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: RB7\_AGE Type: Numeric Position: 733-733

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: RB8\_AGE Type: Numeric Position: 734-734

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: RB9\_AGE** Type: Numeric Position: 735-735

**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

**Variable: ROT1\_AGE** Type: Numeric Position: 736-737

**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16918	47.0%	100.0%	16918	92.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19077	53.0%	n/a	1401	7.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: ROT1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1.9	2.0	0.0	18.0	0.7
Adequate Provider Data	1.9	2.0	0.0	18.0	0.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT2\_AGE Type: Numeric Position: 738-739

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16433	45.7%	100.0%	16433	89.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19562	54.3%	n/a	1886	10.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: ROT2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.1	4.0	1.0	25.0	0.8
Adequate Provider Data	4.1	4.0	1.0	25.0	0.8

Variable: ROT3\_AGE Type: Numeric Position: 740-741

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11518	32.0%	100.0%	11518	62.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	24477	68.0%	n/a	6801	37.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: ROT3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.1	6.0	3.0	36.0	1.0
Adequate Provider Data	6.1	6.0	3.0	36.0	1.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT4\_AGE Type: Numeric Position: 742-743

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		39	0.1%	100.0%	39	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35956	99.9%	n/a	18280	99.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: ROT4\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	10.7	9.0	6.0	24.0	5.2
Adequate Provider Data	10.7	9.0	6.0	24.0	5.2

Variable: ROT5\_AGE Type: Numeric Position: 744-745

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: ROT5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.5	15.5	12.0	19.0	4.9
Adequate Provider Data	15.5	15.5	12.0	19.0	4.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT6\_AGE Type: Numeric Position: 746-747

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: ROT6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.0	15.0	15.0	15.0	.
Adequate Provider Data	15.0	15.0	15.0	15.0	.

Variable: ROT7\_AGE Type: Numeric Position: 748-748

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT8\_AGE Type: Numeric Position: 749-749

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: ROT9\_AGE Type: Numeric Position: 750-750

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: VRC1\_AGE Type: Numeric Position: 751-752

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17122	47.6%	100.0%	17122	93.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18873	52.4%	n/a	1197	6.5%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.2	12.0	0.0	40.0	2.8
Adequate Provider Data	13.2	12.0	0.0	40.0	2.8

Variable: VRC2\_AGE Type: Numeric Position: 753-754

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		335	0.9%	100.0%	335	1.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35660	99.1%	n/a	17984	98.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: VRC2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	23.2	24.0	12.0	48.0	6.9
Adequate Provider Data	23.2	24.0	12.0	48.0	6.9

Variable: VRC3\_AGE Type: Numeric Position: 755-755

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC4\_AGE Type: Numeric Position: 756-756

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: VRC5\_AGE Type: Numeric Position: 757-757

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: VRC6\_AGE Type: Numeric Position: 758-758

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC7\_AGE Type: Numeric Position: 759-759

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: VRC8\_AGE Type: Numeric Position: 760-760

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: VRC9\_AGE Type: Numeric Position: 761-761

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY1 Type: Character Position: 762-763

Label: DT-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	197	0.5%	1.1%	197	1.1%	1.1%
DTAP	04	2184	6.1%	12.2%	2184	11.9%	12.2%
DTAP-HIB	07	4	0.0%	0.0%	4	0.0%	0.0%
DTAP-HEPB-IPV	08	8207	22.8%	46.0%	8207	44.8%	46.0%
DTAP-IPV-HIB	D3	7149	19.9%	40.1%	7149	39.0%	40.1%
D4	D4	104	0.3%	0.6%	104	0.6%	0.6%
<b>SUBTOTALS:</b>		17845	49.6%	100.0%	17845	97.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18150	50.4%	n/a	474	2.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XDTPTY2 Type: Character Position: 764-765

Label: DT-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	188	0.5%	1.1%	188	1.0%	1.1%
DTAP	04	2221	6.2%	12.6%	2221	12.1%	12.6%
DTAP-HIB	07	7	0.0%	0.0%	7	0.0%	0.0%
DTAP-HEPB-IPV	08	7003	19.5%	39.6%	7003	38.2%	39.6%
DTAP-IPV-HIB	D3	8180	22.7%	46.3%	8180	44.7%	46.3%
D4	D4	87	0.2%	0.5%	87	0.5%	0.5%
<b>SUBTOTALS:</b>		17686	49.1%	100.0%	17686	96.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18309	50.9%	n/a	633	3.5%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY3 Type: Character Position: 766-767

Label: DT-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	187	0.5%	1.1%	187	1.0%	1.1%
DTAP	04	2131	5.9%	12.2%	2131	11.6%	12.2%
DTAP-HIB	07	7	0.0%	0.0%	7	0.0%	0.0%
DTAP-HEPB-IPV	08	7908	22.0%	45.3%	7908	43.2%	45.3%
DTAP-IPV-HIB	D3	7137	19.8%	40.9%	7137	39.0%	40.9%
D4	D4	99	0.3%	0.6%	99	0.5%	0.6%
<b>SUBTOTALS:</b>		17469	48.5%	100.0%	17469	95.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18526	51.5%	n/a	850	4.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XDTPTY4 Type: Character Position: 768-769

Label: DT-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	283	0.8%	1.8%	283	1.5%	1.8%
DTAP	04	11059	30.7%	68.9%	11059	60.4%	68.9%
DTAP-HIB	07	28	0.1%	0.2%	28	0.2%	0.2%
DTAP-HEPB-IPV	08	300	0.8%	1.9%	300	1.6%	1.9%
DTAP-IPV-HIB	D3	4363	12.1%	27.2%	4363	23.8%	27.2%
D4	D4	27	0.1%	0.2%	27	0.1%	0.2%
<b>SUBTOTALS:</b>		16060	44.6%	100.0%	16060	87.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		19935	55.4%	n/a	2259	12.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY5 Type: Character Position: 770-771

Label: DT-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	2	0.0%	0.7%	2	0.0%	0.7%
DTAP	04	169	0.5%	60.8%	169	0.9%	60.8%
DTAP-HEPB-IPV	08	24	0.1%	8.6%	24	0.1%	8.6%
DTAP-IPV-HIB	D3	80	0.2%	28.8%	80	0.4%	28.8%
D4	D4	3	0.0%	1.1%	3	0.0%	1.1%
<b>SUBTOTALS:</b>		278	0.8%	100.0%	278	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35717	99.2%	n/a	18041	98.5%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XDTPTY6 Type: Character Position: 772-773

Label: DT-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	14	0.0%	58.3%	14	0.1%	58.3%
DTAP-HEPB-IPV	08	5	0.0%	20.8%	5	0.0%	20.8%
DTAP-IPV-HIB	D3	4	0.0%	16.7%	4	0.0%	16.7%
D4	D4	1	0.0%	4.2%	1	0.0%	4.2%
<b>SUBTOTALS:</b>		24	0.1%	100.0%	24	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35971	99.9%	n/a	18295	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY7 Type: Character Position: 774-775

Label: DT-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	4	0.0%	57.1%	4	0.0%	57.1%
DTAP-HEPB-IPV	08	1	0.0%	14.3%	1	0.0%	14.3%
DTAP-IPV-HIB	D3	2	0.0%	28.6%	2	0.0%	28.6%
<b>SUBTOTALS:</b>		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35988	100.0%	n/a	18312	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XDTPTY8 Type: Character Position: 776-777

Label: DT-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	2	0.0%	66.7%	2	0.0%	66.7%
DTAP-IPV-HIB	D3	1	0.0%	33.3%	1	0.0%	33.3%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35992	100.0%	n/a	18316	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY9 Type: Character Position: 778-779

Label: DT-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XFLUTY1 Type: Character Position: 780-781

Label: SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	1361	3.8%	9.2%	1361	7.4%	9.2%
SEASONAL FLU SPRAY	FM	84	0.2%	0.6%	84	0.5%	0.6%
SEASONAL FLU INJECTED	FN	13379	37.2%	90.3%	13379	73.0%	90.3%
<b>SUBTOTALS:</b>		14824	41.2%	100.0%	14824	80.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		21171	58.8%	n/a	3495	19.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY2 Type: Character Position: 782-783

Label: SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	1189	3.3%	9.0%	1189	6.5%	9.0%
SEASONAL FLU SPRAY	FM	73	0.2%	0.6%	73	0.4%	0.6%
SEASONAL FLU INJECTED	FN	12005	33.4%	90.5%	12005	65.5%	90.5%
<b>SUBTOTALS:</b>		13267	36.9%	100.0%	13267	72.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		22728	63.1%	n/a	5052	27.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XFLUTY3 Type: Character Position: 784-785

Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	845	2.3%	8.3%	845	4.6%	8.3%
SEASONAL FLU SPRAY	FM	70	0.2%	0.7%	70	0.4%	0.7%
SEASONAL FLU INJECTED	FN	9274	25.8%	91.0%	9274	50.6%	91.0%
<b>SUBTOTALS:</b>		10189	28.3%	100.0%	10189	55.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		25806	71.7%	n/a	8130	44.4%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY4 Type: Character Position: 786-787

Label: SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	372	1.0%	10.3%	372	2.0%	10.3%
SEASONAL FLU SPRAY	FM	63	0.2%	1.7%	63	0.3%	1.7%
SEASONAL FLU INJECTED	FN	3193	8.9%	88.0%	3193	17.4%	88.0%
<b>SUBTOTALS:</b>		3628	10.1%	100.0%	3628	19.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		32367	89.9%	n/a	14691	80.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XFLUTY5 Type: Character Position: 788-789

Label: SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	50	0.1%	21.6%	50	0.3%	21.6%
SEASONAL FLU SPRAY	FM	4	0.0%	1.7%	4	0.0%	1.7%
SEASONAL FLU INJECTED	FN	178	0.5%	76.7%	178	1.0%	76.7%
<b>SUBTOTALS:</b>		232	0.6%	100.0%	232	1.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35763	99.4%	n/a	18087	98.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY6 Type: Character Position: 790-791

Label: SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	2	0.0%	18.2%	2	0.0%	18.2%
SEASONAL FLU INJECTED	FN	9	0.0%	81.8%	9	0.0%	81.8%
<b>SUBTOTALS:</b>		11	0.0%	100.0%	11	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35984	100.0%	n/a	18308	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XFLUTY7 Type: Character Position: 792-792

Label: SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY8 Type: Character Position: 793-793

Label: SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: XFLUTY9 Type: Character Position: 794-794

Label: SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: XHEPTY1 Type: Character Position: 795-796

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1317	3.7%	7.3%	1317	7.2%	7.3%
HEPB ONLY	60	16584	46.1%	92.4%	16584	90.5%	92.4%
D4	D4	28	0.1%	0.2%	28	0.2%	0.2%
HEPB-UNKNOWN	HB	17	0.0%	0.1%	17	0.1%	0.1%
SUBTOTALS:		17946	49.9%	100.0%	17946	98.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY1 Type: Character Position: 795-796

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING		18049	50.1%	n/a	373	2.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XHEPTY2 Type: Character Position: 797-798

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	8189	22.8%	46.5%	8189	44.7%	46.5%
HEPB-HIB	43	1	0.0%	0.0%	1	0.0%	0.0%
HEPB ONLY	60	9222	25.6%	52.3%	9222	50.3%	52.3%
D4	D4	102	0.3%	0.6%	102	0.6%	0.6%
HEPB-UNKNOWN	HB	106	0.3%	0.6%	106	0.6%	0.6%
<b>SUBTOTALS:</b>		17620	49.0%	100.0%	17620	96.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18375	51.0%	n/a	699	3.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY3 Type: Character Position: 799-800

Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	8139	22.6%	47.4%	8139	44.4%	47.4%
HEPB-HIB	43	1	0.0%	0.0%	1	0.0%	0.0%
HEPB ONLY	60	8826	24.5%	51.3%	8826	48.2%	51.3%
D4	D4	106	0.3%	0.6%	106	0.6%	0.6%
HEPB-UNKNOWN	HB	116	0.3%	0.7%	116	0.6%	0.7%
<b>SUBTOTALS:</b>		17188	47.8%	100.0%	17188	93.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18807	52.2%	n/a	1131	6.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XHEPTY4 Type: Character Position: 801-802

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	5614	15.6%	84.4%	5614	30.6%	84.4%
HEPB ONLY	60	931	2.6%	14.0%	931	5.1%	14.0%
D4	D4	68	0.2%	1.0%	68	0.4%	1.0%
HEPB-UNKNOWN	HB	37	0.1%	0.6%	37	0.2%	0.6%
<b>SUBTOTALS:</b>		6650	18.5%	100.0%	6650	36.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		29345	81.5%	n/a	11669	63.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY5 Type: Character Position: 803-804

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	179	0.5%	71.0%	179	1.0%	71.0%
HEPB ONLY	60	56	0.2%	22.2%	56	0.3%	22.2%
D4	D4	15	0.0%	6.0%	15	0.1%	6.0%
HEPB-UNKNOWN	HB	2	0.0%	0.8%	2	0.0%	0.8%
<b>SUBTOTALS:</b>		252	0.7%	100.0%	252	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35743	99.3%	n/a	18067	98.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XHEPTY6 Type: Character Position: 805-806

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7	0.0%	36.8%	7	0.0%	36.8%
HEPB ONLY	60	10	0.0%	52.6%	10	0.1%	52.6%
D4	D4	2	0.0%	10.5%	2	0.0%	10.5%
<b>SUBTOTALS:</b>		19	0.1%	100.0%	19	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35976	99.9%	n/a	18300	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY7 Type: Character Position: 807-808

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3	0.0%	75.0%	3	0.0%	75.0%
HEPB-UNKNOWN	HB	1	0.0%	25.0%	1	0.0%	25.0%
<b>SUBTOTALS:</b>		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35991	100.0%	n/a	18315	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XHEPTY8 Type: Character Position: 809-809

Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY9 Type: Character Position: 810-810

Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: XHIBTY1 Type: Character Position: 811-812

Label: HIB-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	4	0.0%	0.0%	4	0.0%	0.0%
HEPB-HIB	43	1	0.0%	0.0%	1	0.0%	0.0%
HIB ONLY-UNKNOWN	44	67	0.2%	0.4%	67	0.4%	0.4%
DTAP-IPV-HIB	D3	7193	20.0%	40.4%	7193	39.3%	40.4%
D4	D4	104	0.3%	0.6%	104	0.6%	0.6%
HIB (GLAXOSMITHKLINE)	HG	475	1.3%	2.7%	475	2.6%	2.7%
HIB-UNKNOWN	HI	1903	5.3%	10.7%	1903	10.4%	10.7%
HIB (MERCK)	HM	4528	12.6%	25.4%	4528	24.7%	25.4%
HIB (SANOFI)	HS	3405	9.5%	19.1%	3405	18.6%	19.1%
HIB-MENCY	HY	129	0.4%	0.7%	129	0.7%	0.7%
<b>SUBTOTALS:</b>		17809	49.5%	100.0%	17809	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18186	50.5%	n/a	510	2.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY2 Type: Character Position: 813-814

Label: HIB-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	7	0.0%	0.0%	7	0.0%	0.0%
HEPB-HIB	43	1	0.0%	0.0%	1	0.0%	0.0%
HIB ONLY-UNKNOWN	44	65	0.2%	0.4%	65	0.4%	0.4%
DTAP-IPV-HIB	D3	8172	22.7%	46.4%	8172	44.6%	46.4%
D4	D4	88	0.2%	0.5%	88	0.5%	0.5%
HIB (GLAXOSMITHKLINE)	HG	506	1.4%	2.9%	506	2.8%	2.9%
HIB-UNKNOWN	HI	1701	4.7%	9.7%	1701	9.3%	9.7%
HIB (MERCK)	HM	4198	11.7%	23.9%	4198	22.9%	23.9%
HIB (SANOFI)	HS	2772	7.7%	15.8%	2772	15.1%	15.8%
HIB-MENCY	HY	90	0.3%	0.5%	90	0.5%	0.5%
<b>SUBTOTALS:</b>		17600	48.9%	100.0%	17600	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18395	51.1%	n/a	719	3.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XHIBTY3 Type: Character Position: 815-816

Label: HIB-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	13	0.0%	0.1%	13	0.1%	0.1%
HIB ONLY-UNKNOWN	44	59	0.2%	0.3%	59	0.3%	0.3%
DTAP-IPV-HIB	D3	7311	20.3%	42.6%	7311	39.9%	42.6%
D4	D4	97	0.3%	0.6%	97	0.5%	0.6%
HIB (GLAXOSMITHKLINE)	HG	510	1.4%	3.0%	510	2.8%	3.0%
HIB-UNKNOWN	HI	1691	4.7%	9.9%	1691	9.2%	9.9%
HIB (MERCK)	HM	3958	11.0%	23.1%	3958	21.6%	23.1%
HIB (SANOFI)	HS	3398	9.4%	19.8%	3398	18.5%	19.8%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY3 Type: Character Position: 815-816

Label: HIB-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HIB-MENCY	HY	119	0.3%	0.7%	119	0.6%	0.7%
<b>SUBTOTALS:</b>		17156	47.7%	100.0%	17156	93.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18839	52.3%	n/a	1163	6.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XHIBTY4 Type: Character Position: 817-818

Label: HIB-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	22	0.1%	0.2%	22	0.1%	0.2%
HIB ONLY-UNKNOWN	44	19	0.1%	0.2%	19	0.1%	0.2%
DTAP-IPV-HIB	D3	4135	11.5%	34.8%	4135	22.6%	34.8%
D4	D4	28	0.1%	0.2%	28	0.2%	0.2%
HIB (GLAXOSMITHKLINE)	HG	216	0.6%	1.8%	216	1.2%	1.8%
HIB-UNKNOWN	HI	1486	4.1%	12.5%	1486	8.1%	12.5%
HIB (MERCK)	HM	1130	3.1%	9.5%	1130	6.2%	9.5%
HIB (SANOFI)	HS	4665	13.0%	39.2%	4665	25.5%	39.2%
HIB-MENCY	HY	187	0.5%	1.6%	187	1.0%	1.6%
<b>SUBTOTALS:</b>		11888	33.0%	100.0%	11888	64.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		24107	67.0%	n/a	6431	35.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY5 Type: Character Position: 819-820

Label: HIB-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	99	0.3%	49.7%	99	0.5%	49.7%
D4	D4	3	0.0%	1.5%	3	0.0%	1.5%
HIB (GLAXOSMITHKLINE)	HG	4	0.0%	2.0%	4	0.0%	2.0%
HIB-UNKNOWN	HI	20	0.1%	10.1%	20	0.1%	10.1%
HIB (MERCK)	HM	16	0.0%	8.0%	16	0.1%	8.0%
HIB (SANOFI)	HS	56	0.2%	28.1%	56	0.3%	28.1%
HIB-MENCY	HY	1	0.0%	0.5%	1	0.0%	0.5%
<b>SUBTOTALS:</b>		199	0.6%	100.0%	199	1.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35796	99.4%	n/a	18120	98.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XHIBTY6 Type: Character Position: 821-822

Label: HIB-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	4	0.0%	40.0%	4	0.0%	40.0%
HIB (GLAXOSMITHKLINE)	HG	1	0.0%	10.0%	1	0.0%	10.0%
HIB (MERCK)	HM	3	0.0%	30.0%	3	0.0%	30.0%
HIB (SANOFI)	HS	2	0.0%	20.0%	2	0.0%	20.0%
<b>SUBTOTALS:</b>		10	0.0%	100.0%	10	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35985	100.0%	n/a	18309	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY7 Type: Character Position: 823-824

Label: HIB-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	1	0.0%	33.3%	1	0.0%	33.3%
D4	D4	1	0.0%	33.3%	1	0.0%	33.3%
HIB (SANOFI)	HS	1	0.0%	33.3%	1	0.0%	33.3%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35992	100.0%	n/a	18316	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XHIBTY8 Type: Character Position: 825-826

Label: HIB-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	1	0.0%	50.0%	1	0.0%	50.0%
HIB (SANOFI)	HS	1	0.0%	50.0%	1	0.0%	50.0%
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY9 Type: Character Position: 827-828

Label: HIB-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XMMRTY1 Type: Character Position: 829-830

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	14849	41.3%	86.0%	14849	81.1%	86.0%
MEASLES ONLY	31	28	0.1%	0.2%	28	0.2%	0.2%
MCV-UNKNOWN	MM	135	0.4%	0.8%	135	0.7%	0.8%
MMR-VARICELLA	VM	2246	6.2%	13.0%	2246	12.3%	13.0%
<b>SUBTOTALS:</b>		17258	47.9%	100.0%	17258	94.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18737	52.1%	n/a	1061	5.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY2 Type: Character Position: 831-832

Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	712	2.0%	79.6%	712	3.9%	79.6%
MEASLES ONLY	31	3	0.0%	0.3%	3	0.0%	0.3%
MCV-UNKNOWN	MM	17	0.0%	1.9%	17	0.1%	1.9%
MMR-VARICELLA	VM	163	0.5%	18.2%	163	0.9%	18.2%
<b>SUBTOTALS:</b>		895	2.5%	100.0%	895	4.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35100	97.5%	n/a	17424	95.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XMMRTY3 Type: Character Position: 833-834

Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	29	0.1%	82.9%	29	0.2%	82.9%
MMR-VARICELLA	VM	6	0.0%	17.1%	6	0.0%	17.1%
<b>SUBTOTALS:</b>		35	0.1%	100.0%	35	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35960	99.9%	n/a	18284	99.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY4 Type: Character Position: 835-835

Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: XMMRTY5 Type: Character Position: 836-836

Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: XMMRTY6 Type: Character Position: 837-837

Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY7 Type: Character Position: 838-838

Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: XMMRTY8 Type: Character Position: 839-839

Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: XMMRTY9 Type: Character Position: 840-840

Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY1 Type: Character Position: 841-842

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	4	0.0%	0.0%	4	0.0%	0.0%
PCV POLYSACCHARIDE	71	31	0.1%	0.2%	31	0.2%	0.2%
PCV-UNKNOWN	72	979	2.7%	5.5%	979	5.3%	5.5%
PCV CONJUGATE-7	73	95	0.3%	0.5%	95	0.5%	0.5%
PCV CONJUGATE-13	74	16667	46.3%	93.8%	16667	91.0%	93.8%
<b>SUBTOTALS:</b>		17776	49.4%	100.0%	17776	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18219	50.6%	n/a	543	3.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XPCVTY2 Type: Character Position: 843-844

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	3	0.0%	0.0%	3	0.0%	0.0%
PCV POLYSACCHARIDE	71	32	0.1%	0.2%	32	0.2%	0.2%
PCV-UNKNOWN	72	952	2.6%	5.4%	952	5.2%	5.4%
PCV CONJUGATE-7	73	85	0.2%	0.5%	85	0.5%	0.5%
PCV CONJUGATE-13	74	16528	45.9%	93.9%	16528	90.2%	93.9%
<b>SUBTOTALS:</b>		17600	48.9%	100.0%	17600	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18395	51.1%	n/a	719	3.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY3 Type: Character Position: 845-846

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	31	0.1%	0.2%	31	0.2%	0.2%
PCV-UNKNOWN	72	915	2.5%	5.3%	915	5.0%	5.3%
PCV CONJUGATE-7	73	89	0.2%	0.5%	89	0.5%	0.5%
PCV CONJUGATE-13	74	16261	45.2%	94.0%	16261	88.8%	94.0%
<b>SUBTOTALS:</b>		17296	48.1%	100.0%	17296	94.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18699	51.9%	n/a	1023	5.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XPCVTY4 Type: Character Position: 847-848

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	32	0.1%	0.2%	32	0.2%	0.2%
PCV-UNKNOWN	72	827	2.3%	5.2%	827	4.5%	5.2%
PCV CONJUGATE-7	73	84	0.2%	0.5%	84	0.5%	0.5%
PCV CONJUGATE-13	74	15052	41.8%	94.1%	15052	82.2%	94.1%
<b>SUBTOTALS:</b>		15995	44.4%	100.0%	15995	87.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		20000	55.6%	n/a	2324	12.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY5 Type: Character Position: 849-850

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	13	0.0%	7.3%	13	0.1%	7.3%
PCV-UNKNOWN	72	14	0.0%	7.9%	14	0.1%	7.9%
PCV CONJUGATE-7	73	1	0.0%	0.6%	1	0.0%	0.6%
PCV CONJUGATE-13	74	149	0.4%	84.2%	149	0.8%	84.2%
<b>SUBTOTALS:</b>		177	0.5%	100.0%	177	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35818	99.5%	n/a	18142	99.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XPCVTY6 Type: Character Position: 851-852

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	1	0.0%	14.3%	1	0.0%	14.3%
PCV CONJUGATE-13	74	6	0.0%	85.7%	6	0.0%	85.7%
<b>SUBTOTALS:</b>		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35988	100.0%	n/a	18312	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY7 Type: Character Position: 853-854

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-13	74	2	0.0%	100.0%	2	0.0%	100.0%
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XPCVTY8 Type: Character Position: 855-856

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-13	74	2	0.0%	100.0%	2	0.0%	100.0%
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY9 Type: Character Position: 857-857

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: XPOLTY1 Type: Character Position: 858-859

Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	8221	22.8%	46.2%	8221	44.9%	46.2%
OPV	20	24	0.1%	0.1%	24	0.1%	0.1%
IPV	21	1440	4.0%	8.1%	1440	7.9%	8.1%
POLIO-UNKNOWN	22	831	2.3%	4.7%	831	4.5%	4.7%
DTAP-IPV-HIB	D3	7169	19.9%	40.3%	7169	39.1%	40.3%
D4	D4	102	0.3%	0.6%	102	0.6%	0.6%
<b>SUBTOTALS:</b>		17787	49.4%	100.0%	17787	97.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18208	50.6%	n/a	532	2.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY2 Type: Character Position: 860-861

Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7015	19.5%	39.8%	7015	38.3%	39.8%
OPV	20	14	0.0%	0.1%	14	0.1%	0.1%
IPV	21	1515	4.2%	8.6%	1515	8.3%	8.6%
POLIO-UNKNOWN	22	816	2.3%	4.6%	816	4.5%	4.6%
DTAP-IPV-HIB	D3	8185	22.7%	46.4%	8185	44.7%	46.4%
D4	D4	88	0.2%	0.5%	88	0.5%	0.5%
<b>SUBTOTALS:</b>		17633	49.0%	100.0%	17633	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18362	51.0%	n/a	686	3.7%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XPOLTY3 Type: Character Position: 862-863

Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7920	22.0%	45.6%	7920	43.2%	45.6%
OPV	20	16	0.0%	0.1%	16	0.1%	0.1%
IPV	21	1365	3.8%	7.9%	1365	7.5%	7.9%
POLIO-UNKNOWN	22	793	2.2%	4.6%	793	4.3%	4.6%
DTAP-IPV-HIB	D3	7161	19.9%	41.3%	7161	39.1%	41.3%
D4	D4	100	0.3%	0.6%	100	0.5%	0.6%
<b>SUBTOTALS:</b>		17355	48.2%	100.0%	17355	94.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18640	51.8%	n/a	964	5.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY4 Type: Character Position: 864-865

Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	272	0.8%	5.4%	272	1.5%	5.4%
OPV	20	7	0.0%	0.1%	7	0.0%	0.1%
IPV	21	216	0.6%	4.3%	216	1.2%	4.3%
POLIO-UNKNOWN	22	218	0.6%	4.3%	218	1.2%	4.3%
DTAP-IPV-HIB	D3	4315	12.0%	85.3%	4315	23.6%	85.3%
D4	D4	29	0.1%	0.6%	29	0.2%	0.6%
<b>SUBTOTALS:</b>		5057	14.0%	100.0%	5057	27.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		30938	86.0%	n/a	13262	72.4%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XPOLTY5 Type: Character Position: 866-867

Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	16	0.0%	15.1%	16	0.1%	15.1%
OPV	20	1	0.0%	0.9%	1	0.0%	0.9%
IPV	21	4	0.0%	3.8%	4	0.0%	3.8%
POLIO-UNKNOWN	22	6	0.0%	5.7%	6	0.0%	5.7%
DTAP-IPV-HIB	D3	78	0.2%	73.6%	78	0.4%	73.6%
D4	D4	1	0.0%	0.9%	1	0.0%	0.9%
<b>SUBTOTALS:</b>		106	0.3%	100.0%	106	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35889	99.7%	n/a	18213	99.4%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY6 Type: Character Position: 868-869

Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3	0.0%	23.1%	3	0.0%	23.1%
IPV	21	2	0.0%	15.4%	2	0.0%	15.4%
DTAP-IPV-HIB	D3	7	0.0%	53.8%	7	0.0%	53.8%
D4	D4	1	0.0%	7.7%	1	0.0%	7.7%
<b>SUBTOTALS:</b>		13	0.0%	100.0%	13	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35982	100.0%	n/a	18306	99.9%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XPOLTY7 Type: Character Position: 870-871

Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1	0.0%	33.3%	1	0.0%	33.3%
POLIO-UNKNOWN	22	1	0.0%	33.3%	1	0.0%	33.3%
DTAP-IPV-HIB	D3	1	0.0%	33.3%	1	0.0%	33.3%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35992	100.0%	n/a	18316	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY8 Type: Character Position: 872-873

Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XPOLTY9 Type: Character Position: 874-874

Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

Variable: XROTTY1 Type: Character Position: 875-876

Label: ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3772	10.5%	22.3%	3772	20.6%	22.3%
ROTATEQ (MERCK)	RM	11467	31.9%	67.8%	11467	62.6%	67.8%
ROTAVIRUS-UNKNOWN	RO	1679	4.7%	9.9%	1679	9.2%	9.9%
<b>SUBTOTALS:</b>		16918	47.0%	100.0%	16918	92.4%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY1 Type: Character Position: 875-876

Label: ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING		19077	53.0%	n/a	1401	7.6%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XROTTY2 Type: Character Position: 877-878

Label: ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3612	10.0%	22.0%	3612	19.7%	22.0%
ROTATEQ (MERCK)	RM	11220	31.2%	68.3%	11220	61.2%	68.3%
ROTAVIRUS-UNKNOWN	RO	1601	4.4%	9.7%	1601	8.7%	9.7%
<b>SUBTOTALS:</b>		16433	45.7%	100.0%	16433	89.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		19562	54.3%	n/a	1886	10.3%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY3 Type: Character Position: 879-880

Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	216	0.6%	1.9%	216	1.2%	1.9%
ROTATEQ (MERCK)	RM	10187	28.3%	88.4%	10187	55.6%	88.4%
ROTAVIRUS-UNKNOWN	RO	1115	3.1%	9.7%	1115	6.1%	9.7%
<b>SUBTOTALS:</b>		11518	32.0%	100.0%	11518	62.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		24477	68.0%	n/a	6801	37.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XROTTY4 Type: Character Position: 881-882

Label: ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	4	0.0%	10.3%	4	0.0%	10.3%
ROTATEQ (MERCK)	RM	30	0.1%	76.9%	30	0.2%	76.9%
ROTAVIRUS-UNKNOWN	RO	5	0.0%	12.8%	5	0.0%	12.8%
<b>SUBTOTALS:</b>		39	0.1%	100.0%	39	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35956	99.9%	n/a	18280	99.8%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XROTTY5 Type: Character Position: 883-884**

**Label: ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTATEQ (MERCK)	RM	1	0.0%	50.0%	1	0.0%	50.0%
ROTAVIRUS-UNKNOWN	RO	1	0.0%	50.0%	1	0.0%	50.0%
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35993	100.0%	n/a	18317	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

**Variable: XROTTY6 Type: Character Position: 885-886**

**Label: ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTATEQ (MERCK)	RM	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35994	100.0%	n/a	18318	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY7 Type: Character Position: 887-887

Label: ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: XROTTY8 Type: Character Position: 888-888

Label: ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

Variable: XROTTY9 Type: Character Position: 889-889

Label: ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
TOTALS:		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY1 Type: Character Position: 890-891

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	150	0.4%	0.9%	150	0.8%	0.9%
MMR-VARICELLA	VM	2302	6.4%	13.4%	2302	12.6%	13.4%
VARICELLA-ONLY	VO	14670	40.8%	85.7%	14670	80.1%	85.7%
<b>SUBTOTALS:</b>		17122	47.6%	100.0%	17122	93.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18873	52.4%	n/a	1197	6.5%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: XVRCTY2 Type: Character Position: 892-893

Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	6	0.0%	1.8%	6	0.0%	1.8%
MMR-VARICELLA	VM	113	0.3%	33.7%	113	0.6%	33.7%
VARICELLA-ONLY	VO	216	0.6%	64.5%	216	1.2%	64.5%
<b>SUBTOTALS:</b>		335	0.9%	100.0%	335	1.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35660	99.1%	n/a	17984	98.2%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XVRCTY3 Type: Character Position: 894-894**

**Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

**Variable: XVRCTY4 Type: Character Position: 895-895**

**Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

**Variable: XVRCTY5 Type: Character Position: 896-896**

**Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XVRCTY6 Type: Character Position: 897-897**

**Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

**Variable: XVRCTY7 Type: Character Position: 898-898**

**Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

**Variable: XVRCTY8 Type: Character Position: 899-899**

**Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY9 Type: Character Position: 900-900

Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		35995	100.0%	n/a	18319	100.0%	n/a
<b>TOTALS:</b>		35995	100.0%	n/a	18319	100.0%	n/a



## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: INS\_STAT2\_I Type: Numeric Position: 901-901

Label: INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PRIVATE INSURANCE ONLY	1	10358	28.8%	56.5%	10358	56.5%	56.5%
ANY MEDICAID	2	6342	17.6%	34.6%	6342	34.6%	34.6%
OTHER INSURANCE (CHIP, IHS, MILITARY, OR OTHER, ALONE OR IN COMB. WITH PRIVATE INSURANCE)	3	1308	3.6%	7.1%	1308	7.1%	7.1%
UNINSURED	4	311	0.9%	1.7%	311	1.7%	1.7%
<b>SUBTOTALS:</b>		18319	50.9%	100.0%	18319	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17676	49.1%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

Variable: INS\_BREAK\_I Type: Numeric Position: 902-902

Label: CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CURRENTLY INSURED BUT UNINSURED AT SOME POINT SINCE BIRTH	1	902	2.5%	4.9%	902	4.9%	4.9%
CURRENTLY INSURED AND NEVER UNINSURED SINCE BIRTH	2	17088	47.5%	93.4%	17088	93.3%	93.4%
CURRENTLY UNINSURED BUT INSURED AT SOME POINT SINCE BIRTH	3	207	0.6%	1.1%	207	1.1%	1.1%
CURRENTLY UNINSURED AND NEVER INSURED SINCE BIRTH	4	101	0.3%	0.6%	101	0.6%	0.6%
<b>SUBTOTALS:</b>		18298	50.8%	100.0%	18298	99.9%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

**Variable:** INS\_BREAK\_I    **Type:** Numeric    **Position:** 902-902

**Label:** CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

**Notes:** Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17697	49.2%	n/a	21	0.1%	n/a
<b>TOTALS:</b>		35995	100.0%	100.0%	18319	100.0%	100.0%

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
AGECPOXR	97	97	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	100	100	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	125	125	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	126	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	101	108	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	109	116	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR20	117	124	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
C1R	127	127	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	128	129	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	130	131	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	132	132	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	133	133	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	134	135	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	136	137	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	198	198	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	199	199	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	293	296	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	297	300	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	301	304	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	305	308	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	309	312	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	313	316	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	317	320	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	321	324	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	325	327	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	328	331	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	332	335	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	336	339	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	340	343	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	344	347	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DFLU6	348	351	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	352	352	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	353	353	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	354	354	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	355	358	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	359	362	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	363	366	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	367	370	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	371	371	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	372	372	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	373	373	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	374	374	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	375	375	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	376	379	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	380	383	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	384	387	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	388	391	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	392	395	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	396	398	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	399	401	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	402	402	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	403	403	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	404	407	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	408	411	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	412	415	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	416	419	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	420	423	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	424	426	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	427	429	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	430	432	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	433	435	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	436	439	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	440	443	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	444	447	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DMMR4	448	448	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	449	449	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	450	450	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	451	451	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	452	452	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	453	453	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	454	456	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	457	457	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	458	458	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	459	459	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	460	460	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	461	461	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	462	462	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	463	463	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	464	464	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	465	465	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	466	466	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	467	467	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	468	468	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	469	469	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	470	470	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	471	471	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	472	472	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	473	473	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	474	477	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	478	481	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	482	485	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	486	489	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	490	493	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	494	496	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	497	499	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	500	502	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	503	503	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	504	507	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	508	511	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	512	515	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	516	519	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DPOLIO5	520	523	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	524	526	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	527	529	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	530	532	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	533	533	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	534	536	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	537	537	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	538	538	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	539	539	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	540	540	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	541	541	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	542	542	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	543	543	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	544	544	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	545	547	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	548	550	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	551	554	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	555	557	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	558	560	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	561	563	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	564	564	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	565	565	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	566	566	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	582	583	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	584	585	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	586	587	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	588	589	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	590	591	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	592	593	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	594	595	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	596	597	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	598	599	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	567	570	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	571	574	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	575	575	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	576	576	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	577	577	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DVRC6	578	578	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	579	579	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	580	580	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	581	581	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
EDUC1	138	138	3	EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)
ESTIAP21	191	193	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	194	195	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
FLU1_AGE	600	601	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	602	603	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	604	605	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	610	611	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	614	614	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
FRSTBRN	139	139	3	FIRST BORN STATUS OF CHILD: IMPUTED
HAD_CPOX	98	99	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	615	616	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	617	618	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	619	620	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	621	622	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	623	623	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	624	624	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	625	625	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HEA8_AGE	626	626	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	627	627	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	634	635	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	636	637	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	642	642	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	643	643	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	204	204	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	205	205	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HIB1_AGE	644	645	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	646	647	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	648	649	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	650	651	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	652	653	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	654	655	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	656	657	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	660	661	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	141	156	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	157	172	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)
INCPOV1	173	173	3	POVERTY STATUS
INCQ298A	174	175	3	FAMILY INCOME CATEGORIES (RECODE)
INS_BREAK_I	902	902	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED
INS_STAT2_I	901	901	10	INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED
I_HISP_K	140	140	3	HISPANIC ORIGIN OF CHILD: IMPUTED



## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
LANGUAGE	176	176	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL2	178	178	3	MARITAL STATUS OF MOTHER: IMPUTED (RECODE)
MMR1_AGE	662	663	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	664	665	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	666	667	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	673	673	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	179	179	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE: IMPUTED
MP1_AGE	674	675	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	676	676	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	677	677	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	678	678	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	679	679	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	680	680	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	681	681	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	682	682	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	683	683	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	684	684	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	685	685	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	686	686	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	687	687	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	688	688	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	689	689	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
MPR7_AGE	690	690	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	692	692	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP2	177	177	3	AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)
NUM_CELLS_HH	182	183	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	184	185	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
NUM_PHONE	180	181	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
N_PRVR	200	200	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PCV1_AGE	693	694	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	695	696	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	697	698	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	699	700	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	701	702	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	703	704	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	705	706	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	707	708	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	709	709	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	710	711	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	712	713	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	714	715	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	716	717	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	718	719	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	720	721	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	722	723	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	724	725	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	726	726	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PROVWT_C	13	31	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_C_TERR	32	50	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
PROV_FAC	201	201	7	PROVIDER FACILITY TYPES: IMPUTED
PU431331	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	279	279	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	281	281	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	283	283	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	285	285	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUHEPX	206	206	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	207	207	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	208	208	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	209	209	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	210	210	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	211	211	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDIHB	212	212	8	NUMBER OF DTAP/IPV/HIB/HEPB SHOTS BY 19-35 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.
P_NUMDTA	213	213	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMDTP	214	214	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	215	215	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	216	216	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	217	217	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	218	218	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	219	219	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	220	220	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	221	221	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	222	222	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHHY	223	223	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	224	224	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	225	225	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	226	226	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	227	227	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMHS	228	228	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	229	229	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	230	230	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	231	231	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	232	232	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	233	233	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	234	234	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	235	235	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	236	236	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	237	237	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	238	238	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	239	239	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	240	240	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	241	241	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	244	244	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMPCC13	246	246	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	245	245	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	247	247	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	248	248	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	243	243	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCV	242	242	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	249	249	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	250	250	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	251	251	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	252	252	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	253	253	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	254	254	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	255	255	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	256	256	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMVRN	257	257	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	258	258	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	259	259	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	280	280	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	282	282	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	278	278	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	284	284	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	286	286	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTDHIB	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	266	266	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	268	268	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	271	271	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	272	272	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	273	273	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	276	276	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
RACEETHK	187	187	3	RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)
RACE_K	186	186	3	RACE OF CHILD: IMPUTED (RECODE)
RB1_AGE	727	727	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	728	728	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2



## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
RB3_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	731	731	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	732	732	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	733	733	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	734	734	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	735	735	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWT_C	51	69	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_C_TERR	70	88	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES
REGISTRY	202	202	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
RENT_OWN	188	189	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
ROT1_AGE	736	737	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	738	739	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	740	741	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	742	743	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	744	745	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	746	747	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	748	748	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	749	749	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	750	750	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	190	190	3	SEX OF CHILD: IMPUTED
STATE	196	197	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
STRATUM	89	92	1	STRATUM VARIABLE FOR VARIANCE ESTIMATION
U19_FLU_24D	288	288	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 19 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U1D_HEP	290	290	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U24_FLU3_24D	289	289	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
U24_FLU_24D	287	287	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U2D_HEP	291	291	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	292	292	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
VFC_ORDER	203	203	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
VRC1_AGE	751	752	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	753	754	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	755	755	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	756	756	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	757	757	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	758	758	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	759	759	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	760	760	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	761	761	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	762	763	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	764	765	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	766	767	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	768	769	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	770	771	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	772	773	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	774	775	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	776	777	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	778	779	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	780	781	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	782	783	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	784	785	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	786	787	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	788	789	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	790	791	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	792	792	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	793	793	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	794	794	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	795	796	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	797	798	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	799	800	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XHEPTY4	801	802	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	803	804	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	805	806	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	807	808	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	809	809	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	810	810	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	811	812	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	813	814	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	815	816	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	817	818	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	819	820	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	821	822	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	823	824	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	825	826	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	827	828	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	829	830	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	831	832	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	833	834	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	835	835	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	836	836	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	837	837	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	838	838	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	839	839	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	840	840	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	841	842	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	843	844	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	845	846	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	847	848	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	849	850	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	851	852	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	853	854	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	855	856	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	857	857	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	858	859	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	860	861	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	862	863	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	864	865	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XPOLTY5	866	867	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	868	869	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	870	871	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	872	873	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	874	874	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	875	876	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	877	878	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	879	880	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	881	882	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	883	884	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	885	886	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	887	887	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	888	888	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	889	889	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	890	891	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	892	893	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	894	894	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	895	895	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	896	896	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	897	897	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	898	898	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	899	899	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	900	900	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	93	96	1	YEAR OF INTERVIEW