

COVID Data Tracker

Maps, charts, and data provided by CDC, updates Mondays and Fridays by 8 p.m. ET

COVID-19
Home >

United States
At a Glance

Trend in %
Test
Positivity

-1.2% in most recent week

Trend in %
Emergency
Department
Visits

-16.3% in most recent week

Trend in
Hospital
Admissions

-14% in most recent week

Total Hospitalizations

6,750,546

Trend in % COVID-19 Deaths

-7.5% in most recent week

Total Deaths

1,172,229

United States COVID-19 Hospitalizations, Deaths, Emergency Department (ED) Visits, and Test Positivity by Geographic Area

Maps, charts, and data provided by CDC, updates weekly for the previous MMWR week (Sunday-Saturday) on Fridays by 8 pm ET†

[View Footnotes and Download Data](#)

COVID-19 HOSPITAL ADMISSIONS (PAST WEEK)	% CHANGE IN COVID-19 HOSPITAL ADMISSIONS	COVID-19 HOSPITAL ADMISSIONS PER 100,000 (PAST WEEK)
26,607	-14%	8.01

CDC | Data through: January 20, 2024. Posted: January 26, 2024

View:

- ☒ Hospitalizations
- ☐ Deaths
- ☐ Emergency Department Visits
- ☐ Test Positivity

Scale:

- ☒ County
- ☐ State

Time period:

- ☒ In Past Week

Metric:

- ☒ COVID-19 new hospital admissions
- ☐ Inpatient beds occupied by COVID-19 patients
- ☐ ICU beds occupied by COVID-19 patients

Measure:

- ☐ Count
- ☒ Rate per 100,000
- ☐ % Change from prior week

This shows the total number of new COVID-19 hospital admissions for every 100,000 people in the past week, allowing for comparisons between areas with different population sizes but not adjusted for age distribution. To find hospital admission levels for your county, see the [COVID-19 County Check](#) tool. For more information on hospitalizations, see the [trends](#) page.


COVID-19 hospital admissions levels in U.S. by county

Based on new COVID-19 hospital admissions per 100,000 population

	Total	Percent	% Change
≥ 20.0	65	2.02%	-2.51%
10.0 - 19.9	661	20.52%	-12.2%
<10.0	2495	77.46%	14.68%

Time Period: New COVID-19 hospital admissions per 100,000 population (7-day total) are calculated using data from the MMWR week (Sun-Sat) ending January 20, 2024.

Reported COVID-19 New Hospital Admissions Rate per 100,000 Population in the Past Week, by County - United States



New COVID-19 hospital admissions per 100,000 population, past week (total)

Low (<10.0) Medium (10.0 to 19.9) High (≥20.0) Insufficient data

Download Image

Data Downloads and Footnotes

Expand each accordion to view data table and download data

Data Table for New hospital admissions per 100,000, past week

CDC | Data through: January 20, 2024. Posted: January 26, 2024

Download Data

State/Territory	County	New hospital admissions per 100,000, past week	COVID-19 hospital admissions level
Alabama	Autauga County	6.7	Low (<10.0)
Alabama	Baldwin County	9.9	Low (<10.0)
Alabama	Barbour County	6.5	Low (<10.0)
Alabama	Bibb County	8.9	Low (<10.0)
Alabama	Blount County	8.9	Low (<10.0)
Alabama	Bullock County	6.7	Low (<10.0)
Alabama	Butler County	0	Low (<10.0)
Alabama	Calhoun County	3.6	Low (<10.0)
Alabama	Chambers County	3.3	Low (<10.0)
Alabama	Cherokee County	4	Low (<10.0)
Alabama	Chilton County	8.9	Low (<10.0)
Alabama	Choctaw County	6.3	Low (<10.0)
Alabama	Clarke County	9.9	Low (<10.0)
Alabama	Clay County	5.8	Low (<10.0)
Alabama	Cleburne County	3.6	Low (<10.0)
Alabama	Coffee County	6.5	Low (<10.0)
Alabama	Colbert County	3.9	Low (<10.0)
Alabama	Conecuh County	5.9	Low (<10.0)
Alabama	Coosa County	5.8	Low (<10.0)
Alabama	Covington County	6.7	Low (<10.0)
Alabama	Crenshaw County	6.7	Low (<10.0)
Alabama	Cullman County	8.9	Low (<10.0)
Alabama	Dale County	6.5	Low (<10.0)
Alabama	Dallas County	21.2	High (≥20.0)
Alabama	DeKalb County	4	Low (<10.0)
Alabama	Elmore County	6.6	Low (<10.0)
Alabama	Escambia County	5.9	Low (<10.0)
Alabama	Etowah County	4	Low (<10.0)
Alabama	Fayette County	4.3	Low (<10.0)
Alabama	Franklin County	3.9	Low (<10.0)
Alabama	Geneva County	6.5	Low (<10.0)
Alabama	Greene County	2	Low (<10.0)

Alabama	Hale County	2	Low (<10.0)
Alabama	Henry County	6.5	Low (<10.0)
Alabama	Houston County	6.5	Low (<10.0)
Alabama	Jackson County	17.7	Medium (10.0 to 19.9)
Alabama	Jefferson County	8.9	Low (<10.0)
Alabama	Lamar County	8.8	Low (<10.0)
Alabama	Lauderdale County	3.9	Low (<10.0)
Alabama	Lawrence County	3.9	Low (<10.0)
Alabama	Lee County	6.6	Low (<10.0)
Alabama	Limestone County	17.7	Medium (10.0 to 19.9)
Alabama	Lowndes County	6.7	Low (<10.0)
Alabama	Macon County	6.6	Low (<10.0)
Alabama	Madison County	17.7	Medium (10.0 to 19.9)
Alabama	Marengo County	21.2	High (≥20.0)
Alabama	Marion County	4.3	Low (<10.0)
Alabama	Marshall County	4	Low (<10.0)
Alabama	Mobile County	9.9	Low (<10.0)
Alabama	Monroe County	9.9	Low (<10.0)
Alabama	Montgomery County	6.7	Low (<10.0)
Alabama	Morgan County	3.9	Low (<10.0)
Alabama	Perry County	21.2	High (≥20.0)
Alabama	Pickens County	2	Low (<10.0)
Alabama	Pike County	6.7	Low (<10.0)
Alabama	Randolph County	3.3	Low (<10.0)
Alabama	Russell County	0.3	Low (<10.0)
Alabama	Shelby County	8.9	Low (<10.0)
Alabama	St. Clair County	8.9	Low (<10.0)
Alabama	Sumter County	6.3	Low (<10.0)
Alabama	Talladega County	5.8	Low (<10.0)
Alabama	Tallapoosa County	6.6	Low (<10.0)
Alabama	Tuscaloosa County	2	Low (<10.0)
Alabama	Walker County	8.9	Low (<10.0)
Alabama	Washington County	9.9	Low (<10.0)
Alabama	Wilcox County	21.2	High (≥20.0)
Alabama	Winston County	3.9	Low (<10.0)
Alaska	Aleutians East Borough	6.4	Low (<10.0)
Alaska	Aleutians West Census Area	6.4	Low (<10.0)
Alaska	Anchorage Municipality	6.4	Low (<10.0)
Alaska	Bethel Census Area	6.4	Low (<10.0)
Alaska	Bristol Bay Borough	6.4	Low (<10.0)

Alaska	Denali Borough	3.6	Low (<10.0)
Alaska	Dillingham Census Area	6.4	Low (<10.0)
Alaska	Fairbanks North Star Borough	3.6	Low (<10.0)
Alaska	Haines Borough	2.1	Low (<10.0)
Alaska	Hoonah-Angoon Census Area	2.1	Low (<10.0)
Alaska	Juneau City and Borough	2.1	Low (<10.0)
Alaska	Kenai Peninsula Borough	6.4	Low (<10.0)
Alaska	Ketchikan Gateway Borough	0	Low (<10.0)
Alaska	Kodiak Island Borough	6.4	Low (<10.0)
Alaska	Kusilvak Census Area	6.4	Low (<10.0)
Alaska	Lake and Peninsula Borough	6.4	Low (<10.0)
Alaska	Matanuska-Susitna Borough	6.4	Low (<10.0)
Alaska	Nome Census Area	6.4	Low (<10.0)
Alaska	North Slope Borough	6.4	Low (<10.0)
Alaska	Northwest Arctic Borough	6.4	Low (<10.0)
Alaska	Petersburg Borough	0	Low (<10.0)
Alaska	Prince of Wales-Hyder Census Area	0	Low (<10.0)
Alaska	Sitka City and Borough	2.1	Low (<10.0)
Alaska	Skagway Municipality	2.1	Low (<10.0)
Alaska	Southeast Fairbanks Census Area	3.6	Low (<10.0)
Alaska	Valdez-Cordova Census Area	6.4	Low (<10.0)
Alaska	Wrangell City and Borough	0	Low (<10.0)
Alaska	Yakutat City and Borough	2.1	Low (<10.0)
Alaska	Yukon-Koyukuk Census Area	3.6	Low (<10.0)
American Samoa	Unallocated American Samoa	0	Low (<10.0)
Arizona	Apache County	4.9	Low (<10.0)
Arizona	Cochise County	3.9	Low (<10.0)
Arizona	Coconino County	7.4	Low (<10.0)
Arizona	Gila County	7.4	Low (<10.0)
Arizona	Graham County	3.9	Low (<10.0)
Arizona	Greenlee County	3.9	Low (<10.0)
Arizona	La Paz County	7.2	Low (<10.0)
Arizona	Maricopa County	7.4	Low (<10.0)
Arizona	Mohave County	9.4	Low (<10.0)
Arizona	Navajo County	3.4	Low (<10.0)
Arizona	Pima County	3.9	Low (<10.0)
Arizona	Pinal County	7.4	Low (<10.0)
Arizona	Santa Cruz County	3.9	Low (<10.0)

Arizona	Yavapai County	7.4	Low (<10.0)
Arizona	Yuma County	7.2	Low (<10.0)
Arkansas	Arkansas County	4.1	Low (<10.0)
Arkansas	Ashley County	3.4	Low (<10.0)
Arkansas	Baxter County	8.5	Low (<10.0)
Arkansas	Benton County	4.2	Low (<10.0)
Arkansas	Boone County	3.7	Low (<10.0)
Arkansas	Bradley County	7.8	Low (<10.0)
Arkansas	Calhoun County	8.9	Low (<10.0)
Arkansas	Carroll County	3.7	Low (<10.0)
Arkansas	Chicot County	3.4	Low (<10.0)
Arkansas	Clark County	12	Medium (10.0 to 19.9)
Arkansas	Clay County	14	Medium (10.0 to 19.9)
Arkansas	Cleburne County	30	High (≥20.0)
Arkansas	Cleveland County	7.8	Low (<10.0)
Arkansas	Columbia County	8.9	Low (<10.0)
Arkansas	Conway County	9.1	Low (<10.0)
Arkansas	Craighead County	14	Medium (10.0 to 19.9)
Arkansas	Crawford County	9	Low (<10.0)
Arkansas	Crittenden County	3.1	Low (<10.0)
Arkansas	Cross County	3.1	Low (<10.0)
Arkansas	Dallas County	6.6	Low (<10.0)
Arkansas	Desha County	7.8	Low (<10.0)
Arkansas	Drew County	7.8	Low (<10.0)
Arkansas	Faulkner County	9.1	Low (<10.0)
Arkansas	Franklin County	9	Low (<10.0)
Arkansas	Fulton County	34.7	High (≥20.0)
Arkansas	Garland County	12	Medium (10.0 to 19.9)
Arkansas	Grant County	9.1	Low (<10.0)
Arkansas	Greene County	14	Medium (10.0 to 19.9)
Arkansas	Hempstead County	10.9	Medium (10.0 to 19.9)
Arkansas	Hot Spring County	12	Medium (10.0 to 19.9)
Arkansas	Howard County	10.9	Medium (10.0 to 19.9)
Arkansas	Independence County	34.7	High (≥20.0)
Arkansas	Izard County	34.7	High (≥20.0)
Arkansas	Jackson County	30	High (≥20.0)
Arkansas	Jefferson County	7.8	Low (<10.0)
Arkansas	Johnson County	0	Low (<10.0)
Arkansas	Lafayette County	10.9	Medium (10.0 to 19.9)

Arkansas	Lawrence County	14	Medium (10.0 to 19.9)
Arkansas	Lee County	3.1	Low (<10.0)
Arkansas	Lincoln County	7.8	Low (<10.0)
Arkansas	Little River County	10.9	Medium (10.0 to 19.9)
Arkansas	Logan County	9	Low (<10.0)
Arkansas	Lonoke County	9.1	Low (<10.0)
Arkansas	Madison County	4.2	Low (<10.0)
Arkansas	Marion County	8.5	Low (<10.0)
Arkansas	Miller County	10.9	Medium (10.0 to 19.9)
Arkansas	Mississippi County	1.8	Low (<10.0)
Arkansas	Monroe County	4.1	Low (<10.0)
Arkansas	Montgomery County	12	Medium (10.0 to 19.9)
Arkansas	Nevada County	10.9	Medium (10.0 to 19.9)
Arkansas	Newton County	3.7	Low (<10.0)
Arkansas	Ouachita County	6.6	Low (<10.0)
Arkansas	Perry County	9.1	Low (<10.0)
Arkansas	Phillips County	0	Low (<10.0)
Arkansas	Pike County	12	Medium (10.0 to 19.9)
Arkansas	Poinsett County	14	Medium (10.0 to 19.9)
Arkansas	Polk County	0	Low (<10.0)
Arkansas	Pope County	7	Low (<10.0)
Arkansas	Prairie County	9.1	Low (<10.0)
Arkansas	Pulaski County	9.1	Low (<10.0)
Arkansas	Randolph County	14	Medium (10.0 to 19.9)
Arkansas	Saline County	9.1	Low (<10.0)
Arkansas	Scott County	9	Low (<10.0)
Arkansas	Searcy County	3.7	Low (<10.0)
Arkansas	Sebastian County	9	Low (<10.0)
Arkansas	Sevier County	10.9	Medium (10.0 to 19.9)
Arkansas	Sharp County	34.7	High (≥20.0)
Arkansas	St. Francis County	3.1	Low (<10.0)
Arkansas	Stone County	34.7	High (≥20.0)
Arkansas	Union County	8.9	Low (<10.0)
Arkansas	Van Buren County	9.1	Low (<10.0)
Arkansas	Washington County	4.2	Low (<10.0)
Arkansas	White County	30	High (≥20.0)
Arkansas	Woodruff County	30	High (≥20.0)
Arkansas	Yell County	7	Low (<10.0)
California	Alameda County	9.8	Low (<10.0)
California	Alpine County	4	Low (<10.0)

California	Amador County	6.7	Low (<10.0)
California	Butte County	3.2	Low (<10.0)
California	Calaveras County	6.7	Low (<10.0)
California	Colusa County	0.5	Low (<10.0)
California	Contra Costa County	9.8	Low (<10.0)
California	Del Norte County	4.3	Low (<10.0)
California	El Dorado County	9.6	Low (<10.0)
California	Fresno County	7	Low (<10.0)
California	Glenn County	3.2	Low (<10.0)
California	Humboldt County	2.2	Low (<10.0)
California	Imperial County	6.6	Low (<10.0)
California	Inyo County	9.2	Low (<10.0)
California	Kern County	3.3	Low (<10.0)
California	Kings County	7	Low (<10.0)
California	Lake County	8	Low (<10.0)
California	Lassen County	0	Low (<10.0)
California	Los Angeles County	8.6	Low (<10.0)
California	Madera County	7	Low (<10.0)
California	Marin County	6.9	Low (<10.0)
California	Mariposa County	10.6	Medium (10.0 to 19.9)
California	Mendocino County	2.3	Low (<10.0)
California	Merced County	10.6	Medium (10.0 to 19.9)
California	Modoc County	7	Low (<10.0)
California	Mono County	9.2	Low (<10.0)
California	Monterey County	7.9	Low (<10.0)
California	Napa County	8	Low (<10.0)
California	Nevada County	8.8	Low (<10.0)
California	Orange County	6.3	Low (<10.0)
California	Placer County	9.6	Low (<10.0)
California	Plumas County	0	Low (<10.0)
California	Riverside County	6.2	Low (<10.0)
California	Sacramento County	9.6	Low (<10.0)
California	San Benito County	7.9	Low (<10.0)
California	San Bernardino County	6.2	Low (<10.0)
California	San Diego County	6.6	Low (<10.0)
California	San Francisco County	7.9	Low (<10.0)
California	San Joaquin County	6.7	Low (<10.0)
California	San Luis Obispo County	7	Low (<10.0)
California	San Mateo County	7.9	Low (<10.0)

California	Santa Barbara County	7	Low (<10.0)
California	Santa Clara County	7.9	Low (<10.0)
California	Santa Cruz County	0	Low (<10.0)
California	Shasta County	7	Low (<10.0)
California	Sierra County	8.8	Low (<10.0)
California	Siskiyou County	8.2	Low (<10.0)
California	Solano County	8	Low (<10.0)
California	Sonoma County	6.9	Low (<10.0)
California	Stanislaus County	10.6	Medium (10.0 to 19.9)
California	Sutter County	0.5	Low (<10.0)
California	Tehama County	3.2	Low (<10.0)
California	Trinity County	7	Low (<10.0)
California	Tulare County	3.2	Low (<10.0)
California	Tuolumne County	10.6	Medium (10.0 to 19.9)
California	Ventura County	8.3	Low (<10.0)
California	Yolo County	9.6	Low (<10.0)
California	Yuba County	0.5	Low (<10.0)
Colorado	Adams County	6.4	Low (<10.0)
Colorado	Alamosa County	2.1	Low (<10.0)
Colorado	Arapahoe County	6.4	Low (<10.0)
Colorado	Archuleta County	3.4	Low (<10.0)
Colorado	Baca County	7.9	Low (<10.0)
Colorado	Bent County	0	Low (<10.0)
Colorado	Boulder County	6.1	Low (<10.0)
Colorado	Broomfield County	6.1	Low (<10.0)
Colorado	Chaffee County	7	Low (<10.0)
Colorado	Cheyenne County	5	Low (<10.0)
Colorado	Clear Creek County	6.4	Low (<10.0)
Colorado	Conejos County	2.1	Low (<10.0)
Colorado	Costilla County	2.1	Low (<10.0)
Colorado	Crowley County	0	Low (<10.0)
Colorado	Custer County	0	Low (<10.0)
Colorado	Delta County	7.6	Low (<10.0)
Colorado	Denver County	6.4	Low (<10.0)
Colorado	Dolores County	3.4	Low (<10.0)
Colorado	Douglas County	6.4	Low (<10.0)
Colorado	Eagle County	5.9	Low (<10.0)
Colorado	El Paso County	5	Low (<10.0)
Colorado	Elbert County	6.4	Low (<10.0)
Colorado	Fremont County	0	Low (<10.0)

Colorado	Garfield County	5.9	Low (<10.0)
Colorado	Gilpin County	6.4	Low (<10.0)
Colorado	Grand County	6.4	Low (<10.0)
Colorado	Gunnison County	7.6	Low (<10.0)
Colorado	Hinsdale County	7.6	Low (<10.0)
Colorado	Huerfano County	4	Low (<10.0)
Colorado	Jackson County	3.6	Low (<10.0)
Colorado	Jefferson County	6.4	Low (<10.0)
Colorado	Kiowa County	0	Low (<10.0)
Colorado	Kit Carson County	5	Low (<10.0)
Colorado	La Plata County	3.4	Low (<10.0)
Colorado	Lake County	7	Low (<10.0)
Colorado	Larimer County	7.8	Low (<10.0)
Colorado	Las Animas County	4	Low (<10.0)
Colorado	Lincoln County	5	Low (<10.0)
Colorado	Logan County	0	Low (<10.0)
Colorado	Mesa County	5.9	Low (<10.0)
Colorado	Mineral County	2.1	Low (<10.0)
Colorado	Moffat County	7.7	Low (<10.0)
Colorado	Montezuma County	3.4	Low (<10.0)
Colorado	Montrose County	7.6	Low (<10.0)
Colorado	Morgan County	6	Low (<10.0)
Colorado	Otero County	0	Low (<10.0)
Colorado	Ouray County	7.6	Low (<10.0)
Colorado	Park County	6.4	Low (<10.0)
Colorado	Phillips County	0	Low (<10.0)
Colorado	Pitkin County	5.9	Low (<10.0)
Colorado	Prowers County	0	Low (<10.0)
Colorado	Pueblo County	4	Low (<10.0)
Colorado	Rio Blanco County	5.9	Low (<10.0)
Colorado	Rio Grande County	2.1	Low (<10.0)
Colorado	Routt County	7.7	Low (<10.0)
Colorado	Saguache County	2.1	Low (<10.0)
Colorado	San Juan County	3.4	Low (<10.0)
Colorado	San Miguel County	7.6	Low (<10.0)
Colorado	Sedgwick County	0	Low (<10.0)
Colorado	Summit County	6.4	Low (<10.0)
Colorado	Teller County	5	Low (<10.0)
Colorado	Washington County	6	Low (<10.0)

Colorado	Weld County	6	Low (<10.0)
Colorado	Yuma County	6	Low (<10.0)
Connecticut	Fairfield County	9.8	Low (<10.0)
Connecticut	Hartford County	11.7	Medium (10.0 to 19.9)
Connecticut	Litchfield County	10.6	Medium (10.0 to 19.9)
Connecticut	Middlesex County	10.6	Medium (10.0 to 19.9)
Connecticut	New Haven County	10.6	Medium (10.0 to 19.9)
Connecticut	New London County	8.4	Low (<10.0)
Connecticut	Tolland County	11.7	Medium (10.0 to 19.9)
Connecticut	Windham County	11.7	Medium (10.0 to 19.9)
Delaware	Kent County	11.1	Medium (10.0 to 19.9)
Delaware	New Castle County	6.2	Low (<10.0)
Delaware	Sussex County	11.1	Medium (10.0 to 19.9)
District of Columbia	District of Columbia	5.6	Low (<10.0)
Florida	Alachua County	9.1	Low (<10.0)
Florida	Baker County	6.3	Low (<10.0)
Florida	Bay County	4.4	Low (<10.0)
Florida	Bradford County	9.1	Low (<10.0)
Florida	Brevard County	9.1	Low (<10.0)
Florida	Broward County	9	Low (<10.0)
Florida	Calhoun County	4.4	Low (<10.0)
Florida	Charlotte County	10.7	Medium (10.0 to 19.9)
Florida	Citrus County	7.6	Low (<10.0)
Florida	Clay County	6.3	Low (<10.0)
Florida	Collier County	7.1	Low (<10.0)
Florida	Columbia County	9.1	Low (<10.0)
Florida	DeSoto County	10.7	Medium (10.0 to 19.9)
Florida	Dixie County	9.1	Low (<10.0)
Florida	Duval County	6.3	Low (<10.0)
Florida	Escambia County	5.9	Low (<10.0)
Florida	Flagler County	9.6	Low (<10.0)
Florida	Franklin County	8.3	Low (<10.0)
Florida	Gadsden County	8.3	Low (<10.0)
Florida	Gilchrist County	9.1	Low (<10.0)
Florida	Glades County	7.1	Low (<10.0)
Florida	Gulf County	4.4	Low (<10.0)
Florida	Hamilton County	9.1	Low (<10.0)
Florida	Hardee County	8.9	Low (<10.0)
Florida	Hendry County	7.1	Low (<10.0)
Florida	Hernando County	13.1	Medium (10.0 to 19.9)

Florida	Highlands County	8.9	Low (<10.0)
Florida	Hillsborough County	13.1	Medium (10.0 to 19.9)
Florida	Holmes County	4.4	Low (<10.0)
Florida	Indian River County	9.1	Low (<10.0)
Florida	Jackson County	4.4	Low (<10.0)
Florida	Jefferson County	8.3	Low (<10.0)
Florida	Lafayette County	9.1	Low (<10.0)
Florida	Lake County	9.6	Low (<10.0)
Florida	Lee County	7.1	Low (<10.0)
Florida	Leon County	8.3	Low (<10.0)
Florida	Levy County	9.1	Low (<10.0)
Florida	Liberty County	8.3	Low (<10.0)
Florida	Madison County	8.3	Low (<10.0)
Florida	Manatee County	5	Low (<10.0)
Florida	Marion County	7.6	Low (<10.0)
Florida	Martin County	10.4	Medium (10.0 to 19.9)
Florida	Miami-Dade County	9	Low (<10.0)
Florida	Monroe County	9	Low (<10.0)
Florida	Nassau County	6.3	Low (<10.0)
Florida	Okaloosa County	5.9	Low (<10.0)
Florida	Okeechobee County	10.4	Medium (10.0 to 19.9)
Florida	Orange County	9.6	Low (<10.0)
Florida	Osceola County	13.3	Medium (10.0 to 19.9)
Florida	Palm Beach County	10.4	Medium (10.0 to 19.9)
Florida	Pasco County	13.1	Medium (10.0 to 19.9)
Florida	Pinellas County	13.1	Medium (10.0 to 19.9)
Florida	Polk County	8.9	Low (<10.0)
Florida	Putnam County	11.2	Medium (10.0 to 19.9)
Florida	Santa Rosa County	5.9	Low (<10.0)
Florida	Sarasota County	10.7	Medium (10.0 to 19.9)
Florida	Seminole County	9.6	Low (<10.0)
Florida	St. Johns County	11.2	Medium (10.0 to 19.9)
Florida	St. Lucie County	10.4	Medium (10.0 to 19.9)
Florida	Sumter County	9.6	Low (<10.0)
Florida	Suwannee County	9.1	Low (<10.0)
Florida	Taylor County	8.3	Low (<10.0)
Florida	Union County	9.1	Low (<10.0)
Florida	Volusia County	9.6	Low (<10.0)
Florida	Wakulla County	8.3	Low (<10.0)

Florida	Walton County	5.9	Low (<10.0)
Florida	Washington County	4.4	Low (<10.0)
Georgia	Appling County	0	Low (<10.0)
Georgia	Atkinson County	15	Medium (10.0 to 19.9)
Georgia	Bacon County	13.7	Medium (10.0 to 19.9)
Georgia	Baker County	5.7	Low (<10.0)
Georgia	Baldwin County	14.6	Medium (10.0 to 19.9)
Georgia	Banks County	2.3	Low (<10.0)
Georgia	Barrow County	0.7	Low (<10.0)
Georgia	Bartow County	12.1	Medium (10.0 to 19.9)
Georgia	Ben Hill County	4	Low (<10.0)
Georgia	Berrien County	6	Low (<10.0)
Georgia	Bibb County	2.6	Low (<10.0)
Georgia	Bleckley County	2.6	Low (<10.0)
Georgia	Brantley County	6.3	Low (<10.0)
Georgia	Brooks County	6	Low (<10.0)
Georgia	Bryan County	13.1	Medium (10.0 to 19.9)
Georgia	Bulloch County	6.3	Low (<10.0)
Georgia	Burke County	5.7	Low (<10.0)
Georgia	Butts County	10.9	Medium (10.0 to 19.9)
Georgia	Calhoun County	5.7	Low (<10.0)
Georgia	Camden County	6.3	Low (<10.0)
Georgia	Candler County	6.3	Low (<10.0)
Georgia	Carroll County	3.6	Low (<10.0)
Georgia	Catoosa County	6.9	Low (<10.0)
Georgia	Charlton County	6.3	Low (<10.0)
Georgia	Chatham County	13.1	Medium (10.0 to 19.9)
Georgia	Chattahoochee County	0.3	Low (<10.0)
Georgia	Chattooga County	12.1	Medium (10.0 to 19.9)
Georgia	Cherokee County	9.1	Low (<10.0)
Georgia	Clarke County	0.7	Low (<10.0)
Georgia	Clay County	5.7	Low (<10.0)
Georgia	Clayton County	8.3	Low (<10.0)
Georgia	Clinch County	13.7	Medium (10.0 to 19.9)
Georgia	Cobb County	9.1	Low (<10.0)
Georgia	Coffee County	15	Medium (10.0 to 19.9)
Georgia	Colquitt County	13.2	Medium (10.0 to 19.9)
Georgia	Columbia County	5.7	Low (<10.0)
Georgia	Cook County	6	Low (<10.0)
Georgia	Coweta County	3.3	Low (<10.0)

Georgia	Crawford County	2.6	Low (<10.0)
Georgia	Crisp County	4.6	Low (<10.0)
Georgia	Dade County	6.9	Low (<10.0)
Georgia	Dawson County	2.3	Low (<10.0)
Georgia	Decatur County	5	Low (<10.0)
Georgia	DeKalb County	8.3	Low (<10.0)
Georgia	Dodge County	6.9	Low (<10.0)
Georgia	Dooly County	4.6	Low (<10.0)
Georgia	Dougherty County	5.7	Low (<10.0)
Georgia	Douglas County	9.1	Low (<10.0)
Georgia	Early County	5.7	Low (<10.0)
Georgia	Echols County	6	Low (<10.0)
Georgia	Effingham County	13.1	Medium (10.0 to 19.9)
Georgia	Elbert County	0	Low (<10.0)
Georgia	Emanuel County	6.3	Low (<10.0)
Georgia	Evans County	13.1	Medium (10.0 to 19.9)
Georgia	Fannin County	3.3	Low (<10.0)
Georgia	Fayette County	8.3	Low (<10.0)
Georgia	Floyd County	12.1	Medium (10.0 to 19.9)
Georgia	Forsyth County	8.3	Low (<10.0)
Georgia	Franklin County	2.6	Low (<10.0)
Georgia	Fulton County	8.3	Low (<10.0)
Georgia	Gilmer County	3.3	Low (<10.0)
Georgia	Glascok County	5.7	Low (<10.0)
Georgia	Glynn County	6.3	Low (<10.0)
Georgia	Gordon County	12.1	Medium (10.0 to 19.9)
Georgia	Grady County	50.6	High (≥20.0)
Georgia	Greene County	0.7	Low (<10.0)
Georgia	Gwinnett County	8.3	Low (<10.0)
Georgia	Habersham County	2.3	Low (<10.0)
Georgia	Hall County	2.3	Low (<10.0)
Georgia	Hancock County	14.6	Medium (10.0 to 19.9)
Georgia	Haralson County	3.6	Low (<10.0)
Georgia	Harris County	0.3	Low (<10.0)
Georgia	Hart County	2.6	Low (<10.0)
Georgia	Heard County	3.3	Low (<10.0)
Georgia	Henry County	8.3	Low (<10.0)
Georgia	Houston County	2.6	Low (<10.0)
Georgia	Irwin County	4	Low (<10.0)

Georgia	Jackson County	0.7	Low (<10.0)
Georgia	Jasper County	0	Low (<10.0)
Georgia	Jeff Davis County	15	Medium (10.0 to 19.9)
Georgia	Jefferson County	2.8	Low (<10.0)
Georgia	Jenkins County	5.7	Low (<10.0)
Georgia	Johnson County	6.9	Low (<10.0)
Georgia	Jones County	2.6	Low (<10.0)
Georgia	Lamar County	4.7	Low (<10.0)
Georgia	Lanier County	6	Low (<10.0)
Georgia	Laurens County	6.9	Low (<10.0)
Georgia	Lee County	5.7	Low (<10.0)
Georgia	Liberty County	13.1	Medium (10.0 to 19.9)
Georgia	Lincoln County	5.7	Low (<10.0)
Georgia	Long County	13.1	Medium (10.0 to 19.9)
Georgia	Lowndes County	6	Low (<10.0)
Georgia	Lumpkin County	2.3	Low (<10.0)
Georgia	Macon County	4.6	Low (<10.0)
Georgia	Madison County	0.7	Low (<10.0)
Georgia	Marion County	0.3	Low (<10.0)
Georgia	McDuffie County	5.7	Low (<10.0)
Georgia	McIntosh County	6.3	Low (<10.0)
Georgia	Meriwether County	3.3	Low (<10.0)
Georgia	Miller County	5	Low (<10.0)
Georgia	Mitchell County	50.6	High (≥ 20.0)
Georgia	Monroe County	2.6	Low (<10.0)
Georgia	Montgomery County	6.9	Low (<10.0)
Georgia	Morgan County	0.7	Low (<10.0)
Georgia	Murray County	7.6	Low (<10.0)
Georgia	Muscogee County	0.3	Low (<10.0)
Georgia	Newton County	0	Low (<10.0)
Georgia	Oconee County	0.7	Low (<10.0)
Georgia	Oglethorpe County	0.7	Low (<10.0)
Georgia	Paulding County	9.1	Low (<10.0)
Georgia	Peach County	2.6	Low (<10.0)
Georgia	Pickens County	9.1	Low (<10.0)
Georgia	Pierce County	13.7	Medium (10.0 to 19.9)
Georgia	Pike County	4.7	Low (<10.0)
Georgia	Polk County	12.1	Medium (10.0 to 19.9)
Georgia	Pulaski County	2.6	Low (<10.0)

Georgia	Putnam County	14.6	Medium (10.0 to 19.9)
Georgia	Quitman County	6.5	Low (<10.0)
Georgia	Rabun County	0	Low (<10.0)
Georgia	Randolph County	5.7	Low (<10.0)
Georgia	Richmond County	5.7	Low (<10.0)
Georgia	Rockdale County	8.3	Low (<10.0)
Georgia	Schley County	0.3	Low (<10.0)
Georgia	Screven County	6.3	Low (<10.0)
Georgia	Seminole County	5	Low (<10.0)
Georgia	Spalding County	10.9	Medium (10.0 to 19.9)
Georgia	Stephens County	2.6	Low (<10.0)
Georgia	Stewart County	0.3	Low (<10.0)
Georgia	Sumter County	4.6	Low (<10.0)
Georgia	Talbot County	0.3	Low (<10.0)
Georgia	Taliaferro County	5.7	Low (<10.0)
Georgia	Tattnall County	13.1	Medium (10.0 to 19.9)
Georgia	Taylor County	2.6	Low (<10.0)
Georgia	Telfair County	6.9	Low (<10.0)
Georgia	Terrell County	5.7	Low (<10.0)
Georgia	Thomas County	50.6	High (≥20.0)
Georgia	Tift County	4	Low (<10.0)
Georgia	Toombs County	6.9	Low (<10.0)
Georgia	Towns County	2.3	Low (<10.0)
Georgia	Treutlen County	6.9	Low (<10.0)
Georgia	Troup County	3.3	Low (<10.0)
Georgia	Turner County	4	Low (<10.0)
Georgia	Twiggs County	2.6	Low (<10.0)
Georgia	Union County	2.3	Low (<10.0)
Georgia	Upson County	4.7	Low (<10.0)
Georgia	Walker County	6.9	Low (<10.0)
Georgia	Walton County	8.3	Low (<10.0)
Georgia	Ware County	13.7	Medium (10.0 to 19.9)
Georgia	Warren County	5.7	Low (<10.0)
Georgia	Washington County	2.8	Low (<10.0)
Georgia	Wayne County	0	Low (<10.0)
Georgia	Webster County	0.3	Low (<10.0)
Georgia	Wheeler County	6.9	Low (<10.0)
Georgia	White County	2.3	Low (<10.0)
Georgia	Whitfield County	7.6	Low (<10.0)

Georgia	Wilcox County	4.6	Low (<10.0)
Georgia	Wilkes County	0	Low (<10.0)
Georgia	Wilkinson County	2.6	Low (<10.0)
Georgia	Worth County	5.7	Low (<10.0)
Guam	Unallocated Guam	1.2	Low (<10.0)
Hawaii	Hawaii County	3	Low (<10.0)
Hawaii	Honolulu County	10.2	Medium (10.0 to 19.9)
Hawaii	Kalawao County	10.2	Medium (10.0 to 19.9)
Hawaii	Kauai County	2.8	Low (<10.0)
Hawaii	Maui County	10.2	Medium (10.0 to 19.9)
Idaho	Ada County	9	Low (<10.0)
Idaho	Adams County	5.8	Low (<10.0)
Idaho	Bannock County	3.9	Low (<10.0)
Idaho	Bear Lake County	2.7	Low (<10.0)
Idaho	Benewah County	2.8	Low (<10.0)
Idaho	Bingham County	3.9	Low (<10.0)
Idaho	Blaine County	4.1	Low (<10.0)
Idaho	Boise County	9	Low (<10.0)
Idaho	Bonner County	2.8	Low (<10.0)
Idaho	Bonneville County	3.2	Low (<10.0)
Idaho	Boundary County	2.8	Low (<10.0)
Idaho	Butte County	3.2	Low (<10.0)
Idaho	Camas County	4.1	Low (<10.0)
Idaho	Canyon County	9	Low (<10.0)
Idaho	Caribou County	3.9	Low (<10.0)
Idaho	Cassia County	6.7	Low (<10.0)
Idaho	Clark County	3.2	Low (<10.0)
Idaho	Clearwater County	5.3	Low (<10.0)
Idaho	Custer County	3.2	Low (<10.0)
Idaho	Elmore County	9	Low (<10.0)
Idaho	Franklin County	2.7	Low (<10.0)
Idaho	Fremont County	3.2	Low (<10.0)
Idaho	Gem County	9	Low (<10.0)
Idaho	Gooding County	3	Low (<10.0)
Idaho	Idaho County	5.3	Low (<10.0)
Idaho	Jefferson County	3.2	Low (<10.0)
Idaho	Jerome County	3	Low (<10.0)
Idaho	Kootenai County	2.8	Low (<10.0)
Idaho	Latah County	1.1	Low (<10.0)
Idaho	Lemhi County	12.5	Medium (10.0 to 19.9)

Idaho	Lewis County	5.3	Low (<10.0)
Idaho	Lincoln County	3	Low (<10.0)
Idaho	Madison County	3.2	Low (<10.0)
Idaho	Minidoka County	6.7	Low (<10.0)
Idaho	Nez Perce County	5.3	Low (<10.0)
Idaho	Oneida County	3.9	Low (<10.0)
Idaho	Owyhee County	9	Low (<10.0)
Idaho	Payette County	5.8	Low (<10.0)
Idaho	Power County	3.9	Low (<10.0)
Idaho	Shoshone County	2.8	Low (<10.0)
Idaho	Teton County	3.2	Low (<10.0)
Idaho	Twin Falls County	3	Low (<10.0)
Idaho	Valley County	9	Low (<10.0)
Idaho	Washington County	5.8	Low (<10.0)
Illinois	Adams County	6.8	Low (<10.0)
Illinois	Alexander County	8.1	Low (<10.0)
Illinois	Bond County	8.5	Low (<10.0)
Illinois	Boone County	9.7	Low (<10.0)
Illinois	Brown County	8.4	Low (<10.0)
Illinois	Bureau County	6	Low (<10.0)
Illinois	Calhoun County	8.5	Low (<10.0)
Illinois	Carroll County	5.2	Low (<10.0)
Illinois	Cass County	8.4	Low (<10.0)
Illinois	Champaign County	8.2	Low (<10.0)
Illinois	Christian County	8.4	Low (<10.0)
Illinois	Clark County	6.9	Low (<10.0)
Illinois	Clay County	4.5	Low (<10.0)
Illinois	Clinton County	5.2	Low (<10.0)
Illinois	Coles County	8.2	Low (<10.0)
Illinois	Cook County	9	Low (<10.0)
Illinois	Crawford County	4.7	Low (<10.0)
Illinois	Cumberland County	8.2	Low (<10.0)
Illinois	De Witt County	5.8	Low (<10.0)
Illinois	DeKalb County	6.4	Low (<10.0)
Illinois	Douglas County	8.2	Low (<10.0)
Illinois	DuPage County	9	Low (<10.0)
Illinois	Edgar County	3.4	Low (<10.0)
Illinois	Edwards County	4.5	Low (<10.0)
Illinois	Effingham County	7.2	Low (<10.0)

Illinois	Fayette County	7.2	Low (<10.0)
Illinois	Ford County	8.2	Low (<10.0)
Illinois	Franklin County	12	Medium (10.0 to 19.9)
Illinois	Fulton County	8.1	Low (<10.0)
Illinois	Gallatin County	22	High (≥20.0)
Illinois	Greene County	9.7	Low (<10.0)
Illinois	Grundy County	8	Low (<10.0)
Illinois	Hamilton County	13.9	Medium (10.0 to 19.9)
Illinois	Hancock County	0	Low (<10.0)
Illinois	Hardin County	22	High (≥20.0)
Illinois	Henderson County	3.1	Low (<10.0)
Illinois	Henry County	4.3	Low (<10.0)
Illinois	Iroquois County	22.6	High (≥20.0)
Illinois	Jackson County	12	Medium (10.0 to 19.9)
Illinois	Jasper County	4.5	Low (<10.0)
Illinois	Jefferson County	3.7	Low (<10.0)
Illinois	Jersey County	8.5	Low (<10.0)
Illinois	Jo Daviess County	11.5	Medium (10.0 to 19.9)
Illinois	Johnson County	7.4	Low (<10.0)
Illinois	Kane County	6.4	Low (<10.0)
Illinois	Kankakee County	22.6	High (≥20.0)
Illinois	Kendall County	6.4	Low (<10.0)
Illinois	Knox County	19.5	Medium (10.0 to 19.9)
Illinois	La Salle County	6	Low (<10.0)
Illinois	Lake County	9	Low (<10.0)
Illinois	Lawrence County	4.7	Low (<10.0)
Illinois	Lee County	9.7	Low (<10.0)
Illinois	Livingston County	6	Low (<10.0)
Illinois	Logan County	8.4	Low (<10.0)
Illinois	Macon County	2.6	Low (<10.0)
Illinois	Macoupin County	2.7	Low (<10.0)
Illinois	Madison County	8.5	Low (<10.0)
Illinois	Marion County	5.9	Low (<10.0)
Illinois	Marshall County	8.1	Low (<10.0)
Illinois	Mason County	8.1	Low (<10.0)
Illinois	Massac County	7.4	Low (<10.0)
Illinois	McDonough County	8.4	Low (<10.0)
Illinois	McHenry County	9	Low (<10.0)
Illinois	McLean County	5.8	Low (<10.0)

Illinois	Menard County	8.4	Low (<10.0)
Illinois	Mercer County	4.3	Low (<10.0)
Illinois	Monroe County	5.2	Low (<10.0)
Illinois	Montgomery County	2.7	Low (<10.0)
Illinois	Morgan County	9.7	Low (<10.0)
Illinois	Moultrie County	2.6	Low (<10.0)
Illinois	Ogle County	9.7	Low (<10.0)
Illinois	Peoria County	8.1	Low (<10.0)
Illinois	Perry County	12	Medium (10.0 to 19.9)
Illinois	Piatt County	2.6	Low (<10.0)
Illinois	Pike County	6.8	Low (<10.0)
Illinois	Pope County	22	High (≥20.0)
Illinois	Pulaski County	8.1	Low (<10.0)
Illinois	Putnam County	6	Low (<10.0)
Illinois	Randolph County	5.2	Low (<10.0)
Illinois	Richland County	4.5	Low (<10.0)
Illinois	Rock Island County	4.3	Low (<10.0)
Illinois	Saline County	22	High (≥20.0)
Illinois	Sangamon County	8.4	Low (<10.0)
Illinois	Schuyler County	8.4	Low (<10.0)
Illinois	Scott County	9.7	Low (<10.0)
Illinois	Shelby County	2.6	Low (<10.0)
Illinois	St. Clair County	5.2	Low (<10.0)
Illinois	Stark County	4.3	Low (<10.0)
Illinois	Stephenson County	11.5	Medium (10.0 to 19.9)
Illinois	Tazewell County	8.1	Low (<10.0)
Illinois	Union County	8.1	Low (<10.0)
Illinois	Vermilion County	3.4	Low (<10.0)
Illinois	Wabash County	14.6	Medium (10.0 to 19.9)
Illinois	Warren County	19.5	Medium (10.0 to 19.9)
Illinois	Washington County	5.9	Low (<10.0)
Illinois	Wayne County	3.7	Low (<10.0)
Illinois	White County	13.9	Medium (10.0 to 19.9)
Illinois	Whiteside County	5.2	Low (<10.0)
Illinois	Will County	8	Low (<10.0)
Illinois	Williamson County	12	Medium (10.0 to 19.9)
Illinois	Winnebago County	9.7	Low (<10.0)
Illinois	Woodford County	5.8	Low (<10.0)
Indiana	Adams County	1.7	Low (<10.0)
Indiana	Allen County	7.4	Low (<10.0)

Indiana	Bartholomew County	8.8	Low (<10.0)
Indiana	Benton County	9.2	Low (<10.0)
Indiana	Blackford County	15.9	Medium (10.0 to 19.9)
Indiana	Boone County	0	Low (<10.0)
Indiana	Brown County	6.5	Low (<10.0)
Indiana	Carroll County	9.2	Low (<10.0)
Indiana	Cass County	4.4	Low (<10.0)
Indiana	Clark County	2.1	Low (<10.0)
Indiana	Clay County	6.9	Low (<10.0)
Indiana	Clinton County	9.2	Low (<10.0)
Indiana	Crawford County	6.3	Low (<10.0)
Indiana	Daviess County	4.7	Low (<10.0)
Indiana	De Kalb County	7.4	Low (<10.0)
Indiana	Dearborn County	2.1	Low (<10.0)
Indiana	Decatur County	8.8	Low (<10.0)
Indiana	Delaware County	15.9	Medium (10.0 to 19.9)
Indiana	Dubois County	4.7	Low (<10.0)
Indiana	Elkhart County	5.6	Low (<10.0)
Indiana	Fayette County	0	Low (<10.0)
Indiana	Floyd County	6.3	Low (<10.0)
Indiana	Fountain County	3.4	Low (<10.0)
Indiana	Franklin County	11.4	Medium (10.0 to 19.9)
Indiana	Fulton County	6	Low (<10.0)
Indiana	Gibson County	14.6	Medium (10.0 to 19.9)
Indiana	Grant County	4.5	Low (<10.0)
Indiana	Greene County	6.5	Low (<10.0)
Indiana	Hamilton County	6.8	Low (<10.0)
Indiana	Hancock County	3.2	Low (<10.0)
Indiana	Harrison County	6.3	Low (<10.0)
Indiana	Hendricks County	10.8	Medium (10.0 to 19.9)
Indiana	Henry County	3.2	Low (<10.0)
Indiana	Howard County	4.4	Low (<10.0)
Indiana	Huntington County	1.7	Low (<10.0)
Indiana	Jackson County	8.8	Low (<10.0)
Indiana	Jasper County	13.6	Medium (10.0 to 19.9)
Indiana	Jay County	1.7	Low (<10.0)
Indiana	Jefferson County	2.1	Low (<10.0)
Indiana	Jennings County	8.8	Low (<10.0)
Indiana	Johnson County	10.8	Medium (10.0 to 19.9)

Indiana	Knox County	4.7	Low (<10.0)
Indiana	Kosciusko County	5.6	Low (<10.0)
Indiana	La Porte County	5.3	Low (<10.0)
Indiana	LaGrange County	7.4	Low (<10.0)
Indiana	Lake County	13.6	Medium (10.0 to 19.9)
Indiana	Lawrence County	9.2	Low (<10.0)
Indiana	Madison County	6.8	Low (<10.0)
Indiana	Marion County	10.8	Medium (10.0 to 19.9)
Indiana	Marshall County	6	Low (<10.0)
Indiana	Martin County	4.7	Low (<10.0)
Indiana	Miami County	4.5	Low (<10.0)
Indiana	Monroe County	6.5	Low (<10.0)
Indiana	Montgomery County	5.2	Low (<10.0)
Indiana	Morgan County	10.8	Medium (10.0 to 19.9)
Indiana	Newton County	13.6	Medium (10.0 to 19.9)
Indiana	Noble County	7.4	Low (<10.0)
Indiana	Ohio County	2.1	Low (<10.0)
Indiana	Orange County	9.2	Low (<10.0)
Indiana	Owen County	6.5	Low (<10.0)
Indiana	Parke County	6.9	Low (<10.0)
Indiana	Perry County	5.5	Low (<10.0)
Indiana	Pike County	4.7	Low (<10.0)
Indiana	Porter County	13.6	Medium (10.0 to 19.9)
Indiana	Posey County	14.6	Medium (10.0 to 19.9)
Indiana	Pulaski County	6	Low (<10.0)
Indiana	Putnam County	10.8	Medium (10.0 to 19.9)
Indiana	Randolph County	15.9	Medium (10.0 to 19.9)
Indiana	Ripley County	2.1	Low (<10.0)
Indiana	Rush County	10.8	Medium (10.0 to 19.9)
Indiana	Scott County	2.1	Low (<10.0)
Indiana	Shelby County	10.8	Medium (10.0 to 19.9)
Indiana	Spencer County	14.6	Medium (10.0 to 19.9)
Indiana	St. Joseph County	6	Low (<10.0)
Indiana	Starke County	5.3	Low (<10.0)
Indiana	Steuben County	7.4	Low (<10.0)
Indiana	Sullivan County	6.9	Low (<10.0)
Indiana	Switzerland County	2.1	Low (<10.0)
Indiana	Tippecanoe County	9.2	Low (<10.0)
Indiana	Tipton County	4.4	Low (<10.0)

Indiana	Union County	0	Low (<10.0)
Indiana	Vanderburgh County	14.6	Medium (10.0 to 19.9)
Indiana	Vermillion County	6.9	Low (<10.0)
Indiana	Vigo County	6.9	Low (<10.0)
Indiana	Wabash County	4.5	Low (<10.0)
Indiana	Warren County	3.4	Low (<10.0)
Indiana	Warrick County	14.6	Medium (10.0 to 19.9)
Indiana	Washington County	6.3	Low (<10.0)
Indiana	Wayne County	0	Low (<10.0)
Indiana	Wells County	1.7	Low (<10.0)
Indiana	White County	9.2	Low (<10.0)
Indiana	Whitley County	7.4	Low (<10.0)
Iowa	Adair County	6.3	Low (<10.0)
Iowa	Adams County	7.4	Low (<10.0)
Iowa	Allamakee County	7.8	Low (<10.0)
Iowa	Appanoose County	4.7	Low (<10.0)
Iowa	Audubon County	3.9	Low (<10.0)
Iowa	Benton County	7.5	Low (<10.0)
Iowa	Black Hawk County	4.5	Low (<10.0)
Iowa	Boone County	6	Low (<10.0)
Iowa	Bremer County	4.5	Low (<10.0)
Iowa	Buchanan County	4.5	Low (<10.0)
Iowa	Buena Vista County	8.7	Low (<10.0)
Iowa	Butler County	4.5	Low (<10.0)
Iowa	Calhoun County	5.1	Low (<10.0)
Iowa	Carroll County	5.1	Low (<10.0)
Iowa	Cass County	3.9	Low (<10.0)
Iowa	Cedar County	7.5	Low (<10.0)
Iowa	Cerro Gordo County	17.8	Medium (10.0 to 19.9)
Iowa	Cherokee County	8.7	Low (<10.0)
Iowa	Chickasaw County	0	Low (<10.0)
Iowa	Clarke County	6.3	Low (<10.0)
Iowa	Clay County	42.7	High (≥20.0)
Iowa	Clayton County	17.8	Medium (10.0 to 19.9)
Iowa	Clinton County	5.2	Low (<10.0)
Iowa	Crawford County	5.9	Low (<10.0)
Iowa	Dallas County	6.3	Low (<10.0)
Iowa	Davis County	4.7	Low (<10.0)
Iowa	Decatur County	6.3	Low (<10.0)
Iowa	Delaware County	17.8	Medium (10.0 to 19.9)

Iowa	Des Moines County	3.1	Low (<10.0)
Iowa	Dickinson County	42.7	High (≥20.0)
Iowa	Dubuque County	11.5	Medium (10.0 to 19.9)
Iowa	Emmet County	0	Low (<10.0)
Iowa	Fayette County	4.5	Low (<10.0)
Iowa	Floyd County	0	Low (<10.0)
Iowa	Franklin County	17.8	Medium (10.0 to 19.9)
Iowa	Fremont County	14.2	Medium (10.0 to 19.9)
Iowa	Greene County	0	Low (<10.0)
Iowa	Grundy County	4.5	Low (<10.0)
Iowa	Guthrie County	0	Low (<10.0)
Iowa	Hamilton County	6	Low (<10.0)
Iowa	Hancock County	17.8	Medium (10.0 to 19.9)
Iowa	Hardin County	6	Low (<10.0)
Iowa	Harrison County	3.9	Low (<10.0)
Iowa	Henry County	3.1	Low (<10.0)
Iowa	Howard County	8.4	Low (<10.0)
Iowa	Humboldt County	3.8	Low (<10.0)
Iowa	Ida County	8.7	Low (<10.0)
Iowa	Iowa County	7.5	Low (<10.0)
Iowa	Jackson County	11.5	Medium (10.0 to 19.9)
Iowa	Jasper County	6.3	Low (<10.0)
Iowa	Jefferson County	10	Medium (10.0 to 19.9)
Iowa	Johnson County	7.5	Low (<10.0)
Iowa	Jones County	7.5	Low (<10.0)
Iowa	Keokuk County	10	Medium (10.0 to 19.9)
Iowa	Kossuth County	17.8	Medium (10.0 to 19.9)
Iowa	Lee County	0	Low (<10.0)
Iowa	Linn County	7.5	Low (<10.0)
Iowa	Louisa County	7.5	Low (<10.0)
Iowa	Lucas County	6.6	Low (<10.0)
Iowa	Lyon County	12.8	Medium (10.0 to 19.9)
Iowa	Madison County	6.3	Low (<10.0)
Iowa	Mahaska County	10	Medium (10.0 to 19.9)
Iowa	Marion County	6.3	Low (<10.0)
Iowa	Marshall County	3.6	Low (<10.0)
Iowa	Mills County	3.9	Low (<10.0)
Iowa	Mitchell County	0	Low (<10.0)
Iowa	Monona County	8.7	Low (<10.0)

Iowa	Monroe County	10	Medium (10.0 to 19.9)
Iowa	Montgomery County	7.4	Low (<10.0)
Iowa	Muscatine County	7	Low (<10.0)
Iowa	OBrien County	0	Low (<10.0)
Iowa	Osceola County	0	Low (<10.0)
Iowa	Page County	14.2	Medium (10.0 to 19.9)
Iowa	Palo Alto County	42.7	High (≥20.0)
Iowa	Plymouth County	8.7	Low (<10.0)
Iowa	Pocahontas County	3.8	Low (<10.0)
Iowa	Polk County	6.3	Low (<10.0)
Iowa	Pottawattamie County	3.9	Low (<10.0)
Iowa	Poweshiek County	0	Low (<10.0)
Iowa	Ringgold County	6.3	Low (<10.0)
Iowa	Sac County	5.1	Low (<10.0)
Iowa	Scott County	7	Low (<10.0)
Iowa	Shelby County	3.9	Low (<10.0)
Iowa	Sioux County	20.1	High (≥20.0)
Iowa	Story County	6	Low (<10.0)
Iowa	Tama County	3.6	Low (<10.0)
Iowa	Taylor County	14.2	Medium (10.0 to 19.9)
Iowa	Union County	6.3	Low (<10.0)
Iowa	Van Buren County	10	Medium (10.0 to 19.9)
Iowa	Wapello County	10	Medium (10.0 to 19.9)
Iowa	Warren County	6.3	Low (<10.0)
Iowa	Washington County	7.5	Low (<10.0)
Iowa	Wayne County	6.6	Low (<10.0)
Iowa	Webster County	3.8	Low (<10.0)
Iowa	Winnebago County	17.8	Medium (10.0 to 19.9)
Iowa	Winneshiek County	5	Low (<10.0)
Iowa	Woodbury County	8.7	Low (<10.0)
Iowa	Worth County	17.8	Medium (10.0 to 19.9)
Iowa	Wright County	6	Low (<10.0)
Kansas	Allen County	15.6	Medium (10.0 to 19.9)
Kansas	Anderson County	6.4	Low (<10.0)
Kansas	Atchison County	0	Low (<10.0)
Kansas	Barber County	0	Low (<10.0)
Kansas	Barton County	5.3	Low (<10.0)
Kansas	Bourbon County	4.8	Low (<10.0)
Kansas	Brown County	3.4	Low (<10.0)

Kansas	Butler County	7.3	Low (<10.0)
Kansas	Chase County	4	Low (<10.0)
Kansas	Chautauqua County	3	Low (<10.0)
Kansas	Cherokee County	11.5	Medium (10.0 to 19.9)
Kansas	Cheyenne County	19.3	Medium (10.0 to 19.9)
Kansas	Clark County	2.1	Low (<10.0)
Kansas	Clay County	12.5	Medium (10.0 to 19.9)
Kansas	Cloud County	7.5	Low (<10.0)
Kansas	Coffey County	4	Low (<10.0)
Kansas	Comanche County	0	Low (<10.0)
Kansas	Cowley County	7.3	Low (<10.0)
Kansas	Crawford County	4.8	Low (<10.0)
Kansas	Decatur County	0	Low (<10.0)
Kansas	Dickinson County	0	Low (<10.0)
Kansas	Doniphan County	10.4	Medium (10.0 to 19.9)
Kansas	Douglas County	6.4	Low (<10.0)
Kansas	Edwards County	5.3	Low (<10.0)
Kansas	Elk County	3	Low (<10.0)
Kansas	Ellis County	6.8	Low (<10.0)
Kansas	Ellsworth County	1.4	Low (<10.0)
Kansas	Finney County	1.9	Low (<10.0)
Kansas	Ford County	2.1	Low (<10.0)
Kansas	Franklin County	6.4	Low (<10.0)
Kansas	Geary County	0	Low (<10.0)
Kansas	Gove County	6.8	Low (<10.0)
Kansas	Graham County	6.8	Low (<10.0)
Kansas	Grant County	7.9	Low (<10.0)
Kansas	Gray County	2.1	Low (<10.0)
Kansas	Greeley County	0	Low (<10.0)
Kansas	Greenwood County	4	Low (<10.0)
Kansas	Hamilton County	1.9	Low (<10.0)
Kansas	Harper County	7.9	Low (<10.0)
Kansas	Harvey County	7.3	Low (<10.0)
Kansas	Haskell County	1.9	Low (<10.0)
Kansas	Hodgeman County	2.1	Low (<10.0)
Kansas	Jackson County	3.4	Low (<10.0)
Kansas	Jefferson County	3.4	Low (<10.0)
Kansas	Jewell County	0	Low (<10.0)
Kansas	Johnson County	6.4	Low (<10.0)

Kansas	Kearny County	1.9	Low (<10.0)
Kansas	Kingman County	7.9	Low (<10.0)
Kansas	Kiowa County	0	Low (<10.0)
Kansas	Labette County	15.6	Medium (10.0 to 19.9)
Kansas	Lane County	1.9	Low (<10.0)
Kansas	Leavenworth County	11.3	Medium (10.0 to 19.9)
Kansas	Lincoln County	1.4	Low (<10.0)
Kansas	Linn County	4.8	Low (<10.0)
Kansas	Logan County	6.8	Low (<10.0)
Kansas	Lyon County	4	Low (<10.0)
Kansas	Marion County	7.3	Low (<10.0)
Kansas	Marshall County	6.6	Low (<10.0)
Kansas	McPherson County	0	Low (<10.0)
Kansas	Meade County	2.1	Low (<10.0)
Kansas	Miami County	6.4	Low (<10.0)
Kansas	Mitchell County	0	Low (<10.0)
Kansas	Montgomery County	3	Low (<10.0)
Kansas	Morris County	0	Low (<10.0)
Kansas	Morton County	13	Medium (10.0 to 19.9)
Kansas	Nemaha County	3.4	Low (<10.0)
Kansas	Neosho County	15.6	Medium (10.0 to 19.9)
Kansas	Ness County	0	Low (<10.0)
Kansas	Norton County	28.2	High (≥20.0)
Kansas	Osage County	3.4	Low (<10.0)
Kansas	Osborne County	0	Low (<10.0)
Kansas	Ottawa County	1.4	Low (<10.0)
Kansas	Pawnee County	5.3	Low (<10.0)
Kansas	Phillips County	28.2	High (≥20.0)
Kansas	Pottawatomie County	3.4	Low (<10.0)
Kansas	Pratt County	0	Low (<10.0)
Kansas	Rawlins County	19.3	Medium (10.0 to 19.9)
Kansas	Reno County	7.9	Low (<10.0)
Kansas	Republic County	7.5	Low (<10.0)
Kansas	Rice County	7.9	Low (<10.0)
Kansas	Riley County	3.4	Low (<10.0)
Kansas	Rooks County	6.8	Low (<10.0)
Kansas	Rush County	5.3	Low (<10.0)
Kansas	Russell County	N/A	Insufficient data (N/A)
Kansas	Saline County	1.4	Low (<10.0)
Kansas	Scott County	1.9	Low (<10.0)

Kansas	Sedgwick County	7.3	Low (<10.0)
Kansas	Seward County	13	Medium (10.0 to 19.9)
Kansas	Shawnee County	3.4	Low (<10.0)
Kansas	Sheridan County	0	Low (<10.0)
Kansas	Sherman County	19.7	Medium (10.0 to 19.9)
Kansas	Smith County	28.2	High (≥20.0)
Kansas	Stafford County	7.9	Low (<10.0)
Kansas	Stanton County	7.9	Low (<10.0)
Kansas	Stevens County	0	Low (<10.0)
Kansas	Sumner County	7.3	Low (<10.0)
Kansas	Thomas County	19.7	Medium (10.0 to 19.9)
Kansas	Trego County	6.8	Low (<10.0)
Kansas	Wabaunsee County	3.4	Low (<10.0)
Kansas	Wallace County	19.7	Medium (10.0 to 19.9)
Kansas	Washington County	6.6	Low (<10.0)
Kansas	Wichita County	0	Low (<10.0)
Kansas	Wilson County	11.7	Medium (10.0 to 19.9)
Kansas	Woodson County	15.6	Medium (10.0 to 19.9)
Kansas	Wyandotte County	11.3	Medium (10.0 to 19.9)
Kentucky	Adair County	6.8	Low (<10.0)
Kentucky	Allen County	11.1	Medium (10.0 to 19.9)
Kentucky	Anderson County	3.5	Low (<10.0)
Kentucky	Ballard County	7.4	Low (<10.0)
Kentucky	Barren County	8.3	Low (<10.0)
Kentucky	Bath County	0	Low (<10.0)
Kentucky	Bell County	11.9	Medium (10.0 to 19.9)
Kentucky	Boone County	8.1	Low (<10.0)
Kentucky	Bourbon County	7.4	Low (<10.0)
Kentucky	Boyd County	17.3	Medium (10.0 to 19.9)
Kentucky	Boyle County	0	Low (<10.0)
Kentucky	Bracken County	2.5	Low (<10.0)
Kentucky	Breathitt County	6.6	Low (<10.0)
Kentucky	Breckinridge County	11.5	Medium (10.0 to 19.9)
Kentucky	Bullitt County	8.8	Low (<10.0)
Kentucky	Butler County	11.1	Medium (10.0 to 19.9)
Kentucky	Caldwell County	4.5	Low (<10.0)
Kentucky	Calloway County	1.7	Low (<10.0)
Kentucky	Campbell County	8.1	Low (<10.0)
Kentucky	Carlisle County	7.4	Low (<10.0)

Kentucky	Carroll County	2.1	Low (<10.0)
Kentucky	Carter County	17.3	Medium (10.0 to 19.9)
Kentucky	Casey County	0	Low (<10.0)
Kentucky	Christian County	4.5	Low (<10.0)
Kentucky	Clark County	6.6	Low (<10.0)
Kentucky	Clay County	7.4	Low (<10.0)
Kentucky	Clinton County	0	Low (<10.0)
Kentucky	Crittenden County	7.4	Low (<10.0)
Kentucky	Cumberland County	0	Low (<10.0)
Kentucky	Daviess County	5.5	Low (<10.0)
Kentucky	Edmonson County	11.1	Medium (10.0 to 19.9)
Kentucky	Elliott County	15.5	Medium (10.0 to 19.9)
Kentucky	Estill County	5.1	Low (<10.0)
Kentucky	Fayette County	6.6	Low (<10.0)
Kentucky	Fleming County	2.5	Low (<10.0)
Kentucky	Floyd County	7.1	Low (<10.0)
Kentucky	Franklin County	3.5	Low (<10.0)
Kentucky	Fulton County	0	Low (<10.0)
Kentucky	Gallatin County	8.1	Low (<10.0)
Kentucky	Garrard County	0	Low (<10.0)
Kentucky	Grant County	8.1	Low (<10.0)
Kentucky	Graves County	7.4	Low (<10.0)
Kentucky	Grayson County	11.5	Medium (10.0 to 19.9)
Kentucky	Green County	6.8	Low (<10.0)
Kentucky	Greenup County	17.3	Medium (10.0 to 19.9)
Kentucky	Hancock County	5.5	Low (<10.0)
Kentucky	Hardin County	11.5	Medium (10.0 to 19.9)
Kentucky	Harlan County	11.9	Medium (10.0 to 19.9)
Kentucky	Harrison County	0	Low (<10.0)
Kentucky	Hart County	8.3	Low (<10.0)
Kentucky	Henderson County	5	Low (<10.0)
Kentucky	Henry County	8.8	Low (<10.0)
Kentucky	Hickman County	7.4	Low (<10.0)
Kentucky	Hopkins County	4.5	Low (<10.0)
Kentucky	Jackson County	5.1	Low (<10.0)
Kentucky	Jefferson County	8.8	Low (<10.0)
Kentucky	Jessamine County	6.6	Low (<10.0)
Kentucky	Johnson County	7.1	Low (<10.0)
Kentucky	Kenton County	8.1	Low (<10.0)

Kentucky	Knott County	6.6	Low (<10.0)
Kentucky	Knox County	7.4	Low (<10.0)
Kentucky	Larue County	11.5	Medium (10.0 to 19.9)
Kentucky	Laurel County	7.4	Low (<10.0)
Kentucky	Lawrence County	17.3	Medium (10.0 to 19.9)
Kentucky	Lee County	6.6	Low (<10.0)
Kentucky	Leslie County	6.6	Low (<10.0)
Kentucky	Letcher County	9.3	Low (<10.0)
Kentucky	Lewis County	12.4	Medium (10.0 to 19.9)
Kentucky	Lincoln County	0	Low (<10.0)
Kentucky	Livingston County	7.4	Low (<10.0)
Kentucky	Logan County	11.1	Medium (10.0 to 19.9)
Kentucky	Lyon County	7.4	Low (<10.0)
Kentucky	Madison County	5.1	Low (<10.0)
Kentucky	Magoffin County	7.1	Low (<10.0)
Kentucky	Marion County	8.8	Low (<10.0)
Kentucky	Marshall County	7.4	Low (<10.0)
Kentucky	Martin County	17.3	Medium (10.0 to 19.9)
Kentucky	Mason County	2.5	Low (<10.0)
Kentucky	McCracken County	7.4	Low (<10.0)
Kentucky	McCreary County	5.9	Low (<10.0)
Kentucky	McLean County	5.5	Low (<10.0)
Kentucky	Meade County	11.5	Medium (10.0 to 19.9)
Kentucky	Menifee County	15.5	Medium (10.0 to 19.9)
Kentucky	Mercer County	0	Low (<10.0)
Kentucky	Metcalf County	8.3	Low (<10.0)
Kentucky	Monroe County	8.3	Low (<10.0)
Kentucky	Montgomery County	0	Low (<10.0)
Kentucky	Morgan County	15.5	Medium (10.0 to 19.9)
Kentucky	Muhlenberg County	4.5	Low (<10.0)
Kentucky	Nelson County	8.8	Low (<10.0)
Kentucky	Nicholas County	7.4	Low (<10.0)
Kentucky	Ohio County	5.5	Low (<10.0)
Kentucky	Oldham County	8.8	Low (<10.0)
Kentucky	Owen County	3.5	Low (<10.0)
Kentucky	Owsley County	6.6	Low (<10.0)
Kentucky	Pendleton County	8.1	Low (<10.0)
Kentucky	Perry County	6.6	Low (<10.0)
Kentucky	Pike County	13.2	Medium (10.0 to 19.9)
Kentucky	Powell County	6.6	Low (<10.0)

Kentucky	Pulaski County	5.9	Low (<10.0)
Kentucky	Robertson County	0	Low (<10.0)
Kentucky	Rockcastle County	5.1	Low (<10.0)
Kentucky	Rowan County	15.5	Medium (10.0 to 19.9)
Kentucky	Russell County	6.8	Low (<10.0)
Kentucky	Scott County	6.6	Low (<10.0)
Kentucky	Shelby County	8.8	Low (<10.0)
Kentucky	Simpson County	11.1	Medium (10.0 to 19.9)
Kentucky	Spencer County	8.8	Low (<10.0)
Kentucky	Taylor County	6.8	Low (<10.0)
Kentucky	Todd County	4.5	Low (<10.0)
Kentucky	Trigg County	4.5	Low (<10.0)
Kentucky	Trimble County	2.1	Low (<10.0)
Kentucky	Union County	5	Low (<10.0)
Kentucky	Warren County	11.1	Medium (10.0 to 19.9)
Kentucky	Washington County	8.8	Low (<10.0)
Kentucky	Wayne County	5.9	Low (<10.0)
Kentucky	Webster County	4.5	Low (<10.0)
Kentucky	Whitley County	7.4	Low (<10.0)
Kentucky	Wolfe County	6.6	Low (<10.0)
Kentucky	Woodford County	6.6	Low (<10.0)
Louisiana	Acadia Parish	6.5	Low (<10.0)
Louisiana	Allen Parish	5.4	Low (<10.0)
Louisiana	Ascension Parish	5.3	Low (<10.0)
Louisiana	Assumption Parish	7	Low (<10.0)
Louisiana	Avoyelles Parish	5.4	Low (<10.0)
Louisiana	Beauregard Parish	3.4	Low (<10.0)
Louisiana	Bienville Parish	2	Low (<10.0)
Louisiana	Bossier Parish	6.6	Low (<10.0)
Louisiana	Caddo Parish	6.6	Low (<10.0)
Louisiana	Calcasieu Parish	3.4	Low (<10.0)
Louisiana	Caldwell Parish	12.2	Medium (10.0 to 19.9)
Louisiana	Cameron Parish	3.4	Low (<10.0)
Louisiana	Catahoula Parish	5.4	Low (<10.0)
Louisiana	Claiborne Parish	0	Low (<10.0)
Louisiana	Concordia Parish	2.9	Low (<10.0)
Louisiana	De Soto Parish	6.6	Low (<10.0)
Louisiana	East Baton Rouge Parish	5.3	Low (<10.0)
Louisiana	East Carroll Parish	12.2	Medium (10.0 to 19.9)

Louisiana	East Feliciana Parish	5.3	Low (<10.0)
Louisiana	Evangeline Parish	10.4	Medium (10.0 to 19.9)
Louisiana	Franklin Parish	12.2	Medium (10.0 to 19.9)
Louisiana	Grant Parish	5.4	Low (<10.0)
Louisiana	Iberia Parish	6.5	Low (<10.0)
Louisiana	Iberville Parish	5.3	Low (<10.0)
Louisiana	Jackson Parish	2	Low (<10.0)
Louisiana	Jefferson Davis Parish	3.4	Low (<10.0)
Louisiana	Jefferson Parish	10.2	Medium (10.0 to 19.9)
Louisiana	La Salle Parish	5.4	Low (<10.0)
Louisiana	Lafayette Parish	6.5	Low (<10.0)
Louisiana	Lafourche Parish	7	Low (<10.0)
Louisiana	Lincoln Parish	2	Low (<10.0)
Louisiana	Livingston Parish	5.3	Low (<10.0)
Louisiana	Madison Parish	1.5	Low (<10.0)
Louisiana	Morehouse Parish	12.2	Medium (10.0 to 19.9)
Louisiana	Natchitoches Parish	6.6	Low (<10.0)
Louisiana	Orleans Parish	10.2	Medium (10.0 to 19.9)
Louisiana	Ouachita Parish	12.2	Medium (10.0 to 19.9)
Louisiana	Plaquemines Parish	10.2	Medium (10.0 to 19.9)
Louisiana	Pointe Coupee Parish	5.3	Low (<10.0)
Louisiana	Rapides Parish	5.4	Low (<10.0)
Louisiana	Red River Parish	6.6	Low (<10.0)
Louisiana	Richland Parish	12.2	Medium (10.0 to 19.9)
Louisiana	Sabine Parish	6.6	Low (<10.0)
Louisiana	St. Bernard Parish	10.2	Medium (10.0 to 19.9)
Louisiana	St. Charles Parish	10.2	Medium (10.0 to 19.9)
Louisiana	St. Helena Parish	10.4	Medium (10.0 to 19.9)
Louisiana	St. James Parish	10.2	Medium (10.0 to 19.9)
Louisiana	St. John the Baptist Parish	10.2	Medium (10.0 to 19.9)
Louisiana	St. Landry Parish	10.4	Medium (10.0 to 19.9)
Louisiana	St. Martin Parish	6.5	Low (<10.0)
Louisiana	St. Mary Parish	6.1	Low (<10.0)
Louisiana	St. Tammany Parish	10.2	Medium (10.0 to 19.9)
Louisiana	Tangipahoa Parish	10.4	Medium (10.0 to 19.9)
Louisiana	Tensas Parish	2.9	Low (<10.0)
Louisiana	Terrebonne Parish	7	Low (<10.0)
Louisiana	Union Parish	2	Low (<10.0)
Louisiana	Vermilion Parish	6.5	Low (<10.0)

Louisiana	Vernon Parish	3.4	Low (<10.0)
Louisiana	Washington Parish	10.2	Medium (10.0 to 19.9)
Louisiana	Webster Parish	6.6	Low (<10.0)
Louisiana	West Baton Rouge Parish	5.3	Low (<10.0)
Louisiana	West Carroll Parish	12.2	Medium (10.0 to 19.9)
Louisiana	West Feliciana Parish	5.3	Low (<10.0)
Louisiana	Winn Parish	0	Low (<10.0)
Maine	Androscoggin County	6.6	Low (<10.0)
Maine	Aroostook County	7.5	Low (<10.0)
Maine	Cumberland County	4.7	Low (<10.0)
Maine	Franklin County	6.6	Low (<10.0)
Maine	Hancock County	5.5	Low (<10.0)
Maine	Kennebec County	9.9	Low (<10.0)
Maine	Knox County	4.7	Low (<10.0)
Maine	Lincoln County	4.7	Low (<10.0)
Maine	Oxford County	6.6	Low (<10.0)
Maine	Penobscot County	5.5	Low (<10.0)
Maine	Piscataquis County	5.5	Low (<10.0)
Maine	Sagadahoc County	4.7	Low (<10.0)
Maine	Somerset County	9.9	Low (<10.0)
Maine	Waldo County	9.9	Low (<10.0)
Maine	Washington County	5.5	Low (<10.0)
Maine	York County	5.6	Low (<10.0)
Maryland	Allegany County	7.9	Low (<10.0)
Maryland	Anne Arundel County	9.8	Low (<10.0)
Maryland	Baltimore City	9.8	Low (<10.0)
Maryland	Baltimore County	9.8	Low (<10.0)
Maryland	Calvert County	9.8	Low (<10.0)
Maryland	Caroline County	2.6	Low (<10.0)
Maryland	Carroll County	9.8	Low (<10.0)
Maryland	Cecil County	6.2	Low (<10.0)
Maryland	Charles County	5.6	Low (<10.0)
Maryland	Dorchester County	2.6	Low (<10.0)
Maryland	Frederick County	5.2	Low (<10.0)
Maryland	Garrett County	7.9	Low (<10.0)
Maryland	Harford County	6.2	Low (<10.0)
Maryland	Howard County	9.8	Low (<10.0)
Maryland	Kent County	5.1	Low (<10.0)
Maryland	Montgomery County	5.6	Low (<10.0)
Maryland	Prince Georges County	5.6	Low (<10.0)

Maryland	Queen Annes County	2.6	Low (<10.0)
Maryland	Somerset County	11.1	Medium (10.0 to 19.9)
Maryland	St. Marys County	5.6	Low (<10.0)
Maryland	Talbot County	2.6	Low (<10.0)
Maryland	Washington County	5.9	Low (<10.0)
Maryland	Wicomico County	11.1	Medium (10.0 to 19.9)
Maryland	Worcester County	11.1	Medium (10.0 to 19.9)
Massachusetts	Barnstable County	12.4	Medium (10.0 to 19.9)
Massachusetts	Berkshire County	5.2	Low (<10.0)
Massachusetts	Bristol County	9.9	Low (<10.0)
Massachusetts	Dukes County	12.4	Medium (10.0 to 19.9)
Massachusetts	Essex County	8.4	Low (<10.0)
Massachusetts	Franklin County	14.5	Medium (10.0 to 19.9)
Massachusetts	Hampden County	6.1	Low (<10.0)
Massachusetts	Hampshire County	6.1	Low (<10.0)
Massachusetts	Middlesex County	12.4	Medium (10.0 to 19.9)
Massachusetts	Nantucket County	12.4	Medium (10.0 to 19.9)
Massachusetts	Norfolk County	12.4	Medium (10.0 to 19.9)
Massachusetts	Plymouth County	12.4	Medium (10.0 to 19.9)
Massachusetts	Suffolk County	12.4	Medium (10.0 to 19.9)
Massachusetts	Worcester County	14.5	Medium (10.0 to 19.9)
Michigan	Alcona County	6.6	Low (<10.0)
Michigan	Alger County	3.2	Low (<10.0)
Michigan	Allegan County	2.9	Low (<10.0)
Michigan	Alpena County	6.6	Low (<10.0)
Michigan	Antrim County	4	Low (<10.0)
Michigan	Arenac County	7.5	Low (<10.0)
Michigan	Baraga County	6.5	Low (<10.0)
Michigan	Barry County	3.1	Low (<10.0)
Michigan	Bay County	7.5	Low (<10.0)
Michigan	Benzie County	4	Low (<10.0)
Michigan	Berrien County	8.9	Low (<10.0)
Michigan	Branch County	4.6	Low (<10.0)
Michigan	Calhoun County	3.1	Low (<10.0)
Michigan	Cass County	8.9	Low (<10.0)
Michigan	Charlevoix County	7.5	Low (<10.0)
Michigan	Cheboygan County	7.5	Low (<10.0)
Michigan	Chippewa County	7.5	Low (<10.0)
Michigan	Clare County	8.6	Low (<10.0)

Michigan	Clinton County	4.7	Low (<10.0)
Michigan	Crawford County	8	Low (<10.0)
Michigan	Delta County	3.2	Low (<10.0)
Michigan	Dickinson County	10.6	Medium (10.0 to 19.9)
Michigan	Eaton County	4.7	Low (<10.0)
Michigan	Emmet County	7.5	Low (<10.0)
Michigan	Genesee County	10.3	Medium (10.0 to 19.9)
Michigan	Gladwin County	8.6	Low (<10.0)
Michigan	Gogebic County	4.3	Low (<10.0)
Michigan	Grand Traverse County	4	Low (<10.0)
Michigan	Gratiot County	7.5	Low (<10.0)
Michigan	Hillsdale County	4.6	Low (<10.0)
Michigan	Houghton County	6.5	Low (<10.0)
Michigan	Huron County	12.1	Medium (10.0 to 19.9)
Michigan	Ingham County	4.7	Low (<10.0)
Michigan	Ionia County	7.5	Low (<10.0)
Michigan	Iosco County	7.5	Low (<10.0)
Michigan	Iron County	10.6	Medium (10.0 to 19.9)
Michigan	Isabella County	8.6	Low (<10.0)
Michigan	Jackson County	4.6	Low (<10.0)
Michigan	Kalamazoo County	5.5	Low (<10.0)
Michigan	Kalkaska County	4	Low (<10.0)
Michigan	Kent County	7.5	Low (<10.0)
Michigan	Keweenaw County	6.5	Low (<10.0)
Michigan	Lake County	7.1	Low (<10.0)
Michigan	Lapeer County	10.3	Medium (10.0 to 19.9)
Michigan	Leelanau County	4	Low (<10.0)
Michigan	Lenawee County	4.6	Low (<10.0)
Michigan	Livingston County	7.9	Low (<10.0)
Michigan	Luce County	3.2	Low (<10.0)
Michigan	Mackinac County	7.5	Low (<10.0)
Michigan	Macomb County	7.9	Low (<10.0)
Michigan	Manistee County	4	Low (<10.0)
Michigan	Marquette County	3.2	Low (<10.0)
Michigan	Mason County	6.5	Low (<10.0)
Michigan	Mecosta County	7.5	Low (<10.0)
Michigan	Menominee County	10.6	Medium (10.0 to 19.9)
Michigan	Midland County	8.6	Low (<10.0)
Michigan	Missaukee County	7.1	Low (<10.0)

Michigan	Monroe County	10.2	Medium (10.0 to 19.9)
Michigan	Montcalm County	7.5	Low (<10.0)
Michigan	Montmorency County	6.6	Low (<10.0)
Michigan	Muskegon County	6.5	Low (<10.0)
Michigan	Newaygo County	6.5	Low (<10.0)
Michigan	Oakland County	7.9	Low (<10.0)
Michigan	Oceana County	6.5	Low (<10.0)
Michigan	Ogemaw County	7.5	Low (<10.0)
Michigan	Ontonagon County	4.3	Low (<10.0)
Michigan	Osceola County	7.1	Low (<10.0)
Michigan	Oscoda County	7.5	Low (<10.0)
Michigan	Otsego County	8	Low (<10.0)
Michigan	Ottawa County	2.9	Low (<10.0)
Michigan	Presque Isle County	6.6	Low (<10.0)
Michigan	Roscommon County	8	Low (<10.0)
Michigan	Saginaw County	12.1	Medium (10.0 to 19.9)
Michigan	Sanilac County	5.5	Low (<10.0)
Michigan	Schoolcraft County	3.2	Low (<10.0)
Michigan	Shiawassee County	4.7	Low (<10.0)
Michigan	St. Clair County	5.5	Low (<10.0)
Michigan	St. Joseph County	5.5	Low (<10.0)
Michigan	Tuscola County	12.1	Medium (10.0 to 19.9)
Michigan	Van Buren County	8.9	Low (<10.0)
Michigan	Washtenaw County	7.9	Low (<10.0)
Michigan	Wayne County	7.9	Low (<10.0)
Michigan	Wexford County	7.1	Low (<10.0)
Minnesota	Aitkin County	8.2	Low (<10.0)
Minnesota	Anoka County	6.2	Low (<10.0)
Minnesota	Becker County	6.6	Low (<10.0)
Minnesota	Beltrami County	14.3	Medium (10.0 to 19.9)
Minnesota	Benton County	6.7	Low (<10.0)
Minnesota	Big Stone County	16.1	Medium (10.0 to 19.9)
Minnesota	Blue Earth County	4.6	Low (<10.0)
Minnesota	Brown County	7.3	Low (<10.0)
Minnesota	Carlton County	7.1	Low (<10.0)
Minnesota	Carver County	6.2	Low (<10.0)
Minnesota	Cass County	8.2	Low (<10.0)
Minnesota	Chippewa County	3.7	Low (<10.0)
Minnesota	Chisago County	5.3	Low (<10.0)

Minnesota	Clay County	6.6	Low (<10.0)
Minnesota	Clearwater County	14.3	Medium (10.0 to 19.9)
Minnesota	Cook County	7.1	Low (<10.0)
Minnesota	Cottonwood County	2	Low (<10.0)
Minnesota	Crow Wing County	8.2	Low (<10.0)
Minnesota	Dakota County	5.3	Low (<10.0)
Minnesota	Dodge County	8.4	Low (<10.0)
Minnesota	Douglas County	5.1	Low (<10.0)
Minnesota	Faribault County	11.4	Medium (10.0 to 19.9)
Minnesota	Fillmore County	8.4	Low (<10.0)
Minnesota	Freeborn County	11.4	Medium (10.0 to 19.9)
Minnesota	Goodhue County	3.3	Low (<10.0)
Minnesota	Grant County	7.7	Low (<10.0)
Minnesota	Hennepin County	6.2	Low (<10.0)
Minnesota	Houston County	7.8	Low (<10.0)
Minnesota	Hubbard County	8.2	Low (<10.0)
Minnesota	Isanti County	6	Low (<10.0)
Minnesota	Itasca County	7.1	Low (<10.0)
Minnesota	Jackson County	2	Low (<10.0)
Minnesota	Kanabec County	6	Low (<10.0)
Minnesota	Kandiyohi County	3.7	Low (<10.0)
Minnesota	Kittson County	0	Low (<10.0)
Minnesota	Koochiching County	7.1	Low (<10.0)
Minnesota	Lac qui Parle County	3.7	Low (<10.0)
Minnesota	Lake County	7.1	Low (<10.0)
Minnesota	Lake of the Woods County	5.3	Low (<10.0)
Minnesota	Le Sueur County	6.2	Low (<10.0)
Minnesota	Lincoln County	3.2	Low (<10.0)
Minnesota	Lyon County	3.2	Low (<10.0)
Minnesota	Mahnomen County	6.6	Low (<10.0)
Minnesota	Marshall County	0	Low (<10.0)
Minnesota	Martin County	0	Low (<10.0)
Minnesota	McLeod County	6.2	Low (<10.0)
Minnesota	Meeker County	6.7	Low (<10.0)
Minnesota	Mille Lacs County	6	Low (<10.0)
Minnesota	Morrison County	6.7	Low (<10.0)
Minnesota	Mower County	8.4	Low (<10.0)
Minnesota	Murray County	2	Low (<10.0)
Minnesota	Nicollet County	4.6	Low (<10.0)
Minnesota	Nobles County	2	Low (<10.0)

Minnesota	Norman County	6.6	Low (<10.0)
Minnesota	Olmsted County	8.4	Low (<10.0)
Minnesota	Otter Tail County	7.7	Low (<10.0)
Minnesota	Pennington County	0	Low (<10.0)
Minnesota	Pine County	7.1	Low (<10.0)
Minnesota	Pipestone County	12.8	Medium (10.0 to 19.9)
Minnesota	Polk County	0	Low (<10.0)
Minnesota	Pope County	5.1	Low (<10.0)
Minnesota	Ramsey County	5.3	Low (<10.0)
Minnesota	Red Lake County	0	Low (<10.0)
Minnesota	Redwood County	7.3	Low (<10.0)
Minnesota	Renville County	7.3	Low (<10.0)
Minnesota	Rice County	3	Low (<10.0)
Minnesota	Rock County	12.8	Medium (10.0 to 19.9)
Minnesota	Roseau County	5.3	Low (<10.0)
Minnesota	Scott County	6.2	Low (<10.0)
Minnesota	Sherburne County	6.2	Low (<10.0)
Minnesota	Sibley County	6.2	Low (<10.0)
Minnesota	St. Louis County	7.1	Low (<10.0)
Minnesota	Stearns County	6.7	Low (<10.0)
Minnesota	Steele County	8.4	Low (<10.0)
Minnesota	Stevens County	5.1	Low (<10.0)
Minnesota	Swift County	3.7	Low (<10.0)
Minnesota	Todd County	6.7	Low (<10.0)
Minnesota	Traverse County	16.1	Medium (10.0 to 19.9)
Minnesota	Wabasha County	8.4	Low (<10.0)
Minnesota	Wadena County	8.2	Low (<10.0)
Minnesota	Waseca County	4.6	Low (<10.0)
Minnesota	Washington County	5.3	Low (<10.0)
Minnesota	Watsonwan County	4.6	Low (<10.0)
Minnesota	Wilkin County	6.6	Low (<10.0)
Minnesota	Winona County	8.4	Low (<10.0)
Minnesota	Wright County	6.2	Low (<10.0)
Minnesota	Yellow Medicine County	3.7	Low (<10.0)
Mississippi	Adams County	2.9	Low (<10.0)
Mississippi	Alcorn County	12.4	Medium (10.0 to 19.9)
Mississippi	Amite County	11.1	Medium (10.0 to 19.9)
Mississippi	Attala County	8.4	Low (<10.0)
Mississippi	Benton County	3.6	Low (<10.0)

Mississippi	Bolivar County	5.4	Low (<10.0)
Mississippi	Calhoun County	0	Low (<10.0)
Mississippi	Carroll County	2.5	Low (<10.0)
Mississippi	Chickasaw County	4.3	Low (<10.0)
Mississippi	Choctaw County	2.3	Low (<10.0)
Mississippi	Claiborne County	1.5	Low (<10.0)
Mississippi	Clarke County	6.3	Low (<10.0)
Mississippi	Clay County	8.8	Low (<10.0)
Mississippi	Coahoma County	2.3	Low (<10.0)
Mississippi	Copiah County	3.2	Low (<10.0)
Mississippi	Covington County	12.1	Medium (10.0 to 19.9)
Mississippi	DeSoto County	3.6	Low (<10.0)
Mississippi	Forrest County	12.1	Medium (10.0 to 19.9)
Mississippi	Franklin County	2.9	Low (<10.0)
Mississippi	George County	4.8	Low (<10.0)
Mississippi	Greene County	12.1	Medium (10.0 to 19.9)
Mississippi	Grenada County	2.5	Low (<10.0)
Mississippi	Hancock County	2.9	Low (<10.0)
Mississippi	Harrison County	2.9	Low (<10.0)
Mississippi	Hinds County	8.4	Low (<10.0)
Mississippi	Holmes County	8.4	Low (<10.0)
Mississippi	Humphreys County	5.4	Low (<10.0)
Mississippi	Issaquena County	0	Low (<10.0)
Mississippi	Itawamba County	4.3	Low (<10.0)
Mississippi	Jackson County	4.8	Low (<10.0)
Mississippi	Jasper County	6.6	Low (<10.0)
Mississippi	Jefferson County	2.9	Low (<10.0)
Mississippi	Jefferson Davis County	0	Low (<10.0)
Mississippi	Jones County	6.6	Low (<10.0)
Mississippi	Kemper County	6.3	Low (<10.0)
Mississippi	Lafayette County	0	Low (<10.0)
Mississippi	Lamar County	12.1	Medium (10.0 to 19.9)
Mississippi	Lauderdale County	6.3	Low (<10.0)
Mississippi	Lawrence County	0	Low (<10.0)
Mississippi	Leake County	8.4	Low (<10.0)
Mississippi	Lee County	4.3	Low (<10.0)
Mississippi	Leflore County	5.4	Low (<10.0)
Mississippi	Lincoln County	3.2	Low (<10.0)
Mississippi	Lowndes County	8.8	Low (<10.0)

Mississippi	Madison County	8.4	Low (<10.0)
Mississippi	Marion County	11.1	Medium (10.0 to 19.9)
Mississippi	Marshall County	3.6	Low (<10.0)
Mississippi	Monroe County	4.3	Low (<10.0)
Mississippi	Montgomery County	2.5	Low (<10.0)
Mississippi	Neshoba County	6.3	Low (<10.0)
Mississippi	Newton County	6.3	Low (<10.0)
Mississippi	Noxubee County	8.8	Low (<10.0)
Mississippi	Oktibbeha County	2.3	Low (<10.0)
Mississippi	Panola County	3.6	Low (<10.0)
Mississippi	Pearl River County	10.2	Medium (10.0 to 19.9)
Mississippi	Perry County	12.1	Medium (10.0 to 19.9)
Mississippi	Pike County	11.1	Medium (10.0 to 19.9)
Mississippi	Pontotoc County	0	Low (<10.0)
Mississippi	Prentiss County	4.3	Low (<10.0)
Mississippi	Quitman County	2.3	Low (<10.0)
Mississippi	Rankin County	8.4	Low (<10.0)
Mississippi	Scott County	8.4	Low (<10.0)
Mississippi	Sharkey County	0	Low (<10.0)
Mississippi	Simpson County	8.4	Low (<10.0)
Mississippi	Smith County	6.6	Low (<10.0)
Mississippi	Stone County	2.9	Low (<10.0)
Mississippi	Sunflower County	5.4	Low (<10.0)
Mississippi	Tallahatchie County	2.3	Low (<10.0)
Mississippi	Tate County	3.6	Low (<10.0)
Mississippi	Tippah County	0	Low (<10.0)
Mississippi	Tishomingo County	12.4	Medium (10.0 to 19.9)
Mississippi	Tunica County	3.6	Low (<10.0)
Mississippi	Union County	0	Low (<10.0)
Mississippi	Walthall County	11.1	Medium (10.0 to 19.9)
Mississippi	Warren County	1.5	Low (<10.0)
Mississippi	Washington County	0	Low (<10.0)
Mississippi	Wayne County	6.6	Low (<10.0)
Mississippi	Webster County	2.3	Low (<10.0)
Mississippi	Wilkinson County	0	Low (<10.0)
Mississippi	Winston County	2.3	Low (<10.0)
Mississippi	Yalobusha County	0	Low (<10.0)
Mississippi	Yazoo County	0	Low (<10.0)
Missouri	Adair County	0	Low (<10.0)
Missouri	Andrew County	10.4	Medium (10.0 to 19.9)

Missouri	Atchison County	0	Low (<10.0)
Missouri	Audrain County	11.2	Medium (10.0 to 19.9)
Missouri	Barry County	4.5	Low (<10.0)
Missouri	Barton County	11.5	Medium (10.0 to 19.9)
Missouri	Bates County	35.9	High (≥20.0)
Missouri	Benton County	17.1	Medium (10.0 to 19.9)
Missouri	Bollinger County	8.1	Low (<10.0)
Missouri	Boone County	11.2	Medium (10.0 to 19.9)
Missouri	Buchanan County	10.4	Medium (10.0 to 19.9)
Missouri	Butler County	8.1	Low (<10.0)
Missouri	Caldwell County	7.7	Low (<10.0)
Missouri	Callaway County	6.2	Low (<10.0)
Missouri	Camden County	6.5	Low (<10.0)
Missouri	Cape Girardeau County	8.1	Low (<10.0)
Missouri	Carroll County	8.4	Low (<10.0)
Missouri	Carter County	8.1	Low (<10.0)
Missouri	Cass County	7.7	Low (<10.0)
Missouri	Cedar County	2.9	Low (<10.0)
Missouri	Chariton County	11.2	Medium (10.0 to 19.9)
Missouri	Christian County	4.5	Low (<10.0)
Missouri	Clark County	0	Low (<10.0)
Missouri	Clay County	7.7	Low (<10.0)
Missouri	Clinton County	7.7	Low (<10.0)
Missouri	Cole County	6.2	Low (<10.0)
Missouri	Cooper County	11.2	Medium (10.0 to 19.9)
Missouri	Crawford County	6.2	Low (<10.0)
Missouri	Dade County	4.5	Low (<10.0)
Missouri	Dallas County	4.5	Low (<10.0)
Missouri	Daviess County	7.7	Low (<10.0)
Missouri	DeKalb County	10.4	Medium (10.0 to 19.9)
Missouri	Dent County	3.4	Low (<10.0)
Missouri	Douglas County	4.5	Low (<10.0)
Missouri	Dunklin County	14	Medium (10.0 to 19.9)
Missouri	Franklin County	11.4	Medium (10.0 to 19.9)
Missouri	Gasconade County	6.2	Low (<10.0)
Missouri	Gentry County	10.4	Medium (10.0 to 19.9)
Missouri	Greene County	4.5	Low (<10.0)
Missouri	Grundy County	0	Low (<10.0)
Missouri	Harrison County	10.4	Medium (10.0 to 19.9)

Missouri	Henry County	35.9	High (≥ 20.0)
Missouri	Hickory County	4.5	Low (< 10.0)
Missouri	Holt County	0	Low (< 10.0)
Missouri	Howard County	11.2	Medium (10.0 to 19.9)
Missouri	Howell County	34.7	High (≥ 20.0)
Missouri	Iron County	11.4	Medium (10.0 to 19.9)
Missouri	Jackson County	7.7	Low (< 10.0)
Missouri	Jasper County	11.5	Medium (10.0 to 19.9)
Missouri	Jefferson County	11.4	Medium (10.0 to 19.9)
Missouri	Johnson County	7.7	Low (< 10.0)
Missouri	Knox County	0	Low (< 10.0)
Missouri	Laclede County	4.5	Low (< 10.0)
Missouri	Lafayette County	7.7	Low (< 10.0)
Missouri	Lawrence County	4.5	Low (< 10.0)
Missouri	Lewis County	6.8	Low (< 10.0)
Missouri	Lincoln County	5.3	Low (< 10.0)
Missouri	Linn County	0	Low (< 10.0)
Missouri	Livingston County	8.4	Low (< 10.0)
Missouri	Macon County	11.2	Medium (10.0 to 19.9)
Missouri	Madison County	0	Low (< 10.0)
Missouri	Maries County	6.2	Low (< 10.0)
Missouri	Marion County	6.8	Low (< 10.0)
Missouri	McDonald County	11.5	Medium (10.0 to 19.9)
Missouri	Mercer County	0	Low (< 10.0)
Missouri	Miller County	6.2	Low (< 10.0)
Missouri	Mississippi County	8.1	Low (< 10.0)
Missouri	Moniteau County	6.2	Low (< 10.0)
Missouri	Monroe County	11.2	Medium (10.0 to 19.9)
Missouri	Montgomery County	5.3	Low (< 10.0)
Missouri	Morgan County	17.1	Medium (10.0 to 19.9)
Missouri	New Madrid County	8.1	Low (< 10.0)
Missouri	Newton County	11.5	Medium (10.0 to 19.9)
Missouri	Nodaway County	10.4	Medium (10.0 to 19.9)
Missouri	Oregon County	34.7	High (≥ 20.0)
Missouri	Osage County	6.2	Low (< 10.0)
Missouri	Ozark County	4.5	Low (< 10.0)
Missouri	Pemiscot County	1.8	Low (< 10.0)
Missouri	Perry County	8.1	Low (< 10.0)
Missouri	Pettis County	17.1	Medium (10.0 to 19.9)

Missouri	Phelps County	3.4	Low (<10.0)
Missouri	Pike County	6.8	Low (<10.0)
Missouri	Platte County	7.7	Low (<10.0)
Missouri	Polk County	4.5	Low (<10.0)
Missouri	Pulaski County	3.4	Low (<10.0)
Missouri	Putnam County	0	Low (<10.0)
Missouri	Ralls County	6.8	Low (<10.0)
Missouri	Randolph County	11.2	Medium (10.0 to 19.9)
Missouri	Ray County	7.7	Low (<10.0)
Missouri	Reynolds County	3.4	Low (<10.0)
Missouri	Ripley County	8.1	Low (<10.0)
Missouri	Saline County	17.1	Medium (10.0 to 19.9)
Missouri	Schuyler County	0	Low (<10.0)
Missouri	Scotland County	0	Low (<10.0)
Missouri	Scott County	8.1	Low (<10.0)
Missouri	Shannon County	34.7	High (≥20.0)
Missouri	Shelby County	11.2	Medium (10.0 to 19.9)
Missouri	St. Charles County	5.3	Low (<10.0)
Missouri	St. Clair County	35.9	High (≥20.0)
Missouri	St. Francois County	11.4	Medium (10.0 to 19.9)
Missouri	St. Genevieve County	11.4	Medium (10.0 to 19.9)
Missouri	St. Louis City	11.4	Medium (10.0 to 19.9)
Missouri	St. Louis County	11.4	Medium (10.0 to 19.9)
Missouri	Stoddard County	8.1	Low (<10.0)
Missouri	Stone County	4.5	Low (<10.0)
Missouri	Sullivan County	0	Low (<10.0)
Missouri	Taney County	10.7	Medium (10.0 to 19.9)
Missouri	Texas County	4.5	Low (<10.0)
Missouri	Vernon County	2.9	Low (<10.0)
Missouri	Warren County	5.3	Low (<10.0)
Missouri	Washington County	11.4	Medium (10.0 to 19.9)
Missouri	Wayne County	8.1	Low (<10.0)
Missouri	Webster County	4.5	Low (<10.0)
Missouri	Worth County	10.4	Medium (10.0 to 19.9)
Missouri	Wright County	4.5	Low (<10.0)
Montana	Beaverhead County	11.2	Medium (10.0 to 19.9)
Montana	Big Horn County	9.5	Low (<10.0)
Montana	Blaine County	3.4	Low (<10.0)
Montana	Broadwater County	3.4	Low (<10.0)
Montana	Carbon County	9.5	Low (<10.0)

Montana	Carter County	15.4	Medium (10.0 to 19.9)
Montana	Cascade County	3.3	Low (<10.0)
Montana	Chouteau County	3.3	Low (<10.0)
Montana	Custer County	15.4	Medium (10.0 to 19.9)
Montana	Daniels County	0	Low (<10.0)
Montana	Dawson County	22.7	High (≥20.0)
Montana	Deer Lodge County	11.2	Medium (10.0 to 19.9)
Montana	Fallon County	15.4	Medium (10.0 to 19.9)
Montana	Fergus County	17.3	Medium (10.0 to 19.9)
Montana	Flathead County	4.8	Low (<10.0)
Montana	Gallatin County and Yellowstone National Park	2.4	Low (<10.0)
Montana	Garfield County	15.4	Medium (10.0 to 19.9)
Montana	Glacier County	3.3	Low (<10.0)
Montana	Golden Valley County	9.5	Low (<10.0)
Montana	Granite County	3.7	Low (<10.0)
Montana	Hill County	3.4	Low (<10.0)
Montana	Jefferson County	3.4	Low (<10.0)
Montana	Judith Basin County	3.3	Low (<10.0)
Montana	Lake County	3.7	Low (<10.0)
Montana	Lewis and Clark County	3.4	Low (<10.0)
Montana	Liberty County	3.4	Low (<10.0)
Montana	Lincoln County	4.8	Low (<10.0)
Montana	Madison County	2.4	Low (<10.0)
Montana	McCone County	22.7	High (≥20.0)
Montana	Meagher County	0	Low (<10.0)
Montana	Mineral County	3.7	Low (<10.0)
Montana	Missoula County	3.7	Low (<10.0)
Montana	Musselshell County	9.5	Low (<10.0)
Montana	Park County	9.8	Low (<10.0)
Montana	Petroleum County	17.3	Medium (10.0 to 19.9)
Montana	Phillips County	3.4	Low (<10.0)
Montana	Pondera County	3.3	Low (<10.0)
Montana	Powder River County	15.4	Medium (10.0 to 19.9)
Montana	Powell County	0	Low (<10.0)
Montana	Prairie County	15.4	Medium (10.0 to 19.9)
Montana	Ravalli County	3.7	Low (<10.0)
Montana	Richland County	22.7	High (≥20.0)
Montana	Roosevelt County	5.4	Low (<10.0)

Montana	Rosebud County	9.5	Low (<10.0)
Montana	Sanders County	3.7	Low (<10.0)
Montana	Sheridan County	0	Low (<10.0)
Montana	Silver Bow County	11.2	Medium (10.0 to 19.9)
Montana	Stillwater County	9.5	Low (<10.0)
Montana	Sweet Grass County	9.8	Low (<10.0)
Montana	Teton County	3.3	Low (<10.0)
Montana	Toole County	3.3	Low (<10.0)
Montana	Treasure County	9.5	Low (<10.0)
Montana	Valley County	5.4	Low (<10.0)
Montana	Wheatland County	0	Low (<10.0)
Montana	Wibaux County	22.7	High (≥20.0)
Montana	Yellowstone County	9.5	Low (<10.0)
Nebraska	Adams County	4.4	Low (<10.0)
Nebraska	Antelope County	0	Low (<10.0)
Nebraska	Arthur County	10.5	Medium (10.0 to 19.9)
Nebraska	Banner County	12.9	Medium (10.0 to 19.9)
Nebraska	Blaine County	0	Low (<10.0)
Nebraska	Boone County	2.4	Low (<10.0)
Nebraska	Box Butte County	12.9	Medium (10.0 to 19.9)
Nebraska	Boyd County	0	Low (<10.0)
Nebraska	Brown County	6.6	Low (<10.0)
Nebraska	Buffalo County	4.4	Low (<10.0)
Nebraska	Burt County	5.2	Low (<10.0)
Nebraska	Butler County	4.6	Low (<10.0)
Nebraska	Cass County	5.2	Low (<10.0)
Nebraska	Cedar County	8.8	Low (<10.0)
Nebraska	Chase County	0	Low (<10.0)
Nebraska	Cherry County	0	Low (<10.0)
Nebraska	Cheyenne County	3.5	Low (<10.0)
Nebraska	Clay County	4.4	Low (<10.0)
Nebraska	Colfax County	5.2	Low (<10.0)
Nebraska	Cuming County	5.2	Low (<10.0)
Nebraska	Custer County	0	Low (<10.0)
Nebraska	Dakota County	8.7	Low (<10.0)
Nebraska	Dawes County	0	Low (<10.0)
Nebraska	Dawson County	4.4	Low (<10.0)
Nebraska	Deuel County	3.5	Low (<10.0)
Nebraska	Dixon County	8.7	Low (<10.0)

Nebraska	Dodge County	5.2	Low (<10.0)
Nebraska	Douglas County	5.2	Low (<10.0)
Nebraska	Dundy County	0	Low (<10.0)
Nebraska	Fillmore County	0	Low (<10.0)
Nebraska	Franklin County	4.4	Low (<10.0)
Nebraska	Frontier County	4.4	Low (<10.0)
Nebraska	Furnas County	0	Low (<10.0)
Nebraska	Gage County	4.6	Low (<10.0)
Nebraska	Garden County	12.9	Medium (10.0 to 19.9)
Nebraska	Garfield County	0	Low (<10.0)
Nebraska	Gosper County	4.4	Low (<10.0)
Nebraska	Grant County	12.9	Medium (10.0 to 19.9)
Nebraska	Greeley County	22.9	High (≥20.0)
Nebraska	Hall County	22.9	High (≥20.0)
Nebraska	Hamilton County	22.9	High (≥20.0)
Nebraska	Harlan County	0	Low (<10.0)
Nebraska	Hayes County	0	Low (<10.0)
Nebraska	Hitchcock County	0	Low (<10.0)
Nebraska	Holt County	6.6	Low (<10.0)
Nebraska	Hooker County	10.5	Medium (10.0 to 19.9)
Nebraska	Howard County	22.9	High (≥20.0)
Nebraska	Jefferson County	4.6	Low (<10.0)
Nebraska	Johnson County	42.7	High (≥20.0)
Nebraska	Kearney County	4.4	Low (<10.0)
Nebraska	Keith County	10.5	Medium (10.0 to 19.9)
Nebraska	Keya Paha County	6.6	Low (<10.0)
Nebraska	Kimball County	3.5	Low (<10.0)
Nebraska	Knox County	8.8	Low (<10.0)
Nebraska	Lancaster County	4.6	Low (<10.0)
Nebraska	Lincoln County	10.5	Medium (10.0 to 19.9)
Nebraska	Logan County	0	Low (<10.0)
Nebraska	Loup County	0	Low (<10.0)
Nebraska	Madison County	0	Low (<10.0)
Nebraska	McPherson County	10.5	Medium (10.0 to 19.9)
Nebraska	Merrick County	22.9	High (≥20.0)
Nebraska	Morrill County	12.9	Medium (10.0 to 19.9)
Nebraska	Nance County	2.4	Low (<10.0)
Nebraska	Nemaha County	0	Low (<10.0)
Nebraska	Nuckolls County	4.4	Low (<10.0)
Nebraska	Otoe County	42.7	High (≥20.0)

Nebraska	Pawnee County	85.9	High (≥ 20.0)
Nebraska	Perkins County	10.5	Medium (10.0 to 19.9)
Nebraska	Phelps County	0	Low (< 10.0)
Nebraska	Pierce County	0	Low (< 10.0)
Nebraska	Platte County	2.4	Low (< 10.0)
Nebraska	Polk County	0	Low (< 10.0)
Nebraska	Red Willow County	0	Low (< 10.0)
Nebraska	Richardson County	85.9	High (≥ 20.0)
Nebraska	Rock County	6.6	Low (< 10.0)
Nebraska	Saline County	4.6	Low (< 10.0)
Nebraska	Sarpy County	5.2	Low (< 10.0)
Nebraska	Saunders County	5.2	Low (< 10.0)
Nebraska	Scotts Bluff County	12.9	Medium (10.0 to 19.9)
Nebraska	Seward County	4.6	Low (< 10.0)
Nebraska	Sheridan County	0	Low (< 10.0)
Nebraska	Sherman County	4.4	Low (< 10.0)
Nebraska	Sioux County	0	Low (< 10.0)
Nebraska	Stanton County	0	Low (< 10.0)
Nebraska	Thayer County	0	Low (< 10.0)
Nebraska	Thomas County	0	Low (< 10.0)
Nebraska	Thurston County	8.7	Low (< 10.0)
Nebraska	Valley County	0	Low (< 10.0)
Nebraska	Washington County	5.2	Low (< 10.0)
Nebraska	Wayne County	0	Low (< 10.0)
Nebraska	Webster County	4.4	Low (< 10.0)
Nebraska	Wheeler County	0	Low (< 10.0)
Nebraska	York County	0	Low (< 10.0)
Nevada	Carson City	4	Low (< 10.0)
Nevada	Churchill County	4	Low (< 10.0)
Nevada	Clark County	7.4	Low (< 10.0)
Nevada	Douglas County	4	Low (< 10.0)
Nevada	Elko County	0	Low (< 10.0)
Nevada	Esmeralda County	7.4	Low (< 10.0)
Nevada	Eureka County	0	Low (< 10.0)
Nevada	Humboldt County	4	Low (< 10.0)
Nevada	Lander County	0	Low (< 10.0)
Nevada	Lincoln County	7.4	Low (< 10.0)
Nevada	Lyon County	4	Low (< 10.0)
Nevada	Mineral County	4	Low (< 10.0)

Nevada	Nye County	7.4	Low (<10.0)
Nevada	Pershing County	4	Low (<10.0)
Nevada	Storey County	4	Low (<10.0)
Nevada	Washoe County	4	Low (<10.0)
Nevada	White Pine County	20.9	High (≥20.0)
New Hampshire	Belknap County	5	Low (<10.0)
New Hampshire	Carroll County	5	Low (<10.0)
New Hampshire	Cheshire County	10.1	Medium (10.0 to 19.9)
New Hampshire	Coos County	5.3	Low (<10.0)
New Hampshire	Grafton County	12	Medium (10.0 to 19.9)
New Hampshire	Hillsborough County	5	Low (<10.0)
New Hampshire	Merrimack County	5	Low (<10.0)
New Hampshire	Rockingham County	8.4	Low (<10.0)
New Hampshire	Strafford County	5.6	Low (<10.0)
New Hampshire	Sullivan County	12	Medium (10.0 to 19.9)
New Jersey	Atlantic County	19.7	Medium (10.0 to 19.9)
New Jersey	Bergen County	10.8	Medium (10.0 to 19.9)
New Jersey	Burlington County	12.2	Medium (10.0 to 19.9)
New Jersey	Camden County	12.2	Medium (10.0 to 19.9)
New Jersey	Cape May County	19.7	Medium (10.0 to 19.9)
New Jersey	Cumberland County	14.7	Medium (10.0 to 19.9)
New Jersey	Essex County	10.6	Medium (10.0 to 19.9)
New Jersey	Gloucester County	12.2	Medium (10.0 to 19.9)
New Jersey	Hudson County	10.8	Medium (10.0 to 19.9)
New Jersey	Hunterdon County	7.4	Low (<10.0)
New Jersey	Mercer County	11.4	Medium (10.0 to 19.9)
New Jersey	Middlesex County	10.6	Medium (10.0 to 19.9)
New Jersey	Monmouth County	15	Medium (10.0 to 19.9)
New Jersey	Morris County	8.7	Low (<10.0)
New Jersey	Ocean County	15	Medium (10.0 to 19.9)
New Jersey	Passaic County	10.8	Medium (10.0 to 19.9)
New Jersey	Salem County	12.2	Medium (10.0 to 19.9)
New Jersey	Somerset County	10.6	Medium (10.0 to 19.9)
New Jersey	Sussex County	8.7	Low (<10.0)
New Jersey	Union County	10.6	Medium (10.0 to 19.9)
New Jersey	Warren County	7.4	Low (<10.0)
New Mexico	Bernalillo County	3.4	Low (<10.0)
New Mexico	Catron County	0	Low (<10.0)
New Mexico	Chaves County	0	Low (<10.0)

New Mexico	Cibola County	3.4	Low (<10.0)
New Mexico	Colfax County	4	Low (<10.0)
New Mexico	Curry County	0	Low (<10.0)
New Mexico	De Baca County	0	Low (<10.0)
New Mexico	Dona Ana County	1.6	Low (<10.0)
New Mexico	Eddy County	0	Low (<10.0)
New Mexico	Grant County	0	Low (<10.0)
New Mexico	Guadalupe County	0	Low (<10.0)
New Mexico	Harding County	0	Low (<10.0)
New Mexico	Hidalgo County	0	Low (<10.0)
New Mexico	Lea County	0.9	Low (<10.0)
New Mexico	Lincoln County	4.6	Low (<10.0)
New Mexico	Los Alamos County	3.7	Low (<10.0)
New Mexico	Luna County	1.6	Low (<10.0)
New Mexico	McKinley County	4.9	Low (<10.0)
New Mexico	Mora County	0	Low (<10.0)
New Mexico	Otero County	4.6	Low (<10.0)
New Mexico	Quay County	0	Low (<10.0)
New Mexico	Rio Arriba County	3.7	Low (<10.0)
New Mexico	Roosevelt County	0	Low (<10.0)
New Mexico	San Juan County	3.4	Low (<10.0)
New Mexico	San Miguel County	0	Low (<10.0)
New Mexico	Sandoval County	3.4	Low (<10.0)
New Mexico	Santa Fe County	3.7	Low (<10.0)
New Mexico	Sierra County	1.6	Low (<10.0)
New Mexico	Socorro County	3.4	Low (<10.0)
New Mexico	Taos County	3.7	Low (<10.0)
New Mexico	Torrance County	3.4	Low (<10.0)
New Mexico	Union County	0	Low (<10.0)
New Mexico	Valencia County	3.4	Low (<10.0)
New York	Albany County	18.8	Medium (10.0 to 19.9)
New York	Allegany County	10.3	Medium (10.0 to 19.9)
New York	Bronx County	10.5	Medium (10.0 to 19.9)
New York	Broome County	6.1	Low (<10.0)
New York	Cattaraugus County	10.3	Medium (10.0 to 19.9)
New York	Cayuga County	13.1	Medium (10.0 to 19.9)
New York	Chautauqua County	5.7	Low (<10.0)
New York	Chemung County	11.7	Medium (10.0 to 19.9)
New York	Chenango County	15.9	Medium (10.0 to 19.9)

New York	Clinton County	2.4	Low (<10.0)
New York	Columbia County	5.2	Low (<10.0)
New York	Cortland County	6.7	Low (<10.0)
New York	Delaware County	15.9	Medium (10.0 to 19.9)
New York	Dutchess County	12	Medium (10.0 to 19.9)
New York	Erie County	12	Medium (10.0 to 19.9)
New York	Essex County	2.4	Low (<10.0)
New York	Franklin County	2.4	Low (<10.0)
New York	Fulton County	3.9	Low (<10.0)
New York	Genesee County	12	Medium (10.0 to 19.9)
New York	Greene County	5.2	Low (<10.0)
New York	Hamilton County	27.6	High (≥20.0)
New York	Herkimer County	3.6	Low (<10.0)
New York	Jefferson County	11.5	Medium (10.0 to 19.9)
New York	Kings County	10.5	Medium (10.0 to 19.9)
New York	Lewis County	11.5	Medium (10.0 to 19.9)
New York	Livingston County	12	Medium (10.0 to 19.9)
New York	Madison County	3.6	Low (<10.0)
New York	Monroe County	12	Medium (10.0 to 19.9)
New York	Montgomery County	3.9	Low (<10.0)
New York	Nassau County	18.1	Medium (10.0 to 19.9)
New York	New York County	10.5	Medium (10.0 to 19.9)
New York	Niagara County	12	Medium (10.0 to 19.9)
New York	Oneida County	3.6	Low (<10.0)
New York	Onondaga County	13.1	Medium (10.0 to 19.9)
New York	Ontario County	14.3	Medium (10.0 to 19.9)
New York	Orange County	13.4	Medium (10.0 to 19.9)
New York	Orleans County	12	Medium (10.0 to 19.9)
New York	Oswego County	13.1	Medium (10.0 to 19.9)
New York	Otsego County	15.9	Medium (10.0 to 19.9)
New York	Putnam County	12	Medium (10.0 to 19.9)
New York	Queens County	10.5	Medium (10.0 to 19.9)
New York	Rensselaer County	18.8	Medium (10.0 to 19.9)
New York	Richmond County	10.5	Medium (10.0 to 19.9)
New York	Rockland County	10.8	Medium (10.0 to 19.9)
New York	Saratoga County	27.6	High (≥20.0)
New York	Schenectady County	27.6	High (≥20.0)
New York	Schoharie County	15.9	Medium (10.0 to 19.9)
New York	Schuyler County	11.7	Medium (10.0 to 19.9)
New York	Seneca County	14.3	Medium (10.0 to 19.9)

New York	St. Lawrence County	11.5	Medium (10.0 to 19.9)
New York	Steuben County	11.7	Medium (10.0 to 19.9)
New York	Suffolk County	18.1	Medium (10.0 to 19.9)
New York	Sullivan County	13.4	Medium (10.0 to 19.9)
New York	Tioga County	6.1	Low (<10.0)
New York	Tompkins County	6.7	Low (<10.0)
New York	Ulster County	12	Medium (10.0 to 19.9)
New York	Warren County	27.6	High (≥20.0)
New York	Washington County	27.6	High (≥20.0)
New York	Wayne County	14.3	Medium (10.0 to 19.9)
New York	Westchester County	12	Medium (10.0 to 19.9)
New York	Wyoming County	12	Medium (10.0 to 19.9)
New York	Yates County	14.3	Medium (10.0 to 19.9)
North Carolina	Alamance County	7.1	Low (<10.0)
North Carolina	Alexander County	6.8	Low (<10.0)
North Carolina	Alleghany County	1.6	Low (<10.0)
North Carolina	Anson County	8.4	Low (<10.0)
North Carolina	Ashe County	4	Low (<10.0)
North Carolina	Avery County	2	Low (<10.0)
North Carolina	Beaufort County	15.5	Medium (10.0 to 19.9)
North Carolina	Bertie County	1.5	Low (<10.0)
North Carolina	Bladen County	5.9	Low (<10.0)
North Carolina	Brunswick County	4.3	Low (<10.0)
North Carolina	Buncombe County	3	Low (<10.0)
North Carolina	Burke County	6.6	Low (<10.0)
North Carolina	Cabarrus County	10.4	Medium (10.0 to 19.9)
North Carolina	Caldwell County	6.6	Low (<10.0)
North Carolina	Camden County	3	Low (<10.0)
North Carolina	Carteret County	8.2	Low (<10.0)
North Carolina	Caswell County	2.5	Low (<10.0)
North Carolina	Catawba County	6.6	Low (<10.0)
North Carolina	Chatham County	7.4	Low (<10.0)
North Carolina	Cherokee County	0	Low (<10.0)
North Carolina	Chowan County	1.5	Low (<10.0)
North Carolina	Clay County	0	Low (<10.0)
North Carolina	Cleveland County	5.9	Low (<10.0)
North Carolina	Columbus County	5.9	Low (<10.0)
North Carolina	Craven County	8.2	Low (<10.0)
North Carolina	Cumberland County	6.3	Low (<10.0)

North Carolina	Currituck County	7.2	Low (<10.0)
North Carolina	Dare County	3	Low (<10.0)
North Carolina	Davidson County	4.7	Low (<10.0)
North Carolina	Davie County	13.3	Medium (10.0 to 19.9)
North Carolina	Duplin County	6.6	Low (<10.0)
North Carolina	Durham County	7.6	Low (<10.0)
North Carolina	Edgecombe County	10.7	Medium (10.0 to 19.9)
North Carolina	Forsyth County	13.3	Medium (10.0 to 19.9)
North Carolina	Franklin County	3.7	Low (<10.0)
North Carolina	Gaston County	5.9	Low (<10.0)
North Carolina	Gates County	1.5	Low (<10.0)
North Carolina	Graham County	2	Low (<10.0)
North Carolina	Granville County	7.6	Low (<10.0)
North Carolina	Greene County	6.6	Low (<10.0)
North Carolina	Guilford County	4.7	Low (<10.0)
North Carolina	Halifax County	10.7	Medium (10.0 to 19.9)
North Carolina	Harnett County	7.4	Low (<10.0)
North Carolina	Haywood County	3	Low (<10.0)
North Carolina	Henderson County	3	Low (<10.0)
North Carolina	Hertford County	1.5	Low (<10.0)
North Carolina	Hoke County	8.3	Low (<10.0)
North Carolina	Hyde County	15.5	Medium (10.0 to 19.9)
North Carolina	Iredell County	6.8	Low (<10.0)
North Carolina	Jackson County	2	Low (<10.0)
North Carolina	Johnston County	3.7	Low (<10.0)
North Carolina	Jones County	8.2	Low (<10.0)
North Carolina	Lee County	7.4	Low (<10.0)
North Carolina	Lenoir County	6.6	Low (<10.0)
North Carolina	Lincoln County	5.9	Low (<10.0)
North Carolina	Macon County	2	Low (<10.0)
North Carolina	Madison County	3	Low (<10.0)
North Carolina	Martin County	15.5	Medium (10.0 to 19.9)
North Carolina	McDowell County	0	Low (<10.0)
North Carolina	Mecklenburg County	8.4	Low (<10.0)
North Carolina	Mitchell County	2	Low (<10.0)
North Carolina	Montgomery County	8.3	Low (<10.0)
North Carolina	Moore County	8.3	Low (<10.0)
North Carolina	Nash County	10.7	Medium (10.0 to 19.9)
North Carolina	New Hanover County	4.3	Low (<10.0)

North Carolina	Northampton County	10.7	Medium (10.0 to 19.9)
North Carolina	Onslow County	8.2	Low (<10.0)
North Carolina	Orange County	7.4	Low (<10.0)
North Carolina	Pamlico County	8.2	Low (<10.0)
North Carolina	Pasquotank County	3	Low (<10.0)
North Carolina	Pender County	4.3	Low (<10.0)
North Carolina	Perquimans County	3	Low (<10.0)
North Carolina	Person County	7.6	Low (<10.0)
North Carolina	Pitt County	15.5	Medium (10.0 to 19.9)
North Carolina	Polk County	11.1	Medium (10.0 to 19.9)
North Carolina	Randolph County	4.7	Low (<10.0)
North Carolina	Richmond County	8.3	Low (<10.0)
North Carolina	Robeson County	5.9	Low (<10.0)
North Carolina	Rockingham County	4.7	Low (<10.0)
North Carolina	Rowan County	10.4	Medium (10.0 to 19.9)
North Carolina	Rutherford County	5.9	Low (<10.0)
North Carolina	Sampson County	6.3	Low (<10.0)
North Carolina	Scotland County	5.9	Low (<10.0)
North Carolina	Stanly County	10.4	Medium (10.0 to 19.9)
North Carolina	Stokes County	13.3	Medium (10.0 to 19.9)
North Carolina	Surry County	13.3	Medium (10.0 to 19.9)
North Carolina	Swain County	2	Low (<10.0)
North Carolina	Transylvania County	3	Low (<10.0)
North Carolina	Tyrrell County	15.5	Medium (10.0 to 19.9)
North Carolina	Union County	8.4	Low (<10.0)
North Carolina	Vance County	7.6	Low (<10.0)
North Carolina	Wake County	3.7	Low (<10.0)
North Carolina	Warren County	7.6	Low (<10.0)
North Carolina	Washington County	15.5	Medium (10.0 to 19.9)
North Carolina	Watauga County	4	Low (<10.0)
North Carolina	Wayne County	6.6	Low (<10.0)
North Carolina	Wilkes County	10.2	Medium (10.0 to 19.9)
North Carolina	Wilson County	3.7	Low (<10.0)
North Carolina	Yadkin County	13.3	Medium (10.0 to 19.9)
North Carolina	Yancey County	2	Low (<10.0)
North Dakota	Adams County	0	Low (<10.0)
North Dakota	Barnes County	6.6	Low (<10.0)
North Dakota	Benson County	4.8	Low (<10.0)
North Dakota	Billings County	7.8	Low (<10.0)
North Dakota	Bottineau County	3.2	Low (<10.0)

North Dakota	Bowman County	0	Low (<10.0)
North Dakota	Burke County	3.2	Low (<10.0)
North Dakota	Burleigh County	10.8	Medium (10.0 to 19.9)
North Dakota	Cass County	6.6	Low (<10.0)
North Dakota	Cavalier County	0	Low (<10.0)
North Dakota	Dickey County	0	Low (<10.0)
North Dakota	Divide County	3.6	Low (<10.0)
North Dakota	Dunn County	7.8	Low (<10.0)
North Dakota	Eddy County	4.8	Low (<10.0)
North Dakota	Emmons County	10.8	Medium (10.0 to 19.9)
North Dakota	Foster County	0	Low (<10.0)
North Dakota	Golden Valley County	7.8	Low (<10.0)
North Dakota	Grand Forks County	0	Low (<10.0)
North Dakota	Grant County	0	Low (<10.0)
North Dakota	Griggs County	6.6	Low (<10.0)
North Dakota	Hettinger County	0	Low (<10.0)
North Dakota	Kidder County	10.8	Medium (10.0 to 19.9)
North Dakota	LaMoure County	0	Low (<10.0)
North Dakota	Logan County	0	Low (<10.0)
North Dakota	McHenry County	3.2	Low (<10.0)
North Dakota	McIntosh County	0	Low (<10.0)
North Dakota	McKenzie County	3.6	Low (<10.0)
North Dakota	McLean County	10.8	Medium (10.0 to 19.9)
North Dakota	Mercer County	10.8	Medium (10.0 to 19.9)
North Dakota	Morton County	10.8	Medium (10.0 to 19.9)
North Dakota	Mountrail County	3.2	Low (<10.0)
North Dakota	Nelson County	0	Low (<10.0)
North Dakota	Oliver County	10.8	Medium (10.0 to 19.9)
North Dakota	Pembina County	0	Low (<10.0)
North Dakota	Pierce County	0	Low (<10.0)
North Dakota	Ramsey County	4.8	Low (<10.0)
North Dakota	Ransom County	6.6	Low (<10.0)
North Dakota	Renville County	3.2	Low (<10.0)
North Dakota	Richland County	6.6	Low (<10.0)
North Dakota	Rolette County	0	Low (<10.0)
North Dakota	Sargent County	6.6	Low (<10.0)
North Dakota	Sheridan County	10.8	Medium (10.0 to 19.9)
North Dakota	Sioux County	10.8	Medium (10.0 to 19.9)
North Dakota	Slope County	0	Low (<10.0)

North Dakota	Stark County	7.8	Low (<10.0)
North Dakota	Steele County	6.6	Low (<10.0)
North Dakota	Stutsman County	0	Low (<10.0)
North Dakota	Towner County	0	Low (<10.0)
North Dakota	Traill County	6.6	Low (<10.0)
North Dakota	Walsh County	0	Low (<10.0)
North Dakota	Ward County	3.2	Low (<10.0)
North Dakota	Wells County	0	Low (<10.0)
North Dakota	Williams County	3.6	Low (<10.0)
Northern Mariana Islands	Unallocated Northern Mariana Islands	N/A	Insufficient data (N/A)
Ohio	Adams County	11.4	Medium (10.0 to 19.9)
Ohio	Allen County	13.1	Medium (10.0 to 19.9)
Ohio	Ashland County	8	Low (<10.0)
Ohio	Ashtabula County	3.7	Low (<10.0)
Ohio	Athens County	4.2	Low (<10.0)
Ohio	Auglaize County	13.1	Medium (10.0 to 19.9)
Ohio	Belmont County	10.2	Medium (10.0 to 19.9)
Ohio	Brown County	11.4	Medium (10.0 to 19.9)
Ohio	Butler County	11.4	Medium (10.0 to 19.9)
Ohio	Carroll County	2.3	Low (<10.0)
Ohio	Champaign County	6.9	Low (<10.0)
Ohio	Clark County	6.9	Low (<10.0)
Ohio	Clermont County	11.4	Medium (10.0 to 19.9)
Ohio	Clinton County	16.4	Medium (10.0 to 19.9)
Ohio	Columbiana County	5.2	Low (<10.0)
Ohio	Coshocton County	7.9	Low (<10.0)
Ohio	Crawford County	9.9	Low (<10.0)
Ohio	Cuyahoga County	3.7	Low (<10.0)
Ohio	Darke County	12.9	Medium (10.0 to 19.9)
Ohio	Defiance County	5.8	Low (<10.0)
Ohio	Delaware County	6.9	Low (<10.0)
Ohio	Erie County	4.8	Low (<10.0)
Ohio	Fairfield County	4.2	Low (<10.0)
Ohio	Fayette County	6.9	Low (<10.0)
Ohio	Franklin County	6.9	Low (<10.0)
Ohio	Fulton County	10.2	Medium (10.0 to 19.9)
Ohio	Gallia County	6.3	Low (<10.0)
Ohio	Geauga County	3.7	Low (<10.0)
Ohio	Greene County	12.9	Medium (10.0 to 19.9)

Ohio	Guernsey County	7.9	Low (<10.0)
Ohio	Hamilton County	11.4	Medium (10.0 to 19.9)
Ohio	Hancock County	8.4	Low (<10.0)
Ohio	Hardin County	13.1	Medium (10.0 to 19.9)
Ohio	Harrison County	17.4	Medium (10.0 to 19.9)
Ohio	Henry County	5.8	Low (<10.0)
Ohio	Highland County	16.4	Medium (10.0 to 19.9)
Ohio	Hocking County	4.2	Low (<10.0)
Ohio	Holmes County	2.3	Low (<10.0)
Ohio	Huron County	4.8	Low (<10.0)
Ohio	Jackson County	6.3	Low (<10.0)
Ohio	Jefferson County	17.4	Medium (10.0 to 19.9)
Ohio	Knox County	26.3	High (≥20.0)
Ohio	Lake County	3.7	Low (<10.0)
Ohio	Lawrence County	17.3	Medium (10.0 to 19.9)
Ohio	Licking County	26.3	High (≥20.0)
Ohio	Logan County	10.9	Medium (10.0 to 19.9)
Ohio	Lorain County	4.8	Low (<10.0)
Ohio	Lucas County	10.2	Medium (10.0 to 19.9)
Ohio	Madison County	6.9	Low (<10.0)
Ohio	Mahoning County	17.2	Medium (10.0 to 19.9)
Ohio	Marion County	9.9	Low (<10.0)
Ohio	Medina County	5.9	Low (<10.0)
Ohio	Meigs County	6.3	Low (<10.0)
Ohio	Mercer County	13.1	Medium (10.0 to 19.9)
Ohio	Miami County	9	Low (<10.0)
Ohio	Monroe County	10.2	Medium (10.0 to 19.9)
Ohio	Montgomery County	12.9	Medium (10.0 to 19.9)
Ohio	Morgan County	7.9	Low (<10.0)
Ohio	Morrow County	9.9	Low (<10.0)
Ohio	Muskingum County	7.9	Low (<10.0)
Ohio	Noble County	7.9	Low (<10.0)
Ohio	Ottawa County	10.2	Medium (10.0 to 19.9)
Ohio	Paulding County	5.8	Low (<10.0)
Ohio	Perry County	7.9	Low (<10.0)
Ohio	Pickaway County	6.9	Low (<10.0)
Ohio	Pike County	12.4	Medium (10.0 to 19.9)
Ohio	Portage County	5.9	Low (<10.0)
Ohio	Preble County	12.9	Medium (10.0 to 19.9)

Ohio	Putnam County	13.1	Medium (10.0 to 19.9)
Ohio	Richland County	8	Low (<10.0)
Ohio	Ross County	12.4	Medium (10.0 to 19.9)
Ohio	Sandusky County	4.8	Low (<10.0)
Ohio	Scioto County	12.4	Medium (10.0 to 19.9)
Ohio	Seneca County	8.4	Low (<10.0)
Ohio	Shelby County	9	Low (<10.0)
Ohio	Stark County	2.3	Low (<10.0)
Ohio	Summit County	5.9	Low (<10.0)
Ohio	Trumbull County	17.2	Medium (10.0 to 19.9)
Ohio	Tuscarawas County	2.3	Low (<10.0)
Ohio	Union County	9.9	Low (<10.0)
Ohio	Van Wert County	13.1	Medium (10.0 to 19.9)
Ohio	Vinton County	4.2	Low (<10.0)
Ohio	Warren County	11.4	Medium (10.0 to 19.9)
Ohio	Washington County	8.3	Low (<10.0)
Ohio	Wayne County	2.3	Low (<10.0)
Ohio	Williams County	5.8	Low (<10.0)
Ohio	Wood County	10.2	Medium (10.0 to 19.9)
Ohio	Wyandot County	9.9	Low (<10.0)
Oklahoma	Adair County	11.3	Medium (10.0 to 19.9)
Oklahoma	Alfalfa County	4.4	Low (<10.0)
Oklahoma	Atoka County	12.4	Medium (10.0 to 19.9)
Oklahoma	Beaver County	0	Low (<10.0)
Oklahoma	Beckham County	0	Low (<10.0)
Oklahoma	Blaine County	4.4	Low (<10.0)
Oklahoma	Bryan County	12.4	Medium (10.0 to 19.9)
Oklahoma	Caddo County	3.5	Low (<10.0)
Oklahoma	Canadian County	6.7	Low (<10.0)
Oklahoma	Carter County	11.6	Medium (10.0 to 19.9)
Oklahoma	Cherokee County	11.3	Medium (10.0 to 19.9)
Oklahoma	Choctaw County	15.9	Medium (10.0 to 19.9)
Oklahoma	Cimarron County	13	Medium (10.0 to 19.9)
Oklahoma	Cleveland County	3	Low (<10.0)
Oklahoma	Coal County	13.5	Medium (10.0 to 19.9)
Oklahoma	Comanche County	11.2	Medium (10.0 to 19.9)
Oklahoma	Cotton County	11.2	Medium (10.0 to 19.9)
Oklahoma	Craig County	6.9	Low (<10.0)
Oklahoma	Creek County	6.9	Low (<10.0)
Oklahoma	Custer County	2.5	Low (<10.0)

Oklahoma	Delaware County	4.2	Low (<10.0)
Oklahoma	Dewey County	2.8	Low (<10.0)
Oklahoma	Ellis County	2.8	Low (<10.0)
Oklahoma	Garfield County	4.4	Low (<10.0)
Oklahoma	Garvin County	3	Low (<10.0)
Oklahoma	Grady County	3.5	Low (<10.0)
Oklahoma	Grant County	4.4	Low (<10.0)
Oklahoma	Greer County	9.1	Low (<10.0)
Oklahoma	Harmon County	9.1	Low (<10.0)
Oklahoma	Harper County	2.8	Low (<10.0)
Oklahoma	Haskell County	9	Low (<10.0)
Oklahoma	Hughes County	13.5	Medium (10.0 to 19.9)
Oklahoma	Jackson County	9.1	Low (<10.0)
Oklahoma	Jefferson County	0	Low (<10.0)
Oklahoma	Johnston County	11.6	Medium (10.0 to 19.9)
Oklahoma	Kay County	15.5	Medium (10.0 to 19.9)
Oklahoma	Kingfisher County	4.4	Low (<10.0)
Oklahoma	Kiowa County	11.2	Medium (10.0 to 19.9)
Oklahoma	Latimer County	15.4	Medium (10.0 to 19.9)
Oklahoma	Le Flore County	9	Low (<10.0)
Oklahoma	Lincoln County	6.7	Low (<10.0)
Oklahoma	Logan County	6.7	Low (<10.0)
Oklahoma	Love County	11.6	Medium (10.0 to 19.9)
Oklahoma	Major County	4.4	Low (<10.0)
Oklahoma	Marshall County	11.6	Medium (10.0 to 19.9)
Oklahoma	Mayes County	6.9	Low (<10.0)
Oklahoma	McClain County	3	Low (<10.0)
Oklahoma	McCurtain County	10.9	Medium (10.0 to 19.9)
Oklahoma	McIntosh County	11.3	Medium (10.0 to 19.9)
Oklahoma	Murray County	3	Low (<10.0)
Oklahoma	Muskogee County	11.3	Medium (10.0 to 19.9)
Oklahoma	Noble County	6.4	Low (<10.0)
Oklahoma	Nowata County	3	Low (<10.0)
Oklahoma	Okfuskee County	4	Low (<10.0)
Oklahoma	Oklahoma County	6.7	Low (<10.0)
Oklahoma	Okmulgee County	4	Low (<10.0)
Oklahoma	Osage County	15.5	Medium (10.0 to 19.9)
Oklahoma	Ottawa County	6.9	Low (<10.0)
Oklahoma	Pawnee County	6.4	Low (<10.0)

Oklahoma	Payne County	6.4	Low (<10.0)
Oklahoma	Pittsburg County	15.4	Medium (10.0 to 19.9)
Oklahoma	Pontotoc County	13.5	Medium (10.0 to 19.9)
Oklahoma	Pottawatomie County	6.7	Low (<10.0)
Oklahoma	Pushmataha County	15.4	Medium (10.0 to 19.9)
Oklahoma	Roger Mills County	0	Low (<10.0)
Oklahoma	Rogers County	6.9	Low (<10.0)
Oklahoma	Seminole County	13.5	Medium (10.0 to 19.9)
Oklahoma	Sequoyah County	9	Low (<10.0)
Oklahoma	Stephens County	0	Low (<10.0)
Oklahoma	Texas County	13	Medium (10.0 to 19.9)
Oklahoma	Tillman County	11.2	Medium (10.0 to 19.9)
Oklahoma	Tulsa County	6.9	Low (<10.0)
Oklahoma	Wagoner County	11.3	Medium (10.0 to 19.9)
Oklahoma	Washington County	3	Low (<10.0)
Oklahoma	Washita County	2.5	Low (<10.0)
Oklahoma	Woods County	4.4	Low (<10.0)
Oklahoma	Woodward County	2.8	Low (<10.0)
Oregon	Baker County	14	Medium (10.0 to 19.9)
Oregon	Benton County	2.7	Low (<10.0)
Oregon	Clackamas County	5.8	Low (<10.0)
Oregon	Clatsop County	5.8	Low (<10.0)
Oregon	Columbia County	5.8	Low (<10.0)
Oregon	Coos County	4.3	Low (<10.0)
Oregon	Crook County	6.7	Low (<10.0)
Oregon	Curry County	4.3	Low (<10.0)
Oregon	Deschutes County	6.7	Low (<10.0)
Oregon	Douglas County	6.9	Low (<10.0)
Oregon	Gilliam County	1.1	Low (<10.0)
Oregon	Grant County	N/A	Insufficient data (N/A)
Oregon	Harney County	6.7	Low (<10.0)
Oregon	Hood River County	1.1	Low (<10.0)
Oregon	Jackson County	8.2	Low (<10.0)
Oregon	Jefferson County	6.7	Low (<10.0)
Oregon	Josephine County	8.2	Low (<10.0)
Oregon	Klamath County	5.3	Low (<10.0)
Oregon	Lake County	5.3	Low (<10.0)
Oregon	Lane County	6.9	Low (<10.0)
Oregon	Lincoln County	3.9	Low (<10.0)
Oregon	Linn County	2.7	Low (<10.0)

Oregon	Malheur County	5.8	Low (<10.0)
Oregon	Marion County	3.7	Low (<10.0)
Oregon	Morrow County	2.6	Low (<10.0)
Oregon	Multnomah County	5.8	Low (<10.0)
Oregon	Polk County	3.7	Low (<10.0)
Oregon	Sherman County	1.1	Low (<10.0)
Oregon	Tillamook County	3.9	Low (<10.0)
Oregon	Umatilla County	2.6	Low (<10.0)
Oregon	Union County	14	Medium (10.0 to 19.9)
Oregon	Wallowa County	14	Medium (10.0 to 19.9)
Oregon	Wasco County	1.1	Low (<10.0)
Oregon	Washington County	5.8	Low (<10.0)
Oregon	Wheeler County	6.7	Low (<10.0)
Oregon	Yamhill County	3.7	Low (<10.0)
Pennsylvania	Adams County	5.2	Low (<10.0)
Pennsylvania	Allegheny County	6.1	Low (<10.0)
Pennsylvania	Armstrong County	6.1	Low (<10.0)
Pennsylvania	Beaver County	6.1	Low (<10.0)
Pennsylvania	Bedford County	10.4	Medium (10.0 to 19.9)
Pennsylvania	Berks County	11.4	Medium (10.0 to 19.9)
Pennsylvania	Blair County	10.4	Medium (10.0 to 19.9)
Pennsylvania	Bradford County	6.1	Low (<10.0)
Pennsylvania	Bucks County	10.2	Medium (10.0 to 19.9)
Pennsylvania	Butler County	6.1	Low (<10.0)
Pennsylvania	Cambria County	10.4	Medium (10.0 to 19.9)
Pennsylvania	Cameron County	10.3	Medium (10.0 to 19.9)
Pennsylvania	Carbon County	9.4	Low (<10.0)
Pennsylvania	Centre County	2.5	Low (<10.0)
Pennsylvania	Chester County	10.2	Medium (10.0 to 19.9)
Pennsylvania	Clarion County	4.2	Low (<10.0)
Pennsylvania	Clearfield County	2.5	Low (<10.0)
Pennsylvania	Clinton County	11.2	Medium (10.0 to 19.9)
Pennsylvania	Columbia County	10.5	Medium (10.0 to 19.9)
Pennsylvania	Crawford County	9.5	Low (<10.0)
Pennsylvania	Cumberland County	10.6	Medium (10.0 to 19.9)
Pennsylvania	Dauphin County	10.6	Medium (10.0 to 19.9)
Pennsylvania	Delaware County	10.2	Medium (10.0 to 19.9)
Pennsylvania	Elk County	13.4	Medium (10.0 to 19.9)
Pennsylvania	Erie County	5.7	Low (<10.0)

Pennsylvania	Fayette County	6.7	Low (<10.0)
Pennsylvania	Forest County	4.2	Low (<10.0)
Pennsylvania	Franklin County	5.9	Low (<10.0)
Pennsylvania	Fulton County	5.9	Low (<10.0)
Pennsylvania	Greene County	6.7	Low (<10.0)
Pennsylvania	Huntingdon County	9.5	Low (<10.0)
Pennsylvania	Indiana County	6.1	Low (<10.0)
Pennsylvania	Jefferson County	2.5	Low (<10.0)
Pennsylvania	Juniata County	9.5	Low (<10.0)
Pennsylvania	Lackawanna County	9.6	Low (<10.0)
Pennsylvania	Lancaster County	3.8	Low (<10.0)
Pennsylvania	Lawrence County	5.8	Low (<10.0)
Pennsylvania	Lebanon County	10.6	Medium (10.0 to 19.9)
Pennsylvania	Lehigh County	9.4	Low (<10.0)
Pennsylvania	Luzerne County	10.5	Medium (10.0 to 19.9)
Pennsylvania	Lycoming County	11.2	Medium (10.0 to 19.9)
Pennsylvania	Mc Kean County	10.3	Medium (10.0 to 19.9)
Pennsylvania	Mercer County	17.2	Medium (10.0 to 19.9)
Pennsylvania	Mifflin County	9.5	Low (<10.0)
Pennsylvania	Monroe County	9.4	Low (<10.0)
Pennsylvania	Montgomery County	10.2	Medium (10.0 to 19.9)
Pennsylvania	Montour County	19.4	Medium (10.0 to 19.9)
Pennsylvania	Northampton County	9.4	Low (<10.0)
Pennsylvania	Northumberland County	19.4	Medium (10.0 to 19.9)
Pennsylvania	Perry County	10.6	Medium (10.0 to 19.9)
Pennsylvania	Philadelphia County	10.2	Medium (10.0 to 19.9)
Pennsylvania	Pike County	13.4	Medium (10.0 to 19.9)
Pennsylvania	Potter County	10.3	Medium (10.0 to 19.9)
Pennsylvania	Schuylkill County	19.4	Medium (10.0 to 19.9)
Pennsylvania	Snyder County	19.4	Medium (10.0 to 19.9)
Pennsylvania	Somerset County	10.4	Medium (10.0 to 19.9)
Pennsylvania	Sullivan County	6.1	Low (<10.0)
Pennsylvania	Susquehanna County	6.1	Low (<10.0)
Pennsylvania	Tioga County	7.4	Low (<10.0)
Pennsylvania	Union County	19.4	Medium (10.0 to 19.9)
Pennsylvania	Venango County	4.2	Low (<10.0)
Pennsylvania	Warren County	5.7	Low (<10.0)
Pennsylvania	Washington County	6.7	Low (<10.0)
Pennsylvania	Wayne County	9.6	Low (<10.0)

Pennsylvania	Westmoreland County	6.1	Low (<10.0)
Pennsylvania	Wyoming County	10.5	Medium (10.0 to 19.9)
Pennsylvania	York County	5.2	Low (<10.0)
Puerto Rico	A?asco	7.8	Low (<10.0)
Puerto Rico	Adjuntas	7.8	Low (<10.0)
Puerto Rico	Aguada	7.8	Low (<10.0)
Puerto Rico	Aguadilla	7.8	Low (<10.0)
Puerto Rico	Aguas Buenas	7.8	Low (<10.0)
Puerto Rico	Aibonito	7.8	Low (<10.0)
Puerto Rico	Arecibo	7.8	Low (<10.0)
Puerto Rico	Arroyo	7.8	Low (<10.0)
Puerto Rico	Barceloneta	7.8	Low (<10.0)
Puerto Rico	Barranquitas	7.8	Low (<10.0)
Puerto Rico	Bayam?n	7.8	Low (<10.0)
Puerto Rico	Cabo Rojo	7.8	Low (<10.0)
Puerto Rico	Caguas	7.8	Low (<10.0)
Puerto Rico	Camuy	7.8	Low (<10.0)
Puerto Rico	Can?vanas	7.8	Low (<10.0)
Puerto Rico	Carolina	7.8	Low (<10.0)
Puerto Rico	Cata?o	7.8	Low (<10.0)
Puerto Rico	Cayey	7.8	Low (<10.0)
Puerto Rico	Ceiba	7.8	Low (<10.0)
Puerto Rico	Ciales	7.8	Low (<10.0)
Puerto Rico	Cidra	7.8	Low (<10.0)
Puerto Rico	Coamo	7.8	Low (<10.0)
Puerto Rico	Comer?o	7.8	Low (<10.0)
Puerto Rico	Corozal	7.8	Low (<10.0)
Puerto Rico	Culebra	7.8	Low (<10.0)
Puerto Rico	Dorado	7.8	Low (<10.0)
Puerto Rico	Fajardo	7.8	Low (<10.0)
Puerto Rico	Florida	7.8	Low (<10.0)
Puerto Rico	Gu?nica	7.8	Low (<10.0)
Puerto Rico	Guayama	7.8	Low (<10.0)
Puerto Rico	Guayanilla	7.8	Low (<10.0)
Puerto Rico	Guaynabo	7.8	Low (<10.0)
Puerto Rico	Gurabo	7.8	Low (<10.0)
Puerto Rico	Hatillo	7.8	Low (<10.0)
Puerto Rico	Hormigueros	7.8	Low (<10.0)
Puerto Rico	Humacao	7.8	Low (<10.0)

Puerto Rico	Isabela	7.8	Low (<10.0)
Puerto Rico	Jayuya	7.8	Low (<10.0)
Puerto Rico	Juana D?az	7.8	Low (<10.0)
Puerto Rico	Juncos	7.8	Low (<10.0)
Puerto Rico	Lajas	7.8	Low (<10.0)
Puerto Rico	Lares	7.8	Low (<10.0)
Puerto Rico	Las Mar?as	7.8	Low (<10.0)
Puerto Rico	Las Piedras	7.8	Low (<10.0)
Puerto Rico	Lo?za	7.8	Low (<10.0)
Puerto Rico	Luquillo	7.8	Low (<10.0)
Puerto Rico	Manat?	7.8	Low (<10.0)
Puerto Rico	Maricao	7.8	Low (<10.0)
Puerto Rico	Maunabo	7.8	Low (<10.0)
Puerto Rico	Mayag?ez	7.8	Low (<10.0)
Puerto Rico	Moca	7.8	Low (<10.0)
Puerto Rico	Morovis	7.8	Low (<10.0)
Puerto Rico	Naguabo	7.8	Low (<10.0)
Puerto Rico	Naranjito	7.8	Low (<10.0)
Puerto Rico	Orocovis	7.8	Low (<10.0)
Puerto Rico	Patillas	7.8	Low (<10.0)
Puerto Rico	Pe?uelas	7.8	Low (<10.0)
Puerto Rico	Ponce	7.8	Low (<10.0)
Puerto Rico	Quebradillas	7.8	Low (<10.0)
Puerto Rico	R?o Grande	7.8	Low (<10.0)
Puerto Rico	Rinc?n	7.8	Low (<10.0)
Puerto Rico	Sabana Grande	7.8	Low (<10.0)
Puerto Rico	Salinas	7.8	Low (<10.0)
Puerto Rico	San Germ?n	7.8	Low (<10.0)
Puerto Rico	San Juan	7.8	Low (<10.0)
Puerto Rico	San Lorenzo	7.8	Low (<10.0)
Puerto Rico	San Sebasti?n	7.8	Low (<10.0)
Puerto Rico	Santa Isabel	7.8	Low (<10.0)
Puerto Rico	Toa Alta	7.8	Low (<10.0)
Puerto Rico	Toa Baja	7.8	Low (<10.0)
Puerto Rico	Trujillo Alto	7.8	Low (<10.0)
Puerto Rico	Utuado	7.8	Low (<10.0)
Puerto Rico	Vega Alta	7.8	Low (<10.0)
Puerto Rico	Vega Baja	7.8	Low (<10.0)
Puerto Rico	Vieques	7.8	Low (<10.0)
Puerto Rico	Villalba	7.8	Low (<10.0)

Puerto Rico	Yabucoa	7.8	Low (<10.0)
Puerto Rico	Yauco	7.8	Low (<10.0)
Rhode Island	Bristol County	8.4	Low (<10.0)
Rhode Island	Kent County	8.4	Low (<10.0)
Rhode Island	Newport County	9.9	Low (<10.0)
Rhode Island	Providence County	8.4	Low (<10.0)
Rhode Island	Washington County	8.4	Low (<10.0)
South Carolina	Abbeville County	4.2	Low (<10.0)
South Carolina	Aiken County	5.7	Low (<10.0)
South Carolina	Allendale County	4	Low (<10.0)
South Carolina	Anderson County	7.1	Low (<10.0)
South Carolina	Bamberg County	4	Low (<10.0)
South Carolina	Barnwell County	5.7	Low (<10.0)
South Carolina	Beaufort County	13.1	Medium (10.0 to 19.9)
South Carolina	Berkeley County	10.8	Medium (10.0 to 19.9)
South Carolina	Calhoun County	4	Low (<10.0)
South Carolina	Charleston County	10.8	Medium (10.0 to 19.9)
South Carolina	Cherokee County	11.1	Medium (10.0 to 19.9)
South Carolina	Chester County	3.2	Low (<10.0)
South Carolina	Chesterfield County	10.1	Medium (10.0 to 19.9)
South Carolina	Clarendon County	5.1	Low (<10.0)
South Carolina	Colleton County	10.8	Medium (10.0 to 19.9)
South Carolina	Darlington County	10.1	Medium (10.0 to 19.9)
South Carolina	Dillon County	11.4	Medium (10.0 to 19.9)
South Carolina	Dorchester County	10.8	Medium (10.0 to 19.9)
South Carolina	Edgefield County	5.7	Low (<10.0)
South Carolina	Fairfield County	7.6	Low (<10.0)
South Carolina	Florence County	10.1	Medium (10.0 to 19.9)
South Carolina	Georgetown County	10.8	Medium (10.0 to 19.9)
South Carolina	Greenville County	7.1	Low (<10.0)
South Carolina	Greenwood County	4.2	Low (<10.0)
South Carolina	Hampton County	10.8	Medium (10.0 to 19.9)
South Carolina	Horry County	10.8	Medium (10.0 to 19.9)
South Carolina	Jasper County	13.1	Medium (10.0 to 19.9)
South Carolina	Kershaw County	7.3	Low (<10.0)
South Carolina	Lancaster County	7.3	Low (<10.0)
South Carolina	Laurens County	4.2	Low (<10.0)
South Carolina	Lee County	5.1	Low (<10.0)
South Carolina	Lexington County	7.6	Low (<10.0)

South Carolina	Marion County	11.4	Medium (10.0 to 19.9)
South Carolina	Marlboro County	10.1	Medium (10.0 to 19.9)
South Carolina	McCormick County	4.2	Low (<10.0)
South Carolina	Newberry County	7.6	Low (<10.0)
South Carolina	Oconee County	7.1	Low (<10.0)
South Carolina	Orangeburg County	4	Low (<10.0)
South Carolina	Pickens County	7.1	Low (<10.0)
South Carolina	Richland County	7.6	Low (<10.0)
South Carolina	Saluda County	4.2	Low (<10.0)
South Carolina	Spartanburg County	11.1	Medium (10.0 to 19.9)
South Carolina	Sumter County	5.1	Low (<10.0)
South Carolina	Union County	11.1	Medium (10.0 to 19.9)
South Carolina	Williamsburg County	10.1	Medium (10.0 to 19.9)
South Carolina	York County	3.2	Low (<10.0)
South Dakota	Aurora County	9.7	Low (<10.0)
South Dakota	Beadle County	4	Low (<10.0)
South Dakota	Bennett County	0	Low (<10.0)
South Dakota	Bon Homme County	8.8	Low (<10.0)
South Dakota	Brookings County	10	Medium (10.0 to 19.9)
South Dakota	Brown County	12.5	Medium (10.0 to 19.9)
South Dakota	Brule County	9.7	Low (<10.0)
South Dakota	Buffalo County	9.7	Low (<10.0)
South Dakota	Butte County	6.4	Low (<10.0)
South Dakota	Campbell County	5.3	Low (<10.0)
South Dakota	Charles Mix County	9.7	Low (<10.0)
South Dakota	Clark County	2	Low (<10.0)
South Dakota	Clay County	8.8	Low (<10.0)
South Dakota	Codington County	2	Low (<10.0)
South Dakota	Corson County	5.3	Low (<10.0)
South Dakota	Custer County	6.4	Low (<10.0)
South Dakota	Davison County	9.7	Low (<10.0)
South Dakota	Day County	12.5	Medium (10.0 to 19.9)
South Dakota	Deuel County	2	Low (<10.0)
South Dakota	Dewey County	5.3	Low (<10.0)
South Dakota	Douglas County	9.7	Low (<10.0)
South Dakota	Edmunds County	12.5	Medium (10.0 to 19.9)
South Dakota	Fall River County	6.4	Low (<10.0)
South Dakota	Faulk County	12.5	Medium (10.0 to 19.9)
South Dakota	Grant County	2	Low (<10.0)

South Dakota	Gregory County	0	Low (<10.0)
South Dakota	Haakon County	3.6	Low (<10.0)
South Dakota	Hamlin County	2	Low (<10.0)
South Dakota	Hand County	4	Low (<10.0)
South Dakota	Hanson County	9.7	Low (<10.0)
South Dakota	Harding County	0	Low (<10.0)
South Dakota	Hughes County	3.6	Low (<10.0)
South Dakota	Hutchinson County	8.8	Low (<10.0)
South Dakota	Hyde County	4	Low (<10.0)
South Dakota	Jackson County	6.4	Low (<10.0)
South Dakota	Jerauld County	4	Low (<10.0)
South Dakota	Jones County	3.6	Low (<10.0)
South Dakota	Kingsbury County	10	Medium (10.0 to 19.9)
South Dakota	Lake County	12.8	Medium (10.0 to 19.9)
South Dakota	Lawrence County	2.5	Low (<10.0)
South Dakota	Lincoln County	12.8	Medium (10.0 to 19.9)
South Dakota	Lyman County	9.7	Low (<10.0)
South Dakota	Marshall County	12.5	Medium (10.0 to 19.9)
South Dakota	McCook County	12.8	Medium (10.0 to 19.9)
South Dakota	McPherson County	12.5	Medium (10.0 to 19.9)
South Dakota	Meade County	6.4	Low (<10.0)
South Dakota	Mellette County	0	Low (<10.0)
South Dakota	Miner County	12.8	Medium (10.0 to 19.9)
South Dakota	Minnehaha County	12.8	Medium (10.0 to 19.9)
South Dakota	Moody County	12.8	Medium (10.0 to 19.9)
South Dakota	Oglala Lakota County	0	Low (<10.0)
South Dakota	Pennington County	6.4	Low (<10.0)
South Dakota	Perkins County	0	Low (<10.0)
South Dakota	Potter County	5.3	Low (<10.0)
South Dakota	Roberts County	16.1	Medium (10.0 to 19.9)
South Dakota	Sanborn County	9.7	Low (<10.0)
South Dakota	Spink County	12.5	Medium (10.0 to 19.9)
South Dakota	Stanley County	3.6	Low (<10.0)
South Dakota	Sully County	3.6	Low (<10.0)
South Dakota	Todd County	0	Low (<10.0)
South Dakota	Tripp County	0	Low (<10.0)
South Dakota	Turner County	12.8	Medium (10.0 to 19.9)
South Dakota	Union County	12.8	Medium (10.0 to 19.9)
South Dakota	Walworth County	5.3	Low (<10.0)
South Dakota	Yankton County	8.8	Low (<10.0)

South Dakota	Ziebach County	3.6	Low (<10.0)
Tennessee	Anderson County	4.9	Low (<10.0)
Tennessee	Bedford County	2	Low (<10.0)
Tennessee	Benton County	1.7	Low (<10.0)
Tennessee	Bledsoe County	3.2	Low (<10.0)
Tennessee	Blount County	5.3	Low (<10.0)
Tennessee	Bradley County	3.3	Low (<10.0)
Tennessee	Campbell County	4.9	Low (<10.0)
Tennessee	Cannon County	2.4	Low (<10.0)
Tennessee	Carroll County	1.7	Low (<10.0)
Tennessee	Carter County	17.7	Medium (10.0 to 19.9)
Tennessee	Cheatham County	7.4	Low (<10.0)
Tennessee	Chester County	5.8	Low (<10.0)
Tennessee	Claiborne County	11.9	Medium (10.0 to 19.9)
Tennessee	Clay County	9.7	Low (<10.0)
Tennessee	Cocke County	4.8	Low (<10.0)
Tennessee	Coffee County	8.4	Low (<10.0)
Tennessee	Crockett County	5.8	Low (<10.0)
Tennessee	Cumberland County	3.2	Low (<10.0)
Tennessee	Davidson County	7.4	Low (<10.0)
Tennessee	Decatur County	5.8	Low (<10.0)
Tennessee	DeKalb County	2.4	Low (<10.0)
Tennessee	Dickson County	7.4	Low (<10.0)
Tennessee	Dyer County	7.2	Low (<10.0)
Tennessee	Fayette County	3.6	Low (<10.0)
Tennessee	Fentress County	3.2	Low (<10.0)
Tennessee	Franklin County	8.4	Low (<10.0)
Tennessee	Gibson County	5.8	Low (<10.0)
Tennessee	Giles County	2.3	Low (<10.0)
Tennessee	Grainger County	3.3	Low (<10.0)
Tennessee	Greene County	4.8	Low (<10.0)
Tennessee	Grundy County	8.4	Low (<10.0)
Tennessee	Hamblen County	3.3	Low (<10.0)
Tennessee	Hamilton County	6.9	Low (<10.0)
Tennessee	Hancock County	3.3	Low (<10.0)
Tennessee	Hardeman County	5.8	Low (<10.0)
Tennessee	Hardin County	0	Low (<10.0)
Tennessee	Hawkins County	8.2	Low (<10.0)
Tennessee	Haywood County	5.8	Low (<10.0)

Tennessee	Henderson County	5.8	Low (<10.0)
Tennessee	Henry County	1.7	Low (<10.0)
Tennessee	Hickman County	7.4	Low (<10.0)
Tennessee	Houston County	1.3	Low (<10.0)
Tennessee	Humphreys County	7.4	Low (<10.0)
Tennessee	Jackson County	9.7	Low (<10.0)
Tennessee	Jefferson County	3.3	Low (<10.0)
Tennessee	Johnson County	4	Low (<10.0)
Tennessee	Knox County	5.3	Low (<10.0)
Tennessee	Lake County	7.2	Low (<10.0)
Tennessee	Lauderdale County	7.2	Low (<10.0)
Tennessee	Lawrence County	1.5	Low (<10.0)
Tennessee	Lewis County	2.3	Low (<10.0)
Tennessee	Lincoln County	17.7	Medium (10.0 to 19.9)
Tennessee	Loudon County	5.3	Low (<10.0)
Tennessee	Macon County	4.8	Low (<10.0)
Tennessee	Madison County	5.8	Low (<10.0)
Tennessee	Marion County	6.9	Low (<10.0)
Tennessee	Marshall County	2.3	Low (<10.0)
Tennessee	Maury County	2.3	Low (<10.0)
Tennessee	McMinn County	5.3	Low (<10.0)
Tennessee	McNairy County	0	Low (<10.0)
Tennessee	Meigs County	5.3	Low (<10.0)
Tennessee	Monroe County	5.3	Low (<10.0)
Tennessee	Montgomery County	1.3	Low (<10.0)
Tennessee	Moore County	8.4	Low (<10.0)
Tennessee	Morgan County	4.9	Low (<10.0)
Tennessee	Obion County	0	Low (<10.0)
Tennessee	Overton County	9.7	Low (<10.0)
Tennessee	Perry County	1.5	Low (<10.0)
Tennessee	Pickett County	9.7	Low (<10.0)
Tennessee	Polk County	3.3	Low (<10.0)
Tennessee	Putnam County	9.7	Low (<10.0)
Tennessee	Rhea County	4.9	Low (<10.0)
Tennessee	Roane County	4.9	Low (<10.0)
Tennessee	Robertson County	7.4	Low (<10.0)
Tennessee	Rutherford County	2.4	Low (<10.0)
Tennessee	Scott County	0	Low (<10.0)
Tennessee	Sequatchie County	6.9	Low (<10.0)

Tennessee	Sevier County	5.3	Low (<10.0)
Tennessee	Shelby County	3.6	Low (<10.0)
Tennessee	Smith County	4.8	Low (<10.0)
Tennessee	Stewart County	1.3	Low (<10.0)
Tennessee	Sullivan County	8.2	Low (<10.0)
Tennessee	Sumner County	4.8	Low (<10.0)
Tennessee	Tipton County	3.6	Low (<10.0)
Tennessee	Trousdale County	4.8	Low (<10.0)
Tennessee	Unicoi County	17.7	Medium (10.0 to 19.9)
Tennessee	Union County	5.3	Low (<10.0)
Tennessee	Van Buren County	2.4	Low (<10.0)
Tennessee	Warren County	2.4	Low (<10.0)
Tennessee	Washington County	17.7	Medium (10.0 to 19.9)
Tennessee	Wayne County	1.5	Low (<10.0)
Tennessee	Weakley County	0	Low (<10.0)
Tennessee	White County	9.7	Low (<10.0)
Tennessee	Williamson County	7.4	Low (<10.0)
Tennessee	Wilson County	4.8	Low (<10.0)
Texas	Anderson County	2.2	Low (<10.0)
Texas	Andrews County	0.9	Low (<10.0)
Texas	Angelina County	3.1	Low (<10.0)
Texas	Aransas County	11.9	Medium (10.0 to 19.9)
Texas	Archer County	10.1	Medium (10.0 to 19.9)
Texas	Armstrong County	2.3	Low (<10.0)
Texas	Atascosa County	5.9	Low (<10.0)
Texas	Austin County	6.3	Low (<10.0)
Texas	Bailey County	8.4	Low (<10.0)
Texas	Bandera County	5.9	Low (<10.0)
Texas	Bastrop County	4	Low (<10.0)
Texas	Baylor County	10.1	Medium (10.0 to 19.9)
Texas	Bee County	2.1	Low (<10.0)
Texas	Bell County	8.9	Low (<10.0)
Texas	Bexar County	5.9	Low (<10.0)
Texas	Blanco County	6.6	Low (<10.0)
Texas	Borden County	8.4	Low (<10.0)
Texas	Bosque County	4.2	Low (<10.0)
Texas	Bowie County	10.9	Medium (10.0 to 19.9)
Texas	Brazoria County	2.9	Low (<10.0)
Texas	Brazos County	24.9	High (≥20.0)
Texas	Brewster County	0	Low (<10.0)

Texas	Briscoe County	2.3	Low (<10.0)
Texas	Brooks County	11.9	Medium (10.0 to 19.9)
Texas	Brown County	7	Low (<10.0)
Texas	Burleson County	24.9	High (≥20.0)
Texas	Burnet County	4	Low (<10.0)
Texas	Caldwell County	10.2	Medium (10.0 to 19.9)
Texas	Calhoun County	7.1	Low (<10.0)
Texas	Callahan County	4.7	Low (<10.0)
Texas	Cameron County	11.9	Medium (10.0 to 19.9)
Texas	Camp County	7.3	Low (<10.0)
Texas	Carson County	2.3	Low (<10.0)
Texas	Cass County	0	Low (<10.0)
Texas	Castro County	19.3	Medium (10.0 to 19.9)
Texas	Chambers County	6.3	Low (<10.0)
Texas	Cherokee County	2.2	Low (<10.0)
Texas	Childress County	8.6	Low (<10.0)
Texas	Clay County	10.1	Medium (10.0 to 19.9)
Texas	Cochran County	8.4	Low (<10.0)
Texas	Coke County	15.4	Medium (10.0 to 19.9)
Texas	Coleman County	7	Low (<10.0)
Texas	Collin County	6.7	Low (<10.0)
Texas	Collingsworth County	0	Low (<10.0)
Texas	Colorado County	2.1	Low (<10.0)
Texas	Comal County	0.6	Low (<10.0)
Texas	Comanche County	3.6	Low (<10.0)
Texas	Concho County	15.4	Medium (10.0 to 19.9)
Texas	Cooke County	7.4	Low (<10.0)
Texas	Coryell County	8.9	Low (<10.0)
Texas	Cottle County	8.6	Low (<10.0)
Texas	Crane County	4.3	Low (<10.0)
Texas	Crockett County	15.4	Medium (10.0 to 19.9)
Texas	Crosby County	8.4	Low (<10.0)
Texas	Culberson County	5.2	Low (<10.0)
Texas	Dallam County	2.3	Low (<10.0)
Texas	Dallas County	6.7	Low (<10.0)
Texas	Dawson County	8.4	Low (<10.0)
Texas	Deaf Smith County	0	Low (<10.0)
Texas	Delta County	15.9	Medium (10.0 to 19.9)
Texas	Denton County	7.4	Low (<10.0)

Texas	DeWitt County	7.1	Low (<10.0)
Texas	Dickens County	8.4	Low (<10.0)
Texas	Dimmit County	9.9	Low (<10.0)
Texas	Donley County	2.3	Low (<10.0)
Texas	Duval County	11.9	Medium (10.0 to 19.9)
Texas	Eastland County	4.7	Low (<10.0)
Texas	Ector County	4.3	Low (<10.0)
Texas	Edwards County	6.6	Low (<10.0)
Texas	El Paso County	5.2	Low (<10.0)
Texas	Ellis County	6.7	Low (<10.0)
Texas	Erath County	3.6	Low (<10.0)
Texas	Falls County	4.2	Low (<10.0)
Texas	Fannin County	12.4	Medium (10.0 to 19.9)
Texas	Fayette County	2.1	Low (<10.0)
Texas	Fisher County	11.1	Medium (10.0 to 19.9)
Texas	Floyd County	19.3	Medium (10.0 to 19.9)
Texas	Foard County	0	Low (<10.0)
Texas	Fort Bend County	6.3	Low (<10.0)
Texas	Franklin County	7.3	Low (<10.0)
Texas	Freestone County	8.6	Low (<10.0)
Texas	Frio County	5.9	Low (<10.0)
Texas	Gaines County	0.9	Low (<10.0)
Texas	Galveston County	5.3	Low (<10.0)
Texas	Garza County	8.4	Low (<10.0)
Texas	Gillespie County	6.6	Low (<10.0)
Texas	Glasscock County	2.6	Low (<10.0)
Texas	Goliad County	7.1	Low (<10.0)
Texas	Gonzales County	5.9	Low (<10.0)
Texas	Gray County	9.5	Low (<10.0)
Texas	Grayson County	12.4	Medium (10.0 to 19.9)
Texas	Gregg County	14.4	Medium (10.0 to 19.9)
Texas	Grimes County	24.9	High (≥20.0)
Texas	Guadalupe County	5.9	Low (<10.0)
Texas	Hale County	19.3	Medium (10.0 to 19.9)
Texas	Hall County	8.6	Low (<10.0)
Texas	Hamilton County	4.2	Low (<10.0)
Texas	Hansford County	2.3	Low (<10.0)
Texas	Hardeman County	0	Low (<10.0)
Texas	Hardin County	8.8	Low (<10.0)

Texas	Harris County	6.3	Low (<10.0)
Texas	Harrison County	0	Low (<10.0)
Texas	Hartley County	2.3	Low (<10.0)
Texas	Haskell County	4.7	Low (<10.0)
Texas	Hays County	10.2	Medium (10.0 to 19.9)
Texas	Hemphill County	9.5	Low (<10.0)
Texas	Henderson County	2.4	Low (<10.0)
Texas	Hidalgo County	9.1	Low (<10.0)
Texas	Hill County	4.2	Low (<10.0)
Texas	Hockley County	8.4	Low (<10.0)
Texas	Hood County	11.2	Medium (10.0 to 19.9)
Texas	Hopkins County	6.7	Low (<10.0)
Texas	Houston County	2.2	Low (<10.0)
Texas	Howard County	2.6	Low (<10.0)
Texas	Hudspeth County	5.2	Low (<10.0)
Texas	Hunt County	6.7	Low (<10.0)
Texas	Hutchinson County	2.3	Low (<10.0)
Texas	Irion County	15.4	Medium (10.0 to 19.9)
Texas	Jack County	63	High (≥20.0)
Texas	Jackson County	7.1	Low (<10.0)
Texas	Jasper County	8.8	Low (<10.0)
Texas	Jeff Davis County	0	Low (<10.0)
Texas	Jefferson County	8.8	Low (<10.0)
Texas	Jim Hogg County	13.8	Medium (10.0 to 19.9)
Texas	Jim Wells County	11.9	Medium (10.0 to 19.9)
Texas	Johnson County	11.2	Medium (10.0 to 19.9)
Texas	Jones County	4.7	Low (<10.0)
Texas	Karnes County	2.1	Low (<10.0)
Texas	Kaufman County	6.7	Low (<10.0)
Texas	Kendall County	5.9	Low (<10.0)
Texas	Kenedy County	11.9	Medium (10.0 to 19.9)
Texas	Kent County	4.7	Low (<10.0)
Texas	Kerr County	6.6	Low (<10.0)
Texas	Kimble County	6.6	Low (<10.0)
Texas	King County	8.4	Low (<10.0)
Texas	Kinney County	4.5	Low (<10.0)
Texas	Kleberg County	11.9	Medium (10.0 to 19.9)
Texas	Knox County	10.1	Medium (10.0 to 19.9)
Texas	La Salle County	5.9	Low (<10.0)

Texas	Lamar County	15.9	Medium (10.0 to 19.9)
Texas	Lamb County	8.4	Low (<10.0)
Texas	Lampasas County	8.9	Low (<10.0)
Texas	Lavaca County	7.1	Low (<10.0)
Texas	Lee County	4	Low (<10.0)
Texas	Leon County	22.1	High (≥20.0)
Texas	Liberty County	6.3	Low (<10.0)
Texas	Limestone County	4.2	Low (<10.0)
Texas	Lipscomb County	2.8	Low (<10.0)
Texas	Live Oak County	11.9	Medium (10.0 to 19.9)
Texas	Llano County	4	Low (<10.0)
Texas	Loving County	5.2	Low (<10.0)
Texas	Lubbock County	8.4	Low (<10.0)
Texas	Lynn County	8.4	Low (<10.0)
Texas	Madison County	22.1	High (≥20.0)
Texas	Marion County	0	Low (<10.0)
Texas	Martin County	5.4	Low (<10.0)
Texas	Mason County	6.6	Low (<10.0)
Texas	Matagorda County	2.9	Low (<10.0)
Texas	Maverick County	4.5	Low (<10.0)
Texas	McCulloch County	15.4	Medium (10.0 to 19.9)
Texas	McLennan County	4.2	Low (<10.0)
Texas	McMullen County	5.9	Low (<10.0)
Texas	Medina County	5.9	Low (<10.0)
Texas	Menard County	15.4	Medium (10.0 to 19.9)
Texas	Midland County	5.4	Low (<10.0)
Texas	Milam County	8.9	Low (<10.0)
Texas	Mills County	7	Low (<10.0)
Texas	Mitchell County	11.1	Medium (10.0 to 19.9)
Texas	Montague County	10.1	Medium (10.0 to 19.9)
Texas	Montgomery County	6.3	Low (<10.0)
Texas	Moore County	2.3	Low (<10.0)
Texas	Morris County	7.3	Low (<10.0)
Texas	Motley County	8.4	Low (<10.0)
Texas	Nacogdoches County	5.5	Low (<10.0)
Texas	Navarro County	8.6	Low (<10.0)
Texas	Newton County	8.8	Low (<10.0)
Texas	Nolan County	11.1	Medium (10.0 to 19.9)
Texas	Nueces County	11.9	Medium (10.0 to 19.9)
Texas	Ochiltree County	2.3	Low (<10.0)

Texas	Oldham County	2.3	Low (<10.0)
Texas	Orange County	8.8	Low (<10.0)
Texas	Palo Pinto County	63	High (≥20.0)
Texas	Panola County	14.4	Medium (10.0 to 19.9)
Texas	Parker County	11.2	Medium (10.0 to 19.9)
Texas	Parmer County	0	Low (<10.0)
Texas	Pecos County	5.4	Low (<10.0)
Texas	Polk County	3.1	Low (<10.0)
Texas	Potter County	2.3	Low (<10.0)
Texas	Presidio County	0	Low (<10.0)
Texas	Rains County	6.7	Low (<10.0)
Texas	Randall County	2.3	Low (<10.0)
Texas	Reagan County	15.4	Medium (10.0 to 19.9)
Texas	Real County	6.6	Low (<10.0)
Texas	Red River County	15.9	Medium (10.0 to 19.9)
Texas	Reeves County	4.3	Low (<10.0)
Texas	Refugio County	7.1	Low (<10.0)
Texas	Roberts County	9.5	Low (<10.0)
Texas	Robertson County	24.9	High (≥20.0)
Texas	Rockwall County	6.7	Low (<10.0)
Texas	Runnels County	15.4	Medium (10.0 to 19.9)
Texas	Rusk County	14.4	Medium (10.0 to 19.9)
Texas	Sabine County	5.5	Low (<10.0)
Texas	San Augustine County	5.5	Low (<10.0)
Texas	San Jacinto County	6.3	Low (<10.0)
Texas	San Patricio County	11.9	Medium (10.0 to 19.9)
Texas	San Saba County	7	Low (<10.0)
Texas	Schleicher County	15.4	Medium (10.0 to 19.9)
Texas	Scurry County	0	Low (<10.0)
Texas	Shackelford County	4.7	Low (<10.0)
Texas	Shelby County	5.5	Low (<10.0)
Texas	Sherman County	2.3	Low (<10.0)
Texas	Smith County	2.4	Low (<10.0)
Texas	Somervell County	11.2	Medium (10.0 to 19.9)
Texas	Starr County	9.1	Low (<10.0)
Texas	Stephens County	4.7	Low (<10.0)
Texas	Sterling County	15.4	Medium (10.0 to 19.9)
Texas	Stonewall County	4.7	Low (<10.0)
Texas	Sutton County	15.4	Medium (10.0 to 19.9)

Texas	Swisher County	2.3	Low (<10.0)
Texas	Tarrant County	11.2	Medium (10.0 to 19.9)
Texas	Taylor County	4.7	Low (<10.0)
Texas	Terrell County	5.4	Low (<10.0)
Texas	Terry County	0	Low (<10.0)
Texas	Throckmorton County	10.1	Medium (10.0 to 19.9)
Texas	Titus County	7.3	Low (<10.0)
Texas	Tom Green County	15.4	Medium (10.0 to 19.9)
Texas	Travis County	4	Low (<10.0)
Texas	Trinity County	3.1	Low (<10.0)
Texas	Tyler County	8.8	Low (<10.0)
Texas	Upshur County	14.4	Medium (10.0 to 19.9)
Texas	Upton County	5.4	Low (<10.0)
Texas	Uvalde County	15	Medium (10.0 to 19.9)
Texas	Val Verde County	4.5	Low (<10.0)
Texas	Van Zandt County	2.4	Low (<10.0)
Texas	Victoria County	7.1	Low (<10.0)
Texas	Walker County	3.1	Low (<10.0)
Texas	Waller County	6.3	Low (<10.0)
Texas	Ward County	4.3	Low (<10.0)
Texas	Washington County	24.9	High (≥20.0)
Texas	Webb County	13.8	Medium (10.0 to 19.9)
Texas	Wharton County	2.9	Low (<10.0)
Texas	Wheeler County	9.5	Low (<10.0)
Texas	Wichita County	10.1	Medium (10.0 to 19.9)
Texas	Wilbarger County	0	Low (<10.0)
Texas	Willacy County	11.9	Medium (10.0 to 19.9)
Texas	Williamson County	4	Low (<10.0)
Texas	Wilson County	5.9	Low (<10.0)
Texas	Winkler County	4.3	Low (<10.0)
Texas	Wise County	7.4	Low (<10.0)
Texas	Wood County	2.4	Low (<10.0)
Texas	Yoakum County	0	Low (<10.0)
Texas	Young County	10.1	Medium (10.0 to 19.9)
Texas	Zapata County	13.8	Medium (10.0 to 19.9)
Texas	Zavala County	5.9	Low (<10.0)
Utah	Beaver County	6.5	Low (<10.0)
Utah	Box Elder County	3.4	Low (<10.0)
Utah	Cache County	2.7	Low (<10.0)

Utah	Carbon County	6.6	Low (<10.0)
Utah	Daggett County	0	Low (<10.0)
Utah	Davis County	3.4	Low (<10.0)
Utah	Duchesne County	6.4	Low (<10.0)
Utah	Emery County	6.6	Low (<10.0)
Utah	Garfield County	7.4	Low (<10.0)
Utah	Grand County	5.9	Low (<10.0)
Utah	Iron County	6.5	Low (<10.0)
Utah	Juab County	2.9	Low (<10.0)
Utah	Kane County	7.4	Low (<10.0)
Utah	Millard County	2.9	Low (<10.0)
Utah	Morgan County	3.4	Low (<10.0)
Utah	Piute County	7.4	Low (<10.0)
Utah	Rich County	3.4	Low (<10.0)
Utah	Salt Lake County	6.4	Low (<10.0)
Utah	San Juan County	3.4	Low (<10.0)
Utah	Sanpete County	2.9	Low (<10.0)
Utah	Sevier County	2.9	Low (<10.0)
Utah	Summit County	6.4	Low (<10.0)
Utah	Tooele County	6.4	Low (<10.0)
Utah	Uintah County	6.4	Low (<10.0)
Utah	Utah County	2.9	Low (<10.0)
Utah	Wasatch County	6.4	Low (<10.0)
Utah	Washington County	7.4	Low (<10.0)
Utah	Wayne County	2.9	Low (<10.0)
Utah	Weber County	3.4	Low (<10.0)
Vermont	Addison County	5.1	Low (<10.0)
Vermont	Bennington County	18.8	Medium (10.0 to 19.9)
Vermont	Caledonia County	3.6	Low (<10.0)
Vermont	Chittenden County	5.1	Low (<10.0)
Vermont	Essex County	5.3	Low (<10.0)
Vermont	Franklin County	5.1	Low (<10.0)
Vermont	Grand Isle County	5.1	Low (<10.0)
Vermont	Lamoille County	3.6	Low (<10.0)
Vermont	Orange County	12	Medium (10.0 to 19.9)
Vermont	Orleans County	3.6	Low (<10.0)
Vermont	Rutland County	0	Low (<10.0)
Vermont	Washington County	12	Medium (10.0 to 19.9)
Vermont	Windham County	10.1	Medium (10.0 to 19.9)
Vermont	Windsor County	12	Medium (10.0 to 19.9)

Virgin Islands	Unallocated U.S. Virgin Islands	0	Low (<10.0)
Virginia	Accomack County	0	Low (<10.0)
Virginia	Albemarle County	6.3	Low (<10.0)
Virginia	Alexandria City	8.6	Low (<10.0)
Virginia	Alleghany Cnty and Clifton Forge Cty	1.4	Low (<10.0)
Virginia	Amelia County	11.6	Medium (10.0 to 19.9)
Virginia	Amherst County	14.5	Medium (10.0 to 19.9)
Virginia	Appomattox County	14.5	Medium (10.0 to 19.9)
Virginia	Arlington County	8.6	Low (<10.0)
Virginia	Augusta County	6.2	Low (<10.0)
Virginia	Bath County	1.4	Low (<10.0)
Virginia	Bedford County	14.5	Medium (10.0 to 19.9)
Virginia	Bland County	6.9	Low (<10.0)
Virginia	Botetourt County	14.5	Medium (10.0 to 19.9)
Virginia	Bristol City	8.2	Low (<10.0)
Virginia	Brunswick County	6.1	Low (<10.0)
Virginia	Buchanan County	6.9	Low (<10.0)
Virginia	Buckingham County	6.3	Low (<10.0)
Virginia	Buena Vista City	6.2	Low (<10.0)
Virginia	Campbell County	14.5	Medium (10.0 to 19.9)
Virginia	Caroline County	7.7	Low (<10.0)
Virginia	Carroll County	1.6	Low (<10.0)
Virginia	Charles City County	11.6	Medium (10.0 to 19.9)
Virginia	Charlotte County	11.6	Medium (10.0 to 19.9)
Virginia	Charlottesville City	6.3	Low (<10.0)
Virginia	Chesapeake City	7.2	Low (<10.0)
Virginia	Chesterfield County	11.6	Medium (10.0 to 19.9)
Virginia	Clarke County	7.2	Low (<10.0)
Virginia	Colonial Heights City	11.6	Medium (10.0 to 19.9)
Virginia	Covington City	1.4	Low (<10.0)
Virginia	Craig County	14.5	Medium (10.0 to 19.9)
Virginia	Culpeper County	6.3	Low (<10.0)
Virginia	Cumberland County	11.6	Medium (10.0 to 19.9)
Virginia	Danville City	2.5	Low (<10.0)
Virginia	Dickenson County	5.1	Low (<10.0)
Virginia	Dinwiddie County	15.9	Medium (10.0 to 19.9)
Virginia	Emporia City	6.1	Low (<10.0)
Virginia	Essex County	11.6	Medium (10.0 to 19.9)

Virginia	Fairfax City	8.6	Low (<10.0)
Virginia	Fairfax County	8.6	Low (<10.0)
Virginia	Falls Church City	8.6	Low (<10.0)
Virginia	Fauquier County	1.8	Low (<10.0)
Virginia	Floyd County	14.5	Medium (10.0 to 19.9)
Virginia	Fluvanna County	6.3	Low (<10.0)
Virginia	Franklin City	7.2	Low (<10.0)
Virginia	Franklin County	14.5	Medium (10.0 to 19.9)
Virginia	Frederick County	7.2	Low (<10.0)
Virginia	Fredericksburg City	7.7	Low (<10.0)
Virginia	Galax City	1.6	Low (<10.0)
Virginia	Giles County	6.6	Low (<10.0)
Virginia	Gloucester County	3.4	Low (<10.0)
Virginia	Goochland County	11.6	Medium (10.0 to 19.9)
Virginia	Grayson County	1.6	Low (<10.0)
Virginia	Greene County	6.3	Low (<10.0)
Virginia	Greensville County	6.1	Low (<10.0)
Virginia	Halifax County with South Boston City	11.7	Medium (10.0 to 19.9)
Virginia	Hampton City	3.4	Low (<10.0)
Virginia	Hanover County	11.6	Medium (10.0 to 19.9)
Virginia	Harrisonburg City	6.6	Low (<10.0)
Virginia	Henrico County	11.6	Medium (10.0 to 19.9)
Virginia	Henry County	2.5	Low (<10.0)
Virginia	Highland County	6.2	Low (<10.0)
Virginia	Hopewell City	15.9	Medium (10.0 to 19.9)
Virginia	Isle of Wight County	7.2	Low (<10.0)
Virginia	James City County	3.4	Low (<10.0)
Virginia	King and Queen County	11.6	Medium (10.0 to 19.9)
Virginia	King George County	7.7	Low (<10.0)
Virginia	King William County	11.6	Medium (10.0 to 19.9)
Virginia	Lancaster County	11.6	Medium (10.0 to 19.9)
Virginia	Lee County	5.1	Low (<10.0)
Virginia	Lexington City	6.2	Low (<10.0)
Virginia	Loudoun County	8.6	Low (<10.0)
Virginia	Louisa County	6.3	Low (<10.0)
Virginia	Lunenburg County	11.7	Medium (10.0 to 19.9)
Virginia	Lynchburg City	14.5	Medium (10.0 to 19.9)
Virginia	Madison County	6.3	Low (<10.0)
Virginia	Manassas City	1.8	Low (<10.0)

Virginia	Manassas Park City	1.8	Low (<10.0)
Virginia	Martinsville City	2.5	Low (<10.0)
Virginia	Mathews County	3.4	Low (<10.0)
Virginia	Mecklenburg County	11.7	Medium (10.0 to 19.9)
Virginia	Middlesex County	11.6	Medium (10.0 to 19.9)
Virginia	Montgomery County	6.6	Low (<10.0)
Virginia	Nelson County	6.3	Low (<10.0)
Virginia	New Kent County	11.6	Medium (10.0 to 19.9)
Virginia	Newport News City	3.4	Low (<10.0)
Virginia	Norfolk City	7.2	Low (<10.0)
Virginia	Northampton County	0	Low (<10.0)
Virginia	Northumberland County	11.6	Medium (10.0 to 19.9)
Virginia	Norton City	5.1	Low (<10.0)
Virginia	Nottoway County	11.6	Medium (10.0 to 19.9)
Virginia	Orange County	6.3	Low (<10.0)
Virginia	Page County	6.6	Low (<10.0)
Virginia	Patrick County	2.5	Low (<10.0)
Virginia	Petersburg City	15.9	Medium (10.0 to 19.9)
Virginia	Pittsylvania County	2.5	Low (<10.0)
Virginia	Poquoson City	3.4	Low (<10.0)
Virginia	Portsmouth City	7.2	Low (<10.0)
Virginia	Powhatan County	11.6	Medium (10.0 to 19.9)
Virginia	Prince Edward County	11.6	Medium (10.0 to 19.9)
Virginia	Prince George County	15.9	Medium (10.0 to 19.9)
Virginia	Prince William County	1.8	Low (<10.0)
Virginia	Pulaski County	6.6	Low (<10.0)
Virginia	Radford City	6.6	Low (<10.0)
Virginia	Rappahannock County	6.3	Low (<10.0)
Virginia	Richmond City	11.6	Medium (10.0 to 19.9)
Virginia	Richmond County	11.6	Medium (10.0 to 19.9)
Virginia	Roanoke City	14.5	Medium (10.0 to 19.9)
Virginia	Roanoke County	14.5	Medium (10.0 to 19.9)
Virginia	Rockbridge County	6.2	Low (<10.0)
Virginia	Rockingham County	6.6	Low (<10.0)
Virginia	Russell County	8.2	Low (<10.0)
Virginia	Salem City	14.5	Medium (10.0 to 19.9)
Virginia	Scott County	8.2	Low (<10.0)
Virginia	Shenandoah County	7.2	Low (<10.0)
Virginia	Smyth County	8.2	Low (<10.0)

Virginia	Southampton County	7.2	Low (<10.0)
Virginia	Spotsylvania County	7.7	Low (<10.0)
Virginia	Stafford County	7.7	Low (<10.0)
Virginia	Staunton City	6.2	Low (<10.0)
Virginia	Suffolk City	7.2	Low (<10.0)
Virginia	Surry County	15.9	Medium (10.0 to 19.9)
Virginia	Sussex County	15.9	Medium (10.0 to 19.9)
Virginia	Tazewell County	6.9	Low (<10.0)
Virginia	Virginia Beach City	7.2	Low (<10.0)
Virginia	Warren County	7.2	Low (<10.0)
Virginia	Washington County	8.2	Low (<10.0)
Virginia	Waynesboro City	6.2	Low (<10.0)
Virginia	Westmoreland County	11.6	Medium (10.0 to 19.9)
Virginia	Williamsburg City	3.4	Low (<10.0)
Virginia	Winchester City	7.2	Low (<10.0)
Virginia	Wise County	5.1	Low (<10.0)
Virginia	Wythe County	6.6	Low (<10.0)
Virginia	York County	3.4	Low (<10.0)
Washington	Adams County	6.6	Low (<10.0)
Washington	Asotin County	5.3	Low (<10.0)
Washington	Benton County	3	Low (<10.0)
Washington	Chelan County	5.8	Low (<10.0)
Washington	Clallam County	1.8	Low (<10.0)
Washington	Clark County	5.8	Low (<10.0)
Washington	Columbia County	2.6	Low (<10.0)
Washington	Cowlitz County	5.8	Low (<10.0)
Washington	Douglas County	5.8	Low (<10.0)
Washington	Ferry County	6.6	Low (<10.0)
Washington	Franklin County	3	Low (<10.0)
Washington	Garfield County	5.3	Low (<10.0)
Washington	Grant County	5.8	Low (<10.0)
Washington	Grays Harbor County	4.1	Low (<10.0)
Washington	Island County	5.2	Low (<10.0)
Washington	Jefferson County	1.8	Low (<10.0)
Washington	King County	5.2	Low (<10.0)
Washington	Kitsap County	5.2	Low (<10.0)
Washington	Kittitas County	4.4	Low (<10.0)
Washington	Klickitat County	1.1	Low (<10.0)
Washington	Lewis County	4.1	Low (<10.0)

Washington	Lincoln County	6.6	Low (<10.0)
Washington	Mason County	4.1	Low (<10.0)
Washington	Okanogan County	5.8	Low (<10.0)
Washington	Pacific County	4.1	Low (<10.0)
Washington	Pend Oreille County	6.6	Low (<10.0)
Washington	Pierce County	4.9	Low (<10.0)
Washington	San Juan County	5.2	Low (<10.0)
Washington	Skagit County	5.2	Low (<10.0)
Washington	Skamania County	1.1	Low (<10.0)
Washington	Snohomish County	5.2	Low (<10.0)
Washington	Spokane County	6.6	Low (<10.0)
Washington	Stevens County	6.6	Low (<10.0)
Washington	Thurston County	4.1	Low (<10.0)
Washington	Wahkiakum County	5.8	Low (<10.0)
Washington	Walla Walla County	2.6	Low (<10.0)
Washington	Whatcom County	6.1	Low (<10.0)
Washington	Whitman County	1.1	Low (<10.0)
Washington	Yakima County	4.4	Low (<10.0)
West Virginia	Barbour County	8.3	Low (<10.0)
West Virginia	Berkeley County	7.2	Low (<10.0)
West Virginia	Boone County	14.1	Medium (10.0 to 19.9)
West Virginia	Braxton County	10.2	Medium (10.0 to 19.9)
West Virginia	Brooke County	5.2	Low (<10.0)
West Virginia	Cabell County	17.3	Medium (10.0 to 19.9)
West Virginia	Calhoun County	8.3	Low (<10.0)
West Virginia	Clay County	14.1	Medium (10.0 to 19.9)
West Virginia	Doddridge County	10.2	Medium (10.0 to 19.9)
West Virginia	Fayette County	14.8	Medium (10.0 to 19.9)
West Virginia	Gilmer County	10.2	Medium (10.0 to 19.9)
West Virginia	Grant County	7.9	Low (<10.0)
West Virginia	Greenbrier County	1.4	Low (<10.0)
West Virginia	Hampshire County	7.2	Low (<10.0)
West Virginia	Hancock County	5.2	Low (<10.0)
West Virginia	Hardy County	7.9	Low (<10.0)
West Virginia	Harrison County	10.2	Medium (10.0 to 19.9)
West Virginia	Jackson County	8.3	Low (<10.0)
West Virginia	Jefferson County	7.2	Low (<10.0)
West Virginia	Kanawha County	14.1	Medium (10.0 to 19.9)
West Virginia	Lewis County	10.2	Medium (10.0 to 19.9)

West Virginia	Lincoln County	17.3	Medium (10.0 to 19.9)
West Virginia	Logan County	13.2	Medium (10.0 to 19.9)
West Virginia	Marion County	10.9	Medium (10.0 to 19.9)
West Virginia	Marshall County	10.2	Medium (10.0 to 19.9)
West Virginia	Mason County	6.3	Low (<10.0)
West Virginia	McDowell County	6.9	Low (<10.0)
West Virginia	Mercer County	6.9	Low (<10.0)
West Virginia	Mineral County	7.9	Low (<10.0)
West Virginia	Mingo County	13.2	Medium (10.0 to 19.9)
West Virginia	Monongalia County	10.9	Medium (10.0 to 19.9)
West Virginia	Monroe County	1.4	Low (<10.0)
West Virginia	Morgan County	7.2	Low (<10.0)
West Virginia	Nicholas County	14.1	Medium (10.0 to 19.9)
West Virginia	Ohio County	10.2	Medium (10.0 to 19.9)
West Virginia	Pendleton County	6.6	Low (<10.0)
West Virginia	Pleasants County	8.3	Low (<10.0)
West Virginia	Pocahontas County	8.3	Low (<10.0)
West Virginia	Preston County	10.9	Medium (10.0 to 19.9)
West Virginia	Putnam County	14.1	Medium (10.0 to 19.9)
West Virginia	Raleigh County	14.8	Medium (10.0 to 19.9)
West Virginia	Randolph County	8.3	Low (<10.0)
West Virginia	Ritchie County	8.3	Low (<10.0)
West Virginia	Roane County	8.3	Low (<10.0)
West Virginia	Summers County	14.8	Medium (10.0 to 19.9)
West Virginia	Taylor County	10.9	Medium (10.0 to 19.9)
West Virginia	Tucker County	8.3	Low (<10.0)
West Virginia	Tyler County	10.2	Medium (10.0 to 19.9)
West Virginia	Upshur County	10.2	Medium (10.0 to 19.9)
West Virginia	Wayne County	17.3	Medium (10.0 to 19.9)
West Virginia	Webster County	14.1	Medium (10.0 to 19.9)
West Virginia	Wetzel County	10.2	Medium (10.0 to 19.9)
West Virginia	Wirt County	8.3	Low (<10.0)
West Virginia	Wood County	8.3	Low (<10.0)
West Virginia	Wyoming County	14.8	Medium (10.0 to 19.9)
Wisconsin	Adams County	8.5	Low (<10.0)
Wisconsin	Ashland County	1.7	Low (<10.0)
Wisconsin	Barron County	6.7	Low (<10.0)
Wisconsin	Bayfield County	1.7	Low (<10.0)
Wisconsin	Brown County	4.6	Low (<10.0)
Wisconsin	Buffalo County	6	Low (<10.0)

Wisconsin	Burnett County	6.4	Low (<10.0)
Wisconsin	Calumet County	5.7	Low (<10.0)
Wisconsin	Chippewa County	6	Low (<10.0)
Wisconsin	Clark County	4.8	Low (<10.0)
Wisconsin	Columbia County	6.7	Low (<10.0)
Wisconsin	Crawford County	17.8	Medium (10.0 to 19.9)
Wisconsin	Dane County	6.7	Low (<10.0)
Wisconsin	Dodge County	5.2	Low (<10.0)
Wisconsin	Door County	4.6	Low (<10.0)
Wisconsin	Douglas County	7.1	Low (<10.0)
Wisconsin	Dunn County	6	Low (<10.0)
Wisconsin	Eau Claire County	6	Low (<10.0)
Wisconsin	Florence County	10.6	Medium (10.0 to 19.9)
Wisconsin	Fond du Lac County	5.2	Low (<10.0)
Wisconsin	Forest County	4.3	Low (<10.0)
Wisconsin	Grant County	6.7	Low (<10.0)
Wisconsin	Green County	6.5	Low (<10.0)
Wisconsin	Green Lake County	5.2	Low (<10.0)
Wisconsin	Iowa County	6.7	Low (<10.0)
Wisconsin	Iron County	4.3	Low (<10.0)
Wisconsin	Jackson County	0	Low (<10.0)
Wisconsin	Jefferson County	4.2	Low (<10.0)
Wisconsin	Juneau County	8.5	Low (<10.0)
Wisconsin	Kenosha County	4.9	Low (<10.0)
Wisconsin	Kewaunee County	4.6	Low (<10.0)
Wisconsin	La Crosse County	7.8	Low (<10.0)
Wisconsin	Lafayette County	6.5	Low (<10.0)
Wisconsin	Langlade County	4.6	Low (<10.0)
Wisconsin	Lincoln County	4.8	Low (<10.0)
Wisconsin	Manitowoc County	5.7	Low (<10.0)
Wisconsin	Marathon County	4.8	Low (<10.0)
Wisconsin	Marinette County	10.6	Medium (10.0 to 19.9)
Wisconsin	Marquette County	6.7	Low (<10.0)
Wisconsin	Menominee County	4.6	Low (<10.0)
Wisconsin	Milwaukee County	11.1	Medium (10.0 to 19.9)
Wisconsin	Monroe County	7.8	Low (<10.0)
Wisconsin	Oconto County	4.6	Low (<10.0)
Wisconsin	Oneida County	4.3	Low (<10.0)
Wisconsin	Outagamie County	10	Medium (10.0 to 19.9)

Wisconsin	Ozaukee County	11.1	Medium (10.0 to 19.9)
Wisconsin	Pepin County	6	Low (<10.0)
Wisconsin	Pierce County	3.3	Low (<10.0)
Wisconsin	Polk County	5.3	Low (<10.0)
Wisconsin	Portage County	1.4	Low (<10.0)
Wisconsin	Price County	1.7	Low (<10.0)
Wisconsin	Racine County	4.9	Low (<10.0)
Wisconsin	Richland County	6.7	Low (<10.0)
Wisconsin	Rock County	6.5	Low (<10.0)
Wisconsin	Rusk County	6.7	Low (<10.0)
Wisconsin	Sauk County	6.7	Low (<10.0)
Wisconsin	Sawyer County	1.7	Low (<10.0)
Wisconsin	Shawano County	4.6	Low (<10.0)
Wisconsin	Sheboygan County	5.7	Low (<10.0)
Wisconsin	St. Croix County	3.3	Low (<10.0)
Wisconsin	Taylor County	4.8	Low (<10.0)
Wisconsin	Trempealeau County	7.8	Low (<10.0)
Wisconsin	Vernon County	7.8	Low (<10.0)
Wisconsin	Vilas County	4.3	Low (<10.0)
Wisconsin	Walworth County	4.2	Low (<10.0)
Wisconsin	Washburn County	6.4	Low (<10.0)
Wisconsin	Washington County	11.1	Medium (10.0 to 19.9)
Wisconsin	Waukesha County	11.1	Medium (10.0 to 19.9)
Wisconsin	Waupaca County	10	Medium (10.0 to 19.9)
Wisconsin	Waushara County	5.2	Low (<10.0)
Wisconsin	Winnebago County	5.2	Low (<10.0)
Wisconsin	Wood County	4.8	Low (<10.0)
Data for the previous MMWR week (Sunday-Saturday) will update weekly on Fridays as soon as they are reviewed and verified, updates might be delayed due to delays in reporting. Data featured on COVID Data Tracker and within data.cdc.gov datasets may be incomplete for recent days due to processing and reporting delays. All data are provisional.			
Wyoming	Albany County	3.6	Low (<10.0)
Wyoming	Big Horn County	4.9	Low (<10.0)
Wyoming	Campbell County	2.5	Low (<10.0)
Wyoming	Carter County	2.6	Low (<10.0)
Wyoming	Converse County	10.7	Medium (10.0 to 19.9)
Wyoming	Crook County	2.5	Low (<10.0)
Wyoming	Fremont County	5.8	Low (<10.0)
Wyoming	Goshute County	12.9	Medium (10.0 to 19.9)
Wyoming	Hot Springs County	5.8	Low (<10.0)
Wyoming	Johnson County	5.1	Low (<10.0)
Wyoming	Laramie County	3.5	Low (<10.0)
Wyoming	Lincoln County	3.8	Low (<10.0)

Health and Human Services (HHS) regions: The ten (10) U.S. Department of HHS regions are defined [here](#).

Source: COVID-19-associated hospitalization data reported to CDC's National Healthcare Safety Network (NHSN). As of December 15, 2022, COVID-19 hospital data are required to be reported to CDC's NHSN, which monitors national and local

Wyoming	Natrona County	10.7	Medium (10.0 to 19.9)
Wyoming	Niobrara County	12.9	Medium (10.0 to 19.9)
Wyoming	Park County	4.9	Low (<10.0)
Wyoming	Platte County	6	Low (<10.0)
Wyoming	Sheridan County	5.1	Low (<10.0)
Wyoming	Sublette County	3.8	Low (<10.0)
Wyoming	Sweetwater County	0	Low (<10.0)
Wyoming	Teton County	3.2	Low (<10.0)
Wyoming	Uinta County	0	Low (<10.0)
Wyoming	Washakie County	5.8	Low (<10.0)
Wyoming	Weston County	0	Low (<10.0)

hospital capacity, occupancy, hospitalizations, and admissions. This system change does not impact requirements. Prior to December 15, 2022, hospitals reported data directly to the U.S. Department of Health and Human Services (HHS) or via a state health department.

the NHSN system can be found here: <https://www.cdc.gov/nhsn/covid19/hospital-reporting.html>.

While CDC reviews these data for errors and corrects those found, some reporting errors might still exist within the data. To work with reporters to correct these errors and update the data in subsequent weeks.

and religious non-medical hospitals are excluded from calculations.

in the 50 states, plus the District of Columbia (included in HHS Region 5), American Samoa (HHS Region 5), the Commonwealth of the Northern Mariana Islands (HHS Region 9), Guam (HHS Region 9), Puerto Rico (HHS Region 2), and the U.S. Virgin Islands (HHS Region 2).

Full details on COVID-19 hospital data reporting guidance can be found here: <https://www.hhs.gov/sites/default/files/covid-19-faqs-hospitals-hospital-laboratory-acute-care-facility-data-reporting.pdf>.

County-level hospital data displayed on COVID Data Tracker are derived using calculations performed at the Health Service Area (HSA) level. Although the county is typically the smallest geographic unit for which national data are available, not all U.S. counties have hospitals. Additionally, analyses of these data at the local level are complicated by unequal distribution of hospitals within regions, as they are often clustered in large population centers and have service areas that overlap and extend across multiple communities. The unequal distribution of hospitals can lead to a mismatch between places where people live and places where they receive care.

An HSA is defined by CDC's National Center for Health Statistics as a geographic area containing at least one county which is self-contained with respect to the population's provision of routine hospital care. Every county in the United States is assigned to an HSA, and each HSA must contain at least one hospital. Therefore, use of HSAs in the calculation of local hospital metrics allows for more accurate characterization of the relationship between health care utilization and health status at the local level.

Data presented at the county-level represent admissions, hospital inpatient and ICU bed capacity and occupancy among hospitals within the selected HSA. Therefore, admissions, capacity, and occupancy are not limited to residents of the selected HSA.

For all county-level hospital metrics listed below the values are calculated first for the entire HSA, and then the HSA-level value is then applied to each county within the HSA.

New hospital admissions with confirmed COVID-19, past week: Total number of admissions of patients with laboratory-confirmed COVID-19 in the previous week (including both adult and pediatric admissions) in the entire jurisdiction

New hospital admissions with confirmed COVID-19 per 100,000 population, past week: Total number of new admissions of patients with laboratory-confirmed COVID-19 in the past week (including both adult and pediatric admissions) for the entire jurisdiction divided by 2019 intercensal population estimate for that jurisdiction multiplied by 100,000. (Note: This metric is used to determine each county's COVID-19 Hospital Admissions Level for a given week).

- Data Notes:**
 - January 26th, 2024: Commonwealth of the Northern Mariana Islands (CNMI) – January 26th, 2024: Due to incomplete or missing hospital data received for the January 14th, 2024 through January 20th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on January 26th, 2024.
 - January 19th, 2024: Commonwealth of the Northern Mariana Islands (CNMI) – January 19th, 2024: Due to incomplete or missing hospital data received for the January 7th, 2024 through January 13th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on January 19th, 2024.
 - January 12th, 2024: Commonwealth of the Northern Mariana Islands (CNMI) – January 12th, 2024: Due to incomplete or missing hospital data received for the December 31st, 2023 through January 6th, 2024 reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on January 12th, 2024.
 - January 5th, 2024: Commonwealth of the Northern Mariana Islands (CNMI) – January 5th, 2024: Due to incomplete or missing hospital data received for the December 24th, 2023 through December 30th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on January 5th, 2024.
 - January 5th, 2024: Hospitalization data reported to CDC's National Healthcare Safety Network (NHSN) through

December 30th, 2023 should be interpreted with caution due to potential reporting delays that are impacted by Christmas and New Years holidays. As a result, metrics including new hospital admissions for COVID-19 and influenza and hospital occupancy may be underestimated for the week ending December 30th, 2023.

- December 29th, 2023: Hospitalization data reported to CDC's National Healthcare Safety Network (NHSN) through December 23rd, 2023 should be interpreted with caution due to potential reporting delays that are impacted by Christmas and New Years holidays. As a result, metrics including new hospital admissions for COVID-19 and influenza and hospital occupancy may be underestimated for the week ending December 23rd, 2023.
- December 29th, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 29th, 2023: Due to incomplete or missing hospital data received for the December 17th, 2023 through December 23rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on December 29th, 2023.
- December 29th, 2023: Government of Guam (GU) – December 29th, 2023: Due to incomplete or missing hospital data received for the December 17th, 2023 through December 23rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for GU and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on December 29th, 2023.
- December 22, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 22nd, 2023: Due to incomplete or missing hospital data received for the December 10th, 2023 through December 16th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on December 22nd, 2023.
- December 15, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 15th, 2023: Due to incomplete or missing hospital data received for the December 3rd, 2023 through December 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on December 15th, 2023.
- December 15, 2023: American Samoa (AS) – December 15th, 2023: Due to incomplete or missing hospital data received for the December 3rd, 2023 through December 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on December 15th, 2023.
- December 15, 2023: Government of Guam (GU) – December 15th, 2023: Due to incomplete or missing hospital data received for the December 3rd, 2023 through December 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for GU and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on December 15th, 2023.
- December 8, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 8th, 2023: Due to incomplete or missing hospital data received for the November 26th, 2023 through December 2nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on December 8th, 2023.
- December 1, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – December 1st, 2023: Due to incomplete or missing hospital data received for the November 19th, 2023 through November 25th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on December 1st, 2023.
- December 1, 2023: American Samoa (AS) - December 1st, 2023: Due to incomplete or missing hospital data received for the November 19th, 2023 through November 25th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on December 1st, 2023.
- November 27, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 27th, 2023: Due to incomplete or missing hospital data received for the November 12th, 2023 through November 18th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on November 27th, 2023.
- November 17, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 17th, 2023: Due to incomplete or missing hospital data received for the November 5th, 2023 through November 11th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on November 17th, 2023.
- November 17, 2023: American Samoa (AS) - November 17th, 2023: Due to incomplete or missing hospital data received for the November 5th, 2023 through November 11th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as “NA” or “Not Available” in the COVID-19 Hospital Admissions Level data released on November 17th, 2023.
- November 13, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 13th, 2023: Due to

incomplete or missing hospital data received for the October 29th, 2023 through November 4th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 13th, 2023.

- November 13, 2023: American Samoa (AS) - November 13th, 2023: Due to incomplete or missing hospital data received for the October 29th, 2023 through November 4th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 13th, 2023.
- November 3, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – November 3rd, 2023: Due to incomplete or missing hospital data received for the October 22nd, 2023 through October 28th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on November 3rd, 2023.
- October 27, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – October 27th, 2023: Due to incomplete or missing hospital data received for the October 15th, 2023 through October 21st reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 27th, 2023.
- October 27, 2023: Government of Guam (GU) – October 27th, 2023: Due to incomplete or missing hospital data received for the October 15th, 2023 through October 21st reporting period, the COVID-19 Hospital Admissions Level could not be calculated for GU and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 27th, 2023.
- October 27, 2023: Due to a data processing error, reported values for "% Inpatient Beds Occupied By COVID-19 Patients (Past Week)" will appear lower than previously reported values by an average difference of less than 1%. Therefore, previously reported values for "% Inpatient Beds Occupied By COVID-19 Patients (Past Week)" may have been overestimated and should be interpreted with caution.
- October 27, 2023: Due to a data processing error, reported values for "Percentage of Staffed Inpatient Beds Occupied by COVID-19 Patients in the Past Week, by State/Territory" will appear lower than previously reported by an average difference of less than 1%. Therefore, previously reported values for "Percentage of Staffed Inpatient Beds Occupied by COVID-19 Patients in the Past Week, by State/Territory" may have been overestimated and should be interpreted with caution.
- October 20, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – October 20th, 2023: Due to incomplete or missing hospital data received for the October 8th, 2023 through October 14th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 20th, 2023.
- October 13, 2023: Commonwealth of the Northern Mariana Islands (CNMI) – October 13th, 2023: Due to incomplete or missing hospital data received for the October 1st, 2023 through October 7th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 13th, 2023.
- October 6, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - October 6th, 2023: Due to incomplete or missing hospital data received for the September 24th, 2023 through September 30th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 6th, 2023.
- October 6, 2023: American Samoa (AS) - October 6th, 2023: Due to incomplete or missing hospital data received for the September 24th, 2023 through September 30th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on October 6th, 2023.
- September 29, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 29th, 2023: Due to incomplete or missing hospital data received for the September 17th, 2023 through September 23rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 29th, 2023.
- September 29, 2023: American Samoa (AS) - September 29th, 2023: Due to incomplete or missing hospital data received for the September 17th, 2023 through September 23rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 29th, 2023.
- September 25, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 25th, 2023: Due to incomplete or missing hospital data received for the September 10th, 2023 through September 16th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 25th, 2023.

- September 25, 2023: American Samoa (AS) - September 25th, 2023: Due to incomplete or missing hospital data received for the September 10th, 2023 through September 16th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 25th, 2023.
- September 18, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 18th, 2023: Due to incomplete or missing hospital data received for the September 3rd, 2023 through September 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 18th, 2023.
- September 18, 2023: American Samoa (AS) - September 18th, 2023: Due to incomplete or missing hospital data received for the September 3rd, 2023 through September 9th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 18th, 2023.
- September 11, 2023: American Samoa (AS) - September 11th, 2023: Due to incomplete or missing hospital data received for the August 27th, 2023 through September 2nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 11th, 2023.
- September 11, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 11th, 2023: Due to incomplete or missing hospital data received for the August 27th, 2023 through September 2nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 11th, 2023.
- September 5, 2023: American Samoa (AS) - September 5th, 2023: Due to incomplete or missing hospital data received for the August 20th, 2023 through August 26th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 5th, 2023.
- September 5, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - September 5th, 2023: Due to incomplete or missing hospital data received for the August 20th, 2023 through August 26th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on September 5th, 2023.
- August 28, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 28th, 2023: Due to incomplete or missing hospital data received for the August 13th, 2023 through August 19th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 28th, 2023.
- August 28, 2023: American Samoa (AS) - August 28th, 2023: Due to incomplete or missing hospital data received for the August 13th, 2023 through August 19th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 28th, 2023.
- August 21, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 21st, 2023: Due to incomplete or missing hospital data received for the August 6th, 2023 through August 12th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 21st, 2023.
- August 21, 2023: American Samoa (AS) - August 21st, 2023: Due to incomplete or missing hospital data received for the August 6th, 2023 through August 12th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 21st, 2023.
- August 14, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 14th, 2023: Due to incomplete or missing hospital data received for the July 30th, 2023 through August 5th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 14th, 2023.
- August 14, 2023: American Samoa (AS) - August 14th, 2023: Due to incomplete or missing hospital data received for the July 30th, 2023 through August 5th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 14th, 2023.
- August 7, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - August 7th, 2023: Due to incomplete or missing hospital data received for the July 23rd, 2023 through July 29th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 7th, 2023.

- August 7, 2023: American Samoa (AS) - August 7th, 2023: Due to incomplete or missing hospital data received for the July 23rd, 2023 through July 29th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on August 7th, 2023.
- July 31, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 31st, 2023: Due to incomplete or missing hospital data received for the July 16th, 2023 through July 22nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 31st, 2023.
- July 31, 2023: American Samoa (AS) - July 31st, 2023: Due to incomplete or missing hospital data received for the July 16th, 2023 through July 22nd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 31st, 2023.
- July 24, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 24th, 2023: Due to incomplete or missing hospital data received for the July 9th, 2023 through July 15th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 24th, 2023.
- July 17, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 17th, 2023: Due to incomplete or missing hospital data received for the July 2nd, 2023 through July 8th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 17th, 2023.
- July 17, 2023: American Samoa (AS) - July 17th, 2023: Due to incomplete or missing hospital data received for the July 2nd, 2023 through July 8th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 17th, 2023.
- July 10, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 10th, 2023: Due to incomplete or missing hospital data received for the June 25th, 2023 through July 1st reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 10th, 2023.
- July 10, 2023: American Samoa (AS) - July 10th, 2023: Due to incomplete or missing hospital data received for the June 25th, 2023 through July 1st reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 10th, 2023.
- July 3, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - July 3rd, 2023: Due to incomplete or missing hospital data received for the June 18th, 2023 through June 24th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on July 3rd, 2023.
- June 26, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 26th, 2023: Due to incomplete or missing hospital data received for the June 11th, 2023 through June 17th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 26th, 2023.
- June 26, 2023: American Samoa (AS) - June 26th, 2023: Due to incomplete or missing hospital data received for the June 11th, 2023 through June 17th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 26th, 2023.
- June 15, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 15th, 2023: Due to incomplete or missing hospital data received for the June 4th, 2023 through June 10th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 15th, 2023.
- June 15, 2023: American Samoa (AS) - June 15th, 2023: Due to incomplete or missing hospital data received for the June 4th, 2023 through June 10th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 15th, 2023.
- June 8, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 8th, 2023: Due to incomplete or missing hospital data received for the May 28th, 2023 through June 3rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 8th, 2023.

- June 8, 2023: American Samoa (AS) - June 8th, 2023: Due to incomplete or missing hospital data received for the May 28th, 2023 through June 3rd reporting period, the COVID-19 Hospital Admissions Level could not be calculated for AS and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 8th, 2023.
- June 1, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - June 1st, 2023: Due to incomplete or missing hospital data received for the May 21st, 2023 through May 27th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on June 1st, 2023.
- May 25, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - May 25th, 2023: Due to incomplete or missing hospital data received for the May 14th, 2023 through May 20th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on May 25th, 2023.
- May 18, 2023: Commonwealth of the Northern Mariana Islands (CNMI) - May 18th, 2023: Due to incomplete or missing hospital data received for the May 7th, 2023 through May 13th reporting period, the COVID-19 Hospital Admissions Level could not be calculated for CNMI and will be reported as "NA" or "Not Available" in the COVID-19 Hospital Admissions Level data released on May 18th, 2023.
- **% Change in new hospital admissions with confirmed COVID-19 from the prior week:** Percent change in the current weekly total new admissions of patients with laboratory-confirmed COVID-19 per 100,000 population compared with the prior week.
- **% Staffed inpatient beds occupied by patients with confirmed COVID-19, past week:** Percentage of all staffed inpatient beds occupied by patients with laboratory-confirmed COVID-19 (including both adult and pediatric patients) within the entire jurisdiction is calculated as an average of valid daily values within the past week (e.g., if only three valid values, the average of those three is taken). Averages are separately calculated for the daily numerators (patients hospitalized with confirmed COVID-19) and denominators (staffed inpatient beds). The average percentage can then be taken as the ratio of these two values for the entire jurisdiction.
- **Absolute change, % staffed inpatient beds occupied by patients with confirmed COVID-19 from the prior week:** The absolute change in the percent of staffed inpatient beds occupied by patients with laboratory-confirmed COVID-19 represents the week-over-week absolute difference between the average occupancy of patients with confirmed COVID-19 in staffed inpatient beds in the past week, compared with the prior week, in the entire jurisdiction.
- **% Staffed ICU beds occupied by patients with confirmed COVID-19, past week:** Percentage of all staffed inpatient beds occupied by adult patients with confirmed COVID-19 within the entire jurisdiction is calculated as an average of valid daily values within the past week (e.g., if only three valid values, the average of those three is taken). Averages are separately calculated for the daily numerators (adult patients hospitalized with confirmed COVID-19) and denominators (staffed adult ICU beds). The average percentage can then be taken as the ratio of these two values for the entire jurisdiction.
- **Absolute change, % staffed ICU beds occupied by patients with confirmed COVID-19 from the prior week:** The absolute change in the percent of staffed ICU beds occupied by patients with laboratory-confirmed COVID-19 represents the week-over-week absolute difference between the average occupancy of patients with confirmed COVID-19 in staffed adult ICU beds for the past week, compared with the prior week, in the entire jurisdiction.
- **New hospital admissions with confirmed COVID-19 since August 1, 2020:** Total number of new admissions of patients with laboratory-confirmed COVID-19 since hospital data collection began on August 1, 2020 (including both adult and pediatric admissions) in the entire jurisdiction. (Note: This metric is presented for the state/territory level only)
- For all metrics, if there are no data in the specified locality for a given week, the metric value is displayed as "insufficient data".
- For downloading the county-level NHSN hospitalization data displayed here: <https://data.cdc.gov/Public-Health-Surveillance/Weekly-United-States-COVID-19-Hospitalization-Metr/akn2-qxic>

Death Data

- **Source:** Provisional Deaths from the CDC's National Center for Health Statistics (NCHS) National Vital Statistics System (NVSS).
- Provisional data are non-final counts of deaths based on the flow of mortality data in NVSS. Deaths include those with COVID-19, coded to ICD-10 code U07.1, as an underlying or contributing cause of death on the death certificate. Death data are displayed by date of death (event). This is a change from the surveillance data used previously in COVID Data Tracker which were displayed by date of report.
- Number of deaths reported in this file are the total number of COVID-19 deaths received and coded as of the date of analysis and may not represent all deaths that occurred in that period. Counts of deaths with dates of death occurring before or after the reporting period are not included in the file.
- Data during recent periods are incomplete because of the lag in time between when a death occurs and when a death certificate is completed, submitted to NCHS, and processed for reporting. This delay can range from 1 week to 8 weeks or more, depending

on the jurisdiction. The most recent 3 weeks of mortality counts are shaded grey and mortality rates shown as dotted lines because NVSS reporting is <95% during this period.

- Provisional death counts and rates are for deaths among U.S. residents and occurring in the 50 states, plus the District of Columbia and New York City. Assignment to a geographic area is based on the place of residence listed on the death certificate. New York state estimates include New York City but are also provided in the data table excluding New York City. Data are reported separately for Puerto Rico (and as part of HHS Region 2). Data from other U.S. territories are not included in NVSS provisional reporting.
- The percentage of all reported deaths that are attributed as COVID-19 is calculated as the number of COVID-19 deaths divided by the number of deaths from all causes x 100. The percentage of COVID-19 deaths is less affected by incomplete reporting in recent weeks because death certificate data from COVID-19 and all causes have similar timeliness.
- Rates were calculated as the number of provisional deaths occurring in the specified week/month divided by the population estimated as of July 1, 2021, multiplied by 100,000. Population estimates are from the Blended Base produced by the U.S. Census Bureau in lieu of the April 1, 2020 decennial population count (see <https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2020-2021/methods-statement-v2021.pdf>).
- Rates were age-adjusted to the 2000 standard population using the direct method (see <https://www.cdc.gov/nchs/data/nvsr/nvsr70/nvsr70-08-508.pdf>). These rates differ from annual age-adjusted rates, typically presented in NCHS publications based on a full year of data and annualized weekly/monthly age-adjusted rates which have been adjusted to allow comparison with annual rates. Annualized rates present deaths per year per 100,000 population that would be expected in a year if the observed period-specific (weekly/monthly) rate prevailed for a full year.
- Sub-national death counts between 1-9 are suppressed in accordance with NCHS data confidentiality standards. Rates based on death counts <20 do not meet NCHS standards of reliability and are not provided. For most jurisdictions, counts of 1 through 9 COVID-19 deaths correspond to the minimal burden category. However, in jurisdictions with smaller populations, death counts between 1-9 may represent a higher level of COVID-19-associated mortality.
- For more information or to view the Provisional Death Data on the NCHS website: <https://www.cdc.gov/nchs/covid19/mortality-overview.htm>
- For downloading the NVSS mortality data displayed here: <https://data.cdc.gov/NCHS/Provisional-COVID-19-death-counts-rates-and-percen/mpx5-t7tu>

Emergency Department Visits Data

- **Source:** Emergency Department (ED) visits from the National Syndromic Surveillance Program (NSSP)
- NSSP is a collaboration among CDC, federal partners, local and state health departments, and academic and private sector partners to collect, analyze, and share electronic patient encounter data received from multiple health care settings. For insights into COVID-19 trends, visits that have a COVID-19 diagnosis at discharge are monitored for a subset of emergency departments in 50 states, the District of Columbia, and Guam. Coverage map: <https://www.cdc.gov/nssp/participation-coverage-map.html>
- The percentage of ED visits for patients with a discharge-diagnosis of COVID-19 is calculated nationally, regionally, and for each state presented. Percent change is calculated relative to the previous week as $([\% \text{ this week}] - [\% \text{ last week}]) / [\% \text{ last week}]$. Data presented on state websites may vary due to slight differences in the definitions used.
- ED visit data are not available for Northern Mariana Islands, Palau, Puerto Rico, and the U.S. Virgin Islands. Jurisdictions with low ED facility participation or where diagnosis information is incomplete are not shown.
- For some jurisdictions with a fewer number of overall visits reported to NSSP, rapid and large changes may appear in the data displayed.
- For more information on NSSP, see: <https://www.cdc.gov/nssp/index.html>. For technical information, see: <https://www.cdc.gov/ncird/surveillance/respiratory-illnesses/index.html#companion-guide>

Testing Data

- **Source:** National Respiratory and Enteric Virus Surveillance System (NREVSS)
- The data represent SARS-CoV-2 Nucleic Acid Amplification Test (NAAT) results, which include reverse transcriptase-polymerase chain reaction (RT-PCR) tests from a sentinel network of NREVSS-reporting laboratories in the United States, including clinical, public health and commercial laboratories (<https://www.cdc.gov/surveillance/nrevss/labs/index.html>). These data exclude antigen, antibody, and at-home test results. Test positivity data are displayed at the HHS Region level.
- All data are provisional and subject to change. Reporting is less complete for the past 1 week, and more complete for data reported for the period 2 weeks earlier (>90%).
- Because the data are from a sentinel network of laboratories, results may vary geographically. The data do not include all test results within a jurisdiction and therefore may not reflect all, COVID-19 NAATs in the United States. There are data from all 50

states, including the District of Columbia, Puerto Rico and the U.S. Virgin Islands, across the 10 HHS regions. Test results from Puerto Rico and the U.S. Virgin Islands are reported as part of HHS Region 2. Data from other U.S. territories are not reported to NREVSS.

- Percent positivity is one of the metrics used to monitor COVID-19 transmission over time and by area. Percent positivity is calculated by dividing the number of positive NAATs by the total number of NAATs administered, then multiplying by 100 $[(\# \text{ of positive NAAT tests} / \text{total NAAT tests}) \times 100]$.
- The data represent laboratory tests performed, not individual people. In the table and upon hovering on the map, the total test counts in the data reflect the latest reported data from NREVSS laboratories and may not match the data presented by various jurisdictions.
- On May 11, 2023 CDC discontinued utilizing the COVID electronic laboratory reporting (CELR) platform as the primary laboratory source of COVID-19 results. These data are archived at health.data.gov.
- For more information about NREVSS, please see: <https://www.cdc.gov/surveillance/nrevss/index.html>
- For downloading the NREVSS COVID-19 testing data displayed here: <https://data.cdc.gov/Laboratory-Surveillance/Percent-Positivity-of-COVID-19-Nucleic-Acid-Amplif/gvsb-yw6g>.

Looking for more information on COVID-19 Hospital Admission Levels?

See how [COVID-19 Hospital Admission Levels](#) are determined and connected to preventive behaviors and public health strategies.

Want COVID-19 trends over time?

View trends in the data [here](#)

Curious about the historical number of updated vaccines distributed and administered in the United States?

Check out the [COVID-19 Vaccinations in the United States](#) page.

How does COVID-19 Spread?

Learn [more](#)

Information on U.S. COVID-19 Cases Caused by Variants

Learn more [here](#)

Do you need information on testing?

Find it [here](#)

Cite COVID Data Tracker

Centers for Disease Control and Prevention. COVID Data Tracker. Atlanta, GA: U.S. Department of Health and Human Services, CDC; 2024, January 29. <https://covid.cdc.gov/covid-data-tracker>

COVID-19 Home >

All COVID-19 topics including prevention, travel, work, and school

HAVE QUESTIONS?

-  Visit CDC-INFO
-  Call 800-232-4636
-  Email CDC-INFO
-  Open 24/7

CDC INFORMATION

- About CDC
- Jobs
- Funding
- Policies
- File Viewers & Players

- Privacy
- FOIA
- No Fear Act
- OIG
- Nondiscrimination
- Accessibility

CONNECT WITH CDC

-     
-     