

Florida, 2007

Primary and secondary syphilis

- **CASES:** Florida reported 913 cases in 2007.
- **RATES:** Florida ranked 9 among 50 states, DC, and 3 territories with 5 cases per 100,000 population compared to the total rate of 3.8 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Florida, the rate among males was 8.6 per 100,000 population compared to the total male rate of 6.6 per 100,000.
- The rate among females was 1.7 per 100,000 compared to the total female rate of 1.1 per 100,000.

Rates of primary and secondary syphilis, by race/ethnicity


In Florida, the race/ethnicity adjusted rates per 100,000 population were 2.9 among whites, 15.6 among blacks, 4.0 among Hispanics, 0.5 among Asian/Pacific Islanders, and 1.7 among American Indians/Alaska Natives.

- The rate among blacks was 5.4 times that of whites.
- The rate among Hispanics was 1.4 times that of whites.

Congenital syphilis

- **CASES:** Florida reported 20 cases in 2007.
- **RATES:** Florida ranked 15 among 31 states, DC, and 2 territories reporting congenital syphilis cases with a rate of 9.2 cases per 100,000 live births compared to the total rate of 10.5 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Florida, 1998-2007



Total P&S Syphilis Rates by County, Florida, 2007

