

Missouri, 2007

Primary and secondary syphilis

- **CASES:** Missouri reported 239 cases in 2007.
- **RATES:** Missouri ranked 17 among 50 states, DC, and 3 territories with 4.1 cases per 100,000 population compared to the total rate of 3.8 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Missouri, the rate among males was 7.4 per 100,000 population compared to the total male rate of 6.6 per 100,000.
- The rate among females was 0.9 per 100,000 compared to the total female rate of 1.1 per 100,000.

Rates of primary and secondary syphilis, by race/ethnicity


In Missouri, the race/ethnicity adjusted rates per 100,000 population were 1.8 among whites, 19.5 among blacks, 7.3 among Hispanics, 3.2 among Asian/Pacific Islanders, and 0.0 among American Indians/Alaska Natives.

- The rate among blacks was 10.8 times that of whites.
- The rate among Hispanics was 4.1 times that of whites.
- The rate among Asian/Pacific Islanders was 1.8 times that of whites.

Congenital syphilis

- **CASES:** Missouri reported 1 case in 2007.
- **RATES:** Missouri ranked 32 among 31 states, DC, and 2 territories reporting congenital syphilis cases with a rate of 1.3 cases per 100,000 live births compared to the total rate of 10.5 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Missouri, 1998-2007



Total P&S Syphilis Rates by County, Missouri, 2007

