

New Mexico, 2007

Primary and secondary syphilis

- **CASES:** New Mexico reported 46 cases in 2007.
- **RATES:** New Mexico ranked 23 among 50 states, DC, and 3 territories with 2.4 cases per 100,000 population compared to the total rate of 3.8 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In New Mexico, the rate among males was 3.2 per 100,000 population compared to the total male rate of 6.6 per 100,000.
- The rate among females was 1.5 per 100,000 compared to the total female rate of 1.1 per 100,000.

Rates of primary and secondary syphilis, by race/ethnicity


In New Mexico, the race/ethnicity adjusted rates per 100,000 population were 1.4 among whites, 2.4 among blacks, 1.7 among Hispanics, 0.0 among Asian/Pacific Islanders, and 10.1 among American Indians/Alaska Natives.

- The rate among blacks was 1.7 times that of whites.
- The rate among Hispanics was 1.2 times that of whites.
- The rate among American Indians/Alaska Natives was 7.2 times that of whites.

Congenital syphilis

- **CASES:** New Mexico reported 6 cases in 2007.
- **RATES:** New Mexico ranked 7 among 31 states, DC, and 2 territories reporting congenital syphilis cases with a rate of 21.1 cases per 100,000 live births compared to the total rate of 10.5 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, New Mexico, 1998-2007



Total P&S Syphilis Rates by County, New Mexico, 2007

