

South Dakota, 2007

Primary and secondary syphilis

- **CASES:** South Dakota reported 7 cases in 2007.
- **RATES:** South Dakota ranked 41 among 50 states, DC, and 3 territories with 0.9 cases per 100,000 population compared to the total rate of 3.8 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In South Dakota, the rate among males was 1.3 per 100,000 population compared to the total male rate of 6.6 per 100,000.
- The rate among females was 0.5 per 100,000 compared to the total female rate of 1.1 per 100,000.

Rates of primary and secondary syphilis, by race/ethnicity


In South Dakota, the race/ethnicity adjusted rates per 100,000 population were 0.4 among whites, 0.0 among blacks, 0.0 among Hispanics, 0.0 among Asian/Pacific Islanders, and 5.9 among American Indians/Alaska Natives.

- The rate among American Indians/Alaska Natives was 14.8 times that of whites.

Congenital syphilis

- **CASES:** South Dakota reported 0 cases in 2007.
- **RATES:** South Dakota had a rate of 0.0 cases per 100,000 live births compared to the total rate of 10.5 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, South Dakota, 1998-2007



Total P&S Syphilis Rates by County, South Dakota, 2007

