State Profile: Maryland

Treatment patterns for children ages 2-5 years with ADHD


receiving clinical care through Medicaid or Employer-Sponsored Insurance

Clinical care for ADHD



% of children ages 2-5 receiving clinical care for **ADHD**

Maryland's rate compared to all reporting states



Medication



% of children ages 2-5 in clinical care receiving ADHD medication


100% Medication rate 80% ≺MD 60% 40% 20% 0% 2010 2008 2009 2011


100% (MD 80% 60% 40% 20% 0% 2008 2009 2010 2011 2012 2013 2014

Psychological services



% of children ages 2-5 in clinical care receiving psychological services





About the data

- Best Practice for ADHD Treatment for Preschoolers: Behavior therapy is the recommended first line treatment for ADHD in young children and should be tried before medication is prescribed (American Academy of Pediatrics, 2011).
- · Psychological service claims were used as an approximation for behavior therapy. Some of these services may have included the recommended forms of behavior therapy.
- Medicaid data were from Medicaid Extract Files, available for 2008-2011. Employer-sponsored insurance data were from Truven Health's MarketScan data, available for 2008-2014. Some state data points were missing due to insufficient data. The number of states contributing to national estimates each year ranged from 29 to 39.
- · Clinical care for ADHD meant insurance claims related to ADHD, either multiple visits or a visit plus prescription.

For detailed information, visit http://www.cdc.gov/ncbddd/adhd/data.html

