

# Morbidity and Mortality



Vol. 16, No. 53

WEEKLY REPORT

## ANNUAL SUPPLEMENT

### Summary 1967

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE  
HEALTH SERVICES AND MENTAL HEALTH ADMINISTRATION


FOR RELEASE  
NOVEMBER 1968

N.C.D.C. LIBRARY  
ATLANTA, GA 30333

#### REPORTED INCIDENCE OF NOTIFIABLE DISEASES IN THE UNITED STATES, 1967 WHOOPING COUGH (PERTUSSIS), 1943-1967

The reported incidence of whooping cough (pertussis) has shown a steady decline throughout the United States during the period 1943-1967 as shown in the chart below. The slope of the decline in each of the areas is practically the same although rates may differ. The downward

trend in each of the areas however, is punctuated by increases in incidence at intervals of 2-3 years in the early forties, lengthening to 4-5 years in the sixties. This phenomenon is discernible in the trend lines of each of the nine geographic divisions of the United States.



INDEX OF TABLES

	<u>Page</u>
Table 1. Reported Incidence of Diseases Covered by International Quarantine Agreement, 1958-67 .....	3
Table 2. Reported Cases of Specified Notifiable Diseases: United States, 1958-67 .....	4
Table 3. (A) Deaths from Specified Notifiable Diseases: United States, 1957-66 .....	5
(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1957-66 .....	6
Table 4. Reported Cases of Notifiable Diseases by Month: United States, 1967 .....	7
Table 5. Reported Cases of Notifiable Diseases of Low Frequency: United States, 1967 .....	8
Table 6. Reported Cases of Notifiable Diseases: United States, by Geographic Division, by State, 1967 .....	9
Table 7. Reported Cases: Infectious Encephalitis, 1967.....	12
Table 8. New Active Tuberculosis Cases, 1966 and 1967 Provisional .....	13
Table 9. Newly Reported Cases of Venereal Diseases: United States, Civilian Cases, 1967.....	14
Table 10. Rabies in Man and Animals, by State, by Type of Animal, United States, 1967.....	15
Table 11. Reported Cases of Selected Notifiable Diseases by State, by Age, 1967.....	16
Table 12. Reported Cases of Selected Notifiable Diseases by State, by Month, 1967 .....	22
Table 13. Acute Diseases Optionally Reported to the Public Health Service, by State, 1967 .....	25
Table 14. Other Diseases Optionally Reported, 1967 .....	27
Table 15. Number of Deaths by Place of Occurrence in 122 United States Cities for Year 1967 .....	28
Disease Trends .....	29-59

EXPLANATION OF SYMBOLS USED IN TABLES

Data not available ----- ...  
 Quantity zero ----- -  
 Report of disease not required by State Health Department ----- NN



TABLE 1. REPORTED INCIDENCE OF DISEASES COVERED BY INTERNATIONAL QUARANTINE AGREEMENT  
1958 - 1967

International Classification of Diseases Covered	Number Reported									
	1967	1966	1965	1964	1963	1962	1961	1960	1959	1958
043 Cholera .....	-	-	2	-	-	-	-	-	-	-
058 Plague .....	3	5	8	-	1	-	3	2	4	-
071.0 Louse-borne relapsing fever .....	-	-	-	-	-	-	-	-	-	-
084 Smallpox .....	-	-	-	-	-	-	-	-	-	-
091 Yellow fever .....	-	-	-	-	-	-	-	-	-	-
100 Louse-borne epidemic typhus .....	-	-	-	-	-	-	-	-	-	-

## CASES OF QUARANTINABLE DISEASES IN 1967

Place Acquired	Date	Age	Sex	Outcome
PLAGUE				
Arizona	June	4	Male	Recovered
Colorado	July	12	Male	Fatal, July, Colorado (Diagnosis established by FA technique)
Colorado	September	60	Male	Recovered

## SOURCES OF DATA

This supplement carries final figures on the reported incidence of notifiable diseases in 1967 based on summaries submitted to the National Communicable Disease Center by the individual States through the National Morbidity Reporting System and on data collected by the Tuberculosis Program, the Venereal Disease Program and two surveillance units of the Epidemiology Program—the Neuro-tropic Viral Disease Unit and the Rabies Control Unit.

The illustrative materials depicting disease trends are for the most part based on charts and graphs published in the 1967 issues of the Morbidity and Mortality Weekly Report. Data for these charts are from the National Morbidity Reporting System, National Surveillance Programs and the National Vital Statistics Division. The population estimates used in computation of rates are from the Bureau of the Census, Current Population Reports, Series P-25.

TABLE 2. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1958-67

DISEASE	1967	1966	1965	1964	1963	1962	1961	1960 <sup>1</sup>	1959 <sup>1</sup>	1958 <sup>1</sup>	
Amebiasis .....	3,157	2,921	2,768	3,304	2,886	3,048	2,850	3,424	3,508	4,380	
Anthrax .....	2	5	7	5	3	9	14	23	12	16	
Aseptic meningitis .....	3,082	3,058	2,329	2,177	1,844	2,654	5,162	1,593	Not previously reportable nationally		
Botulism .....	5	9	19	23	47	10	14	12	20	6	
Brucellosis (undulant fever) .....	265	262	262	411	407	409	636	751	892	924	
Diphtheria .....	219	209	164	293	314	444	617	918	934	918	
Encephalitis, primary <sup>2</sup> .....	1,478	2,121	1,722	2,002	1,993	2,094	2,248	2,341	2,437	2,587	
Encephalitis, post-infectious <sup>2</sup> .....	1,060	964	981	1,585							
Hepatitis, serum .....	2,458	1,497	33,856	37,740	42,974	53,016	72,651	41,666	23,574	16,294	
Hepatitis, infectious .....	38,909	32,859									
Leprosy .....	81	109	96	97	103	80	63	54	44	39	
Leptospirosis .....	67	72	84	142	89	79	71	53	83	55	
Malaria .....	2,022	565	147	93	99	118	73	72	71	85	
Measles .....	62,705	204,136	261,904	458,083	385,156	481,530	423,919	441,703	406,162	763,094	
Meningococcal infections .....	2,161	3,381	3,040	2,826	2,470	2,150	2,232	2,259	2,180	2,581	
Pertussis (whooping cough) .....	9,718	7,717	6,799	13,005	17,135	17,749	11,468	14,809	40,005	32,148	
Poliomyelitis, total .....	41	113	72	122	449	910	1,312	3,190	8,425	5,787	
Paralytic .....	40	106	61	106	396	762	988	2,525	6,289	3,697	
Psittacosis .....	41	50	60	53	76	79	102	113	147	158	
Rabies in man <sup>3</sup> .....	2	1	2	1	1	2	3	2	7	5	
Rheumatic fever, acute <sup>4</sup> .....	3,985	4,472	4,998	7,491	7,561	7,977	10,470	9,022	8,285	6,889	
Rubella .....	46,888	46,975	..... not previously reportable nationally .....								
Rubella, congenital syndrome .....	10	11	..... not previously reportable nationally .....								
Salmonellosis, excluding typhoid fever .....	18,120	16,841	17,161	17,144	15,390	9,680	8,542	6,929	6,606	6,363	
Shigellosis (bacillary dysentery) .....	13,474	11,888	11,027	12,984	13,009	12,443	12,571	12,487	12,888	11,861	
Streptococcal sore throat and scarlet fever .....	453,351	427,752	395,168	402,334	342,161	315,809	338,410	315,173	334,715	264,097	
Tetanus .....	263	235	300	289	325	322	379	368	445	445	
Trichinosis .....	66	115	199	198	208	194	306	160	227	176	
Tuberculosis (newly reported active cases) <sup>5</sup> .....	45,441	47,767	49,016	50,874	54,062	53,788	53,727	55,494	57,307	63,000	
Tularemia .....	184	208	264	342	327	328	365	390	459	587	
Typhoid fever .....	396	378	454	501	566	608	814	816	859	1,043	
Typhus fever, flea-borne (endemic, murine) .....	52	33	28	30	35	32	46	68	51	71	
Typhus fever, tick-borne (Rocky Mountain spotted) .....	305	268	281	277	216	240	219	204	199	243	
Venereal diseases (newly reported cases) <sup>6</sup> .....											
Syphilis .....	102,581	105,159	112,842	114,314	124,137	126,245	124,658	122,003	120,766	113,894	
Gonorrhea .....	404,836	351,738	324,925	300,667	278,289	263,708	264,158	258,933	240,158	232,513	
Other specified venereal diseases: chancroid, granuloma inguinale and lymphogranuloma venereum .....	1,309	1,294	2,015	2,115	1,979	2,141	2,466	2,811	2,459	2,343	
Rabies in animals.....	4,481	4,178	4,574	4,780	3,929	3,732	3,599	3,567	4,177	4,787	

<sup>1</sup>Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years.

<sup>2</sup>Encephalitis data are from the Neurotropic Viral Disease Unit, Epidemiology Program, NCDC.

<sup>3</sup>Figures for cases of rabies in man represent registered deaths, 1957-1961.

<sup>4</sup>Reports of cases of acute rheumatic fever were received from 38 States (see p. 10).

<sup>5</sup>Tuberculosis data are from the Tuberculosis Program, NCDC; provisional figure shown for 1967.

<sup>6</sup>Venereal diseases data are from the Venereal Disease Program, NCDC.

TABLE 3. (A) DEATHS FROM SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1957-66

(Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years. Numbers after cause of death are category numbers of the

Seventh Revision, International Classification of Diseases, 1955.)

CAUSE OF DEATH	1966	1965	1964	1963	1962	1961	1960	1959	1958	1957	
Amebiasis .....	046	54	66	65	92	86	84	88	124	86	95
Anthrax .....	062	-	-	1	-	-	1	-	-	1	2
Botulism .....	049.1	-	8	8	14	11	10	12	15	4	11
Brucellosis .....	044	3	6	4	5	12	11	6	12	8	8
Diphtheria .....	055	20	18	42	45	41	68	69	72	74	81
Encephalitis, acute infectious .....	082	579	500	534	532	582	505	528	570	537	465
Hepatitis, infectious .....	092	757	707	745	852	911	976	938	897	897	897
Leprosy .....	060	6	3	5	3	8	8	6	6	3	3
Leptospirosis .....	072	9	11	14	14	10	9	14	11	11	9
Malaria .....	110 - 117	5	8	3	7	12	3	4	7	6	14
Measles .....	085	261	276	421	364	408	434	380	385	552	389
Meningococcal infections .....	057	876	890	750	733	649	586	644	699	746	785
Pertussis (whooping cough) .....	056	49	55	93	115	83	76	118	269	177	183
Plague .....	058	1	1	-	1	-	2	-	1	-	-
Poliomyelitis .....	080	9	16	17	41	60	90	230	454	255	221
Bulbar or polioencephalitis .....	080.0	3	6	6	22	35	61	146	299	164	151
With other paralysis .....	080.1	3	3	3	5	7	10	14	24	21	13
Unspecified .....	080.3	3	7	8	14	18	19	70	131	70	57
Psittacosis .....	096.2	1	-	-	1	1	-	-	1	3	3
Rabies .....	094	2	2	1	2	1	3	2	7	5	5
Rheumatic fever, acute .....	400 - 402	456	483	509	552	550	608	734	795	806	900
Salmonellosis, including paratyphoid fever .....	041 - 042	73	87	67	72	62	64	82	72	65	60
Shigellosis (bacillary dysentery) .....	045	86	99	125	134	134	128	153	133	157	156
Streptococcal sore throat and scarlet fever .....	050 - 051	65	63	95	102	102	130	108	130	139	213
Tetanus .....	061	158	181	179	210	215	242	231	283	303	279
Trichinosis .....	128	3	3	1	5	1	7	3	3	4	4
Tuberculosis (all forms) .....	001 - 019	7,625	7,934	8,303	9,311	9,506	9,938	10,866	11,456	12,361	13,324
Tularemia .....	059	2	2	6	3	1	3	3	7	6	3
Typhoid fever .....	040	15	6	14	21	15	17	21	22	23	34
Typhus fever - flea-borne (murine) .....	101	-	-	-	-	-	-	-	-	-	2
Typhus fever - tick-borne (Rocky Mountain spotted)... ..	104	21	16	17	16	12	11	11	10	14	18
Venereal diseases and sequelae											
Syphilis .....	020 - 029	2,193	2,434	2,619	2,666	2,811	2,850	2,945	3,069	3,469	3,825
Gonorrhoea .....	030 - 035	18	9	13	23	23	19	38	25	18	21
Other .....	036 - 039	9	11	10	12	16	11	15	12	20	18

Source: National Center for Health Statistics, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 3. (B) DEATHS FROM SELECTED NON-NOTIFIABLE ACUTE DISEASES: UNITED STATES, 1957-66

CAUSE OF DEATH	1966	1965	1964	1963	1962	1961	1960	1959	1958	1957	
Abscess of lung .....	521	541	601	659	651	561	543	604	614	652	601
Boil and carbuncle .....	690	37	36	54	58	67	93	120	156	117	99
Other local skin conditions (cellulitis and abscess) ...	691 - 698	451	445	427	445	503	520	512	476	436	384
Chickenpox .....	087	137	143	153	129	134	167	126	141	146	113
Diarrhea of newborn .....	764	250	367	400	386	410	419	463	492	531	516
Empyema and pleurisy .....	518 - 519	467	450	464	432	408	479	456	468	424	450
Erysipelas .....	052	12	12	17	16	25	32	22	28	26	27
Fungal infections											
Actinomycosis .....	132	21	26	31	35	17	21	28	27	21	15
Coccidioidomycosis .....	133	45	52	46	71	55	62	55	48	50	53
Blastomycosis .....	134.0	12	29	21	24	17	16	15	13	24	28
Cryptococcosis .....	134.1	90	62	74	73	90	86	71	84	39	55
Histoplasmosis .....	134.2	60	74	77	70	82	90	80	63	73	77
Moniliasis .....	134.3	87	93	81	105	88	100	108	101	93	82
Gastroenteritis and colitis (age 4 wks - 2 yrs) .....	571.0	1,544	1,903	2,284	2,370	2,635	2,596	2,957	2,862	3,066	3,412
Herpes febrilis .....	096.0	31	39	18	22	19	21	12	26	26	13
Herpes zoster .....	088	69	78	81	66	69	63	78	58	46	47
Hydatid disease .....	125	7	7	6	10	7	3	10	8	14	5
Infections of ear and mastoid .....	390 - 394	167	234	255	261	266	314	389	399	434	404
Meningitis, excluding meningococcal and tuberculous ....	340	2,324	2,363	2,464	2,343	2,322	2,263	2,316	2,208	2,247	2,025
Mononucleosis, infectious .....	093	18	28	20	11	18	13	16	21	16	15
Mumps .....	089	43	31	50	48	43	53	42	51	37	45
Pemphigus .....	704	133	110	133	147	142	141	149	168	142	170
Pemphigus, neonatorum .....	766	15	5	17	13	16	23	30	23	26	23
Respiratory infections											
Bronchitis, acute .....	500	987	1,004	998	1,139	1,118	1,031	1,170	1,135	1,352	1,202
Influenza .....	480 - 483	2,830	2,295	1,687	7,083	3,431	2,137	7,872	2,845	4,442	7,463
Pneumonia (primary cause of death) .....	490 - 493	60,785	59,608	57,764	63,678	56,564	53,038	58,931	52,194	52,997	53,538
Pneumonia of newborn .....	763	2,477	2,773	3,091	3,181	3,350	3,541	3,544	3,761	3,918	3,715
Upper respiratory infections, acute .....	470 - 475	670	745	776	867	820	808	911	971	936	1,045
Sepsis of											
Abortion .....	651	135	158	167	201	213	220	191	179	159	169
Childbirth .....	680 - 681	44	53	67	57	55	59	76	58	50	54
Newborn .....	767 - 768	780	781	846	828	774	722	749	786	1,055	832
Septicemia and pyemia .....	053	2,532	2,443	2,389	2,359	2,084	1,886	1,920	1,760	1,663	1,351
Viral diseases, undifferentiated .....	096.9	464	431	451	511	476	456	434	384	308	267
Worm infestation .....	126 - 130	36	68	41	44	67	48	56	65	63	56

Source: National Center for Health Statistics, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 4. REPORTED CASES OF NOTIFIABLE DISEASES: BY MONTH: UNITED STATES, 1967

DISEASE	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Month not Stated
Amebiasis .....	3,157	215	259	285	209	265	272	285	195	267	402	279	224	-
Anthrax .....	2	-	-	1	-	1	-	-	-	-	-	-	-	-
Aseptic meningitis .....	3,082	95	107	151	135	200	194	262	569	511	359	302	192	5
Botulism .....	5	-	-	-	-	-	2	-	-	-	1	-	2	-
Brucellosis (undulant fever) .....	265	20	16	19	23	28	34	22	20	22	20	18	23	-
Diphtheria .....	219	8	15	12	-	7	12	7	7	29	24	44	54	-
Encephalitis, primary .....	1,478	56	47	59	70	61	72	120	204	156	86	62	50	435
Encephalitis, post-infectious .....	1,060	53	71	101	109	113	120	67	42	38	23	33	44	246
Hepatitis, serum .....	2,458	150	149	209	176	186	211	190	221	191	197	297	279	2
Hepatitis, infectious .....	38,909	3,107	3,397	3,909	3,263	3,264	2,816	2,596	3,082	3,349	3,333	3,332	3,443	18
Leprosy .....	81	1	7	4	8	3	6	6	13	9	5	11	8	-
Leptospirosis .....	67	1	4	2	5	5	5	5	5	8	5	7	15	-
Malaria .....	2,022	103	166	199	136	158	149	147	184	179	215	197	186	3
Measles .....	62,705	6,134	10,261	13,247	10,440	9,575	4,945	1,985	932	882	1,197	1,294	1,755	58
Meningococcal infections .....	2,161	234	240	270	250	231	143	129	95	96	131	134	206	2
Pertussis (whooping cough) .....	9,718	816	981	893	999	889	679	849	1,094	776	573	654	512	3
Polio myelitis, total .....	41	2	1	1	1	3	2	9	7	3	4	4	4	-
Paralytic .....	40	2	1	1	1	3	2	9	7	3	3	4	4	-
Psittacosis .....	41	4	2	5	-	4	6	3	4	4	4	4	1	-
Rabies in man .....	2	-	-	-	-	-	-	2	-	-	-	-	-	-
Rheumatic fever, acute* .....	3,985	407	431	453	401	331	281	295	267	302	264	275	272	6
Rubella .....	46,888	2,403	4,608	7,917	8,189	9,911	6,210	1,969	1,007	688	1,073	1,322	1,582	9
Rubella, congenital syndrome .....	10	-	-	-	1	3	1	-	-	1	1	1	2	-
Salmonellosis, excluding typhoid fever .....	18,120	1,085	1,906	1,172	1,199	1,374	1,257	1,555	1,573	2,594	1,725	1,272	1,401	7
Shigellosis (bacillary dysentery) .....	13,474	952	818	1,017	878	833	939	1,174	1,187	1,302	1,630	1,379	1,356	9
Streptococcal sore throat and scarlet fever ..	453,351	46,881	50,337	62,288	48,085	43,674	27,386	21,096	19,811	23,289	29,512	36,552	44,383	57
Tetanus .....	263	10	15	13	18	12	29	26	27	27	20	24	41	1
Trichinosis .....	66	9	6	6	4	3	5	9	5	1	5	4	9	-
Tularemia .....	184	16	8	14	10	17	16	20	23	22	11	10	17	-
Typhoid fever .....	396	15	24	28	33	23	56	36	44	52	36	28	19	2
Typhus fever														
Flea-borne (endemic, murine) .....	52	-	4	1	3	6	6	8	3	4	5	4	8	-
Tick-borne (Rocky Mountain spotted) .....	305	3	3	1	12	30	52	70	68	40	15	6	3	2

\*Based on reports from 38 states.

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES OF LOW FREQUENCY:  
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1967

AREA	ANTHRAX	BOTULISM	LEPROSY	LEPTO- SPIROSIS	POLIOMYELITIS		PSITTACOSIS	MURINE TYPHUS
					TOTAL	PARALYTIC		
UNITED STATES	2	5	81	67	41	40	41	52
NEW ENGLAND	1	-	4	1	-	-	8	-
Maine	-	-	-	1	-	-	-	-
New Hampshire	-	-	-	-	-	-	1	-
Vermont	-	-	-	-	-	-	-	-
Massachusetts	1	-	2	-	-	-	5	-
Rhode Island	-	-	2	-	-	-	-	-
Connecticut	-	-	-	-	-	-	2	-
MIDDLE ATLANTIC	-	2	2	3	5	5	5	-
New York City	-	2	2	-	1	1	3	-
Upstate New York	-	-	-	1	1	1	-	-
New Jersey	-	-	-	2	-	-	-	-
Pennsylvania	-	-	-	-	3	3	2	-
EAST NORTH CENTRAL	-	2	1	2	7	7	3	-
Ohio	-	-	-	-	-	-	1	-
Indiana	-	-	-	-	3	3	-	-
Illinois	-	2	1	-	1	1	-	-
Michigan	-	-	-	2	3	3	1	-
Wisconsin	-	-	-	-	-	-	1	-
WEST NORTH CENTRAL	-	-	1	7	5	4	3	2
Minnesota	-	-	1	-	-	-	2	-
Iowa	-	-	-	7	1	1	1	-
Missouri	-	-	-	-	1	1	-	-
North Dakota	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	3	2	-	2
SOUTH ATLANTIC	-	-	6	10	2	2	1	3
Delaware	-	-	-	-	-	-	-	-
Maryland	-	-	1	2	1	1	-	-
District of Columbia	-	-	-	-	-	-	-	-
Virginia	-	-	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	1
North Carolina	-	-	-	-	1	1	-	-
South Carolina	-	-	-	-	-	-	-	-
Georgia	-	-	-	-	-	-	-	-
Florida	-	-	5	8	-	-	1	2
EAST SOUTH CENTRAL	-	-	-	5	2	2	3	3
Kentucky	-	-	-	-	-	-	-	-
Tennessee	-	-	-	2	-	-	3	-
Alabama	-	-	-	2	-	-	-	3
Mississippi	-	-	-	1	2	2	-	-
WEST SOUTH CENTRAL	1	-	27	19	14	14	13	39
Arkansas	-	-	-	2	1	1	2	2
Louisiana	-	-	2	14	1	1	1	-
Oklahoma	-	-	-	-	2	2	1	-
Texas	1	-	25	3	10	10	9	37
MOUNTAIN	-	1	2	2	1	1	2	1
Montana	-	-	-	1	-	-	2	-
Idaho	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-
Colorado	-	1	-	-	1	1	-	-
New Mexico	-	-	-	-	-	-	-	-
Arizona	-	-	1	-	-	-	-	1
Utah	-	-	1	1	-	-	-	-
Nevada	-	-	-	-	-	-	-	-
PACIFIC	-	-	38	18	5	5	3	4
Washington	-	-	-	1	-	-	1	1
Oregon	-	-	-	-	-	-	-	-
California	-	-	25	9	5*	5*	2	3
Alaska	-	-	-	-	-	-	-	-
Hawaii	-	-	13	8	-	-	-	-
Puerto Rico	-	-	-	-	-	-	-	1

\*22 out-of-state



TABLE 6. REPORTED CASES OF NOTIFIABLE DISEASES:  
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1967

AREA	AMEBIASIS	ASEPTIC MENINGITIS	BRUCELLOSIS	DIPHTHERIA	HEPATITIS		MALARIA (Acquired Outside and Within U.S.)
					SERUM	INFECTIOUS	
UNITED STATES	3,157	3,082	265	219	2,458	38,909	2,022
NEW ENGLAND .....	11	58	2	1	74	1,750	47
Maine .....	-	1	-	-	-	171	5
New Hampshire .....	-	2	-	-	-	44	4
Vermont .....	-	1	-	-	-	16	2
Massachusetts .....	-	33	-	1	18	716	27
Rhode Island .....	-	17	-	-	26	195	5
Connecticut .....	11	4	2	-	30	608	4
MIDDLE ATLANTIC .....	1,833	332	12	2	1,036	6,154	206
New York City .....	1,686	86	2	1	593	1,965	27
Upstate New York .....	14	41	-	-	92	1,444	22
New Jersey .....	22	146	3	-	273	1,260	-
Pennsylvania .....	111	59	7	1	78	1,485	157
EAST NORTH CENTRAL ...	119	364	24	6	97	6,161	88
Ohio .....	5	79	-	-	25	1,422	16
Indiana .....	4	29	3	1	-	618	17
Illinois .....	101	147	13	4	38	1,763	38
Michigan .....	5	94	6	1	33	1,882	17
Wisconsin .....	4	15	2	-	1	476	-
WEST NORTH CENTRAL ..	28	135	68	5	23	2,549	100
Minnesota .....	4	40	12	1	17	511	12
Iowa .....	7	61	35	1	1	350	20
Missouri .....	2	7	8	-	3	1,307	34
North Dakota .....	-	NN	3	-	1	77	3
South Dakota .....	-	10	2	1	-	14	-
Nebraska .....	1	-	8	2	-	72	2
Kansas .....	14	17	-	-	1	218	29
SOUTH ATLANTIC .....	106	578	51	28	85	4,231	726
Delaware .....	-	14	-	-	-	176	1
Maryland .....	10	356	2	-	23	879	41
District of Columbia .....	3	5	-	-	4	45	2
Virginia .....	35	64	38	10	4	744	36
West Virginia .....	-	40	-	-	1	383	2
North Carolina .....	15	32	2	1	10	338	349
South Carolina .....	-	9	-	4	1	111	31
Georgia .....	4	-	6	6	3	916	231
Florida .....	39	58	3	7	39	639	33
EAST SOUTH CENTRAL ...	64	295	22	35	37	2,746	193
Kentucky .....	5	64	4	-	1	1,135	172
Tennessee .....	33	100	10	9	25	835	-
Alabama .....	10	66	2	21	6	293	14
Mississippi .....	16	65	6	5	5	483	7
WEST SOUTH CENTRAL ...	469	254	50	129	25	4,083	128
Arkansas .....	8	25	4	4	8	285	8
Louisiana .....	18	56	8	52	...	652*	36
Oklahoma .....	117	35	7	1	NN	345	84
Texas .....	326	138	31	72	17	2,801	-
MOUNTAIN .....	204	23	8	3	5	1,794	187
Montana .....	-	-	1	2	-	185	2
Idaho .....	-	-	1	-	-	131	-
Wyoming .....	3	-	-	-	-	70	-
Colorado .....	6	8	2	1	2	328	162
New Mexico .....	42	3	2	-	1	446	11
Arizona .....	147	7	1	-	-	416	5
Utah .....	1	3	1	-	2	169	3
Nevada .....	5	2	-	-	-	49	4
PACIFIC .....	323	1,043	28	10	1,076	9,441	347
Washington .....	-	74	-	4	15	983	-
Oregon .....	4	34	3	3	45	864	13
California .....	314	767	17	3	1,015	7,499	223
Alaska .....	-	-	5	-	-	41	-
Hawaii .....	5	168	3	-	1	54	111
Puerto Rico .....	2	19	-	1	...	1,130*	15

\*Includes serum hepatitis

## Annual Supplement to the Morbidity and Mortality Weekly Report

TABLE 6. REPORTED CASES OF NOTIFIABLE DISEASES:  
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1967 - Continued

AREA	MEASLES	MENINGO- COCCAL INFECTIONS	PERTUSSIS	RHEUMATIC FEVER, ACUTE	RUBELLA		SALMONEL- LOSIS (Excluding Typhoid Fever)	SHIGELLOSIS
					CASES	CONGENITAL SYNDROME		
UNITED STATES	62,705	2,161	9,718	3,985	46,888	10	18,120	13,474
NEW ENGLAND .....	973	92	752	20	5,020	-	1,414	653
Maine .....	278	7	265	4	856	-	57	1
New Hampshire .....	96	5	14	2	214	-	56	11
Vermont .....	29	-	57	...	227	-	23	150
Massachusetts .....	420	42	244	...	1,429	-	979	373
Rhode Island .....	43	7	52	9	384	-	73	35
Connecticut .....	107	31	120	5	1,910	-	226	83
MIDDLE ATLANTIC .....	2,646	381	700	...	2,437	-	2,831	2,045
New York City .....	529	65	179	...	1,030	-	856	730
Upstate New York .....	700	90	185	...	1,228	-	738	532
New Jersey .....	625	124	-	...	NN	-	539	192
Pennsylvania .....	792	102	336	...	179	-	698	591
EAST NORTH CENTRAL ..	6,331	310	2,603	2,330	8,739	-	2,474	2,073
Ohio .....	1,258	92	318	829	771	-	346	357
Indiana .....	693	37	304	49	669	-	201	68
Illinois .....	1,347	82	551	1,425	1,621	-	961	1,063
Michigan .....	1,048	76	1,058	...	2,338	-	577	417
Wisconsin .....	1,985	23	372	27	3,340	-	389	168
WEST NORTH CENTRAL ..	3,138	111	415	152	2,696	-	2,043	1,196
Minnesota .....	140	24	41	7	97	-	249	252
Iowa .....	823	24	176	21	1,896	-	115	136
Missouri .....	340	22	153	61	350	-	368	255
North Dakota .....	904	6	19	59	181	-	40	57
South Dakota .....	59	7	2	...	3	-	24	26
Nebraska .....	672	16	24	1	153	-	1,036	31
Kansas .....	200	12	-	3	16	-	211	439
SOUTH ATLANTIC .....	7,429	425	1,199	92	4,211	3	2,870	2,183
Delaware .....	50	8	15	6	84	-	29	15
Maryland .....	182	54	72	3	615	3	329	270
District of Columbia .....	26	19	4	1	9	-	121	185
Virginia .....	2,345	48	192	...	675	-	410	147
West Virginia .....	1,489	38	516	44	639	-	18	7
North Carolina .....	942	88	79	...	NN	-	332	219
South Carolina .....	518	35	28	32	231	-	11	18
Georgia .....	71	67	22	6	784	-	499	791
Florida .....	1,806	68	271	...	1,174	-	1,121	531
EAST SOUTH CENTRAL ..	5,581	184	1,182	725	3,699	1	1,773	535
Kentucky .....	1,447	54	510	366	2,141	-	1,132	64
Tennessee .....	2,058	78	479	185	1,367	1	436	322
Alabama .....	1,398	32	163	158	191	-	125	60
Mississippi .....	678*	20	30	16	...	-	80	89
WEST SOUTH CENTRAL ..	18,247	248	1,085	85	1,312	-	1,122	1,085
Arkansas .....	1,270	7	18	...	114	-	190	127
Louisiana .....	160	105	139	25	NN	NN	215	98
Oklahoma .....	3,406	26	82	12	558	-	181	179
Texas .....	13,411	110	846	48	640	-	536	681
MOUNTAIN .....	5,092	52	474	477	4,135	3	820	1,005
Montana .....	340	8	199	20	200	-	61	152
Idaho .....	413	6	41	254	72	-	42	45
Wyoming .....	207	1	1	45	5	-	4	-
Colorado .....	1,774	13	127	51	1,885	3	296	408
New Mexico .....	612	5	13	14	309	-	192	266
Arizona .....	1,114	8	75	57	1,168	-	105	85
Utah .....	421	4	15	36	71	-	109	45
Nevada .....	211	7	3	...	425	-	11	4
PACIFIC .....	13,268	358	1,308	104	14,639	3	2,773	2,699
Washington .....	5,876	30	247	26	3,377	-	379	348
Oregon .....	1,725	32	212	22	986	3	129	97
California .....	5,271	283	848	54	9,539	-	1,659	1,726
Alaska .....	157	9	-	...	381	-	4	106
Hawaii .....	239	4	1	2	356	-	602	422
Puerto Rico .....	2,271	15	46	81	54	-	8	2

\*Includes rubella

TABLE 6. REPORTED CASES OF NOTIFIABLE DISEASES:  
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1967 - Continued

AREA	STREPTOCOCCAL SORE THROAT & SCARLET FEVER	TETANUS	TRICHINOSIS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER (Tick-borne, Rky Mt Spotted)
UNITED STATES	453,351	263	66	184	396	305
NEW ENGLAND .....	65,892	5	9	1	11	3
Maine .....	3,168	-	2	-	-	-
New Hampshire .....	864	-	1	-	-	-
Vermont .....	2,146	-	-	-	-	-
Massachusetts .....	10,426	3	5	1	7	3
Rhode Island .....	4,404	-	-	-	1	-
Connecticut .....	44,884	2	1	-	3	-
MIDDLE ATLANTIC .....	19,020	19	25	1	40	17
New York City .....	766	11	12	-	21	-
Upstate New York .....	15,744	2	6	1	9	9
New Jersey .....	NN	1	4	-	5	-
Pennsylvania .....	2,510	5	3	-	5	8
EAST NORTH CENTRAL ..	38,668	32	7	20	44	34
Ohio .....	3,253	4	-	-	17	11
Indiana .....	7,166	3	-	2	11	11
Illinois .....	7,978	17	4	18	7	12
Michigan .....	13,269	7	1	-	8	-
Wisconsin .....	7,002	1	2	-	1	-
WEST NORTH CENTRAL .	23,207	20	4	24	20	4
Minnesota .....	514	7	-	-	4	1
Iowa .....	8,004	2	-	2	3	-
Missouri .....	740	9	2	9	7	1
North Dakota .....	6,693	-	-	-	-	-
South Dakota .....	1,175	1	-	3	-	-
Nebraska .....	2,710	-	-	-	4	2
Kansas .....	3,371	1	2	10	2	-
SOUTH ATLANTIC .....	49,729	57	6	12	58	120
Delaware .....	647	-	-	-	-	-
Maryland .....	9,543	1	3	-	2	21
District of Columbia .....	396	-	-	-	4	-
Virginia .....	14,404	12	1	2	9	30
West Virginia .....	12,238	1	1	1	2	1
North Carolina .....	1,241	8	-	-	5	47
South Carolina .....	1,445	3	-	2	10	5
Georgia .....	615	8	1	6	15	16
Florida .....	9,200	24	-	1	11	-
EAST SOUTH CENTRAL ..	65,910	39	2	13	65	54
Kentucky .....	5,851	4	-	2	25	15
Tennessee .....	49,878	9	2	8	12	25
Alabama .....	6,438	14	-	1	12	13
Mississippi .....	3,743	12	-	2	16	1
WEST SOUTH CENTRAL ..	40,790	66	1	91	51	53
Arkansas .....	178	6	-	49	15	17
Louisiana .....	138	11	-	10	19	2
Oklahoma .....	3,066	5	1	23	10	22
Texas .....	37,408	44	-	9	7	12
MOUNTAIN .....	81,322	3	1	18	24	12
Montana .....	2,897	-	1	2	2	2
Idaho .....	5,296	1	-	4	-	-
Wyoming .....	6,595	-	-	4	2	-
Colorado .....	45,016	1	-	1	13	10
New Mexico .....	9,962	1	-	-	4	-
Arizona .....	5,208	-	-	-	3	-
Utah .....	6,178	-	-	7	-	-
Nevada .....	170	-	-	-	-	-
PACIFIC .....	68,813	22	11	4	83	8
Washington .....	19,763	1	5	2	1	2
Oregon .....	4,124	1	2	1	3	3
California .....	38,933	16	4	1	76	3
Alaska .....	2,957	-	-	-	-	-
Hawaii .....	3,036	4	-	-	3	-
Puerto Rico .....	335	40	-	-	11	-

## Annual Supplement to the Morbidity and Mortality Weekly Report

TABLE 7. REPORTED CASES OF NOTIFIABLE DISEASES: UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1967  
INFECTIOUS ENCEPHALITIS

AREA	TOTAL	ARBOVIRUSES				POST-INFECTIOUS				OTHER ENCEPHALITIDES			
		WEE	SLE	EEE	CALIF	MUMPS*	MEASLES	CHICKEN-POX	RUBELLA	CAUSE SPECIFIED		ETIOLOGY UNKNOWN	
										HERPES SIMPLEX	OTHER	WITH LABORATORY DATA	WITHOUT LABORATORY DATA
UNITED STATES.....	2,538	19	15	1	54	932	49	72	7	29	140	423	797
NEW ENGLAND.....	102	-	-	-	-	40	-	9	-	-	1	-	52
Maine.....	4	-	-	-	-	-	-	-	-	-	-	-	4
New Hampshire.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Vermont.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Massachusetts.....	36	-	-	-	-	17	-	2	-	-	-	-	17
Rhode Island.....	39	-	-	-	-	19	-	6	-	-	-	-	14
Connecticut.....	21	-	-	-	-	4	-	1	-	-	-	-	16
MIDDLE ATLANTIC.....	347	-	-	1	-	137	1	12	1	7	17	25	146
New York City.....	123	-	-	-	-	47	-	-	-	-	15	-	61**
Upstate New York.....	52	-	-	-	-	21	-	5	-	1	2	-	23
New Jersey.....	56	-	-	1	-	31	-	3	1	5	-	14	1
Pennsylvania.....	116	-	-	-	-	38	1	4	-	1	-	11	61
EAST NORTH CENTRAL....	857	-	-	-	31	257	6	13	1	4	68	260	217
Ohio.....	582	-	-	-	26	92	3	5	-	-	64	224	168
Indiana.....	37	-	-	-	2	26	-	-	-	3	-	-	6
Illinois.....	114	-	-	-	-	71	1	3	1	-	1	13	24
Michigan.....	113	-	-	-	-	62	2	5	-	1	3	23	17
Wisconsin.....	11	-	-	-	3	6	-	-	-	-	-	-	2
WEST NORTH CENTRAL....	151	6	3	-	20	56	3	4	-	3	13	11	32
Minnesota.....	78	2	-	-	9	46	-	3	-	3	2	7	6
Iowa.....	26	-	-	-	11	2	2	-	-	-	11	-	-
Missouri.....	15	-	-	-	-	2	-	-	-	-	-	3	10
North Dakota.....	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota.....	6	-	-	-	-	-	1	1	-	-	-	-	4
Nebraska.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Kansas.....	25	4	3	-	-	6	-	-	-	-	-	-	12
SOUTH ATLANTIC.....	342	-	-	-	-	158	10	7	-	8	8	23	128
Delaware.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Maryland.....	92	-	-	-	-	47	-	4	-	-	6	19	16
District of Columbia.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Virginia.....	50	-	-	-	-	12	3	2	-	-	-	-	33
West Virginia.....	12	-	-	-	-	3	-	-	-	-	-	-	9
North Carolina.....	34	-	-	-	-	12	2	1	-	1	1	-	17
South Carolina.....	3	-	-	-	-	1	-	-	-	-	-	-	2
Georgia.....	18	-	-	-	-	3	-	-	-	1	1	-	13**
Florida.....	130	-	-	-	-	78	5	-	-	6	-	4	37
EAST SOUTH CENTRAL....	108	-	-	-	1	44	4	3	-	-	4	10	42
Kentucky.....	13	-	-	-	-	3	2	-	-	-	2	-	6
Tennessee.....	84	-	-	-	-	41	-	2	-	-	2	9	30
Alabama.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi.....	11	-	-	-	1	-	2	1	-	-	-	1	6
WEST SOUTH CENTRAL....	152	1	2	-	2	48	9	5	-	1	5	42	37
Arkansas.....	7	-	-	-	-	-	-	-	-	-	-	3	4
Louisiana.....	62	-	-	-	2	21	2	1	-	1	-	24	11
Oklahoma.....	37	-	1	-	-	6	1	2	-	-	4	15	8
Texas.....	46	1	1	-	-	21	6	2	-	-	1	-	14
MOUNTAIN.....	48	4	2	-	-	19	1	2	1	-	-	1	18
Montana.....	5	-	-	-	-	1	-	-	-	-	-	-	4
Idaho.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Colorado.....	34	4	2	-	-	16	1	2	1	-	-	-	8
New Mexico.....	5	-	-	-	-	-	-	-	-	-	-	1	4
Arizona.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Utah.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Nevada.....	1	-	-	-	-	1	-	-	-	-	-	-	-
PACIFIC.....	431	8	8	-	-	173	15	17	4	6	24	51	125
Washington.....	54	1	-	-	-	21	3	2	-	1	1	7	18
Oregon.....	14	-	-	-	-	2	3	-	-	-	2	4	3
California.....	347	7	8	-	-	140	9	15	4	5	20	39	100
Alaska.....	3	-	-	-	-	1	-	-	-	-	-	-	2
Hawaii.....	13	-	-	-	-	9	-	-	-	-	1	1	2
Puerto Rico.....	16	-	-	-	-	-	2	-	-	-	-	-	14

\*Includes aseptic meningitis

\*\*No information on laboratory findings

TABLE 8. NEW ACTIVE TUBERCULOSIS CASES - PROVISIONAL 1967, 1966; FINAL 1966

AREA	Provisional		Final
	1967	1966	1966
UNITED STATES	45,441	48,026	47,767
NEW ENGLAND	1,682	1,574	1,560
Maine	120	128	128
New Hampshire	42	54	54
Vermont	44	35	35
Massachusetts	910	924	910
Rhode Island	148	140	140
Connecticut	418	293*	293*
MIDDLE ATLANTIC	9,194	9,621	9,552
New York	5,030	5,345	5,296
New Jersey	1,448	1,601	1,592
Pennsylvania	2,716	2,675	2,664
EAST NORTH CENTRAL	7,975	8,347	8,371
Ohio	1,525	1,507	1,639
Indiana	1,033	981	1,051
Illinois	3,049	2,959	2,938
Michigan	1,923	2,425	2,263
Wisconsin	445	475	480
WEST NORTH CENTRAL	1,950	2,201	2,244
Minnesota	376	380	400
Iowa	160	181	184
Missouri	888	1,046	1,049
North Dakota	51	43	42
South Dakota	128	159	158
Nebraska	128	126	132
Kansas	219	266	279
SOUTH ATLANTIC	8,352	8,906	8,862
Delaware	127	173	173
Maryland	1,177	1,200	1,217
District of Columbia	477	619	553
Virginia	1,416	1,599	1,573
West Virginia	501	489	544
North Carolina	1,255	1,284	1,266
South Carolina	688	698	690
Georgia	1,110	1,270	1,273
Florida	1,601	1,574	1,573
EAST SOUTH CENTRAL	4,428	4,664	4,489
Kentucky	1,086	1,344	1,241
Tennessee	1,223	1,413	1,380
Alabama	1,515	1,249	1,214
Mississippi	604	658	654
WEST SOUTH CENTRAL	5,015	5,224	5,191
Arkansas	498	589	587
Louisiana	912	1,000	1,029
Oklahoma	410	500	538
Texas	3,195	3,135	3,037
MOUNTAIN	1,313	1,485	1,497
Montana	87	96	105
Idaho	55	65	65
Wyoming	31	28	28
Colorado	239	239	223
New Mexico	248	267	267
Arizona	436	487	503
Utah	65	74	75
Nevada	152	229	231
PACIFIC	5,532	6,004	6,001
Washington	522	555	551
Oregon	322	387	386
California	4,228	4,653	4,658
Alaska	107	147	147
Hawaii	353	262	259
Puerto Rico	1,055	1,352	1,247

\*Excludes 235 diagnosed cases not officially reported.

DISTRIBUTION BY AGE AND RACE, 1966			
Age	Total	White	Nonwhite
0-4	2,551	1,335	1,216
5-14	3,077	1,557	1,520
15-24	4,193	2,351	1,842
25-44	13,000	7,367	5,633
45-64	15,650	10,966	4,684
65+	9,296	7,311	1,985
Total	47,767	30,887	16,880

DISTRIBUTION BY SEX AND RACE, 1966			
	Total	White	Nonwhite
Male	31,256	20,751	10,505
Female	16,511	10,136	6,375
Total	47,767	30,887	16,880

DISTRIBUTION BY AGE, RACE AND SEX, 1966				
Age Groups	White		Nonwhite	
	Male	Female	Male	Female
0-14	1,412	1,480	1,398	1,338
15-44	5,741	3,977	4,252	3,223
45-64	8,531	2,435	3,511	1,173
65+	5,067	2,244	1,344	641
Total	20,751	10,136	10,505	6,375

## Annual Supplement to the Morbidity and Mortality Weekly Report

TABLE 9. NEWLY REPORTED CIVILIAN CASES OF VENEREAL DISEASES:  
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, AGE, AND SEX, BY COLOR

CALENDAR YEAR - 1967

AREA	SYPHILIS		GONORRHEA	CHANCROID	OTHER*
	ALL STAGES	PRIMARY & SECONDARY			
UNITED STATES	102,581	21,053	404,836	784	525
NEW ENGLAND	4,343	358	11,597	14	4
Maine	425	4	690	2	-
New Hampshire	72	9	484	3	1
Vermont	42	5	256	-	-
Massachusetts	2,696	210	5,485	9	2
Rhode Island	565	36	586	-	-
Connecticut	543	94	4,096	-	1
MIDDLE ATLANTIC	23,966	3,597	54,398	78	32
New York City	14,049	2,086	27,375	48	22
Upstate New York	1,852	309	8,934	-	-
New Jersey	3,829	600	6,173	5	4
Pennsylvania	4,236	602	11,916	25	6
EAST NORTH CENTRAL	19,666	3,261	83,074	97	57
Ohio	4,286	637	18,899	6	46
Indiana	1,231	202	5,408	-	-
Illinois	7,125	1,138	38,704	6	3
Michigan	5,581	1,258	17,088	78	8
Wisconsin	1,443	26	2,975	7	-
WEST NORTH CENTRAL	6,156	383	23,816	74	7
Minnesota	185	63	3,010	2	-
Iowa	862	45	3,450	4	1
Missouri	3,394	143	10,530	58	-
North Dakota	25	4	421	-	-
South Dakota	119	37	914	2	1
Nebraska	483	38	1,817	2	2
Kansas	1,088	53	3,674	6	3
SOUTH ATLANTIC	19,158	6,223	81,539	245	327
Delaware	531	71	1,525	2	-
Maryland	3,176	613	8,024	7	11
District of Columbia	2,058	800	12,156	10	163
Virginia	1,894	293	9,783	9	7
West Virginia	1,099	23	1,210	2	1
North Carolina	1,723	745	10,788	61	8
South Carolina	1,696	777	8,029	46	8
Georgia	2,603	968	17,463	52	63
Florida	4,378	1,933	12,561	56	66
EAST SOUTH CENTRAL	4,560	1,715	25,658	62	36
Kentucky	1,540	181	3,806	5	5
Tennessee	1,103	304	11,958	9	14
Alabama	1,270	882	4,376	13	7
Mississippi	647	348	5,518	35	10
WEST SOUTH CENTRAL	10,304	3,206	46,093	153	48
Arkansas	822	129	5,930	3	3
Louisiana	2,216	675	6,135	19	30
Oklahoma	1,185	111	3,993	2	-
Texas	6,081	2,291	30,035	129	15
MOUNTAIN	2,633	566	11,190	14	1
Montana	49	9	511	-	-
Idaho	38	17	843	-	-
Wyoming	68	13	190	-	-
Colorado	594	60	2,591	2	-
New Mexico	781	174	1,939	4	1
Arizona	731	262	3,341	7	-
Utah	83	8	1,006	-	-
Nevada	289	23	769	1	-
PACIFIC	11,795	1,744	67,471	47	13
Washington	236	60	5,267	4	1
Oregon	206	42	3,333	1	-
California	11,185	1,631	57,389	41	12
Alaska	43	3	963	-	-
Hawaii	125	8	519	1	-
Puerto Rico	2,282	934	2,559	3	5
Virgin Islands	447	37	368	-	-

\*Granuloma inguinale and lymphogranuloma venereum

AGE DISTRIBUTION		
Age Group	Syphilis, Primary & Secondary	Gonorrhea
0-14	239	4,795
15-19	3,806	91,390
20-24	6,152	148,877
25-29	4,181	80,953
30-39	4,291	56,972
40-49	1,709	16,615
50+	675	5,234
Total	21,053	404,836

DISTRIBUTION by SEX by COLOR		
Syphilis, All Stages		
	White	Nonwhite
Male	22,758	32,966
Female	17,017	29,840
Total	39,775	62,806
Syphilis, Primary & Secondary		
Male	3,328	9,673
Female	1,146	6,906
Total	4,474	16,579
Gonorrhea		
Male	86,676	218,811
Female	34,582	64,767
Total	121,258	283,578

CONGENITAL SYPHILIS AGE DISTRIBUTION		
Age Group	Number	Percent of Total
0-1	364	12.6
1-4	36	1.2
5-9	44	1.5
10+	2,450	84.7
Total	2,894	100.0

TABLE 10. RABIES IN MAN AND ANIMALS, BY STATE, BY TYPE OF ANIMAL, UNITED STATES 1967  
FROM REPORTS TO THE NATIONAL RABIES SURVEILLANCE PROGRAM, NCDC-PHS

Human Rabies in the United States, 1967

LOCALITY	AGE	SEX	NATURE OF EXPOSURE	BITING ANIMAL	TREATMENT	INCUBATION PERIOD	LENGTH OF ILLNESS	DATE OF DEATH	LOCALITY OF DEATH
Guinea, Africa	58	F	Bite on Leg	Dog	21 Daily Doses Duck Embryo Vaccine	46 days	10 days	7/25/67	New York
Cairo, Egypt	9	M	Uncertain	Possibly Dog	None	58 days (est.)	11 days	7/31/67	Oregon

## Rabies in Animals by Type of Animal Reported through Surveillance Program

AREA	DOG	CATTLE	OTHER DOMESTIC	FOX	SKUNK	BAT	RACCOON	OTHER WILD	TOTAL
UNITED STATES	385	605	321	979	1,568	414	143	66	4,481
NEW ENGLAND									
Maine	-	-	3	23	-	-	1	-	27
New Hampshire	2	1	1	38	1	4	1	-	48
Vermont	-	2	1	9	-	6	1	-	19
Massachusetts	-	-	-	-	-	5	-	-	5
Rhode Island	-	-	-	-	-	2	-	-	2
MIDDLE ATLANTIC									
New York	2	15	6	29	21	16	-	-	89
New Jersey	-	-	-	-	-	21	-	-	21
Pennsylvania	1	3	3	2	1	5	1	-	16
EAST NORTH CENTRAL									
Ohio	10	9	5	23	84	7	-	-	138
Indiana	9	8	8	6	32	25	1	-	89
Illinois	8	13	10	17	145	2	-	-	195
Michigan	1	-	2	-	19	3	-	-	25
Wisconsin	11	9	6	3	29	2	-	2	62
WEST NORTH CENTRAL									
Minnesota	7	29	9	2	126	5	-	-	178
Iowa	1	31	19	1	77	7	-	-	136
Missouri	39	35	16	24	59	2	1	2	178
North Dakota	5	29	21	1	109	1	2	3	171
South Dakota	4	29	13	1	95	-	-	-	142
Nebraska	7	30	9	-	21	1	-	4	72
Kansas	1	6	9	-	91	2	-	-	109
SOUTH ATLANTIC									
Maryland	-	-	-	-	-	5	-	-	5
District of Columbia	-	-	-	4	-	2	-	-	6
Virginia	6	35	14	147	3	4	-	1	210
West Virginia	19	6	8	26	3	1	-	-	63
North Carolina	1	-	-	-	-	2	-	-	3
South Carolina	-	-	-	-	-	2	-	-	2
Georgia	2	1	3	13	3	27	70	2	121
Florida	2	1	5	7	2	14	50	1	82
EAST SOUTH CENTRAL									
Kentucky	42	32	16	113	19	3	1	1	227
Tennessee	49	51	28	368	33	18	4	8	559
Alabama	4	6	1	26	10	3	-	2	52
Mississippi	-	-	-	-	-	11	-	-	11
WEST SOUTH CENTRAL									
Arkansas	5	22	1	12	39	12	2	-	93
Louisiana	11	-	4	34	5	16	-	-	70
Oklahoma	5	164	37	1	134	31	-	5	377
Texas	87	23	40	27	158	54	7	5	401
MOUNTAIN									
Montana	-	1	1	-	3	5	-	-	10
Idaho	-	-	1	-	1	3	-	-	5
Wyoming	-	2	1	-	3	-	-	-	6
Colorado	-	-	-	-	4	10	-	1	15
New Mexico	9	1	2	1	15	2	-	-	30
Arizona	4	3	4	2	27	16	-	10	66
Utah	-	-	-	-	-	3	-	-	3
Nevada	-	-	-	1	-	9	-	-	10
PACIFIC									
Washington	-	-	-	-	-	2	-	-	2
Oregon	1	-	-	-	-	2	1	-	4
California	30	8	14	16	196	41	-	19	324
Alaska	-	-	-	2	-	-	-	-	2
Puerto Rico	3	7	4	-	-	-	-	23	37

States not reporting a case not listed.





TABLE II. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1967 - Continued  
(B) HEPATITIS, SERUM

AREA	Total <sup>1</sup>	<1	1-4	5-9	10-14	15-19	20-24	25-44 <sup>2</sup>			45 and over <sup>2</sup>			Unk.
								25-29	30-39	40-49	50-59	60+		
UNITED STATES	2,458	4	6	7	23	503	801	.....552.....			.....504.....			58
NEW ENGLAND														
Massachusetts .....	18	-	-	-	-	3	3	4	2	-	-	6	-	
Rhode Island.....	26	-	-	1	-	3	6	-	4	3	2	3	4	
Connecticut.....	30	-	-	-	-	5	8	4	4	1	1	5	2	
MIDDLE ATLANTIC														
Upstate New York .....	92	-	-	-	-	13	25	13	7	8	17	9	-	
New Jersey .....	273	1	3	1	2	50	98	17	20	27	21	32	1	
Pennsylvania .....	78	-	-	-	-	4	18	14	11	9	11	11	-	
EAST NORTH CENTRAL														
Ohio .....	25	-	-	-	-	2	4	6	3	3	3	4	-	
Illinois .....	38	-	-	1	-	3	4	4	3	4	3	16	-	
Michigan .....	33	1	-	1	-	4	8	3	4	3	1	6	2	
Wisconsin .....	1	-	-	-	-	-	-	-	-	-	-	1	-	
WEST NORTH CENTRAL														
Minnesota .....	17	-	-	-	-	2	4	1	2	1	3	4	-	
Iowa .....	1	-	-	-	-	-	-	-	-	1	-	-	-	
Missouri .....	3	-	-	-	-	-	1	-	-	-	1	1	-	
North Dakota .....	1	-	-	-	-	-	1	-	-	-	-	-	-	
Kansas .....	1	-	-	-	-	-	-	-	-	-	-	1	-	
SOUTH ATLANTIC														
Maryland.....	23	1	-	-	-	2	7	1	2	3	-	6	1	
District of Columbia .....	4	-	-	-	-	-	1	-	2	-	-	1	-	
Virginia .....	4	-	-	-	-	-	-	-	-	-	-	1	3	
West Virginia .....	1	-	-	-	-	-	-	-	-	-	1	-	-	
North Carolina .....	10	-	-	-	-	1	2	1	4	-	-	2	-	
South Carolina .....	1	-	-	-	-	-	-	-	-	-	-	1	-	
Georgia .....	3	-	-	-	-	-	-	-	-	-	1	2	-	
Florida .....	39	-	-	-	-	1	6	1	5	1	3	22	-	
EAST SOUTH CENTRAL														
Kentucky .....	1	-	-	-	-	-	-	-	1	-	-	-	-	
Tennessee .....	25	-	-	-	-	1	2	1	3	5	5	8	-	
Alabama .....	6	-	-	-	-	-	-	1	-	-	1	3	1	
Mississippi .....	5	-	-	-	-	-	1	1	-	2	-	1	-	
WEST SOUTH CENTRAL														
Arkansas .....	8	-	-	-	-	-	6	2	-	-	-	-	-	
MOUNTAIN														
Colorado .....	2	-	-	-	-	-	-	-	-	2	-	-	-	
New Mexico .....	1	-	1	-	-	-	-	-	-	-	-	-	-	
Utah .....	2	-	-	-	-	-	1	1	-	-	-	-	-	
PACIFIC														
Washington .....	15	-	-	-	-	5	2	1	2	2	-	2	1	
Oregon .....	45	-	-	1	-	16	16	3	2	-	-	-	7	
Hawaii .....	1	-	-	-	-	-	-	-	-	-	1	-	-	
								25-44 <sup>3</sup>			45 and over <sup>3</sup>			
New York City.....	593	-	1	2	2	142	202	.....119.....			.....125.....			-
Texas .....	17	-	-	-	-	-	4	.....5.....			.....5.....			3
California .....	1,015	1	1	-	19	246	371	.....230.....			.....114.....			33

<sup>1</sup> States omitted from listing: La. and P.R. included serum hepatitis with reported infectious hepatitis data; serum hepatitis is not notifiable in Okla; all other states omitted did not report a case.

<sup>2</sup> Estimated. Cases for age group 40-49 divided between ages 25-44 and 45+, for some states.

<sup>3</sup> Did not report cases in accordance with regular epidemiological age categories.

## Annual Supplement to the Morbidity and Mortality Weekly Report

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1967 - Continued

(C) HEPATITIS, INFECTIOUS

AREA	Total <sup>1</sup>	<1	1-4	5-9	10-14	15-19	20-24	25 and over					Unk.
								25-29	30-39	40-49	50-59	60+	
UNITED STATES	38,909	51	1,342	6,116	5,444	5,416	5,467	12,276					2,797
NEW ENGLAND	1,750	2	31	159	189	210	238	147	210	144	83	68	269
Maine	171	Age data not submitted											171
New Hampshire	44	-	-	-	3	1	10	3	9	3	5	5	5
Vermont	16	1	-	2	3	-	1	2	1	2	1	1	2
Massachusetts	716	-	16	73	102	108	99	67	94	82	34	32	9
Rhode Island	195	1	1	12	6	27	38	-	29	19	20	10	32
Connecticut	608	-	14	72	75	74	90	75	77	38	23	20	50
MIDDLE ATLANTIC	6,154	7	108	695	651	1,110	1,089	2,486					8
New York City	1,965	1	41	184	139	296	411	603		188			2
Upstate New York	1,444	3	28	214	174	223	232	109	194	126	80	55	6
New Jersey	1,260	2	12	97	114	282	242	113	182	104	69	43	-
Pennsylvania	1,485	1	27	200	224	209	204	142	218	125	80	55	-
EAST NORTH CENTRAL	6,161	6	245	1,067	1,065	724	619	544	651	344	226	185	485
Ohio	1,422	1	67	283	280	182	138	116	131	77	49	44	54
Indiana	618	1	20	119	131	84	60	47	62	18	21	26	29
Illinois	1,763	4	81	341	336	188	163	148	188	101	66	60	87
Michigan	1,882	-	71	299	301	263	221	193	210	120	76	48	80
Wisconsin	476	-	6	25	17	7	37	40	60	28	14	7	235
WEST NORTH CENTRAL	2,549	4	141	608	482	278	226	164	209	102	80	59	196
Minnesota	511	1	36	139	81	60	46	28	44	23	20	13	20
Iowa	350	-	9	26	57	32	27	19	30	19	15	10	106
Missouri	1,307	2	65	375	291	133	97	86	98	45	30	23	62
North Dakota	77	-	18	15	8	7	5	3	10	3	3	3	2
South Dakota	14	-	3	3	1	1	-	-	2	-	-	3	1
Nebraska	72	-	4	16	9	11	13	9	4	-	3	1	2
Kansas	218	1	6	34	35	34	38	19	21	12	9	6	3
SOUTH ATLANTIC	4,231	5	150	810	732	534	545	1,153					302
Delaware	176	-	11	46	39	18	19	18	11	9	3	2	-
Maryland	879	2	24	163	167	103	115	89	84	44	20	12	56
District of Columbia	45	-	-	-	-	4	14	12	4	6	2	2	-
Virginia	744	1	20	151	116	105	111	57	60	42	21	18	42
West Virginia	383	1	16	114	123	47	15	19	8	7	6	5	22
North Carolina	338	-	6	30	59	72	64	37	24	22	11	13	-
South Carolina	111	-	4	11	10	19	14	13	6	4	7	4	19
Georgia	916	1	48	231	158	103	93	73	50	22	17	22	98
Florida	639	-	21	63	60	63	100	178		89			65
EAST SOUTH CENTRAL	2,746	9	123	582	511	353	266	164	209	115	80	76	258
Kentucky	1,135	3	48	279	216	150	68	41	50	22	17	15	226
Tennessee	835	4	35	157	165	102	100	57	87	55	42	31	-
Alabama	293	2	16	44	49	46	36	18	22	19	12	12	17
Mississippi	483	-	24	102	81	55	62	48	50	19	9	18	15
WEST SOUTH CENTRAL	4,083	6	203	876	730	472	499	1,124					173
Arkansas	285	1	6	31	63	45	36	33	26	10	10	11	13
Louisiana	652*	-	17	91	95	86	106	80	92	39	18	21	7
Oklahoma	345	-	18	77	54	41	32	37	22	11	9	12	32
Texas	2,801	5	162	677	518	300	325	513		180			121
MOUNTAIN	1,794	6	95	298	186	126	111	92	99	55	23	27	676
Montana	185	-	17	38	17	12	10	10	17	3	1	-	60
Idaho	131	-	5	20	16	10	13	10	14	9	6	5	23
Wyoming	70	-	5	21	12	10	8	4	2	1	1	3	3
Colorado	328	-	12	72	58	38	46	37	24	20	7	11	2
New Mexico	446	1	38	97	59	33	22	17	22	10	4	4	135
Arizona	416	5	5	9	8	6	-	1	-	-	1	1	385
Utah	169	-	13	41	16	17	12	13	20	12	3	3	19
Nevada	49	Age data not submitted											49
PACIFIC	9,441	6	246	1,021	898	1,609	1,874	3,357					430
Washington	983	-	16	175	139	128	117	107	101	68	45	29	58
Oregon	864	3	30	118	131	129	119	69	106	55	38	24	42
California	7,499	2	199	728	622	1,341	1,616	2,069		594			328
Alaska	41	1	-	-	4	8	4	5	9	2	4	2	2
Hawaii	54	-	1	-	2	3	18	10	15	2	1	2	-
Puerto Rico	1,130*	2	101	314	189	179	114	57	63	48	26	17	20

<sup>1</sup>Age classification based on available data submitted

\*Includes serum hepatitis

TABLE II. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1967 - Continued

(D) MENINGOCOCCAL INFECTIONS

AREA	Total <sup>1</sup>	< 1	1-4	5-9	10-14	15-19	20-24	25 and over					Unk.
								25-29	30-39	40-49	50-59	60+	
UNITED STATES	2,161	392	624	276	144	198	145	288					94
NEW ENGLAND	92	16	31	9	2	8	7	2	1	2	2	7	5
Maine	7	1	5	-	-	-	-	1	-	-	-	-	-
New Hampshire	5	1	2	1	-	-	-	-	-	-	1	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	42	8	17	2	-	5	2	1	1	-	1	4	1
Rhode Island	7	3	1	1	-	-	-	-	-	1	-	1	-
Connecticut	31	3	6	5	2	3	5	-	-	1	-	2	4
MIDDLE ATLANTIC	381	67	97	41	13	52	45	65					1
New York City	65	13	15	8	3	6	5	6		9			-
Upstate New York	90	18	29	8	4	8	3	1	2	3	7	6	1
New Jersey	124	15	20	7	4	28	33	3	3	5	4	2	-
Pennsylvania	102	21	33	18	2	10	4	-	4	-	7	3	-
EAST NORTH CENTRAL	310	58	85	53	18	23	10	2	6	5	7	11	32
Ohio	92	23	31	9	2	10	5	-	1	2	2	4	3
Indiana	37	5	10	5	6	1	-	1	1	3	3	2	-
Illinois	82	15	28	20	3	6	2	-	3	-	2	2	1
Michigan	76	15	16	19	7	6	3	1	1	-	-	3	5
Wisconsin	23	-	-	-	-	-	-	-	-	-	-	-	23
WEST NORTH CENTRAL	111	10	38	16	12	10	5	1	2	1	1	6	9
Minnesota	24	2	12	-	1	3	2	-	1	-	1	2	-
Iowa	24	1	7	3	1	1	1	-	-	-	-	1	9
Missouri	22	3	7	3	5	2	-	-	1	-	-	1	-
North Dakota	6	1	4	1	-	-	-	-	-	-	-	-	-
South Dakota	7	-	2	1	2	-	1	-	-	-	-	1	-
Nebraska	16	2	1	5	2	2	1	1	-	1	-	1	-
Kansas	12	1	5	3	1	2	-	-	-	-	-	-	-
SOUTH ATLANTIC	425	91	119	55	38	43	26	7	6	9	10	11	10
Delaware	8	2	-	1	2	1	-	-	1	-	-	1	-
Maryland	54	15	14	9	2	8	2	-	1	3	-	-	-
District of Columbia	19	1	5	2	3	1	3	-	2	-	-	2	-
Virginia	48	8	10	7	8	1	5	-	-	1	3	1	4
West Virginia	38	11	9	7	3	2	-	2	-	-	1	2	1
North Carolina	88	15	31	9	8	12	5	-	-	3	2	3	-
South Carolina	35	5	6	5	5	7	6	1	-	-	-	-	-
Georgia	67	16	15	8	3	7	5	4	1	1	3	-	4
Florida	68	18	29	7	4	4	-	-	1	1	1	2	1
EAST SOUTH CENTRAL	184	39	56	27	12	8	2	4	6	5	5	4	16
Kentucky	54	6	15	8	3	2	-	3	3	-	1	-	13
Tennessee	78	22	21	14	3	6	1	1	2	3	1	4	-
Alabama	32	8	13	-	3	-	1	-	1	2	3	-	1
Mississippi	20	3	7	5	3	-	-	-	-	-	-	-	2
WEST SOUTH CENTRAL	248	40	93	40	21	13	7	34					-
Arkansas	7	3	2	1	-	1	-	-	-	-	-	-	-
Louisiana	105	16	42	17	8	3	5	3	3	1	3	4	-
Oklahoma	26	4	7	4	4	4	-	-	2	-	1	-	-
Texas	110	17	42	18	9	5	2	8		9			-
MOUNTAIN	52	6	12	2	3	3	2	-	2	1	1	1	19
Montana	8	1	1	-	-	1	2	-	-	-	-	1	2
Idaho	6	-	1	1	1	2	-	-	-	1	-	-	-
Wyoming	1	1	-	-	-	-	-	-	-	-	-	-	-
Colorado	13	-	3	-	1	-	-	-	1	-	1	-	7
New Mexico	5	2	3	-	-	-	-	-	-	-	-	-	-
Arizona	8	1	3	-	-	-	-	-	1	-	-	-	3
Utah	4	1	1	1	1	-	-	-	-	-	-	-	-
Nevada	7	Age data not submitted										7	
PACIFIC	358	65	93	33	25	38	41	61					2
Washington	30	8	9	3	-	3	2	-	2	-	3	-	-
Oregon	32	3	10	5	2	2	5	1	1	1	-	2	-
California	283	50	71	24	20	32	34	25		25			2
Alaska	9	3	2	-	2	1	-	1	-	-	-	-	-
Hawaii	4	1	1	1	1	-	-	-	-	-	-	-	-
Puerto Rico	15	4	6	2	-	1	-	-	1	-	-	1	-

<sup>1</sup>Age classification based on available data submitted.

## Annual Supplement to the Morbidity and Mortality Weekly Report

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1967 - Continued

(E) TETANUS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	263	29	16	14	12	1	4	7	19	24	32	94	11
NEW ENGLAND	5	-	-	1	-	-	-	-	-	2	-	1	1
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	3	-	-	1	-	-	-	-	-	1	-	1	-
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut	2	-	-	-	-	-	-	-	-	1	-	-	1
MIDDLE ATLANTIC	19	-	-	-	-	-	2	5	2	3	2	5	-
New York City	11	-	-	-	-	-	-	-	-	-	-	-	-
Upstate New York	2	-	-	-	-	-	2	5	2	2	-	-	-
New Jersey	1	-	-	-	-	-	-	-	-	-	-	2	-
Pennsylvania	5	-	-	-	-	-	-	-	-	1	2	2	-
EAST NORTH CENTRAL	32	1	2	-	1	-	-	-	3	5	5	14	1
Ohio	4	-	1	-	-	-	-	-	1	-	-	2	-
Indiana	3	-	-	-	-	-	-	-	-	-	1	2	-
Illinois	17	1	1	-	1	-	-	-	1	3	3	7	-
Michigan	7	-	-	-	-	-	-	-	1	2	1	2	1
Wisconsin	1	-	-	-	-	-	-	-	-	-	-	1	-
WEST NORTH CENTRAL	20	2	2	1	1	-	-	1	-	-	3	10	-
Minnesota	7	-	-	1	-	-	-	1	-	-	2	3	-
Iowa	2	-	-	-	-	-	-	-	-	-	-	2	-
Missouri	9	2	2	-	-	-	-	-	-	-	-	5	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	1	-	-	-	1	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas	1	-	-	-	-	-	-	-	-	-	1	-	-
SOUTH ATLANTIC	57	2	3	3	6	-	-	-	5	4	6	25	3
Delaware	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	1	-	-	-	-	-	-	-	1	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	12	-	1	-	1	-	-	-	1	1	-	8	-
West Virginia	1	-	-	-	-	-	-	-	-	1	-	-	-
North Carolina	8	-	1	-	-	-	-	-	-	1	1	5	-
South Carolina	3	-	-	1	-	-	-	-	-	-	-	1	1
Georgia	8	1	-	-	1	-	-	-	1	-	2	3	-
Florida	24	1	1	2	4	-	-	-	2	1	3	8	2
EAST SOUTH CENTRAL	39	6	2	4	-	-	1	-	3	3	9	10	1
Kentucky	4	-	-	1	-	-	-	-	-	-	2	1	-
Tennessee	9	2	-	1	-	-	-	-	-	1	2	2	-
Alabama	14	2	1	2	-	-	1	-	1	2	2	3	1
Mississippi	12	2	1	-	-	-	-	-	2	-	3	4	-
WEST SOUTH CENTRAL	66	18	3	5	1	1	1	1	4	1	6	20	5
Arkansas	6	-	-	-	-	-	-	-	1	-	1	4	-
Louisiana	11	1	-	-	-	-	-	-	1	-	2	7	-
Oklahoma	5	-	-	1	-	-	1	-	-	-	-	2	1
Texas	44	17	3	4	1	1	-	1	2	1	3	7	4
MOUNTAIN	3	-	-	-	-	-	-	-	-	1	1	1	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	1	-	-	-	-	-	-	-	-	-	1	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	1	-	-	-	-	-	-	-	-	1	-	-	-
New Mexico	1	-	-	-	-	-	-	-	-	-	-	1	-
Arizona	-	-	-	-	-	-	-	-	-	-	-	-	-
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	22	-	4	-	3	-	-	-	2	5	-	8	-
Washington	1	-	-	-	-	-	-	-	-	-	-	1	-
Oregon	1	-	1	-	-	-	-	-	-	-	-	-	-
California	16	-	1	-	3	-	-	-	2	5	-	5	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	4	-	2	-	-	-	-	-	-	-	-	2	-
Puerto Rico	40	2	2	4	-	2	-	1	1	8	4	15	1

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1967 - Continued  
(F) PARALYTIC POLIOMYELITIS (G) TYPHOID FEVER

AREA	(F) PARALYTIC POLIOMYELITIS						(G) TYPHOID FEVER						
	Total	<1	1-4	5-9	10-19	20+	Total	<5	5-14	15-24	25-44*	45+*	Unk.
U. S.	40	5	18	4	1	12	396	50	109	92	52	65	28
NE .....	-	-	-	-	-	-	11	1	4	1	4	1	-
Me. ....	-	-	-	-	-	-	-	-	-	-	-	-	-
N. H. ....	-	-	-	-	-	-	-	-	-	-	-	-	-
Vt. ....	-	-	-	-	-	-	-	-	-	-	-	-	-
Mass. ....	-	-	-	-	-	-	7	1	1	1	3	1	-
R. I. ....	-	-	-	-	-	-	1	-	1	-	-	-	-
Conn. ....	-	-	-	-	-	-	3	-	2	-	1	-	-
MA .....	5	-	3	-	-	2	40	4	8	8	7	13	-
NYC ....	1	-	-	-	-	1	21	3	4	4	3	7	-
Up. NY ..	1	-	1	-	-	-	9	1	1	2	2	3	-
N. J. ....	-	-	-	-	-	-	5	-	1	-	2	2	-
Pa. ....	3	-	2	-	-	1	5	-	2	2	-	1	-
ENC .....	7	-	2	1	-	4	44	12	12	11	5	4	-
Ohio ....	-	-	-	-	-	-	17	8	2	4	-	3	-
Ind. ....	3	-	-	-	-	3	11	1	4	4	2	-	-
Ill. ....	1	-	1	-	-	-	7	1	2	2	2	-	-
Mich. ....	3	-	1	1	-	1	8	2	4	-	1	1	-
Wisc. ....	-	-	-	-	-	-	1	-	-	1	-	-	-
WNC .....	4	1	1	-	-	2	20	3	5	7	3	1	1
Minn. ....	-	-	-	-	-	-	4	1	1	2	-	-	-
Iowa ....	1	-	1	-	-	-	3	-	-	-	1	1	1
Mo. ....	1	-	-	-	-	1	7	2	2	3	-	-	-
N. D. ....	-	-	-	-	-	-	-	-	-	-	-	-	-
S. D. ....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebr. ....	-	-	-	-	-	-	4	-	2	2	-	-	-
Kans. ....	2	1	-	-	-	1	2	-	-	-	2	-	-
SA .....	2	-	1	-	-	1	58	8	20	6	6	11	7
Del. ....	-	-	-	-	-	-	-	-	-	-	-	-	-
Md. ....	1	-	-	-	-	1	2	-	1	-	-	1	-
D. C. ....	-	-	-	-	-	-	4	1	1	1	-	1	-
Va. ....	-	-	-	-	-	-	9	-	1	2	-	2	4
W. Va. ....	-	-	-	-	-	-	2	-	2	-	-	-	-
N. C. ....	1	-	1	-	-	-	5	1	1	1	1	1	-
S. C. ....	-	-	-	-	-	-	10	-	4	1	2	2	1
Ga. ....	-	-	-	-	-	-	15	4	4	1	2	3	1
Fla. ....	-	-	-	-	-	-	11	2	6	-	1	1	1
ESC .....	2	-	1	1	-	-	65	6	19	6	12	17	5
Ky. ....	-	-	-	-	-	-	25	1	6	3	4	6	5
Tenn. ....	-	-	-	-	-	-	12	1	3	1	2	5	-
Ala. ....	-	-	-	-	-	-	12	2	5	1	2	2	-
Miss. ....	2	-	1	1	-	-	16	2	5	1	4	4	-
WSC .....	14	3	9	2	-	-	51	5	15	7	9	7	8
Ark. ....	1	1	-	-	-	-	15	2	2	1	3	2	5
La. ....	1	1	-	-	-	-	19	2	7	6	3	1	-
Okla. ....	2	1	1	-	-	-	10	1	2	-	2	2	3
Tex. ....	10	-	8	2	-	-	7	-	4	-	1	2	-
MT .....	1	-	-	-	-	1	24	2	6	6	2	3	5
Mont. ....	-	-	-	-	-	-	2	-	1	-	-	1	-
Ida. ....	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyo. ....	-	-	-	-	-	-	2	1	-	-	-	1	-
Colo. ....	1	-	-	-	-	1	13	-	1	6	2	1	3
N. M. ....	-	-	-	-	-	-	4	1	3	-	-	-	-
Ariz. ....	-	-	-	-	-	-	3	-	1	-	-	-	2
Utah ....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nev. ....	-	-	-	-	-	-	-	-	-	-	-	-	-
PAC .....	5	1	1	-	1	2	83	9	20	40	4	8	2
Wash. ....	-	-	-	-	-	-	1	1	-	-	-	-	-
Ore. ....	-	-	-	-	-	-	3	-	2	1	-	-	-
Cal. ....	5	1	1	-	1	2	76	8	18	38	3	8	1
Alaska ....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii ....	-	-	-	-	-	-	3	-	-	1	1	-	1
P. Rico. ...	-	-	-	-	-	-	11	2	5	1	1	2	-

\*Estimated. For this table number of cases reported by some states for age group 40-49 were divided and included in 25-44 and 45+ age groups.

## Annual Supplement to the Morbidity and Mortality Weekly Report

TABLE 12. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1967

(A) HEPATITIS, INFECTIOUS

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo. Unk
UNITED STATES	38,909	3,107	3,397	3,909	3,263	3,264	2,816	2,596	3,082	3,349	3,333	3,332	3,443	18
NEW ENGLAND	1,750	173	169	155	145	138	114	109	114	173	162	151	147	-
Maine	171	24	26	14	18	15	11	10	4	13	13	14	9	-
New Hampshire	44	2	6	5	5	6	2	5	1	2	5	1	4	-
Vermont	16	1	2	3	1	4	1	-	1	1	1	1	-	-
Massachusetts	716	70	76	77	63	52	43	47	50	79	69	48	42	-
Rhode Island	195	30	16	18	16	16	15	9	10	18	18	13	16	-
Connecticut	608	46	43	38	42	45	42	38	48	60	56	74	76	-
MIDDLE ATLANTIC	6,154	513	540	645	615	463	456	450	440	478	560	491	501	2
New York City	1,965	121	143	195	153	145	173	156	149	171	191	183	185	-
Upstate New York	1,444	148	106	146	149	124	115	113	112	88	128	103	112	-
New Jersey	1,260	116	164	131	168	81	74	86	75	99	98	83	83	2
Pennsylvania	1,485	128	127	173	145	113	94	95	104	120	143	122	121	-
EAST NORTH CENTRAL	6,161	487	562	662	505	545	416	365	464	465	533	617	527	13
Ohio	1,422	105	117	118	110	95	95	92	100	123	135	163	156	13
Indiana	618	28	57	103	71	52	36	23	31	32	63	69	53	-
Illinois	1,763	69	138	180	172	152	141	138	139	137	162	170	165	-
Michigan	1,882	231	190	197	121	183	118	90	165	149	152	168	118	-
Wisconsin	476	54	60	64	31	63	26	22	29	24	21	47	35	-
WEST NORTH CENTRAL	2,549	169	230	291	259	250	154	223	148	195	206	161	263	-
Minnesota	511	44	34	56	32	41	37	29	28	49	43	38	80	-
Iowa	350	23	44	41	31	28	10	28	16	28	19	30	52	-
Missouri	1,307	73	133	168	169	148	90	136	70	90	94	61	75	-
North Dakota	77	1	2	5	7	6	2	1	5	3	19	4	22	-
South Dakota	14	-	2	2	1	2	1	-	-	1	1	1	3	-
Nebraska	72	4	3	8	5	5	2	6	7	2	10	8	12	-
Kansas	218	24	12	11	14	20	12	23	22	22	20	19	19	-
SOUTH ATLANTIC	4,231	381	364	382	341	372	343	271	380	350	374	352	321	-
Delaware	176	9	9	9	11	17	28	10	9	25	21	13	15	-
Maryland	879	116	99	83	58	60	82	55	84	60	62	62	58	-
District of Columbia	45	3	3	3	1	4	1	7	7	5	4	4	3	-
Virginia	744	48	59	55	103	96	56	70	56	43	50	47	61	-
West Virginia	383	48	33	40	30	26	14	18	20	30	36	63	25	-
North Carolina	338	17	53	32	30	28	24	31	26	29	25	23	20	-
South Carolina	111	9	7	7	7	12	3	11	8	11	16	14	6	-
Georgia	916	102	63	92	60	64	59	24	98	83	93	87	91	-
Florida	639	29	38	61	41	65	76	45	72	64	67	39	42	-
EAST SOUTH CENTRAL	2,746	238	280	264	235	196	182	165	167	275	219	225	297	3
Kentucky	1,135	105	123	122	84	72	68	41	53	150	75	119	123	-
Tennessee	835	72	93	68	80	60	58	67	63	54	71	57	92	-
Alabama	293	32	32	22	41	24	11	21	19	30	24	14	23	-
Mississippi	483	29	32	52	30	40	45	36	32	41	49	35	59	3
WEST SOUTH CENTRAL	4,083	261	341	406	382	327	362	266	313	468	348	259	350	-
Arkansas	285	22	27	12	20	7	10	12	11	92	32	21	19	-
Louisiana	652*	28	32	51	35	53	47	43	77	73	80	66	67	-
Oklahoma	345	13	30	26	40	22	19	26	23	40	39	9	58	-
Texas	2,801	198	252	317	287	245	286	185	202	263	197	163	206	-
MOUNTAIN	1,794	226	165	192	150	131	121	112	106	136	116	144	195	-
Montana	185	14	6	23	16	7	7	21	5	22	17	20	27	-
Idaho	131	17	37	21	6	5	5	3	11	12	3	4	7	-
Wyoming	70	7	7	13	3	5	22	-	6	-	1	3	3	-
Colorado	328	38	20	24	32	37	26	26	18	22	23	28	34	-
New Mexico	446	85	38	44	55	19	23	26	20	26	33	41	36	-
Arizona	416	45	29	35	31	37	20	24	40	33	25	34	63	-
Utah	169	19	17	28	5	20	17	12	6	14	8	6	17	-
Nevada	49	1	11	4	2	1	1	-	-	7	6	8	8	-
PACIFIC	9,441	659	746	912	631	842	668	635	950	809	815	932	842	-
Washington	983	52	96	96	63	154	61	52	99	63	60	87	100	-
Oregon	864	161	99	86	70	60	36	67	53	67	48	47	70	-
California	7,499	439	541	722	495	626	567	509	791	668	699	789	653	-
Alaska	41	4	4	3	3	2	3	1	5	4	3	4	5	-
Hawaii	54	3	6	5	-	-	1	6	2	7	5	5	14	-
Puerto Rico	1,130*	20	90	83	111	80	97	81	112	123	87	146	100	-

\*Includes serum hepatitis

TABLE 12. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1967 - Continued

(B) MEASLES (Rubeola)

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo. Unk
UNITED STATES	62,705	6,134	10,261	13,247	10,440	9,575	4,945	1,985	932	882	1,197	1,294	1,755	58
NEW ENGLAND	973	60	121	118	157	225	98	42	30	13	28	45	36	-
Maine	278	3	3	19	77	115	27	5	5	1	-	23	-	-
New Hampshire	96	1	65	14	7	2	1	2	-	-	3	-	1	-
Vermont	29	4	12	4	2	6	1	-	-	-	-	-	-	-
Massachusetts	420	42	28	64	48	58	53	27	23	11	23	17	26	-
Rhode Island	43	1	3	-	6	28	3	2	-	-	-	-	-	-
Connecticut	107	9	10	17	17	16	13	6	2	1	2	5	9	-
MIDDLE ATLANTIC	2,646	250	300	325	395	420	315	156	71	47	56	116	195	-
New York City	529	39	52	57	78	83	79	35	29	18	11	26	22	-
Upstate New York	700	77	75	70	80	78	82	104	30	13	14	24	53	-
New Jersey	625	73	42	92	70	115	44	11	6	6	21	51	94	-
Pennsylvania	792	61	131	106	167	144	110	6	6	10	10	15	26	-
EAST NORTH CENTRAL	6,331	667	711	950	855	973	634	176	180	159	223	340	405	58
Ohio	1,258	92	201	122	195	293	151	12	10	16	21	15	72	58
Indiana	693	96	68	97	122	129	60	21	7	5	24	26	38	-
Illinois	1,347	62	83	201	126	155	188	49	40	41	61	160	181	-
Michigan	1,048	161	119	218	144	149	74	15	40	21	29	36	42	-
Wisconsin	1,985	256	240	312	268	247	161	79	83	76	88	103	72	-
WEST NORTH CENTRAL	3,138	275	524	517	483	531	382	108	29	42	28	35	184	-
Minnesota	140	13	15	23	33	22	19	5	1	3	-	1	5	-
Iowa	823	38	79	126	170	202	101	18	3	10	11	13	52	-
Missouri	340	8	7	24	90	82	89	30	2	1	5	2	-	-
North Dakota	904	123	199	249	100	111	26	42	18	8	3	9	16	-
South Dakota	59	15	1	23	6	2	4	1	-	3	1	3	-	-
Nebraska	672	74	223	72	84	109	55	11	5	17	8	7	7	-
Kansas	200	4	-	-	-	3	88	1	-	-	-	-	104	-
SOUTH ATLANTIC	7,429	693	999	1,330	1,612	1,062	714	336	129	71	152	128	203	-
Delaware	50	3	12	9	3	9	5	2	2	1	2	-	2	-
Maryland	182	5	22	32	20	19	32	16	9	6	6	7	8	-
District of Columbia	26	4	2	5	1	7	2	1	-	1	-	2	1	-
Virginia	2,345	199	228	413	577	333	180	191	58	15	24	34	93	-
West Virginia	1,489	121	252	204	277	290	168	34	36	10	35	33	29	-
North Carolina	942	128	285	201	132	57	31	6	7	9	60	10	16	-
South Carolina	518	3	21	66	254	81	61	20	4	2	-	1	5	-
Georgia	71	8	27	13	10	1	1	3	2	2	1	3	-	-
Florida	1,806	222	150	387	338	265	234	63	11	25	24	38	49	-
EAST SOUTH CENTRAL	5,581	601	1,610	884	852	617	364	196	75	72	128	101	81	-
Kentucky	1,447	86	712	172	95	71	150	39	6	16	59	32	9	-
Tennessee	2,058	235	434	280	395	212	115	123	50	43	59	48	64	-
Alabama	1,398	120	219	314	292	292	84	28	13	7	7	18	4	-
Mississippi	678*	160	245	118	70	42	15	6	6	6	3	3	4	-
WEST SOUTH CENTRAL	18,247	1,735	3,733	5,421	2,836	1,836	1,044	310	227	252	270	226	357	-
Arkansas	1,270	179	592	295	148	28	24	4	-	-	-	-	-	-
Louisiana	160	19	11	33	24	49	10	4	3	2	2	-	3	-
Oklahoma	3,406	356	1,266	1,342	299	39	17	10	28	-	7	1	41	-
Texas	13,411	1,181	1,864	3,751	2,365	1,720	993	292	196	250	261	225	313	-
MOUNTAIN	5,092	528	530	899	1,023	959	435	315	67	81	71	88	96	-
Montana	340	112	49	17	22	45	30	2	7	7	29	10	10	-
Idaho	413	43	66	94	107	32	19	13	4	8	7	2	18	-
Wyoming	207	-	12	1	7	33	15	110	2	1	-	14	12	-
Colorado	1,774	94	102	251	370	507	235	87	23	28	20	27	30	-
New Mexico	612	73	70	131	182	70	26	21	5	13	-	13	8	-
Arizona	1,114	92	134	201	271	215	72	53	21	9	8	20	18	-
Utah	421	37	33	172	39	48	36	29	5	15	7	-	-	-
Nevada	211	77	64	32	25	9	2	-	-	-	-	2	-	-
PACIFIC	13,268	1,325	1,733	2,803	2,227	2,952	959	346	124	145	241	215	198	-
Washington	5,876	786	918	1,376	851	1,372	226	37	23	37	104	75	71	-
Oregon	1,725	205	197	242	384	347	102	70	33	46	49	22	28	-
California	5,271	254	589	1,144	927	1,166	593	207	59	41	80	115	96	-
Alaska	157	60	10	15	22	21	8	5	3	12	-	1	-	-
Hawaii	239	20	19	26	43	46	30	27	6	9	8	2	3	-
Puerto Rico	2,271	186	270	512	421	402	191	102	44	27	88	19	9	-

\*Includes rubella

TABLE 12. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1967 - Continued

## (C) MENINGOCOCCAL INFECTIONS

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo.Unk
UNITED STATES	2,161	234	240	270	250	231	143	129	95	96	131	134	206	2
NEW ENGLAND	92	6	9	11	15	14	4	6	6	2	5	7	7	-
Maine	7	1	1	-	1	1	1	1	-	-	1	-	-	-
New Hampshire	5	-	-	1	1	-	-	1	-	-	-	1	1	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	42	2	3	6	7	10	2	2	1	1	2	2	4	-
Rhode Island	7	-	-	-	1	2	1	-	-	-	-	2	1	-
Connecticut	31	3	5	4	5	1	-	2	5	1	2	2	1	-
MIDDLE ATLANTIC	381	42	27	37	52	42	30	30	16	16	31	23	35	-
New York City	65	8	3	6	6	7	5	8	2	3	3	5	9	-
Upstate New York	90	13	8	11	8	9	7	8	5	3	8	4	6	-
New Jersey	124	16	12	12	24	15	6	8	2	4	10	8	7	-
Pennsylvania	102	5	4	8	14	11	12	6	7	6	10	6	13	-
EAST NORTH CENTRAL	310	23	28	31	33	41	27	21	19	12	19	23	32	1
Ohio	92	8	10	13	8	15	7	5	8	1	7	3	6	1
Indiana	37	3	2	6	3	6	1	1	-	3	1	5	6	-
Illinois	82	6	5	9	8	10	9	5	6	2	4	3	15	-
Michigan	76	4	8	2	11	8	7	9	4	5	5	9	4	-
Wisconsin	23	2	3	1	3	2	3	1	1	1	2	3	1	-
WEST NORTH CENTRAL	111	15	13	11	8	11	9	3	3	7	10	9	12	-
Minnesota	24	2	3	3	2	4	2	1	-	2	2	1	2	-
Iowa	24	2	1	3	3	2	2	-	2	2	1	3	3	-
Missouri	22	4	4	2	2	-	-	1	1	1	1	2	4	-
North Dakota	6	1	-	-	-	-	2	-	-	-	3	-	-	-
South Dakota	7	3	1	1	1	-	-	-	-	-	-	1	-	-
Nebraska	16	2	3	2	-	2	2	1	-	1	-	2	1	-
Kansas	12	1	1	-	-	3	1	-	-	1	3	-	2	-
SOUTH ATLANTIC	425	52	49	54	45	42	25	28	18	22	26	23	41	-
Delaware	8	-	4	1	-	-	-	1	-	-	1	-	1	-
Maryland	54	9	5	6	6	2	3	2	6	2	5	4	4	-
District of Columbia	19	-	-	2	4	3	1	-	-	-	4	1	4	-
Virginia	48	5	5	2	3	7	4	8	3	2	2	2	5	-
West Virginia	38	8	3	2	3	3	1	-	1	6	7	3	1	-
North Carolina	88	9	12	11	9	7	7	8	3	5	-	8	9	-
South Carolina	35	2	3	6	7	4	1	4	1	-	1	1	5	-
Georgia	67	10	8	11	6	8	4	4	2	4	5	3	2	-
Florida	68	9	9	13	7	8	4	1	2	3	1	1	10	-
EAST SOUTH CENTRAL	184	21	28	29	20	12	9	5	3	6	11	12	27	1
Kentucky	54	6	8	7	8	1	4	-	1	2	6	3	8	-
Tennessee	78	10	13	13	7	6	1	3	1	3	5	6	10	-
Alabama	32	2	6	5	4	3	4	1	1	-	-	3	3	-
Mississippi	20	3	1	4	1	2	-	1	-	1	-	-	6	1
WEST SOUTH CENTRAL	248	42	39	38	23	20	17	8	5	6	11	13	26	-
Arkansas	7	-	-	-	2	-	-	-	-	2	1	1	1	-
Louisiana	105	19	15	14	10	11	10	1	4	2	6	6	7	-
Oklahoma	26	3	2	5	4	1	2	3	-	1	-	3	2	-
Texas	110	20	22	19	7	8	5	4	1	1	4	3	16	-
MOUNTAIN	52	7	10	4	5	5	1	2	4	3	3	5	3	-
Montana	8	-	1	-	1	-	-	-	-	2	1	2	1	-
Idaho	6	2	-	1	-	-	-	-	2	-	1	-	-	-
Wyoming	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Colorado	13	1	5	1	3	-	-	2	1	-	-	-	-	-
New Mexico	5	3	-	-	-	-	-	-	-	-	-	2	-	-
Arizona	8	-	2	1	-	2	-	-	-	-	1	1	1	-
Utah	4	-	1	-	1	1	1	-	-	-	-	-	-	-
Nevada	7	1	1	1	-	1	-	-	1	1	-	-	1	-
PACIFIC	358	26	37	55	49	44	21	26	21	22	15	19	23	-
Washington	30	1	4	4	4	-	1	1	4	3	4	2	2	-
Oregon	32	4	4	2	8	5	1	-	1	2	-	3	2	-
California	283	21	29	49	31	38	18	23	15	16	10	14	19	-
Alaska	9	-	-	-	5	-	-	1	1	1	1	-	-	-
Hawaii	4	-	-	-	1	1	1	1	-	-	-	-	-	-
Puerto Rico	15	1	5	1	1	-	1	3	-	1	1	1	-	-



TABLE 13. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1967

AREA	ANIMAL BITES	CHICKENPOX	CONJUNCTIVITIS (Pink Eye)	ERYSIPELAS	GASTRO-ENTERIC DISORDERS		
					NON-SPECIFIC	ANCLYO-STOMIASIS (Hookworm)	DIARRHEA OF NEWBORN
NO. CASES REPORTED ....	140,626	116,478	6,286	125	26,020	3,303	332
No. States Reporting.....	(18)	(42)	(21)	(14)	(18)	(10)	(14)
NEW ENGLAND .....	21,885	20,261	194	10	55	218	1
Maine .....	...	1,777	157	...	55	...	...
New Hampshire .....	126	439	...	...	...	...	...
Vermont .....	...	1,068	...	...	...	...	...
Massachusetts .....	21,759	9,135	...	5	...	...	1
Rhode Island .....	...	2,880	...	...	...	...	...
Connecticut .....	...	4,962	37	5	...	218	...
MIDDLE ATLANTIC.....	20,097	5,994	16	4	...	110	100
New York City .....	...	5,897	...	...	...	...	44
Upstate New York .....	...	97	16	...	...	...	56
New Jersey .....	...	...	...	...	...	...	...
Pennsylvania .....	20,097	...	...	4	...	110	...
EAST NORTH CENTRAL ...	69,176	52,339	1,217	43	1,182	2	162
Ohio .....	...	6,025	17	8	190	2	5
Indiana .....	10,403	3,349	893	11	...	...	...
Illinois .....	30,584	6,737	28	6	992	...	149
Michigan .....	28,189	12,649	279	18	...	...	8
Wisconsin .....	...	23,579	...	...	...	...	...
WEST NORTH CENTRAL ..	7,602	8,492	2,077	48	7,728	22	9
Minnesota .....	4,594	48	...	15	2	22	3
Iowa .....	2,890	6,399	599	7	7,561	...	...
Missouri .....	...	294	...	2	...	...	6
North Dakota .....	118	1,377	1,459	24	...	...	...
South Dakota .....	...	4	...	...	...	...	...
Nebraska .....	...	370	19	...	162	...	...
Kansas .....	...	...	...	...	3	...	...
SOUTH ATLANTIC .....	18,184	9,593	498	...	...	2,214	25
Delaware .....	...	269	2	...	...	...	...
Maryland .....	16,703	1,405	...	...	...	...	...
District of Columbia .....	...	243	1	...	...	...	...
Virginia .....	...	...	...	...	...	...	...
West Virginia .....	1,481	4,411	495	...	...	...	...
North Carolina .....	...	...	...	...	...	...	...
South Carolina .....	...	326	...	...	...	...	...
Georgia .....	...	4	...	...	...	2,214	...
Florida .....	...	2,935	...	...	...	...	25
EAST SOUTH CENTRAL ...	...	3,409	407	...	2,983	708	16
Kentucky .....	...	2,676	407	...	2,983	18	...
Tennessee .....	...	...	...	...	...	...	...
Alabama .....	...	546	...	...	...	...	...
Mississippi .....	...	187	...	...	...	690	16
WEST SOUTH CENTRAL ...	1,362	165	...	...	3	9	...
Arkansas .....	1,119	128	...	...	3	1	...
Louisiana .....	243	...	...	...	...	...	...
Oklahoma .....	...	37	...	...	...	...	...
Texas .....	...	...	...	...	...	...	...
MOUNTAIN .....	158	4,972	15	7	1,069	...	2
Montana .....	90	993	...	...	689	...	...
Idaho .....	...	384	...	5	88	...	...
Wyoming .....	68	123	9	...	2	...	...
Colorado .....	...	...	...	...	...	...	...
New Mexico .....	...	193	...	...	...	...	...
Arizona .....	...	2,634	...	...	172	...	...
Utah .....	...	427	6	2	39	...	2
Nevada .....	...	218	...	...	79	...	...
PACIFIC .....	2,162	11,253	1,862	13	13,000	20	17
Washington .....	1,912	9,803	1,082	...	10,364	...	7
Oregon .....	230	12	24	13	112	...	1
California .....	...	...	20	...	...	...	9
Alaska .....	20	559	699	...	2,524	...	...
Hawaii .....	...	879	37	...	...	20	...
Puerto Rico .....	...	1,312	...	...	...	...	...

TABLE 13. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1967 - Continued

AREA	HISTOPLASMOSIS	MENINGITIS (Bacterial & Unspecified)	MONO- NUCLEOSIS, INFECTIOUS	MUMPS	RESPIRATORY INFECTIONS	RINGWORM
NO. CASES REPORTED . . . . .	206	2,290	8,272	185,691	339,069	3,396
No. States Reporting . . . . .	(18)	(32)	(30)	(43)	(23)	(20)
NEW ENGLAND . . . . .	1	346	1,742	27,058	206	130
Maine . . . . .	...	10	126	1,138	...	8
New Hampshire . . . . .	...	2	6	351	7	...
Vermont . . . . .	...	2	188	1,689	...	...
Massachusetts . . . . .	...	269	...	11,642	...	...
Rhode Island . . . . .	...	40	36	4,386	...	...
Connecticut . . . . .	1	23	1,386	7,852	199	122
MIDDLE ATLANTIC . . . . .	...	613	489	3,305	...	...
New York City . . . . .	...	223	...	3,305	...	...
Upstate New York . . . . .	...	267	...	...	...	...
New Jersey . . . . .	...	...	...	...	...	...
Pennsylvania . . . . .	...	123	489	...	...	...
EAST NORTH CENTRAL . . . . .	77	630	1,549	77,972	4,161	859
Ohio . . . . .	15	146	179	12,673	1,153	...
Indiana . . . . .	13	56	688	5,684	...	...
Illinois . . . . .	47	272	...	10,845	...	86
Michigan . . . . .	...	156	673	18,023	3,008	594
Wisconsin . . . . .	2	...	9	30,747	...	179
WEST NORTH CENTRAL . . . . .	62	152	2,018	11,141	12,520	685
Minnesota . . . . .	7	68	1,653	375	114	36
Iowa . . . . .	41	59	314	7,686	657	203
Missouri . . . . .	2	10	9	574	8	272
North Dakota . . . . .	...	...	...	2,044	5,884	110
South Dakota . . . . .	...	...	...	1	...	...
Nebraska . . . . .	...	5	42	384	5,857	...
Kansas . . . . .	12	10	...	77	...	64
SOUTH ATLANTIC . . . . .	9	219	307	15,223	85,473	...
Delaware . . . . .	...	...	...	614	1	...
Maryland . . . . .	2	119	6	2,873	...	...
District of Columbia . . . . .	1	21	...	274	895	...
Virginia . . . . .	4	...	...	...	...	...
West Virginia . . . . .	...	...	215	5,178	82,480	...
North Carolina . . . . .	...	...	...	...	...	...
South Carolina . . . . .	...	11	86	685	2,043	...
Georgia . . . . .	...	68	...	86	54	...
Florida . . . . .	2	...	...	5,513	...	...
EAST SOUTH CENTRAL . . . . .	18	54	298	5,287	61,580	72
Kentucky . . . . .	2	54	228	3,762	...	72
Tennessee . . . . .	...	...	...	...	61,580	...
Alabama . . . . .	...	...	...	1,018	...	...
Mississippi . . . . .	16	...	70	507	...	...
WEST SOUTH CENTRAL . . . . .	32	34	47	789	10	14
Arkansas . . . . .	27	34	31	393	10	14
Louisiana . . . . .	5	...	16	...	...	...
Oklahoma . . . . .	...	...	...	396	...	...
Texas . . . . .	...	...	...	...	...	...
MOUNTAIN . . . . .	...	109	807	9,494	18,962	411
Montana . . . . .	...	...	58	107	...	8
Idaho . . . . .	...	10	115	871	...	...
Wyoming . . . . .	...	6	...	226	...	...
Colorado . . . . .	...	65	...	5,310	2,894	52
New Mexico . . . . .	...	6	17	277	13,453	...
Arizona . . . . .	...	...	610	1,872	...	307
Utah . . . . .	...	22	6	404	2,488	44
Nevada . . . . .	...	...	1	427	127	...
PACIFIC . . . . .	7	133	1,015	35,422	156,157	1,225
Washington . . . . .	7	51	23	12,375	139,955	1,116
Oregon . . . . .	...	53	952	...	2,015	52
California . . . . .	...	...	...	19,466	...	...
Alaska . . . . .	...	...	...	394	14,187	53
Hawaii . . . . .	...	29	40	3,187	...	4
Puerto Rico . . . . .	...	15	4	1,049	1,573	...

TABLE 14. OTHER DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, 1967


(Reported by more than one, but less than 10 States)			
Erythema	Fifth disease, Ore. 14; roseola, Nev. 3		
Fungal infections, Actinomycosis	Ill., La., 3; Ind. 2; Miss., Iowa 1		
Blastomycosis	Ark. 20; La. 7; Miss., Ohio 4; Ill., Ind., Kans., Minn., N.H., 1		
Coccidioidomycosis	Ariz. 596; Cal. 252; Ill. 5; Ark. 3; Kans., Minn., Okla., Wash., 1		
Cryptococcosis	Wash. 5; Miss. 4; La. 3; Md., Ore., 2; Ohio, Va., 1		
Other, specified	Geotrichosis, Ark. 1; sporotrichosis, Utah 1		
Unspecified	Ill. 7		
Gastroenteric disorders, Ascariasis	Miss. 569; Minn. 15; Ky. 5; Okla. 2; Ark., Ill., Me., 1		
Tapeworm	Ill. 2; Fla. 1		
Intestinal worms, unsp.	Ill. 6		
Epidemic vomiting	Fla. 100		
Diarrheal disease, infant	Minn. 60		
Diarrheal disease, unsp.	W. Va. 15,640; N.M. 9,567		
Specified etiology, <u>C. perfringens</u>	W. Va. 293; Minn. 154; Wash. 147; Conn. 26; Ill. 2		
<u>Enteropath. E. coli</u>	Ill. 453; Ohio 195; Ore. 41; Hawaii 37; Mo. 20; D.C. 19; Wash. 8; N.H. 4; Ariz. 2		
<u>L. giardiasis</u>	Minn. 65; Kans. 51; Colo. 11; Okla., Ore., 3		
Unspecified	Minn. 123; Ill. 75; Ore. 15; Mich., Nev., 14		
<u>H. influenzae</u> infection, Meningitis	Mich. 59; N.H. 2		
Unspecified	N.M. 3		
Impetigo	Alaska 1,255; Mich. 1,068; N.D. 803; Ore. 133; Mo. 19; Nebr. 17; Ark. 5; Ohio 3; N.H. 2		
Otitis media	Alaska 6,030; Nebr. 92; Nev. 76		
Q-fever	Cal. 24; Ida. 4; Colo. 3; Conn., Kans., 1		
Staphylococcal infection, Neonatal and post-partum	Ill. 19; Mich. 13		
Unspecified	Wash. 1,865; Pa. 1,564; Ill. 897; Alaska 444; Ark. 250; Ore. 157; N.M. 21; D.C. 9; Conn. 6		
Scabies	N.D. 185; Ore. 31; Mich. 22		
Tick-borne disease, Colorado tick fever	Colo. 100; Wyo. 12; Utah 11; Mont., Ore., 6; Ida. 2		
Relapsing fever	Ore. 4; Cal. 1		
Tick paralysis	Ore. 1		
Toxoplasmosis	Wash. 12; Ark. 7; Miss., Pa., 4; Minn. 2; Iowa, La., Va., 1		
Trachoma	Ariz. 248; Mont. 145; Nev. 116; Cal. 48; Ill., N.M., 3; Fla., Minn., S.D., 1		
Vincent's angina	N.H. 4; Del. 1		
(Infections reported by a single State)			
Cat scratch fever	Ore. 2	Sepsis of newborn, umbilical	Ohio 9
Gas gangrene	N.H. 2	unspecified	Ohio 23
Herpes zoster	Mo. 1	Septicemia and pyemia	Ohio 2,515
Keratoconjunctivitis	Ind. 25	Shistosomiasis	NYC 264
Listeriosis	Ore. 2	Viral infections, Adenovirus	Minn. 8
Myiasis, cutaneous	Fla. 1	Coxsackie	Minn. 10
Nocardiosis	Minn. 1	ECHO	Minn. 4
Ophthalmia neonatorum	Ohio 1	Herpangina	Ore. 21
<u>Pasteurella multocida</u>	Ore. 1	Unspecified	N.M. 144
Pediculosis	Mich. 109		
Rat bite fever	Ohio 1		
Rickettsial infection	Ark. 1		

28 Annual Supplement to the Morbidity and Mortality Weekly Report


TABLE 15. CUMULATIVE WEEKLY TOTAL NUMBER OF DEATHS IN 122 UNITED STATES CITIES FOR YEAR 1967 (THROUGH 52nd WEEK ENDED DECEMBER 30, 1967)

AREA	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes	AREA	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes
	All Ages	65 years and over				All Ages	65 years and over		
NEW ENGLAND:	38,674	23,776	1,837	1,787	SOUTH ATLANTIC:	59,574	31,112	2,383	3,354
Boston, Mass. ....	12,659	7,140	608	645	Atlanta, Ga. ....	6,733	3,124	229	489
Bridgeport, Conn. ....	2,307	1,450	205	100	Baltimore, Md. ....	12,738	6,587	350	687
Cambridge, Mass. ....	1,542	1,054	11	28	Charlotte, N. D. ....	2,375	1,068	80	157
Fall River, Mass. ....	1,497	998	38	55	Jacksonville, Fla. ....	3,483	1,694	138	165
Hartford, Conn. ....	2,978	1,631	80	217	Miami, Fla. ....	4,799	2,710	49	224
Lowell, Mass. ....	1,432	939	102	57	Norfolk, Va. ....	2,767	1,368	234	161
Lynn, Mass. ....	1,161	815	51	24	Richmond, Va. ....	4,190	2,158	124	256
New Bedford, Mass. ....	1,403	987	56	42	Savannah, Ga. ....	1,790	848	120	109
New Haven, Conn. ....	2,709	1,538	59	188	St. Petersburg, Ga. ....	4,194	3,413	284	73
Providence, R. I. ....	3,175	1,920	124	154	Tampa, Fla. ....	3,754	2,155	325	187
Somerville, Mass. ....	722	501	54	22	Washington, D. C. ....	10,443	4,768	350	717
Springfield, Mass. ....	2,469	1,643	208	89	Wilmington, Del. ....	2,308	1,219	100	129
Waterbury, Conn. ....	1,605	1,071	8	62					
Worcester, Mass. ....	3,015	2,089	233	104	EAST SOUTH CENTRAL:	32,458	17,322	1,594	1,811
MIDDLE ATLANTIC:	171,489	100,763	6,501	7,553	Birmingham, Ala. ....	5,037	2,602	80	262
Albany, N. Y. ....	2,586	1,462	57	145	Chattanooga, Tenn. ....	2,540	1,335	192	153
Allentown, Pa. ....	1,909	1,213	62	73	Knoxville, Tenn. ....	2,117	1,376	112	72
Buffalo, N. Y. ....	7,630	4,460	186	386	Louisville, Ky. ....	6,431	3,626	599	325
Camden, N. J. ....	2,223	1,253	115	130	Memphis, Tenn. ....	6,981	3,569	218	470
Elizabeth, N. J. ....	1,711	1,025	78	69	Mobile, Ala. ....	2,469	1,194	59	174
Erie, Pa. ....	2,120	1,286	127	84	Montgomery, Ala. ....	1,961	1,053	143	103
Jersey City, N. J. ....	3,553	2,095	188	181	Nashville, Tenn. ....	4,922	2,567	191	252
Newark, N. J. ....	4,615	2,275	256	402	WEST SOUTH CENTRAL:	57,861	29,620	2,046	3,850
New York City, N. Y. ....	87,003	50,838	3,201	3,471	Austin, Tex. ....	2,065	1,201	184	115
Paterson, N. J. ....	2,001	1,184	100	106	Baton Rouge, La. ....	1,849	951	51	113
Philadelphia, Pa. ....	25,288	14,445	654	1,213	Corpus Christi, Tex. ....	1,476	734	16	137
Pittsburgh, Pa. ....	10,113	5,715	210	442	Dallas, Tex. ....	7,849	3,886	170	553
Reading, Pa. ....	2,622	1,771	149	77	El Paso, Tex. ....	1,944	929	156	223
Rochester, N. Y. ....	5,556	3,611	437	271	Fort Worth, Tex. ....	4,101	2,258	136	291
Schenectady, N. Y. ....	1,420	945	67	42	Houston, Tex. ....	10,680	4,898	269	668
Scranton, Pa. ....	2,078	1,364	113	61	Little Rock, Ark. ....	2,768	1,479	139	181
Syracuse, N. Y. ....	3,068	1,868	71	176	New Orleans, La. ....	8,621	4,157	229	578
Trenton, N. J. ....	2,536	1,539	130	119	Oklahoma City, Okla. ....	4,313	2,384	82	246
Utica, N. Y. ....	1,590	1,166	177	45	San Antonio, Tex. ....	6,005	3,292	176	396
Yonkers, N. Y. ....	1,867	1,248	123	60	Shreveport, La. ....	2,859	1,522	210	158
EAST NORTH CENTRAL:	135,703	76,595	4,022	7,091	Tulsa, Okla. ....	3,331	1,929	228	191
Akron, Ohio ....	3,344	1,945	3	195	MOUNTAIN:	21,861	12,543	1,029	1,223
Canton, Ohio ....	1,882	1,138	117	99	Albuquerque, N. Mex. ...	2,209	1,132	218	155
Chicago, Ill. ....	39,282	21,153	1,368	2,066	Colorado Springs, Colo. ....	1,096	700	101	55
Cincinnati, Ohio ....	8,684	5,142	195	394	Denver, Colo. ....	5,956	3,371	204	375
Cleveland, Ohio ....	10,869	5,829	135	534	Ogden, Utah ....	1,010	609	76	42
Columbus, Ohio ....	6,276	3,421	138	399	Phoenix, Ariz. ....	5,007	2,750	216	283
Dayton, Ohio ....	4,176	2,380	97	204	Pueblo, Colo. ....	1,132	733	69	41
Detroit, Mich. ....	18,529	10,281	385	901	Salt Lake City, Utah ...	2,654	1,598	57	169
Evansville, Ind. ....	2,166	1,394	111	78	Tucson, Ariz. ....	2,797	1,650	88	103
Flint, Mich. ....	2,599	1,305	89	221	PACIFIC:	81,633	49,465	1,963	3,450
Fort Wayne, Ind. ....	2,254	1,325	155	130	Berkeley, Calif. ....	1,050	737	21	23
Gary, Ind. ....	1,958	1,010	160	146	Fresno, Calif. ....	2,480	1,356	61	146
Grand Rapids, Mich. ....	2,737	1,818	235	127	Glendale, Calif. ....	1,702	1,226	33	38
Indianapolis, Ind. ....	8,000	4,428	159	489	Honolulu, Hawaii ....	2,433	1,224	61	180
Madison, Wis. ....	1,842	989	5	123	Long Beach, Calif. ....	3,961	2,516	124	159
Milwaukee, Wis. ....	6,772	4,221	148	321	Los Angeles, Calif. ....	25,510	15,621	571	1,048
Peoria, Ill. ....	1,989	1,170	37	149	Oakland, Calif. ....	4,443	2,609	93	220
Rockford, Ill. ....	1,683	1,050	152	95	Pasadena, Calif. ....	1,875	1,378	19	50
South Bend, Ind. ....	1,982	1,227	104	72	Portland, Oreg. ....	6,162	3,808	95	256
Toledo, Ohio ....	5,547	3,464	176	239	Sacramento, Calif. ....	3,270	1,881	77	129
Youngstown, Ohio ....	3,132	1,905	53	109	San Diego, Calif. ....	4,822	2,766	106	273
WEST NORTH CENTRAL:	43,421	26,466	1,343	2,238	San Francisco, Calif. ....	9,555	5,369	211	347
Des Moines, Iowa ....	3,032	1,970	76	138	San Jose, Calif. ....	2,084	1,334	111	102
Duluth, Minn. ....	1,345	861	3	49	Seattle, Wash. ....	7,427	4,371	270	292
Kansas City, Kans. ....	2,118	1,166	180	230	Spokane, Wash. ....	2,745	1,896	44	87
Kansas City, Mo. ....	6,857	4,258	152	306	Tacoma, Wash. ....	2,114	1,373	66	100
Lincoln, Nebr. ....	1,407	968	45	51					
Minneapolis, Minn. ....	5,903	3,655	135	329					
Omaha, Nebr. ....	3,833	2,295	70	196					
St. Louis, Mo. ....	12,443	7,227	398	639					
St. Paul, Minn. ....	3,792	2,498	80	161					
Wichita, Kans. ....	2,691	1,568	204	139					
					Total	642,674	367,662	22,718	32,357


DISEASE TRENDS



ANTHRAX – REPORTED HUMAN CASES  
1950-1967




BOTULISM – REPORTED CASES AND DEATHS  
UNITED STATES, 1950-1967




HUMAN BRUCELLOSIS  
REPORTED CASES, UNITED STATES, 1950-1967




BRUCELLOSIS  
REPORTED CASES PER 100,000 POPULATION, 1967



DIPHTHERIA  
GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1967






REPORTED CASES OF DIPHTHERIA  
1958-1967






NATIONAL ENCEPHALITIS SURVEILLANCE PROGRAM  
UNITED STATES, 1967




BASED ON AVAILABLE SEASONAL DATA  
\* INCLUDES ASEPTIC MENINGITIS






### HEPATITIS

REPORTED CASES PER 100,000 POPULATION  
1967




Annual Supplement to the Morbidity and Mortality Weekly Report


LEPROSY - REPORTED CASES  
1950-1967




LEPROSY  
AVERAGE NUMBER OF REPORTED CASES, BY MONTH  
1963-1967




LEPTOSPIROSIS  
GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1967




LEPTOSPIROSIS  
AVERAGE NUMBER OF REPORTED CASES BY MONTH  
1963-1967




MALARIA  
 CASES BY DATE OF REPORT, UNITED STATES, 1933-1967




MILITARY AND CIVILIAN CASES OF MALARIA  
 UNITED STATES, 1956-1967  
 SURVEILLANCE PROGRAM




REPORTED MEASLES CASES, BY MONTH  
1962-1967




MEASLES (RUBEOLA)  
DEATHS IN THE UNITED STATES  
PERCENT DISTRIBUTION BY AGE, 1962-1966



MENINGOCOCCAL INFECTIONS  
 REPORTED BY YEAR  
 UNITED STATES, 1920-1967




MENINGOCOCCAL INFECTIONS  
 REPORTED CASES PER 100,000 POPULATION  
 1967







ASEPTIC MENINGITIS, SEASONAL DISTRIBUTION  
UNITED STATES, 1965-1967




ASEPTIC MENINGITIS  
REPORTED CASES PER 100,000 POPULATION  
1967




PERTUSSIS, REPORTED CASES  
UNITED STATES, 1950-1967




POLIOMYELITIS  
REPORTED PARALYTIC CASES, BY MONTH  
1961-1967



PARALYTIC POLIOMYELITIS  
GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1967





PARALYTIC POLIOMYELITIS  
REPORTED CASES BY FIVE-YEAR AGE GROUPS  
UNITED STATES, 1967




# Annual Supplement to the Morbidity and Mortality Weekly Report


## PNEUMONIA-INFLUENZA DEATHS IN 122 UNITED STATES CITIES



MORTALITY IN 122 UNITED STATES CITIES




HUMAN PLAGUE  
 COUNTIES REPORTING ONE OR MORE CASES  
 1900-1967




- 1,2. LABORATORY ACQUIRED CASES - 1901, 1959
- 3. ONE CASE, INFECTION ACQUIRED IN COLO., DIAGNOSED IN TEXAS
- 4. THREE CASES, ONE DIAGNOSED IN MASS. - 1961
- 5. IMPORTED CASE, 1966.


HUMAN CASES OF PLAGUE  
 UNITED STATES, 1950-1967, BY AGE AND SEX



RABIES  
REPORTED HUMAN CASES, 1950-1967




HUMAN RABIES DEATHS BY AGE AND SEX  
UNITED STATES, 1950-1967




Annual Supplement to the Morbidity and Mortality Weekly Report

CASES OF RABIES IN WILD AND DOMESTIC ANIMALS  
1953-1967




RABIES  
COUNTIES REPORTING ONE OR MORE ANIMAL CASES  
1967







ROCKY MOUNTAIN SPOTTED FEVER  
 REPORTED CASES IN THE UNITED STATES, 1950-1967




ROCKY MOUNTAIN SPOTTED FEVER  
 GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1967



RUBELLA  
 REPORTED MONTHLY CASE RATES BY REGION\*  
 UNITED STATES, 1966-67




SALMONELLA SURVEILLANCE\*  
REPORTED HUMAN ISOLATIONS




\* BASED ON REPORTS TO SALMONELLA SURVEILLANCE UNIT, NCDC

HUMAN ISOLATIONS OF SALMONELLAE BY AGE GROUP - 1967




SHIGELLA SURVEILLANCE  
 REPORTED HUMAN ISOLATIONS  
 1964-1967




\*ALASKA, ARIZONA, HAWAII, ILLINOIS, KANSAS, MARYLAND, NEW JERSEY, NEW MEXICO, NORTH CAROLINA, NORTH DAKOTA, OHIO, OKLAHOMA, OREGON, SOUTH DAKOTA, TENNESSEE, TEXAS AND VERMONT.

\*\*ADJUSTED TO FOUR-WEEK MONTHS.


TRICHINOSIS  
 REPORTED CASES, UNITED STATES, 1950-1967




TETANUS  
REPORTED CASES, UNITED STATES, 1950-1967




TETANUS  
GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1967




TETANUS  
 REPORTED CASES BY FIVE-YEAR AGE GROUPS  
 UNITED STATES, 1967





TULAREMIA  
 REPORTED CASES BY YEAR, UNITED STATES, 1950-1967





NEW ACTIVE TUBERCULOSIS CASES PER 100,000  
1967 PROVISIONAL DATA BY GEOGRAPHIC DIVISION




NEW ACTIVE TUBERCULOSIS CASES AND CASE RATES BY AGE GROUP  
UNITED STATES, 1966









REPORTED CASES OF  
TYPHUS FEVER, FLEA-BORNE (ENDEMIC, MURINE)  
UNITED STATES, 1949-1967




TYPHUS FEVER  
GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1967




PRIMARY, SECONDARY AND CONGENITAL SYPHILIS  
 REPORTED CIVILIAN CASES  
 UNITED STATES, 1948-1967




REPORTED CIVILIAN CASES OF GONORRHEA  
 UNITED STATES, 1954-1967



SYPHILIS - PRIMARY AND SECONDARY  
 REPORTED CASE RATE PER 100,000 POPULATION  
 CALENDAR YEAR 1967



SYPHILIS - REPORTED PRIMARY AND SECONDARY CASES  
 AGE SPECIFIC RATES PER 100,000 POPULATION BY SEX AND COLOR  
 UNITED STATES, CALENDAR YEAR 1967



THE ANNUAL SUPPLEMENT TO THE MORBIDITY AND MORTALITY WEEKLY REPORT IS PUBLISHED BY THE NATIONAL COMMUNICABLE DISEASE CENTER, PUBLIC HEALTH SERVICE, DHEW, ATLANTA, GEORGIA.

DAVID J. SENCER, M.D.  
DIRECTOR, NATIONAL COMMUNICABLE DISEASE CENTER

ALEXANDER D. LANGMUIR, M.D.  
CHIEF, EPIDEMIOLOGY PROGRAM

IDA L. SHERMAN, M.S.  
CHIEF, STATISTICS SECTION

WITH ERNESTINE TOMLINSON, MAXINE SPOON, AND CYRUS STOW.

U.S. DEPARTMENT OF  
HEALTH, EDUCATION, AND WELFARE  
PUBLIC HEALTH SERVICE  
HEALTH SERVICES AND MENTAL HEALTH ADMINISTRATION  
NATIONAL COMMUNICABLE DISEASE CENTER  
ATLANTA, GEORGIA 30333

OFFICIAL BUSINESS

POSTAGE AND FEES PAID  
U. S. DEPARTMENT OF H. E. W.



LIBRARY 1-7  
46  
6 64  
COMMUNICABLE DISEASE CENTER

