

SUPPLEMENTARY TABLE. Estimated population of children aged <5 years, percentage residing in inaccessible communities, and reported detections of circulating vaccine-derived poliovirus type 2, by state – South-Central Zone, Somalia, January 2021–December 2023*

State	Population of children aged <5 years, x 1,000 (% inaccessible)			No. of cVDPV2 detections [†]					
	2021	2022	2023	Cases			ES isolates		
				2021	2022	2023	2021	2022	2023
Banadir	513 (0)	513 (0)	512 (0)	— [§]	3	1	1	5	8
Galmudug	326 (1.0)	326 (1.0)	344 (30.1)	— [§]	— [§]	2	—	1	—
Hirshabelle	287 (23.3)	287 (23.3)	388 (12.0)	— [§]	— [§]	— [§]	— [§]	— [§]	— [§]
Jubbaland	508 (5.2)	508 (5.2)	518 (33.3)	1	1	— [§]	— [§]	1	— [§]
Southwest	836 (10.1)	836 (10.1)	959 (15.7)	— [§]	1	5	— [§]	— [§]	1
Total	2,470 (7.3)	2,470 (7.3)	2,719 (17.4)	1	5	8	1	7	9

Abbreviations: AFP = acute flaccid paralysis; ES = environmental surveillance; NPAFP = nonpolio acute flaccid paralysis; cVDPV2 = circulating vaccine-derived poliovirus type 2.

* Data as of May 16, 2024.

[†] https://polioeradication.org/wp-content/uploads/2016/09/Reporting-and-Classification-of-VDPVs_Aug2016_EN.pdf

[§] No confirmed cases or isolates were detected.