

Supplementary Appendix

This appendix has been provided by the authors to give readers additional information about their work.

Supplement to: Curtis KM, Peipert JF. Long-acting reversible contraception. *N Engl J Med* 2017;376:461-8. DOI: 10.1056/NEJMcp1608736

Supplementary Appendix

Long-Acting Reversible Contraception

Kathryn Curtis, PhD¹

Jeffrey F. Peipert, MD, PhD²

¹Centers for Disease Control and Prevention
Atlanta, GA


²Department of Obstetrics and Gynecology
Indiana University School of Medicine
Indianapolis, IN

Supplementary Appendix

Table of Contents

Figure S1. Percentage using intrauterine devices (IUD) and implants among female contraceptive users, ages 15-44 years, United States, 2002-2013

Figure S1. Percentage using intrauterine devices (IUD) and implants among female contraceptive users, ages 15-44 years, United States, 2002-2013 (Numbers do not add to total due to rounding)



Sources:

Adapted from: Guttmacher Institute, U.S. women's use of long-acting reversible contraceptive (LARC) methods like the IUD has increased over the past decade, Infographic, New York: Guttmacher Institute, 2015, <https://www.guttmacher.org/infographic/2015/us-womens-use-long-acting-reversible-contraceptive-larc-methods-iud-has-increased>

Daniels K, Daugherty J, Jones J, Mosher W. Current contraceptive use and variation by selected characteristics among women aged 15-44: United States, 2011-2013. Natl Health Stat Report 2015;86.