

NATIONAL COMMUNICABLE DISEASE CENTER

# Morbidity and Mortality



Vol. 17, No. 53

WEEKLY REPORT

# ANNUAL SUPPLEMENT

## Summary 1968


U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE  
HEALTH SERVICES AND MENTAL HEALTH ADMINISTRATION

FOR RELEASE  
DECEMBER 1969

### REPORTED INCIDENCE OF NOTIFIABLE DISEASES IN THE UNITED STATES, 1968

The most dramatic epidemiological event of 1968 was the pandemic of Hong Kong influenza. In the United States the infection was first introduced from the Pacific during September. Scattered outbreaks and sporadic cases were identified with increasing frequency thereafter. Mortality for pneumonia-influenza rose above the epidemic threshold during the week ending December 7, 1968. A sharp nationwide epidemic ensued. Mortality peaked during the second week of January 1969. The total excess mortality during the epidemic from all causes in 122 cities was 19,700 deaths. This Hong Kong influenza epidemic was the most severe since the previous pandemic of Asian influenza in 1957-58 when excess mortality in the same cities was 26,900 deaths.

PNEUMONIA-INFLUENZA DEATHS IN 122 UNITED STATES CITIES



INDEX OF TABLES

	<i>Page</i>
Table 1. Reported Incidence of Diseases Covered by International Quarantine Agreement, 1959-68 .....	3
Table 2. Reported Cases of Specified Notifiable Diseases: United States, 1959-68 .....	4
Table 3. (A) Deaths from Specified Notifiable Diseases: United States, 1958-67 .....	5
(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1958-67 .....	6
Table 4. Reported Cases of Notifiable Diseases by Month: United States, 1968 .....	7
Table 5. Reported Cases of Notifiable Diseases of Low Frequency: United States, 1968 .....	8
Table 6. Reported Cases of Notifiable Diseases: United States, by Geographic Division, by State, 1968 .....	9
Table 7. Reported Cases: Infectious Encephalitis, 1968 .....	12
Table 8. New Active Tuberculosis Cases, 1967 and 1968 Provisional .....	13
Table 9. Newly Reported Cases of Venereal Diseases: United States, Civilian Cases, 1968 .....	14
Table 10. Rabies in Man and Animals, by State, by Type of Animal, United States, 1968 .....	15
Table 11. Reported Cases of Selected Notifiable Diseases by State, by Age, 1968 .....	16
Table 12. Reported Cases of Selected Notifiable Diseases by State, by Month, 1968 .....	22
Table 13. Acute Diseases Optionally Reported to the Public Health Service, by State, 1968 .....	25
Table 14. Other Diseases Optionally Reported, 1968 .....	27
Table 15. Number of Deaths by Place of Occurrence in 122 United States Cities for Year 1968 .....	28
Disease Trends .....	29-59

EXPLANATION OF SYMBOLS USED IN TABLES

Data not available .....	...
Quantity zero .....	—
Report of disease not required by State Health Department .....	NN



TABLE 1.  
REPORTED INCIDENCE OF DISEASES COVERED BY INTERNATIONAL QUARANTINE AGREEMENT  
1959 - 1968

International Classification of Diseases Covered	Number Reported									
	1968	1967	1966	1965	1964	1963	1962	1961	1960	1959
043 Cholera .....	-	-	-	2	-	-	-	-	-	-
058 Plague .....	3	3	5	8	-	1	-	3	2	4
071.0 Louse-borne relapsing fever .....	-	-	-	-	-	-	-	-	-	-
084 Smallpox .....	-	-	-	-	-	-	-	-	-	-
091 Yellow fever .....	-	-	-	-	-	-	-	-	-	-
100 Louse-borne epidemic typhus .....	-	-	-	-	-	-	-	-	-	-

#### CASES OF QUARANTINABLE DISEASES IN 1968

Place Acquired	Date	Age	Sex	Outcome
PLAGUE				
Arizona	7-10	8	F	Recovered
Colorado	6-11	6	F	Recovered
Idaho	10-22	32	M	Fatal

#### SOURCES OF DATA

This supplement carries final figures on the reported incidence of notifiable diseases in 1968 based on summaries submitted to the National Communicable Disease Center by the individual States through the National Morbidity Reporting System and on data collected by the Tuberculosis Branch, the Venereal Disease Branch and various surveillance sections of the Epidemiology Program.

The illustrative materials depicting disease trends are for the

most part based on charts and graphs published in the 1968 issues of the Morbidity and Mortality Weekly Report. Data for these charts are from the National Morbidity Reporting System, National Surveillance Programs and the National Vital Statistics Division. The population estimates used in computation of rates are from the Bureau of the Census, Current Population Reports, Series P-25.

TABLE 2. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1959-68

DISEASE	1968	1967	1966	1965	1964	1963	1962	1961	1960 <sup>1</sup>	1959 <sup>1</sup>
Amebiasis .....	3,005	3,157	2,921	2,768	3,304	2,886	3,048	2,850	3,424	3,508
Anthrax .....	3	2	5	7	5	3	9	14	23	12
Aseptic meningitis .....	4,494	3,082	3,058	2,329	2,177	1,844	2,654	5,162	1,593	.....
Botulism .....	7	5	9	19	23	47	10	14	12	20
Brucellosis (undulant fever) .....	218	265	262	262	411	407	409	636	751	892
Diphtheria .....	260	219	209	164	293	314	444	617	918	934
Encephalitis, primary <sup>2</sup> .....	1,781	1,478	2,121	1,722	2,002	1,993	2,094	2,248	2,341	2,437
Encephalitis, post-infectious <sup>2</sup> .....	502	1,060	964	981	1,585					
Hepatitis, serum .....	4,829	2,458	1,497							
Hepatitis, infectious .....	45,893	38,909	32,859	33,856	37,740	42,974	53,016	72,651	41,666	23,574
Leprosy .....	123	81	109	96	97	103	80	63	54	44
Leptospirosis .....	69	67	72	84	142	89	79	71	53	83
Malaria .....	2,317	2,022	565	147	93	99	118	73	72	71
Measles .....	22,231	62,705	204,136	261,904	458,083	385,156	481,530	423,919	441,703	406,162
Meningococcal infections .....	2,623	2,161	3,381	3,040	2,826	2,470	2,150	2,232	2,259	2,180
Mumps .....	152,209									
Pertussis (whooping cough) .....	4,810	9,718	7,717	6,799	13,005	17,135	17,749	11,468	14,809	40,005
Poliomyelitis, total .....	53	41	113	72	122	449	910	1,312	3,190	8,425
Paralytic .....	53	40	106	61	106	396	762	988	2,525	6,289
Psittacosis .....	43	41	50	60	53	76	79	102	113	147
Rabies in man <sup>3</sup> .....	1	2	1	2	1	1	2	3	2	7
Rheumatic fever, acute <sup>4</sup> .....	3,470	3,985	4,472	4,998	7,491	7,561	7,977	10,470	9,022	8,285
Rubella .....	49,371	46,888	46,975							
Rubella, congenital syndrome .....	14	10	11							
Salmonellosis, excluding typhoid fever .....	16,514	18,120	16,841	17,161	17,144	15,390	9,680	8,542	6,929	6,606
Shigellosis (bacillary dysentery) .....	12,180	13,474	11,888	11,027	12,984	13,009	12,443	12,571	12,487	12,888
Streptococcal sore throat and scarlet fever .....	435,013	453,351	427,752	395,168	402,334	342,161	315,809	338,410	315,173	334,715
Tetanus .....	178	263	235	300	289	325	322	379	368	445
Trichinosis .....	77	66	115	199	198	208	194	306	160	227
Tuberculosis (newly reported active cases) <sup>5</sup> .....	42,758	45,647	47,767	49,016	50,874	54,062	53,788	53,727	55,494	57,307
Tularemia .....	186	184	208	264	342	327	328	365	390	459
Typhoid fever .....	395	396	378	454	501	566	608	814	816	859
Typhus fever, flea-borne (endemic, murine) .....	36	52	33	28	30	35	32	46	68	51
Typhus fever, tick-borne (Rocky Mountain spotted) .....	298	305	268	281	277	216	240	219	204	199
Venereal diseases (newly reported cases) <sup>6</sup> .....										
Syphilis .....	96,271	102,581	105,159	112,842	114,314	124,137	126,245	124,658	122,003	120,766
Gonorrhea .....	464,543	404,836	351,738	324,925	300,667	278,289	263,708	264,158	258,933	240,158
Other specified venereal diseases: chancroid, granuloma inguinale and lymphogranuloma venereum .....	1,486	1,309	1,294	2,015	2,115	1,979	2,141	2,466	2,811	2,459
Rabies in animals .....	3,591	4,481	4,178	4,574	4,780	3,929	3,732	3,599	3,567	4,177

<sup>1</sup> Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years.

<sup>2</sup> Encephalitis data are from the Neurotropic Viral Disease Unit, Epidemiology Program, NCDC.

<sup>3</sup> Figures for cases of rabies in man represent registered deaths, 1957-1961.

<sup>4</sup> Reports of cases of acute rheumatic fever were received from 37 States (see p. 10).

<sup>5</sup> Tuberculosis data are from the Tuberculosis Branch, NCDC; provisional figure shown for 1968.

<sup>6</sup> Venereal diseases data are from the Venereal Disease Branch, NCDC.

TABLE 3. (A) DEATHS FROM SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1958-67

(Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years. Numbers after cause of death are category numbers of the Seventh Revision, International Classification of Diseases, 1955.)

CAUSE OF DEATH	1967	1966	1965	1964	1963	1962	1961	1960	1959	1958	
Amebiasis . . . . .	046	65	54	66	65	92	86	84	88	124	86
Anthrax . . . . .	062	—	—	1	—	—	—	1	—	—	1
Botulism . . . . .	049	2	—	8	8	14	11	10	12	15	4
Brucellosis . . . . .	044	4	3	6	4	5	12	11	6	12	8
Diphtheria . . . . .	055	32	20	18	42	45	41	68	69	72	74
Encephalitis, acute infectious . . . . .	082	419	579	500	534	532	582	505	528	570	537
Hepatitis, infectious . . . . .	092	844	757	707	745	852	911	976	938	897	897
Leprosy . . . . .	060	4	6	3	5	3	8	8	6	6	3
Leptospirosis . . . . .	072	4	9	11	14	14	10	9	14	11	11
Malaria . . . . .	110 - 117	4	5	8	3	7	12	3	4	7	6
Measles . . . . .	085	81	261	276	421	364	408	434	380	385	552
Meningococcal infections . . . . .	057	635	876	890	750	733	649	586	644	699	746
Mumps . . . . .	089	37	43	31	50	48	43	53	42	51	37
Pertussis (whooping cough) . . . . .	056	37	49	55	93	115	83	76	118	269	177
Plague . . . . .	058	1	1	1	—	1	—	2	—	1	—
Poliomyelitis . . . . .	080	16	9	16	17	41	60	90	230	454	255
Bulbar or poliomyelitis . . . . .	080.0	6	3	6	6	22	35	61	146	299	164
With other paralysis . . . . .	080.1	2	3	3	3	5	7	10	14	24	21
Unspecified . . . . .	080.3	8	3	7	8	14	18	19	70	131	70
Psittacosis . . . . .	096.2	1	1	—	—	1	1	—	—	1	3
Rabies . . . . .	094	2	2	2	1	2	1	3	2	7	5
Rheumatic fever, acute . . . . .	400 - 402	376	456	483	509	552	550	608	734	795	806
Salmonellosis, including paratyphoid fever . . . . .	041 - 042	63	73	87	67	72	62	64	82	72	65
Shigellosis (bacillary dysentery) . . . . .	045	62	86	99	125	134	134	128	153	133	157
Streptococcal sore throat and scarlet fever . . . . .	050 - 051	47	65	63	95	102	102	130	108	130	139
Tetanus . . . . .	061	144	158	181	179	210	215	242	231	283	303
Trichinosis . . . . .	128	2	3	3	1	5	1	7	3	3	4
Tuberculosis (all forms) . . . . .	001 - 019	6,901	7,625	7,934	8,303	9,311	9,506	9,938	10,866	11,456	12,361
Tularemia . . . . .	059	3	2	2	6	3	1	3	3	7	6
Typhoid fever . . . . .	040	12	15	6	14	21	15	17	21	22	23
Typhus fever — flea-borne (murine) . . . . .	101	—	—	—	—	—	—	—	—	—	—
Typhus fever — tick-borne (Rocky Mountain spotted) . . . . .	104	28	21	16	17	16	12	11	11	10	14
Venereal diseases and sequelae											
Syphilis . . . . .	020 - 029	2,381	2,193	2,434	2,619	2,666	2,811	2,850	2,945	3,069	3,469
Gonorrhoea . . . . .	030 - 035	11	18	9	13	23	23	19	38	25	18
Other . . . . .	036 - 039	6	9	11	10	12	16	11	15	12	20

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.

TABLE 3. (B) DEATHS FROM SELECTED NON-NOTIFIABLE ACUTE DISEASES: UNITED STATES, 1958-67

CAUSE OF DEATH	1967	1966	1965	1964	1963	1962	1961	1960	1959	1958	
Abscess of lung . . . . .	521	565	541	601	659	651	561	543	604	614	652
Boil and carbuncle . . . . .	690	27	37	36	54	58	67	93	120	156	117
Other local skin conditions (cellulitis and abscess) . . . . .	691 - 698	425	451	445	427	445	503	520	512	476	436
Chickenpox . . . . .	087	118	137	143	153	129	134	167	126	141	146
Diarrhea of newborn . . . . .	764	225	250	367	400	386	410	419	463	492	531
Empyema and pleurisy . . . . .	518 - 519	441	467	450	464	432	408	479	456	468	424
Erysipelas . . . . .	052	14	12	12	17	16	25	32	22	28	26
Fungal infections											
Actinomycosis . . . . .	132	28	21	26	31	35	17	21	28	27	21
Coccidioidomycosis . . . . .	133	49	45	52	46	71	55	62	55	48	50
Blastomycosis . . . . .	134.0	17	12	29	21	24	17	16	15	13	24
Cryptococcosis . . . . .	134.1	65	90	62	74	73	90	86	71	84	39
Histoplasmosis . . . . .	134.2	67	60	74	77	70	82	90	80	63	73
Moniliasis . . . . .	134.3	94	87	93	81	105	88	100	108	101	93
Gastroenteritis and colitis (age 4 wks - 2 yrs) . . . . .	571.0	1,179	1,544	1,903	2,284	2,370	2,635	2,596	2,957	2,862	3,066
Herpes febrilis . . . . .	096.0	29	31	39	18	22	19	21	12	26	26
Herpes zoster . . . . .	088	64	69	78	81	66	69	63	78	58	46
Hydatid disease . . . . .	125	10	7	7	6	10	7	3	10	8	14
Infections of ear and mastoid . . . . .	390 - 394	130	167	234	255	261	266	314	389	399	434
Meningitis, excluding meningococcal and tuberculous . . . . .	340	2,046	2,324	2,363	2,464	2,343	2,322	2,263	2,316	2,208	2,247
Mononucleosis, infectious . . . . .	093	23	18	28	20	11	18	13	16	21	16
Pemphigus . . . . .	704	116	133	110	133	147	142	141	149	168	142
Pemphigus, neonatorum . . . . .	766	4	15	5	17	13	16	23	30	23	26
Respiratory infections											
Bronchitis, acute . . . . .	500	958	987	1,004	998	1,139	1,118	1,031	1,170	1,135	1,352
Influenza . . . . .	480 - 483	1,475	2,830	2,295	1,687	7,083	3,431	2,137	7,872	2,845	4,442
Pneumonia (primary cause of death) . . . . .	490 - 493	55,417	60,785	59,608	57,764	63,678	56,564	53,038	58,931	52,194	52,997
Pneumonia of newborn . . . . .	763	2,219	2,477	2,773	3,091	3,181	3,350	3,541	3,544	3,761	3,918
Upper respiratory infections, acute . . . . .	470 - 475	592	670	745	776	867	820	808	911	971	936
Sepsis of											
Abortion . . . . .	651	104	135	158	167	201	213	220	191	179	159
Childbirth . . . . .	680 - 681	50	44	53	67	57	55	59	76	58	50
Newborn . . . . .	767 - 768	819	780	781	846	828	774	722	749	786	1,055
Septicemia and pyemia . . . . .	053	2,603	2,532	2,443	2,389	2,359	2,084	1,886	1,920	1,760	1,663
Viral diseases, undifferentiated . . . . .	096.9	417	464	431	451	511	476	456	434	384	308
Worm infestation . . . . .	126 - 130	40	36	68	41	44	67	48	56	65	63

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.

TABLE 4. REPORTED CASES OF NOTIFIABLE DISEASES: BY MONTH: UNITED STATES, 1968

Disease	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Month not Stated
Amebiasis .....	3,005	232	248	334	243	260	251	233	246	241	257	266	194	-
Anthrax .....	3	-	-	1	1	-	-	1	-	-	-	-	-	-
Aseptic meningitis .....	4,494	127	124	135	138	156	256	539	981	920	613	294	208	3
Botulism .....	7	-	-	-	-	-	2	1	1	-	3	-	-	-
Brucellosis (undulant fever) .....	218	6	4	17	18	16	24	32	21	16	19	29	11	5
Diphtheria .....	260	7	10	19	27	4	18	13	11	37	39	35	40	-
Encephalitis, primary .....	1,781	82	54	70	67	76	72	189	282	231	130	65	76	387
Encephalitis, post-infectious .....	502	41	33	54	64	71	59	35	26	9	18	18	12	62
Hepatitis, serum .....	4,829	316	257	347	389	424	372	427	421	415	567	450	444	-
Hepatitis, infectious .....	45,893	3,552	3,464	3,858	3,575	4,102	3,424	3,760	3,901	3,866	4,647	4,006	3,731	7
Leprosy .....	123	6	13	5	10	12	14	9	15	8	8	12	9	2
Leptospirosis .....	69	-	1	1	7	4	1	10	8	3	9	10	5	10
Malaria .....	2,317	218	207	153	158	158	159	209	211	207	273	207	157	-
Measles .....	22,231	2,047	2,346	3,545	3,330	3,696	2,192	1,158	761	461	616	1,000	1,078	1
Meningococcal infections .....	2,623	348	391	336	243	216	209	155	128	102	139	154	201	1
Mumps .....	152,209	21,493	21,416	24,449	19,631	20,122	11,139	5,025	2,933	2,782	5,546	8,257	9,226	190
Pertussis (whooping cough) .....	4,810	550	442	444	431	443	337	474	447	387	362	275	212	6
Poliomyelitis, total .....	53	1	5	3	1	4	6	9	2	10	8	2	2	-
Paralytic .....	53	1	5	3	1	4	6	9	2	10	8	2	2	-
Psittacosis .....	43	2	3	7	2	2	9	5	4	1	5	-	3	-
Rabies in man .....	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Rheumatic fever, acute* .....	3,470	279	394	348	305	378	272	223	237	302	259	224	245	4
Rubella .....	49,371	2,469	4,128	8,235	9,443	10,597	5,727	2,189	1,367	996	1,283	1,377	1,550	10
Rubella, congenital syndrome .....	14	1	2	2	1	1	-	-	1	4	1	1	-	-
Salmonellosis, excluding typhoid fever .....	16,514	978	889	1,053	932	1,373	1,249	1,653	1,771	1,606	1,715	2,047	1,245	3
Shigellosis (bacillary dysentery) .....	12,180	828	727	744	963	1,102	762	989	1,130	1,035	1,423	1,209	1,261	7
Streptococcal sore throat and scarlet fever .....	435,013	48,418	47,714	53,001	39,884	38,630	25,697	19,827	19,863	21,284	34,838	41,982	43,856	19
Tetanus .....	178	6	10	12	10	19	17	18	16	24	24	8	14	-
Trichinosis .....	77	2	1	6	9	18	10	5	8	4	4	6	4	-
Tularemia .....	186	9	9	3	4	54	22	24	15	12	9	12	13	-
Typhoid fever .....	395	17	12	30	28	26	33	37	38	64	46	39	25	-
Typhus fever														
Flea-borne (endemic, murine) .....	36	-	3	-	1	3	4	5	8	1	4	2	5	-
Tick-borne (Rocky Mountain spotted) ..	298	2	-	1	12	36	49	69	71	35	11	9	3	-

\*Based on reports from 37 states.

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES OF LOW FREQUENCY:  
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1968

AREA	ANTHRAX	BOTULISM	LEPROSY	LEPTO-SPIROSIS	POLIOMYELITIS		PSITTACOSIS	MURINE TYPHUS
					Total	Paralytic		
UNITED STATES	3	7	123	69	53	53	43	36
NEW ENGLAND	2	—	3	—	2	2	4	—
Maine	—	—	—	—	1	1	—	—
New Hampshire	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	—	—
Massachusetts	—	—	1	—	1	1	1	—
Rhode Island	1	—	—	—	—	—	—	—
Connecticut	1	—	2	—	—	—	3	—
MIDDLE ATLANTIC	—	—	3	1	2	2	7	—
New York City	—	—	2	—	1	1	5	—
Upstate New York	—	—	—	1	1	1	1	—
New Jersey	—	—	1	—	—	—	—	—
Pennsylvania	—	—	—	—	—	—	1	—
EAST NORTH CENTRAL	—	2	—	4	11	11	11	—
Ohio	—	—	—	2	2	2	3	—
Indiana	—	—	—	1	3	3	—	—
Illinois	—	—	—	1	3	3	1	—
Michigan	—	2	—	—	3	3	6	—
Wisconsin	—	—	—	—	—	—	1	—
WEST NORTH CENTRAL	—	—	3	9	3	3	—	—
Minnesota	—	—	1	—	—	—	—	—
Iowa	—	—	—	8	1	1	—	—
Missouri	—	—	—	—	2	2	—	—
North Dakota	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—
Nebraska	—	—	—	—	—	—	—	—
Kansas	—	—	2	1	—	—	—	—
SOUTH ATLANTIC	—	—	14	25	3	3	1	9
Delaware	—	—	—	—	—	—	—	—
Maryland	—	—	2	2	—	—	—	1
District of Columbia	—	—	—	—	1	1	—	—
Virginia	—	—	—	—	—	—	—	3
West Virginia	—	—	—	1	1	1	1	—
North Carolina	—	—	—	1	1	1	—	—
South Carolina	—	—	1	—	—	—	—	—
Georgia	—	—	—	3	—	—	—	1
Florida	—	—	11	18	—	—	—	4
EAST SOUTH CENTRAL	—	—	—	4	1	1	2	3
Kentucky	—	—	—	—	1	1	—	1
Tennessee	—	—	—	4	—	—	2	—
Alabama	—	—	—	—	—	—	—	—
Mississippi	—	—	—	—	—	—	—	2
WEST SOUTH CENTRAL	—	—	44	12	24	24	6	24
Arkansas	—	—	—	—	1	1	—	—
Louisiana	—	—	4	3	—	—	—	1
Oklahoma	—	—	—	2	1	1	—	—
Texas	—	—	40	7	22	22	6	23
MOUNTAIN	—	—	—	1	4	4	3	—
Montana	—	—	—	—	—	—	1	—
Idaho	—	—	—	1	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—
Colorado	—	—	—	—	—	—	—	—
New Mexico	—	—	—	—	*3	*3	1	—
Arizona	—	—	—	—	1	1	1	—
Utah	—	—	—	—	—	—	—	—
Nevada	—	—	—	—	—	—	—	—
PACIFIC	1	5	56	13	3	3	9	—
Washington	—	—	—	—	1	1	—	—
Oregon	—	—	—	—	—	—	—	—
California	1	4	36	2	**2	**2	9	—
Alaska	—	1	—	—	—	—	—	—
Hawaii	—	—	20	11	—	—	—	—
Puerto Rico	—	—	19	—	—	—	—	—

\*1967 cases not previously reported.

\*\*10 Out-of-state



TABLE 6. REPORTED CASES OF NOTIFIABLE DISEASES:  
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1968

AREA	AMEBIASIS	ASEPTIC MENINGITIS	BRUCELLOSIS	DIPHTHERIA	HEPATITIS		MALARIA (Acquired Outside and Within U.S.)
					Serum	Infectious	
<b>UNITED STATES</b>	<b>3,005</b>	<b>4,494</b>	<b>218</b>	<b>260</b>	<b>4,829</b>	<b>45,893</b>	<b>2,317</b>
<b>NEW ENGLAND</b> .....	<b>11</b>	<b>154</b>	<b>7</b>	<b>—</b>	<b>217</b>	<b>2,153</b>	<b>67</b>
Maine .....	—	4	1	—	1	181	7
New Hampshire .....	—	—	—	—	2	55	3
Vermont .....	—	—	—	—	4	67	—
Massachusetts .....	—	87	5	—	58	974	35
Rhode Island .....	—	46	—	—	25	374	4
Connecticut .....	11	17	1	—	127	502	18
<b>MIDDLE ATLANTIC</b> .....	<b>1,779</b>	<b>861</b>	<b>11</b>	<b>1</b>	<b>1,624</b>	<b>7,133</b>	<b>368</b>
New York City .....	1,654	272	—	—	1,008	2,534	33
Upstate New York .....	24	91	6	1	150	1,304	40
New Jersey .....	26	361	3	—	356	1,464	105
Pennsylvania .....	75	137	2	—	110	1,831	190
<b>EAST NORTH CENTRAL</b> ..	<b>230</b>	<b>687</b>	<b>6</b>	<b>1</b>	<b>209</b>	<b>7,322</b>	<b>145</b>
Ohio .....	75	284	—	—	33	2,052	11
Indiana .....	5	38	2	—	3	532	20
Illinois .....	138	92	1	1	55	1,961	64
Michigan .....	11	265	1	—	113	2,243	50
Wisconsin .....	1	8	2	—	5	534	—
<b>WEST NORTH CENTRAL</b> ..	<b>31</b>	<b>163</b>	<b>56</b>	<b>2</b>	<b>50</b>	<b>2,683</b>	<b>137</b>
Minnesota .....	6	111	4	—	40	736	17
Iowa .....	12	13	32	—	1	492	11
Missouri .....	1	19	2	1	6	824	35
North Dakota .....	—	12	9	1	—	66	2
South Dakota .....	—	—	4	—	—	82	—
Nebraska .....	1	3	3	—	—	78	7
Kansas .....	11	5	2	—	3	405	65
<b>SOUTH ATLANTIC</b> .....	<b>88</b>	<b>459</b>	<b>69</b>	<b>37</b>	<b>227</b>	<b>4,536</b>	<b>668</b>
Delaware .....	—	14	—	—	—	146	4
Maryland .....	2	91	—	—	52	721	40
District of Columbia ..	3	32	—	—	13	68	1
Virginia .....	38	106	52	—	17	575	41
West Virginia .....	—	68	—	—	—	332	2
North Carolina .....	18	35	1	—	9	375	313
South Carolina .....	1	12	—	6	5	154	15
Georgia .....	4	—	13	15	3	1,016	227
Florida .....	22	101	3	16	128	1,149	25
<b>EAST SOUTH CENTRAL</b> ..	<b>70</b>	<b>323</b>	<b>18</b>	<b>29</b>	<b>43</b>	<b>2,959</b>	<b>140</b>
Kentucky .....	3	63	—	2	1	1,152	111
Tennessee .....	47	173	14	1	31	1,027	—
Alabama .....	15	50	1	18	8	324	16
Mississippi .....	5	37	3	8	3	456	13
<b>WEST SOUTH CENTRAL</b> ..	<b>342</b>	<b>420</b>	<b>24</b>	<b>178</b>	<b>35</b>	<b>3,663</b>	<b>53</b>
Arkansas .....	14	6	1	2	2	163	7
Louisiana .....	25	157	5	45	—	*751	26
Oklahoma .....	132	38	3	—	NN	482	20
Texas .....	171	219	15	131	33	2,267	—
<b>MOUNTAIN</b> .....	<b>166</b>	<b>78</b>	<b>4</b>	<b>9</b>	<b>48</b>	<b>2,274</b>	<b>202</b>
Montana .....	—	12	1	—	—	282	3
Idaho .....	—	4	—	—	—	137	4
Wyoming .....	1	—	—	—	4	39	2
Colorado .....	6	35	1	2	32	773	180
New Mexico .....	19	22	1	3	—	290	10
Arizona .....	140	3	—	4	6	432	2
Utah .....	—	1	1	—	6	264	1
Nevada .....	—	1	—	—	—	57	—
<b>PACIFIC</b> .....	<b>288</b>	<b>1,349</b>	<b>23</b>	<b>3</b>	<b>2,376</b>	<b>13,170</b>	<b>537</b>
Washington .....	1	56	—	1	14	1,367	3
Oregon .....	3	59	—	—	88	808	18
California .....	281	1,164	22	2	2,266	10,791	376
Alaska .....	—	7	1	—	—	84	1
Hawaii .....	3	63	—	—	8	120	139
Puerto Rico	1	8	—	1	—	1,238	10

\*Includes serum hepatitis

TABLE 6. REPORTED CASES OF NOTIFIABLE DISEASES:  
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1968 - Continued

AREA	MEASLES	MENINGO- COCCAL INFECTIONS	MUMPS	PERTUSSIS	RHEUMATIC FEVER, ACUTE	RUBELLA		SALMONEL- LOSIS (Excluding Typhoid Fever)
						Cases	Congenital Syndrome	
<b>UNITED STATES</b>	<b>22,231</b>	<b>2,623</b>	<b>152,209</b>	<b>4,810</b>	<b>3,470</b>	<b>49,371</b>	<b>14</b>	<b>16,514</b>
<b>NEW ENGLAND</b> .....	<b>1,389</b>	<b>126</b>	<b>17,377</b>	<b>293</b>	<b>11</b>	<b>9,060</b>	<b>-</b>	<b>1,396</b>
Maine .....	42	6	1,091	19	3	599	-	41
New Hampshire .....	150	6	333	28	...	92	-	71
Vermont .....	4	1	1,265	46	...	91	-	23
Massachusetts .....	385	63	9,024	85	...	3,614	-	1,001
Rhode Island .....	94	9	1,668	58	3	1,577	-	49
Connecticut .....	714	41	3,996	57	5	3,087	-	211
<b>MIDDLE ATLANTIC</b> .....	<b>4,756</b>	<b>563</b>	<b>7,900</b>	<b>337</b>	<b>...</b>	<b>6,317</b>	<b>10</b>	<b>2,993</b>
New York City .....	2,445	90	3,890	122	...	3,074	-	978
Upstate New York .....	1,366	76	NN	87	...	1,388	-	542
New Jersey .....	747	274	4,010	3	...	1,673	10	613
Pennsylvania .....	198	123	NN	125	...	182	-	860
<b>EAST NORTH CENTRAL</b> .	<b>4,059</b>	<b>336</b>	<b>44,051</b>	<b>1,248</b>	<b>2,107</b>	<b>11,294</b>	<b>-</b>	<b>2,700</b>
Ohio .....	292	85	2,633	124	712	2,118	-	397
Indiana .....	743	49	4,292	232	39	912	-	252
Illinois .....	1,291	82	5,404	246	1,332	3,328	-	1,035
Michigan .....	353	94	14,655	429	...	1,953	-	614
Wisconsin .....	1,380	26	17,067	217	24	2,983	-	402
<b>WEST NORTH CENTRAL</b> .	<b>500</b>	<b>133</b>	<b>17,369</b>	<b>133</b>	<b>113</b>	<b>2,789</b>	<b>1</b>	<b>941</b>
Minnesota .....	20	32	698	9	5	69	-	271
Iowa .....	165	14	12,539	65	27	2,054	-	107
Missouri .....	90	42	1,183	31	33	254	-	149
North Dakota .....	149	3	1,571	15	45	247	-	47
South Dakota .....	4	5	1	9	...	-	-	18
Nebraska .....	63	10	596	-	...	35	-	65
Kansas .....	9	27	781	4	3	130	1	284
<b>SOUTH ATLANTIC</b> .....	<b>1,824</b>	<b>502</b>	<b>9,060</b>	<b>387</b>	<b>72</b>	<b>4,088</b>	<b>1</b>	<b>3,342</b>
Delaware .....	23	8	311	15	11	121	-	70
Maryland .....	92	47	1,197	33	13	376	1	344
District of Columbia .....	6	20	255	4	1	14	-	193
Virginia .....	472	46	1,266	84	...	632	-	481
West Virginia .....	337	15	3,482	67	20	896	-	18
North Carolina .....	324	99	NN	53	...	NN	-	301
South Carolina .....	31	62	287	14	23	259	-	19
Georgia .....	5	102	10	19	4	199	-	690
Florida .....	534	103	2,252	98	...	1,591	NN	1,226
<b>EAST SOUTH CENTRAL</b> .	<b>511</b>	<b>223</b>	<b>7,951</b>	<b>408</b>	<b>625</b>	<b>2,473</b>	<b>1</b>	<b>1,077</b>
Kentucky .....	104	98	2,830	86	287	864	-	516
Tennessee .....	64	72	4,321	180	142	1,135	1	313
Alabama .....	95	29	550	134	125	474	-	193
Mississippi .....	*248	24	250	8	71	...	-	55
<b>WEST SOUTH CENTRAL</b> .	<b>5,387</b>	<b>361</b>	<b>11,901</b>	<b>879</b>	<b>61</b>	<b>3,035</b>	<b>-</b>	<b>1,025</b>
Arkansas .....	2	10	30	13	4	6	-	163
Louisiana .....	27	106	69	11	25	59	NN	178
Oklahoma .....	154	60	191	53	4	47	-	187
Texas .....	5,204	185	11,611	802	28	2,923	-	497
<b>MOUNTAIN</b> .....	<b>1,098</b>	<b>45</b>	<b>8,355</b>	<b>376</b>	<b>411</b>	<b>2,027</b>	<b>1</b>	<b>588</b>
Montana .....	56	9	631	31	14	97	-	38
Idaho .....	28	3	548	26	250	73	-	55
Wyoming .....	54	2	358	33	37	19	-	3
Colorado .....	530	17	2,789	131	45	893	1	197
New Mexico .....	176	1	983	27	9	136	-	96
Arizona .....	219	6	2,032	117	44	681	-	79
Utah .....	21	1	696	11	12	127	-	71
Nevada .....	14	6	318	-	...	1	-	49
<b>PACIFIC</b> .....	<b>2,707</b>	<b>334</b>	<b>28,245</b>	<b>749</b>	<b>70</b>	<b>8,288</b>	<b>-</b>	<b>2,452</b>
Washington .....	609	45	7,891	97	14	2,038	-	230
Oregon .....	593	27	1,025	113	17	625	-	123
California .....	1,464	244	17,598	536	36	5,045	NN	1,506
Alaska .....	11	4	705	3	...	291	-	-
Hawaii .....	30	14	1,026	-	3	289	-	593
<b>Puerto Rico</b>	<b>612</b>	<b>20</b>	<b>1,031</b>	<b>39</b>	<b>56</b>	<b>88</b>	<b>-</b>	<b>8</b>

\*Includes rubella

TABLE 6. REPORTED CASES OF NOTIFIABLE DISEASES:  
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1968 - Continued

AREA	SHIGELLOSIS	STREPTOCOCCAL SORE THROAT & SCARLET FEVER	TETANUS	TRICHINOSIS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER (Tick-borne, Rky Mt Spotted)
<b>UNITED STATES</b>	<b>12,180</b>	<b>435,013</b>	<b>178</b>	<b>77</b>	<b>186</b>	<b>395</b>	<b>298</b>
<b>NEW ENGLAND</b>	<b>705</b>	<b>60,420</b>	<b>6</b>	<b>9</b>	<b>48</b>	<b>15</b>	<b>2</b>
Maine	10	1,820	—	—	—	2	—
New Hampshire	18	967	1	—	—	1	—
Vermont	197	1,430	—	—	47	1	—
Massachusetts	338	9,367	3	5	1	8	2
Rhode Island	21	4,826	—	2	—	—	—
Connecticut	121	42,010	2	2	—	3	—
<b>MIDDLE ATLANTIC</b>	<b>1,318</b>	<b>15,685</b>	<b>19</b>	<b>24</b>	<b>14</b>	<b>39</b>	<b>21</b>
New York City	569	760	11	10	—	17	—
Upstate New York	156	13,098	4	6	7	8	5
New Jersey	194	NN	1	6	—	8	6
Pennsylvania	399	1,827	3	2	7	6	10
<b>EAST NORTH CENTRAL</b>	<b>2,075</b>	<b>35,779</b>	<b>21</b>	<b>21</b>	<b>17</b>	<b>46</b>	<b>22</b>
Ohio	327	3,058	2	10	1	19	14
Indiana	77	7,523	3	—	—	5	—
Illinois	1,090	8,052	9	—	15	19	8
Michigan	346	10,101	5	3	1	1	—
Wisconsin	235	7,045	2	8	—	2	—
<b>WEST NORTH CENTRAL</b>	<b>736</b>	<b>19,143</b>	<b>19</b>	<b>2</b>	<b>17</b>	<b>36</b>	<b>6</b>
Minnesota	116	1,539	2	—	—	2	—
Iowa	76	5,516	4	1	—	2	1
Missouri	298	632	8	1	8	21	—
North Dakota	31	4,571	—	—	—	1	—
South Dakota	65	1,232	1	—	3	2	4
Nebraska	40	2,848	4	—	1	4	1
Kansas	110	2,805	—	—	5	4	—
<b>SOUTH ATLANTIC</b>	<b>2,501</b>	<b>46,342</b>	<b>32</b>	<b>5</b>	<b>11</b>	<b>65</b>	<b>143</b>
Delaware	51	368	—	—	—	—	—
Maryland	248	9,330	3	—	—	8	19
District of Columbia	249	692	2	—	—	2	—
Virginia	280	14,052	4	2	3	9	40
West Virginia	15	9,560	2	2	—	1	6
North Carolina	431	772	2	1	3	4	39
South Carolina	19	2,442	4	—	—	6	9
Georgia	673	687	4	—	4	14	27
Florida	535	8,439	11	—	1	21	3
<b>EAST SOUTH CENTRAL</b>	<b>473</b>	<b>66,559</b>	<b>24</b>	<b>1</b>	<b>11</b>	<b>48</b>	<b>58</b>
Kentucky	51	7,809	1	—	2	12	11
Tennessee	273	48,796	10	1	7	20	39
Alabama	72	5,001	9	—	—	2	5
Mississippi	77	4,953	4	—	2	14	3
<b>WEST SOUTH CENTRAL</b>	<b>775</b>	<b>35,576</b>	<b>34</b>	<b>1</b>	<b>52</b>	<b>55</b>	<b>35</b>
Arkansas	80	543	5	—	16	19	6
Louisiana	75	496	11	—	7	6	2
Oklahoma	73	2,274	1	—	12	16	18
Texas	547	32,263	17	1	17	14	9
<b>MOUNTAIN</b>	<b>1,117</b>	<b>87,316</b>	<b>2</b>	<b>—</b>	<b>11</b>	<b>30</b>	<b>10</b>
Montana	97	1,971	—	—	—	—	5
Idaho	54	6,313	—	—	1	1	1
Wyoming	—	12,261	—	—	2	9	—
Colorado	415	47,099	—	—	3	7	4
New Mexico	236	9,271	—	—	—	9	—
Arizona	247	4,787	2	—	—	3	—
Utah	61	5,452	—	—	5	—	—
Nevada	7	162	—	—	—	1	—
<b>PACIFIC</b>	<b>2,480</b>	<b>68,193</b>	<b>21</b>	<b>14</b>	<b>5</b>	<b>61</b>	<b>1</b>
Washington	399	21,626	2	2	—	2	—
Oregon	113	5,828	1	—	2	4	—
California	1,748	33,590	18	5	3	54	1
Alaska	39	2,181	—	4	—	1	—
Hawaii	181	4,968	—	3	—	—	—
Puerto Rico	1	355	43	—	—	8	—



TABLE 8. NEW ACTIVE TUBERCULOSIS CASES – PROVISIONAL 1968, 1967; FINAL 1967

AREA	Provisional		Final
	1968	1967	1967
<b>UNITED STATES</b>	<b>42,758</b>	<b>45,441</b>	<b>45,647</b>
<b>NEW ENGLAND</b> . . . . .	<b>1,570</b>	<b>1,682</b>	<b>1,677</b>
Maine . . . . .	100	120	120
New Hampshire . . . . .	43	42	44
Vermont . . . . .	30	44	44
Massachusetts . . . . .	908	910	910
Rhode Island . . . . .	121	148	148
Connecticut . . . . .	368	418	411
<b>MIDDLE ATLANTIC</b> . . . . .	<b>8,506</b>	<b>9,194</b>	<b>9,260</b>
New York . . . . .	4,750	5,030	5,069
New Jersey . . . . .	1,327	1,448	1,455
Pennsylvania . . . . .	2,429	2,716	2,736
<b>EAST NORTH CENTRAL</b> . . . . .	<b>7,539</b>	<b>7,975</b>	<b>8,009</b>
Ohio . . . . .	1,258	1,525	1,548
Indiana . . . . .	1,006	1,033	1,069
Illinois . . . . .	3,006	3,049	2,999
Michigan . . . . .	1,816	1,923	1,930
Wisconsin . . . . .	453	445	463
<b>WEST NORTH CENTRAL</b> . . . . .	<b>1,728</b>	<b>1,950</b>	<b>1,938</b>
Minnesota . . . . .	300	376	394
Iowa . . . . .	118	160	150
Missouri . . . . .	815	888	882
North Dakota . . . . .	45	51	49
South Dakota . . . . .	104	128	119
Nebraska . . . . .	120	128	121
Kansas . . . . .	226	219	223
<b>SOUTH ATLANTIC</b> . . . . .	<b>8,095</b>	<b>8,352</b>	<b>8,579</b>
Delaware . . . . .	100	127	122
Maryland . . . . .	1,118	1,177	1,187
District of Columbia . . . . .	420	477	423
Virginia . . . . .	1,454	1,416	1,521
West Virginia . . . . .	442	501	539
North Carolina . . . . .	1,222	1,255	1,247
South Carolina . . . . .	645	688	716
Georgia . . . . .	1,074	1,110	1,223
Florida . . . . .	1,620	1,601	1,601
<b>EAST SOUTH CENTRAL</b> . . . . .	<b>4,027</b>	<b>4,428</b>	<b>4,265</b>
Kentucky . . . . .	1,037	1,086	1,071
Tennessee . . . . .	1,104	1,223	1,199
Alabama . . . . .	1,338	1,515	1,379
Mississippi . . . . .	548	604	616
<b>WEST SOUTH CENTRAL</b> . . . . .	<b>5,019</b>	<b>5,015</b>	<b>5,114</b>
Arkansas . . . . .	564	498	497
Louisiana . . . . .	910	912	966
Oklahoma . . . . .	437	410	442
Texas . . . . .	3,108	3,195	3,209
<b>MOUNTAIN</b> . . . . .	<b>1,252</b>	<b>1,313</b>	<b>1,347</b>
Montana . . . . .	102	87	109
Idaho . . . . .	63	55	55
Wyoming . . . . .	24	31	31
Colorado . . . . .	*232	239	256
New Mexico . . . . .	193	248	248
Arizona . . . . .	471	436	436
Utah . . . . .	74	65	65
Nevada . . . . .	93	152	147
<b>PACIFIC</b> . . . . .	<b>5,022</b>	<b>5,532</b>	<b>5,458</b>
Washington . . . . .	566	522	507
Oregon . . . . .	290	322	322
California . . . . .	3,754	4,228	4,171
Alaska . . . . .	112	107	110
Hawaii . . . . .	300	353	348
Puerto Rico . . . . .	741	1,055	1,191

\*Excludes 95 military cases

DISTRIBUTION BY AGE AND RACE, 1967			
Age	Total	White	Nonwhite
0-4	2,247	1,179	1,068
5-14	2,794	1,417	1,377
15-24	4,315	2,391	1,924
25-44	12,517	6,929	5,588
45-64	14,996	10,203	4,793
65+	8,778	6,727	2,051
<b>Total</b>	<b>45,647</b>	<b>28,846</b>	<b>16,801</b>

DISTRIBUTION BY SEX AND RACE, 1967			
Sex	Total	White	Nonwhite
Male	30,014	19,400	10,614
Female	15,633	9,446	6,187
<b>Total</b>	<b>45,647</b>	<b>28,846</b>	<b>16,801</b>

DISTRIBUTION BY AGE, RACE AND SEX, 1967				
Age Groups	White		Nonwhite	
	Male	Female	Male	Female
0-14	1,313	1,283	1,224	1,221
15-44	5,558	3,762	4,434	3,078
45-64	7,867	2,336	3,545	1,248
65+	4,662	2,065	1,411	640
<b>Total</b>	<b>19,400</b>	<b>9,446</b>	<b>10,614</b>	<b>6,187</b>

TABLE 9. NEWLY REPORTED CIVILIAN CASES OF VENEREAL DISEASES:  
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE; AGE; AND SEX, BY COLOR —1968

AREA	SYPHILIS		GONORRHEA	CHANCROID	OTHER*	AGE DISTRIBUTION		
	ALL STAGES	PRIMARY & SECONDARY				Age Group	Syphilis, Primary & Secondary	Gonorrhea
U. S. TOTAL	96,271	19,019	464,543	845	641			
NEW ENGLAND	3,682	344	13,422	11	2			
Maine	314	3	766	1	—	0-14	249	5,804
New Hampshire	76	6	403	—	—	15-19	3,423	108,405
Vermont	22	1	350	—	—	20-24	5,405	174,485
Massachusetts	2,102	214	6,245	10	1	25-29	3,733	90,312
Rhode Island	650	35	975	—	—	30-39	3,982	62,263
Connecticut	518	85	4,683	—	1	40-49	1,583	17,884
						50+	644	5,390
MIDDLE ATLANTIC	22,749	3,481	68,545	45	20	TOTAL	19,019	464,543
New York City	13,302	2,231	34,828	26	11			
Upstate New York	1,703	333	10,362	—	—			
New Jersey	2,935	457	8,098	7	2			
Pennsylvania	4,809	460	15,257	12	7			
EAST NORTH CENTRAL	19,214	2,783	89,860	129	96			
Ohio	4,353	452	18,705	7	86			
Indiana	1,526	347	6,171	—	—			
Illinois	6,862	1,175	42,296	16	3			
Michigan	5,351	785	18,153	105	7			
Wisconsin	1,122	24	4,535	1	—			
WEST NORTH CENTRAL	6,281	384	26,646	100	4			
Minnesota	179	56	3,124	3	—			
Iowa	697	47	3,992	4	—			
Missouri	3,636	192	11,948	84	2			
North Dakota	35	5	495	1	—			
South Dakota	139	32	894	1	—			
Nebraska	344	21	2,263	1	—			
Kansas	1,251	31	3,930	6	2			
SOUTH ATLANTIC	16,542	4,922	91,559	232	384			
Delaware	370	40	1,497	1	2			
Maryland	3,209	453	9,497	7	13			
District of Columbia	1,733	596	13,316	30	139			
Virginia	1,592	286	10,801	11	7			
West Virginia	1,087	30	1,366	2	—			
North Carolina	1,309	536	11,431	66	19			
South Carolina	1,150	499	9,497	38	5			
Georgia	2,477	887	19,819	36	121			
Florida	3,615	1,595	14,335	41	78			
EAST SOUTH CENTRAL	3,861	1,346	27,197	84	17			
Kentucky	1,303	116	4,000	1	—			
Tennessee	1,000	315	12,190	15	2			
Alabama	837	541	5,112	26	6			
Mississippi	721	374	5,895	42	9			
WEST SOUTH CENTRAL	10,738	3,491	51,232	145	63			
Arkansas	691	118	6,340	2	2			
Louisiana	2,450	822	7,174	31	42			
Oklahoma	1,389	78	4,051	5	4			
Texas	6,208	2,473	33,667	107	15			
MOUNTAIN	2,321	504	11,477	23	11			
Montana	67	8	539	1	—			
Idaho	12	5	936	—	—			
Wyoming	50	4	154	—	—			
Colorado	300	21	2,609	—	2			
New Mexico	733	168	1,794	4	—			
Arizona	907	250	3,391	16	8			
Utah	93	9	942	2	—			
Nevada	159	39	1,112	—	1			
PACIFIC	10,883	1,764	84,605	76	44			
Washington	181	45	6,417	3	2			
Oregon	195	40	4,029	2	1			
California	10,343	1,670	72,482	70	41			
Alaska	70	3	1,047	—	—			
Hawaii	94	6	630	1	—			
Puerto Rico	2,058	1,065	2,559	1	2			
Virgin Islands	453	48	480	—	1			

DISTRIBUTION by SEX by COLOR <sup>1</sup>		
Syphilis, All Stages		
	White	Nonwhite
Male	19,957	24,051
Female	15,938	23,023
TOTAL	35,895	47,074
Syphilis, Primary & Secondary		
Male	2,809	7,339
Female	1,000	5,640
TOTAL	3,809	12,979
Gonorrhea		
Male	90,208	223,056
Female	38,887	77,564
TOTAL	129,095	300,620

<sup>1</sup>Excludes New York City

CONGENITAL SYPHILIS AGE DISTRIBUTION		
Age Group	Number	Percent of Total
0-1	292	12.3
1-4	27	1.1
5-9	29	1.2
10+	2,033	85.4
TOTAL	2,381	100.0

\*Granuloma inguinale and lymphogranuloma venereum

TABLE 10. RABIES IN MAN AND ANIMALS, BY STATE, BY TYPE OF ANIMAL, UNITED STATES 1968  
FROM REPORTS TO THE NATIONAL RABIES SURVEILLANCE PROGRAM, NCDC-PHS  
Human Rabies in the United States, 1968

LOCALITY	AGE	SEX	NATURE OF EXPOSURE	BITING ANIMAL	TREATMENT	INCUBATION PERIOD	LENGTH OF ILLNESS	DATE OF DEATH
Elk City, Kansas	13	M	Unknown*	Unknown	None	Unknown	63 Days	10/10/68

\*Bitten and scratched by dogs and cats since acquiring a paper route in January 1968.

Rabies in Animals by Type of Animal Reported through Surveillance Program

AREA	DOG	CATTLE	OTHER DOMESTIC	FOX	SKUNK	BAT	RACCOON	OTHER WILD	TOTAL
<b>UNITED STATES</b>	<b>295</b>	<b>364</b>	<b>247</b>	<b>801</b>	<b>1,400</b>	<b>291</b>	<b>153</b>	<b>40</b>	<b>3,591</b>
<b>NEW ENGLAND</b>									
Maine	3	1	4	45	1	1	—	—	55
New Hampshire	—	—	—	2	—	1	—	—	3
Vermont	—	1	—	8	—	2	—	—	11
Massachusetts	—	—	—	—	—	6	—	—	6
Connecticut	—	—	—	—	—	1	—	—	1
<b>MIDDLE ATLANTIC</b>									
Upstate New York	—	5	2	24	6	8	—	—	45
New Jersey	—	—	—	—	—	14	—	—	14
Pennsylvania	1	2	2	—	1	5	—	—	11
<b>EAST NORTH CENTRAL</b>									
Ohio	7	4	5	8	64	2	—	—	90
Indiana	8	4	6	4	56	10	—	2	90
Illinois	5	21	3	14	88	2	2	—	135
Michigan	3	—	2	1	6	5	—	—	17
Wisconsin	14	4	5	1	20	7	1	1	53
<b>WEST NORTH CENTRAL</b>									
Minnesota	18	41	15	2	179	4	—	—	259
Iowa	2	34	11	2	72	4	—	1	126
Missouri	23	19	10	20	47	2	—	2	123
North Dakota	7	22	20	—	87	—	—	1	137
South Dakota	—	24	17	—	89	1	—	1	132
Nebraska	3	5	4	—	16	1	—	1	30
Kansas	—	3	4	—	42	2	—	—	51
<b>SOUTH ATLANTIC</b>									
Delaware	—	—	—	—	—	1	—	—	1
Maryland	1	—	—	—	—	4	—	—	5
District of Columbia	—	—	—	—	—	3	—	—	3
Virginia	4	12	7	116	—	9	—	—	148
West Virginia	12	4	4	33	1	1	—	—	55
North Carolina	3	1	—	1	—	8	—	—	13
Georgia	2	1	1	5	1	13	59	1	83
Florida	3	—	3	1	3	18	82	1	111
<b>EAST SOUTH CENTRAL</b>									
Kentucky	62	76	45	213	12	5	—	—	413
Tennessee	17	27	17	187	20	10	1	3	282
Alabama	2	3	—	19	3	2	—	—	29
Mississippi	—	—	—	—	—	7	—	—	7
<b>WEST SOUTH CENTRAL</b>									
Arkansas	2	5	1	2	41	5	—	1	57
Louisiana	11	—	2	23	4	2	—	—	42
Oklahoma	8	19	11	—	80	6	2	—	126
Texas	54	12	33	26	114	14	5	6	264
<b>MOUNTAIN</b>									
Montana	—	1	—	—	8	5	—	1	15
Idaho	—	—	—	—	—	3	1	—	4
Wyoming	—	—	2	—	7	—	—	—	9
Colorado	—	—	—	—	1	8	—	—	9
New Mexico	6	1	4	1	20	7	—	3	42
Arizona	3	4	1	8	19	20	—	10	65
Utah	—	—	—	—	2	2	—	—	4
Nevada	—	—	—	—	—	2	—	—	2
<b>PACIFIC</b>									
Washington	—	—	—	—	—	2	—	—	2
Oregon	—	—	—	—	—	6	—	—	6
California	8	8	6	6	290	50	—	4	372
Alaska	3	—	—	29	—	—	—	1	33
Puerto Rico	1	1	2	—	—	—	—	17	21

States not reporting a case not listed.

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1968  
(A) DIPHTHERIA

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
<b>UNITED STATES</b>	<b>260</b>	<b>1</b>	<b>71</b>	<b>90</b>	<b>42</b>	<b>21</b>	<b>10</b>	<b>7</b>	<b>6</b>	<b>1</b>	<b>1</b>	<b>-</b>	<b>10</b>
<b>NEW ENGLAND</b>	-	-	-	-	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MIDDLE ATLANTIC</b>	<b>1</b>	-	-	-	-	<b>1</b>	-	-	-	-	-	-	-
New York City	-	-	-	-	-	-	-	-	-	-	-	-	-
Upstate New York	<b>1</b>	-	-	-	-	<b>1</b>	-	-	-	-	-	-	-
New Jersey	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>EAST NORTH CENTRAL</b>	<b>1</b>	-	-	<b>1</b>	-	-	-	-	-	-	-	-	-
Ohio	-	-	-	-	-	-	-	-	-	-	-	-	-
Indiana	-	-	-	-	-	-	-	-	-	-	-	-	-
Illinois	<b>1</b>	-	-	<b>1</b>	-	-	-	-	-	-	-	-	-
Michigan	-	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>WEST NORTH CENTRAL</b>	<b>2</b>	-	<b>1</b>	<b>1</b>	-	-	-	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-	-	-	-	-
Missouri	<b>1</b>	-	-	<b>1</b>	-	-	-	-	-	-	-	-	-
North Dakota	<b>1</b>	-	<b>1</b>	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>SOUTH ATLANTIC</b>	<b>37</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>4</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	-	-	-	<b>6</b>
Delaware	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	-	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-	-	-	-	-
North Carolina	-	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina	<b>6</b>	-	-	<b>2</b>	<b>1</b>	<b>1</b>	<b>1</b>	-	<b>1</b>	-	-	-	-
Georgia	<b>15</b>	-	<b>7</b>	<b>6</b>	<b>1</b>	-	-	-	-	-	-	-	<b>1</b>
Florida	<b>16</b>	<b>1</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>1</b>	-	<b>1</b>	<b>1</b>	-	-	-	<b>5</b>
<b>EAST SOUTH CENTRAL</b>	<b>29</b>	-	<b>10</b>	<b>10</b>	<b>4</b>	<b>2</b>	<b>1</b>	<b>2</b>	-	-	-	-	-
Kentucky	<b>2</b>	-	-	-	-	<b>1</b>	-	<b>1</b>	-	-	-	-	-
Tennessee	<b>1</b>	-	-	<b>1</b>	-	-	-	-	-	-	-	-	-
Alabama	<b>18</b>	-	<b>7</b>	<b>6</b>	<b>4</b>	-	<b>1</b>	-	-	-	-	-	-
Mississippi	<b>8</b>	-	<b>3</b>	<b>3</b>	-	<b>1</b>	-	<b>1</b>	-	-	-	-	-
<b>WEST SOUTH CENTRAL</b>	<b>178</b>	-	<b>47</b>	<b>66</b>	<b>33</b>	<b>15</b>	<b>8</b>	<b>4</b>	<b>2</b>	<b>1</b>	-	-	<b>2</b>
Arkansas	<b>2</b>	-	<b>1</b>	<b>1</b>	-	-	-	-	-	-	-	-	-
Louisiana	<b>45</b>	-	<b>14</b>	<b>18</b>	<b>7</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	-	-	-	-
Oklahoma	-	-	-	-	-	-	-	-	-	-	-	-	-
Texas	<b>131</b>	-	<b>32</b>	<b>47</b>	<b>26</b>	<b>13</b>	<b>6</b>	<b>3</b>	<b>1</b>	<b>1</b>	-	-	<b>2</b>
<b>MOUNTAIN</b>	<b>9</b>	-	<b>2</b>	<b>2</b>	<b>1</b>	-	-	-	<b>2</b>	-	-	-	<b>2</b>
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	<b>2</b>	-	-	-	<b>1</b>	-	-	-	<b>1</b>	-	-	-	-
New Mexico	<b>3</b>	-	<b>2</b>	-	-	-	-	-	<b>1</b>	-	-	-	-
Arizona	<b>4</b>	-	-	<b>2</b>	-	-	-	-	-	-	-	-	<b>2</b>
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>PACIFIC</b>	<b>3</b>	-	<b>1</b>	-	-	<b>1</b>	-	-	-	-	<b>1</b>	-	-
Washington	<b>1</b>	-	-	-	-	-	-	-	-	-	<b>1</b>	-	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-
California	<b>2</b>	-	<b>1</b>	-	-	<b>1</b>	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Puerto Rico</b>	<b>1</b>	-	-	-	-	-	-	<b>1</b>	-	-	-	-	-



TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1968 - Continued  
(B) HEPATITIS, SERUM

AREA	Total <sup>1</sup>	<1	1-4	5-9	10-14	15-19	20-24	25 and Over					Unk.
								25-59	30-39	40-49	50-59	60+	
<b>UNITED STATES</b>	<b>4,829</b>	<b>2</b>	<b>4</b>	<b>11</b>	<b>27</b>	<b>1,555</b>	<b>1,682</b>	<b>1,487</b>					<b>61</b>
<b>NEW ENGLAND</b>													
Maine .....	1	-	-	-	-	-	-	-	-	-	1	-	-
New Hampshire .....	2	-	-	-	-	1	-	-	-	-	1	-	-
Vermont .....	4	-	-	-	-	-	3	-	-	-	-	-	-
Massachusetts .....	58	-	-	-	-	21	20	3	3	1	5	2	3
Rhode Island .....	25	-	-	-	-	8	3	3	-	2	4	3	2
Connecticut .....	127	-	-	-	2	53	47	13	7	2	-	3	-
<b>MIDDLE ATLANTIC</b>													
New York City .....	1,008	1	-	4	3	380	350	90	58	30	22	70	-
Upstate New York .....	150	-	1	-	1	52	43	13	7	12	5	15	1
New Jersey .....	356	1	-	1	1	70	102	38	34	27	37	45	-
Pennsylvania .....	110	-	1	-	1	16	39	19	12	4	4	14	-
<b>EAST NORTH CENTRAL</b>													
Ohio .....	33	-	-	-	2	6	7	1	3	3	-	10	1
Indiana .....	3	-	-	-	-	-	-	-	1	1	-	1	-
Illinois .....	55	-	2	-	2	4	10	8	8	1	3	15	2
Michigan .....	113	-	-	1	1	17	34	15	14	10	1	15	5
Wisconsin .....	5	-	-	-	-	-	1	-	2	-	2	-	-
<b>WEST NORTH CENTRAL</b>													
Minnesota .....	40	-	-	-	-	13	13	3	3	1	2	4	1
Iowa .....	1	-	-	1	-	-	-	-	-	-	-	-	-
Missouri .....	6	-	-	-	-	1	2	2	-	-	-	1	-
Kansas .....	3	-	-	-	-	2	1	-	-	-	-	-	-
<b>SOUTH ATLANTIC</b>													
Maryland .....	52	-	-	1	1	19	8	4	2	5	2	9	1
District of Columbia ..	13	-	-	-	-	3	3	1	-	-	-	-	6
Virginia .....	17	-	-	-	2	3	2	-	-	2	2	2	4
North Carolina .....	9	-	-	-	-	-	2	-	1	1	3	2	-
South Carolina .....	5	-	-	-	-	5	-	-	-	-	-	-	-
Georgia .....	3	-	-	-	-	-	-	-	-	1	2	-	-
<b>EAST SOUTH CENTRAL</b>													
Kentucky .....	1	-	-	-	-	-	-	-	-	-	-	-	1
Tennessee .....	31	-	-	-	1	2	6	6	6	4	2	4	-
Alabama .....	8	-	-	-	-	-	1	1	3	1	2	-	-
Mississippi .....	3	-	-	-	-	-	1	1	-	-	-	1	-
<b>WEST SOUTH CENTRAL</b>													
Arkansas .....	2	-	-	-	-	-	-	2	-	-	-	-	-
<b>MOUNTAIN</b>													
Wyoming .....	4	-	-	-	-	1	2	-	-	-	-	1	-
Colorado .....	32	-	-	-	-	7	10	2	1	4	4	2	2
Arizona .....	6	-	-	-	-	-	-	-	-	-	-	-	6
Utah .....	6	-	-	-	-	4	-	2	-	-	-	-	-
<b>PACIFIC</b>													
Washington .....	14	-	-	-	-	5	5	1	2	1	-	-	-
Oregon .....	88	-	-	-	1	32	32	14	5	-	1	1	2
California .....	2,266	-	-	2	9	799	904	226	137	47	51	76	15
Hawaii .....	8	-	-	-	-	3	3	2	-	-	-	-	-

								25-34 <sup>2</sup>	35-44 <sup>2</sup>	45 and Over <sup>2</sup>	
Florida .....	128	-	-	-	-	22	22	.....13.....	.....11.....	..... 52 .....	8
Texas .....	33	-	-	1	-	5	6	.....10.....	..... 1 .....	..... 9 .....	1

<sup>1</sup>State omitted from listing: La. included serum hepatitis with reported infectious hepatitis data: serum hepatitis is not notifiable in Okla: all other states omitted did not report a case.

<sup>2</sup>Did not report cases in accordance with regular epidemiological age categories.

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1968 - Continued  
(C) HEPATITIS, INFECTIOUS

AREA	Total <sup>1</sup>	<1	1-4	5-9	10-14	15-19	20-24	25 and Over					Unk.
								25-29	30-39	40-49	50-59	60+	
<b>UNITED STATES</b>	<b>45,893</b>	<b>87</b>	<b>1,305</b>	<b>6,284</b>	<b>5,690</b>	<b>8,302</b>	<b>8,053</b>	<b>13,746</b>					<b>2,426</b>
<b>NEW ENGLAND</b>	<b>2,153</b>	<b>3</b>	<b>37</b>	<b>184</b>	<b>208</b>	<b>435</b>	<b>441</b>	<b>199</b>	<b>208</b>	<b>161</b>	<b>75</b>	<b>60</b>	<b>142</b>
Maine	181	—	9	22	23	29	17	10	16	17	10	2	26
New Hampshire	55	—	—	3	3	15	8	4	6	7	1	3	5
Vermont	67	—	1	4	3	17	8	6	3	7	4	3	11
Massachusetts	974	2	15	79	81	218	222	92	90	83	30	24	38
Rhode Island	374	1	6	47	52	61	69	41	43	18	7	14	15
Connecticut	502	—	6	29	46	95	117	46	50	29	23	14	47
<b>MIDDLE ATLANTIC</b>	<b>7,133</b>	<b>12</b>	<b>111</b>	<b>644</b>	<b>739</b>	<b>1,874</b>	<b>1,451</b>	<b>672</b>	<b>698</b>	<b>438</b>	<b>261</b>	<b>215</b>	<b>18</b>
New York City	2,534	4	35	156	179	873	608	232	214	119	62	50	2
Upstate New York	1,304	1	30	134	159	302	212	106	124	102	69	49	16
New Jersey	1,464	5	19	97	125	355	319	144	160	103	71	66	—
Pennsylvania	1,831	2	27	257	276	344	312	190	200	114	59	50	—
<b>EAST NORTH CENTRAL</b>	<b>7,322</b>	<b>19</b>	<b>212</b>	<b>1,362</b>	<b>1,186</b>	<b>911</b>	<b>931</b>	<b>629</b>	<b>772</b>	<b>424</b>	<b>255</b>	<b>219</b>	<b>402</b>
Ohio	2,052	10	66	406	379	263	236	155	190	112	75	59	101
Indiana	532	—	8	112	99	75	58	39	53	30	17	23	18
Illinois	1,961	2	70	405	313	200	255	165	215	127	66	71	72
Michigan	2,243	7	52	344	326	322	345	226	257	129	89	54	92
Wisconsin	534	—	16	95	69	51	37	44	57	26	8	12	119
<b>WEST NORTH CENTRAL</b>	<b>2,683</b>	<b>5</b>	<b>95</b>	<b>490</b>	<b>442</b>	<b>305</b>	<b>322</b>	<b>207</b>	<b>252</b>	<b>150</b>	<b>73</b>	<b>74</b>	<b>268</b>
Minnesota	736	2	25	127	124	97	78	68	71	41	27	26	50
Iowa	492	1	8	79	95	42	28	26	36	29	12	12	124
Missouri	824	—	18	160	138	101	131	58	70	40	18	20	70
North Dakota	66	—	3	9	9	7	4	5	9	6	4	6	4
South Dakota	82	1	25	23	9	3	1	1	—	3	1	2	13
Nebraska	78	—	2	11	7	8	13	9	14	5	3	—	6
Kansas	405	1	14	81	60	47	67	40	52	26	8	8	1
<b>SOUTH ATLANTIC</b>	<b>4,536</b>	<b>8</b>	<b>162</b>	<b>731</b>	<b>668</b>	<b>642</b>	<b>639</b>	<b>1,303</b>					<b>383</b>
Delaware	146	—	1	45	34	19	15	10	13	5	4	—	—
Maryland	721	1	19	105	98	135	118	88	66	35	20	14	22
District of Columbia	68	—	1	5	3	19	11	8	14	3	3	1	—
Virginia	575	1	12	75	82	65	68	50	72	21	15	14	100
West Virginia	332	—	16	89	102	46	10	16	9	9	7	7	21
North Carolina	375	1	15	57	60	67	88	28	26	14	12	7	—
South Carolina	154	1	5	17	24	24	26	17	20	9	2	1	8
Georgia	1,016	3	53	208	158	118	123	81	81	32	23	34	102
Florida	1,149	1	40	130	107	149	180	<b>288</b>		<b>124</b>			<b>130</b>
<b>EAST SOUTH CENTRAL</b>	<b>2,959</b>	<b>8</b>	<b>102</b>	<b>597</b>	<b>558</b>	<b>358</b>	<b>318</b>	<b>194</b>	<b>234</b>	<b>115</b>	<b>80</b>	<b>96</b>	<b>299</b>
Kentucky	1,152	1	44	274	221	116	84	56	54	18	20	15	249
Tennessee	1,027	2	38	212	204	146	130	75	95	52	31	42	—
Alabama	324	—	10	48	59	39	46	17	32	21	8	14	30
Mississippi	456	5	10	63	74	57	58	46	53	24	21	25	20
<b>WEST SOUTH CENTRAL</b>	<b>3,663</b>	<b>13</b>	<b>192</b>	<b>740</b>	<b>579</b>	<b>510</b>	<b>445</b>	<b>1,054</b>					<b>130</b>
Arkansas	163	—	5	22	36	26	18	11	16	7	2	5	15
Louisiana	*751	3	21	87	91	130	130	91	86	56	23	30	3
Oklahoma	482	1	32	139	106	37	40	46	25	16	7	9	24
Texas	2,267	9	134	492	346	317	257	<b>482</b>		<b>142</b>			<b>88</b>
<b>MOUNTAIN</b>	<b>2,274</b>	<b>7</b>	<b>131</b>	<b>443</b>	<b>281</b>	<b>216</b>	<b>187</b>	<b>125</b>	<b>129</b>	<b>74</b>	<b>37</b>	<b>38</b>	<b>606</b>
Montana	282	—	27	85	48	18	13	19	9	15	6	3	39
Idaho	137	1	9	12	15	15	17	13	18	5	7	6	19
Wyoming	39	—	2	10	4	3	6	2	4	4	—	3	1
Colorado	773	2	54	230	140	109	92	42	47	25	14	9	9
New Mexico	290	4	27	61	34	23	16	22	23	12	2	5	61
Arizona	432	—	1	4	2	2	1	2	1	4	1	2	412
Utah	264	—	11	40	36	45	40	23	25	9	7	10	18
Nevada	57	—	—	1	2	1	2	2	2	—	—	—	47
<b>PACIFIC</b>	<b>13,170</b>	<b>12</b>	<b>263</b>	<b>1,093</b>	<b>1,029</b>	<b>3,051</b>	<b>3,319</b>	<b>1,516</b>	<b>1,377</b>	<b>711</b>	<b>367</b>	<b>254</b>	<b>178</b>
Washington	1,367	2	31	156	144	272	272	160	126	59	45	36	64
Oregon	808	1	17	76	98	163	136	70	80	61	41	31	34
California	10,791	9	212	858	782	2,593	2,829	1,254	1,136	586	274	183	75
Alaska	84	—	1	2	2	13	22	13	19	3	3	3	3
Hawaii	120	—	2	1	3	10	60	19	16	2	4	1	2
Puerto Rico	1,238	5	118	374	211	184	104	59	75	41	28	23	16

<sup>1</sup> Age classification based on available data submitted

\*Includes serum hepatitis

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1968 - Continued  
(D) MENINGOCOCCAL INFECTIONS

AREA	Total <sup>1</sup>	<1	1-4	5-9	10-14	15-19	20-24	25 and Over					Unk.
								25-29	30-39	40-49	50-59	60+	
<b>UNITED STATES</b>	<b>2,623</b>	<b>324</b>	<b>600</b>	<b>258</b>	<b>184</b>	<b>285</b>	<b>263</b>	<b>303</b>					<b>406</b>
<b>NEW ENGLAND</b>	<b>126</b>	<b>19</b>	<b>36</b>	<b>19</b>	<b>14</b>	<b>11</b>	<b>7</b>	<b>1</b>	<b>4</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>5</b>
Maine	6	4	-	-	-	1	-	-	1	-	-	-	-
New Hampshire	6	1	1	-	2	1	-	-	-	-	-	-	1
Vermont	1	-	-	1	-	-	-	-	-	-	-	-	-
Massachusetts	63	6	22	8	9	5	6	-	2	2	-	2	1
Rhode Island	9	2	5	2	-	-	-	-	-	-	-	-	-
Connecticut	41	6	8	8	3	4	1	1	1	-	3	3	3
<b>MIDDLE ATLANTIC</b>	<b>563</b>	<b>49</b>	<b>104</b>	<b>47</b>	<b>32</b>	<b>106</b>	<b>144</b>	<b>9</b>	<b>11</b>	<b>19</b>	<b>15</b>	<b>27</b>	<b>-</b>
New York City	90	11	24	12	8	8	6	1	3	9	3	5	-
Upstate New York	76	14	19	6	6	10	6	1	1	4	2	7	-
New Jersey	274	11	21	10	6	77	128	7	4	2	3	5	-
Pennsylvania	123	13	40	19	12	11	4	-	3	4	7	10	-
<b>EAST NORTH CENTRAL</b>	<b>336</b>	<b>59</b>	<b>113</b>	<b>30</b>	<b>23</b>	<b>23</b>	<b>11</b>	<b>2</b>	<b>9</b>	<b>13</b>	<b>11</b>	<b>8</b>	<b>34</b>
Ohio	85	23	30	5	5	7	1	1	2	4	5	1	1
Indiana	49	5	23	6	4	5	1	-	-	2	1	2	-
Illinois	82	9	31	12	3	5	6	-	4	5	2	3	2
Michigan	94	22	29	7	11	6	3	1	3	2	3	2	5
Wisconsin	26	-	-	-	-	-	-	-	-	-	-	-	26
<b>WEST NORTH CENTRAL</b>	<b>133</b>	<b>17</b>	<b>36</b>	<b>12</b>	<b>9</b>	<b>24</b>	<b>9</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>3</b>	<b>5</b>	<b>8</b>
Minnesota	32	10	3	2	1	6	1	1	2	2	3	1	-
Iowa	14	-	4	1	-	2	-	-	-	-	-	1	6
Missouri	42	1	14	7	3	9	6	-	1	1	-	-	-
North Dakota	3	1	2	-	-	-	-	-	-	-	-	-	-
South Dakota	5	-	2	-	1	1	1	-	-	-	-	-	-
Nebraska	10	1	1	1	2	1	1	1	-	-	-	-	2
Kansas	27	4	10	1	2	5	-	1	-	1	-	3	-
<b>SOUTH ATLANTIC</b>	<b>502</b>	<b>69</b>	<b>111</b>	<b>50</b>	<b>44</b>	<b>57</b>	<b>66</b>	<b>61</b>					<b>44</b>
Delaware	8	-	3	2	-	-	1	1	-	-	-	-	1
Maryland	47	11	9	6	4	10	1	-	1	3	2	-	-
District of Columbia	20	5	4	1	1	4	-	-	3	1	1	-	-
Virginia	46	9	7	4	2	4	1	-	-	-	3	1	15
West Virginia	15	4	5	1	-	1	-	-	-	2	-	1	1
North Carolina	99	18	30	12	13	10	4	-	5	2	4	1	-
South Carolina	62	6	8	7	4	14	20	-	-	1	-	1	1
Georgia	102	8	24	5	6	10	34	4	2	1	2	1	5
Florida	103	8	21	12	14	4	5	6		12		-	21
<b>EAST SOUTH CENTRAL</b>	<b>223</b>	<b>36</b>	<b>39</b>	<b>30</b>	<b>20</b>	<b>15</b>	<b>4</b>	<b>6</b>	<b>5</b>	<b>8</b>	<b>4</b>	<b>12</b>	<b>44</b>
Kentucky	98	11	6	11	8	7	-	2	2	2	1	5	43
Tennessee	72	18	20	10	9	3	4	1	1	4	1	1	-
Alabama	29	5	10	7	2	2	-	1	-	-	1	-	1
Mississippi	24	2	3	2	1	3	-	2	2	2	1	6	-
<b>WEST SOUTH CENTRAL</b>	<b>361</b>	<b>53</b>	<b>131</b>	<b>55</b>	<b>33</b>	<b>29</b>	<b>16</b>	<b>36</b>					<b>8</b>
Arkansas	10	1	2	2	2	-	2	-	-	-	-	-	1
Louisiana	106	14	50	16	7	7	3	1	1	3	1	2	1
Oklahoma	60	10	16	12	6	5	2	2	1	1	1	2	2
Texas	185	28	63	25	18	17	9	11		10		-	4
<b>MOUNTAIN</b>	<b>45</b>	<b>5</b>	<b>10</b>	<b>1</b>	<b>3</b>	<b>8</b>	<b>1</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>15</b>
Montana	9	2	1	-	2	3	1	-	-	-	-	-	-
Idaho	3	-	1	-	-	1	-	-	1	-	-	-	-
Wyoming	2	-	1	-	-	-	-	-	-	-	-	1	-
Colorado	17	3	4	1	1	2	-	-	-	-	-	-	6
New Mexico	1	-	-	-	-	1	-	-	-	-	-	-	-
Arizona	6	-	2	-	-	1	-	-	-	-	-	-	3
Utah	1	-	1	-	-	-	-	-	-	-	-	-	-
Nevada	6	-	-	-	-	-	-	age data not submitted					6
<b>PACIFIC</b>	<b>334</b>	<b>17</b>	<b>20</b>	<b>14</b>	<b>6</b>	<b>12</b>	<b>5</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>248</b>
Washington	45	9	12	7	3	5	2	1	-	-	4	2	-
Oregon	27	5	5	6	-	4	2	1	-	1	1	-	2
California	244	age data not submitted					age data not submitted					244	
Alaska	4	1	1	-	-	1	1	-	-	-	-	-	-
Hawaii	14	2	2	1	3	2	-	-	1	1	-	-	2
Puerto Rico	20	4	1	3	6	5	1	-	-	-	-	-	-

<sup>1</sup>Age classification based on available data submitted.

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1968 — Continued  
(E) TETANUS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
<b>UNITED STATES</b>	<b>178</b>	<b>7</b>	<b>9</b>	<b>10</b>	<b>5</b>	<b>4</b>	<b>2</b>	<b>9</b>	<b>18</b>	<b>17</b>	<b>20</b>	<b>74</b>	<b>3</b>
<b>NEW ENGLAND</b> .....	<b>6</b>	—	—	1	—	—	—	—	—	—	2	3	—
Maine .....	—	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire .....	1	—	—	—	—	—	—	—	—	—	1	—	—
Vermont .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts .....	3	—	—	1	—	—	—	—	—	—	—	2	—
Rhode Island .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut .....	2	—	—	—	—	—	—	—	—	—	1	1	—
<b>MIDDLE ATLANTIC</b> .....	<b>19</b>	—	1	1	1	1	—	4	4	2	1	4	—
New York City .....	11	—	—	—	—	—	—	4	4	1	1	1	—
Upstate New York .....	4	—	1	—	—	1	—	—	—	1	—	1	—
New Jersey .....	1	—	—	—	—	—	—	—	—	—	—	1	—
Pennsylvania .....	3	—	—	1	1	—	—	—	—	—	—	1	—
<b>EAST NORTH CENTRAL</b> .....	<b>21</b>	1	—	—	—	—	—	1	4	1	3	11	—
Ohio .....	2	1	—	—	—	—	—	—	—	—	1	—	—
Indiana .....	3	—	—	—	—	—	—	—	—	1	1	1	—
Illinois .....	9	—	—	—	—	—	—	—	4	—	1	4	—
Michigan .....	5	—	—	—	—	—	—	1	—	—	—	4	—
Wisconsin .....	2	—	—	—	—	—	—	—	—	—	—	2	—
<b>WEST NORTH CENTRAL</b> .....	<b>19</b>	—	—	1	2	—	—	1	1	1	3	10	—
Minnesota .....	2	—	—	—	—	—	—	—	—	—	1	1	—
Iowa .....	4	—	—	—	—	—	—	—	—	—	2	2	—
Missouri .....	8	—	—	1	—	—	—	1	1	—	—	5	—
North Dakota .....	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota .....	1	—	—	—	—	—	—	—	—	—	—	1	—
Nebraska .....	4	—	—	—	2	—	—	—	—	1	—	1	—
Kansas .....	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>SOUTH ATLANTIC</b> .....	<b>32</b>	2	2	2	1	2	—	—	2	5	2	13	1
Delaware .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland .....	3	—	—	—	—	—	—	—	—	1	—	2	—
District of Columbia .....	2	—	—	—	—	—	—	—	—	1	—	1	—
Virginia .....	4	1	1	—	—	—	—	—	—	—	—	2	—
West Virginia .....	2	—	—	—	—	1	—	—	—	—	—	—	1
North Carolina .....	2	—	—	—	—	—	—	—	—	—	—	2	—
South Carolina .....	4	1	—	1	—	1	—	—	—	—	—	1	—
Georgia .....	4	—	1	—	—	—	—	1	1	1	1	—	—
Florida .....	11	—	—	1	1	—	—	—	1	2	1	5	—
<b>EAST SOUTH CENTRAL</b> .....	<b>24</b>	1	1	1	1	—	—	1	1	1	4	13	—
Kentucky .....	1	—	1	—	—	—	—	—	—	—	—	—	—
Tennessee .....	10	—	—	1	—	—	—	—	—	—	1	8	—
Alabama .....	9	1	—	—	1	—	—	1	1	1	2	2	—
Mississippi .....	4	—	—	—	—	—	—	—	—	—	1	3	—
<b>WEST SOUTH CENTRAL</b> .....	<b>34</b>	3	4	4	—	1	1	—	4	1	2	14	—
Arkansas .....	5	—	—	1	—	—	—	—	—	1	—	3	—
Louisiana .....	11	1	—	2	—	—	1	—	2	—	—	5	—
Oklahoma .....	1	—	—	—	—	—	—	—	—	—	—	1	—
Texas .....	17	2	4	1	—	1	—	—	2	—	2	5	—
<b>MOUNTAIN</b> .....	<b>2</b>	—	—	—	—	—	—	—	—	—	—	—	2
Montana .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Idaho .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Wyoming .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado .....	—	—	—	—	—	—	—	—	—	—	—	—	—
New Mexico .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Arizona .....	2	—	—	—	—	—	—	—	—	—	—	—	2
Utah .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Nevada .....	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>PACIFIC</b> .....	<b>21</b>	—	1	—	—	—	1	2	2	6	3	6	—
Washington .....	2	—	—	—	—	—	1	—	—	—	1	—	—
Oregon .....	1	—	—	—	—	—	—	—	—	1	—	—	—
California .....	18	—	1	—	—	—	—	2	2	5	2	6	—
Alaska .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Hawaii .....	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico .....	43	2	2	1	—	1	1	4	—	8	7	16	1

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1968 — Continued  
(F) PARALYTIC POLIOMYELITIS (G) TYPHOID FEVER

	Total	<1	1-4	5-9	10-19	20+	Total	<5	5-14	15-24	25-44*	45+*	Unk.
<b>UNITED STATES</b>	<b>53</b>	<b>12</b>	<b>22</b>	<b>5</b>	<b>5</b>	<b>9</b>	<b>395</b>	<b>49</b>	<b>93</b>	<b>58</b>	<b>68</b>	<b>100</b>	<b>27</b>
<b>NEW ENGLAND</b>	<b>2</b>	—	—	—	—	<b>2</b>	<b>15</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>1</b>	<b>6</b>	—
Maine	1	—	—	—	—	1	2	—	—	—	1	1	—
New Hampshire	—	—	—	—	—	—	1	—	—	—	—	1	—
Vermont	—	—	—	—	—	—	1	—	—	—	—	1	—
Massachusetts	1	—	—	—	—	1	8	1	1	3	—	3	—
Rhode Island	—	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut	—	—	—	—	—	—	3	—	2	1	—	—	—
<b>MIDDLE ATLANTIC</b>	<b>2</b>	—	—	—	—	<b>2</b>	<b>39</b>	<b>4</b>	<b>9</b>	<b>6</b>	<b>10</b>	<b>10</b>	—
New York City	1	—	—	—	—	1	17	3	5	2	3	4	—
Upstate New York	1	—	—	—	—	1	8	—	—	2	5	1	—
New Jersey	—	—	—	—	—	—	8	—	1	1	2	4	—
Pennsylvania	—	—	—	—	—	—	6	1	3	1	—	1	—
<b>EAST NORTH CENTRAL</b>	<b>11</b>	<b>2</b>	<b>5</b>	<b>3</b>	—	<b>1</b>	<b>46</b>	<b>6</b>	<b>13</b>	<b>9</b>	<b>6</b>	<b>12</b>	—
Ohio	2	1	1	—	—	—	19	—	5	4	2	8	—
Indiana	3	1	—	2	—	—	5	2	3	—	—	—	—
Illinois	3	—	2	1	—	—	19	4	4	3	4	4	—
Michigan	3	—	2	—	—	1	1	—	1	—	—	—	—
Wisconsin	—	—	—	—	—	—	2	—	—	2	—	—	—
<b>WEST NORTH CENTRAL</b>	<b>3</b>	—	<b>1</b>	<b>1</b>	<b>1</b>	—	<b>36</b>	<b>4</b>	<b>11</b>	<b>7</b>	<b>7</b>	<b>7</b>	—
Minnesota	—	—	—	—	—	—	2	—	—	—	1	1	—
Iowa	1	—	—	—	1	—	2	—	2	—	—	—	—
Missouri	2	—	1	1	—	—	21	2	6	5	5	3	—
North Dakota	—	—	—	—	—	—	1	1	—	—	—	—	—
South Dakota	—	—	—	—	—	—	2	1	1	—	—	—	—
Nebraska	—	—	—	—	—	—	4	—	1	2	—	1	—
Kansas	—	—	—	—	—	—	4	—	1	—	1	2	—
<b>SOUTH ATLANTIC</b>	<b>3</b>	<b>1</b>	—	—	—	<b>2</b>	<b>65</b>	<b>7</b>	<b>10</b>	<b>9</b>	<b>12</b>	<b>15</b>	<b>12</b>
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	—	—	—	—	—	—	8	1	1	—	2	4	—
District of Columbia	1	1	—	—	—	—	2	—	—	1	—	1	—
Virginia	—	—	—	—	—	—	9	—	—	2	1	4	2
West Virginia	1	—	—	—	—	1	1	—	—	—	—	—	1
North Carolina	1	—	—	—	—	1	4	—	2	1	—	1	—
South Carolina	—	—	—	—	—	—	6	—	—	1	2	—	3
Georgia	—	—	—	—	—	—	14	2	1	—	5	3	3
Florida	—	—	—	—	—	—	21	4	6	4	2	2	3
<b>EAST SOUTH CENTRAL</b>	<b>1</b>	—	<b>1</b>	—	—	—	<b>48</b>	<b>5</b>	<b>14</b>	<b>7</b>	<b>5</b>	<b>14</b>	<b>3</b>
Kentucky	1	—	1	—	—	—	12	2	4	—	1	2	3
Tennessee	—	—	—	—	—	—	20	2	7	5	3	3	—
Alabama	—	—	—	—	—	—	2	1	—	1	—	—	—
Mississippi	—	—	—	—	—	—	14	—	3	1	1	9	—
<b>WEST SOUTH CENTRAL</b>	<b>24</b>	<b>8</b>	<b>13</b>	<b>1</b>	<b>2</b>	—	<b>55</b>	<b>12</b>	<b>18</b>	<b>3</b>	<b>7</b>	<b>13</b>	<b>2</b>
Arkansas	1	—	—	1	—	—	19	5	4	1	3	5	1
Louisiana	—	—	—	—	—	—	6	1	3	—	2	—	—
Oklahoma	1	—	1	—	—	—	16	4	6	—	2	3	1
Texas	22	8	12	—	2	—	14	2	5	2	—	5	—
<b>MOUNTAIN</b>	<b>4</b>	<b>1</b>	<b>1</b>	—	<b>1</b>	<b>1</b>	<b>30</b>	<b>2</b>	<b>4</b>	<b>2</b>	<b>4</b>	<b>10</b>	<b>8</b>
Montana	—	—	—	—	—	—	—	—	—	—	—	—	—
Idaho	—	—	—	—	—	—	1	—	—	—	—	1	—
Wyoming	—	—	—	—	—	—	9	1	—	—	1	2	5
Colorado	—	—	—	—	—	—	7	—	2	—	2	3	—
New Mexico	3	1	1	—	—	1	9	1	2	2	1	3	—
Arizona	1	—	—	—	1	—	3	—	—	—	—	—	3
Utah	—	—	—	—	—	—	1	—	—	—	—	—	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	1	—
<b>PACIFIC</b>	<b>3</b>	—	<b>1</b>	—	<b>1</b>	<b>1</b>	<b>61</b>	<b>8</b>	<b>11</b>	<b>11</b>	<b>16</b>	<b>13</b>	<b>2</b>
Washington	1	—	—	—	—	1	2	—	1	—	1	—	—
Oregon	—	—	—	—	—	—	4	1	1	1	—	1	—
California	2	—	1	—	1	—	54	7	9	10	14	12	2
Alaska	—	—	—	—	—	—	1	—	—	—	1	—	—
Hawaii	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	—	—	—	—	—	8	2	2	—	4	—	—

\*Estimated. For this table number of cases reported by some states for age group 40-49 were divided and included in 25-44 and 45+ age groups.



TABLE 12. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1968—Continued  
(B) MEASLES (Rubeola)

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
<b>UNITED STATES</b>	<b>22,231</b>	<b>2,047</b>	<b>2,346</b>	<b>3,545</b>	<b>3,330</b>	<b>3,696</b>	<b>2,192</b>	<b>1,158</b>	<b>761</b>	<b>461</b>	<b>616</b>	<b>1,000</b>	<b>1,078</b>	<b>1</b>
<b>NEW ENGLAND</b>	<b>1,389</b>	<b>81</b>	<b>108</b>	<b>130</b>	<b>165</b>	<b>280</b>	<b>284</b>	<b>74</b>	<b>22</b>	<b>17</b>	<b>24</b>	<b>58</b>	<b>146</b>	<b>—</b>
Maine	42	20	—	1	1	—	17	—	2	1	—	—	—	—
New Hampshire	150	3	26	19	10	55	28	—	—	—	—	—	9	—
Vermont	4	—	—	—	1	—	—	1	—	—	—	1	1	—
Massachusetts	385	29	53	41	36	70	87	33	7	5	7	6	11	—
Rhode Island	94	1	—	—	—	—	—	4	—	1	—	—	33	55
Connecticut	714	28	29	69	117	155	152	36	13	10	17	18	70	—
<b>MIDDLE ATLANTIC</b>	<b>4,756</b>	<b>246</b>	<b>321</b>	<b>512</b>	<b>643</b>	<b>796</b>	<b>705</b>	<b>472</b>	<b>288</b>	<b>114</b>	<b>175</b>	<b>261</b>	<b>223</b>	<b>—</b>
New York City	2,445	39	70	146	292	494	441	347	225	97	91	98	105	—
Upstate New York	1,366	167	172	244	222	154	156	62	32	10	28	83	36	—
New Jersey	747	33	56	97	120	132	86	55	30	7	53	32	46	—
Pennsylvania	198	7	23	25	9	16	22	8	1	—	3	48	36	—
<b>EAST NORTH CENTRAL</b>	<b>4,059</b>	<b>641</b>	<b>629</b>	<b>627</b>	<b>505</b>	<b>629</b>	<b>273</b>	<b>149</b>	<b>105</b>	<b>76</b>	<b>129</b>	<b>134</b>	<b>161</b>	<b>1</b>
Ohio	292	42	27	54	59	33	21	10	7	2	11	17	8	1
Indiana	743	88	79	150	80	143	69	22	40	8	15	16	33	—
Illinois	1,291	298	270	194	162	158	80	32	15	7	19	25	31	—
Michigan	353	41	44	36	36	44	31	20	11	11	23	21	35	—
Wisconsin	1,380	172	209	193	168	251	72	65	32	48	61	55	54	—
<b>WEST NORTH CENTRAL</b>	<b>500</b>	<b>50</b>	<b>40</b>	<b>92</b>	<b>70</b>	<b>62</b>	<b>39</b>	<b>17</b>	<b>8</b>	<b>5</b>	<b>20</b>	<b>15</b>	<b>82</b>	<b>—</b>
Minnesota	20	1	1	4	1	6	2	—	1	—	1	1	2	—
Iowa	165	15	7	2	26	27	12	7	2	1	5	4	57	—
Missouri	90	3	3	52	6	8	8	1	—	—	9	—	—	—
North Dakota	149	15	25	21	32	16	14	7	3	3	2	2	9	—
South Dakota	4	3	—	—	1	—	—	—	—	—	—	—	—	—
Nebraska	63	6	4	13	3	5	3	2	2	1	2	8	14	—
Kansas	9	7	—	—	1	—	—	—	—	—	1	—	—	—
<b>SOUTH ATLANTIC</b>	<b>1,824</b>	<b>142</b>	<b>178</b>	<b>386</b>	<b>255</b>	<b>149</b>	<b>163</b>	<b>110</b>	<b>64</b>	<b>31</b>	<b>28</b>	<b>176</b>	<b>142</b>	<b>—</b>
Delaware	23	—	—	5	2	1	5	2	—	1	—	2	5	—
Maryland	92	9	19	7	17	11	7	14	2	4	—	—	2	—
District of Columbia	6	4	—	1	1	—	—	—	—	—	—	—	—	—
Virginia	472	19	39	81	50	30	64	10	7	9	10	88	65	—
West Virginia	337	47	32	53	21	24	57	35	14	7	7	15	25	—
North Carolina	324	3	35	147	69	7	18	2	1	—	2	33	7	—
South Carolina	31	4	4	—	2	2	—	—	—	—	—	12	7	—
Georgia	5	2	1	—	1	—	1	—	—	—	—	—	—	—
Florida	534	54	48	92	92	74	11	47	40	10	9	26	31	—
<b>EAST SOUTH CENTRAL</b>	<b>511</b>	<b>47</b>	<b>49</b>	<b>102</b>	<b>90</b>	<b>89</b>	<b>64</b>	<b>22</b>	<b>20</b>	<b>7</b>	<b>5</b>	<b>5</b>	<b>11</b>	<b>—</b>
Kentucky	104	10	27	22	14	11	6	6	—	1	3	—	4	—
Tennessee	64	15	1	25	6	3	3	2	5	1	—	2	1	—
Alabama	95	14	10	15	10	12	13	11	9	—	1	—	—	—
Mississippi	*248	8	11	40	60	63	42	3	6	5	1	3	6	—
<b>WEST SOUTH CENTRAL</b>	<b>5,387</b>	<b>366</b>	<b>599</b>	<b>1,020</b>	<b>1,062</b>	<b>1,018</b>	<b>348</b>	<b>179</b>	<b>156</b>	<b>120</b>	<b>96</b>	<b>213</b>	<b>210</b>	<b>—</b>
Arkansas	2	—	—	—	1	1	—	—	—	—	—	—	—	—
Louisiana	27	1	—	—	1	—	—	—	—	21	1	1	2	—
Oklahoma	154	43	6	53	9	2	10	3	2	17	2	3	4	—
Texas	5,204	322	593	967	1,051	1,015	338	176	154	82	93	209	204	—
<b>MOUNTAIN</b>	<b>1,098</b>	<b>86</b>	<b>115</b>	<b>180</b>	<b>164</b>	<b>233</b>	<b>129</b>	<b>46</b>	<b>24</b>	<b>21</b>	<b>27</b>	<b>31</b>	<b>42</b>	<b>—</b>
Montana	56	1	4	48	1	1	—	—	1	—	—	—	—	—
Idaho	28	6	1	1	2	2	5	9	—	1	—	—	1	—
Wyoming	54	16	11	8	8	6	1	2	—	1	—	—	1	—
Colorado	530	37	45	66	93	149	79	27	9	6	13	2	4	—
New Mexico	176	7	17	16	10	23	9	6	14	10	10	21	33	—
Arizona	219	17	36	33	33	49	33	2	—	3	4	7	2	—
Utah	21	—	1	1	14	3	2	—	—	—	—	—	—	—
Nevada	14	2	—	7	3	—	—	—	—	—	—	1	1	—
<b>PACIFIC</b>	<b>2,707</b>	<b>388</b>	<b>307</b>	<b>496</b>	<b>376</b>	<b>440</b>	<b>187</b>	<b>89</b>	<b>74</b>	<b>70</b>	<b>112</b>	<b>107</b>	<b>61</b>	<b>—</b>
Washington	609	114	97	96	95	93	26	2	2	19	36	14	15	—
Oregon	593	76	87	91	76	57	52	32	36	22	13	34	17	—
California	1,464	184	122	304	197	288	108	54	36	22	62	58	29	—
Alaska	11	—	—	—	—	1	1	—	—	7	1	1	—	—
Hawaii	30	14	1	5	8	1	—	1	—	—	—	—	—	—
Puerto Rico	612	28	59	86	113	83	35	47	25	26	31	42	37	•

\*Includes rubella

TABLE 12. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1968—Continued  
(C) MENINGOCOCCAL INFECTIONS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
<b>UNITED STATES</b>	<b>2,623</b>	<b>348</b>	<b>391</b>	<b>336</b>	<b>243</b>	<b>216</b>	<b>209</b>	<b>155</b>	<b>128</b>	<b>102</b>	<b>139</b>	<b>154</b>	<b>201</b>	<b>1</b>
<b>NEW ENGLAND</b> .....	<b>126</b>	<b>17</b>	<b>20</b>	<b>13</b>	<b>19</b>	<b>8</b>	<b>12</b>	<b>5</b>	<b>6</b>	<b>5</b>	<b>9</b>	<b>8</b>	<b>4</b>	<b>—</b>
Maine .....	6	—	2	—	2	2	—	—	—	—	—	—	—	—
New Hampshire .....	6	—	1	3	1	—	—	—	—	—	—	1	—	—
Vermont .....	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Massachusetts .....	63	9	12	7	6	4	4	4	4	—	4	6	3	—
Rhode Island .....	9	2	2	—	1	2	—	—	1	1	—	—	—	—
Connecticut .....	41	6	3	3	8	—	8	1	1	4	5	1	1	—
<b>MIDDLE ATLANTIC</b> .....	<b>563</b>	<b>37</b>	<b>76</b>	<b>82</b>	<b>62</b>	<b>55</b>	<b>57</b>	<b>39</b>	<b>30</b>	<b>22</b>	<b>27</b>	<b>35</b>	<b>41</b>	<b>—</b>
New York City .....	90	2	16	9	11	8	14	6	3	5	5	6	5	—
Upstate New York .....	76	3	6	10	17	4	6	9	9	3	5	—	4	—
New Jersey .....	274	21	36	48	20	35	31	12	11	8	9	19	24	—
Pennsylvania .....	123	11	18	15	14	8	6	12	7	6	8	10	8	—
<b>EAST NORTH CENTRAL</b> ..	<b>336</b>	<b>45</b>	<b>32</b>	<b>36</b>	<b>18</b>	<b>29</b>	<b>36</b>	<b>19</b>	<b>16</b>	<b>23</b>	<b>20</b>	<b>24</b>	<b>37</b>	<b>1</b>
Ohio .....	85	10	7	10	7	6	9	7	4	7	6	5	6	1
Indiana .....	49	4	6	6	2	1	8	—	3	6	1	4	8	—
Illinois .....	82	9	6	12	1	8	6	5	4	4	9	4	14	—
Michigan .....	94	15	9	6	7	11	11	4	5	6	4	10	6	—
Wisconsin .....	26	7	4	2	1	3	2	3	—	—	—	1	3	—
<b>WEST NORTH CENTRAL</b> ..	<b>133</b>	<b>23</b>	<b>9</b>	<b>13</b>	<b>10</b>	<b>17</b>	<b>16</b>	<b>8</b>	<b>11</b>	<b>4</b>	<b>7</b>	<b>5</b>	<b>10</b>	<b>—</b>
Minnesota .....	32	5	2	4	5	2	3	3	4	—	1	—	3	—
Iowa .....	14	1	3	—	1	1	1	—	—	1	1	2	3	—
Missouri .....	42	4	—	5	2	10	9	—	4	1	2	2	3	—
North Dakota .....	3	1	—	—	—	1	—	—	—	—	1	—	—	—
South Dakota .....	5	3	—	1	—	—	—	1	—	—	—	—	—	—
Nebraska .....	10	1	—	3	1	2	—	—	—	1	2	—	—	—
Kansas .....	27	8	4	—	1	1	3	4	3	1	—	1	1	—
<b>SOUTH ATLANTIC</b> .....	<b>502</b>	<b>79</b>	<b>97</b>	<b>65</b>	<b>53</b>	<b>32</b>	<b>30</b>	<b>26</b>	<b>19</b>	<b>12</b>	<b>22</b>	<b>30</b>	<b>37</b>	<b>—</b>
Delaware .....	8	—	—	2	1	1	2	1	1	—	—	—	—	—
Maryland .....	47	9	4	5	2	3	3	5	3	2	3	3	5	—
District of Columbia .....	20	2	3	3	1	2	2	1	—	1	1	1	3	—
Virginia .....	46	6	6	3	4	3	5	1	4	2	3	1	6	—
West Virginia .....	15	2	1	4	—	1	1	1	1	2	1	—	1	—
North Carolina .....	99	17	21	12	8	4	6	7	1	3	6	9	5	—
South Carolina .....	62	12	21	8	6	6	1	1	—	—	2	3	2	—
Georgia .....	102	14	23	20	12	3	2	4	6	—	4	4	10	—
Florida .....	103	17	18	8	19	9	8	5	3	2	2	7	5	—
<b>EAST SOUTH CENTRAL</b> ..	<b>223</b>	<b>26</b>	<b>30</b>	<b>25</b>	<b>21</b>	<b>25</b>	<b>16</b>	<b>14</b>	<b>18</b>	<b>12</b>	<b>11</b>	<b>10</b>	<b>15</b>	<b>—</b>
Kentucky .....	98	8	14	7	11	8	8	8	13	9	6	2	4	—
Tennessee .....	72	7	7	10	8	11	5	3	1	2	3	7	8	—
Alabama .....	29	1	8	5	—	4	2	3	3	—	1	—	2	—
Mississippi .....	24	10	1	3	2	2	1	—	1	1	1	1	1	—
<b>WEST SOUTH CENTRAL</b> ..	<b>361</b>	<b>77</b>	<b>86</b>	<b>45</b>	<b>29</b>	<b>18</b>	<b>17</b>	<b>17</b>	<b>7</b>	<b>8</b>	<b>12</b>	<b>15</b>	<b>30</b>	<b>—</b>
Arkansas .....	10	—	2	2	3	—	—	2	—	—	—	—	1	—
Louisiana .....	106	22	20	14	9	6	7	5	4	2	4	2	11	—
Oklahoma .....	60	21	13	9	3	3	1	1	—	1	1	4	3	—
Texas .....	185	34	51	20	14	9	9	9	3	5	7	9	15	—
<b>MOUNTAIN</b> .....	<b>45</b>	<b>5</b>	<b>6</b>	<b>6</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>1</b>	<b>5</b>	<b>4</b>	<b>6</b>	<b>3</b>	<b>—</b>
Montana .....	9	2	—	—	1	—	—	1	—	3	—	—	2	—
Idaho .....	3	1	—	—	1	—	1	—	—	—	—	—	—	—
Wyoming .....	2	—	—	—	—	—	—	—	—	1	1	—	—	—
Colorado .....	17	1	5	3	—	—	—	3	1	—	1	2	1	—
New Mexico .....	1	—	—	—	—	—	—	—	—	—	—	1	—	—
Arizona .....	6	1	1	—	—	—	—	—	—	1	2	1	—	—
Utah .....	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Nevada .....	6	—	—	3	1	—	—	—	—	—	—	2	—	—
<b>PACIFIC</b> .....	<b>334</b>	<b>39</b>	<b>35</b>	<b>51</b>	<b>28</b>	<b>31</b>	<b>24</b>	<b>23</b>	<b>20</b>	<b>11</b>	<b>27</b>	<b>21</b>	<b>24</b>	<b>—</b>
Washington .....	45	3	6	6	3	5	3	1	1	2	9	3	3	—
Oregon .....	27	4	2	8	1	2	1	1	3	—	1	3	1	—
California .....	244	32	25	31	23	24	18	20	16	8	15	14	18	—
Alaska .....	4	—	—	—	—	—	1	1	—	—	1	—	1	—
Hawaii .....	14	—	2	6	1	—	1	—	—	1	1	1	1	—
Puerto Rico .....	20	—	12	3	—	2	2	—	—	—	1	—	—	—



TABLE 13. ACUTE DISEASES *OPTIONALLY* REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1968

AREA	ANIMAL BITES	CHICKENPOX	CON-JUNCTIVITIS (Pink Eye)	GASTRO-ENTERIC DISORDERS			
				NON-SPECIFIC	ANCLYO-STOMIASIS (Hookworm)	<i>C. parfringens</i>	DIARRHEA OF NEWBORN
<b>NO. CASES REPORTED . . .</b>	<b>166,550</b>	<b>112,655</b>	<b>5,321</b>	<b>26,292</b>	<b>2,294</b>	<b>1,724</b>	<b>402</b>
No. States Reporting . . . . .	(19)	(43)	(20)	(16)	(11)	(10)	(12)
<b>NEW ENGLAND . . . . .</b>	<b>21,408</b>	<b>21,550</b>	<b>30</b>	<b>...</b>	<b>158</b>	<b>...</b>	<b>...</b>
Maine . . . . .	...	1,709	...	...	...	...	...
New Hampshire . . . . .	158	393	...	...	...	...	...
Vermont . . . . .	...	912	...	...	...	...	...
Massachusetts . . . . .	21,250	9,688	...	...	...	...	...
Rhode Island . . . . .	...	3,041	...	...	...	...	...
Connecticut . . . . .	...	5,807	30	...	158	...	...
<b>MIDDLE ATLANTIC . . . . .</b>	<b>53,638</b>	<b>4,459</b>	<b>14</b>	<b>...</b>	<b>135</b>	<b>117</b>	<b>149</b>
New York City . . . . .	34,735	4,267	...	...	...	...	67
Upstate New York . . . . .	...	71	14	...	...	...	53
New Jersey . . . . .	...	121	...	...	44	117	29
Pennsylvania . . . . .	18,903	...	...	...	91	...	...
<b>EAST NORTH CENTRAL . . . . .</b>	<b>65,005</b>	<b>53,134</b>	<b>1,461</b>	<b>181</b>	<b>1</b>	<b>1</b>	<b>113</b>
Ohio . . . . .	...	6,669	82	181	1	...	3
Indiana . . . . .	10,090	4,426	1,101	...	...	...	...
Illinois . . . . .	27,728	6,997	7	...	...	...	99
Michigan . . . . .	27,187	11,335	271	...	...	...	11
Wisconsin . . . . .	...	23,707	...	...	...	1	...
<b>WEST NORTH CENTRAL . . . . .</b>	<b>4,656</b>	<b>8,556</b>	<b>1,669</b>	<b>1,938</b>	<b>21</b>	<b>115</b>	<b>11</b>
Minnesota . . . . .	4,567	21	...	30	16	33	4
Iowa . . . . .	...	6,634	457	1,874	...	82	...
Missouri . . . . .	...	411	...	...	...	...	2
North Dakota . . . . .	89	1,219	1,192	...	...	...	...
South Dakota . . . . .	...	19	...	...	...	...	...
Nebraska . . . . .	...	252	20	34	...	...	...
Kansas . . . . .	...	...	...	...	5	...	5
<b>SOUTH ATLANTIC . . . . .</b>	<b>19,659</b>	<b>8,417</b>	<b>160</b>	<b>10,623</b>	<b>1,454</b>	<b>743</b>	<b>37</b>
Delaware . . . . .	...	399	50	...	...	...	...
Maryland . . . . .	18,185	1,054	...	...	...	...	...
District of Columbia . . . . .	...	277	...	...	1	...	...
Virginia . . . . .	...	...	...	...	...	...	...
West Virginia . . . . .	1,474	4,034	103	10,623	...	...	...
North Carolina . . . . .	...	...	...	...	...	...	...
South Carolina . . . . .	...	396	...	...	...	...	...
Georgia . . . . .	...	3	7	...	1,453	...	...
Florida . . . . .	...	2,254	...	...	...	743	37
<b>EAST SOUTH CENTRAL . . . . .</b>	<b>...</b>	<b>3,032</b>	<b>652</b>	<b>4,072</b>	<b>503</b>	<b>141</b>	<b>...</b>
Kentucky . . . . .	...	2,381	652	4,071	2	141	...
Tennessee . . . . .	...	...	...	...	...	...	...
Alabama . . . . .	...	524	...	...	...	...	...
Mississippi . . . . .	...	127	...	1	501	...	...
<b>WEST SOUTH CENTRAL . . . . .</b>	<b>1,306</b>	<b>310</b>	<b>...</b>	<b>1</b>	<b>...</b>	<b>...</b>	<b>...</b>
Arkansas . . . . .	1,124	103	...	1	...	...	...
Louisiana . . . . .	182	...	...	...	...	...	...
Oklahoma . . . . .	...	207	...	...	...	...	...
Texas . . . . .	...	...	...	...	...	...	...
<b>MOUNTAIN . . . . .</b>	<b>168</b>	<b>4,217</b>	<b>84</b>	<b>778</b>	<b>...</b>	<b>10</b>	<b>...</b>
Montana . . . . .	90	749	69	455	...	...	...
Idaho . . . . .	...	288	...	163	...	5	...
Wyoming . . . . .	65	181	15	...	...	...	...
Colorado . . . . .	...	...	...	...	...	...	...
New Mexico . . . . .	...	466	...	...	...	...	...
Arizona . . . . .	13	2,005	...	100	...	5	...
Utah . . . . .	...	372	...	55	...	...	...
Nevada . . . . .	...	156	...	5	...	...	...
<b>PACIFIC . . . . .</b>	<b>710</b>	<b>8,980</b>	<b>1,251</b>	<b>8,699</b>	<b>22</b>	<b>597</b>	<b>92</b>
Washington . . . . .	241	7,257	705	7,278	...	191	3
Oregon . . . . .	303	15	61	25	...	...	...
California . . . . .	...	...	27	...	...	406	89
Alaska . . . . .	166	468	448	1,396	...	...	...
Hawaii . . . . .	...	1,240	10	...	22	...	...
Puerto Rico . . . . .	...	1,424	...	...	...	...	...

TABLE 13. ACUTE DISEASES *OPTIONALLY* REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1968 - Continued

AREA	ERYSIPELAS	HISTOPLASMOSIS	MENINGITIS (Bacterial & Unspecified)	MONO- NUCLEOSIS, INFECTIOUS	RESPIRATORY INFECTIONS	RINGWORM
<b>NO. CASES REPORTED..</b>	<b>106</b>	<b>158</b>	<b>2,830</b>	<b>8,744</b>	<b>447,498</b>	<b>2,489</b>
No. States Reporting .....	(14)	(14)	(39)	(37)	(18)	(19)
<b>NEW ENGLAND .....</b>	<b>10</b>	<b>...</b>	<b>461</b>	<b>1,628</b>	<b>2,971</b>	<b>106</b>
Maine .....	...	...	10	111	...	13
New Hampshire .....	...	...	6	6	...	...
Vermont .....	...	...	2	197	...	...
Massachusetts .....	6	...	302	...	...	...
Rhode Island .....	...	...	73	8	...	...
Connecticut .....	4	...	68	1,306	2,971	93
<b>MIDDLE ATLANTIC .....</b>	<b>2</b>	<b>...</b>	<b>692</b>	<b>436</b>	<b>...</b>	<b>4</b>
New York City .....	...	...	233	...	...	...
Upstate New York .....	...	...	287	...	...	...
New Jersey .....	...	...	31	23	...	4
Pennsylvania .....	2	...	141	413	...	...
<b>EAST NORTH CENTRAL .....</b>	<b>28</b>	<b>95</b>	<b>670</b>	<b>1,866</b>	<b>5,625</b>	<b>493</b>
Ohio .....	7	32	168	375	4,100	...
Indiana .....	4	13	54	1,025	...	...
Illinois .....	7	49	293	13	1,525	29
Michigan .....	10	...	155	451	...	464
Wisconsin .....	...	1	...	2	...	...
<b>WEST NORTH CENTRAL .....</b>	<b>37</b>	<b>47</b>	<b>154</b>	<b>2,488</b>	<b>8,420</b>	<b>561</b>
Minnesota .....	9	3	85	1,918	646	26
Iowa .....	4	33	35	441	...	194
Missouri .....	...	6	22	19	2,574	282
North Dakota .....	24	...	...	...	...	59
South Dakota .....	...	...	6	...	...	...
Nebraska .....	...	...	...	110	5,200	...
Kansas .....	...	5	6	...	...	...
<b>SOUTH ATLANTIC .....</b>	<b>...</b>	<b>5</b>	<b>285</b>	<b>198</b>	<b>7,811</b>	<b>1</b>
Delaware .....	...	...	...	4	...	...
Maryland .....	...	...	131	4	...	...
District of Columbia .....	...	1	41	2	1,108	1
Virginia .....	...	2	...	...	...	...
West Virginia .....	...	...	21	119	...	...
North Carolina .....	...	...	...	...	...	...
South Carolina .....	...	...	15	69	6,491	...
Georgia .....	...	...	77	...	212	...
Florida .....	...	2	...	...	...	...
<b>EAST SOUTH CENTRAL .....</b>	<b>1</b>	<b>1</b>	<b>185</b>	<b>360</b>	<b>110,705</b>	<b>48</b>
Kentucky .....	1	...	63	174	...	48
Tennessee .....	...	...	...	...	110,705	...
Alabama .....	...	...	48	141	...	...
Mississippi .....	...	1	74	45	...	...
<b>WEST SOUTH CENTRAL .....</b>	<b>...</b>	<b>10</b>	<b>37</b>	<b>62</b>	<b>...</b>	<b>...</b>
Arkansas .....	...	3	37	24	...	...
Louisiana .....	...	7	...	38	...	...
Oklahoma .....	...	...	...	...	...	...
Texas .....	...	...	...	...	...	...
<b>MOUNTAIN .....</b>	<b>18</b>	<b>...</b>	<b>131</b>	<b>782</b>	<b>114,076</b>	<b>386</b>
Montana .....	...	...	13	125	17,765	15
Idaho .....	13	...	10	83	...	...
Wyoming .....	...	...	4	6	...	2
Colorado .....	...	...	75	...	50,317	60
New Mexico .....	...	...	6	92	38,076	...
Arizona .....	5	...	...	452	...	280
Utah .....	...	...	18	23	6,702	29
Nevada .....	...	...	5	1	1,216	...
<b>PACIFIC .....</b>	<b>10</b>	<b>...</b>	<b>215</b>	<b>924</b>	<b>197,890</b>	<b>890</b>
Washington .....	...	...	107	13	155,456	841
Oregon .....	10	...	43	822	37,779	34
California .....	...	...	...	...	...	...
Alaska .....	...	...	27	24	4,655	15
Hawaii .....	...	...	38	65	...	...
Puerto Rico .....	...	...	45	1	186,288	...

TABLE 14. OTHER DISEASES *OPTIONALLY* REPORTED TO THE PUBLIC HEALTH SERVICE, 1968  
(REPORTED BY MORE THAN ONE, BUT LESS THAN 10 STATES)

Erythema	Fifth disease, Ore. 5; roseola, Utah 8, Nev. 2
Fungal infections, Actinomycosis	La. 3; Ill., Iowa 2; Conn., Minn. 1
Blastomycosis	La. 4; Fla., Iowa, Ohio, Va. 2; Ill, Nebr. 1
Coccidioidomycosis	Ariz. 555; Cal. 427; Minn., Ore. 2; Ark., Hawaii, Ill., N.M. 1
Cryptococcosis	Mo. 4; Ill., La. 3; Wash. 2; Fla., Minn., Miss., Ore. 1
Nocardiosis	Ore. 3; Minn. 1
Other, specified	Geotrichosis, Ark. 1; Sporotrichosis, Wash. 1
Unspecified	Ill. 6; N. M. 1
Gastroenteric Disorders, Ascariasis	Miss. 564; N. J. 67; Minn. 8; Hawaii 7; Iowa 2; Kans. 1
Tapeworm	D. C. 1
Intestinal Worms, unsp.	Ill. 5
Diarrheal Disease, infant	Minn. 51
Diarrheal Disease, unsp.	N. M. 8,169; Ill. 1,065; Ore. 17
Specified Etiology, Enteropath. <i>E. coli</i>	Ill. 455; N. J. 295; Hawaii 73; D. C. 45; Ore. 35; Wash. 20; Mo. 1
<i>L. giardiasis</i>	Minn. 62; Kans. 48; Colo. 29; N. J. 15; Ida., Ohio 1
Unspecified	Alaska 498; Minn. 427; Ill. 244; Conn. 137; N. J. 49; D. C. 48; Ohio 3
<i>H. influenzae</i> infection, Meningitis	Ohio 48
Unspecified	N. M. 1
Impetigo	Alaska 1,000; Mo. 198; Ore. 157; Mont. 94; N. H. 12; Ark., Ohio 5; D. C. 3
Otitis media	Alaska 5,132; Mont. 895; Nebr. 54; Nev. 24
Listeriosis	Minn. 2; Fla. 1
Q-fever	Cal. 12; Colo. 4; Ida. 3; Kans., Md. 1
Rat bite fever	Ohio, Ore. 1
Schistosomiasis	N.Y.C. 246; N.J. 3
Staphylococcal infection, Neonatal and post-partum	Ill. 39
Unspecified	Wash. 1,576; Ill. 603; Ore. 559; Ark. 392; Alaska 239; D. C. 5
Scabies	Ore. 56; Mont. 16
Tick-borne disease, Colorado Tick fever	Colo. 65; Cal. 13; Utah 5; Mont. 3; Ida., Ore. 1
Relapsing fever	Ore. 7
Tick paralysis	Ore., Wash. 1
Toxoplasmosis	N. J. 6; Miss. 3; Kans., Pa. 2; Ark., Ill., Ohio 1
Trachoma	Mont. 256; Ariz. 187; Ida. 5; Cal. 2; Ill., Mo., Nev., Ohio, S. D. 1

## (INFECTIONS REPORTED BY A SINGLE STATE)

Bethesda Bellerup	D. C. 5	Scrub typhus	Kans. 1
Cat scratch fever	Pa. 2	Septicemia and pyemia	Ohio 2,993
Gas gangrene	N. H. 1	Trypanosomiasis	Fla. 1
Glanders	Del. 1	Viral infections,	
Ichthyosarcotoxin	Fla. 5	Adenovirus	Minn. 17
Kala Azar	Md. 1	Coxsackie A-16	Del. 4
Keratoconjunctivitis	Ind. 13	Coxsackie Unsp.	Minn. 9
<i>Pasteurella multocida</i>	Ore. 8	Echo	Minn. 3
Rickettsial infection	Wash. 1	Herpangina	Ore. 2
		Unspecified	N. M. 123


TABLE 15. CUMULATIVE WEEKLY TOTAL NUMBER OF DEATHS IN 122 UNITED STATES CITIES  
FOR YEAR 1968 (THROUGH 52nd WEEK ENDED DECEMBER 28, 1968)

AREA	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes	AREA	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes
	All Ages	65 years and over				All Ages	65 years and over		
<b>NEW ENGLAND:</b>	<b>39,017</b>	<b>24,182</b>	<b>2,353</b>	<b>1,734</b>	<b>SOUTH ATLANTIC:</b>	<b>63,182</b>	<b>32,941</b>	<b>2,753</b>	<b>3,225</b>
Boston, Mass. . . . .	12,534	7,147	817	630	Atlanta, Ga. . . . .	7,245	3,236	195	453
Bridgeport, Conn. . . . .	2,338	1,473	240	113	Baltimore, Md. . . . .	13,310	6,816	412	653
Cambridge, Mass. . . . .	1,469	995	58	47	Charlotte, N.C. . . . .	2,527	1,162	110	157
Fall River, Mass. . . . .	1,568	1,085	59	41	Jacksonville, Fla. . . . .	4,017	2,065	143	188
Hartford, Conn. . . . .	3,103	1,799	110	179	Miami, Fla. . . . .	5,435	3,017	73	238
Lowell, Mass. . . . .	1,561	1,005	99	62	Norfolk, Va. . . . .	2,880	1,428	255	159
Lynn, Mass. . . . .	1,155	784	40	38	Richmond, Va. . . . .	4,350	2,321	179	260
New Bedford, Mass. . . . .	1,423	1,009	74	29	Savannah, Ga. . . . .	2,084	1,018	174	98
New Haven, Conn. . . . .	2,765	1,661	79	179	St. Petersburg, Fla. . . . .	4,514	3,647	281	90
Providence, R.I. . . . .	3,304	1,985	209	157	Tampa, Fla. . . . .	3,898	2,226	388	167
Somerville, Mass. . . . .	692	500	58	4	Washington, D.C. . . . .	10,515	4,741	418	648
Springfield, Mass. . . . .	2,487	1,599	229	102	Wilmington, Del. . . . .	2,407	1,264	125	114
Waterbury, Conn. . . . .	1,602	1,045	15	63	<b>EAST SO. CENTRAL:</b>	<b>33,931</b>	<b>18,385</b>	<b>1,875</b>	<b>1,696</b>
Worcester, Mass. . . . .	3,016	2,095	266	90	Birmingham, Ala. . . . .	5,063	2,691	122	275
<b>MIDDLE ATLANTIC:</b>	<b>177,210</b>	<b>104,455</b>	<b>7,866</b>	<b>7,194</b>	Chattanooga, Tenn. . . . .	2,751	1,488	254	144
Albany, N.Y. . . . .	2,576	1,473	69	132	Knoxville, Tenn. . . . .	2,228	1,405	131	72
Allentown, Pa. . . . .	1,954	1,248	128	70	Louisville, Ky. . . . .	6,865	3,942	670	300
Buffalo, N.Y. . . . .	7,794	4,523	200	378	Memphis, Tenn. . . . .	7,281	3,767	196	415
Camden, N.J. . . . .	2,236	1,225	159	137	Mobile, Ala. . . . .	2,659	1,352	91	165
Elizabeth, N.J. . . . .	1,810	1,062	79	57	Montgomery, Ala. . . . .	2,025	1,063	178	106
Erie, Pa. . . . .	2,205	1,382	167	83	Nashville, Tenn. . . . .	5,059	2,677	233	219
Jersey City, N.J. . . . .	3,656	2,179	255	165	<b>WEST SO. CENTRAL:</b>	<b>61,691</b>	<b>32,293</b>	<b>2,825</b>	<b>3,718</b>
Newark, N.J. . . . .	4,580	2,185	296	335	Austin, Tex. . . . .	2,123	1,277	285	101
New York City, N.Y. . . . .	90,547	53,387	3,934	3,257	Baton Rouge, La. . . . .	2,179	1,158	119	116
Patterson, N.J. . . . .	2,019	1,178	126	100	Corpus Christi, Tex. . . . .	1,510	810	41	117
Philadelphia, Pa. . . . .	25,395	14,486	502	1,154	Dallas, Tex. . . . .	8,709	4,421	287	559
Pittsburgh, Pa. . . . .	10,291	5,731	444	458	El Paso, Tex. . . . .	2,129	1,093	167	181
Reading, Pa. . . . .	2,850	1,936	180	69	Fort Worth, Tex. . . . .	4,247	2,337	154	276
Rochester, N.Y. . . . .	5,974	3,858	511	297	Houston, Tex. . . . .	11,493	5,336	294	662
Schenectady, N.Y. . . . .	1,399	920	63	39	Little Rock, Ark. . . . .	3,090	1,754	249	169
Scranton, Pa. . . . .	2,120	1,439	157	53	New Orleans, La. . . . .	8,884	4,463	304	496
Syracuse, N.Y. . . . .	3,821	2,442	117	183	Oklahoma City, Okla. . . . .	4,503	2,435	131	254
Trenton, N.J. . . . .	2,527	1,431	164	124	San Antonio, Tex. . . . .	6,381	3,498	217	433
Utica, N.Y. . . . .	1,557	1,123	177	30	Shreveport, La. . . . .	2,995	1,658	266	192
Yonkers, N.Y. . . . .	1,899	1,247	138	73	Tulsa, Okla. . . . .	3,448	2,053	311	162
<b>EAST NO. CENTRAL:</b>	<b>139,967</b>	<b>79,363</b>	<b>5,036</b>	<b>6,983</b>	<b>MOUNTAIN:</b>	<b>23,850</b>	<b>13,696</b>	<b>1,274</b>	<b>1,270</b>
Akron, Ohio . . . . .	3,537	2,018	14	206	Albuquerque, N. Mex. . . . .	2,370	1,197	234	146
Canton, Ohio . . . . .	1,941	1,134	142	77	Colorado Springs, Col. . . . .	1,504	896	161	106
Chicago, Ill. . . . .	40,395	21,871	1,588	2,030	Denver, Colo. . . . .	6,519	3,721	334	329
Cincinnati, Ohio . . . . .	8,696	5,271	226	368	Ogden, Utah . . . . .	942	609	92	47
Cleveland, Ohio . . . . .	11,185	5,876	268	564	Phoenix, Ariz. . . . .	5,473	3,024	139	283
Columbus, Ohio . . . . .	6,788	3,713	152	384	Pueblo, Colo. . . . .	1,213	827	121	47
Dayton, Ohio . . . . .	4,448	2,536	156	229	Salt Lake City, Utah . . . . .	2,870	1,662	65	186
Detroit, Mich. . . . .	19,141	10,682	553	896	Tucson, Ariz. . . . .	2,959	1,760	128	126
Evansville, Ind. . . . .	2,231	1,477	119	74	<b>PACIFIC:</b>	<b>83,227</b>	<b>50,200</b>	<b>1,899</b>	<b>3,367</b>
Flint, Mich. . . . .	2,719	1,417	128	205	Berkeley, Calif. . . . .	1,089	817	21	18
Fort Wayne, Ind. . . . .	2,476	1,487	155	130	Fresno, Calif. . . . .	2,531	1,395	62	157
Gary, Ind. . . . .	1,816	880	165	132	Glendale, Calif. . . . .	1,552	1,056	32	36
Grand Rapids, Mich. . . . .	2,762	1,833	205	110	Honolulu, Hawaii . . . . .	2,589	1,259	64	215
Indianapolis, Ind. . . . .	8,180	4,555	169	471	Long Beach, Calif. . . . .	4,742	2,980	120	136
Madison, Wis. . . . .	1,906	955	167	132	Los Angeles, Calif. . . . .	25,085	15,333	541	1,001
Milwaukee, Wis. . . . .	6,879	4,311	165	339	Oakland, Calif. . . . .	4,586	2,695	101	219
Peoria, Ill. . . . .	2,063	1,143	39	175	Pasadena, Calif. . . . .	1,975	1,387	37	30
Rockford, Ill. . . . .	1,784	1,142	188	90	Portland, Oreg. . . . .	6,415	3,984	89	262
South Bend, Ind. . . . .	2,138	1,364	162	84	Sacramento, Calif. . . . .	3,194	1,856	52	130
Toledo, Ohio . . . . .	5,596	3,556	215	194	San Diego, Calif. . . . .	4,969	2,782	119	266
Youngstown, Ohio . . . . .	3,286	2,142	60	93	San Francisco, Calif. . . . .	9,479	5,330	211	294
<b>WEST NO. CENTRAL:</b>	<b>44,329</b>	<b>27,180</b>	<b>1,705</b>	<b>2,065</b>	San Jose, Calif. . . . .	2,097	1,329	62	81
Des Moines, Iowa . . . . .	3,118	2,039	143	129	Seattle, Wash. . . . .	7,884	4,608	271	351
Duluth, Minn. . . . .	1,209	793	116	45	Spokane, Wash. . . . .	2,878	1,971	81	92
Kansas City, Kans. . . . .	2,146	1,159	169	201	Tacoma, Wash. . . . .	2,162	1,418	36	79
Kansas City, Mo. . . . .	7,249	4,472	171	296	<b>Total . . . . .</b>	<b>666,404</b>	<b>382,695</b>	<b>27,586</b>	<b>31,252</b>
Lincoln, Nebr. . . . .	1,490	1,056	80	38					
Minneapolis, Minn. . . . .	6,055	3,806	141	307					
Omaha, Nebr. . . . .	3,968	2,390	83	194					
St. Louis, Mo. . . . .	12,523	7,324	417	530					
St. Paul, Minn. . . . .	3,677	2,419	110	155					
Wichita, Kans. . . . .	2,894	1,722	275	170					


## DISEASE TRENDS

	<i>Page</i>
Anthrax .....	30
Botulism .....	30
Brucellosis .....	31
Diphtheria .....	32
Encephalitis .....	33-34
Hepatitis .....	35
Leprosy .....	36
Leptospirosis .....	37
Malaria .....	38
Measles (Rubeola) .....	39
Meningococcal Infections .....	40
Meningitis, Aseptic .....	41
Mumps .....	42
Pertussis .....	42
Poliomyelitis .....	43
Pneumonia-Influenza Deaths -- 122 Cities .....	44
Mortality in 122 Cities .....	45
Plague .....	46
Rabies .....	47-48
Rocky Mountain Spotted Fever (tick-borne typhus) .....	49
Rubella (German Measles) .....	50
Salmonella .....	51
Shigella .....	52
Trichinosis .....	52
Tetanus .....	53-54
Tularemia .....	54
Tuberculosis .....	55
Typhoid Fever .....	56
Typhus Fever (flea-borne, murine) .....	57
Venereal Diseases .....	58-59


ANTHRAX  
REPORTED CASES, UNITED STATES  
1950-1968




BOTULISM  
REPORTED CASES AND DEATHS, UNITED STATES  
1950-1968




BRUCELLOSIS  
REPORTED CASES, UNITED STATES  
1950-1968




BRUCELLOSIS  
REPORTED CASES PER 100,000 POPULATION  
1968



**DIPHTHERIA**  
**GEOGRAPHIC DISTRIBUTION, UNITED STATES**  
 1968




**DIPHTHERIA**  
**REPORTED CASES, UNITED STATES**  
 1958-1968






NATIONAL ENCEPHALITIS SURVEILLANCE PROGRAM  
 UNITED STATES, 1968




HUMAN CASES OF ARTHROPOD-BORNE ENCEPHALITIS  
BY STATE, 1968


WESTERN ENCEPHALITIS




ST. LOUIS ENCEPHALITIS




CALIFORNIA ENCEPHALITIS




EASTERN ENCEPHALITIS






### HEPATITIS


REPORTED CASES PER 100,000 POPULATION  
1968




LEPROSY  
REPORTED CASES, UNITED STATES  
1950-1968




LEPROSY  
AVERAGE NUMBER OF REPORTED CASES BY MONTH  
1964-1968




**LEPTOSPIROSIS**  
**GEOGRAPHIC DISTRIBUTION, UNITED STATES**  
 1968




**LEPTOSPIROSIS**  
**AVERAGE NUMBER OF REPORTED CASES BY MONTH**  
 1964-1968




MALARIA  
 CASES BY DATE OF REPORT, UNITED STATES, 1933-1968




MILITARY AND CIVILIAN CASES OF MALARIA  
 UNITED STATES, 1959-1968  
 SURVEILLANCE PROGRAM



MEASLES  
REPORTED CASES BY MONTH, UNITED STATES  
1962-1968




MEASLES (RUBEOLA)  
DEATHS IN THE UNITED STATES  
PERCENT DISTRIBUTION BY AGE, 1963-1967




MENINGOCOCCAL INFECTIONS  
REPORTED CASES, UNITED STATES

1920-1968




MENINGOCOCCAL INFECTIONS  
REPORTED CASES PER 100,000 POPULATION

1968







ASEPTIC MENINGITIS  
 REPORTED CASES BY MONTH, UNITED STATES  
 1966-1968





ASEPTIC MENINGITIS  
 REPORTED CASES PER 100,000 POPULATION  
 1968




MUMPS  
REPORTED CASES BY MONTH, UNITED STATES  
1968





PERTUSSIS  
REPORTED CASES, UNITED STATES  
1950-1968







PARALYTIC POLIOMYELITIS  
GEOGRAPHIC DISTRIBUTION, UNITED STATES  
1968




PARALYTIC POLIOMYELITIS  
REPORTED CASES BY MONTH, UNITED STATES  
1961-1968




PNEUMONIA-INFLUENZA DEATHS IN 122 UNITED STATES CITIES



MORTALITY IN 122 UNITED STATES CITIES




HUMAN PLAGUE  
 COUNTIES REPORTING ONE OR MORE CASES  
 1900-1968




- 1,2. LABORATORY ACQUIRED CASES - 1901, 1959.
- 3. ONE CASE, INFECTION ACQUIRED IN COLO., DIAGNOSED IN TEXAS.
- 4. THREE CASES, ONE DIAGNOSED IN MASS. - 1961.
- 5. IMPORTED CASE, 1966.


HUMAN PLAGUE  
 REPORTED CASES BY AGE AND SEX, UNITED STATES  
 1950-1968




HUMAN RABIES  
 REPORTED CASES, UNITED STATES  
 1950-1968




HUMAN RABIES  
 DEATHS BY AGE AND SEX, UNITED STATES  
 1950-1968



CASES OF RABIES IN WILD AND DOMESTIC ANIMALS  
1953-1968




RABIES  
COUNTIES REPORTING ONE OR MORE ANIMAL CASES  
1968








ROCKY MOUNTAIN SPOTTED FEVER  
 REPORTED CASES, UNITED STATES  
 1950-1968



ROCKY MOUNTAIN SPOTTED FEVER  
 GEOGRAPHIC DISTRIBUTION, UNITED STATES  
 1968




RUBELLA  
 REPORTED MONTHLY CASE RATES BY REGION  
 UNITED STATES, 1967-68




\*EXCLUDED STATES, DATA NOT AVAILABLE


SALMONELLA SURVEILLANCE  
 REPORTED HUMAN ISOLATIONS  
 1965-1968



SALMONELLA SURVEILLANCE  
 REPORTED HUMAN ISOLATIONS  
 BY AGE GROUP  
 1968




SHIGELLA SURVEILLANCE  
REPORTED HUMAN ISOLATIONS  
1964-1968




\*ALASKA, ARIZONA, HAWAII, ILLINOIS, KANSAS, MARYLAND, NEW JERSEY, NEW MEXICO, NORTH CAROLINA, NORTH DAKOTA, OHIO, OKLAHOMA, OREGON, SOUTH DAKOTA, TENNESSEE, TEXAS AND VERMONT.  
\*\* ADJUSTED TO FOUR-WEEK MONTHS


TRICHINOSIS  
REPORTED CASES, UNITED STATES  
1950-1968




TETANUS  
REPORTED CASES, UNITED STATES  
1950-1968




TETANUS  
GEOGRAPHIC DISTRIBUTION, UNITED STATES  
1968




TETANUS  
 REPORTED CASES BY FIVE-YEAR AGE GROUPS  
 UNITED STATES  
 1968







TULAREMIA  
 REPORTED CASES, UNITED STATES  
 1950-1968




NEW ACTIVE TUBERCULOSIS CASES PER 100,000 POPULATION  
1968 PROVISIONAL DATA BY GEOGRAPHIC DIVISION




NEW ACTIVE TUBERCULOSIS CASES AND CASE RATES BY AGE GROUP, BY SEX AND COLOR  
UNITED STATES, 1967



TYPHOID FEVER  
 REPORTED CASES, UNITED STATES  
 1942-1968




TYPHOID FEVER  
 REPORTED CASES PER 100,000 POPULATION  
 1968







TYPHUS FEVER, FLEA-BORNE (ENDEMIC, MURINE)  
 REPORTED CASES, UNITED STATES  
 1949-1968




TYPHUS FEVER  
 GEOGRAPHIC DISTRIBUTION, UNITED STATES  
 1968




PRIMARY, SECONDARY AND CONGENITAL SYPHILIS  
 REPORTED CIVILIAN CASES, UNITED STATES  
 1948-1968




GONORRHEA  
 REPORTED CIVILIAN CASES, UNITED STATES  
 1954-1968



**SYPHILIS – PRIMARY AND SECONDARY  
REPORTED CASE RATE PER 100,000 POPULATION  
1968**



**SYPHILIS – REPORTED PRIMARY AND SECONDARY CASES  
AGE SPECIFIC RATES PER 100,000 POPULATION BY SEX AND COLOR  
UNITED STATES, 1968**



THE ANNUAL SUPPLEMENT TO THE MORBIDITY  
MORTALITY WEEKLY REPORT IS PUBLISHED BY THE  
NATIONAL COMMUNICABLE DISEASE CENTER, PUBLIC  
HEALTH SERVICE, DHEW, ATLANTA, GEORGIA

DAVID J. SENCER, M.D.  
DIRECTOR, NATIONAL COMMUNICABLE DISEASE CENTER

ALEXANDER D. LANGMUIR, M.D.  
DIRECTOR, EPIDEMIOLOGY PROGRAM

W. JERE HOUSWORTH  
CHIEF, STATISTICAL SERVICES ACTIVITY  
WITH ERNESTINE TOMLINSON AND MAXINE SPOON

PUBLIC HEALTH SERVICE  
HEALTH SERVICES AND MENTAL HEALTH ADMINISTRATION  
NATIONAL  
COMMUNICABLE DISEASE CENTER  
ATLANTA, GEORGIA 30333

OFFICIAL BUSINESS

POSTAGE AND FEES PAID  
U.S. DEPARTMENT OF H.E.W.

