



Morbidity and Mortality

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE

DATE OF RELEASE: JULY 15, 1975 - ATLANTA, GEORGIA 30333

ECONOMIC NOTES AND REPORTS
 DISSEMINATION - Hanoi

REPORTED

REPORTED MORBIDITY

RECEIVED
Epithelial Growth Factors and Receptors
S. H. Hsu - H. K. Kuo
A. H. Hsu, H. K. Kuo, H. K. Kuo, H. K. Kuo
JUL 29 1975

Agnes Scott College
Library
Atlanta, GA 30332

(new, physical appearance) as a consequence of the fact that the groups of attendants of the press and the media.

DAILY 1. CLUSTER OF SPONTANEOUS NONFLUORESCENT INSTANCES: UNATTACHED SUBTENDS

MORTALITY		MECHAN	
1974	1975	1974	1975
41	96	92	
4	4	4	
2,500	4,500		
4	3	5	
40	35	31	
94	94	10	
4	10	4	
70	10	10	
105	10	10	
90	10	10	
24	26	22	
23	25	23	
4	—	8	
1,000	1,000	1,000	
27	—	—	
354	103	1,303	
4	4	4	

DISEASE	1969-1976		PERMANENT 1977-1978	TEMPORARY		TOTAL 1977-1978
	1969-1976	1977-1978		1977	1978	
Asiatic cholera	41	66	92	804	897	941
Bacterial	4	4	4	61	60	69
Cholera	3,582	4,588	—	80,407	129,406	—
Diphtheria	2	3	5	109	98	109
Epidemic typhus	40	35	31	105	104	459
Enteric fever	94	88	10	194	192	192
Hepatitis	1	1	1	1,918	1,918	1,918
Typhoid	70	70	70	19,201	19,201	19,201
Typhus	125	125	125	19,806	19,806	19,806
Measles	94	94	94	16,086	16,086	16,086
Mumps	24	24	24	708	708	708
Scarlet fever	28	28	28	697	697	697
Smallpox	1	1	1	19	19	19
Whooping cough	1,918	1,918	1,918	17,200	17,200	17,200
Diphtheria	27	27	27	648	648	648
Rubella	356	356	356	7,736	7,736	7,736
Scarlet fever	1	1	1	36	36	36
Tuberculosis	609	609	609	17,149	17,149	17,149
Poliovirus	1	1	1	43	43	43
Typhoid fever	10	10	10	147	147	147
Typhus, tick-borne (Kilg. 39)	26	26	26	183	183	183
Yellow fever	1,918	1,918	1,918	17,200	17,200	17,200
Scarlet fever	44	44	44	10,617	10,617	10,617
Rubella in children	50	50	50	1,218	1,218	1,218

TABLE II. NOTIFIABLE INCREASES OF LOW FREQUENCY

	Comm.		Comm.
Anthrax:	9	Psychosomatic, based:	9
Bubonic:	6	Parasitic:	3
Congenital syphilis, secondary:	27	Psychosomatic, <i>Psychic</i> :	42
Leprosy: CASE 2, Vol. 2	56	Public in mind:	—
Leptospirosis:	20	Isolation, <i>Comm.</i> :	50
Flu:	—	Infect. <i>Amrine</i> :	10

The annual statistical summary is published as the last issue in each volume of the Morbidity and Mortality Weekly Report by the Center for Disease Control, Public Health Service, USDHEW, Atlanta, Georgia 30333

David J. Sencer, M.D.
Director, Center for Disease Control

Philip S. Brachman, M.D.
Director, Bureau of Epidemiology

Phyllis Cohen, Helen R. Steele,
and Maxine M. Spoon
National Morbidity Reporting System
Bureau of Epidemiology

Geneva S. Moore, Charlotte C. Turner,
Frances H. Wilson, and Frances H. Porcher, Chief
Editorial & Graphic Services
Bureau of Epidemiology

SOURCES OF DATA

This document carries final figures on the reported incidence of notifiable diseases in 1974 based on summaries submitted to the Center for Disease Control by the individual States through the National Morbidity Reporting System and on data from various surveillance activities of the Bureau of Epidemiology, data collected by the Tuberculosis Control Division and the Venereal Disease Control Division, Bureau of State Services, CDC, and the National Center for Health Statistics. The population estimates listed on page 2 and page 7 and used in computing rates are from the Bureau of Census, Current Population Reports, Series P-25.

The morbidity data in this report represent cases reported to the State health departments and subsequently to the Center for Disease Control. The accuracy of reporting, that is, the number of cases that are reported to the Center as compared with the actual number that occur, varies with the disease. Some diseases, such as plague and rabies, that cause severe clinical illness and are associated with serious consequences are undoubtedly reported fairly completely. Diseases that are clinically mild and infrequently associated with serious consequences, such as salmonellosis and rubella, are less likely to be reported. Additionally, sub-clinical cases are seldom detected except in the course of special studies. Also, the degree

of completeness of reporting is influenced by the diagnostic facilities available, the control measures in effect, and the interests and priorities of State and local officials responsible for disease control and surveillance.

The data in this report stem from a variety of reporting mechanisms and motivations that seem to remain consistent; thus the analysis of trends is valid. For example, the age and seasonal distributions of these samples have been shown to be representative over the years.

Some of the diseases included are not officially notifiable but are reported optionally by some States. These data should be used with great caution and should in no way be considered representative of the whole. We have not included a summary of every optionally reported disease because of the limitations of space, the infrequency of reports, and the false impression that our publishing these data might convey. Unpublished data will be made available to individuals on specific request. The annual summary includes population data from the Bureau of Census so that readers can calculate rates not published here because of space limitations.

In order not to delay the publication of this document, we have included provisional data from California. For confirmation of any of those data, contact the California State Department of Health.



EXPLANATION OF SYMBOLS USED IN TABLES

Data not available		
Quantity zero		—
Report of disease not required by State Health Department		NN

INDEX OF TABLES

	Page
Table 1. Reported Cases of Diseases Covered by International Quarantine Agreement, United States, 1965-1974	1
Table 2. (A) Reported Cases of Specified Notifiable Diseases, United States, 1965-1974	2
(B) Reported Cases of Specified Notifiable Diseases per 100,000 Population, United States, 1965-1974	3
Table 3. (A) Deaths from Specified Notifiable Diseases, United States, 1964-1973	4
(B) Deaths from Selected Non-Notifiable Acute Diseases, United States, 1964-1973	5
Table 4. Reported Cases of Specified Notifiable Diseases by Month, United States, 1974	6
Table 5. Reported Cases of Notifiable Diseases by Geographic Division and by State, United States, 1974	7
Table 6. Reported Cases of Notifiable Diseases of Low Frequency by Geographic Division and by State, United States, 1974.	10
Table 7. Reported Cases of Infectious Encephalitis by Geographic Division and by State, United States, 1973	11
Table 8. New Active Tuberculosis Cases by Geographic Division and by State, United States, 1973 and 1974 (Provisional)	12
Table 9. (A) Newly Reported Cases of Venereal Diseases in Civilians and Cases per 100,000 Population by Geographic Division and by State, United States, 1973-1974	13
(B) Newly Reported Cases of Venereal Diseases in Civilians by Age and Sex, United States, 1973-1974	14
Table 10. Rabies in Animals by State and by Type of Animal, United States, 1974.	15
Table 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1974.	16
Table 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1974.	23
Table 13. Animal Bites and Cases of Acute Diseases <i>Optionally</i> Reported by Certain States, 1974	31
Table 14. Deaths in 121 Selected Cities, United States, 1974.	33
Disease Patterns	34-60

Table 1. Reported Cases of Diseases Covered by International Quarantine Agreement, 1965-1974

International Classification of Diseases Covered	Number Reported									
	1974	1973	1972	1971	1970	1969	1968	1967	1966	1965
000 Cholera.	—	1	—	—	—	—	—	—	—	2
020 Plague	8	2	1	2	13	5	3	3	5	8
050 Smallpox	—	—	—	—	—	—	—	—	—	—
060 Yellow Fever	—	—	—	—	—	—	—	—	—	—

CASES OF QUARANTINABLE DISEASES IN 1974

Cholera

Acquired in	Date	Age	Sex	Fatal	Acquired in	Date	Age	Sex	Fatal
Guam	Aug.	57	M	Yes	Guam	Aug.	47	M	No
Guam	Aug.	17	M	No	Guam	Aug.	48	M	No
Guam	Aug.	47	M	No	Guam	Aug.	52	M	No

Plague

Acquired in	Date	Age	Sex	Fatal	Acquired in	Date	Age	Sex	Fatal
N. Mex.	June	13	F	Yes	N. Mex.	Oct.	28	M	No
N. Mex.	Sept.	6	F	No	N. Mex.	Nov.	62	F	No
N. Mex.	Sept.	19	M	No	N. Mex.	Dec.	23	M	No
N. Mex.	Sept.	6	F	No	Utah	Aug.	5	M	No

TABLE 2(A). Reported Cases of Specified Notifiable Diseases, United States, 1965-1974

DISEASE	1974	1973	1972	1971	1970	1969	1968	1967	1966	1965
U.S. total resident population, July 1 estimate (in thousands)	211,390	209,851	208,232	206,256	203,805	201,921	199,846	197,859	195,923	193,795
Amebiasis	2,743	2,235	2,199	2,752	2,888	2,915	3,005	3,157	2,921	2,768
Anthrax	2	2	2	5	2	4	3	2	5	7
Aseptic meningitis	3,197	4,846	4,534	5,176	6,480	3,672	4,494	3,082	3,058	2,329
Botulism	28	34	22	25	12	16	7	5	9	19
Brucellosis (undulant fever)	240	202	196	183	213	235	218	265	262	262
Chickenpox	141,495	182,927	164,114	Not previously reportable nationally						
Diphtheria	272	228	152	215	435	241	260	219	209	164
Encephalitis, primary	---	1,618	1,059	1,524	1,580	1,613	1,781	1,478	2,121	1,722
Encephalitis, post-infectious	---	349	243	439	370	304	502	1,060	964	981
Hepatitis A	40,358	50,749	54,074	59,606	56,797	48,416	45,893	38,909	32,859	33,856
Hepatitis B	10,631	8,451	9,402	9,556	8,310	5,909	4,829	2,458	1,497	---
Hepatitis, unspecified	8,351	Not previously reportable nationally								
Leprosy	118	146	130	131	129	98	123	81	109	96
Leptospirosis	68	57	41	62	47	89	69	67	72	84
Malaria	293	237	742	2,375	3,051	3,102	2,317	2,022	565	147
Measles (rubeola)	22,094	26,690	32,275	75,290	47,351	25,826	22,231	62,705	204,136	261,904
Meningococcal infections	1,346	1,378	1,323	2,262	2,505	2,951	2,623	2,161	3,381	3,040
Mumps	59,128	69,612	74,215	124,939	104,953	90,918	152,209	Not previously reportable nationally		
Pertussis (whooping cough)	2,402	1,759	3,287	3,036	4,249	3,285	4,810	9,718	7,717	6,799
Poliomyelitis, total	7	8	31	21	33	20	53	41	113	72
Paralytic	7	7	29	17	31	18	53	40	106	61
Psittacosis	164	33	52	32	35	57	43	41	50	60
Rabies in man	---	1	2	2	2	1	1	2	1	2
Rheumatic fever, acute ¹	2,431	2,560	2,614	2,793	3,227	3,229	3,470	3,985	4,472	4,998
Rubella (German measles)	11,917	27,804	25,507	45,086	56,552	57,686	49,371	46,888	46,975	---
Rubella congenital syndrome	45	35	42	68	77	31	14	10	11	---
Salmonellosis, excluding typhoid fever	21,980	23,818	22,151	21,928	22,096	18,419	16,514	18,120	16,841	17,161
Shigellosis	22,600	22,642	20,207	16,143	13,845	11,946	12,180	13,474	11,888	11,027
Tetanus	101	101	128	116	148	185	178	263	235	300
Trichinosis	120	102	89	103	109	222	77	66	115	199
Tuberculosis (newly reported active cases) ²	30,210	30,998	32,882	35,217	37,137	39,120	42,623	45,647	47,767	49,016
Tularemia	144	171	152	187	172	149	186	184	208	264
Typhoid fever	437	680	398	407	346	364	395	396	378	454
Typhus fever, flea-borne (endemic, murine)	26	32	18	23	27	36	36	52	33	28
Typhus fever, tick-borne (Rocky Mountain spotted)	754	668	523	432	380	498	298	305	268	281
Venereal diseases (newly reported civilian cases)										
Syphilis	83,771	87,469	91,149	95,997	91,382	92,162	96,271	102,581	105,159	112,842
Gonorrhea	898,943	842,621	767,215	670,268	600,072	534,872	464,543	404,836	351,738	324,925
Other specified venereal diseases: chancroid, granuloma inguinale, and lymphogranuloma venereum	1,386	1,635	2,251	2,101	2,152	1,778	1,486	1,309	1,294	2,015
Rabies in animals ²	3,123	3,640	4,369	4,310	3,224	3,490	3,591	4,481	4,178	4,574

¹ Reports of cases of acute rheumatic fever were received from 36 States (see p. 8).

² Provisional figure for 1974.

TABLE 2(B). Reported Cases of Specified Notifiable Diseases per 100,000 Population, United States, 1965-1974

DISEASE	1974	1973	1972	1971	1970	1969	1968	1967	1966	1965
Amebiasis	1.30	1.07	1.06	1.33	1.42	1.44	1.50	1.60	1.49	1.43
Anthrax	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Aseptic meningitis	1.53	2.33	2.23	2.51	3.18	1.82	2.25	1.56	1.56	1.20
Botulism	0.01	0.02	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.01
Brucellosis (undulant fever)	0.11	0.10	0.09	0.09	0.10	0.12	0.11	0.13	0.13	0.14
Chickenpox	72.20	97.68	87.34	Not previously reportable nationally						
Diphtheria	0.13	0.11	0.07	0.10	0.21	0.12	0.13	0.11	0.11	0.08
Encephalitis, primary	—	0.77	0.51	0.74	0.78	0.80	0.89	0.75	1.08	0.89
Encephalitis, post-infectious	—	0.17	0.12	0.21	0.18	0.15	0.25	0.54	0.49	0.51
Hepatitis A	19.54	24.18	25.97	28.90	27.87	23.98	22.96	19.67	16.77	17.47
Hepatitis B	5.15	4.03	4.52	4.74	4.08	3.02	2.49	1.28	1.79	
Hepatitis, Unspecified	3.95	Not previously reportable nationally								
Leprosy	0.06	0.07	0.06	0.06	0.06	0.05	0.06	0.04	0.06	0.05
Leptospirosis	0.03	0.03	0.02	0.03	0.02	0.04	0.03	0.03	0.04	0.04
Malaria	0.14	0.11	0.36	1.15	1.50	1.54	1.16	1.02	0.29	0.08
Measles (rubeola)	10.45	12.72	15.50	36.50	23.23	12.79	11.12	31.69	105.42	136.73
Meningococcal infections	0.64	0.66	0.64	1.10	1.23	1.46	1.31	1.09	1.73	1.57
Mumps	29.00	36.23	38.42	65.33	55.55	48.65	87.87	Not previously reportable nationally		
Pertussis (whooping cough)	1.15	0.84	1.58	1.47	2.08	1.63	2.41	4.91	3.98	3.55
Poliomyelitis, total	0.00	0.00	0.01	0.01	0.02	0.01	0.03	0.02	0.06	0.04
Paralytic	0.00	0.00	0.01	0.01	0.02	0.01	0.03	0.02	0.05	0.03
Psittacosis	0.08	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.03
Rabies in man	—	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Rheumatic fever, acute	1.79	0.92	2.01	2.16	2.45	2.48	2.67	3.12	3.63	4.25
Rubella (German measles)	5.64	13.25	12.25	21.86	27.75	28.91	25.67	25.74	24.57	—
Rubella congenital syndrome	0.02	0.02	0.02	0.03	0.04	0.02	0.01	0.01	0.01	—
Salmonellosis, excluding typhoid fever	10.40	11.35	10.64	10.63	10.84	9.12	8.26	9.16	8.60	8.86
Shigellosis	10.69	10.79	9.70	7.83	6.79	5.92	6.09	6.81	6.07	5.69
Tetanus	0.05	0.05	0.06	0.06	0.07	0.09	0.09	0.13	0.12	0.15
Trichinosis	0.06	0.05	0.04	0.05	0.05	0.11	0.04	0.03	0.06	0.10
Tuberculosis (newly reported active cases)	14.29	14.77	15.79	17.07	18.22	19.37	21.33	23.07	24.38	25.29
Tularemia	0.07	0.08	0.07	0.09	0.08	0.07	0.09	0.11	0.11	0.14
Typhoid fever	0.21	0.32	0.19	0.20	0.17	0.18	0.20	0.20	0.19	0.23
Typhus fever, flea-borne (murine)	0.01	0.02	0.01	0.01	0.01	0.02	0.02	0.03	0.02	0.02
Typhus fever, tick-borne (Rocky Mountain spotted)	0.36	0.32	0.25	0.21	0.19	0.25	0.15	0.15	0.14	0.14
Venereal diseases (newly reported civilian cases)										
Syphilis	39.95	42.03	44.15	47.00	45.30	46.28	48.84	52.53	54.37	58.89
Gonorrhea	428.70	404.92	371.61	328.16	297.47	268.58	235.67	207.33	181.85	169.58
Other specified venereal disease:										
Chancroid, granuloma inguinale, and										
lymphogranuloma venereum	0.66	0.79	1.09	1.03	1.07	0.89	0.75	0.67	0.67	1.05

Total resident population used to calculate all rates except venereal diseases for which civilian resident population was used.

TABLE 3(A). Deaths from Specified Notifiable Diseases, United States, 1964-1973
 (Numbers after cause of death are category numbers of the Eighth Revision of the International Lists, 1965.
 Deaths are classified according to the Seventh Revision for 1964-67 and according to the Eighth Revision for 1968-73.)

CAUSE OF DEATH		1973	1972	1971	1970	1969	1968	1967	1966	1965	1964
Amebiasis	006	31	52	60	59	58	51	65	54	66	65
Anthrax	022	—	—	—	—	—	—	—	—	—	1
Botulism	005.1	6	6	7	7	4	2	2	—	8	8
Brucellosis	023	1	6	3	2	3	1	4	3	6	4
Chickenpox	052	138	122	98	93	81	99	118	137	143	153
Diphtheria	032	10	10	13	30	25	30	32	20	18	42
Encephalitis, acute infectious	062-065,079.2	326	266	320	327	386	362	419	579	500	534
Hepatitis, infectious	070	656	778	906	1,014	1,011	877	844	757	707	745
Leprosy	030	1	—	1	5	4	5	4	6	3	5
Leptospirosis	100	6	10	6	4	5	9	4	9	11	14
Malaria	084	7	—	6	5	11	7	4	5	8	3
Measles (rubeola)	055	23	24	90	89	41	24	81	261	276	421
Meningococcal infections	036	330	350	509	550	744	741	635	876	890	750
Mumps	072	12	16	15	16	22	25	37	43	31	50
Pertussis (whooping cough)	033	5	6	18	12	13	36	37	49	55	93
Plague	020	—	—	—	1	—	1	1	1	1	—
Poliomyelitis		10	2	18	7	13	24	16	9	16	17
Bulbar or polioencephalitis	040	4	—	2	2	3	7	6	3	6	6
With other paralysis	041	3	—	2	1	1	3	2	3	3	3
Unspecified	043	3	2	14	4	9	14	8	3	7	8
Psittacosis	073	1	—	1	1	—	—	1	1	—	—
Rabies	071	1	2	2	2	1	1	2	2	2	1
Rheumatic fever, acute	390-392	183	180	230	256	320	363	376	456	483	509
Rubella (German measles)	056	16	14	20	31	29	24	16	12	16	53
Salmonellosis, including paratyphoid fever	002-003	76	68	81	81	82	70	63	73	87	67
Shigellosis	044	33	38	24	30	36	60	62	86	99	125
Streptococcal sore throat and scarlet fever	034	20	16	23	29	41	28	47	65	63	95
Tetanus	037	40	58	64	79	89	86	144	158	181	179
Trichinosis	124	1	2	4	1	—	—	2	3	3	1
Tuberculosis (all forms)	010-019	3,875	4,376	4,501	5,217	5,567	6,292	6,901	7,625	7,934	8,303
Tularemia	021	4	—	2	2	1	1	3	2	2	6
Typhoid fever	001	7	8	4	6	4	7	12	15	6	14
Typhus fever, flea-borne (murine)	081.0	1	—	—	—	—	—	—	—	—	—
Typhus fever, tick-borne (Rocky Mountain spotted)	082.0	38	50	36	29	36	21	28	21	16	17
Venereal diseases and sequelae											
Syphilis	090-097	393	344	375	461	543	586	2,381	2,193	2,434	2,619
Gonorrhea	098	11	8	9	9	3	1	11	18	9	13
Other	099	3	4	6	6	9	6	6	9	11	10

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.

TABLE 3(B). Deaths from Selected Non-Notifiable Acute Diseases, United States, 1964-1973

CAUSE OF DEATH	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964	
Abscess of lung	513	807	836	778	893	858	878	565	541	601	659
Empyema and pleurisy	510-511	657	708	720	730	692	796	441	467	450	464
Fungal infections											
Actinomycosis	113	8	10	12	18	15	16	28	21	26	31
Coccidioidomycosis	114	37	30	37	42	60	58	49	45	52	46
Blastomycosis	116.1-116.2	—	—	3	3	2	—	17	12	29	21
Cryptococcosis	116.0	125	136	119	112	117	96	65	90	62	74
Histoplasmosis	115	53	62	55	56	61	58	67	60	74	77
Moniliasis	112	173	138	159	153	114	112	94	87	93	81
Herpes zoster	053	95	86	75	79	82	69	64	69	78	81
Hydatid disease	122	4	4	7	3	9	6	10	7	7	6
Meningitis, excluding meningococcal and tuberculous	320	1,523	1,482	1,553	1,701	1,719	1,707	2,046	2,324	2,363	2,464
Mononucleosis, infectious	075	25	18	22	19	21	14	23	18	28	20
Respiratory infections											
Bronchitis, acute	466	905	1,146	1,154	1,310	1,286	1,432	958	987	1,004	998
Influenza	470-474	5,131	4,986	1,504	3,707	5,971	7,062	1,475	2,830	2,295	1,687
Pneumonia (primary cause of death)	480-486	57,428	57,594	55,690	59,032	62,394	66,430	55,417	60,785	59,608	57,764
Upper respiratory infections, acute	460-465	453	504	522	574	621	784	592	670	745	776
Sepsis of											
Abortion	640.0,641.0,642.0,643.0,644.0,645.0										
Childbirth	640.2,641.2,642.2,643.2,644.2,645.2	24	46	64	94	94	84	104	135	158	167
Septicemia and pyemia	635,670	9	38	30	18	27	32	50	44	53	67
Septicemia and pyemia	038	4,560	4,214	3,907	3,535	3,009	2,991	3,422	3,312	3,224	3,235
Worm infestation	123,125-129	14	12	8	9	16	11	40	36	68	41

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.

TABLE 4. Reported Cases of Notifiable Diseases by Month, United States, 1974

DISEASE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Month Not Stated
Amebiasis	2,743	176	177	199	236	253	195	352	218	253	211	257	216	—
Anthrax	2	—	—	—	—	—	—	—	—	—	1	—	—	1
Aseptic meningitis	3,197	183	133	136	154	205	234	373	509	391	387	302	190	—
Botulism	28	2	—	2	1	2	—	3	—	5	2	2	7	2
Brucellosis	240	13	6	13	22	19	25	23	19	21	26	22	31	—
Chickenpox	141,495	17,166	18,134	20,970	18,983	19,993	13,192	4,337	1,686	1,311	4,406	9,158	12,157	2
Diphtheria	272	5	13	40	48	31	15	13	15	16	15	25	34	2
Hepatitis A	40,358	3,749	3,643	3,575	3,448	3,596	3,038	3,199	3,311	3,028	3,661	3,352	2,757	1
Hepatitis B	10,631	798	745	856	842	866	906	960	938	903	1,022	967	821	7
Hepatitis, unspecified	8,351	699	759	823	786	798	619	652	649	553	670	713	625	5
Leprosy	118	8	3	19	15	7	11	7	11	5	9	9	7	7
Leptospirosis	68	6	5	7	6	3	3	4	3	5	5	11	6	4
Malaria	293	16	19	10	12	16	13	36	36	38	48	24	25	—
Measles (rubeola)	22,094	1,827	2,354	3,193	3,845	3,938	2,867	1,087	518	365	563	696	839	2
Meningococcal infections, total	1,346	116	129	189	168	112	90	99	68	55	100	121	98	1
Military	30	1	5	6	3	5	4	2	—	1	1	1	1	—
Mumps	59,128	7,160	7,349	8,306	6,434	7,404	5,045	2,039	1,357	1,068	2,456	4,759	5,751	—
Pertussis	2,402	156	147	129	137	130	168	276	295	220	173	168	173	230
Poliomyelitis, total	7	1	—	1	—	1	—	1	—	1	—	—	2	—
Paralytic	7	1	—	1	—	1	—	1	—	1	—	—	2	—
Psittacosis	164	3	3	2	2	4	1	63	32	38	2	6	8	—
Rabies in man	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic fever, acute*	2,431	179	259	272	245	221	175	153	170	137	169	210	181	60
Rubella (German measles)	11,917	777	1,080	1,838	1,848	1,812	1,266	532	536	548	569	587	463	61
Rubella congenital syndrome	45	9	4	8	4	6	—	—	4	4	3	—	2	1
Salmonellosis	21,980	1,784	1,477	1,498	1,360	1,672	1,749	2,091	2,301	2,146	2,195	1,846	1,810	51
Shigellosis	22,600	1,686	1,516	1,781	1,492	1,909	1,939	2,055	2,500	2,126	2,223	1,813	1,501	59
Tetanus	101	5	4	7	2	8	4	17	12	12	12	5	13	—
Trichinosis	120	17	11	18	10	13	4	11	5	7	10	5	8	1
Tularemia	144	7	9	13	7	15	23	16	20	9	12	7	6	—
Typhoid fever	437	32	30	27	20	30	35	50	48	39	60	26	40	—
Typhus fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Flea-borne (endemic, murine)	26	—	3	3	2	2	—	1	7	4	—	2	2	—
Tick-borne (Rocky Mountain spotted)	754	1	2	—	24	122	175	173	145	51	30	17	13	1

*Based on reports from 36 States.

TABLE 5. Reported Cases of Notifiable Diseases by Geographic Division
and by State, United States, 1974

AREA	POPULATION (in thousands)	AMEBIA- SIS	ASEPTIC MENINGITIS	BRUCEL- LOSIS	CHICKEN- POX	DIPH- THERIA	HEPATITIS, VIRAL		
							A	B	UNSPEC- IFIED
UNITED STATES	211,390	2,743	3,197	240	141,495	272	40,358	10,631	8,351
NEW ENGLAND	12,150	31	136	2	20,609	—	1,735	405	665
Maine	1,047	—	7	—	883	—	202	4	67
New Hampshire	808	1	12	—	1,442	—	198	24	11
Vermont	470	—	10	—	723	—	139	1	17
Massachusetts	5,800	3	61	1	8,051	—	297	259	564
Rhode Island	937	6	39	1	3,630	—	341	49	—
Connecticut	3,088	21	7	—	5,880	—	558	68	6
MIDDLE ATLANTIC	37,276	1,396	414	6	7,160	1	4,606	1,897	681
Upstate New York	10,323*	22	167	—	2,658	—	1,699	256	240
New York City	7,788*	1,268	37	1	3,877	—	818	260	—
New Jersey	7,330	94	151	—	226	—	922	846	299
Pennsylvania	11,835	12	59	5	399	1	1,167	535	142
EAST NORTH CENTRAL	40,862	126	361	35	56,651	3	7,018	1,765	1,035
Ohio	10,737	5	76	3	7,769	1	1,411	318	—
Indiana	5,330	5	29	3	4,676	—	352	41	349
Illinois	11,131	101	75	26	8,202	2	1,907	626	448
Michigan	9,098	15	162	1	19,362	—	2,780	590	229
Wisconsin	4,566	—	19	2	16,642	—	568	190	9
WEST NORTH CENTRAL	16,682	84	234	41	17,077	—	2,112	561	310
Minnesota	3,917	7	52	—	741	—	527	246	40
Iowa	2,855	34	61	29	8,748	—	269	91	56
Missouri	4,777	10	96	7	4,466	—	425	144	186
North Dakota	637	—	3	—	597	—	86	7	—
South Dakota	682	2	2	—	35	—	164	4	—
Nebraska	1,543	2	4	2	222	—	86	31	28
Kansas	2,270	29	16	3	2,268	—	555	38	—
SOUTH ATLANTIC	33,206	206	441	53	12,478	1	6,356	1,155	1,726
Delaware	573	—	4	—	201	—	37	14	13
Maryland	4,094	7	27	—	268	—	331	160	115
District of Columbia	723	1	—	—	176	—	44	74	5
Virginia	4,908	179	63	27	669	—	510	152	161
West Virginia	1,791	—	21	—	5,734	—	148	10	15
North Carolina	5,363	4	45	6	NN	1	929	142	148
South Carolina	2,784	—	32	1	1,068	—	278	41	143
Georgia	4,882	2	1	15	35	—	NA	NA	1,126
Florida	8,090	13	248	4	4,327	—	4,079	562	—
EAST SOUTH CENTRAL	13,387	45	223	22	2,911	—	3,164	625	373
Kentucky	3,357	—	31	2	2,122	—	887	119	322
Tennessee	4,129	36	95	11	NN	—	1,700	267	9
Alabama	3,577	4	59	1	570	—	323	186	42
Mississippi	2,324	5	38	8	219	—	254	53	—
WEST SOUTH CENTRAL	20,584	263	449	43	9,756	10	5,382	746	581
Arkansas	2,062	14	8	9	1,084	—	458	63	103
Louisiana	3,764	34	148	3	NA	—	443	176	176
Oklahoma	2,709	29	65	13	1,167	1	663	150	186
Texas	12,050	186	228	18	7,505	9	3,818	357	116
MOUNTAIN	9,411	116	11	11	3,604	56	2,117	342	1,348
Montana	735	—	1	4	1,255	—	383	28	9
Idaho	799	6	1	2	67	—	122	9	32
Wyoming	359	3	—	—	38	—	47	2	16
Colorado	2,496	18	1	1	1,018	9	288	120	551
New Mexico	1,122	5	5	3	882	17	294	36	425
Arizona	2,153	80	NN	—	NN	30	564	104	210
Utah	1,173	3	3	1	274	—	217	39	104
Nevada	573	1	—	—	70	—	202	4	1
PACIFIC	27,833	476	928	27	11,249	201	7,868	3,135	1,632
Washington	3,476	11	83	—	8,416	190	733	274	605
Oregon	2,266	8	36	—	54	—	831	219	120
California	20,907	452	729	23	1,520	7	5,883	2,508	869
Alaska	337	—	4	4	490	4	283	51	2
Hawaii	847	5	76	—	769	—	138	83	36
Guam	114*	2	8	—	175	—	311	25	160
Puerto Rico	2,854*	3	5	11	911	—	—	23	521

*Estimated

**TABLE 5. Reported Cases of Notifiable Diseases by Geographical Division
and by State, United States, 1974 — Continued**

AREA	MALARIA	MEASLES	MENINGO- COCCAL INFECTIONS	MUMPS	PERTUSSIS	RHEUMATIC FEVER ACUTE	RUBELLA	
							Cases	Congenital Syndrome
UNITED STATES	293	22,094	1,346	59,128	2,402	2,431	11,917	45
NEW ENGLAND	15	970	68	6,818	65	15	1,195	1
Maine	—	42	4	982	—	1	302	—
New Hampshire	1	212	12	307	11	...	23	1
Vermont	1	56	3	21	—	1	43	—
Massachusetts	5	416	19	1,117	11	...	385	—
Rhode Island	3	61	10	2,693	11	...	20	—
Connecticut	5	183	20	1,698	32	13	422	—
MIDDLE ATLANTIC	61	8,318	183	4,296	236	...	1,167	5
Upstate New York	17	1,003	69	1,167	84	...	267	3
New York City	19	651	26	788	75	...	173	—
New Jersey	12	5,693	55	784	8	...	465	2
Pennsylvania	13	971	33	1,557	69	...	262	—
EAST NORTH CENTRAL ...	29	8,675	205	17,514	729	1,341	3,845	1
Ohio	6	3,064	71	3,547	163	597	529	—
Indiana	1	285	24	1,477	53	42	645	—
Illinois	6	2,259	36	1,707	269	689	635	—
Michigan	14	2,365	54	7,230	104	...	1,388	1
Wisconsin	2	702	20	3,553	140	13	648	—
WEST NORTH CENTRAL ...	7	831	116	4,896	60	361	413	9
Minnesota	2	85	37	100	2	2	18	1
Iowa	3	134	9	1,985	15	57	15	—
Missouri	1	268	49	1,755	25	171	183	4
North Dakota	—	35	1	118	1	74	19	2
South Dakota	1	31	2	3	3	2	26	1
Nebraska	—	94	3	93	4	...	6	—
Kansas	—	184	15	842	10	55	146	1
SOUTH ATLANTIC	40	614	258	6,737	172	50	1,376	2
Delaware	1	15	6	107	3	7	31	—
Maryland	12	24	20	160	6	2	5	—
District of Columbia	5	3	2	52	—	...	5	—
Virginia	7	36	43	822	38	...	67	—
West Virginia	1	232	9	3,448	17	4	317	—
North Carolina	4	5	52	NR	54	...	57	1
South Carolina	1	59	22	144	9	...	685	—
Georgia	1	3	9	1	15	...	4	—
Florida	8	237	95	2,003	30	37	205	1
EAST SOUTH CENTRAL ...	10	292	126	7,112	190	280	673	—
Kentucky	5	198	51	3,198	51	155	223	—
Tennessee	1	54	51	2,893	80	52	359	—
Alabama	—	21	13	618	20	70	66	—
Mississippi	4	19	11	403	39	3	25	—
WEST SOUTH CENTRAL ...	17	262	198	4,496	164	69	578	13
Arkansas	1	7	14	256	25	2	25	—
Louisiana	1	13	49	323	20	22	178	—
Oklahoma	6	30	19	417	20	12	58	1
Texas	9	212	116	3,500	99	33	317	12
MOUNTAIN	13	842	56	1,247	58	281	417	6
Montana	—	284	8	164	8	12	27	—
Idaho	—	56	1	162	4	43	20	2
Wyoming	—	14	3	18	1	91	2	—
Colorado	6	179	9	616	9	26	177	1
New Mexico	3	63	4	187	21	7	130	—
Arizona	2	21	11	NN	NN	61	2	2
Utah	1	15	10	77	15	41	27	1
Nevada	1	210	10	23	—	...	32	—
PACIFIC	101	1,290	136	6,012	728	34	2,253	8
Washington	—	84	21	2,284	87	5	420	—
Oregon	5	23	22	857	52	8	242	—
California	91	1,115	85	2,639	588	20	1,572	8
Alaska	—	—	5	152	—	1	—	—
Hawaii	5	68	3	80	1	...	19	—
Guam	2	20	3	388	1	9	9	—
Puerto Rico	1	679	6	1,284	37	52	35	—

TABLE 5. Reported Cases of Notifiable Diseases by Geographic Division and by State, United States, 1974 — Continued

AREA	SALMONEL- LOSIS (Excluding Typhoid Fever)	SHIGELLOSIS	TETANUS	TRICHI- NOSIS	TULA- REMIA	TYPHOID FEVER	TYPHUS FEVER (Tick-borne, Rky Mt Spotted)
UNITED STATES	21,980	22,600	101	120	144	437	754
NEW ENGLAND	1,490	1,338	1	19	—	31	11
Maine	84	15	—	—	—	1	—
New Hampshire	62	26	1	—	—	1	—
Vermont	78	163	—	—	—	1	—
Massachusetts	740	659	—	3	—	16	7
Rhode Island	96	93	—	5	—	2	2
Connecticut	430	382	—	11	—	10	2
MIDDLE ATLANTIC	3,199	2,412	7	50	2	71	69
Upstate New York	608	697	2	21	2	16	27
New York City	524	489	1	7	—	34	6
New Jersey	1,162	454	2	17	—	12	4
Pennsylvania	905	772	2	5	—	9	32
EAST NORTH CENTRAL ...	4,104	5,451	15	20	9	49	33
Ohio	590	730	2	3	—	7	17
Indiana	302	289	2	—	—	7	—
Illinois	1,563	1,856	4	14	6	22	14
Michigan	1,001	1,436	6	3	—	11	2
Wisconsin	648	1,140	1	—	3	2	—
WEST NORTH CENTRAL ...	1,558	1,538	16	2	23	11	17
Minnesota	332	370	3	—	—	3	—
Iowa	208	305	1	—	—	3	3
Missouri	473	466	7	2	20	4	8
North Dakota	50	41	2	—	—	—	—
South Dakota	81	122	—	—	3	—	—
Nebraska	84	33	—	—	—	—	—
Kansas	330	201	3	—	—	1	6
SOUTH ATLANTIC	4,003	2,374	24	5	13	56	400
Delaware	49	33	—	—	—	—	9
Maryland	711	299	—	—	1	9	48
District of Columbia	103	149	—	—	—	1	—
Virginia	546	213	4	3	4	2	124
West Virginia	61	40	1	1	—	15	5
North Carolina	361	321	4	1	3	6	113
South Carolina	147	109	4	—	—	5	56
Georgia	844	480	1	—	5	2	43
Florida	1,181	730	10	—	—	16	2
EAST SOUTH CENTRAL	1,248	761	10	2	15	56	113
Kentucky	187	80	1	2	3	19	21
Tennessee	485	442	4	—	7	26	59
Alabama	328	130	1	—	2	4	14
Mississippi	248	109	4	—	3	7	19
WEST SOUTH CENTRAL ...	1,825	1,654	10	9	60	31	103
Arkansas	317	162	—	1	32	6	14
Louisiana	246	175	3	2	2	10	1
Oklahoma	268	191	3	2	18	2	70
Texas	994	1,126	4	4	8	13	18
MOUNTAIN	1,036	2,731	1	1	13	19	5
Montana	56	350	—	—	—	—	—
Idaho	85	115	—	—	—	—	1
Wyoming	12	22	—	—	5	3	1
Colorado	435	917	—	1	—	1	—
New Mexico	104	250	1	—	2	5	2
Arizona	202	708	—	—	NR	9	NR
Utah	86	336	—	—	6	—	1
Nevada	56	33	—	—	—	1	—
PACIFIC	3,517	4,341	17	12	9	113	3
Washington	343	484	1	1	—	13	1
Oregon	147	255	2	—	2	1	2
California	2,314	3,455	13	8	7	93	—
Alaska	118	50	—	1	—	2	—
Hawaii	595	97	1	2	—	4	—
Guam	14	4	2	—	—	2	—
Puerto Rico	84	15	7	—	—	5	—

TABLE 6. Reported Cases of Notifiable Diseases of Low Frequency by Geographic Division and by State, United States, 1974

AREA	ANTHRAX	BOTULISM	LEPROSY	LEPTO-SPIROSIS	POLIOMYELITIS		PSITTACOSIS	MURINE TYPHUS
					Total	Paralytic		
UNITED STATES	2	28	118	68	7	7	164	26
NEW ENGLAND	—	1	4	3	—	—	—	—
Maine	—	—	—	—	—	—	—	—
New Hampshire	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	—	—
Massachusetts	—	—	1	2	—	—	—	—
Rhode Island	—	1	—	—	—	—	—	—
Connecticut	—	—	3	1	—	—	—	—
MIDDLE ATLANTIC	—	4	5	4	—	—	11	—
Upstate New York	—	—	2	1	—	—	3	—
New York City	—	2	3	—	—	—	1	—
New Jersey	—	1	—	—	—	—	—	—
Pennsylvania	—	1	—	3	—	—	7	—
EAST NORTH CENTRAL ...	—	1	4	2	3	3	7	—
Ohio	—	1	1	—	—	—	2	—
Indiana	—	—	—	—	1	1	—	—
Illinois	—	—	3	1	—	—	1	—
Michigan	—	—	—	1	2	2	—	—
Wisconsin	—	—	—	—	—	—	4	—
WEST NORTH CENTRAL ...	1	2	1	8	2	2	68	1
Minnesota	—	—	—	1	—	—	1	—
Iowa	—	2	1	—	2	2	1	—
Missouri	—	—	—	7	—	—	54	—
North Dakota	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	1
Nebraska	—	—	—	—	—	—	12	—
Kansas	1	—	—	—	—	—	—	—
SOUTH ATLANTIC	1	—	8	10	1	1	6	4
Delaware	—	—	—	—	—	—	—	—
Maryland	—	—	—	—	—	—	—	1
District of Columbia	—	—	1	—	—	—	—	—
Virginia	—	—	—	2	1	1	2	3
West Virginia	—	—	—	—	—	—	—	—
North Carolina	—	—	—	—	—	—	—	—
South Carolina	—	—	—	—	—	—	—	—
Georgia	—	—	—	—	—	—	—	—
Florida	1	—	7	8	—	—	4	—
EAST SOUTH CENTRAL	—	1	—	6	1	1	—	—
Kentucky	—	—	—	—	—	—	—	—
Tennessee	—	—	—	1	—	—	—	—
Alabama	—	1	—	3	1	1	—	—
Mississippi	—	—	—	2	—	—	—	—
WEST SOUTH CENTRAL	—	2	23	16	—	—	58	12
Arkansas	—	—	—	5	—	—	—	—
Louisiana	—	—	5	4	—	—	—	—
Oklahoma	—	—	—	2	—	—	—	—
Texas	—	2	18	5	—	—	58	12
MOUNTAIN	—	5	—	2	—	—	—	—
Montana	—	—	—	—	—	—	—	—
Idaho	—	1	—	1	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—
Colorado	—	—	—	—	—	—	—	—
New Mexico	—	—	—	—	—	—	—	—
Arizona	—	—	—	—	—	—	—	—
Utah	—	2	—	—	—	—	—	—
Nevada	—	2	—	1	—	—	—	—
PACIFIC	—	12	73	17	—	—	14	9
Washington	—	2	—	—	—	—	2	—
Oregon	—	1	2	4	—	—	3	—
California	—	4	42	5	—	—	9	7
Alaska	—	5	—	—	—	—	—	—
Hawaii	—	—	29	8	—	—	—	2
Guam	—	—	1	—	—	—	—	—
Puerto Rico	—	—	13	—	1	1	—	—

TABLE 7. Reported Cases of Infectious Encephalitis by Geographic Division and by State, United States, 1973

	TOTAL	ARBOVIRUSES				POST-INFECTIOUS				OTHER ENCEPHALITIDES			
		WEE	SLE	EEE	Calif	Mumps	Measles	Chicken pox	Rubella	CAUSE SPECIFIED			ETIOLOGY UNKNOWN
										Enteroviral	Herpes Simplex	Other	
UNITED STATES	1,967	4	5	4	75	214	37	102	1	13	44	18	1,450
NEW ENGLAND	80	—	—	—	—	15	4	2	—	—	1	1	57
Maine	1	—	—	—	—	—	—	—	—	—	—	—	1
New Hampshire	6	—	—	—	—	1	—	—	—	—	1	—	4
Vermont	1	—	—	—	—	—	—	—	—	—	—	—	1
Massachusetts	42	—	—	—	—	6	1	—	—	—	—	—	35
Rhode Island	4	—	—	—	—	3	—	—	—	—	—	1	—
Connecticut	26	—	—	—	—	5	3	2	—	—	—	—	16
MIDDLE ATLANTIC	231	—	—	3	5	39	5	10	—	—	6	3	160
Upstate New York	67	—	—	—	5	13	—	5	—	—	1	1	42
New York City	36	—	—	—	—	11	3	—	—	—	1	2	19
New Jersey	28	—	—	3	—	1	1	—	—	—	2	—	21
Pennsylvania	100	—	—	—	—	14	1	5	—	—	2	—	78
EAST NORTH CENTRAL	727	—	—	—	44	67	14	41	—	4	13	5	539
Ohio	362	—	—	—	22	22	—	6	—	—	—	—	312
Indiana	36	—	—	—	4	6	1	3	—	2	2	—	18
Illinois	131	—	—	—	3	25	7	20	—	—	—	1	75
Michigan	163	—	—	—	—	12	6	12	—	—	3	3	127
Wisconsin	35	—	—	—	15	2	—	—	—	2	8	1	7
WEST NORTH CENTRAL	224	—	—	—	26	11	—	7	—	4	6	3	167
Minnesota	66	—	—	—	21	8	—	4	—	—	4	2	27
Iowa	23	—	—	—	3	1	—	—	—	4	1	—	14
Missouri	107	—	—	—	2	—	—	2	—	—	—	—	103
North Dakota	6	—	—	—	—	—	—	—	—	—	—	—	6
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	2	—	—	—	—	1	—	—	—	—	—	—	1
Kansas	20	—	—	—	—	1	—	1	—	—	1	1	16
SOUTH ATLANTIC	143	—	—	—	—	18	3	6	—	1	8	3	104
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	24	—	—	—	—	—	—	—	—	—	—	—	24
District of Columbia	—	—	—	—	—	—	—	—	—	—	—	—	—
Virginia	35	—	—	—	—	5	—	1	—	—	—	—	29
West Virginia	11	—	—	—	—	1	—	2	—	—	1	—	7
North Carolina	31	—	—	—	—	6	—	—	—	1	1	—	23
South Carolina	15	—	—	—	—	1	—	2	—	—	—	—	12
Georgia	5	—	—	—	—	—	1	—	—	—	—	1	3
Florida	22	—	—	—	—	5	2	1	—	—	6	2	6
EAST SOUTH CENTRAL	135	—	—	—	—	11	4	13	—	—	—	—	107
Kentucky	6	—	—	—	—	1	2	3	—	—	—	—	—
Tennessee	52	—	—	—	—	8	2	3	—	—	—	—	39
Alabama	37	—	—	—	—	2	—	4	—	—	—	—	31
Mississippi	40	—	—	—	—	—	—	3	—	—	—	—	37
WEST SOUTH CENTRAL	108	1	1	1	—	6	1	4	—	1	—	—	93
Arkansas	12	—	—	—	—	1	—	—	—	—	—	—	11
Louisiana	26	—	—	—	—	2	—	—	—	—	—	—	24
Oklahoma	27	—	—	—	—	—	—	—	—	1	—	—	26
Texas	43	1	1	1	—	3	1	4	—	—	—	—	32
MOUNTAIN	23	1	—	—	—	2	—	—	—	—	4	1	15
Montana	6	—	—	—	—	—	—	—	—	—	2	—	4
Idaho	2	—	—	—	—	1	—	—	—	—	—	—	1
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	4	—	—	—	—	—	—	—	—	—	—	1	3
New Mexico	6	1	—	—	—	1	—	—	—	—	—	—	4
Arizona	5	—	—	—	—	—	—	—	—	—	2	—	3
Utah	—	—	—	—	—	—	—	—	—	—	—	—	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	296	2	4	—	—	45	6	19	1	3	6	2	208
Washington	23	2	—	—	—	3	4	—	—	—	4	—	10
Oregon	10	—	—	—	—	4	—	1	—	—	—	—	5
California	256	—	4	—	—	37	2	17	1	3	2	1	189
Alaska	1	—	—	—	—	1	—	—	—	—	—	—	—
Hawaii	6	—	—	—	—	—	—	1	—	—	—	1	4
Puerto Rico	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 8. New Active Tuberculosis Cases by Geographic Division and by State, United States, 1973 and 1974 (Provisional)

AREA	Provisional		Final
	1974	1973	
UNITED STATES	30,210	31,015	30,998
NEW ENGLAND	1,181	1,203	1,216
Maine	91	107	107
New Hampshire	30	52	52
Vermont	23	30	32
Massachusetts	649	673	676
Rhode Island	108	90	90
Connecticut	280	251	259
MIDDLE ATLANTIC	5,439	5,964	5,874
New York	2,866	3,197	3,110
New Jersey	1,016	1,075	1,075
Pennsylvania	1,557	1,692	1,689
EAST NORTH CENTRAL ...	4,754	4,878	4,774
Ohio	1,153	1,369	1,218
Indiana	660	707	677
Illinois	1,585	1,418	1,520
Michigan	1,083	1,153	1,121
Wisconsin	273	231	238
WEST NORTH CENTRAL ...	1,177	1,278	1,289
Minnesota	192	180	183
Iowa	124	125	125
Missouri	565	610	608
North Dakota	35	44	44
South Dakota	64	90	90
Nebraska	41	64	67
Kansas	156	165	172
SOUTH ATLANTIC	6,340	6,218	6,255
Delaware	98	74	74
Maryland	841	689	719
District of Columbia	351	307	307
Virginia	800	850	839
West Virginia	230	223	226
North Carolina	938	986	974
South Carolina	640	615	619
Georgia	982	986	1,010
Florida	1,460	1,488	1,487
EAST SOUTH CENTRAL ...	2,643	2,776	2,798
Kentucky	621	683	674
Tennessee	842	860	889
Alabama	785	790	790
Mississippi	395	443	445
WEST SOUTH CENTRAL ...	3,481	3,493	3,504
Arkansas	404	445	460
Louisiana	475	469	469
Oklahoma	283	340	351
Texas	2,319	2,239	2,224
MOUNTAIN	997	1,060	1,074
Montana	88	61	60
Idaho	38	38	38
Wyoming	25	23	25
Colorado	192	199	197
New Mexico	195	221	221
Arizona	349	403	416
Utah	54	56	56
Nevada	56	59	61
PACIFIC	4,198	4,145	4,214
Washington	346	363	362
Oregon	208	240	239
California	3,167	3,131	3,210
Alaska	111	112	100
Hawaii	366	299	303
Puerto Rico	600	537	519

DISTRIBUTION BY AGE AND RACE, 1973			
Age	Total	White	Other
0-4	1,242	674	568
5-14	1,081	526	555
15-24	2,482	1,263	1,219
25-44	8,153	4,017	4,136
45-64	10,916	6,841	4,075
65+	7,124	5,271	1,853
Total	30,998	18,592	12,406

DISTRIBUTION BY SEX AND RACE, 1973			
Sex	Total	White	Other
Male	20,530	12,500	8,030
Female	10,468	6,092	4,376
Total	30,998	18,592	12,406

DISTRIBUTION BY AGE, RACE AND SEX, 1973				
Age	White		Other	
	Male	Female	Male	Female
0-14	620	580	593	530
15-44	3,126	2,154	3,194	2,161
45-64	5,198	1,643	3,008	1,067
65+	3,556	1,715	1,235	618
Total	12,500	6,092	8,030	4,376

NEW ACTIVE TB CASE RATE BY AGE, RACE AND SEX, 1973							
Age	Total	White			Other		
		Total	Male	Female	Total	Male	Female
0-4	7.4	4.8	5.2	4.4	20.7	22.0	19.4
5-14	2.8	1.6	1.5	1.7	9.1	9.5	8.7
15-24	6.4	3.8	3.9	3.7	22.4	21.9	22.9
25-44	15.9	8.9	11.1	6.8	65.7	90.8	44.5
45-64	25.3	17.7	28.0	8.1	93.7	148.9	45.9
65+	33.4	27.1	44.5	15.0	99.0	151.5	58.5
Total	14.8	10.2	14.0	6.5	46.3	62.7	31.3

TABLE 9(A). Newly Reported Cases of Venereal Diseases in Civilians and Cases per 100,000 Population by Geographic Division and by State, United States, 1973-1974

AREA	SYPHILIS								GONORRHEA				OTHER VENEREAL DISEASES ¹			
	PRIMARY/SECONDARY				ALL STAGES				Cases		Rates		Cases		Rates	
	Cases		Rates		Cases		Rates									
	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973
UNITED STATES ²	25,385	24,825	12.1	11.9	83,771	87,469	39.9	42.0	898,943	842,621	428.7	404.9	1,386	1,635	0.7	0.8
NEW ENGLAND	904	1,074	7.5	8.9	2,501	3,283	20.7	27.2	24,481	23,559	202.3	195.2	8	11	0.1	0.1
Maine	47	24	4.5	2.4	100	97	9.7	9.5	2,080	1,379	200.8	135.5	—	—	0.0	0.0
New Hampshire	13	12	1.6	1.5	48	71	6.0	9.0	808	778	100.6	99.0	—	—	0.0	0.0
Vermont	3	23	0.6	5.0	11	57	2.3	12.3	635	427	135.1	92.0	—	—	0.0	0.0
Massachusetts	638	761	11.0	13.1	1,578	2,220	27.3	38.3	11,255	11,212	194.6	193.5	4	7	0.1	0.1
Rhode Island	17	17	1.8	1.8	158	197	17.0	20.8	2,100	2,094	255.8	221.6	2	4	0.2	0.4
Connecticut	186	237	6.0	7.7	606	641	19.7	20.9	7,603	7,669	247.2	250.5	2	—	0.1	0.0
MIDDLE ATLANTIC	5,433	5,585	14.6	14.9	17,774	16,758	47.8	44.7	111,069	111,571	298.5	297.9	73	76	0.2	0.2
New York	3,676	3,762	20.3	20.6	9,313	8,900	51.5	48.8	68,852	68,342	380.8	374.8	28	37	0.2	0.2
New Jersey	836	1,008	11.5	13.8	2,638	2,892	36.1	39.5	15,358	16,243	210.4	221.7	29	15	0.4	0.2
Pennsylvania	921	815	7.8	6.9	5,823	4,966	49.2	41.8	26,859	26,986	227.2	227.0	16	24	0.1	0.2
EAST NORTH CENTRAL	2,177	2,309	5.3	5.7	11,620	14,478	28.5	35.5	145,418	132,210	356.5	323.9	249	366	0.6	0.9
Ohio	329	274	3.1	2.6	1,687	2,589	15.7	24.2	37,952	32,417	353.9	302.5	17	13	0.2	0.1
Indiana	197	276	3.7	5.2	1,261	1,403	23.7	26.4	13,989	12,262	263.0	231.0	2	1	0.0	0.0
Illinois	1,116	1,193	10.1	10.7	5,275	5,343	47.5	47.7	48,471	45,722	436.8	408.2	47	119	0.4	1.1
Michigan	434	484	4.8	5.4	2,722	4,373	30.0	48.4	32,067	31,086	353.0	344.3	181	232	2.0	2.6
Wisconsin	101	82	2.2	1.8	675	770	14.8	16.9	12,939	10,723	283.4	234.7	2	1	0.0	0.0
WEST NORTH CENTRAL	651	394	3.9	2.4	5,406	5,302	32.6	31.9	47,186	44,147	284.4	265.8	13	16	0.1	0.1
Minnesota	88	100	2.2	2.6	340	384	8.7	9.9	9,510	8,699	242.9	223.4	—	—	0.0	0.0
Iowa	39	56	1.4	1.9	376	417	13.2	14.4	6,184	5,141	216.7	177.1	4	1	0.1	0.0
Missouri	417	189	8.8	4.0	3,632	3,197	76.4	67.6	16,165	14,380	340.2	304.0	6	9	0.1	0.2
North Dakota	7	3	1.1	0.5	20	14	3.2	2.2	756	719	121.2	114.9	—	—	0.0	0.0
South Dakota	3	5	0.4	0.7	32	28	4.7	4.1	2,128	2,126	314.8	313.6	2	—	0.3	0.0
Nebraska	10	16	0.7	1.0	125	198	8.2	12.9	4,062	4,891	265.3	319.7	—	—	0.0	0.0
Kansas	87	25	3.9	1.1	881	1,064	39.3	47.3	8,381	8,191	374.2	364.4	1	6	0.0	0.3
SOUTH ATLANTIC	7,226	6,341	22.6	20.3	18,222	17,489	57.0	56.1	210,624	185,118	659.1	593.4	538	637	1.7	2.0
Delaware	82	92	14.5	16.1	82	177	14.5	31.1	3,220	2,842	567.9	498.6	—	3	0.0	0.5
Maryland	767	712	19.0	17.7	2,947	3,081	72.9	76.8	24,590	17,367	608.5	432.8	11	5	0.3	0.1
Virginia	705	791	14.8	17.0	2,370	2,320	49.9	49.7	21,386	19,930	450.1	427.2	30	42	0.6	0.9
West Virginia	21	20	1.2	1.1	782	839	43.7	46.8	2,676	2,925	149.5	163.1	2	2	0.1	0.1
North Carolina	898	683	17.1	13.2	1,877	1,965	35.7	37.9	31,637	29,601	600.9	571.3	101	121	1.9	2.3
South Carolina	690	765	25.5	28.8	1,862	1,564	68.7	58.9	21,222	20,714	682.8	779.6	31	54	1.1	2.0
Georgia	1,148	1,332	23.8	28.1	2,784	3,205	57.6	67.7	44,387	38,565	918.8	815.0	181	206	3.7	4.4
Florida	2,915	1,946	36.4	25.6	5,518	4,338	69.0	57.2	61,506	53,174	768.6	700.9	182	204	2.3	2.7
EAST SOUTH CENTRAL	1,251	1,332	9.4	10.1	3,112	3,051	23.4	23.1	75,265	67,699	566.7	513.5	90	95	0.7	0.7
Kentucky	267	359	8.0	10.8	909	1,036	27.4	31.3	9,452	8,256	284.6	249.5	2	4	0.1	0.1
Tennessee	459	456	11.2	11.1	998	942	24.3	22.9	29,927	26,510	728.5	645.6	53	57	1.3	1.4
Alabama	256	194	7.2	5.5	499	426	14.1	12.1	20,920	19,093	589.1	543.3	2	1	0.1	0.0
Mississippi	269	323	11.7	14.3	706	648	30.7	28.7	14,966	13,840	650.1	613.5	33	33	1.4	1.5
WEST SOUTH CENTRAL	2,208	2,609	10.8	13.0	7,381	9,171	36.3	45.8	116,476	108,903	572.2	543.8	164	177	0.8	0.9
Arkansas	96	135	4.7	6.7	760	1,055	37.0	52.0	11,970	12,655	583.3	623.7	2	9	0.1	0.4
Louisiana	563	778	15.1	20.8	1,672	2,215	44.8	59.3	23,542	22,619	630.6	605.6	64	99	1.7	2.7
Oklahoma	143	173	5.3	6.6	468	543	17.5	20.6	10,280	9,419	383.6	357.5	5	1	0.2	0.0
Texas	1,406	1,523	11.8	13.1	4,481	5,358	37.7	46.1	70,684	64,210	594.5	552.2	93	68	0.8	0.6
MOUNTAIN	599	565	6.4	6.3	2,042	2,043	22.0	22.6	35,049	29,585	377.2	327.8	10	16	0.1	0.2
Montana	4	4	0.5	0.6	23	19	3.2	2.7	1,961	1,595	269.0	223.4	—	—	0.0	0.0
Idaho	13	10	1.6	1.3	25	23	3.2	3.0	1,765	2,071	222.6	271.1	—	5	0.0	0.7
Wyoming	2	4	0.6	1.1	6	27	1.7	7.7	827	537	232.3	153.9	—	—	0.0	0.0
Colorado	151	196	6.2	8.2	356	435	14.5	18.2	9,537	8,063	389.6	337.8	1	1	0.0	0.0
New Mexico	96	87	8.7	8.0	497	514	44.9	47.2	5,104	4,547	461.1	417.5	4	9	0.4	0.8
Arizona	258	182	12.1	9.0	859	662	40.4	32.6	9,843	7,993	463.0	393.7	5	1	0.2	0.0
Utah	13	13	1.1	1.1	116	157	9.9	13.6	2,197	1,750	187.9	151.8	—	—	0.0	0.0
Nevada	62	69	11.0	12.8	160	206	28.4	38.2	3,815	3,029	676.4	562.0	—	—	0.0	0.0
PACIFIC	4,274	3,862	15.6	14.3	13,561	13,590	49.5	50.4	114,424	119,462	417.6	443.0	47	83	0.2	0.3
Washington	138	156	4.0	4.6	315	322	9.2	9.5	12,420	11,892	362.4	351.5	—	—	0.0	0.0
Oregon	117	49	5.2	2.2	236	148	10.4	6.7	11,704	11,146	517.2	501.4	4	—	0.2	0.0
California	3,976	3,591	19.3	17.7	12,831	12,925	62.3	63.7	84,991	91,654	412.4	451.8	41	83	0.2	0.4
Alaska	10	16	3.2	5.3	115	103	37.0	34.0	2,976	2,766	956.9	912.9	—	—	0.0	0.0
Hawaii	33	50	4.2	6.4	64	92	8.1	11.9	2,333	2,004	294.6	258.2	2	—	0.3	0.0
Puerto Rico	921	779	31.2	27.7	2,442	2,382	82.8	84.8	3,034	4,236	102.8	150.8	13	11	0.4	0.4
Virgin Islands	53	32	55.8	35.6	159	189	167.4	210.0	768	492	808.4	546.7	—	—	0.0	0.0

¹ Other Venereal Diseases include chancroid, granuloma inguinale, and lymphogranuloma venereum.² Includes District of Columbia.

Note: Rates less than .05 are shown as 0.0.

**TABLE 9(B). Newly Reported Cases of Venereal Diseases in Civilians
by Age and Sex, United States, 1973-1974**

**Gonorrhea
1973 and 1974**

Age Group	Male				Female				Total			
	1973		1974		1973		1974		1973		1974	
	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates
0-14	2,911	10.3	3,061	11.0	7,903	28.9	8,449	31.6	10,814	19.4	11,510	21.1
15-19	108,221	1075.2	111,273	1089.7	124,773	1234.5	137,484	1342.9	232,994	1155.0	248,757	1216.5
20-24	205,495	2479.4	213,897	2496.2	127,928	1406.7	140,253	1511.2	333,423	1918.2	354,150	1984.0
25-29	107,852	1461.6	116,556	1511.6	44,203	565.8	48,492	595.7	152,055	1000.9	165,048	1041.2
30-39	62,812	546.2	66,833	564.3	21,788	176.5	22,896	180.3	84,600	354.8	89,729	365.6
40-49	16,411	145.2	16,808	150.2	4,497	37.3	4,802	40.3	20,908	89.5	21,610	93.5
50 Plus	6,119	25.9	6,137	25.7	1,708	5.9	2,002	6.8	7,827	14.9	8,139	15.3
TOTAL	509,821	507.2	534,565	527.7	332,800	309.4	364,378	336.2	842,621	404.9	898,943	428.7

**Primary and Secondary Syphilis
1973 and 1974**

Age Group	Male				Female				Total			
	1973		1974		1973		1974		1973		1974	
	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates
0-14	90	.3	77	.3	172	.6	193	.7	262	.5	270	.5
15-19	1,880	18.7	2,031	19.9	1,989	19.7	1,961	19.2	3,869	19.2	3,992	19.5
20-24	4,662	56.3	4,963	57.9	2,513	27.6	2,333	25.1	7,175	41.3	7,296	40.9
25-29	3,977	53.9	4,152	53.8	1,374	17.6	1,346	16.5	5,351	35.2	5,498	34.7
30-39	4,022	35.0	4,369	36.9	1,275	10.3	1,108	8.7	5,297	22.2	5,477	22.3
40-49	1,631	14.4	1,665	14.9	472	3.9	392	3.3	2,103	9.0	2,057	8.9
50 Plus	626	2.7	646	2.7	142	.5	149	.5	768	1.5	795	1.5
TOTAL	16,888	16.8	17,903	17.7	7,937	7.4	7,482	6.9	24,825	11.9	25,385	12.1

**Congenital Syphilis
1973 and 1974**

Age Group	Number of Cases		Percent of Total	
	1973	1974	1973	1974
<1	313	270	20.5	23.8
1-4	81	59	5.3	5.2
5-9	11	13	.7	1.1
10+	1,122	795	73.5	69.9
TOTAL	1,527	1,137	100.0	100.0

TABLE 10. Rabies in Animals by State and Type of Animal Reported Through Surveillance Program, United States, 1974 (Provisional)

AREA	DOG	CATTLE	OTHER DOMESTIC	FOX	SKUNK	BAT	RACCOON	OTHER WILD	TOTAL
UNITED STATES	240	250	425	298	1,157	512	188	53	3,123
NEW ENGLAND									
Maine	1	—	1	2	—	1	—	—	5
New Hampshire	—	—	1	—	—	1	1	—	3
Vermont	—	—	—	—	—	1	—	—	1
Massachusetts	—	—	—	—	—	4	—	—	4
Rhode Island	—	—	—	1	—	4	—	—	4
Connecticut	—	—	—	—	—	6	—	—	7
MIDDLE ATLANTIC									
New York	—	8	1	12	3	13	3	2	42
New Jersey	—	—	3	1	2	22	1	—	29
Pennsylvania	—	—	—	—	2	15	—	—	17
EAST NORTH CENTRAL									
Ohio	2	1	1	6	16	5	—	1	32
Indiana	1	—	—	—	11	2	—	—	14
Illinois	7	4	14	1	76	20	—	1	123
Michigan	—	—	1	—	1	5	—	—	7
Wisconsin	35	19	10	3	76	9	—	1	153
WEST NORTH CENTRAL									
Minnesota	9	38	25	1	168	6	3	1	251
Iowa	6	36	14	1	66	—	—	7	130
Missouri	6	2	2	—	23	8	—	—	41
North Dakota	2	20	7	—	81	3	1	1	115
South Dakota	3	27	16	—	112	2	—	3	163
Nebraska	1	—	1	—	2	1	—	—	5
Kansas	1	—	4	—	64	4	—	1	74
SOUTH ATLANTIC									
Delaware	—	—	—	—	—	1	—	—	1
Maryland	—	—	—	—	1	25	—	—	26
Virginia	1	17	4	72	3	16	—	—	113
West Virginia	2	1	5	19	—	5	—	—	32
North Carolina	—	—	—	—	—	26	—	—	26
South Carolina	—	—	—	—	—	6	—	—	6
Georgia	1	—	8	3	—	10	116	—	138
Florida	—	—	—	5	—	5	40	—	50
EAST SOUTH CENTRAL									
Kentucky	19	14	12	81	30	1	1	—	158
Tennessee	1	6	—	18	20	7	1	—	53
Alabama	3	4	21	12	—	2	4	1	47
Mississippi	—	—	—	—	—	3	—	—	3
WEST SOUTH CENTRAL									
Arkansas	1	3	5	1	46	5	—	—	61
Louisiana	5	—	8	4	—	4	—	4	25
Oklahoma	1	22	12	1	124	3	1	—	164
Texas	89	26	21	35	132	63	10	7	383
MOUNTAIN									
Montana	—	1	—	—	34	—	—	—	35
Idaho	—	—	—	—	—	3	—	—	3
Wyoming	1	1	—	—	14	8	—	2	26
Colorado	1	—	2	—	26	20	—	—	49
New Mexico	31	—	6	—	11	30	—	—	78
Arizona	5	—	—	5	13	18	6	3	50
Utah	—	—	—	—	—	1	—	—	1
Nevada	—	—	—	—	—	4	—	—	4
PACIFIC									
Washington	—	—	—	—	—	2	—	—	2
Oregon	1	—	—	—	—	5	—	—	6
California	2	—	220	7	—	107	—	13	349
Alaska	2	—	—	7	—	—	—	5	14
Puerto Rico	6	1	2	—	—	—	—	40	49

States not reporting a case not listed.

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1974
(A) DIPHTHERIA

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	272	2	10	14	10	11	21	21	56	47	52	19	9
NEW ENGLAND	—	—	—	—	—	—	—	—	—	—	—	—	—
Maine	—	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire	—	—	—	—	—	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	—	—	—	—	—	—	—	—	—	—	—	—	—
Rhode Island	—	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut	—	—	—	—	—	—	—	—	—	—	—	—	—
MIDDLE ATLANTIC	1	—	—	—	—	—	—	—	—	—	—	1	—
Upstate New York	—	—	—	—	—	—	—	—	—	—	—	—	—
New York City	—	—	—	—	—	—	—	—	—	—	—	—	—
New Jersey	—	—	—	—	—	—	—	—	—	—	—	—	—
Pennsylvania	1	—	—	—	—	—	—	—	—	—	—	1	—
EAST NORTH CENTRAL ...	3	—	—	2	—	—	—	—	—	—	—	1	—
Ohio	1	—	—	—	—	—	—	—	—	—	—	1	—
Indiana	—	—	—	—	—	—	—	—	—	—	—	—	—
Illinois	2	—	—	2	—	—	—	—	—	—	—	—	—
Michigan	—	—	—	—	—	—	—	—	—	—	—	—	—
Wisconsin	—	—	—	—	—	—	—	—	—	—	—	—	—
WEST NORTH CENTRAL ...	—	—	—	—	—	—	—	—	—	—	—	—	—
Minnesota	—	—	—	—	—	—	—	—	—	—	—	—	—
Iowa	—	—	—	—	—	—	—	—	—	—	—	—	—
Missouri	—	—	—	—	—	—	—	—	—	—	—	—	—
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	—	—	—	—	—	—	—	—	—	—	—	—	—
Kansas	—	—	—	—	—	—	—	—	—	—	—	—	—
SOUTH ATLANTIC	1	—	1	—	—	—	—	—	—	—	—	—	—
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	—	—	—	—	—	—	—	—	—	—	—	—	—
District of Columbia	—	—	—	—	—	—	—	—	—	—	—	—	—
Virginia	—	—	—	—	—	—	—	—	—	—	—	—	—
West Virginia	—	—	—	—	—	—	—	—	—	—	—	—	—
North Carolina	1	—	1	—	—	—	—	—	—	—	—	—	—
South Carolina	—	—	—	—	—	—	—	—	—	—	—	—	—
Georgia	—	—	—	—	—	—	—	—	—	—	—	—	—
Florida	—	—	—	—	—	—	—	—	—	—	—	—	—
EAST SOUTH CENTRAL ...	—	—	—	—	—	—	—	—	—	—	—	—	—
Kentucky	—	—	—	—	—	—	—	—	—	—	—	—	—
Tennessee	—	—	—	—	—	—	—	—	—	—	—	—	—
Alabama	—	—	—	—	—	—	—	—	—	—	—	—	—
Mississippi	—	—	—	—	—	—	—	—	—	—	—	—	—
WEST SOUTH CENTRAL ...	10	—	3	5	—	1	—	—	—	—	—	—	1
Arkansas	—	—	—	—	—	—	—	—	—	—	—	—	—
Louisiana	—	—	—	—	—	—	—	—	—	—	—	—	—
Oklahoma	1	—	—	—	—	—	—	—	—	—	—	—	1
Texas	9	—	3	5	—	1	—	—	—	—	—	—	—
MOUNTAIN	56	1	4	5	7	6	10	4	5	7	3	1	3
Montana	—	—	—	—	—	—	—	—	—	—	—	—	—
Idaho	—	—	—	—	—	—	—	—	—	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	9	—	1	2	3	—	—	—	—	1	—	—	2
New Mexico	17	1	2	2	1	1	3	1	2	3	1	—	—
Arizona	30	—	1	1	3	5	7	3	3	3	2	1	1
Utah	—	—	—	—	—	—	—	—	—	—	—	—	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	201	1	2	2	3	4	11	17	51	40	49	16	5
Washington	190	—	1	—	2	2	11	17	49	40	48	16	4
Oregon	—	—	—	—	—	—	—	—	—	—	—	—	—
California	7	1	1	2	1	—	—	—	1	—	1	—	—
Alaska	4	—	—	—	—	2	—	—	1	—	—	—	1
Hawaii	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1974 — Continued
(B) HEPATITIS A

AREA	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	40,358	62	928	3,600	3,347	6,144	7,023	3,827¹	3,213¹	1,691¹	1,113¹	863¹	7,968
NEW ENGLAND	1,735	3	51	149	139	279	306	214	200	101	85	50	158
Maine	202	1	6	18	23	28	33	17	23	9	10	7	27
New Hampshire	198	—	8	28	22	39	34	24	24	9	10	—	—
Vermont	139	—	2	19	7	16	26	10	7	11	2	6	33
Massachusetts	297	1	11	31	34	54	59	32	28	14	15	10	8
Rhode Island	341	—	7	21	15	54	73	62	49	25	19	15	1
Connecticut	558	1	17	32	38	88	81	69	69	33	29	12	89
MIDDLE ATLANTIC	4,606	5	62	345	380	786	962	646	641	354	225	165	35
Upstate New York	1,699	1	29	225	226	260	294	195	222	97	67	53	30
New York City	818	2	10	31	29	95	175	160	157	72	42	40	5
New Jersey	922	1	5	25	51	171	222	136	128	83	61	39	—
Pennsylvania	1,167	1	18	64	74	260	271	155	134	102	55	33	—
EAST NORTH CENTRAL ...	7,018	23	145	632	632	1,417	1,558	612¹	500¹	316¹	222¹	125¹	257
Ohio	1,411	6	28	90	126	290	310	151	132	98	64	37	79
Indiana	352	—	14	54	44	64	64	33	34	16	10	10	9
Illinois	1,907	12	27	184	167	379	425	—	579	—	—	—	134
Michigan	2,780	5	59	234	230	577	652	361	265	170	126	69	32
Wisconsin	568	—	17	70	65	107	107	67	69	32	22	9	3
WEST NORTH CENTRAL ...	2,112	2	64	175	224	462	426	210	217	107	78	73	74
Minnesota	527	1	7	22	44	75	104	64	63	41	35	37	34
Iowa	269	—	12	41	40	54	39	27	30	10	9	7	—
Missouri	425	—	8	25	25	119	105	45	33	21	10	12	22
North Dakota	86	—	—	8	25	26	7	7	6	3	—	4	—
South Dakota	164	—	21	34	24	23	13	10	17	3	5	3	11
Nebraska	86	—	2	7	15	17	14	10	13	4	3	1	—
Kansas ²	555	1	14	38	51	148	144	47	55	25	16	9	7
SOUTH ATLANTIC	6,356	13	162	549	514	1,147	1,420	840	598	329	181	203	400
Delaware	37	—	—	2	2	5	9	4	4	6	1	3	1
Maryland	331	1	5	19	18	61	88	43	34	26	9	9	18
District of Columbia	44	—	—	—	—	5	9	10	4	6	2	4	4
Virginia	510	2	5	73	47	106	124	46	35	23	10	11	28
West Virginia	148	2	4	20	15	24	29	14	15	6	4	6	9
North Carolina	929	—	24	76	92	261	233	95	77	34	24	9	4
South Carolina	278	—	4	10	12	59	67	35	38	9	12	32	—
Georgia	NA	—	—	—	—	—	—	—	—	—	—	—	—
Florida	4,079	8	120	349	328	626	861	593	391	219	119	129	336
EAST SOUTH CENTRAL ...	3,164	3	61	461	419	626	662	298	234	136	87	88	89
Kentucky	887	1	23	165	155	137	155	59	53	24	18	14	83
Tennessee	1,700	1	30	238	214	361	379	186	135	72	46	38	—
Alabama	323	1	2	43	30	77	72	30	21	21	12	11	3
Mississippi	254	—	6	15	20	51	56	23	25	19	11	25	3
WEST SOUTH CENTRAL ...	5,382	7	202	738	592	828	893	525	437	187	120	80	773
Arkansas	458	1	7	69	68	87	97	46	41	12	12	7	11
Louisiana	443	—	3	25	31	105	103	50	54	22	14	21	15
Oklahoma	663	—	—	—	—	—	—	—	—	—	—	—	663
Texas	3,818	6	192	644	493	636	693	429	342	153	94	52	84
MOUNTAIN	2,117	5	114	359	248	284	312	201	178	74	51	42	249
Montana	383	—	17	56	51	45	34	21	28	8	10	4	109
Idaho	122	—	6	15	10	15	21	8	12	3	2	2	28
Wyoming	47	—	1	5	2	7	7	9	6	4	1	1	4
Colorado	288	2	13	54	46	37	44	30	30	9	7	11	5
New Mexico	294	3	16	64	40	38	43	27	15	9	4	4	31
Arizona	564	—	47	106	68	90	87	60	41	18	18	11	18
Utah	217	—	12	56	25	24	33	24	21	8	5	4	5
Nevada	202	—	2	3	6	28	43	22	25	15	4	5	49
PACIFIC	7,868	1	67	192	199	315	484	281	208	87	64	37	5,933
Washington	733	—	19	69	70	119	166	114	84	34	27	8	23
Oregon	831	1	30	51	54	150	229	129	88	36	25	27	11
California	5,883	—	—	—	—	—	—	—	—	—	—	—	5,883
Alaska	283	—	18	70	72	22	43	21	15	4	4	1	13
Hawaii	138	—	—	2	3	24	46	17	21	13	8	1	3
Guam	311	1	34	83	40	19	59	28	17	7	1	1	21
Puerto Rico	—	—	—	—	—	—	—	—	—	—	—	—	—

¹ excludes data from Illinois.

² includes unspecified hepatitis.

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1974 — Continued
(C) HEPATITIS B

AREA	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	10,631	10	24	47	95	1,707	2,440	1,017¹	827¹	440¹	404¹	519¹	2,907
NEW ENGLAND	405	—	4	1	7	84	112	57	50	25	28	19	18
Maine	4	—	—	—	—	2	1	—	—	—	—	—	1
New Hampshire	24	—	—	—	—	3	10	6	3	1	—	1	—
Vermont	1	—	—	—	—	—	—	1	—	—	—	—	—
Massachusetts	259	—	2	1	5	56	70	39	31	14	17	9	15
Rhode Island	49	—	—	—	—	5	11	4	11	5	6	7	—
Connecticut	68	—	2	—	2	18	20	7	5	5	5	2	2
MIDDLE ATLANTIC	1,897	1	4	14	23	360	519	279	218	124	145	203	7
Upstate New York	256	—	1	3	2	46	62	40	34	23	21	22	2
New York City	260	—	1	3	4	22	46	38	29	18	26	69	4
New Jersey	846	1	—	5	8	154	250	140	98	50	65	75	—
Pennsylvania	535	—	2	3	9	138	161	61	57	33	33	37	1
EAST NORTH CENTRAL	1,765	2	3	5	21	400	635	158¹	131¹	65¹	53¹	58¹	40
Ohio	318	—	—	1	2	59	111	45	39	25	8	16	12
Indiana	41	—	—	—	2	5	20	—	2	4	3	4	1
Illinois	626	1	2	1	7	168	232	—	194	—	—	—	21
Michigan	590	1	—	3	8	123	199	85	72	29	36	31	3
Wisconsin	190	—	1	—	2	45	73	28	18	7	6	7	3
WEST NORTH CENTRAL	561	—	2	7	5	117	201	64	53	35	16	30	31
Minnesota	246	—	—	1	—	33	86	39	23	25	10	18	11
Iowa	91	—	—	1	2	21	39	8	10	3	3	4	—
Missouri	144	—	1	3	1	40	44	12	15	4	2	5	17
North Dakota	7	—	—	—	—	2	2	—	—	1	—	—	2
South Dakota	4	—	—	1	1	—	—	—	1	1	—	—	—
Nebraska	31	—	—	1	1	7	13	2	2	1	1	3	—
Kansas	38	—	1	—	—	14	17	3	2	—	—	—	1
SOUTH ATLANTIC	1,155	4	4	5	9	251	271	157	121	77	68	109	79
Delaware	14	—	—	—	—	4	3	1	4	—	1	1	—
Maryland	160	1	—	2	1	28	40	25	21	8	14	11	9
District of Columbia	74	—	2	—	1	9	18	17	16	6	3	—	2
Virginia	152	1	1	1	2	31	46	17	14	8	12	7	12
West Virginia	10	—	—	—	—	5	1	—	1	1	—	2	—
North Carolina	142	—	—	1	3	58	39	24	8	4	2	3	—
South Carolina	41	—	—	—	—	18	8	5	2	3	3	2	—
Georgia	—	—	—	—	—	—	—	—	—	—	—	—	—
Florida	562	2	1	1	2	98	116	68	55	47	33	83	56
EAST SOUTH CENTRAL	625	1	1	3	7	146	201	81	64	35	20	44	22
Kentucky	119	—	—	1	1	21	40	15	13	3	4	3	18
Tennessee	267	1	—	—	2	62	89	36	22	19	9	27	—
Alabama	186	—	1	2	4	54	55	23	24	8	4	7	4
Mississippi	53	—	—	—	—	9	17	7	5	5	3	7	—
WEST SOUTH CENTRAL	746	1	—	3	8	129	185	90	73	35	29	30	163
Arkansas	63	—	—	1	1	16	12	11	7	5	7	3	—
Louisiana	176	—	—	2	3	41	52	26	22	5	9	9	7
Oklahoma	150	—	—	—	—	—	—	—	—	—	—	—	150
Texas	357	1	—	—	4	72	121	53	44	25	13	18	6
MOUNTAIN	342	—	3	6	4	73	111	37	32	13	25	11	27
Montana	28	—	—	1	—	2	6	2	3	1	1	—	12
Idaho	9	—	—	—	—	3	2	1	—	—	—	1	2
Wyoming	2	—	—	—	—	1	1	—	—	—	—	—	—
Colorado	120	—	1	1	1	23	44	12	15	8	10	3	2
New Mexico	36	—	—	—	—	7	11	6	2	—	2	2	6
Arizona	104	—	1	1	2	30	39	9	8	3	7	4	—
Utah	39	—	1	3	1	7	7	7	4	1	5	1	2
Nevada	4	—	—	—	—	—	1	—	—	—	—	—	3
PACIFIC	3,135	1	3	3	11	147	205	94	85	31	20	15	2,520
Washington	274	—	—	1	6	61	84	46	39	18	10	5	4
Oregon	219	—	3	1	2	56	79	33	27	5	5	4	4
California	2,508	—	—	—	—	—	—	—	—	—	—	—	2,508
Alaska	51	—	—	1	3	10	12	7	6	4	2	2	4
Hawaii	83	1	—	—	—	20	30	8	13	4	3	4	—
Guam	25	—	—	—	—	9	12	2	1	—	—	1	—
Puerto Rico	23	—	—	—	1	6	7	5	2	—	—	2	—

¹ excludes data from Illinois.

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1974 — Continued
(D) HEPATITIS UNSPECIFIED

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	8,351	14	189	651	614	1,261	1,611	715¹	617¹	371¹	230¹	210¹	1,672
NEW ENGLAND	665	1	11	57	78	92	124	84	76	54	30	18	40
Maine	67	—	3	9	16	9	14	4	9	—	1	—	2
New Hampshire	11	—	—	1	1	1	3	2	1	—	1	1	—
Vermont	17	—	1	—	—	3	4	3	1	4	—	—	1
Massachusetts	564	1	7	47	60	78	102	75	65	48	28	16	37
Rhode Island	—	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut	6	—	—	—	1	1	1	—	—	2	—	1	—
MIDDLE ATLANTIC	681	3	4	44	35	121	140	69	88	67	53	55	2
Upstate New York	240	—	1	26	21	36	40	31	32	19	15	17	2
New York City	—	—	—	—	—	—	—	—	—	—	—	—	—
New Jersey	299	2	1	8	7	60	65	26	40	36	26	28	—
Pennsylvania	142	1	2	10	7	25	35	12	16	12	12	10	—
EAST NORTH CENTRAL ...	1,035	1	15	60	76	201	238	73¹	50¹	40¹	15¹	19¹	51
Ohio	—	—	—	—	—	—	—	—	—	—	—	—	—
Indiana	349	1	7	26	38	77	81	42	27	27	10	8	5
Illinois	448	—	6	18	21	68	95	196					
Michigan	229	—	2	15	17	54	62	30	22	10	5	10	2
Wisconsin	9	—	—	1	—	2	—	1	1	3	—	1	—
WEST NORTH CENTRAL ...	310	1	4	16	18	58	75	40	38	15	7	14	24
Minnesota	40	—	1	—	2	6	7	8	3	4	1	5	3
Iowa	56	—	—	5	2	11	10	7	9	5	3	2	2
Missouri	186	1	1	9	11	38	53	18	23	6	3	6	17
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	28	—	2	2	3	3	5	7	3	—	—	1	2
Kansas	—	—	—	—	—	—	—	—	—	—	—	—	—
Data Not Available													
SOUTH ATLANTIC	1,726	2	38	116	110	336	416	185	146	73	47	40	217
Delaware	13	—	1	—	1	5	—	2	1	1	—	2	—
Maryland	115	—	—	—	1	22	31	13	20	8	6	7	7
District of Columbia	5	—	—	—	—	—	—	—	2	1	—	—	2
Virginia	161	1	2	3	6	29	48	28	15	9	5	5	10
West Virginia	15	—	—	3	—	—	2	3	1	1	2	2	1
North Carolina	148	—	—	2	2	43	66	13	9	7	4	2	—
South Carolina	143	—	—	9	7	34	50	6	6	3	4	—	24
Georgia	1,126	1	35	99	93	203	219	120	92	43	26	22	173
Florida	—	—	—	—	—	—	—	—	—	—	—	—	—
EAST SOUTH CENTRAL ...	373	—	16	41	47	41	43	18	16	6	11	6	128
Kentucky	322	—	16	39	40	36	33	13	9	4	4	3	125
Tennessee	9	—	—	—	1	2	2	1	1	—	—	2	—
Alabama	42	—	—	2	6	3	8	4	6	2	7	1	3
Mississippi	—	—	—	—	—	—	—	—	—	—	—	—	—
WEST SOUTH CENTRAL ...	581	1	9	22	41	66	92	41	34	26	14	18	217
Arkansas	103	—	2	12	15	19	19	14	8	2	2	1	9
Louisiana	176	1	4	4	14	27	45	18	19	16	7	12	9
Oklahoma	186	—	—	—	—	—	—	—	—	—	—	—	186
Texas	116	—	3	6	12	20	28	9	7	8	5	5	13
Data Not Available													
MOUNTAIN	1,348	4	77	227	157	196	285	110	101	42	25	21	103
Montana	9	—	—	3	1	2	—	—	1	—	1	—	1
Idaho	32	—	1	5	2	6	5	5	1	1	2	—	4
Wyoming	16	—	—	1	2	3	5	1	1	—	—	—	3
Colorado	551	2	19	72	58	94	148	62	54	17	10	8	7
New Mexico	425	1	35	99	61	45	54	18	12	9	4	5	82
Arizona	210	—	19	33	22	28	51	15	17	11	5	7	2
Utah	104	1	3	14	11	18	21	9	15	4	3	1	4
Nevada	1	—	—	—	—	—	1	—	—	—	—	—	—
PACIFIC	1,632	1	15	68	52	150	198	95	68	48	28	19	890
Washington	605	1	13	53	42	125	158	68	54	41	21	11	18
Oregon	120	—	2	13	8	22	31	19	9	6	6	2	2
California	869	—	—	—	—	—	—	—	—	—	—	—	869
Alaska	2	—	—	—	—	—	1	—	1	—	—	—	—
Hawaii	36	—	—	2	2	3	8	8	4	1	1	6	1
Data Not Available													
Guam	160	1	17	25	14	21	37	26	17	1	—	—	1
Puerto Rico	521	1	23	101	77	79	74	53	53	23	15	14	8

¹ excludes data from Illinois.

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1974 – Continued
(E) MENINGOCOCCAL INFECTIONS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	1,346	243	270	109	110	129	56	27¹	36¹	31¹	40¹	38¹	244
NEW ENGLAND	68	11	26	3	2	5	5	—	4	—	1	4	7
Maine	4	2	2	—	—	—	—	—	—	—	—	—	—
New Hampshire	12	2	8	—	—	1	1	—	—	—	—	—	—
Vermont	3	—	—	—	—	1	—	—	—	—	—	—	2
Massachusetts	19	2	7	1	1	—	2	—	2	—	—	1	3
Rhode Island	10	2	5	2	—	—	—	—	1	—	—	—	—
Connecticut	20	3	4	—	1	3	2	—	1	—	1	3	2
MIDDLE ATLANTIC	183	40	31	14	20	29	12	3	9	6	7	10	2
Upstate New York	69	14	10	7	10	13	5	1	3	1	2	2	1
New York City	26	5	3	1	2	4	2	—	4	1	2	2	—
New Jersey	55	11	12	3	4	10	3	1	2	2	2	4	1
Pennsylvania	33	10	6	3	4	2	2	1	—	2	1	2	—
EAST NORTH CENTRAL ...	205	37	47	12	11	23	6	6¹	4¹	5¹	4¹	5¹	32
Ohio	71	14	14	2	3	6	3	1	2	2	2	3	19
Indiana	24	5	10	3	2	3	—	—	—	—	—	1	—
Illinois	36	5	8	3	1	4	2	—	13	—	—	—	—
Michigan	54	12	12	4	4	7	1	5	2	3	2	1	—
Wisconsin	20	1	3	—	1	3	—	—	—	—	—	—	12
WEST NORTH CENTRAL ...	116	11	26	13	14	16	5	1	3	4	5	2	16
Minnesota	37	5	8	4	7	5	2	1	—	1	—	1	3
Iowa	9	1	2	1	2	1	—	—	—	—	1	—	1
Missouri	49	3	10	5	5	8	2	—	3	2	1	1	9
North Dakota	1	—	—	1	—	—	—	—	—	—	—	—	—
South Dakota	2	—	—	—	—	—	—	—	—	1	—	—	1
Nebraska	3	—	—	1	—	—	—	—	—	—	—	—	2
Kansas	15	2	6	1	—	2	1	—	—	—	3	—	—
SOUTH ATLANTIC	258	49	50	27	23	20	12	8	9	7	9	6	38
Delaware	6	—	1	—	—	1	—	—	—	—	1	—	3
Maryland	20	9	1	1	2	3	1	—	1	—	1	1	—
District of Columbia	2	—	—	1	—	—	—	1	—	—	—	—	—
Virginia	43	3	9	6	1	5	3	—	4	1	1	—	10
West Virginia	9	2	4	2	—	—	1	—	—	—	—	—	—
North Carolina	52	12	9	6	9	2	1	1	2	3	3	2	2
South Carolina	22	4	6	—	2	2	3	—	—	1	3	1	—
Georgia	9	—	1	2	—	1	1	1	1	—	—	—	—
Florida	95	19	19	9	9	6	2	5	1	2	—	2	21
EAST SOUTH CENTRAL ...	126	24	30	11	13	9	3	—	3	3	2	4	24
Kentucky	51	8	8	3	4	2	—	—	—	2	1	1	22
Tennessee	51	11	17	7	4	4	1	—	3	—	1	3	—
Alabama	13	2	4	—	2	2	1	—	—	—	—	—	2
Mississippi	11	3	1	1	3	1	1	—	—	1	—	—	—
WEST SOUTH CENTRAL ...	198	40	39	23	21	16	5	6	3	6	10	6	23
Arkansas	14	2	5	4	1	1	—	—	—	—	—	—	1
Louisiana	49	8	14	8	7	5	—	1	1	—	2	3	—
Oklahoma	19	—	—	—	—	—	—	—	—	—	—	—	19
Texas	116	30	20	11	13	10	5	5	2	6	8	3	3
MOUNTAIN	56	17	11	4	—	4	4	3	—	—	—	—	13
Montana	8	2	1	2	—	2	1	—	—	—	—	—	—
Idaho	1	—	—	—	—	—	—	—	—	—	—	—	1
Wyoming	3	—	1	—	—	—	—	1	—	—	—	—	—
Colorado	9	5	2	2	—	—	—	—	—	—	—	—	—
New Mexico	4	1	1	—	—	—	1	1	—	—	—	—	—
Arizona	11	6	3	—	—	—	1	1	—	—	—	—	—
Utah	10	3	3	—	—	2	1	—	—	—	—	—	1
Nevada	10	—	—	—	—	—	—	—	—	—	—	—	10
PACIFIC	136	14	10	2	6	7	4	—	1	—	2	1	89
Washington	21	6	4	1	—	2	2	—	1	—	1	1	3
Oregon	22	4	5	1	5	3	2	—	—	—	1	—	1
California	85	—	—	—	—	—	—	—	—	—	—	—	85
Alaska	5	1	1	—	1	2	—	—	—	—	—	—	—
Hawaii	3	3	—	—	—	—	—	—	—	—	—	—	—
Guam	3	—	1	—	1	—	—	—	—	—	—	—	1
Puerto Rico	6	4	—	1	—	—	—	—	1	—	—	—	—

¹excludes data from Illinois.

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1974 — Continued
(F) TETANUS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	101	3	3	2	1	1	—	—	9	8	14	57	3
NEW ENGLAND	1	—	—	—	—	—	—	—	—	—	—	1	—
Maine	—	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire	1	—	—	—	—	—	—	—	—	—	—	1	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	—	—	—	—	—	—	—	—	—	—	—	—	—
Rhode Island	—	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut	—	—	—	—	—	—	—	—	—	—	—	—	—
MIDDLE ATLANTIC	7	—	—	—	—	—	—	—	—	1	1	5	—
Upstate New York	2	—	—	—	—	—	—	—	—	—	—	2	—
New York City	1	—	—	—	—	—	—	—	—	—	1	—	—
New Jersey	2	—	—	—	—	—	—	—	—	1	—	1	—
Pennsylvania	2	—	—	—	—	—	—	—	—	—	—	2	—
EAST NORTH CENTRAL	15	—	—	1	—	—	—	—	1	—	4	9	—
Ohio	2	—	—	—	—	—	—	—	—	—	1	1	—
Indiana	2	—	—	—	—	—	—	—	—	—	—	2	—
Illinois	4	—	—	—	—	—	—	—	1	—	1	2	—
Michigan	6	—	—	1	—	—	—	—	—	—	2	3	—
Wisconsin	1	—	—	—	—	—	—	—	—	—	—	1	—
WEST NORTH CENTRAL	16	—	—	—	—	1	—	—	1	3	2	9	—
Minnesota	3	—	—	—	—	1	—	—	—	1	—	1	—
Iowa	1	—	—	—	—	—	—	—	—	—	—	1	—
Missouri	7	—	—	—	—	—	—	—	—	1	1	5	—
North Dakota	2	—	—	—	—	—	—	—	1	—	1	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	—	—	—	—	—	—	—	—	—	—	—	—	—
Kansas	3	—	—	—	—	—	—	—	—	1	—	2	—
SOUTH ATLANTIC	24	—	1	1	1	—	—	—	6	1	2	12	—
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	—	—	—	—	—	—	—	—	—	—	—	—	—
District of Columbia	—	—	—	—	—	—	—	—	—	—	—	—	—
Virginia	4	—	—	—	—	—	—	—	—	—	—	4	—
West Virginia	1	—	—	—	—	—	—	—	—	—	1	—	—
North Carolina	4	—	—	—	—	—	—	—	1	1	—	2	—
South Carolina	4	—	—	—	1	—	—	—	2	—	—	1	—
Georgia	1	—	1	—	—	—	—	—	—	—	—	—	—
Florida	10	—	—	1	—	—	—	—	3	—	1	5	—
EAST SOUTH CENTRAL	10	1	—	—	—	—	—	—	—	1	1	7	—
Kentucky	1	—	—	—	—	—	—	—	—	—	—	1	—
Tennessee	4	1	—	—	—	—	—	—	—	—	—	3	—
Alabama	1	—	—	—	—	—	—	—	—	1	—	—	—
Mississippi	4	—	—	—	—	—	—	—	—	—	1	3	—
WEST SOUTH CENTRAL	10	1	1	—	—	—	—	—	1	1	1	2	3
Arkansas	—	—	—	—	—	—	—	—	—	—	—	—	—
Louisiana	3	—	1	—	—	—	—	—	—	1	—	1	—
Oklahoma	3	Data Not Available							—	—	—	—	3
Texas	4	1	—	—	—	—	—	—	1	—	1	1	—
MOUNTAIN	1	—	—	—	—	—	—	—	—	1	—	—	—
Montana	—	—	—	—	—	—	—	—	—	—	—	—	—
Idaho	—	—	—	—	—	—	—	—	—	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	—	—	—	—	—	—	—	—	—	—	—	—	—
New Mexico	1	—	—	—	—	—	—	—	—	1	—	—	—
Arizona	—	—	—	—	—	—	—	—	—	—	—	—	—
Utah	—	—	—	—	—	—	—	—	—	—	—	—	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	17	1	1	—	—	—	—	—	—	—	3	12	—
Washington	1	—	—	—	—	—	—	—	—	—	—	1	—
Oregon	2	1	—	—	—	—	—	—	—	—	—	1	—
California	13	—	1	—	—	—	—	—	—	—	3	9	—
Alaska	—	—	—	—	—	—	—	—	—	—	—	—	—
Hawaii	1	—	—	—	—	—	—	—	—	—	—	1	—
Guam	2	—	—	—	—	—	—	—	—	1	1	—	—
Puerto Rico	7	—	2	—	—	—	1	—	—	—	1	3	—

TABLE 11. Reported Cases of Selected Notifiable Diseases by State and by Age, 1974 — Continued

(G) PARALYTIC POLIOMYELITIS

AREA	Total	<5	5-9	10-19	20+	Unk.
UNITED STATES	7	3	—	1	3	—
NEW ENGLAND	—	—	—	—	—	—
Maine	—	—	—	—	—	—
New Hampshire	—	—	—	—	—	—
Vermont	—	—	—	—	—	—
Massachusetts	—	—	—	—	—	—
Rhode Island	—	—	—	—	—	—
Connecticut	—	—	—	—	—	—
MIDDLE ATLANTIC	—	—	—	—	—	—
Upstate New York	—	—	—	—	—	—
New York City	—	—	—	—	—	—
New Jersey	—	—	—	—	—	—
Pennsylvania	—	—	—	—	—	—
EAST NORTH CENTRAL	3	1	—	—	2	—
Ohio	—	—	—	—	—	—
Indiana	1	—	—	—	1	—
Illinois	—	—	—	—	—	—
Michigan	2	1	—	—	1	—
Wisconsin	—	—	—	—	—	—
WEST NORTH CENTRAL	2	—	—	1	1	—
Minnesota	—	—	—	—	—	—
Iowa	2	—	—	1	1	—
Missouri	—	—	—	—	—	—
North Dakota	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—
Nebraska	—	—	—	—	—	—
Kansas	—	—	—	—	—	—
SOUTH ATLANTIC	1	1	—	—	—	—
Delaware	—	—	—	—	—	—
Maryland	—	—	—	—	—	—
District of Columbia	—	—	—	—	—	—
Virginia	1	1	—	—	—	—
West Virginia	—	—	—	—	—	—
North Carolina	—	—	—	—	—	—
South Carolina	—	—	—	—	—	—
Georgia	—	—	—	—	—	—
Florida	—	—	—	—	—	—
EAST SOUTH CENTRAL	1	1	—	—	—	—
Kentucky	—	—	—	—	—	—
Tennessee	—	—	—	—	—	—
Alabama	1	1	—	—	—	—
Mississippi	—	—	—	—	—	—
WEST SOUTH CENTRAL	—	—	—	—	—	—
Arkansas	—	—	—	—	—	—
Louisiana	—	—	—	—	—	—
Oklahoma	—	—	—	—	—	—
Texas	—	—	—	—	—	—
MOUNTAIN	—	—	—	—	—	—
Montana	—	—	—	—	—	—
Idaho	—	—	—	—	—	—
Wyoming	—	—	—	—	—	—
Colorado	—	—	—	—	—	—
New Mexico	—	—	—	—	—	—
Arizona	—	—	—	—	—	—
Utah	—	—	—	—	—	—
Nevada	—	—	—	—	—	—
PACIFIC	—	—	—	—	—	—
Washington	—	—	—	—	—	—
Oregon	—	—	—	—	—	—
California	—	—	—	—	—	—
Alaska	—	—	—	—	—	—
Hawaii	—	—	—	—	—	—
Guam	—	—	—	—	—	—
Puerto Rico	1	1	—	—	—	—

(H) TYPHOID FEVER

Total	<5	5-14	15-24	25-39	40+	Unk.
437	57	103	90	70	98	19
31	2	7	4	6	12	—
1	—	1	—	—	—	—
1	—	—	—	1	—	—
1	—	—	1	—	—	—
16	2	4	2	3	5	—
2	—	1	—	—	1	—
10	—	1	1	2	6	—
71	11	14	12	13	20	1
16	3	6	3	1	3	—
34	6	7	5	8	7	1
12	1	1	1	3	6	—
9	1	—	3	1	4	—
49	9	13	11	5	9	2
7	2	1	1	—	2	1
7	1	3	1	—	1	1
22	3	4	6	4	5	—
11	3	5	2	—	1	—
2	—	—	1	1	—	—
11	—	1	2	4	4	—
3	—	—	—	1	2	—
3	—	1	1	1	—	—
4	—	—	1	1	2	—
—	—	—	—	—	—	—
—	—	—	—	—	—	—
1	—	—	—	1	—	—
56	7	13	13	7	16	—
—	—	—	—	—	—	—
9	—	2	2	2	3	—
1	1	—	—	—	—	—
2	—	1	—	—	1	—
15	2	3	3	2	5	—
6	1	1	3	1	—	—
5	—	1	—	—	4	—
2	—	—	—	1	1	—
16	3	5	5	1	2	—
56	5	15	9	10	10	7
19	—	6	2	3	1	7
26	3	6	5	6	6	—
4	—	2	1	—	1	—
7	2	1	1	1	2	—
31	7	10	3	3	5	3
6	—	3	—	1	1	1
10	1	5	1	1	2	—
2	Data Not Available					
13	6	2	2	1	2	—
19	1	6	5	1	4	2
—	—	—	—	—	—	—
3	1	1	—	—	—	1
1	—	—	1	—	—	—
5	—	2	2	—	1	—
9	—	3	2	1	3	—
—	—	—	—	—	—	—
1	—	—	—	—	—	1
113	15	24	31	21	18	4
13	—	5	4	1	3	—
1	—	—	—	1	—	—
93	13	19	27	16	14	4
2	2	—	—	—	—	—
4	—	—	—	3	1	—
2	—	—	—	2	—	—
5	1	3	1	—	—	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1974

(A) ASEPTIC MENINGITIS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	3,197	183	133	136	154	205	234	373	509	391	387	302	190	—
NEW ENGLAND	136	11	8	4	12	3	13	19	15	34	9	1	7	—
Maine	7	1	—	—	—	—	—	—	1	4	—	—	1	—
New Hampshire	12	1	2	—	—	—	1	3	1	3	1	—	—	—
Vermont	10	—	—	—	—	—	—	—	—	8	2	—	—	—
Massachusetts	61	2	2	4	6	2	6	10	9	9	5	1	5	—
Rhode Island	39	7	3	—	6	—	4	6	4	8	1	—	—	—
Connecticut	7	—	1	—	—	1	2	—	—	2	—	—	1	—
MIDDLE ATLANTIC	414	26	15	13	14	48	31	49	70	51	49	25	23	—
Upstate New York	167	7	4	5	3	32	9	12	34	17	26	5	13	—
New York City	37	7	3	1	3	1	3	1	4	4	4	5	1	—
New Jersey	151	9	2	2	5	11	16	25	25	21	16	10	9	—
Pennsylvania	59	3	6	5	3	4	3	11	7	9	3	5	—	—
EAST NORTH CENTRAL ...	361	38	19	22	24	19	11	24	49	55	54	20	26	—
Ohio	76	15	3	5	4	3	—	6	13	12	9	3	3	—
Indiana	29	1	2	1	3	2	3	2	2	7	1	2	3	—
Illinois	75	7	2	7	4	7	1	6	9	12	9	6	5	—
Michigan	162	14	12	8	9	5	7	8	24	24	33	5	13	—
Wisconsin	19	1	—	1	4	2	—	2	1	—	2	4	2	—
WEST NORTH CENTRAL ...	234	12	4	6	12	8	12	42	52	20	29	31	6	—
Minnesota	52	4	1	2	—	3	6	12	7	5	9	1	2	—
Iowa	61	—	—	—	3	1	3	18	17	10	3	4	2	—
Missouri	96	7	1	3	9	4	2	7	23	2	12	24	2	—
North Dakota	3	—	1	—	—	—	—	1	1	—	—	—	—	—
South Dakota	2	—	1	—	—	—	—	—	—	—	1	—	—	—
Nebraska	4	—	—	—	—	—	1	—	—	—	3	—	—	—
Kansas	16	1	—	1	—	—	—	4	4	3	1	2	—	—
SOUTH ATLANTIC	441	17	26	20	13	36	38	43	99	39	45	47	18	—
Delaware	4	—	—	—	—	—	1	—	2	—	1	—	—	—
Maryland	27	—	1	—	3	1	6	4	5	3	1	2	1	—
District of Columbia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Virginia	63	2	2	2	1	3	1	6	13	12	16	5	—	—
West Virginia	21	—	—	1	—	4	3	—	6	1	3	3	—	—
North Carolina	45	3	3	2	2	2	3	4	7	6	5	6	2	—
South Carolina	32	2	—	1	—	1	1	6	9	4	—	5	3	—
Georgia	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Florida	248	10	20	14	7	25	22	23	57	13	19	26	12	—
EAST SOUTH CENTRAL ...	223	8	5	13	10	11	13	15	47	21	14	48	18	—
Kentucky	31	2	—	1	1	3	—	—	6	9	5	3	1	—
Tennessee	95	1	2	7	5	5	10	8	10	9	3	28	7	—
Alabama	59	2	1	3	2	1	3	6	29	—	4	8	—	—
Mississippi	38	3	2	2	2	2	—	1	2	3	2	9	10	—
WEST SOUTH CENTRAL ...	449	15	25	19	26	43	45	71	50	43	39	46	27	—
Arkansas	8	1	—	1	—	1	1	—	2	—	1	1	—	—
Louisiana	148	5	6	4	8	7	24	30	22	8	20	6	8	—
Oklahoma	65	1	7	1	5	6	7	10	8	10	3	5	2	—
Texas	228	8	12	13	13	29	13	31	18	25	15	34	17	—
MOUNTAIN	11	1	—	—	—	1	1	—	1	3	—	4	—	—
Montana	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Idaho	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	1	1	—	—	—	—	—	—	—	—	—	—	—	—
New Mexico	5	—	—	—	—	1	—	—	—	—	—	4	—	—
Arizona	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Utah	3	—	—	—	—	—	—	—	—	3	—	—	—	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	928	55	31	39	43	36	70	110	126	125	148	80	65	—
Washington	83	2	1	4	5	5	2	16	5	6	11	17	9	—
Oregon	36	4	—	1	2	3	7	3	3	6	3	2	2	—
California	729	41	26	30	30	27	54	84	110	108	111	58	50	—
Alaska	4	—	—	1	1	—	—	—	—	—	1	—	1	—
Hawaii	76	8	4	3	5	1	7	7	8	5	22	3	3	—
Guam	8	2	—	2	—	—	1	1	1	—	1	—	—	—
Puerto Rico	5	—	—	—	—	1	—	—	—	—	1	—	3	—

Not notifiable

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1974 — Continued
(B) HEPATITIS A

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	40,358	3,749	3,643	3,575	3,448	3,596	3,038	3,199	3,311	3,028	3,661	3,352	2,757	1
NEW ENGLAND	1,735	185	175	169	147	151	130	133	131	149	139	114	112	—
Maine	202	15	24	27	19	15	14	16	20	19	10	18	5	—
New Hampshire	198	37	17	18	19	16	9	13	19	12	20	12	6	—
Vermont	139	20	15	7	13	21	5	10	11	9	11	10	7	—
Massachusetts	297	20	33	39	20	20	33	25	26	31	16	16	18	—
Rhode Island	341	41	28	12	28	21	28	30	32	32	31	27	31	—
Connecticut	558	52	58	66	48	58	41	39	23	46	51	31	45	—
MIDDLE ATLANTIC	4,606	459	416	429	413	362	388	326	397	346	435	328	306	1
Upstate New York	1,699	218	180	142	182	124	153	93	115	102	166	104	120	—
New York City	818	82	64	63	59	55	72	63	80	63	95	74	48	—
New Jersey	922	60	81	77	68	68	75	76	102	86	85	71	73	—
Pennsylvania	1,167	99	91	147	104	115	88	94	100	95	89	79	65	1
EAST NORTH CENTRAL ...	7,018	602	549	588	576	660	497	646	526	542	730	525	577	—
Ohio	1,411	141	125	120	98	107	100	127	117	93	143	92	148	—
Indiana	352	10	28	34	20	56	37	22	34	24	20	34	33	—
Illinois	1,907	98	116	129	183	187	120	215	135	160	227	156	181	—
Michigan	2,780	311	249	270	226	251	204	247	192	233	264	192	141	—
Wisconsin	568	42	31	35	49	59	36	35	48	32	76	51	74	—
WEST NORTH CENTRAL ...	2,112	203	163	179	262	180	135	143	156	170	173	222	126	—
Minnesota	527	19	16	31	134	36	22	40	45	48	49	46	41	—
Iowa	269	41	20	39	17	35	23	11	11	15	17	28	12	—
Missouri	425	44	35	42	37	37	30	21	34	39	26	49	31	—
North Dakota	86	6	1	2	1	3	3	7	2	3	7	50	1	—
South Dakota	164	34	26	16	9	14	11	7	15	7	13	7	5	—
Nebraska	86	2	5	2	7	8	3	10	7	16	14	6	6	—
Kansas*	555	57	60	47	57	47	43	47	42	42	47	36	30	—
SOUTH ATLANTIC	6,356	559	648	651	536	570	536	454	663	477	410	528	324	—
Delaware	37	5	2	6	1	1	3	1	4	2	4	8	—	—
Maryland	331	34	31	34	26	26	18	32	31	25	22	24	28	—
District of Columbia	44	8	1	1	5	5	4	7	1	3	6	—	3	—
Virginia	510	40	83	83	32	25	38	31	30	39	35	45	29	—
West Virginia	148	24	16	21	21	7	9	12	6	9	12	4	7	—
North Carolina	929	87	80	95	71	66	86	56	87	84	75	84	58	—
South Carolina	278	18	30	28	22	27	20	22	16	25	16	28	26	—
Georgia	Data Not Available													
Florida	4,079	343	405	383	358	413	358	293	488	290	240	335	173	—
EAST SOUTH CENTRAL ...	3,164	249	288	294	246	268	277	261	225	265	277	300	214	—
Kentucky	887	85	51	58	43	94	67	87	63	83	87	83	86	—
Tennessee	1,700	120	192	179	142	147	149	129	122	129	152	144	95	—
Alabama	323	33	36	35	22	13	54	28	20	28	10	35	9	—
Mississippi	254	11	9	22	39	14	7	17	20	25	28	38	24	—
WEST SOUTH CENTRAL ...	5,382	474	596	456	455	604	334	426	471	332	406	490	338	—
Arkansas	458	32	55	39	53	32	28	31	33	36	33	45	41	—
Louisiana	443	40	37	32	41	26	45	53	28	26	48	27	40	—
Oklahoma	663	68	87	72	43	66	56	50	37	38	37	80	29	—
Texas	3,818	334	417	313	318	480	205	292	373	232	288	338	228	—
MOUNTAIN	2,117	233	170	175	199	125	154	157	158	206	189	186	165	—
Montana	383	30	32	35	48	36	29	45	16	32	31	31	18	—
Idaho	122	12	7	9	9	4	17	12	21	3	9	8	11	—
Wyoming	47	—	—	3	4	5	3	3	1	11	5	8	4	—
Colorado	288	46	29	30	36	18	15	12	17	22	18	27	18	—
New Mexico	294	55	17	—	—	—	22	21	38	36	30	44	31	—
Arizona	564	54	42	48	60	31	34	42	39	72	64	42	36	—
Utah	217	15	21	25	27	24	13	9	10	9	22	12	30	—
Nevada	202	21	22	25	15	7	21	13	16	21	10	14	17	—
PACIFIC	7,868	785	638	634	614	676	587	653	584	541	902	659	595	—
Washington	733	52	50	56	65	48	69	61	41	63	86	67	75	—
Oregon	831	47	67	69	62	45	89	69	91	68	70	89	65	—
California	5,883	665	480	478	449	564	420	497	424	402	719	404	381	—
Alaska	283	6	33	15	15	8	1	7	22	—	22	92	62	—
Hawaii	138	15	8	16	23	11	8	19	6	8	5	7	12	—
Guam	311	24	39	23	47	63	15	8	15	17	27	17	13	3
Puerto Rico	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*Includes unspecified hepatitis

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1974 — Continued
(C) HEPATITIS B

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	10,631	798	745	856	842	866	906	960	938	903	1,022	967	821	7
NEW ENGLAND	405	28	32	43	53	26	26	27	38	35	31	37	29	—
Maine	4	—	—	1	—	—	—	—	—	1	—	1	1	—
New Hampshire	24	3	4	5	1	—	1	2	1	—	1	2	4	—
Vermont	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Massachusetts	259	14	20	23	34	18	21	11	31	25	21	26	15	—
Rhode Island	49	6	2	4	6	6	1	3	4	3	4	5	5	—
Connecticut	68	5	6	10	12	2	2	11	2	6	5	3	4	—
MIDDLE ATLANTIC	1,897	138	130	145	154	150	164	217	188	145	184	144	132	6
Upstate New York	256	22	17	18	24	23	16	33	28	11	20	15	29	—
New York City	260	24	18	18	23	20	21	22	25	27	29	21	12	—
New Jersey	846	48	52	69	58	64	78	112	76	71	84	70	64	—
Pennsylvania	535	44	43	40	49	43	49	50	59	36	51	38	27	6
EAST NORTH CENTRAL	1,765	129	113	156	148	147	144	176	134	133	181	164	140	—
Ohio	318	25	24	36	16	27	22	27	26	32	29	34	20	—
Indiana	41	1	3	4	3	3	2	2	5	1	6	6	5	—
Illinois	626	32	33	30	60	59	49	83	60	41	69	54	56	—
Michigan	590	58	41	65	52	48	46	54	31	46	60	50	39	—
Wisconsin	190	13	12	21	17	10	25	10	12	13	17	20	20	—
WEST NORTH CENTRAL	561	34	33	34	38	40	35	27	62	52	59	85	62	—
Minnesota	246	14	13	10	17	18	15	11	35	16	30	36	31	—
Iowa	91	6	10	6	11	7	11	5	6	6	7	9	7	—
Missouri	144	9	6	14	5	9	7	5	7	20	13	30	19	—
North Dakota	7	—	—	—	—	—	1	—	1	2	1	1	1	—
South Dakota	4	—	—	1	1	—	—	—	2	—	—	—	—	—
Nebraska	31	2	2	—	2	3	—	—	4	3	7	5	3	—
Kansas	38	3	2	3	2	3	1	6	7	5	1	4	1	—
SOUTH ATLANTIC	1,155	82	75	93	91	96	107	87	124	100	98	108	93	1
Delaware	14	—	—	1	1	—	6	—	1	—	1	2	2	—
Maryland	160	18	9	7	15	8	9	20	16	14	16	13	14	1
District of Columbia	74	5	5	7	3	18	11	3	6	5	4	2	5	—
Virginia	152	4	5	11	7	9	11	14	19	22	12	16	22	—
West Virginia	10	4	2	2	—	1	1	—	—	—	—	—	—	—
North Carolina	142	9	7	12	12	8	6	15	19	10	16	17	11	—
South Carolina	41	2	3	5	5	10	—	1	1	5	2	5	2	—
Georgia	Data not available													
Florida	562	40	44	48	48	42	63	34	62	44	47	53	37	—
EAST SOUTH CENTRAL	625	17	47	66	41	50	100	47	51	55	36	72	43	—
Kentucky	119	8	12	5	10	15	16	5	10	7	12	9	10	—
Tennessee	267	5	21	21	20	27	26	19	20	30	15	43	20	—
Alabama	186	4	11	35	7	5	55	20	16	8	7	12	6	—
Mississippi	53	—	3	5	4	3	3	3	5	10	2	8	7	—
WEST SOUTH CENTRAL	746	31	71	62	58	65	46	63	61	82	84	82	41	—
Arkansas	63	2	4	4	6	6	4	7	9	5	6	5	5	—
Louisiana	176	17	20	21	20	16	15	17	3	9	22	7	9	—
Oklahoma	150	4	14	3	9	8	9	14	12	22	21	21	13	—
Texas	357	8	33	34	23	35	18	25	37	46	35	49	14	—
MOUNTAIN	342	22	25	25	23	27	32	18	39	28	32	37	34	—
Montana	28	9	2	2	2	3	2	—	1	2	1	4	—	—
Idaho	9	—	—	1	1	2	—	—	—	1	1	—	2	—
Wyoming	2	—	2	—	—	—	—	—	—	—	—	—	—	—
Colorado	120	4	5	7	7	9	18	4	18	8	10	18	12	—
New Mexico	36	1	2	3	—	2	2	3	6	2	3	5	7	—
Arizona	104	5	5	8	8	7	9	9	11	13	15	8	6	—
Utah	39	3	9	4	2	4	1	—	3	2	2	2	7	—
Nevada	4	—	—	—	3	—	—	1	—	—	—	—	—	—
PACIFIC	3,135	317	219	232	236	265	252	298	241	273	317	238	247	—
Washington	274	16	13	16	28	29	15	29	14	18	35	31	30	—
Oregon	219	20	17	14	15	11	16	12	20	30	25	21	18	—
California	2,508	265	181	186	183	221	211	239	195	209	251	173	194	—
Alaska	51	6	4	5	3	1	2	9	8	5	3	4	1	—
Hawaii	83	10	4	11	7	3	8	9	4	11	3	9	4	—
Guam	25	1	4	5	7	8	22	51	20	12	14	11	5	—
Puerto Rico	23	1	2	3	2	3	—	—	—	2	6	1	3	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1974 — Continued
(D) HEPATITIS UNSPECIFIED

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	8,351	699	759	823	786	798	619	652	649	553	670	713	625	5
NEW ENGLAND	665	88	66	65	58	45	46	41	54	53	54	43	52	—
Maine	67	3	—	3	3	—	2	5	7	11	15	12	6	—
New Hampshire	11	4	2	—	—	—	3	1	1	—	—	—	—	—
Vermont	17	5	2	3	1	—	3	—	2	—	1	—	—	—
Massachusetts	564	76	62	58	53	45	37	34	43	41	38	31	46	—
Rhode Island	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Connecticut	6	—	—	1	1	—	1	1	1	1	—	—	—	—
MIDDLE ATLANTIC	681	61	65	65	67	54	58	53	61	42	52	27	72	4
Upstate New York	240	30	19	26	20	14	10	14	30	9	15	6	47	—
New York City	—	—	—	—	—	—	—	—	—	—	—	—	—	—
New Jersey	299	18	29	26	33	30	31	28	24	27	23	12	18	—
Pennsylvania	142	13	17	13	14	10	17	11	7	6	14	9	7	4
EAST NORTH CENTRAL ...	1,035	77	74	74	86	76	75	117	80	71	96	124	85	—
Ohio	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Indiana	349	21	27	32	34	23	37	34	34	19	19	42	27	—
Illinois	448	12	33	27	38	35	24	68	34	28	49	65	35	—
Michigan	229	44	14	15	14	16	13	14	12	21	26	17	23	—
Wisconsin	9	—	—	—	—	2	1	1	—	3	2	—	—	—
WEST NORTH CENTRAL ...	310	13	23	33	19	30	21	18	32	36	23	36	26	—
Minnesota	40	3	8	4	3	7	4	2	6	3	—	—	—	—
Iowa	56	—	4	6	3	1	6	3	1	6	9	8	9	—
Missouri	186	8	11	21	12	15	10	10	24	23	12	24	16	—
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	28	2	—	2	1	7	1	3	1	4	2	4	1	—
Kansas	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SOUTH ATLANTIC	1,726	111	148	162	134	198	98	137	170	126	150	157	135	—
Delaware	13	—	—	1	1	5	—	1	2	—	2	1	—	—
Maryland	115	12	2	14	8	11	9	12	5	10	8	18	6	—
District of Columbia	5	1	1	—	1	1	1	—	—	—	—	—	—	—
Virginia	161	12	12	17	6	14	12	14	14	17	15	16	12	—
West Virginia	15	—	—	4	—	3	1	—	3	1	1	1	1	—
North Carolina	148	15	24	5	28	11	10	15	26	1	8	1	4	—
South Carolina	143	10	20	12	11	10	14	11	5	10	10	20	10	—
Georgia	1,126	61	89	109	79	143	51	84	115	87	106	100	102	—
Florida	—	—	—	—	—	—	—	—	—	—	—	—	—	—
EAST SOUTH CENTRAL ...	373	63	50	31	80	87	22	6	4	2	14	4	10	—
Kentucky	322	63	48	21	76	80	14	6	2	—	9	3	—	—
Tennessee	9	—	—	1	—	1	—	—	1	2	—	—	4	—
Alabama	42	—	2	9	4	6	8	—	1	—	5	1	6	—
Mississippi	—	—	—	—	—	—	—	—	—	—	—	—	—	—
WEST SOUTH CENTRAL ...	581	26	49	47	62	56	35	45	34	34	44	107	42	—
Arkansas	103	4	1	9	13	12	12	13	11	7	7	11	3	—
Louisiana	176	14	19	11	17	10	9	18	6	14	17	26	15	—
Oklahoma	186	8	26	25	29	24	13	14	12	8	4	16	7	—
Texas	116	—	3	2	3	10	1	—	5	5	16	54	17	—
MOUNTAIN	1,348	77	141	170	149	122	133	111	94	88	65	100	97	1
Montana	9	—	1	—	—	—	2	3	1	—	1	1	—	—
Idaho	32	4	2	3	2	1	1	—	3	2	1	9	4	—
Wyoming	16	—	—	4	3	5	—	—	—	1	—	—	3	—
Colorado	551	51	45	33	37	53	50	63	48	49	36	55	31	—
New Mexico	425	1	56	106	70	45	48	27	19	9	4	14	26	—
Arizona	210	14	26	10	29	13	24	12	20	15	13	13	21	—
Utah	104	7	11	14	8	5	8	6	3	12	10	8	12	—
Nevada	1	—	—	—	—	—	—	—	—	—	—	—	—	1
PACIFIC	1,632	183	143	176	131	130	131	124	120	101	172	115	106	—
Washington	605	74	53	68	39	51	42	45	43	47	59	44	40	—
Oregon	120	11	11	15	11	8	12	4	11	12	7	9	9	—
California	869	94	77	88	75	65	69	72	64	41	106	62	56	—
Alaska	2	—	—	—	1	—	—	1	—	—	—	—	—	—
Hawaii	36	4	2	5	5	6	8	2	2	1	—	—	1	—
Guam	160	1	4	5	7	8	22	51	20	12	14	11	5	—
Puerto Rico	521	32	36	41	47	45	42	39	37	46	56	49	51	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1974 — Continued
(E) MEASLES (Rubeola)

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	22,094	1,827	2,354	3,193	3,845	3,938	2,867	1,087	518	365	563	696	839	2
NEW ENGLAND	970	174	79	159	148	147	133	70	17	15	9	11	8	—
Maine	42	4	5	13	3	—	9	1	2	2	—	2	1	—
New Hampshire	212	113	26	61	5	1	—	1	1	1	2	—	1	—
Vermont	56	—	—	5	32	18	1	—	—	—	—	—	—	—
Massachusetts	416	22	31	57	64	87	87	31	11	11	6	5	4	—
Rhode Island	61	30	6	11	12	—	—	2	—	—	—	—	—	—
Connecticut	183	5	11	12	32	41	36	35	3	1	1	4	2	—
MIDDLE ATLANTIC	8,318	465	1,008	1,211	1,496	1,675	1,473	436	198	66	86	126	78	—
Upstate New York	1,003	7	16	19	46	192	420	190	38	22	13	9	31	—
New York City	651	36	32	74	93	118	116	69	47	21	11	16	18	—
New Jersey	5,693	342	822	1,030	1,222	1,221	713	114	37	7	58	98	29	—
Pennsylvania	971	80	138	88	135	144	224	63	76	16	4	3	—	—
EAST NORTH CENTRAL	8,675	778	921	1,280	1,640	1,664	816	369	155	180	272	282	318	—
Ohio	3,064	383	378	638	839	638	98	28	24	5	11	14	8	—
Indiana	285	19	26	38	44	41	31	10	14	17	15	18	12	—
Illinois	2,259	145	156	167	337	551	356	230	65	52	40	59	101	—
Michigan	2,365	167	309	399	328	358	259	66	18	46	148	122	145	—
Wisconsin	702	64	52	38	92	76	72	35	34	60	58	69	52	—
WEST NORTH CENTRAL	831	98	70	103	112	107	125	58	2	7	17	11	121	—
Minnesota	85	73	2	1	—	1	1	6	—	—	1	—	—	—
Iowa	134	2	—	5	1	20	75	31	—	—	—	—	—	—
Missouri	268	3	5	16	87	73	48	18	2	1	3	2	10	—
North Dakota	35	3	6	11	1	2	—	3	—	—	3	6	—	—
South Dakota	31	1	—	18	5	3	—	—	—	—	—	—	4	—
Nebraska	94	1	—	1	—	—	—	—	—	—	—	1	91	—
Kansas	184	15	57	51	18	8	1	—	—	6	10	2	16	—
SOUTH ATLANTIC	614	55	88	115	67	62	33	39	62	36	26	14	16	1
Delaware	15	—	2	2	2	1	—	—	1	2	4	1	—	—
Maryland	24	5	11	4	—	—	3	—	—	—	—	—	—	1
District of Columbia	3	—	—	—	2	1	—	—	—	—	—	—	—	—
Virginia	36	2	5	2	1	7	2	—	10	2	3	1	1	—
West Virginia	232	20	24	19	23	15	10	30	35	29	13	5	9	—
North Carolina	5	—	1	1	—	—	2	—	1	—	—	—	—	—
South Carolina	59	6	2	17	8	5	3	5	4	3	3	3	—	—
Georgia	3	—	—	—	1	2	—	—	—	—	—	—	—	—
Florida	237	22	43	70	30	31	13	4	11	—	3	4	6	—
EAST SOUTH CENTRAL	292	7	20	21	19	29	72	25	15	16	31	28	9	—
Kentucky	198	7	15	15	15	22	36	21	14	15	31	7	—	—
Tennessee	54	—	—	1	—	4	27	1	—	—	—	21	—	—
Alabama	21	—	—	2	—	3	8	3	1	1	—	—	3	—
Mississippi	19	—	5	3	4	—	1	—	—	—	—	—	6	—
WEST SOUTH CENTRAL	262	20	36	35	15	32	23	6	23	12	19	25	16	—
Arkansas	7	—	3	—	—	1	2	—	—	—	1	—	—	—
Louisiana	13	2	2	1	1	5	1	—	—	—	—	—	1	—
Oklahoma	30	3	3	5	2	6	4	1	1	2	2	—	1	—
Texas	212	15	28	29	12	20	16	5	22	10	16	25	14	—
MOUNTAIN	842	38	39	137	213	91	105	9	11	11	12	72	103	1
Montana	284	26	14	67	99	51	24	1	—	1	—	—	—	1
Idaho	56	1	14	29	3	2	1	—	1	—	1	3	1	—
Wyoming	14	—	—	—	—	1	—	—	—	—	—	—	13	—
Colorado	179	4	1	7	2	2	1	2	—	1	4	67	88	—
New Mexico	63	6	7	25	—	4	8	2	7	—	3	1	—	—
Arizona	21	1	2	3	4	1	1	4	1	1	2	—	1	—
Utah	15	—	—	—	—	2	1	—	2	8	2	—	—	—
Nevada	210	—	1	6	105	28	69	—	—	—	—	1	—	—
PACIFIC	1,290	192	93	132	135	131	87	75	35	22	91	127	170	—
Washington	84	7	13	13	6	8	9	5	4	1	3	8	7	—
Oregon	23	—	—	—	—	—	—	—	—	—	—	—	23	—
California	1,115	185	78	115	88	115	75	65	30	17	88	119	140	—
Alaska	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hawaii	68	—	2	4	41	8	3	5	1	4	—	—	—	—
Guam	20	1	—	3	2	1	4	3	1	2	3	—	—	—
Puerto Rico	679	32	56	109	93	123	87	40	26	24	42	16	31	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1974 – Continued
(F) MENINGOCOCCAL INFECTIONS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	1,346	116	129	189	168	112	90	99	68	55	100	121	98	1
NEW ENGLAND	68	8	8	6	10	3	2	7	3	1	5	8	7	—
Maine	4	—	—	—	1	1	—	—	1	—	—	1	—	—
New Hampshire	12	2	2	1	—	—	—	2	1	—	3	—	1	—
Vermont	3	—	—	—	1	—	—	1	—	—	—	—	1	—
Massachusetts	19	1	4	1	3	1	1	3	1	—	—	2	2	—
Rhode Island	10	3	—	3	—	1	—	—	—	—	1	2	—	—
Connecticut	20	2	2	1	5	—	1	1	—	1	1	3	3	—
MIDDLE ATLANTIC	183	14	24	23	17	13	16	11	14	5	20	13	12	1
Upstate New York	69	1	10	11	11	6	5	5	5	1	7	4	3	—
New York City	26	5	4	3	—	1	1	1	2	1	6	1	1	—
New Jersey	55	6	7	6	6	1	8	5	1	1	5	5	4	—
Pennsylvania	33	2	3	3	—	5	2	—	6	2	2	3	4	1
EAST NORTH CENTRAL ...	205	12	16	28	28	26	7	19	9	8	17	13	22	—
Ohio	71	3	7	10	10	12	4	7	4	1	7	3	3	—
Indiana	24	—	—	2	5	1	—	1	2	2	2	2	7	—
Illinois	36	4	2	7	6	4	—	3	2	1	2	2	3	—
Michigan	54	4	4	7	4	8	1	6	1	4	5	4	6	—
Wisconsin	20	1	3	2	3	1	2	2	—	—	1	2	3	—
WEST NORTH CENTRAL ...	116	7	9	15	16	10	8	8	2	5	10	13	13	—
Minnesota	37	4	2	7	3	3	4	—	1	—	6	1	6	—
Iowa	9	1	2	—	1	—	—	2	—	—	1	2	—	—
Missouri	49	—	4	7	6	5	4	2	—	2	3	10	6	—
North Dakota	1	1	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	2	—	—	—	2	—	—	—	—	—	—	—	—	—
Nebraska	3	—	—	—	1	—	—	2	—	—	—	—	—	—
Kansas	15	1	1	1	3	2	—	2	1	3	—	—	1	—
SOUTH ATLANTIC	258	26	21	33	32	20	19	25	13	14	10	29	16	—
Delaware	6	3	—	1	—	—	—	—	2	—	—	—	—	—
Maryland	20	4	4	3	—	1	1	1	1	1	1	2	1	—
District of Columbia	2	—	—	—	—	—	—	1	—	—	—	—	1	—
Virginia	43	5	4	3	5	6	4	2	1	4	3	3	3	—
West Virginia	9	2	—	1	1	2	—	—	1	—	1	1	—	—
North Carolina	52	5	5	5	11	3	7	2	2	2	3	3	4	—
South Carolina	22	1	—	8	2	1	1	3	—	—	1	4	1	—
Georgia	9	4	—	—	1	1	1	1	—	—	—	1	1	—
Florida	95	2	8	12	12	6	5	15	6	7	1	16	5	—
EAST SOUTH CENTRAL ...	126	5	11	26	14	17	10	5	5	3	5	16	9	—
Kentucky	51	2	4	15	6	8	1	1	1	1	—	8	4	—
Tennessee	51	2	7	8	8	4	6	3	2	1	5	2	3	—
Alabama	13	1	—	3	—	4	—	—	—	1	—	4	—	—
Mississippi	11	—	—	—	—	1	3	1	2	—	—	2	2	—
WEST SOUTH CENTRAL ...	198	23	20	36	27	10	13	11	11	8	14	18	7	—
Arkansas	14	2	—	4	1	1	—	1	2	1	1	—	1	—
Louisiana	49	7	3	2	8	1	6	2	3	4	6	4	3	—
Oklahoma	19	4	1	2	4	—	1	2	1	—	1	2	1	—
Texas	116	10	16	28	14	8	6	6	5	3	6	12	2	—
MOUNTAIN	56	6	5	3	8	2	6	4	6	4	5	4	3	—
Montana	8	—	2	—	2	—	—	—	—	—	3	—	1	—
Idaho	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Wyoming	3	—	—	—	2	—	1	—	—	—	—	—	—	—
Colorado	9	—	—	2	—	—	2	3	1	—	1	—	—	—
New Mexico	4	1	1	—	—	—	—	1	—	1	—	—	—	—
Arizona	11	2	1	—	1	—	—	—	2	1	1	2	1	—
Utah	10	1	—	—	—	2	1	—	2	2	—	1	1	—
Nevada	10	2	—	1	3	—	2	—	1	—	—	1	—	—
PACIFIC	136	15	15	19	16	11	9	9	5	7	14	7	9	—
Washington	21	4	1	3	—	1	1	1	1	2	4	1	2	—
Oregon	22	3	2	1	2	—	1	2	1	1	2	2	5	—
California	85	8	10	12	12	10	6	6	3	4	8	4	2	—
Alaska	5	—	2	2	—	—	1	—	—	—	—	—	—	—
Hawaii	3	—	—	1	2	—	—	—	—	—	—	—	—	—
Guam	3	—	—	1	—	—	—	—	—	1	1	—	—	—
Puerto Rico	6	—	—	—	1	1	2	—	2	—	—	—	—	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1974 — Continued
(G) MUMPS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	59,128	7,160	7,349	8,306	6,434	7,404	5,045	2,039	1,357	1,068	2,456	4,759	5,751	—
NEW ENGLAND	6,818	1,067	949	1,188	920	682	727	259	96	101	194	272	363	—
Maine	982	153	136	273	154	57	83	14	7	5	10	58	32	—
New Hampshire	307	76	43	56	30	25	40	10	4	6	7	4	6	—
Vermont	21	3	4	2	4	—	2	1	—	—	1	—	4	—
Massachusetts	1,117	169	145	139	143	139	111	44	13	25	50	48	91	—
Rhode Island	2,693	381	267	437	387	359	339	159	64	56	55	81	108	—
Connecticut	1,698	285	354	281	202	102	152	31	8	9	71	81	122	—
MIDDLE ATLANTIC	4,296	486	534	701	404	541	504	246	117	75	151	175	362	—
Upstate New York	1,167	98	115	141	118	144	119	99	27	20	51	41	194	—
New York City	788	94	67	75	69	82	105	74	47	29	37	60	49	—
New Jersey	784	127	183	71	66	87	90	23	7	7	25	33	65	—
Pennsylvania	1,557	167	169	414	151	228	190	50	36	19	38	41	54	—
EAST NORTH CENTRAL	17,514	2,228	2,155	1,968	1,749	1,863	1,625	532	297	289	874	1,677	2,257	—
Ohio	3,547	561	599	514	391	299	360	120	42	30	70	324	237	—
Indiana	1,477	136	229	158	94	137	142	46	34	21	36	206	238	—
Illinois	1,707	249	155	152	160	188	127	65	33	26	110	163	279	—
Michigan	7,230	920	888	856	792	840	838	174	73	80	302	511	956	—
Wisconsin	3,553	362	284	288	312	399	158	127	115	132	356	473	547	—
WEST NORTH CENTRAL	4,896	705	802	1,036	550	391	89	55	43	86	298	470	371	—
Minnesota	100	11	11	5	1	6	2	2	3	—	5	34	20	—
Iowa	1,985	295	379	475	189	219	49	5	6	53	120	98	97	—
Missouri	1,755	294	268	412	275	38	31	29	21	7	78	183	119	—
North Dakota	118	4	1	11	4	2	1	11	5	5	30	30	14	—
South Dakota	3	—	1	1	—	—	—	—	—	—	—	1	—	—
Nebraska	93	23	12	11	15	3	5	8	4	1	6	1	4	—
Kansas	842	78	130	121	66	123	1	—	4	20	59	123	117	—
SOUTH ATLANTIC	6,737	555	755	1,131	1,002	1,023	508	210	338	124	189	464	438	—
Delaware	107	10	16	11	10	9	22	9	4	3	5	4	4	—
Maryland	160	20	12	17	18	21	6	5	13	7	6	18	17	—
District of Columbia	52	13	7	6	10	4	3	5	1	1	—	—	2	—
Virginia	822	50	45	65	106	112	78	56	64	34	42	85	85	—
West Virginia	3,448	308	443	713	526	600	218	57	50	32	82	223	196	—
North Carolina	Not notifiable													
South Carolina	144	3	6	18	37	24	12	4	6	4	4	19	7	—
Georgia	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Florida	2,003	151	226	301	295	253	169	73	200	43	50	115	127	—
EAST SOUTH CENTRAL	7,112	607	840	709	667	1,500	705	306	139	102	161	663	713	—
Kentucky	3,198	248	326	231	290	737	222	91	43	23	62	479	446	—
Tennessee	2,893	284	449	356	278	387	411	176	73	50	82	137	210	—
Alabama	618	61	61	108	78	86	51	33	23	26	15	33	43	—
Mississippi	403	14	4	14	21	290	21	6	—	3	2	14	14	—
WEST SOUTH CENTRAL	4,496	401	433	622	430	521	342	164	169	118	179	542	575	—
Arkansas	256	62	11	19	21	2	6	3	3	5	6	78	40	—
Louisiana	323	1	23	19	54	39	20	21	20	5	12	49	60	—
Oklahoma	417	23	51	134	48	52	42	8	11	3	9	24	12	—
Texas	3,500	315	348	450	307	428	274	132	135	105	152	391	463	—
MOUNTAIN	1,247	249	224	155	100	140	83	47	28	23	81	55	62	—
Montana	164	47	32	29	18	19	4	4	1	4	2	1	3	—
Idaho	162	55	57	23	7	10	2	2	—	1	1	—	4	—
Wyoming	18	—	1	3	—	13	—	—	—	1	—	—	—	—
Colorado	616	98	82	80	59	75	65	28	13	14	37	33	32	—
New Mexico	187	48	51	19	15	9	10	12	11	3	1	5	3	—
Arizona	Not notifiable													
Utah	77	1	1	1	—	14	—	1	2	—	40	7	10	—
Nevada	23	—	—	—	1	—	2	—	1	—	—	9	10	—
PACIFIC	6,012	862	657	796	612	743	462	220	130	150	329	441	610	—
Washington	2,284	308	316	291	232	290	145	20	5	36	110	229	302	—
Oregon	857	191	93	161	118	57	81	39	28	19	22	25	23	—
California	2,639	321	233	320	250	366	221	149	88	83	152	176	280	—
Alaska	152	32	11	17	3	20	12	1	6	8	38	2	2	—
Hawaii	80	10	4	7	9	10	3	11	3	4	7	9	3	—
Guam	388	43	38	115	61	63	19	24	5	5	10	2	3	—
Puerto Rico	1,284	69	108	100	163	168	137	85	78	72	139	85	80	—

TABLE 12. Reported Cases of Selected Notifiable Diseases by State and by Month, 1974 — Continued
(H) RUBELLA

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	11,917	777	1,080	1,838	1,848	1,812	1,266	532	536	548	569	587	463	61
NEW ENGLAND	1,195	52	91	193	182	200	165	46	38	33	94	67	34	—
Maine	302	1	12	67	62	41	58	19	15	13	1	6	7	—
New Hampshire	23	5	1	3	6	1	—	1	—	1	3	2	—	—
Vermont	43	3	2	2	4	1	5	3	—	4	16	1	2	—
Massachusetts	385	26	48	52	67	71	44	17	8	8	14	14	16	—
Rhode Island	20	5	4	6	—	—	3	—	1	—	—	1	—	—
Connecticut	422	12	24	63	43	86	55	6	14	7	60	43	9	—
MIDDLE ATLANTIC	1,167	46	90	241	181	202	187	45	43	39	37	28	28	—
Upstate New York	267	15	29	36	48	48	35	13	10	10	11	8	4	—
New York City	173	14	13	16	23	20	19	20	15	7	10	8	8	—
New Jersey	465	13	44	110	70	85	95	8	4	12	6	8	10	—
Pennsylvania	262	4	4	79	40	49	38	4	14	10	10	4	6	—
EAST NORTH CENTRAL	3,845	312	453	457	521	653	454	169	157	195	206	155	113	—
Ohio	529	27	46	103	103	134	51	6	10	24	2	12	11	—
Indiana	645	46	163	102	31	54	65	26	49	41	31	23	14	—
Illinois	635	44	70	38	49	132	102	55	19	29	59	17	21	—
Michigan	1,388	146	128	128	246	237	206	56	29	35	62	72	43	—
Wisconsin	648	49	46	86	92	96	30	26	50	66	52	31	24	—
WEST NORTH CENTRAL	413	43	55	109	50	39	8	2	8	6	21	46	26	—
Minnesota	18	2	—	4	1	—	3	1	1	1	—	4	1	—
Iowa	15	2	3	2	5	2	—	1	—	—	—	—	—	—
Missouri	183	28	27	41	31	5	5	—	3	2	13	17	11	—
North Dakota	19	1	4	1	3	2	—	—	3	1	3	—	1	—
South Dakota	26	—	—	21	4	—	—	—	—	1	—	—	—	—
Nebraska	6	2	1	—	3	—	—	—	—	—	—	—	—	—
Kansas	146	8	20	40	3	30	—	—	1	1	5	25	13	—
SOUTH ATLANTIC	1,376	47	64	194	290	165	126	98	148	80	47	65	52	—
Delaware	31	1	1	2	7	8	3	2	3	2	1	—	1	—
Maryland	5	—	—	—	1	3	—	—	1	—	—	—	—	—
District of Columbia	5	—	—	—	—	3	—	1	—	—	—	—	1	—
Virginia	67	2	2	9	7	7	9	3	3	4	4	5	12	—
West Virginia	317	28	13	13	46	20	20	25	77	40	17	10	8	—
North Carolina	57	1	2	28	12	4	6	—	—	1	1	1	1	—
South Carolina	685	—	1	129	178	108	72	58	44	32	15	35	13	—
Georgia	4	2	—	—	—	—	—	—	1	—	—	—	1	—
Florida	205	13	45	13	39	12	16	9	19	1	9	14	15	—
EAST SOUTH CENTRAL	673	49	75	115	68	88	43	37	52	57	24	36	29	—
Kentucky	223	10	29	39	24	49	8	11	18	20	7	7	1	—
Tennessee	359	30	40	49	26	35	29	25	30	31	17	28	19	—
Alabama	66	4	4	25	14	3	5	1	3	3	—	1	3	—
Mississippi	25	5	2	2	4	1	1	—	1	3	—	—	6	—
WEST SOUTH CENTRAL	578	51	29	64	59	80	14	15	28	49	33	93	63	—
Arkansas	25	23	—	1	—	1	—	—	—	—	—	—	—	—
Louisiana	178	1	2	5	29	21	—	—	—	24	11	37	48	—
Oklahoma	58	10	3	5	5	6	4	3	8	3	3	8	—	—
Texas	317	17	24	53	25	52	10	12	20	22	19	48	15	—
MOUNTAIN	417	25	19	74	54	64	84	19	15	11	12	10	30	—
Montana	27	6	7	4	2	1	2	1	—	1	2	—	1	—
Idaho	20	2	3	—	6	—	1	—	2	—	—	—	6	—
Wyoming	2	—	—	—	—	—	—	—	—	—	—	—	2	—
Colorado	177	6	9	23	34	34	39	5	5	—	1	5	16	—
New Mexico	130	9	—	20	5	24	36	12	5	10	4	1	4	—
Arizona	2	1	—	—	—	—	—	1	—	—	—	—	—	—
Utah	27	—	—	5	3	4	2	—	3	—	5	4	1	—
Nevada	32	1	—	22	4	1	4	—	—	—	—	—	—	—
PACIFIC	2,253	152	204	391	443	321	185	101	47	78	95	87	88	61
Washington	420	59	53	54	51	60	13	4	7	32	32	21	34	—
Oregon	242	11	29	42	82	12	4	13	20	11	5	8	5	—
California	1,572	80	116	293	310	246	168	83	19	33	58	58	47	61
Alaska	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hawaii	19	2	6	2	—	3	—	1	1	2	—	—	2	—
Guam	9	—	—	1	1	1	2	—	1	—	1	2	—	—
Puerto Rico	35	—	4	1	4	5	3	5	6	1	3	1	2	—

TABLE 13. Animal Bites and Cases of Acute Diseases *Optionally* Reported by Certain States, 1974

AREA	ANIMAL BITES	GIARDIASIS	HISTO-PLASMOSIS	INFECTIOUS MONONUCLEOSIS	MENINGITIS (Bacterial & Unspecified)	STREPTOCOCCAL SORE THROAT & SCARLET FEVER	TOXO-PLASMOSIS
NO. CASES REPORTED	170,045	3,313	299	13,314	2,427	407,041	236
No. States Reporting	(21)	(21)	(19)	(30)	(43)	(42)	(21)
NEW ENGLAND	21,388	113	5	1,564	219	62,266	32
Maine	...	...	...	109	8	1,273	...
New Hampshire	2,019	50	...	8	11	...	1
Vermont	270	63	...	133	...	5,488	...
Massachusetts	19,099	...	...	...	115	10,362	...
Rhode Island	...	...	...	...	48	8,120	...
Connecticut	...	...	5	1,314	37	37,023	31
MIDDLE ATLANTIC	62,490	114	50	1,872	489	5,426	16
Upstate New York	128	...	5	1,252	205	56	...
New York City	37,958	...	...	...	180	685	...
New Jersey	117	113	45	...	12	44	2
Pennsylvania	24,287	1	...	620	92	4,641	14
EAST NORTH CENTRAL	58,339	11	63	2,693	656	74,829	23
Ohio	...	...	29	722	72	5,240	15
Indiana	10,806	...	22	1,010	75	16,773	...
Illinois	29,605	...	10	768	256	9,979	8
Michigan	17,926	...	...	...	247	31,802	...
Wisconsin	...	11	2	193	6	11,035	...
WEST NORTH CENTRAL	4,161	682	133	2,907	188	57,772	45
Minnesota	3,993	510	4	1,551	74	5,063	4
Iowa	...	44	26	1,204	16	10,562	12
Missouri	...	19	99	54	87	15,479	27
North Dakota	...	...	...	...	4	5,516	...
South Dakota	168	...	1	89	1	7,577	...
Nebraska	...	...	...	9	...	5,397	...
Kansas	...	109	3	...	6	8,178	2
SOUTH ATLANTIC	19,935	286	20	1,402	450	31,836	18
Delaware	2,457	3	...	...	7	1,276	...
Maryland	17,478	...	...	...	116	7,455	1
District of Columbia	...	...	...	...	17	74	1
Virginia	...	283	17	1,136	148	2,004	16
West Virginia	...	...	...	250	5	15,520	...
North Carolina	...	...	...	...	87	...	...
South Carolina	...	...	2	16	55	2,940	...
Georgia	...	...	...	...	15	2,567	...
Florida	...	...	1	...	...	...	...
EAST SOUTH CENTRAL	1,163	1,561	11	431	113	18,782	85
Kentucky	651	...	4	287	24	5,402	...
Tennessee	...	...	...	...	...	...	...
Alabama	512	1,132	7	107	57	4,163	72
Mississippi	...	429	...	37	32	9,217	13
WEST SOUTH CENTRAL	2,157	49	13	56	23	1,992	1
Arkansas	2,154	49	...	48	23	1,992	...
Louisiana	3	...	7	8	...	...	1
Oklahoma	...	...	6	...	...	...	...
Texas	...	...	...	...	...	...	...
MOUNTAIN	36	406	...	227	79	93,695	4
Montana	...	...	...	3	10	...	...
Idaho	...	12	...	7	24	1,776	...
Wyoming	...	6	...	...	...	22,683	...
Colorado	...	263	...	...	24	52,762	...
New Mexico	21	10	...	15	14	11,423	...
Arizona	15	...	...	...	...	...	...
Utah	...	115	...	202	4	4,973	4
Nevada	...	...	...	...	3	78	...
PACIFIC	376	91	4	2,162	210	60,443	12
Washington	...	75	...	...	23	28,981	1
Oregon	376	...	...	2,009	70	6,402	1
California	...	16	4	80	80	18,751	9
Alaska	...	...	...	...	11	...	...
Hawaii	...	...	...	73	26	6,309	1
Guam	493	...	...	28	20	1,632	...
Puerto Rico	...	...	...	...	30	515	...

TABLE 13. Animal Bites and Cases of Acute Diseases *Optionally* Reported by Certain States, 1974 – Continued

Relapsing Fever	Calif. 2; Oreg. 2
Fungal Diseases	
Actinomycosis	Calif. 1; Ill. 1; Iowa 2; Minn. 1; S.C. 1
Aspergillosis	Mo. 6; N.J. 9; Va. 6
Blastomycosis	Ala. 2; Ark. 2; Fla. 3; Ill. 1; La. 6; Minn. 4; Miss. 5; Mo. 4; N. Dak. 1; N.J. 12; S.C. 1; Va. 9
Coccidioidomycosis	Calif. 527; Fla. 3; Idaho 2; Ill. 1; Kans. 1; La. 1; Minn. 2; Mo. 1; Nev. 2; N.J. 1; Utah 4; Va. 2; Vt. 1; Wash. 9
Cryptococcosis	Ala. 8; Fla. 2; Ill. 2; Kans. 2; La. 4; Mich. 1; Minn. 3; Mo. 19; N.J. 6; Ohio 3; Pa. 2; R.I. 1; Va. 8; Vt. 2
Nocardiosis	Calif. 1; Idaho 1; Md. 31; Minn. 2; Mo. 8; Va. 1; Vt. 2
Ringworm	Ala. 26; Conn. 11; D.C. 6; Iowa 299; Kans. 20; Ky. 10; Maine 14; Minn. 27; Mo. 97; N. Dak. 29; Oreg. 16; Utah 1; Vt. 1; Wash. 394; Wis. 36
Sporotrichosis	Mo. 1; N.J. 2
Parasitic Diseases	
Cysticercosis	Nev. 2
Echinococcosis	Calif. 12; N.J. 6
Scabies	Iowa 206; Ky. 58; N.H. 14; Oreg. 72; Wis. 19
Rickettsial Diseases	
Q Fever	Calif. 27; Colo. 11; Idaho 4; Oreg. 13; Wash. 2
Viral Diseases	
Colorado Tick Fever	Calif. 8; Colo. 192; Idaho 13; Kans. 2; Mont. 6; Oreg. 1; Utah 13; Wyo. 2
Orf	Oreg. 2
Trachoma	Fla. 2; Mont. 12; Nev. 5; Utah 2

TABLE 14. Deaths in 121 Selected Cities, United States, 1974 (Through 52nd Week Ended December 28, 1974)

Area	All Causes					Pneumonia and Influenza All Ages
	All Ages	65 years and over	45-64 years	25-44 years	Under 1 year	
NEW ENGLAND	36,139	22,590	9,377	1,838	1,204	1,977
Boston, Mass.	10,955	6,224	2,992	759	464	647
Bridgeport, Conn.	2,064	1,305	568	90	59	141
Cambridge, Mass.	1,409	1,038	278	53	26	202
Fall River, Mass.	1,436	1,008	362	32	11	24
Hartford, Conn.	2,883	1,658	850	190	112	101
Lowell, Mass.	1,308	885	320	51	16	75
Lynn, Mass.	1,082	748	271	35	9	44
New Bedford, Mass.	1,480	1,045	342	38	21	77
New Haven, Conn.	2,665	1,541	720	134	162	53
Providence, R.I.	3,093	1,799	915	149	132	259
Somerville, Mass.	558	402	121	26	3	41
Springfield, Mass.	2,553	1,704	600	113	87	157
Waterbury, Conn.	1,746	1,204	396	70	39	19
Worcester, Mass.	2,907	2,029	642	98	63	137
MIDDLE ATLANTIC	158,191	97,500	40,855	9,826	4,829	6,479
Albany, N.Y.	2,713	1,617	708	162	121	51
Allentown, Pa.	1,428	993	333	57	23	105
Buffalo, N.Y.	7,309	4,359	2,008	432	265	488
Camden, N.J.	2,052	1,174	651	105	67	94
Elizabeth, N.J.	1,519	956	422	79	22	52
Erie, Pa.	1,846	1,223	466	58	51	164
Jersey City, N.J.	2,936	1,862	764	148	111	97
Newark, N.J.	3,657	1,725	1,053	429	270	209
New York City, N.Y.	79,737	49,867	19,589	5,460	2,117	3,107
Paterson, N.J.	1,993	1,181	533	129	71	130
Philadelphia, Pa.	22,374	13,029	6,321	1,435	828	314
Pittsburgh, Pa.	9,561	5,424	2,991	467	350	571
Reading, Pa.	2,062	1,497	427	72	32	134
Pocheater, N.Y.	6,301	4,220	1,380	293	188	362
Schenectady, N.Y.	1,346	901	333	52	15	45
Scranton, Pa.	2,068	1,385	534	75	40	91
Syracuse, N.Y.	4,319	2,718	1,124	173	176	96
Trenton, N.J.	1,932	1,235	517	85	55	127
Utica, N.Y.	1,271	930	262	42	13	129
Yonkers, N.Y.	1,767	1,204	439	73	14	113
EAST NORTH CENTRAL	128,484	74,465	35,113	8,574	5,209	3,574
Akron, Ohio	3,502	2,156	874	195	138	8
Canton, Ohio	2,087	1,254	576	118	60	85
Chicago, Ill.	33,615	18,606	9,497	2,761	1,412	872
Cincinnati, Ohio	8,152	4,878	2,243	457	297	173
Cleveland, Ohio	10,143	5,475	3,166	711	392	200
Columbus, Ohio	6,805	3,806	1,881	442	346	160
Dayton, Ohio	5,355	3,104	1,507	333	201	110
Detroit, Mich.	16,890	9,234	4,757	1,369	718	380
Evansville, Ind.	2,316	1,570	549	100	54	116
Fort Wayne, Ind.	2,677	1,679	654	135	99	192
Gary, Ind.	1,463	676	455	146	77	92
Grand Rapids, Mich.	2,884	1,875	698	120	108	242
Indianapolis, Ind.	8,204	4,678	2,257	524	407	139
Madison, Wis.	1,926	1,018	505	112	125	224
Milwaukee, Wis.	6,997	4,607	1,721	303	171	137
Peoria, Ill.	2,148	1,297	512	107	162	29
Rockford, Ill.	2,183	1,341	523	120	108	170
South Bend, Ind.	2,193	1,436	520	111	51	129
Toledo, Ohio	5,664	3,680	1,354	263	187	70
Youngstown, Ohio	3,280	2,095	864	147	96	46
WEST NORTH CENTRAL	41,347	26,145	9,825	2,145	1,698	1,448
Des Moines, Iowa	2,948	1,939	675	138	101	102
Duluth, Minn.	1,256	872	267	47	28	105
Kansas City, Kans.	1,821	991	469	134	104	82
Kansas City, Mo.	6,486	4,146	1,563	318	254	99
Lincoln, Nebr.	1,569	1,084	319	74	36	102
Minneapolis, Minn.	5,303	3,408	1,166	254	265	149
Omaha, Nebr.	4,405	2,716	1,065	229	214	89
St. Louis, Mo.	10,864	6,625	2,796	629	447	330
St. Paul, Minn.	3,694	2,538	771	127	120	107
Wichita, Kans.	3,001	1,826	734	195	129	283
SOUTH ATLANTIC	64,227	35,308	18,833	4,962	2,506	2,350
Atlanta, Ga.	6,735	3,297	2,117	678	314	202
Baltimore, Md.	12,267	6,578	3,751	967	413	241
Charlotte, N.C.	3,029	1,547	896	283	142	22
Jacksonville, Fla.	4,674	2,554	1,330	348	167	41
Miami, Fla.	6,441	3,670	1,868	452	225	221
Norfolk, Va.	3,202	1,643	1,039	235	162	245
Richmond, Va.	4,737	2,569	1,516	342	172	360
Savannah, Ga.	2,111	1,163	656	129	71	161
St. Petersburg, Fla.	4,590	3,803	575	90	65	166
Tampa, Fla.	3,984	2,295	1,058	271	185	313
Washington, D.C.	9,883	4,762	3,260	981	510	290
Wilmington, Del.	2,574	1,427	767	186	80	88
EAST SOUTH CENTRAL	35,560	20,071	10,064	2,401	1,426	1,504
Birmingham, Ala.	5,646	3,033	1,653	375	306	84
Chattanooga, Tenn.	2,713	1,575	737	183	94	215
Knoxville, Tenn.	2,161	1,419	530	104	41	39
Louisville, Ky.	6,088	3,477	1,773	390	233	447
Memphis, Tenn.	8,492	4,688	2,398	586	368	158
Mobile, Ala.	2,930	1,668	815	206	103	79
Montgomery, Ala.	2,042	1,166	565	137	88	174
Nashville, Tenn.	5,488	3,046	1,593	420	193	308
WEST SOUTH CENTRAL	61,033	33,124	17,186	4,688	2,871	1,919
Austin, Tex.	2,206	1,271	532	177	97	133
Baton Rouge, La.	2,462	1,385	650	199	89	106
Corpus Christi, Tex.	1,766	970	459	124	114	31
Dallas, Tex.	8,943	4,699	2,672	706	409	138
El Paso, Tex.	2,530	1,356	617	197	188	214
Fort Worth, Tex.	4,344	2,524	1,169	275	201	84
Houston, Tex.	13,037	6,273	4,161	1,252	599	282
Little Rock, Ark.	3,111	1,753	828	206	148	130
New Orleans, La.	8,143	4,355	2,486	590	356	152
San Antonio, Tex.	7,269	4,112	1,793	563	358	171
Shreveport, La.	3,256	1,937	892	165	149	169
Tulsa, Okla.	3,966	2,489	927	234	163	309
MOUNTAIN	27,359	15,584	7,029	1,949	1,338	1,041
Albuquerque, N. Mex.	2,788	1,417	773	254	129	256
Colorado Springs, Colo.	1,592	928	361	114	81	170
Denver, Colo.	6,202	3,584	1,642	414	304	188
Las Vegas, Nev.	1,394	579	511	147	71	30
Ogden, Utah	1,079	704	243	57	26	97
Phoenix, Ariz.	6,527	3,675	1,722	448	327	75
Pueblo, Colo.	1,207	786	255	81	37	135
Salt Lake City, Utah	2,821	1,634	612	182	238	56
Tucson, Ariz.	3,749	2,277	910	252	125	34
PACIFIC	85,980	53,461	21,756	5,228	2,627	2,052
Berkeley, Calif.	950	650	217	52	6	13
Fresno, Calif.	3,044	1,740	773	202	185	54
Glendale, Calif.	1,478	1,101	273	56	16	25
Honolulu, Hawaii	2,791	1,444	817	220	197	66
Long Beach, Calif.	5,347	3,343	1,537	242	118	86
Los Angeles, Calif.	26,770	16,919	6,466	1,811	680	486
Oakland, Calif.	4,066	2,549	970	273	143	83
Pasadena, Calif.	1,811	1,326	334	67	48	47
Portland, Oreg.	6,769	4,250	1,724	338	238	205
Sacramento, Calif.	3,307	1,930	937	192	122	64
San Diego, Calif.	6,397	3,750	1,723	411	202	115
San Francisco, Calif.	8,729	5,220	2,405	624	211	288
San Jose, Calif.	2,789	1,783	615	193	65	73
Seattle, Wash.	7,050	4,334	1,867	356	266	189
Spokane, Wash.	2,687	1,810	593	115	93	167
Tacoma, Wash.	1,995	1,312	505	76	37	91
TOTAL	638,320	378,248	70,038	41,611	23,708	22,344

SPECIAL SUMMARY

	Page
Legal abortion	35

DISEASE PATTERNS

Anthrax	36
Aseptic Meningitis	37
Botulism	38
Brucellosis	38
Chickenpox	39
Diphtheria	40
Encephalitis	41
Hepatitis	42
Leprosy	43
Leptospirosis	43
Malaria	44
Measles (Rubeola)	44
Meningococcal Infections	45
Mumps	46
Pertussis (Whooping Cough)	46
Plague	47
Poliomyelitis	47
Pneumonia-Influenza Deaths — 121 Cities	48
Rabies	50
Rocky Mountain Spotted Fever (Tick-borne Typhus)	51
Rubella (German Measles)	52
Salmonella	53
Shigella	53
Tetanus	54
Trichinosis	55
Tuberculosis	56
Tularemia	57
Typhoid Fever	58
Typhus Fever (Flea-borne, Murine)	59
Venereal Diseases	59

Reported Legal Abortions by Week of Gestation and State of Occurrence Selected States* — 1974

State	≤ 8		9-12		13-20		≥ 21		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska ¹	148	29.7	264	52.9	70	14.0	5	1.0	12	2.4	499	100.0
Arkansas	787	46.5	819	48.3	87	5.1	1	0.1	0	0.0	1,694	100.0
Illinois ²	14,220	63.8	7,117	31.9	579	2.6	32	0.1	344	1.5	22,292	100.0
Kansas	3,780	37.2	4,461	43.9	1,797	17.7	82	0.8	51	0.5	10,171	100.0
Minnesota ³	199	36.2	339	61.6	12	2.2	0	0.0	0	0.0	550	100.0
Mississippi	46	32.9	66	47.1	19	13.6	1	0.7	8	5.7	140	100.0
Nebraska	512	16.5	2,065	66.7	410	13.3	1	0.0	106	3.4	3,094	100.0
Oregon	3,083	35.1	4,438	50.5	842	9.6	65	0.7	366	4.2	8,794	100.0
South Carolina	877	23.3	2,137	56.8	482	12.8	14	0.4	250	6.6	3,760	100.0
South Dakota	701	43.8	650	40.6	214	13.4	22	1.4	14	0.9	1,601	100.0
Vermont	925	47.9	966	50.1	38	2.0	0	0.0	1	0.1	1,930	100.0
TOTAL	25,278	46.4	23,322	42.8	4,550	8.3	223	0.4	1,152	2.1	54,525	100.0

¹ January - June.² January - September.³ October - November.

*All states with data available; reporting as of May 27, 1975.

Reported Legal Abortions by Age and State of Occurrence Selected States*, 1974

State	≤ 15		15-19		20-24		25-29		30-34		35-39		≥ 40		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska ¹	10	2.0	174	34.9	154	30.9	78	15.6	51	10.2	18	3.6	9	1.8	5	1.0	499	100.0
Arkansas	47	2.8	612	36.1	482	28.5	242	14.3	169	10.0	102	6.0	40	2.4	0	0.0	1,694	100.0
Illinois ²	158	0.7	5,699	25.6	7,145	32.1	4,209	18.9	2,539	11.4	1,457	6.5	631	2.8	454	2.0	22,292	100.0
Indiana	123	2.0	1,999	33.2	1,798	29.8	1,004	16.7	576	9.6	353	5.9	148	2.5	28	0.5	6,029	100.0
Kansas	238	2.3	4,408	43.3	2,873	28.2	1,334	13.1	698	6.9	420	4.1	194	1.9	6	0.1	10,171	100.0
Minnesota ³	10	1.8	194	35.3	212	38.5	67	12.2	32	5.8	21	3.8	14	2.5	0	0.0	550	100.0
Mississippi	3	2.1	39	27.9	40	28.6	23	16.4	18	12.9	11	7.9	6	4.3	0	0.0	140	100.0
Montana ⁴	7	1.0	254	36.3	218	31.2	102	14.6	64	9.2	30	4.3	17	2.4	7	1.0	699	100.0
Nebraska	57	1.8	1,204	38.9	1,020	33.0	364	11.8	225	7.3	158	5.1	66	2.1	0	0.0	3,094	100.0
New York, Upstate	478	1.2	12,391	31.5	11,818	30.0	6,406	16.3	4,280	10.9	2,634	6.7	1,249	3.2	96	0.2	39,352	100.0
Oregon	129	1.5	3,193	36.3	2,794	31.8	1,450	16.5	714	8.1	348	4.0	136	1.5	30	0.3	8,794	100.0
South Carolina	76	2.0	1,186	31.5	1,242	33.0	592	15.7	345	9.2	156	4.1	60	1.6	103	2.7	3,760	100.0
South Dakota	13	0.8	588	36.7	588	36.7	165	10.3	117	7.3	51	3.2	40	2.5	39	2.4	1,601	100.0
Vermont	17	0.9	642	33.3	664	34.4	326	16.9	170	8.8	84	4.4	27	1.4	0	0.0	1,930	100.0
TOTAL	1,366	1.4	32,583	32.4	31,048	30.9	16,362	16.3	9,998	9.9	5,843	5.8	2,637	2.6	768	0.8	100,605	100.0

¹ January - June.² January - September.³ October - November.⁴ July - December.

*All states with data available; reporting as of May 27, 1975.

Reported Legal Abortions by Type of Procedure and State of Occurrence Selected States*, 1974

State	Sharp D & C		Suction Curettage		Amniotic Fluid Replacement		Hysterot- omy		Hysterec- tomy		Other		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska ¹	63	12.6	379	76.0	52	10.4	0	0.0	3	0.6	1	0.2	1	0.2	499	100.0
Illinois ²	782	3.5	20,526	92.1	236	1.1	44	0.2	30	0.1	299	1.3	375	1.7	22,292	100.0
Kansas	1,681	16.5	7,366	72.4	1,024	10.1	10	0.1	74	0.7	12	0.1	4	0.0	10,171	100.0
Minnesota ³	0	0.0	550	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	550	100.0
Montana ⁴	8	1.1	679	97.1	7	1.0	1	0.1	1	0.1	3	0.4	0	0.0	699	100.0
Nebraska	450	14.5	2,303	74.4	330	10.7	3	0.1	6	0.2	2	0.1	0	0.0	3,094	100.0
New York Upstate	2,111	5.4	30,503	77.5	4,464	11.3	154	0.4	47	0.1	222	0.6	1,851	4.7	39,352	100.0
Oregon	245	2.8	7,756	88.2	571	6.5	26	0.3	80	0.9	91	1.0	25	0.3	8,794	100.0
South Carolina	152	4.0	3,475	92.4	40	1.1	8	0.2	44	1.2	15	0.4	26	0.7	3,760	100.0
South Dakota	14	0.9	1,401	87.5	171	10.7	0	0.0	0	0.0	1	0.1	14	0.9	1,601	100.0
Vermont	49	2.5	1,158	60.0	5	0.3	1	0.1	0	0.0	716	37.1	1	0.1	1,930	100.0
TOTAL	5,555	6.0	76,096	82.1	6,900	7.4	247	0.3	285	0.3	1,362	1.5	2,297	2.5	92,742	100.0

¹ January - June.² January - September.³ October - November.⁴ July - December.

*All states with data available; reporting as of May 27, 1975.

Reported Legal Induced Abortion Ratios, by State of Occurrence Selected States* — 1974

State	No. of Abortions ¹	No. of Live Births ²	Abortions/1,000 Live Births
Alaska ³	499	3,291	152
Arkansas	1,694	33,835	50
California	135,762	303,500	447
Connecticut ⁴	7,083	27,728	255
Georgia	1,367 ⁵	87,371	16
Illinois ⁶	22,292	122,415	182
Indiana ⁴	6,029	83,523	72
Kansas	10,171	31,294	325
Minnesota ⁷	550	9,956	55
Mississippi	140	43,930	3
Missouri	4,210 ⁵	40,771	103
Montana ⁸	699	6,172	113
Nebraska	3,094	23,774	130
Nevada	1,587	8,757	181
New York Upstate	39,352	126,983	310
Oregon	8,794	33,499	263
Pennsylvania	1,566 ⁵	147,924	11
South Carolina	3,760	47,252	80
South Dakota	1,601	10,766	149
Vermont	1,930	6,814	283
TOTAL	252,180	1,199,555	210

¹ Data from state health departments unless otherwise noted.

² Live birth data from Monthly Vital Statistics Report Provisional Statistics, Vol. 23, Nos. 3, 6, 7, 10, 11, 12. Live births for Illinois, Mississippi, Montana, Nevada, and Upstate New York are from state health departments.

³ January - June.

⁴ April - December.

⁵ Reported from 1 or more hospitals in state


⁶ January - September.


⁷ October - November.

⁸ July - December.


* All states with data available; reporting as of May 27, 1975.

ANTHRAX—Reported Cases in Humans by 5-Year Period, United States, 1920–1974






BOTULISM—Reported Cases and Deaths by Year, United States, 1950–1974**BRUCELLOSIS—Reported Cases by Year, United States, 1950–1974**

BRUCELLOSIS—Reported Cases per 100,000 Population by State, United States, 1974




CHICKENPOX—Reported Cases by Month, United States, 1972–1974




DIPHTHERIA—Reported Cases and Deaths per 100,000 Population by Year, United States, 1920–1974**DIPHTHERIA—Reported Cases by Month, United States, 1974 and average 1969–1973**


ENCEPHALITIS—Reported Cases by Etiology and Month, United States, 1972–1973




HEPATITIS (VIRAL)—Reported Cases per 100,000 Population by 4-week Period, United States, Epidemiologic Years 1953–1974




HEPATITIS (VIRAL)—Reported Cases per 100,000 Population by Geographic Division, Epidemiologic Years 1966–1974




*BASED ON JANUARY 1 POPULATION ESTIMATES

LEPROSY—Reported Cases per 100,000 Population by Year, United States, 1942–1974**LEPTOSPIROSIS—Reported Cases by Year, United States, 1947–1974**


MALARIA—Reported Cases by Year, United States, 1933–1974




MEASLES (RUBEOLA)—Reported Cases and Deaths per 100,000 Population by Year, United States, 1912–1974




MENINGOCOCCAL INFECTIONS—Reported Cases per 100,000 Population by Year, United States, 1920–1974




MENINGOCOCCAL INFECTIONS—Reported Cases per 100,000 Population by State, United States, 1974




MUMPS—Reported Cases by Month, United States, 1973–1974




PERTUSSIS—Reported Cases by Year, United States, 1950–1974




PLAGUE—Reported Cases and Deaths in Humans by Age Group, United States, 1950–1974




PLAGUE—Reported Cases in Humans by Year, United States, 1950–1974




POLIOMYELITIS (PARALYTIC)—Reported Cases per 100,000 Population by Year, United States, 1951–1974




**POLIOMYELITIS (PARALYTIC)
Reported Cases by Age Group, United States, 1974**




PNEUMONIA-INFLUENZA—Reported Deaths in 121 Cities, Total and by Geographic Division by Week, United States, 1971–1974




PREVALENT VIRUS




PNEUMONIA-INFLUENZA—Reported Deaths in 121 Cities Compared with Deaths from All Causes by Age Group, and by Week, United States, 1971–1974




RABIES—Reported Cases in Wild and Domestic Animals by Year, United States, 1953–1974




RABIES—Reported Cases in Humans by Year, United States, 1950–1974




ROCKY MOUNTAIN SPOTTED FEVER—Reported Cases by Year, United States, 1950–1974




ROCKY MOUNTAIN SPOTTED FEVER—Reported Cases by Year, United States, 1974




RUBELLA—Reported Cases per 100,000 Population, United States, 1972–1974, and by Geographic Division 1973–1974



SALMONELLA—Surveillance Program Reported Isolations from Humans by Month, United States, 1966–1974




SHIGELLA—Surveillance Program Reported Isolations from Humans by Month, United States, 1968–1974





- * NO REPORTS RECEIVED FROM CALIFORNIA OR THE VIRGIN ISLANDS AFTER 1969
- ** ADJUSTED TO 4-WEEK MONTH
- *** APPROXIMATELY 400 ISOLATIONS IN AUGUST 1970 COMMON-SOURCE OUTBREAK IN HAWAII

TETANUS—Reported Cases by Year, United States, 1950–1974




TETANUS—Reported Cases by County, United States, 1974




TETANUS—Reported Cases by Age Group, United States, 1974**TRICHINOSIS—Reported Cases by Year, United States, 1950—1974**


TUBERCULOSIS—Reported Average New Cases per 100,000 Population by County, United States, 1971–1972



TUBERCULOSIS—Reported New Active Cases and Cases per 100,000 Population by Race, Sex, and Age Group, United States, 1973




TULAREMIA—Reported Cases by Year, United States, 1950—1974




TULAREMIA—Reported Cases by County, United States, 1974




TYPHOID FEVER—Reported Cases per 100,000 Population by Year, United States, 1942–1974**TYPHOID FEVER—Reported Cases per 100,000 Population by State, United States, 1974**

TYPHUS FEVER, FLEA-BORNE (ENDEMIC, MURINE)—Reported Cases per 100,000 Population by Year, United States, 1930–1974




VENEREAL DISEASE—Reported Cases of Gonorrhea and Syphilis (All Stages) per 100,000 Population by Year, United States, Fiscal Years 1919–1974



* BEGINNING IN 1939 ALL STATES ARE INCLUDED IN THE REPORTING AREA
(MILITARY CASES INCLUDED 1919-1940 EXCLUDED THEREAFTER)

VENEREAL DISEASE—Reported Cases of Syphilis (Primary and Secondary) per 100,000 Population in Civilians by Year, United States, Fiscal Years 1941–1974



*REPORTING OF PRIMARY AND SECONDARY SYPHILIS BEGAN IN 1941

VENEREAL DISEASE—Reported Cases of Syphilis (Primary and Secondary) per 100,000 Population by State, United States, 1974

