

SUPPLEMENTARY TABLE. Prevalence reporting current Long COVID and significant Long COVID-associated activity limitation among adults, by jurisdiction— Behavioral Risk Factor Surveillance System, United States, 2023*

Jurisdiction	Current Long COVID		Significant activity limitation due to Long COVID	
	No.	% (95% CI)	No.	% (95% CI)
Total no. cases	27,074	—	5,722	—
National	27,074	6.4 (6.3, 6.6)	5,722	19.8 (18.9, 20.8)
Alabama	382	9.1 (8.0, 10.3)	90	19.7 (15.2, 25.1)
Alaska	410	7.4 (6.5, 8.4)	88	21.3 (16.4, 27.3)
Arizona	833	7.5 (6.8, 8.3)	188	21.9 (18.0, 26.4)
Arkansas	381	7.2 (6.4, 8.1)	68	20.1 (14.3, 27.5)
California	684	6.1 (5.5, 6.8)	157	21.0 (17.3, 25.4)
Colorado	589	7.0 (6.3, 7.7)	109	15.5 (12.5, 19.1)
Connecticut	513	5.5 (4.7, 6.3)	83	13.5 (9.7, 18.6)
Delaware	252	6.7 (5.6, 8.0)	51	24.5 (16.9, 34.2)
District of Columbia	115	3.8 (3.1, 4.7)	17	12.8 (7.8, 20.3)
Florida	817	5.6 (4.8, 6.5)	183	18.4 (14.1, 23.7)
Georgia	513	6.3 (5.6, 7.2)	110	18.8 (14.5, 24.1)
Guam	71	4.4 (3.1, 6.2)	12	21.6 (14.2, 31.6)
Hawaii	366	4.8 (4.2, 5.6)	71	14.8 (10.9, 19.8)
Idaho	561	8.5 (7.6, 9.6)	124	25.3 (20.3, 31.1)
Illinois	326	6.1 (5.3, 7.0)	56	16.1 (11.6, 21.8)
Indiana	706	6.7 (6.1, 7.3)	165	20.3 (17.0, 24.1)
Iowa	511	5.7 (5.0, 6.3)	88	16.8 (12.8, 21.7)
Kansas	703	7.6 (6.9, 8.4)	133	19.8 (15.7, 24.7)
Kentucky	—	†	—	†
Louisiana	373	6.8 (6.0, 7.7)	100	23.8 (18.8, 29.6)
Maine	755	6.9 (6.1, 7.6)	159	19.4 (15.4, 24.2)
Maryland	792	4.6 (4.1, 5.2)	170	15.8 (12.5, 19.8)
Massachusetts	527	5.3 (4.7, 6.0)	122	24.8 (19.4, 31.1)
Michigan	630	6.9 (6.2, 7.6)	130	22.7 (18.5, 27.5)
Minnesota	789	5.0 (4.6, 5.5)	152	18.9 (15.3, 23.3)
Mississippi	350	7.8 (6.8, 8.8)	76	18.2 (13.9, 23.5)
Missouri	528	7.6 (6.8, 8.6)	122	23.1 (17.6, 29.6)
Montana	551	7.8 (7.0, 8.7)	112	19.7 (15.6, 24.5)
Nebraska	760	5.8 (5.3, 6.4)	151	18.3 (15.0, 22.1)
Nevada	170	7.1 (5.5, 9.0)	37	20.1 (13.0, 29.7)
New Hampshire	365	6.9 (5.9, 8.0)	68	15.4 (11.2, 20.8)
New Jersey	501	5.8 (5.2, 6.6)	112	20.4 (16.1, 25.6)
New Mexico	238	7.4 (6.2, 9.0)	54	18.3 (12.8, 25.5)
New York	1097	5.9 (5.4, 6.5)	225	22.0 (18.2, 26.3)
North Carolina	300	6.6 (5.7, 7.7)	59	19.8 (14.2, 26.9)
North Dakota	326	6.1 (5.3, 7.0)	59	15.3 (11.1, 20.7)
Ohio	881	6.8 (6.2, 7.5)	185	18.0 (14.6, 22.1)
Oklahoma	525	8.0 (7.2, 8.8)	112	19.9 (16.2, 24.2)
Oregon	358	5.8 (5.1, 6.7)	86	25.0 (18.9, 32.3)
Pennsylvania	—	—	—	—
Puerto Rico	442	9.1 (8.0, 10.3)	140	29.4 (23.6, 36.0)
Rhode Island	383	6.2 (5.4, 7.1)	73	21.6 (15.5, 29.2)
South Carolina	601	6.5 (5.9, 7.3)	128	18.0 (14.6, 22.0)

South Dakota	405	6.0 (4.9, 7.4)	88	22.3 (15.5, 30.9)
Tennessee	480	8.9 (7.9, 9.9)	113	22.7 (17.8, 28.4)
Texas	601	6.4 (5.5, 7.4)	130	16.2 (12.4, 20.8)
Utah	765	6.9 (6.3, 7.6)	150	20.4 (16.9, 24.5)
Vermont	383	5.2 (4.5, 5.9)	84	18.8 (14.1, 24.5)
Virginia	409	6.3 (5.5, 7.3)	88	21.0 (14.9, 28.7)
Virgin Islands	64	2.9 (1.7, 5.1)	12	20.2 (11.0, 34.1)
Washington	1528	5.9 (5.5, 6.3)	315	20.7 (18.1, 23.6)
West Virginia	409	9.7 (8.7, 10.9)	113	27.8 (22.5, 33.9)
Wisconsin	737	6.1 (5.6, 6.8)	129	15.4 (12.4, 18.9)
Wyoming	318	8.6 (7.5, 9.8)	75	24.2 (18.9, 30.4)

* Numbers are unweighted. Prevalence estimates are weighted to account for complex sampling and standardized to the 2020 U.S. census population. Estimates were standardized to the US civilian non-institutionalized population. Sex-specific weights by age group were applied for ages 18–44 years, 45-64 years, and 65 years and older. Denominators for prevalence estimates of current Long COVID are the total adult population. Denominators for prevalence estimates for significant activity limitation are the number of adults with current Long COVID.

† In 2023, Kentucky and Pennsylvania were unable to collect sufficient data to meet the minimum requirements to be included in the Behavioral Risk Factor Surveillance System (BRFSS) public data set.