

NOIRS 2000 Abstracts

Methods: Data were abstracted from National Transportation Safety Board summaries for 1990-1998 air taxi crashes. Air taxi flights are commuter/on-demand flights for compensation in an airplane/helicopter that begin and end at the same airport. Injury crashes (including fatalities) were compared to non-injury crashes by pilot flight-time experience, day or night, visibility, and number of passengers. Odds ratios were generated using logistic regression.

Results: During 1990-1998, 309 air taxi crashes occurred: 131 injury (49 fatal, 82 non-fatal), and 178 non-injury. Fifty percent of pilots involved in injury crashes were early-career (540-4800 hours experience) and 16% of those were very early-career (540-1800 hours). Logistic regression analyses showed a positive association for flight experience, diminished visibility, and involvement in an injury crash. For very early-career pilots, injury crashes were 22 times more likely to have occurred in low-visibility (Odds Ratio (OR)=22.49, Confidence interval (CI)=3.63-138.25). For early-career pilots (1801-4800 hours) injury crashes were six times more likely (OR=6.30, CI=1.80-22.07) to have occurred in low-visibility and for experienced pilots (>4800 hours) injury crashes were four times more likely (OR=4.43, CI=1.58-12.42) to have occurred in low-visibility. Night flying and passengers were not associated with injury crashes.

Conclusions: Air taxi injury crashes in Alaska might be decreased by improving pilot training in low-visibility conditions, especially for very early career pilots.

D2.4 Partnerships for Surveillance and Prevention of Occupational Aviation Injuries in Alaska—Manwaring JC, Bensyl DM, Conway GA, Perry D, Kobelnyk G

Introduction: The NIOSH, Alaska Field Station is addressing the problem of work-related aviation fatalities in Alaska through interagency partnerships, a compelling problem. Although Alaska has experienced an overall downward trend in occupational fatalities since 1990 (80 fatalities in 1990 to 38 fatalities in 1999—a 52% decrease), occupational aviation fatalities continue to be a problem. Aircraft crashes are now the leading cause of occupational fatalities in Alaska.

Methods: Aircraft accident data for crashes occurring in Alaska during 1990-1999 were obtained from the National Transportation Safety Board (NTSB) accident reports and entered into a database maintained by FAA's National Aviation Safety Data Analysis Center (NASDAC). Accidents specific to Alaska were selected and entered into a database maintained by NIOSH's Alaska Field Station—the Alaska Occupational Injury Surveillance System (AOISS) for analysis.


Results: Between 1990-1999, aviation crashes in Alaska caused 106 occupational pilot deaths, equivalent to 430/100,000 pilots/year, approximately 86 times the mortality rate

for all U.S. workers. Contributing to this problem was helicopter logging. During 1992-93, Alaska helicopter logging pilots had an extraordinarily-high crash rate of 16% annually, and catastrophic fatality rate of 5,000/100,000/year. In response to this problem, an interagency working group involving FAA, NTSB, NIOSH, and other federal and state agencies conducted surveillance, analyzed data, developed consensus safety recommendations, and assisted in implementing immediate improvements in the oversight of helicopter logging. As a result, from 1994, through 1999, there has been only one logging helicopter crash, with one fatality.

Conclusions: As demonstrated by the helicopter logging experience in Alaska, interagency partnerships can be highly effective in conducting surveillance and analysis, and recommending intervention strategies for the prevention of aircraft crashes. Building on this success, an interagency partnership—the Alaska Interagency Aviation Safety Initiative is focusing on surveillance and prevention of fixed-wing commercial aircraft crashes in Alaska.

D2.5 Fatality Assessment and Control Evaluation in Alaska—Choromanski, DM

The Alaska Fatality Assessment and Control Evaluation (FACE) project conducts research on occupational fatalities in Alaska as part of a National Institute for Occupational Safety and Health (NIOSH) grant-supported program. The purpose of FACE is to identify work-related deaths, collect data for a state and national database, review the circumstances preceding fatal incidents, and identify potential prevention strategies. During 1990 through 1999, 645 work-related deaths were identified, an average of more than 64 deaths per year. Of these 645 deaths, 450 occurred after July 1992, when the Alaska FACE program began. The number of fatal work-related injuries has decreased as the labor force in Alaska continued to grow, particularly in the construction, air transportation, communication, and retail sales industries. Forty-three percent (195/450) of the fatalities were white males between 22 and 51 years of age. Overall, drowning/hypothermia, aircraft crash injuries, homicides, and motor vehicle injuries accounted for two-thirds of all fatal traumatic occupational events, while 15% were attributed to crush or struck-by (impact) injuries: crush or struck-by injuries caused 15 (78.9%) of 19 logging deaths and 10 (76.9%) of 13 machinery-related deaths. The majority of non-aviation and commercial fishing events involved one or two victims. Nearly 72% of non-aviation, non-commercial fishing work-related deaths occurred in sparsely populated, remote sites. While 40% of the notifications of fatalities were by state and federal agencies, newsmedia (local newspapers, television, and radio) accounted for nearly half of the initial reports of fatalities. Alaska's high rate of traumatic occupational death is, in part, a function of the distribution of workers in hazardous industries and high-risk environments. Data from the FACE project has



NOIRS 2000

Pittsburgh, Pennsylvania
October 17-19, 2000

ABSTRACTS

National Occupational
Injury Research Symposium

