

CENTER FOR DISEASE CONTROL

Morbidity and Mortality



Vol. 20, No. 53

WEEKLY
REPORT

ANNUAL SUPPLEMENT

Summary 1971


U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
HEALTH SERVICES AND MENTAL HEALTH ADMINISTRATION

FOR RELEASE
JUNE 1972

REPORTED INCIDENCE OF NOTIFIABLE DISEASES IN THE UNITED STATES, 1971

The graphs below depict the age and sex distribution of infectious and serum hepatitis in the United States during 1971. Beyond age 15 the patterns of incidence for serum and infectious hepatitis are remarkably similar. The principal difference between male and female incidence, other than the lower rates for females during the midyears of life, is that the male rate continues to increase substantially through the 20-24 year bracket, but the female rate of infectious hepatitis peaks five years earlier, and the increase in serum hepatitis incidence among females is only slight from the 15-19 year age group to the 20-24 year group.

Hepatitis by Sex and Age — United States, 1971



INDEX OF TABLES

	Page
Table 1. Reported Incidence of Diseases Covered by International Quarantine Agreement, 1962-71	3
Table 2. Reported Cases of Specified Notifiable Diseases: United States, 1962-71	4
Table 3. (A) Deaths from Specified Notifiable Diseases: United States, 1959-68	5
(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1959-68	6
Table 4. Reported Cases of Notifiable Diseases by Month: United States, 1971	7
Table 5. Reported Cases of Notifiable Diseases of Low Frequency: United States, by Geographic Division, by State, 1971	8
Table 6. Reported Cases of Notifiable Diseases: United States, by Geographic Division, by State, 1971	9
Table 7. Reported Cases: Infectious Encephalitis, 1970 and 1971	12
Table 8. New Active Tuberculosis Cases, 1970 and 1971 Provisional	14
Table 9. Newly Reported Cases of Venereal Diseases: United States, Civilian Cases, 1971	15
Table 10. Rabies in Man and Animals, by State, by Type of Animal, United States, 1971	16
Table 11. Reported Cases of Selected Notifiable Diseases by State, by Age, 1971	17
Table 12. Reported Cases of Selected Notifiable Diseases by State, by Month, 1971	23
Table 13. Acute Diseases <i>Optionally</i> Reported by Certain States, 1971	29
Table 14. Other Diseases <i>Optionally</i> Reported, 1971	31
Table 15. Number of Deaths by Place of Occurrence in 122 United States Cities for Year 1971	32
Disease Patterns	33-67

EXPLANATION OF SYMBOLS USED IN TABLES

Data not available	----
Quantity zero	-
Report of disease not required by State Health Department	NN




TABLE 1. Reported Incidence of Diseases Covered by International Quarantine Agreement, 1962-71

International Classification of Diseases Covered	Number Reported									
	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962
000 Cholera	—	—	—	—	—	—	2	—	—	—
020 Plague	2	13	5	3	3	5	8	—	1	—
050 Smallpox	—	—	—	—	—	—	—	—	—	—
060 Yellow Fever	—	—	—	—	—	—	—	—	—	—

Cases of Quarantinable Diseases in 1971

Place Acquired	Date	Age	Sex	Outcome
New Mexico	July	26	F	Recovered
Oregon	August	10	M	Recovered

Although there are many sources for the data used in this report, the primary contributors are the state epidemiologists and supporting staff in the state health departments. We wish to thank them for their continued efforts to make summary disease incidence data available. A special note of thanks is due them for their efforts to send in the data earlier than in previous years. Substantial progress has been made in this direction over the last two years indicating that a publication date of June 1 is a realistic goal for subsequent years.

SOURCES OF DATA

This supplement carries final figures on the reported incidence of notifiable diseases in 1971 based on summaries submitted to the Center for Disease Control by the individual States through the National Morbidity Reporting System and on data collected by the Tuberculosis Branch, the Venereal Disease Branch and various surveillance activities of the Epidemiology Program.

The illustrative materials depicting disease patterns are

for the most part based on charts and graphs published in the 1971 issues of the Morbidity and Mortality Weekly Report. Data for these charts are from the National Morbidity Reporting System, National Surveillance Programs and the National Center for Health Statistics. The population estimates used in computation of rates are from the Bureau of the Census, Current Population Report, Series P-25.

NOTE: A computer programming error resulted in a deficiency of about 50% in the reported figures from the State of Georgia in the following diseases: hepatitis, measles (rubeola), mumps, pertussis, and streptococcal sore throat and scarlet fever. Actual data, if needed, will be supplied by letter.

TABLE 2. Reported Cases of Specified Notifiable Diseases: United States, 1962-71

DISEASE	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962
Amebiasis	2,752	2,888	2,915	3,005	3,157	2,921	2,768	3,304	2,886	3,048
Anthrax	5	2	4	3	2	5	7	5	3	9
Aseptic meningitis	5,176	6,480	3,672	4,494	3,082	3,058	2,329	2,177	1,844	2,654
Botulism	25	12	16	7	5	9	19	23	47	10
Brucellosis (undulant fever)	183	213	235	218	265	262	262	411	407	409
Diphtheria	215	435	241	260	219	209	164	293	314	444
Encephalitis, primary ¹	1,524	1,580	1,613	1,781	1,478	2,121	1,722	2,002	1,993	2,094
Encephalitis, post-infectious ¹	439	370	304	502	1,060	964	981	1,585		
Hepatitis, serum	9,556	8,310	5,909	4,829	2,458	1,497	33,856	37,740	42,974	53,016
Hepatitis, infectious	59,606	56,797	48,416	45,893	38,909	32,859				
Leprosy	131	129	98	123	81	109	96	97	103	80
Leptospirosis	62	47	89	69	67	72	84	142	89	79
Malaria	2,375	3,051	3,102	2,317	2,022	565	147	93	99	118
Measles	75,290	47,351	25,826	22,231	62,705	204,136	261,904	458,083	385,156	481,530
Meningococcal infections	2,262	2,505	2,951	2,623	2,161	3,381	3,040	2,826	2,470	2,150
Mumps	124,939	104,953	90,918	152,209 Not previously reportable nationally					
Pertussis (whooping cough)	3,036	4,249	3,285	4,810	9,718	7,717	6,799	13,005	17,135	17,749
Poliomyelitis, total	21	33	20	53	41	113	72	122	449	910
Paralytic	17	31	18	53	40	106	61	106	396	762
Psittacosis	32	35	57	43	41	50	60	53	76	79
Rabies in man	2	2	1	1	2	1	2	1	1	2
Rheumatic fever, acute ²	2,793	3,227	3,229	3,470	3,985	4,472	4,998	7,491	7,561	7,977
Rubella	45,086	56,552	57,686	49,371	46,888	46,975 Not previously reportable nationally			
Rubella congenital syndrome	68	77	31	14	10	11 Not previously reportable nationally			
Salmonellosis, excluding typhoid fever	21,928	22,096	18,419	16,514	18,120	16,841	17,161	17,144	15,390	9,680
Shigellosis (bacillary dysentery)	16,143	13,845	11,946	12,180	13,474	11,888	11,027	12,984	13,009	12,443
Tetanus	116	148	185	178	263	235	300	289	325	322
Trichinosis	103	109	222	77	66	115	199	198	208	194
Tuberculosis (newly reported active cases) ³	35,035	37,137	39,120	42,623	45,647	47,767	49,016	50,874	54,042	53,315
Tularemia	187	172	149	186	184	208	264	342	327	328
Typhoid fever	407	346	364	395	396	378	454	501	566	608
Typhus fever, flea-borne (endemic, murine)	23	27	36	36	52	33	28	30	35	32
Typhus fever, tick-borne (Rocky Mountain spotted)	432	380	498	298	305	268	281	277	216	240
Venereal diseases (newly reported cases) ⁴										
Syphilis	95,997	91,382	92,162	96,271	102,581	105,159	112,842	114,314	124,137	126,245
Gonorrhea	670,268	600,072	534,872	464,543	404,836	351,738	324,925	300,667	278,289	263,708
Other specified venereal diseases: chancroid, granuloma inguinale, and lymphogranuloma venereum	2,101	2,152	1,778	1,486	1,309	1,294	2,015	2,115	1,979	2,141
Rabies in animals	4,310	3,224	3,490	3,591	4,481	4,178	4,574	4,780	3,929	3,732

¹Encephalitis data are from the Neurotropic Viral Disease Unit, Epidemiology Program, CDC.

²Reports of cases of acute rheumatic fever were received from 36 States (see p. 10).

³Tuberculosis data are from the Tuberculosis Branch, CDC; provisional figure shown for 1971.

⁴Venereal disease data are from the Venereal Disease Branch, CDC.

TABLE 3.(A) Deaths from Specified Notifiable Diseases: United States, 1959-68

(Figures include Alaska from 1959; Hawaii, from 1960. Numbers after cause of death are category number of the Eighth Revision of the International Lists, 1965. Deaths are classified according to the Seventh Revision for 1959-67 and according to the Eighth Revision for 1968.)

CAUSE OF DEATH		1968	1967	1966	1965	1964	1963	1962	1961	1960	1959
Amebiasis	006	51	65	54	66	65	92	86	84	88	124
Anthrax	022	—	—	—	—	1	—	—	1	—	—
Botulism	005.1	2	2	—	8	8	14	11	10	12	15
Brucellosis	023	1	4	3	6	4	5	12	11	6	12
Diphtheria	032	30	32	20	18	42	45	41	68	69	72
Encephalitis, acute infectious	062-065, 079.2	362	419	579	500	534	532	582	505	528	570
Hepatitis, infectious	070	877	844	757	707	745	852	911	976	938	897
Leprosy	030	5	4	6	3	5	3	8	8	6	6
Leptospirosis	100	9	4	9	11	14	14	10	9	14	11
Malaria	084	7	4	5	8	3	7	12	3	4	7
Measles	055	24	81	261	276	421	364	408	434	380	385
Meningococcal infections	036	741	635	876	890	750	733	649	586	644	699
Mumps	072	25	37	43	31	50	48	43	53	42	51
Pertussis (whooping cough)	033	36	37	49	55	93	115	83	76	118	269
Plague	020	1	1	1	1	—	1	—	2	—	1
Poliomyelitis		24	16	9	16	17	41	60	90	230	454
Bulbar or poliioencephalitis	040	7	6	3	6	6	22	35	61	146	299
With other paralysis	041	3	2	3	3	3	5	7	10	14	24
Unspecified	043	14	8	3	7	8	14	18	19	70	131
Psittacosis	073	—	1	1	—	—	1	1	—	—	1
Rabies	071	1	2	2	2	1	2	1	3	2	7
Rheumatic fever, acute	390-392	363	376	456	483	509	552	550	608	734	795
Rubella	056	24	16	12	16	53	16	8	14	12	10
Salmonellosis, including paratyphoid fever	002-003	70	63	73	87	67	72	62	64	82	72
Shigellosis (bacillary dysentery)	004	60	62	86	99	125	134	134	128	153	133
Streptococcal sore throat and scarlet fever	034	28	47	65	63	95	102	102	130	108	130
Tetanus	037	86	144	158	181	179	210	215	242	231	283
Trichinosis	124	—	2	3	3	1	5	1	7	3	3
Tuberculosis (all forms)	010-019	6,292	6,901	7,625	7,934	8,303	9,311	9,506	9,938	10,866	11,456
Tularemia	021	1	3	2	2	6	3	1	3	3	7
Typhoid fever	001	7	12	15	6	14	21	15	17	21	22
Typhus fever — flea-borne (murine)	081.0	—	—	—	—	—	—	—	—	—	—
Typhus fever — tick-borne (Rocky Mountain spotted)	082.0	21	28	21	16	17	16	12	11	11	10
Veneral diseases and sequelae											
Syphilis	090-097	586	2,381	2,193	2,434	2,619	2,666	2,811	2,850	2,945	3,069
Gonorrhea	098	1	11	18	9	13	23	23	19	38	25
Other	099	6	6	9	11	10	12	16	11	15	12

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.

TABLE 3.(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1959-68

CAUSE OF DEATH	1968	1967	1966	1965	1964	1963	1962	1961	1960	1959	
Abscess of lung	513	878	565	541	601	659	651	561	543	604	614
Boil and carbuncle	680	22	27	37	36	54	58	67	93	120	156
Other local skin conditions (cellulitis and abscess)	681-683, 685-686	464	425	451	445	427	445	503	520	512	476
Chickenpox	052	99	118	137	143	153	129	134	167	126	141
Empyema and pleurisy	510-511	796	441	467	450	464	432	408	479	456	468
Erysipelas	035	9	14	12	12	17	16	25	32	22	28
Fungal infections											
Actinomycosis	113	16	28	21	26	31	35	17	21	28	27
Coccidioidomycosis	114	58	49	45	52	46	71	55	62	55	48
Blastomycosis	116.1-116.2	—	17	12	29	21	24	17	16	15	13
Cryptococcosis	116.0	96	65	90	62	74	73	90	86	71	84
Histoplasmosis	115	58	67	60	74	77	70	82	90	80	63
Moniliasis	112	112	94	87	93	81	105	88	100	108	101
Herpes febrilis	054	37	29	31	39	18	22	19	21	12	26
Herpes zoster	053	69	64	69	78	81	66	69	63	78	58
Hydatid disease	122	6	10	7	7	6	10	7	3	10	8
Infections of ear and mastoid	380-384	213	130	167	234	255	261	266	314	389	399
Meningitis, excluding meningococcal and tuberculous	320	1,707	2,046	2,324	2,363	2,464	2,343	2,322	2,263	2,316	2,208
Mononucleosis, infectious	075	14	23	18	28	20	11	18	13	16	21
Pemphigus	694	106	116	133	110	133	147	142	141	149	168
Pemphigus, neonatorum	684	5	4	15	5	17	13	16	23	30	23
Respiratory infections											
Bronchitis, acute	466	1,432	958	987	1,004	998	1,139	1,118	1,031	1,170	1,135
Influenza	470-474	7,062	1,475	2,830	2,295	1,687	7,083	3,431	2,137	7,872	2,845
Pneumonia (primary cause of death)	480-486	66,430	55,417	60,785	59,608	57,764	63,678	56,564	53,038	58,931	52,194
Upper respiratory infections, acute	460-465	784	592	670	745	776	867	820	808	911	971
Sepsis of											
Abortion	640.0, 641.0, 642.0, 643.0, 644.0, 645.0	84	104	135	158	167	201	213	220	191	179
Childbirth	640.2, 641.2, 642.2, 643.2, 644.2, 645.2	32	50	44	53	67	57	55	59	76	58
Septicemia and pyemia	635, 670	2,991	3,422	3,312	3,224	3,235	3,187	2,858	2,608	2,669	2,546
Septicemia and pyemia	038	2,991	3,422	3,312	3,224	3,235	3,187	2,858	2,608	2,669	2,546
Viral diseases, undifferentiated	079.9	468	417	464	431	451	511	476	456	434	384
Worm infestation	123, 125-129	11	40	36	68	41	44	67	48	56	65

Source: National Center for Health Statistics, *Vital Statistics of the United States*, Vol. II, for respective year.

TABLE 4. Reported Cases of Notifiable Diseases: by Month, United States, 1971

DISEASE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Month not Stated
Amebiasis	2,752	238	278	218	276	259	259	231	194	203	225	189	179	3
Anthrax	5	—	—	—	—	—	2	1	—	2	—	—	—	—
Aseptic Meningitis	5,176	299	170	188	147	209	289	725	850	876	756	350	317	—
Botulism	25	—	2	1	—	1	—	8	4	5	—	—	4	—
Brucellosis (undulant fever)	183	8	9	11	17	15	19	20	15	16	18	17	18	—
Diphtheria	215	18	14	19	14	11	12	12	11	15	33	27	29	—
Encephalitis, primary	1,524	63	76	82	75	74	67	178	214	214	116	76	50	239
Encephalitis, post-infectious	439	39	35	33	37	57	48	30	20	13	18	24	16	69
Hepatitis, serum	9,556	801	715	792	782	804	780	737	833	796	823	817	866	10
Hepatitis, infectious	59,606	5,078	4,890	5,233	4,713	5,071	4,862	4,649	4,643	5,148	5,271	4,700	5,341	7
Leprosy	131	13	10	13	9	9	19	15	10	5	8	6	14	—
Leptospirosis	62	3	2	3	2	1	21	3	6	3	2	8	8	—
Malaria	2,375	283	261	280	172	247	233	158	131	161	238	103	99	9
Measles	75,290	5,241	7,976	13,114	15,203	13,887	9,387	3,590	1,084	818	1,116	1,617	2,257	—
Meningococcal infections, total	2,262	272	249	348	315	210	148	119	96	94	128	112	156	15
Military	253	16	37	76	44	8	2	4	7	6	7	10	9	27
Mumps	124,939	13,077	14,548	19,867	17,644	16,611	11,961	4,734	2,155	2,675	4,385	7,560	9,720	2
Pertussis (whooping cough)	3,036	310	205	256	238	280	257	294	350	297	230	124	195	—
Poliomyelitis, total	21	2	2	—	1	—	1	3	3	2	1	1	5	—
Paralytic	17	1	2	—	—	—	1	3	2	2	1	—	5	—
Psittacosis	32	4	2	—	2	3	7	—	3	4	3	2	2	—
Rabies in man	2	—	—	1	—	—	—	—	—	—	—	1	—	—
Rheumatic fever, acute*	2,793	226	265	288	291	295	261	180	128	183	239	208	229	—
Rubella	45,086	2,601	5,240	7,997	8,385	7,338	5,181	2,093	1,038	1,023	1,704	1,092	1,388	6
Rubella congenital syndrome	68	3	2	14	11	3	4	3	8	2	4	7	7	—
Salmonellosis, excluding typhoid fever	21,928	1,510	1,299	1,534	1,357	1,541	1,635	2,075	2,421	2,299	2,260	1,730	2,260	7
Shigellosis (bacillary dysentery)	16,143	1,088	1,196	1,220	892	1,071	1,167	1,415	1,470	1,577	1,648	1,612	1,787	—
Tetanus	116	3	5	6	8	12	12	10	12	12	10	9	17	—
Trichinosis	103	3	9	11	1	4	7	7	15	14	9	6	17	—
Tularemia	187	13	6	5	5	4	17	42	20	20	28	8	19	—
Typhoid fever	407	23	18	23	18	19	31	53	55	49	56	32	30	—
Typhus fever														
Flea-borne (endemic, murine)	23	—	—	1	1	2	1	6	4	2	1	5	—	—
Tick-borne (Rocky Mountain spotted)	432	3	2	—	6	60	78	108	85	48	28	9	5	—

*Based on reports from 36 states.

**TABLE 6. Reported Cases of Notifiable Diseases: United States,
by Geographic Division, by State, 1971**

AREA	AMEBIASIS	ASEPTIC MENINGITIS	BRUCELLOSIS	DIPHThERIA	HEPATITIS		MALARIA (Acquired Outside and Within U.S.)
					Serum	Infectious	
UNITED STATES	2,752	5,176	183	215	9,556	59,606	2,375
NEW ENGLAND	26	341	5	2	520	4,119	78
Maine	—	2	—	1	34	510	6
New Hampshire	—	9	1	—	10	250	—
Vermont	—	—	—	—	1	442	4
Massachusetts	1	116	4	—	235	1,431	51
Rhode Island	—	190	—	1	55	607	3
Connecticut	25	24	—	—	185	879	14
MIDDLE ATLANTIC	1,414	795	3	—	4,038	10,132	253
New York City	1,351	187	—	—	1,588	2,572	26
Upstate New York	17	264	—	—	529	2,463	74
New Jersey	21	237	—	—	1,400	2,262	105
Pennsylvania	25	107	3	—	521	2,835	48
EAST NORTH CENTRAL ..	170	646	28	4	1,311	9,428	197
Ohio	4	234	3	—	199	1,989	28
Indiana	5	53	—	—	19	574	18
Illinois	152	93	17	1	335	2,347	62
Michigan	9	239	6	1	706	4,122	61
Wisconsin	—	27	2	2	52	396	28
WEST NORTH CENTRAL ..	33	136	40	30	151	2,441	267
Minnesota	4	96	2	1	28	314	40
Iowa	4	5	30	—	13	303	29
Missouri	1	6	3	—	33	725	33
North Dakota	—	2	—	—	—	145	5
South Dakota	2	3	2	26	2	191	3
Nebraska	—	8	2	3	2	148	14
Kansas	22	16	1	—	73	615	143
SOUTH ATLANTIC	236	1,087	25	9	924	7,536	369
Delaware	—	5	—	—	20	140	3
Maryland	6	91	3	—	221	1,060	46
District of Columbia	—	3	—	—	16	66	3
Virginia	172	69	17	—	147	1,492	62
West Virginia	—	23	1	—	7	516	7
North Carolina	41	85	—	2	178	1,332	148
South Carolina	3	57	1	1	23	361	21
Georgia	2	138	1	1	—	378	40
Florida	12	616	2	5	312	2,191	39
EAST SOUTH CENTRAL ...	62	507	10	17	183	3,231	304
Kentucky	16	88	1	—	44	1,193	270
Tennessee	35	250	4	—	89	1,442	1
Alabama	1	118	2	17	39	384	23
Mississippi	10	51	3	—	11	212	10
WEST SOUTH CENTRAL ..	232	601	41	85	432	5,779	140
Arkansas	3	38	5	—	12	279	24
Louisiana	8	194	5	28	136	671	38
Oklahoma	54	132	6	1	24	962	75
Texas	167	237	25	56	260	3,867	3
MOUNTAIN	124	74	6	35	288	3,837	182
Montana	—	10	—	—	13	225	3
Idaho	2	10	—	—	20	375	6
Wyoming	1	1	—	—	8	52	3
Colorado	16	23	—	—	91	842	139
New Mexico	12	1	6	8	18	587	14
Arizona	91	14	—	27	30	1,032	10
Utah	2	15	—	—	72	506	5
Nevada	—	—	—	—	36	218	2
PACIFIC	455	989	25	33	1,709	13,103	585
Washington	1	72	1	18	25	1,543	2
Oregon	6	17	—	2	55	1,427	20
California	444	825	22	13	1,597	9,733	501
Alaska	—	49	—	—	13	121	5
Hawaii	4	26	2	—	19	279	57
Puerto Rico	—	9	—	—	52	1,274	30

TABLE 6. Reported Cases of Notifiable Diseases: United States,
by Geographic Division, by State, 1971 - Continued

AREA	MEASLES	MENINGO- COCCAL INFECTIONS	MUMPS	PERTUSSIS	RHEUMATIC FEVER, ACUTE	RUBELLA	
						Cases	Congenital Syndrome
UNITED STATES	75,290	2,262	124,939	3,036	2,793	45,086	68
NEW ENGLAND	3,527	108	7,276	117	16	1,908	1
Maine	1,495	8	1,284	38	7	302	-
New Hampshire	218	18	709	19	...	54	1
Vermont	123	2	462	14	...	102	-
Massachusetts	276	44	1,887	18	...	862	-
Rhode Island	225	6	1,322	7	7	111	-
Connecticut	1,190	30	1,612	21	2	477	NN
MIDDLE ATLANTIC	7,758	296	6,905	191	...	2,748	-
New York City	3,819	60	2,081	55	...	626	-
Upstate New York	744	90	NN	49	...	446	-
New Jersey	1,260	67	1,819	7	...	634	-
Pennsylvania	1,935	79	3,005	80	...	1,042	-
EAST NORTH CENTRAL ..	17,104	289	47,655	536	1,657	9,512	1
Ohio	3,952	89	8,784	80	604	1,064	-
Indiana	3,034	27	5,457	105	54	2,305	-
Illinois	3,460	85	5,585	172	992	1,396	-
Michigan	2,659	64	10,748	140	...	2,955	1
Wisconsin	3,999	24	17,081	39	7	1,792	-
WEST NORTH CENTRAL ..	7,356	154	10,369	146	188	3,529	-
Minnesota	59	29	1,422	15	12	291	-
Iowa	2,717	15	5,750	79	57	751	-
Missouri	2,630	50	1,165	20	13	1,546	-
North Dakota	247	8	406	7	94	102	-
South Dakota	223	6	313	8	11	98	-
Nebraska	77	16	239	4	...	100	-
Kansas	1,403	30	1,074	13	1	641	-
SOUTH ATLANTIC	8,457	380	8,797	452	31	3,549	16
Delaware	30	3	187	39	4	62	-
Maryland	542	48	830	28	15	166	10
District of Columbia	15	10	-99	3	...	7	-
Virginia	1,628	49	1,073	61	...	229	-
West Virginia	580	12	2,670	63	10	725	-
North Carolina	1,966	75	NN	53	...	53	-
South Carolina	941	20	943	98	1	461	4
Georgia	390	30	-	18	1	28	-
Florida	2,365	133	2,995	89	...	1,818	2
EAST SOUTH CENTRAL ...	8,623	210	8,933	377	393	4,097	-
Kentucky	3,994	60	2,532	81	201	1,756	-
Tennessee	1,028	85	5,194	192	101	2,025	-
Alabama	2,035	36	1,044	85	89	233	-
Mississippi	1,566	29	163	19	2	83	-
WEST SOUTH CENTRAL ..	12,937	198	9,788	440	94	5,125	12
Arkansas	819	5	157	51	1	337	1
Louisiana	1,719	72	163	82	10	298	2
Oklahoma	814	14	237	25	32	76	-
Texas	9,585	107	9,231	282	51	4,414	9
MOUNTAIN	3,601	62	5,170	178	348	2,115	12
Montana	924	4	455	26	14	126	-
Idaho	273	8	203	13	147	45	-
Wyoming	75	2	452	4	56	867	1
Colorado	932	6	1,637	21	54	311	11
New Mexico	364	5	796	3	5	251	-
Arizona	670	11	1,422	103	66	428	-
Utah	354	21	201	8	6	69	-
Nevada	9	5	4	-	...	18	-
PACIFIC	5,927	565	20,046	599	66	12,503	26
Washington	2,030	64	9,483	106	...	3,057	-
Oregon	388	44	1,772	108	12	810	-
California	2,919	445	7,690	379	48	8,381	25
Alaska	58	4	164	6	6	68	-
Hawaii	532	8	937	-	...	187	1
Puerto Rico	684	14	1,425	104	78	69	-

TABLE 6. Reported Cases of Notifiable Diseases: United States,
by Geographic Division, by State, 1971 — Continued

AREA	SALMONEL- LOSIS (Excluding Typhoid Fever)	SHIGELLOSIS	TETANUS	TRICHI- NOSIS	TULA- REMIA	TYPHOID FEVER	TYPHUS FEVER (Tick-borne, Rky Mt Spotted)
UNITED STATES	21,928	16,143	116	103	187	407	432
NEW ENGLAND	1,808	656	5	7	2	22	6
Maine	96	13	—	—	—	2	—
New Hampshire	105	51	1	—	—	—	—
Vermont	40	17	—	—	1	2	—
Massachusetts	1,035	367	—	1	—	13	4
Rhode Island	108	37	1	2	—	1	2
Connecticut	424	171	3	4	1	4	—
MIDDLE ATLANTIC	3,828	1,856	14	44	—	96	47
New York City	1,078	835	9	8	—	27	1
Upstate New York	625	327	1	12	—	13	17
New Jersey	1,098	364	2	18	—	8	11
Pennsylvania	1,027	330	2	6	—	48	18
EAST NORTH CENTRAL ..	3,174	2,345	18	13	12	58	25
Ohio	325	390	2	8	1	21	17
Indiana	211	142	3	—	—	6	—
Illinois	1,306	1,108	5	2	8	15	6
Michigan	691	295	7	1	2	10	2
Wisconsin	641	410	1	2	1	6	—
WEST NORTH CENTRAL ..	1,394	1,701	9	—	19	6	11
Minnesota	366	201	4	—	—	1	—
Iowa	184	204	1	—	—	—	2
Missouri	139	232	2	—	15	4	5
North Dakota	54	10	—	—	—	—	—
South Dakota	48	73	—	—	1	—	—
Nebraska	72	72	—	—	—	—	—
Kansas	531	909	2	—	3	1	4
SOUTH ATLANTIC	4,517	2,653	23	7	20	49	218
Delaware	41	19	—	—	—	1	2
Maryland	891	771	1	2	1	4	29
District of Columbia	153	385	1	—	—	2	—
Virginia	910	179	4	—	9	15	42
West Virginia	29	6	—	—	—	4	4
North Carolina	460	233	2	—	4	4	107
South Carolina	24	13	1	—	—	2	13
Georgia	492	509	1	—	4	4	19
Florida	1,517	538	13	5	2	13	2
EAST SOUTH CENTRAL ...	1,029	562	17	1	14	47	62
Kentucky	211	102	5	—	2	11	13
Tennessee	429	234	6	—	8	25	33
Alabama	275	115	4	1	3	8	9
Mississippi	114	111	2	—	1	3	7
WEST SOUTH CENTRAL ..	1,614	1,220	16	1	66	47	50
Arkansas	226	68	1	—	26	14	6
Louisiana	155	38	3	—	8	6	1
Oklahoma	196	100	2	—	20	3	30
Texas	1,037	1,014	10	1	12	24	13
MOUNTAIN	874	1,334	2	3	46	8	12
Montana	84	89	—	—	2	—	3
Idaho	123	121	1	—	2	—	4
Wyoming	2	8	—	—	1	—	—
Colorado	291	156	—	3	1	3	2
New Mexico	88	259	—	—	—	3	1
Arizona	198	471	1	—	—	2	—
Utah	70	151	—	—	39	—	1
Nevada	18	79	—	—	1	—	1
PACIFIC	3,690	3,816	12	27	8	74	1
Washington	286	277	3	—	—	1	—
Oregon	253	234	2	—	4	—	—
California	2,577	2,690	6	20	4	68	1
Alaska	57	167	—	1	—	—	—
Hawaii	517	448	1	6	—	5	—
Puerto Rico	16	3	29	—	—	7	—

TABLE 7(A). Reported Cases of Notifiable Diseases: United States, by Geographic Division, by State, 1970 – Infectious Encephalitis

AREA	TOTAL	ARBOVIRUSES				POST-INFECTIOUS*				OTHER ENCEPHALITIDES			ETIOLOGY UN-KNOWN
		WEE	SLE	EEE	CALIF.	MUMPS	MEA-SLES	CHICKEN-POX	RUBEL-LA	CAUSE SPECIFIED			
										ENTERO-VIRAL	HERPES SIMPLEX	OTHER	
UNITED STATES	1,950	4	15	2	89	288	27	46	7	52	37	21	1,360
NEW ENGLAND	107	—	—	—	—	23	1	3	—	2	—	5	73
Maine	2	—	—	—	—	—	—	—	—	—	—	—	2
New Hampshire	2	—	—	—	—	—	—	—	—	—	—	—	2
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	42	—	—	—	—	9	1	1	—	—	—	—	31
Rhode Island	29	—	—	—	—	12	—	2	—	—	—	2	13
Connecticut	32	—	—	—	—	2	—	—	—	2	—	3	25
MIDDLE ATLANTIC	274	—	—	—	5	36	5	11	—	3	7	1	206
New York City	35	—	—	—	—	1	—	—	—	—	—	—	34
Upstate New York	67	—	—	—	2	9	—	6	—	1	4	1	44
New Jersey	26	—	—	—	—	—	3	3	—	—	3	—	17
Pennsylvania	146	—	—	—	3	26	2	2	—	2	—	—	111
EAST NORTH CENTRAL ..	629	—	1	—	63	112	9	12	2	14	2	5	409
Ohio	336	—	—	—	36	67	3	3	—	—	2	3	222
Indiana	19	—	1	—	—	6	—	—	—	—	—	—	12
Illinois	83	—	—	—	—	17	6	3	1	1	—	1	54
Michigan	155	—	—	—	1	16	—	5	1	13	—	1	118
Wisconsin	36	—	—	—	26	6	—	1	—	—	—	—	3
WEST NORTH CENTRAL ..	103	2	11	—	19	19	1	2	—	1	3	2	41
Minnesota	44	—	—	—	16	18	—	1	—	—	2	2	5
Iowa	15	—	—	—	3	—	—	—	—	1	—	—	9
Missouri	4	—	—	—	—	—	1	1	—	—	—	—	2
North Dakota	5	—	—	—	—	—	—	—	—	—	—	—	5
South Dakota	1	—	—	—	—	—	—	—	—	—	—	—	1
Nebraska	3	1	—	—	—	—	—	—	—	—	—	—	2
Kansas	31	1	11	—	—	1	—	—	—	—	1	—	17
SOUTH ATLANTIC	148	—	—	2	2	30	5	5	1	1	5	3	94
Delaware	10	—	—	—	—	1	—	—	—	—	—	—	9
Maryland	19	—	—	—	—	9	1	3	—	—	—	—	6
District of Columbia	—	—	—	—	—	—	—	—	—	—	—	—	—
Virginia	52	—	—	—	—	5	—	—	—	—	2	—	45
West Virginia	10	—	—	—	2	1	—	—	—	—	—	—	7
North Carolina	28	—	—	—	—	7	1	—	1	1	1	3	14
South Carolina	9	—	—	—	—	—	—	—	—	—	—	—	9
Georgia	—	—	—	—	—	—	—	—	—	—	—	—	—
Florida	20	—	—	2	—	7	3	2	—	—	2	—	4
EAST SOUTH CENTRAL ...	106	—	—	—	—	16	3	5	—	—	1	2	79
Kentucky	11	—	—	—	—	2	1	—	—	—	—	—	8
Tennessee	73	—	—	—	—	14	2	5	—	—	—	1	51
Alabama	7	—	—	—	—	—	—	—	—	—	1	1	5
Mississippi	15	—	—	—	—	—	—	—	—	—	—	—	15
WEST SOUTH CENTRAL ..	76	1	2	—	—	12	1	6	—	1	1	1	51
Arkansas	12	—	—	—	—	—	—	—	—	—	—	1	11
Louisiana	30	—	—	—	—	8	—	5	—	—	—	—	17
Oklahoma	34	1	2	—	—	4	1	1	—	1	1	—	23
Texas	—	—	—	—	—	—	—	—	—	—	—	—	—
MOUNTAIN	71	—	1	—	—	8	—	—	2	3	—	—	57
Montana	24	—	—	—	—	1	—	—	1	—	—	—	22
Idaho	3	—	—	—	—	1	—	—	—	—	—	—	2
Wyoming	2	—	—	—	—	—	—	—	1	—	—	—	1
Colorado	12	—	1	—	—	5	—	—	—	—	—	—	6
New Mexico	—	—	—	—	—	—	—	—	—	—	—	—	—
Arizona	23	—	—	—	—	—	—	—	—	3	—	—	20
Utah	6	—	—	—	—	1	—	—	—	—	—	—	5
Nevada	1	—	—	—	—	—	—	—	—	—	—	—	1
PACIFIC	436	1	—	—	—	32	2	2	2	27	18	2	350
Washington	24	1	—	—	—	2	2	—	—	—	—	—	19
Oregon	10	—	—	—	—	3	—	—	—	—	3	—	4
Colorado	377	—	—	—	—	21	—	1	1	25	15	2	312
Alaska	—	—	—	—	—	—	—	—	—	—	—	—	—
Hawaii	25	—	—	—	—	6	—	1	1	2	—	—	15
Puerto Rico	1	—	—	—	—	—	—	—	—	—	—	—	1

*2 cases of CMV in Iowa.

TABLE 7(B). Reported Cases of Notifiable Diseases: United States, by Geographic Division, by State, 1971 — Infectious Encephalitis

AREA	TOTAL	ARBOVIRUSES*				POST-INFECTIOUS**				OTHER ENCEPHALITIDES			ETIOL- OGY UN- KNOWN
		WEE	SLE	EEE	CALIF.	MUMPS	MEA- SLES	CHICKEN- POX	RUBEL- LA	CAUSE SPECIFIED			
										ENTERO- VIRAL	HERPES SIMPLEX	OTHER	
UNITED STATES	1,963	9	56	4	55	310	69	54	3	45	53	25	1,186
NEW ENGLAND	118	—	—	—	—	3	3	1	—	—	2	1	108
Maine	3	—	—	—	—	—	—	—	—	—	—	—	3
New Hampshire	—	—	—	—	—	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	32	—	—	—	—	1	—	—	—	—	—	—	31
Rhode Island	18	—	—	—	—	—	—	—	—	—	—	—	18
Connecticut	65	—	—	—	—	2	3	1	—	—	2	1	56
MIDDLE ATLANTIC	211	—	—	1	4	28	9	9	—	8	7	1	143
New York City	19	—	—	—	—	—	—	—	—	—	—	—	19
Upstate New York	92	—	—	1	4	9	3	6	—	8	3	1	56
New Jersey	18	—	—	—	—	—	1	2	—	—	4	—	11
Pennsylvania	82	—	—	—	—	19	5	1	—	—	—	—	57
EAST NORTH CENTRAL ..	525	—	15	—	34	99	17	12	—	10	3	7	328
Ohio	222	—	—	—	22	38	7	1	—	—	—	1	153
Indiana	65	—	15	—	—	10	3	—	—	1	—	1	35
Illinois	99	—	—	—	—	22	4	8	—	2	—	2	61
Michigan	107	—	—	—	—	20	2	2	—	3	3	3	74
Wisconsin	32	—	—	—	12	9	1	1	—	4	—	—	5
WEST NORTH CENTRAL ..	133	1	28	—	17	34	5	1	—	—	9	1	35
Minnesota	65	—	—	—	17	32	—	1	—	—	8	1	6
Iowa	6	—	—	—	—	—	3	—	—	—	1	—	—
Missouri	5	—	—	—	—	1	—	—	—	—	—	—	4
North Dakota	2	—	—	—	—	—	—	—	—	—	—	—	2
South Dakota	1	—	—	—	—	—	—	—	—	—	—	—	1
Nebraska	2	—	—	—	—	—	—	—	—	—	—	—	2
Kansas	52	1	28	—	—	1	2	—	—	—	—	—	20
SOUTH ATLANTIC	197	—	—	2	—	57	4	4	—	3	11	3	112
Delaware	9	—	—	1	—	3	—	—	—	—	—	—	5
Maryland	29	—	—	—	—	2	—	—	—	—	—	1	26
District of Columbia	2	—	—	—	—	—	—	—	—	—	—	—	2
Virginia	31	—	—	—	—	—	—	—	—	—	—	—	31
West Virginia	15	—	—	—	—	3	1	—	—	—	—	—	11
North Carolina	42	—	—	—	—	10	2	1	—	1	4	1	23
South Carolina	13	—	—	—	—	3	—	—	—	—	—	—	10
Georgia	8	—	—	—	—	—	—	1	—	2	2	—	3
Florida	48	—	—	1	—	36	1	2	—	—	5	1	1
EAST SOUTH CENTRAL ...	125	—	—	—	—	23	5	1	—	—	—	—	96
Kentucky	15	—	—	—	—	5	3	1	—	—	—	—	6
Tennessee	70	—	—	—	—	17	2	—	—	—	—	—	51
Alabama	10	—	—	—	—	—	—	—	—	—	—	—	10
Mississippi	30	—	—	—	—	1	—	—	—	—	—	—	29
WEST SOUTH CENTRAL ..	264	4	7	1	—	17	4	5	—	3	3	1	129
Arkansas	31	—	3	—	—	1	2	3	—	3	1	—	16
Louisiana	71	—	—	1	—	10	1	2	—	—	1	—	56
Oklahoma	52	—	2	—	—	6	1	—	—	—	1	1	41
Texas	110	4	2	—	—	—	—	—	—	—	—	—	16
MOUNTAIN	34	2	4	—	—	5	4	—	—	—	—	—	19
Montana	11	1	—	—	—	3	3	—	—	—	—	—	4
Idaho	—	—	—	—	—	—	—	—	—	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	11	1	4	—	—	—	1	—	—	—	—	—	5
New Mexico	6	—	—	—	—	2	—	—	—	—	—	—	4
Arizona	—	—	—	—	—	—	—	—	—	—	—	—	—
Utah	6	—	—	—	—	—	—	—	—	—	—	—	6
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	356	2	2	—	—	44	18	21	3	21	18	11	216
Washington	17	1	1	—	—	2	2	—	—	—	—	—	11
Oregon	14	—	—	—	—	3	—	—	—	—	—	—	11
California	298	1	1	—	—	38	14	19	3	19	18	10	175
Alaska	3	—	—	—	—	—	—	—	—	—	—	—	3
Hawaii	24	—	—	—	—	1	2	2	—	2	—	1	16
Puerto Rico	1	—	—	—	—	—	—	—	—	—	—	—	1

*Arbovirus includes 88 VEE-Tex., 1 VEE-Fla., 1 VEE-Ark.; 1 Powassan-N.Y. Ups.

**Post-infectious includes 2 CMV-Iowa, 1 CMV-Ark.

TABLE 8. New Active Tuberculosis Cases: Provisional 1971, 1970; Final 1970

AREA	Provisional		Final
	1971	1970	1970
UNITED STATES	35,035	37,187	37,137
NEW ENGLAND	1,275	1,359	1,378
Maine	83	85	85
New Hampshire	34	45	45
Vermont	37	43	43
Massachusetts	747	798	801
Rhode Island	116	118	118
Connecticut	258	270	286
MIDDLE ATLANTIC	7,009	7,212	6,938
New York	3,680	3,890	3,827
New Jersey	1,395	1,219	1,016
Pennsylvania	1,934	2,103	2,095
EAST NORTH CENTRAL ..	5,787	6,434	6,530
Ohio	1,338	1,370	1,591
Indiana	775	1,010	950
Illinois	2,125	2,347	2,292
Michigan	1,238	1,416	1,431
Wisconsin	311	291	266
WEST NORTH CENTRAL ..	1,438	1,478	1,497
Minnesota	244	234	258
Iowa	131	129	129
Missouri	708	692	692
North Dakota	51	35	35
South Dakota	69	106	102
Nebraska	82	87	87
Kansas	153	195	194
SOUTH ATLANTIC	6,690	7,124	7,258
Delaware	46	104	105
Maryland	858	945	942
District of Columbia	317	370	370
Virginia	950	1,031	1,175
West Virginia	266	326	329
North Carolina	1,049	1,218	1,204
South Carolina	669	610	618
Georgia	984	959	956
Florida	1,551	1,561	1,559
EAST SOUTH CENTRAL ...	3,043	3,286	3,303
Kentucky	760	864	870
Tennessee	871	834	834
Alabama	985	1,166	1,166
Mississippi	427	422	433
WEST SOUTH CENTRAL ..	4,224	4,428	4,508
Arkansas	448	497	497
Louisiana	696	705	755
Oklahoma	346	370	367
Texas	2,734	2,856	2,889
MOUNTAIN	1,127	1,165	1,161
Montana	77	91	91
Idaho	56	51	49
Wyoming	29	25	22
Colorado	272	231	227
New Mexico	141	202	202
Arizona	458	466	470
Utah	44	61	61
Nevada	50	38	39
PACIFIC	4,442	4,701	4,564
Washington	358	496	469
Oregon	249	266	265
California	3,386	3,568	3,456
Alaska	124	105	105
Hawaii	325	266	269
Puerto Rico	768	978	790

DISTRIBUTION BY AGE AND RACE, 1970			
Age	Total	White	Other
0-4	1,515	707	808
5-14	1,789	836	953
15-24	3,323	1,714	1,609
25-44	9,939	4,966	4,973
45-64	12,991	8,286	4,705
65+	7,580	5,540	2,040
Total	37,137	22,049	15,088

DISTRIBUTION BY SEX AND RACE, 1970			
Sex	Total	White	Other
Male	24,760	15,047	9,713
Female	12,377	7,002	5,375
Total	37,137	22,049	15,088

DISTRIBUTION BY AGE, RACE AND SEX, 1970				
Age	White		Other	
	Male	Female	Male	Female
0-14	804	739	894	867
15-44	4,146	2,534	3,938	2,644
45-64	6,314	1,972	3,477	1,228
65+	3,783	1,757	1,404	636
Total	15,047	7,002	9,713	5,375

TABLE 9. Newly Reported Civilian Cases of Venereal Diseases: United States, by Geographic Division, State, Age, Sex, and Race, 1971

AREA	SYPHILIS		GONORRHEA	CHANCROID	OTHER*	AGE DISTRIBUTION*		
	ALL STAGES	PRIMARY & SECONDARY				Age Group	Syphilis, Primary & Secondary	Gonorrhea
U.S. TOTAL	95,997	23,783	670,268	1,320	781			
NEW ENGLAND	2,963	621	19,922	11	1	0-14	275	8,394
Maine	173	14	974	—	—	15-19	3,950	165,259
New Hampshire	35	5	559	1	—	20-24	6,722	267,479
Vermont	22	5	413	1	—	25-29	4,786	122,869
Massachusetts	1,905	317	9,942	8	1	30-39	5,202	77,649
Rhode Island	258	41	1,259	1	—	40-49	2,019	21,521
Connecticut	570	239	6,775	—	—	50+	829	7,097
MIDDLE ATLANTIC	24,273	5,646	83,920	80	35	TOTAL	23,783	670,268
New York City	11,529	3,844	38,398	39	17	*Provisional		
Upstate New York	1,571	456	16,776	—	—			
New Jersey	6,029	945	11,485	9	10			
Pennsylvania	5,144	401	17,261	32	8			
EAST NORTH CENTRAL ..	17,076	2,731	115,958	153	72	DISTRIBUTION by SEX and RACE¹		
Ohio	3,604	461	29,689	7	61	Syphilis, All Stages		
Indiana	1,426	330	8,621	1	—	White		
Illinois	6,539	1,028	48,054	50	8	Other		
Michigan	4,800	853	22,270	93	3	Male	21,482	24,024
Wisconsin	707	59	7,324	2	—	Female	16,323	22,639
WEST NORTH CENTRAL ..	5,849	412	42,148	55	6	TOTAL	37,805	46,663
Minnesota	392	71	6,221	3	—	Syphilis, Primary & Secondary		
Iowa	584	23	6,115	1	4	Male		
Missouri	3,397	231	16,216	35	—	Female		
North Dakota	18	6	626	1	—	TOTAL		
South Dakota	35	9	1,540	5	—	Male		
Nebraska	254	24	4,428	2	—	Female		
Kansas	1,169	48	7,002	8	2	TOTAL		
SOUTH ATLANTIC	17,651	5,789	140,459	729	522	Gonorrhea		
Delaware	180	35	1,640	—	2	Male	155,530	285,557
Maryland	2,978	652	14,669	9	8	Female	88,084	102,699
District of Columbia	2,119	614	11,521	41	273	TOTAL	243,614	388,256
Virginia	2,071	348	15,487	28	20	CONGENITAL SYPHILIS AGE DISTRIBUTION		
West Virginia	842	32	1,904	5	—	Age Group	Number	Percent of Total
North Carolina	1,118	444	20,565	97	11	0-1	452	22.0
South Carolina	931	404	15,524	96	4	1-4	58	2.8
Georgia	3,761	1,585	28,484	245	107	5-9	30	1.5
Florida	3,651	1,675	30,665	208	97	10+	1,512	73.7
EAST SOUTH CENTRAL ...	3,171	1,273	47,223	119	20	TOTAL	2,052	100.0
Kentucky	1,204	331	6,767	6	1	¹ Excludes New York City.		
Tennessee	869	367	20,546	25	9			
Alabama	433	175	10,547	2	1			
Mississippi	665	400	9,363	86	9			
WEST SOUTH CENTRAL ..	10,383	3,555	79,625	117	90			
Arkansas	802	247	7,949	5	—			
Louisiana	1,965	747	13,916	63	45			
Oklahoma	1,202	105	7,567	14	2			
Texas	6,414	2,456	50,193	35	43			
MOUNTAIN	1,851	590	19,949	17	22			
Montana	12	1	1,136	1	—			
Idaho	19	12	1,721	—	16			
Wyoming	79	3	239	1	—			
Colorado	317	73	5,618	2	—			
New Mexico	389	157	2,833	1	—			
Arizona	615	215	5,325	10	6			
Utah	135	15	1,232	—	—			
Nevada	285	114	1,845	2	—			
PACIFIC	12,780	3,166	121,064	39	13			
Washington	288	142	9,293	2	1			
Oregon	114	15	9,030	1	3			
California	12,223	2,971	98,530	32	7			
Alaska	82	17	2,540	2	1			
Hawaii	73	21	1,671	2	1			
Puerto Rico	2,006	824	2,141	3	1			
Virgin Islands	260	29	607	6	1			

*Granuloma inguinale and Lymphogranuloma venereum

TABLE 10. Rabies in Man and Animals: by State, by Type of Animal, United States 1971.
From Reports to the National Rabies Surveillance Program, CDC-PHS

Human Rabies in the United States, 1971

LOCALITY	AGE	SEX	BITING ANIMAL	NATURE OF EXPOSURE	TREATMENT	INCUBATION PERIOD	LENGTH OF ILLNESS	DATE AND PLACE OF DEATH
Mexico	6	M	Dog	Bitten on left cheek	None	71 days	27 days	4/23/71, Calif.
New Jersey	64	M	Bat	Bitten on left lower lip	14 daily doses Duck Embryo Vaccine begun day of bite	59 days	8 days	11/25/71, N.J.

Rabies in Animals by Type of Animal Reported through Surveillance Program

AREA	DOG	CATTLE	OTHER DOMESTIC	FOX	SKUNK	BAT	RACCOON	OTHER WILD	TOTAL
UNITED STATES	230	390	298	671	2,018	465	190	48	4,310
NEW ENGLAND									
Maine	10	30	45	93	6	4	8	2	198
New Hampshire	—	—	—	1	—	3	—	—	4
Vermont	—	2	2	8	—	4	—	—	16
Massachusetts	—	—	—	—	—	6	—	—	6
Rhode Island	—	—	—	—	—	1	—	—	1
Connecticut	—	—	—	—	—	17	—	—	17
MIDDLE ATLANTIC									
New York	—	20	7	59	20	29	—	1	136
New Jersey	—	—	—	—	—	19	—	—	19
Pennsylvania	3	2	—	4	4	10	—	—	23
EAST NORTH CENTRAL									
Ohio	16	9	2	19	70	6	1	—	123
Indiana	2	1	3	3	66	7	—	—	82
Illinois	13	20	12	16	247	8	—	2	318
Michigan	1	5	7	14	10	9	1	1	48
Wisconsin	15	14	4	1	47	11	—	1	93
WEST NORTH CENTRAL									
Minnesota	13	36	22	1	182	9	1	1	265
Iowa	11	52	25	3	135	8	3	3	240
Missouri	11	14	9	10	99	5	—	—	148
North Dakota	5	23	22	1	133	2	1	6	193
South Dakota	6	28	17	2	108	4	2	—	167
Nebraska	—	—	—	—	12	—	—	—	12
Kansas	—	4	4	—	101	2	—	1	112
SOUTH ATLANTIC									
Delaware	—	—	—	—	—	4	—	—	4
Maryland	—	—	—	—	—	3	—	—	3
Virginia	2	2	8	63	3	1	—	—	79
West Virginia	34	14	19	48	3	1	1	1	121
North Carolina	—	—	—	—	—	5	—	—	5
South Carolina	—	—	—	—	—	20	—	—	20
Georgia	2	1	—	15	—	9	118	1	146
Florida	1	—	3	4	3	17	48	—	76
EAST SOUTH CENTRAL									
Kentucky	26	27	11	96	23	2	1	1	187
Tennessee	9	9	14	38	28	9	—	1	108
Alabama	2	4	1	47	1	4	2	—	61
Mississippi	—	—	—	—	—	5	—	—	5
WEST SOUTH CENTRAL									
Arkansas	5	8	11	10	65	8	—	1	108
Louisiana	11	—	—	42	6	1	—	2	62
Oklahoma	5	33	12	2	223	6	2	—	283
Texas	18	24	29	26	186	38	1	1	323
MOUNTAIN									
Montana	1	1	—	—	2	2	—	—	—6
Idaho	—	—	—	—	—	4	—	—	4
Wyoming	—	—	1	—	9	4	—	—	14
Colorado	1	1	2	1	10	18	—	—	33
New Mexico	—	—	—	—	7	1	—	1	9
Arizona	2	2	1	4	10	10	—	11	40
Utah	—	—	—	—	2	7	—	—	9
Nevada	—	—	—	2	—	2	—	1	5
PACIFIC									
Washington	—	—	—	—	—	5	—	—	5
Oregon	—	—	—	—	—	9	—	—	9
California	1	4	5	6	197	106	—	2	321
Alaska	4	—	—	32	—	—	—	7	43
Puerto Rico	5	8	10	—	—	—	—	57	80

States not reporting a case not listed.

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Age, 1971 — Continued
(B) HEPATITIS, SERUM

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	9,556	4	8	10	91	2,916	3,591	987	596	315	322	390	326
NEW ENGLAND	520	2	—	1	4	181	183	39	27	12	10	16	45
Maine	34	1	—	—	—	1	4	2	—	—	—	—	26
New Hampshire	10	—	—	—	—	1	5	1	1	—	—	—	2
Vermont	1	—	—	—	—	—	—	—	1	—	—	—	—
Massachusetts	235	1	—	1	2	94	78	18	12	4	6	11	8
Rhode Island	55	—	—	—	—	14	22	4	6	4	2	3	—
Connecticut	185	—	—	—	2	71	74	14	7	4	2	2	9
MIDDLE ATLANTIC	4,038	1	1	3	57	1,450	1,461	421	242	119	98	176	9
New York City	1,588	1	—	1	25	554	547	192	127	41	32	68	—
Upstate New York	529	—	—	2	8	188	195	43	26	14	17	27	9
New Jersey	1,400	—	—	—	14	545	530	122	53	44	34	58	—
Pennsylvania	521	—	1	—	10	163	189	64	36	20	15	23	—
EAST NORTH CENTRAL ..	1,311	—	1	2	9	352	512	129	92	35	87	46	46
Ohio	199	—	—	—	—	47	88	26	15	6	5	6	6
Indiana	19	—	—	—	1	6	7	3	—	1	—	1	—
Illinois	335	—	—	—	1	75	122	32	15	3	55	7	25
Michigan	706	—	1	2	7	216	278	63	60	21	23	26	9
Wisconsin	52	—	—	—	—	8	17	5	2	4	4	6	6
WEST NORTH CENTRAL ..	151	—	—	—	3	43	69	10	5	5	6	3	7
Minnesota	28	—	—	—	1	8	9	1	—	3	3	1	2
Iowa	13	—	—	—	1	3	4	1	—	—	1	—	3
Missouri	33	—	—	—	1	4	19	3	1	1	—	2	2
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	2	—	—	—	—	—	1	—	1	—	—	—	—
Nebraska	2	—	—	—	—	2	—	—	—	—	—	—	—
Kansas	73	—	—	—	—	26	36	5	3	1	2	—	—
SOUTH ATLANTIC	924	1	—	1	7	289	349	64	41	22	37	49	64
Delaware	20	—	—	—	—	5	5	3	5	—	—	1	1
Maryland	221	1	—	1	3	81	76	20	11	2	1	6	19
District of Columbia	16	—	—	—	—	9	6	—	1	—	—	—	—
Virginia	147	—	—	—	—	43	58	10	5	3	3	3	22
West Virginia	7	—	—	—	—	4	1	1	—	—	1	—	—
North Carolina	178	—	—	—	1	54	104	5	6	2	5	—	1
South Carolina	23	—	—	—	—	3	10	—	2	—	3	2	3
Georgia	Data not available												
Florida	312	—	—	—	3	90	89	25	11	15	24	37	18
EAST SOUTH CENTRAL ...	183	—	—	—	—	25	55	20	13	15	14	15	26
Kentucky	44	—	—	—	—	4	10	2	—	1	—	1	26
Tennessee	89	—	—	—	—	12	35	10	7	7	9	9	—
Alabama	39	—	—	—	—	8	10	8	4	5	2	2	—
Mississippi	11	—	—	—	—	1	—	—	2	2	3	3	—
WEST SOUTH CENTRAL ..	432	—	3	1	6	115	154	56	30	16	14	22	15
Arkansas	12	—	—	—	—	4	3	2	1	—	—	2	—
Louisiana	136	—	2	—	1	30	51	16	10	9	3	11	3
Oklahoma	24	—	—	—	—	8	4	2	2	2	2	2	2
Texas	260	—	1	1	5	73	96	36	17	5	9	7	10
MOUNTAIN	288	—	—	1	—	83	104	16	11	7	5	5	56
Montana	13	—	—	—	—	3	7	1	—	—	—	—	2
Idaho	20	—	—	—	—	8	7	1	3	1	—	—	—
Wyoming	8	—	—	—	—	5	3	—	—	—	—	—	—
Colorado	91	—	—	1	—	24	50	3	2	1	2	3	5
New Mexico	18	—	—	—	—	5	8	2	1	1	—	—	1
Arizona	30	—	—	—	—	2	1	1	—	1	—	—	25
Utah	72	—	—	—	—	32	18	5	4	3	3	2	5
Nevada	36	—	—	—	—	4	10	3	1	—	—	—	18
PACIFIC	1,709	—	3	1	5	378	704	232	135	84	51	58	58
Washington	25	—	—	—	1	6	9	—	—	2	3	3	1
Oregon	55	—	—	—	—	19	25	7	1	2	1	—	—
California	1,597	—	3	1	4	343	656	223	132	80	47	53	55
Alaska	13	—	—	—	—	5	4	—	1	—	—	2	1
Hawaii	19	—	—	—	—	5	10	2	1	—	—	—	1
Puerto Rico	52	—	—	—	1	21	16	5	2	—	1	—	6

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Age, 1971 — Continued
(C) HEPATITIS, INFECTIOUS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	59,606	54	1,286	5,303	5,369	13,264	13,820	5,547	5,175	2,831	1,710	1,305	3,942
NEW ENGLAND	4,119	7	70	273	323	1,008	911	349	344	213	132	96	393
Maine	510	—	25	59	48	91	91	48	39	22	12	10	65
New Hampshire	250	2	4	20	23	45	39	19	25	7	8	3	55
Vermont	442	—	10	52	61	46	29	36	40	21	10	5	132
Massachusetts	1,431	3	21	67	91	393	384	125	111	83	51	35	67
Rhode Island	607	2	4	17	35	196	185	46	44	37	20	21	—
Connecticut	879	—	6	58	65	237	183	75	85	43	31	22	74
MIDDLE ATLANTIC	10,132	4	128	592	730	2,896	2,571	985	949	620	349	248	60
New York City	2,572	2	34	133	181	762	602	308	284	144	66	56	—
Upstate New York	2,463	2	45	210	219	646	563	205	223	152	88	50	60
New Jersey	2,262	—	24	57	84	661	647	203	211	179	110	86	—
Pennsylvania	2,835	—	25	192	246	827	759	269	231	145	85	56	—
EAST NORTH CENTRAL ..	9,428	14	164	876	939	2,125	2,137	883	839	492	314	256	389
Ohio	1,989	4	32	199	204	422	461	182	175	109	67	51	83
Indiana	574	—	18	69	90	133	109	43	50	12	14	21	15
Illinois	2,347	4	40	207	209	442	505	208	238	138	74	85	197
Michigan	4,122	6	62	365	411	1,045	961	413	335	215	142	92	75
Wisconsin	396	—	12	36	25	83	101	37	41	18	17	7	19
WEST NORTH CENTRAL ..	2,441	5	89	365	305	418	427	164	197	93	66	52	260
Minnesota	314	—	4	18	35	66	62	30	32	24	11	6	26
Iowa	303	2	3	32	25	52	63	12	14	11	15	13	61
Missouri	725	1	10	85	82	123	131	48	61	17	13	10	144
North Dakota	145	—	8	67	25	12	6	2	12	4	3	5	1
South Dakota	191	2	41	59	28	11	19	14	8	1	4	3	1
Nebraska	148	—	8	33	23	30	21	4	9	5	4	3	8
Kansas	615	—	15	71	87	124	125	54	61	31	16	12	19
SOUTH ATLANTIC	7,536	8	138	635	679	1,849	1,692	561	568	312	186	173	735
Delaware	140	—	1	7	16	35	38	8	13	4	—	1	17
Maryland	1,060	—	15	70	59	339	241	103	95	50	36	19	33
District of Columbia	66	—	1	3	5	13	17	6	4	2	2	—	13
Virginia	1,492	3	20	95	98	310	302	69	99	56	27	42	371
West Virginia	516	—	19	129	137	106	55	21	24	10	6	7	2
North Carolina	1,332	2	24	119	129	333	450	100	97	37	20	14	7
South Carolina	361	—	13	29	33	121	82	34	20	20	6	1	2
Georgia	378	1	7	24	22	61	71	26	27	23	13	10	93
Florida	2,191	2	38	159	180	531	436	194	189	110	76	79	197
EAST SOUTH CENTRAL ..	3,231	1	83	486	440	637	587	240	215	124	90	84	244
Kentucky	1,193	—	40	251	199	166	133	58	50	30	21	11	234
Tennessee	1,442	1	26	172	159	367	346	130	113	55	40	32	1
Alabama	384	—	14	42	61	78	68	26	34	25	13	18	5
Mississippi	212	—	3	21	21	26	40	26	18	14	16	23	4
WEST SOUTH CENTRAL ..	5,779	9	216	762	652	1,184	1,363	488	422	222	122	123	216
Arkansas	279	1	7	33	48	51	61	28	18	13	10	9	—
Louisiana	671	3	12	59	62	147	148	65	71	40	18	26	20
Oklahoma	962	2	31	129	130	159	169	92	78	23	25	35	89
Texas	3,867	3	166	541	412	827	985	303	255	146	69	53	107
MOUNTAIN	3,837	1	152	404	318	523	540	236	209	100	51	34	1,269
Montana	225	—	23	52	15	28	20	8	17	5	9	4	44
Idaho	375	—	21	58	43	58	56	42	52	13	6	4	22
Wyoming	52	—	1	7	10	10	17	1	—	1	1	2	2
Colorado	842	—	24	99	81	174	241	77	70	27	12	12	25
New Mexico	587	1	50	116	77	94	85	44	27	19	7	1	66
Arizona	1,032	—	10	12	13	5	14	4	3	3	2	—	966
Utah	506	—	23	54	72	128	80	54	27	30	11	8	19
Nevada	218	—	—	6	7	26	27	6	13	2	3	3	125
PACIFIC	13,103	5	246	910	983	2,624	3,592	1,641	1,432	655	400	239	376
Washington	1,543	2	23	90	126	418	384	160	128	70	53	34	55
Oregon	1,427	—	30	159	178	265	272	155	170	68	60	32	38
California	9,733	3	183	632	661	1,876	2,814	1,279	1,085	485	274	166	275
Alaska	121	—	4	14	9	27	27	12	10	8	6	2	2
Hawaii	279	—	6	15	9	38	95	35	39	24	7	5	6
Puerto Rico	1,274	3	55	221	147	300	241	106	78	44	32	18	29

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Age, 1971 — Continued
(D) MENINGOCOCCAL INFECTIONS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	2,262	337	479	240	194	400	186	37	35	43	47	49	215
NEW ENGLAND	108	13	21	17	12	13	9	4	1	—	5	3	10
Maine	8	—	2	3	1	—	—	—	—	—	—	—	2
New Hampshire	18	—	5	2	1	—	2	3	—	—	—	1	4
Vermont	2	—	—	—	1	—	—	—	—	—	1	—	—
Massachusetts	44	9	8	6	4	11	2	1	1	—	1	—	1
Rhode Island	6	—	4	1	—	—	1	—	—	—	—	—	—
Connecticut	30	4	2	5	5	2	4	—	—	—	3	2	3
MIDDLE ATLANTIC	296	54	60	30	21	55	28	7	6	9	13	11	2
New York City	60	13	9	7	4	8	6	2	—	1	7	3	—
Upstate New York	90	19	22	7	8	17	2	1	3	4	2	3	2
New Jersey	67	2	11	4	4	17	18	2	3	1	3	2	—
Pennsylvania	79	20	18	12	5	13	2	2	—	3	1	3	—
EAST NORTH CENTRAL	289	56	83	26	15	33	9	2	4	5	1	6	49
Ohio	89	21	31	11	6	10	2	1	1	1	—	1	4
Indiana	27	9	9	3	1	3	1	—	—	1	—	—	—
Illinois	85	15	20	6	1	12	4	1	1	1	1	2	21
Michigan	64	11	23	6	7	8	2	—	2	2	—	3	—
Wisconsin	24	—	—	—	—	—	—	—	—	—	—	—	24
WEST NORTH CENTRAL	154	14	21	11	22	42	16	1	1	4	2	1	19
Minnesota	29	3	7	2	5	7	1	—	1	1	2	—	—
Iowa	15	1	2	—	—	—	—	—	—	1	—	—	11
Missouri	50	3	2	4	4	19	14	—	—	—	—	1	3
North Dakota	8	1	3	—	2	1	—	—	—	—	—	—	1
South Dakota	6	—	—	—	2	3	—	1	—	—	—	—	—
Nebraska	16	4	2	1	3	2	1	—	—	2	—	—	1
Kansas	30	2	5	4	6	10	—	—	—	—	—	—	3
SOUTH ATLANTIC	380	57	84	40	37	48	18	5	7	4	7	7	66
Delaware	3	—	2	—	1	—	—	—	—	—	—	—	—
Maryland	48	10	10	6	7	5	2	1	—	1	3	1	2
District of Columbia	10	1	4	—	1	3	—	—	—	—	—	—	1
Virginia	49	5	6	4	5	2	3	1	—	1	—	1	21
West Virginia	127	4	2	3	1	2	—	—	—	—	—	—	—
North Carolina	75	12	26	7	5	11	5	2	5	1	1	—	—
South Carolina	20	2	5	1	2	6	3	—	—	1	—	—	—
Georgia	30	9	7	1	4	3	1	—	—	—	1	1	3
Florida	133	14	22	18	11	16	4	1	2	—	2	4	39
EAST SOUTH CENTRAL	210	36	41	33	26	21	6	7	2	4	4	3	27
Kentucky	60	7	7	8	4	5	1	2	—	1	—	—	25
Tennessee	85	14	19	14	12	7	3	4	2	3	4	2	1
Alabama	36	10	11	3	5	3	2	1	—	—	—	—	1
Mississippi	29	5	4	8	5	6	—	—	—	—	—	1	—
WEST SOUTH CENTRAL	198	34	45	30	21	37	8	3	4	5	3	7	1
Arkansas	5	—	—	3	—	2	—	—	—	—	—	—	—
Louisiana	72	11	20	15	7	8	2	2	3	3	—	1	—
Oklahoma	14	2	1	3	4	1	—	1	—	—	1	1	—
Texas	107	21	24	9	10	26	6	—	1	2	2	5	1
MOUNTAIN	62	7	13	5	6	12	1	—	1	3	1	1	12
Montana	4	—	2	1	—	—	—	—	1	—	—	—	—
Idaho	8	—	4	—	1	2	—	—	—	—	—	—	1
Wyoming	2	—	—	—	—	2	—	—	—	—	—	—	—
Colorado	6	—	1	1	1	1	—	—	—	—	—	—	2
New Mexico	5	1	1	—	2	—	—	—	—	1	—	—	—
Arizona	11	2	2	—	—	2	1	—	—	1	1	—	2
Utah	21	4	3	3	2	5	—	—	—	1	—	1	2
Nevada	5	—	—	—	—	—	—	—	—	—	—	—	5
PACIFIC	565	66	111	48	34	139	91	8	9	9	11	10	29
Washington	64	6	8	3	6	9	8	2	1	—	2	1	18
Oregon	44	7	10	2	4	11	4	—	—	1	1	—	4
California	445	52	89	42	24	118	79	6	8	8	7	8	4
Alaska	4	1	2	—	—	—	—	—	—	—	—	—	1
Hawaii	8	—	2	1	—	1	—	—	—	—	1	1	2
Puerto Rico	14	3	4	2	—	1	1	—	1	1	—	1	—

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Age, 1971 – Continued
(E) TETANUS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	116	6	5	2	3	2	6	3	15	8	16	46	4
NEW ENGLAND	5	—	—	—	—	—	—	1	—	1	1	2	—
Maine	—	—	—	—	—	—	—	—	—	—	—	—	—
New Hampshire	1	—	—	—	—	—	—	—	—	—	—	1	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	—	—	—	—	—	—	—	—	—	—	—	—	—
Rhode Island	1	—	—	—	—	—	—	—	—	1	—	—	—
Connecticut	3	—	—	—	—	—	—	1	—	—	1	1	—
MIDDLE ATLANTIC	14	—	—	—	1	—	2	—	4	3	2	2	—
New York City	9	—	—	—	—	—	1	—	3	2	2	1	—
Upstate New York	1	—	—	—	—	—	—	—	—	—	—	1	—
New Jersey	2	—	—	—	—	—	1	—	1	—	—	—	—
Pennsylvania	2	—	—	—	1	—	—	—	—	1	—	—	—
EAST NORTH CENTRAL ..	18	—	2	—	—	—	1	1	2	—	2	9	1
Ohio	2	—	—	—	—	—	1	—	—	—	—	1	—
Indiana	3	—	—	—	—	—	—	—	1	—	2	—	—
Illinois	5	—	2	—	—	—	—	—	—	—	—	3	—
Michigan	7	—	—	—	—	—	—	1	1	—	—	4	1
Wisconsin	1	—	—	—	—	—	—	—	—	—	—	1	—
WEST NORTH CENTRAL ..	9	1	—	—	—	—	—	—	—	—	—	8	—
Minnesota	4	—	—	—	—	—	—	—	—	—	—	4	—
Iowa	1	—	—	—	—	—	—	—	—	—	—	1	—
Missouri	2	—	—	—	—	—	—	—	—	—	—	2	—
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	—	—	—	—	—	—	—	—	—	—	—	—	—
Kansas	2	1	—	—	—	—	—	—	—	—	—	1	—
SOUTH ATLANTIC	23	—	—	1	1	—	2	—	4	4	3	7	1
Delaware	—	—	—	—	—	—	—	—	—	—	—	—	—
Maryland	1	—	—	—	—	—	—	—	1	—	—	—	—
District of Columbia	1	—	—	—	—	—	—	—	—	—	—	—	1
Virginia	4	—	—	—	1	—	1	—	1	1	—	—	—
West Virginia	—	—	—	—	—	—	—	—	—	—	—	—	—
North Carolina	2	—	—	—	—	—	—	—	—	—	1	1	—
South Carolina	1	—	—	—	—	—	—	—	—	1	—	—	—
Georgia	1	—	—	—	—	—	1	—	—	—	—	—	—
Florida	13	—	—	1	—	—	—	—	2	2	2	6	—
EAST SOUTH CENTRAL ...	17	1	1	—	—	—	—	—	4	—	2	8	1
Kentucky	5	—	—	—	—	—	—	—	1	—	—	3	1
Tennessee	6	1	1	—	—	—	—	—	—	—	2	2	—
Alabama	4	—	—	—	—	—	—	—	2	—	—	2	—
Mississippi	2	—	—	—	—	—	—	—	1	—	—	1	—
WEST SOUTH CENTRAL ..	16	4	1	—	—	2	—	1	—	—	3	5	—
Arkansas	1	—	—	—	—	—	—	—	—	—	1	—	—
Louisiana	3	—	1	—	—	—	—	—	—	—	—	2	—
Oklahoma	2	1	—	—	—	—	—	—	—	—	1	—	—
Texas	10	3	—	—	—	2	—	1	—	—	1	3	—
MOUNTAIN	2	—	—	—	—	—	—	—	1	—	—	—	1
Montana	—	—	—	—	—	—	—	—	—	—	—	—	—
Idaho	1	—	—	—	—	—	—	—	1	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	—	—	—	—	—	—	—	—	—	—	—	—	—
New Mexico	—	—	—	—	—	—	—	—	—	—	—	—	—
Arizona	1	—	—	—	—	—	—	—	—	—	—	—	1
Utah	—	—	—	—	—	—	—	—	—	—	—	—	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	12	—	1	1	1	—	1	—	—	—	3	5	—
Washington	3	—	—	—	—	—	1	—	—	—	2	—	—
Oregon	2	—	—	—	—	—	—	—	—	—	1	1	—
California	6	—	1	1	—	—	—	—	—	—	—	4	—
Alaska	—	—	—	—	—	—	—	—	—	—	—	—	—
Hawaii	1	—	—	—	1	—	—	—	—	—	—	—	—
Puerto Rico	29	3	3	3	—	—	1	1	1	—	4	10	3

TABLE 11. Reported Cases of Selected Notifiable Diseases: by State, by Age, 1971 — Continued
 (F) PARALYTIC POLIOMYELITIS (G) TYPHOID FEVER

AREA	(F) PARALYTIC POLIOMYELITIS						(G) TYPHOID FEVER						
	Total	<1	1-4	5-9	10-19	20+	Total	<5	5-14	15-29	30-49	50+	Unk.
UNITED STATES	17	3	4	1	—	9	407	38	122	110	66	56	15
NEW ENGLAND	—	—	—	—	—	—	22	1	4	4	4	6	3
Maine	—	—	—	—	—	—	2	—	—	1	—	1	—
New Hampshire	—	—	—	—	—	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	2	—	—	—	—	—	2
Massachusetts	—	—	—	—	—	—	13	1	2	1	4	4	1
Rhode Island	—	—	—	—	—	—	1	—	—	1	—	—	—
Connecticut	—	—	—	—	—	—	4	—	2	1	—	1	—
MIDDLE ATLANTIC	1	—	1	—	—	—	96	7	23	29	19	17	1
New York City	—	—	—	—	—	—	27	2	7	9	6	3	—
Upstate New York	—	—	—	—	—	—	13	—	3	4	4	1	1
New Jersey	1	—	1	—	—	—	8	2	1	3	2	—	—
Pennsylvania	—	—	—	—	—	—	48	3	12	13	7	13	—
EAST NORTH CENTRAL	2	—	—	—	—	2	58	9	19	16	8	3	3
Ohio	—	—	—	—	—	—	21	1	7	10	2	—	1
Indiana	1	—	—	—	—	1	6	1	—	2	2	1	—
Illinois	1	—	—	—	—	1	15	4	8	3	—	—	—
Michigan	—	—	—	—	—	—	10	—	2	1	3	2	2
Wisconsin	—	—	—	—	—	—	6	3	2	—	1	—	—
WEST NORTH CENTRAL	1	—	—	—	—	1	6	—	3	—	—	3	—
Minnesota	—	—	—	—	—	—	1	—	1	—	—	—	—
Iowa	1	—	—	—	—	1	—	—	—	—	—	—	—
Missouri	—	—	—	—	—	—	4	—	2	—	—	2	—
North Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	—	—	—	—	—	—	—	—	—	—	—	—	—
Kansas	—	—	—	—	—	—	1	—	—	—	—	1	—
SOUTH ATLANTIC	—	—	—	—	—	—	49	8	10	15	10	1	5
Delaware	—	—	—	—	—	—	1	1	—	—	—	—	—
Maryland	—	—	—	—	—	—	4	1	2	—	1	—	—
District of Columbia	—	—	—	—	—	—	2	—	—	1	1	—	—
Virginia	—	—	—	—	—	—	15	1	2	8	1	—	3
West Virginia	—	—	—	—	—	—	4	—	2	1	1	—	—
North Carolina	—	—	—	—	—	—	4	1	—	—	3	—	—
South Carolina	—	—	—	—	—	—	2	—	1	—	—	1	—
Georgia	—	—	—	—	—	—	4	—	—	1	1	—	2
Florida	—	—	—	—	—	—	13	4	3	4	2	—	—
EAST SOUTH CENTRAL	—	—	—	—	—	—	47	3	19	10	2	13	—
Kentucky	—	—	—	—	—	—	11	1	8	1	—	1	—
Tennessee	—	—	—	—	—	—	25	1	8	7	2	7	—
Alabama	—	—	—	—	—	—	8	1	3	2	—	2	—
Mississippi	—	—	—	—	—	—	3	—	—	—	—	3	—
WEST SOUTH CENTRAL	4	2	1	—	—	1	47	6	22	8	4	7	—
Arkansas	—	—	—	—	—	—	14	1	6	2	3	2	—
Louisiana	—	—	—	—	—	—	6	—	4	—	—	2	—
Oklahoma	—	—	—	—	—	—	3	1	1	1	—	—	—
Texas	4	2	1	—	—	1	24	4	11	5	1	3	—
MOUNTAIN	3	1	—	1	—	1	8	1	—	4	2	—	1
Montana	1	1	—	—	—	—	—	—	—	—	—	—	—
Idaho	—	—	—	—	—	—	—	—	—	—	—	—	—
Wyoming	—	—	—	—	—	—	—	—	—	—	—	—	—
Colorado	1	—	—	—	—	1	3	—	—	2	1	—	—
New Mexico	—	—	—	—	—	—	3	1	—	1	1	—	—
Arizona	—	—	—	—	—	—	2	—	—	1	—	—	1
Utah	—	—	—	—	—	—	—	—	—	—	—	—	—
Nevada	1	—	—	1	—	—	—	—	—	—	—	—	—
PACIFIC	6	—	2	—	—	4	74	3	22	24	17	6	2
Washington	1	—	—	—	—	1	1	—	—	1	—	—	—
Oregon	1	—	1	—	—	—	—	—	—	—	—	—	—
California	4	—	1	—	—	3	68	3	21	20	16	6	2
Alaska	—	—	—	—	—	—	—	—	—	—	—	—	—
Hawaii	—	—	—	—	—	—	5	—	1	3	1	—	—
Puerto Rico	—	—	—	—	—	—	7	2	3	1	—	1	—

TABLE 12. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1971
(A) ASEPTIC MENINGITIS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	5,176	299	170	188	147	209	289	725	850	876	756	350	317	—
NEW ENGLAND	341	3	5	7	5	21	7	14	48	111	106	12	2	—
Maine	2	—	—	—	—	—	—	2	—	—	—	—	—	—
New Hampshire	9	—	—	—	2	—	—	—	3	3	1	—	—	—
Vermont	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Massachusetts	116	2	4	3	1	4	3	9	27	19	35	8	1	—
Rhode Island	190	—	—	4	2	1	3	3	17	88	67	4	1	—
Connecticut	24	1	1	—	—	16	1	—	1	1	3	—	—	—
MIDDLE ATLANTIC	795	33	28	23	20	29	24	72	191	145	85	50	95	—
New York City	187	17	15	9	9	12	2	5	16	39	—	—	63	—
Upstate New York	264	5	1	3	2	4	2	8	103	43	45	24	24	—
New Jersey	237	9	11	9	8	10	11	26	55	45	31	17	5	—
Pennsylvania	107	2	1	2	1	3	9	33	17	18	9	9	3	—
EAST NORTH CENTRAL ..	646	21	19	20	25	24	18	65	113	112	109	60	60	—
Ohio	234	6	5	4	4	5	6	24	64	60	25	24	7	—
Indiana	53	—	—	2	3	2	2	5	1	2	16	8	12	—
Illinois	93	2	3	4	8	6	4	7	12	10	21	7	9	—
Michigan	239	10	10	9	10	11	4	24	33	35	45	17	31	—
Wisconsin	27	3	1	1	—	—	2	5	3	5	2	4	1	—
WEST NORTH CENTRAL ..	136	3	—	3	1	1	5	22	42	26	17	10	6	—
Minnesota	96	—	—	1	1	1	3	13	36	17	11	9	4	—
Iowa	5	—	—	—	—	—	—	—	3	—	—	1	1	—
Missouri	6	2	—	—	—	—	—	—	1	2	1	—	—	—
North Dakota	2	—	—	1	—	—	1	—	—	—	—	—	—	—
South Dakota	3	1	—	1	—	—	1	—	—	—	—	—	—	—
Nebraska	8	—	—	—	—	—	—	2	—	3	3	—	—	—
Kansas	16	—	—	—	—	—	—	7	2	4	2	—	1	—
SOUTH ATLANTIC	1,087	39	24	27	24	27	103	253	213	174	124	51	28	—
Delaware	5	2	—	—	—	—	—	1	—	2	—	—	—	—
Maryland	91	4	1	1	1	6	10	10	32	18	4	3	1	—
District of Columbia	3	—	—	—	—	—	—	—	—	—	1	2	—	—
Virginia	69	1	—	—	2	—	2	12	20	18	11	2	1	—
West Virginia	23	2	1	—	—	—	—	3	1	14	1	—	1	—
North Carolina	85	1	5	3	4	—	6	5	19	16	10	10	6	—
South Carolina	57	—	3	2	1	—	—	6	14	8	19	4	—	—
Georgia	138	—	—	—	—	—	7	75	40	11	4	1	—	—
Florida	616	29	14	21	16	21	78	141	87	87	74	29	19	—
EAST SOUTH CENTRAL ...	507	29	13	35	27	36	39	49	49	70	91	35	34	—
Kentucky	88	18	6	8	2	6	2	1	3	5	21	12	4	—
Tennessee	250	7	6	9	7	15	22	37	30	43	46	16	12	—
Alabama	118	4	—	17	11	14	14	10	7	12	15	5	9	—
Mississippi	51	—	1	1	7	1	1	1	9	10	9	2	9	—
WEST SOUTH CENTRAL ..	601	19	12	16	8	17	29	178	74	83	104	38	23	—
Arkansas	38	—	1	—	—	1	2	10	17	3	1	2	1	—
Louisiana	194	3	2	4	—	6	8	68	24	15	37	17	10	—
Oklahoma	132	4	3	2	—	—	3	60	5	39	11	3	2	—
Texas	237	12	6	10	8	10	16	40	28	26	55	16	10	—
MOUNTAIN	74	7	2	—	7	1	3	10	10	10	6	15	3	—
Montana	10	—	—	—	1	1	—	—	1	5	1	—	1	—
Idaho	10	—	—	—	2	—	—	—	1	1	3	2	1	—
Wyoming	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Colorado	23	2	—	—	1	—	2	8	7	2	1	—	—	—
New Mexico	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Arizona	14	4	2	—	2	—	—	2	1	—	—	2	1	—
Utah	15	1	—	—	1	—	—	—	—	1	1	11	—	—
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—	—
PACIFIC	989	145	67	57	30	53	61	62	110	145	114	79	66	—
Washington	72	—	2	2	—	3	—	—	25	19	12	5	4	—
Oregon	17	7	—	—	—	1	—	—	1	—	2	1	5	—
California	825	101	60	51	30	38	55	59	83	125	97	70	56	—
Alaska	49	35	2	1	—	8	3	—	—	—	—	—	—	—
Hawaii	26	2	3	3	—	3	3	3	1	1	3	3	1	—
Puerto Rico	9	2	—	2	1	—	—	2	—	—	—	2	—	—

TABLE 12. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1971 — Continued
(B) HEPATITIS, INFECTIOUS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	59,606	5,078	4,890	5,233	4,713	5,071	4,862	4,649	4,643	5,148	5,271	4,700	5,341	7
NEW ENGLAND	4,119	442	410	412	312	370	303	285	277	307	370	306	325	—
Maine	510	48	33	34	26	43	45	52	54	46	65	31	33	—
New Hampshire	250	28	13	16	30	31	23	13	17	25	16	18	20	—
Vermont	442	82	63	41	23	30	20	24	23	38	28	26	44	—
Massachusetts	1,431	117	155	140	108	149	110	85	80	103	125	129	130	—
Rhode Island	607	62	62	78	59	49	40	44	41	55	45	39	33	—
Connecticut	879	105	84	103	66	68	65	67	62	40	91	63	65	—
MIDDLE ATLANTIC	10,132	988	902	922	879	859	807	749	959	792	845	730	700	—
New York City	2,572	247	213	221	246	236	197	164	241	195	218	190	204	—
Upstate New York	2,463	236	239	229	212	200	187	148	263	158	196	208	187	—
New Jersey	2,262	214	200	205	193	229	203	217	211	181	191	136	82	—
Pennsylvania	2,835	291	250	267	228	194	220	220	244	258	240	196	227	—
EAST NORTH CENTRAL ..	9,428	690	788	915	790	856	789	712	646	781	745	717	999	—
Ohio	1,989	180	175	172	191	163	171	155	134	190	167	157	134	—
Indiana	574	14	51	50	55	68	38	42	36	57	43	39	81	—
Illinois	2,347	119	158	167	178	234	188	208	157	154	228	184	372	—
Michigan	4,122	345	357	474	327	375	367	287	291	337	275	304	383	—
Wisconsin	396	32	47	52	39	16	25	20	28	43	32	33	29	—
WEST NORTH CENTRAL ..	2,441	283	248	215	175	208	269	177	146	178	165	150	227	—
Minnesota	314	39	52	27	26	21	31	20	18	19	23	18	20	—
Iowa	303	39	20	31	25	24	28	22	22	32	14	23	23	—
Missouri	725	79	62	72	49	76	82	55	32	45	50	24	99	—
North Dakota	145	27	12	11	10	11	12	7	12	8	4	19	12	—
South Dakota	191	9	21	12	7	6	13	7	8	31	25	23	29	—
Nebraska	148	18	19	10	23	13	16	11	5	9	8	9	7	—
Kansas	615	72	62	52	35	57	87	55	49	34	41	34	37	—
SOUTH ATLANTIC	7,536	519	567	553	625	608	616	690	649	617	712	668	712	—
Delaware	140	14	10	17	12	16	14	7	7	13	8	7	15	—
Maryland	1,060	77	99	89	81	71	84	77	87	90	91	102	112	—
District of Columbia	66	6	7	9	7	3	9	3	3	3	4	4	8	—
Virginia	1,492	95	81	83	105	184	140	228	111	90	118	139	118	—
West Virginia	516	37	38	55	20	45	40	37	52	48	36	49	59	—
North Carolina	1,332	64	94	85	100	74	82	96	114	157	148	169	149	—
South Carolina	361	45	32	14	30	29	27	35	45	27	35	24	18	—
Georgia	378	23	38	35	43	34	33	29	35	30	44	16	18	—
Florida	2,191	158	168	166	227	152	187	178	195	159	228	158	215	—
EAST SOUTH CENTRAL ...	3,231	382	276	297	206	253	186	272	217	294	330	267	251	—
Kentucky	1,193	175	113	135	61	75	69	58	68	108	126	101	104	—
Tennessee	1,442	149	114	100	93	122	83	166	116	134	144	118	103	—
Alabama	384	46	34	36	27	39	25	28	21	39	34	34	21	—
Mississippi	212	12	15	26	25	17	9	20	12	13	26	14	23	—
WEST SOUTH CENTRAL ..	5,779	381	366	463	412	552	487	509	499	559	584	395	572	—
Arkansas	279	14	22	5	13	20	57	17	60	26	22	17	6	—
Louisiana	671	45	47	54	45	53	44	66	53	72	95	36	61	—
Oklahoma	962	74	50	70	57	63	42	99	95	88	89	59	176	—
Texas	3,867	248	247	334	297	416	334	327	291	373	378	283	329	—
MOUNTAIN	3,837	321	320	314	361	310	296	368	292	311	291	301	345	7
Montana	225	22	25	11	15	8	10	17	19	17	15	23	43	—
Idaho	375	32	33	32	32	34	27	38	21	47	26	22	31	—
Wyoming	52	2	2	1	7	10	2	2	2	9	8	6	1	—
Colorado	842	82	53	93	63	77	68	75	74	66	70	47	67	7
New Mexico	587	53	68	38	63	52	33	54	35	42	59	45	45	—
Arizona	1,032	77	82	74	92	56	92	94	94	78	72	107	114	—
Utah	506	32	40	50	64	47	55	66	36	34	21	31	30	—
Nevada	218	21	17	15	25	26	9	22	11	18	20	20	14	—
PACIFIC	13,103	1,072	1,013	1,142	953	1,055	1,109	887	958	1,309	1,229	1,166	1,210	—
Washington	1,543	113	137	125	124	146	152	110	91	100	143	151	151	—
Oregon	1,427	132	123	87	108	130	84	87	125	116	170	120	145	—
California	9,733	769	696	890	695	745	843	665	711	1,073	887	870	889	—
Alaska	121	26	23	14	9	8	3	4	3	2	9	9	11	—
Hawaii	279	32	34	26	17	26	27	21	28	18	20	16	14	—
Puerto Rico	1,274	71	42	76	119	134	78	139	134	138	105	55	183	—

TABLE 12. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1971 — Continued
(C) MEASLES (Rubeola)

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	75,290	5,241	7,976	13,114	15,203	13,887	9,387	3,590	1,084	818	1,116	1,617	2,257	—
NEW ENGLAND	3,527	163	184	400	766	892	760	159	51	19	30	27	76	—
Maine	1,495	103	127	179	250	379	329	51	9	2	2	12	52	—
New Hampshire	218	4	13	7	78	41	48	6	10	4	1	1	5	—
Vermont	123	1	2	36	23	30	9	8	7	—	2	3	2	—
Massachusetts	276	38	26	64	28	46	26	16	6	2	8	5	11	—
Rhode Island	225	14	—	—	3	125	62	17	1	—	—	3	—	—
Connecticut	1,190	3	16	114	384	271	286	61	18	11	17	3	6	—
MIDDLE ATLANTIC	7,758	457	922	1,301	1,551	1,588	1,032	472	135	56	56	89	99	—
New York City	3,819	283	557	818	844	501	472	206	60	23	22	12	21	—
Upstate New York	744	64	144	52	70	113	113	107	27	20	21	9	4	—
New Jersey	1,260	14	50	139	256	381	200	61	22	3	7	58	69	—
Pennsylvania	1,935	96	171	292	381	593	247	98	26	10	6	10	5	—
EAST NORTH CENTRAL ..	17,104	1,073	1,335	2,667	3,277	3,167	2,518	774	259	269	327	575	863	—
Ohio	3,952	640	530	737	749	642	426	116	12	14	33	28	25	—
Indiana	3,034	8	37	492	704	720	559	135	20	18	15	118	208	—
Illinois	3,460	141	463	595	716	537	336	149	83	29	49	179	183	—
Michigan	2,659	53	76	246	390	563	649	221	64	83	82	96	136	—
Wisconsin	3,999	231	229	597	718	705	548	153	80	125	148	154	311	—
WEST NORTH CENTRAL ..	7,356	260	505	1,475	1,914	1,494	685	461	27	51	93	217	174	—
Minnesota	59	14	7	6	10	4	10	1	—	3	—	2	2	—
Iowa	2,717	38	156	323	1,029	419	233	32	8	36	87	203	153	—
Missouri	2,630	144	181	400	448	712	343	384	10	3	2	2	1	—
North Dakota	247	10	70	6	65	47	24	11	6	2	1	2	3	—
South Dakota	223	18	42	45	81	7	6	16	1	2	1	3	1	—
Nebraska	77	4	4	8	7	33	6	—	2	3	—	3	7	—
Kansas	1,403	32	45	687	274	272	63	17	—	2	2	2	7	—
SOUTH ATLANTIC	8,457	727	771	1,162	1,747	1,250	1,197	610	158	92	161	118	464	—
Delaware	30	4	1	3	2	13	1	2	2	—	2	—	—	—
Maryland	542	6	31	21	320	117	21	13	6	1	2	2	2	—
District of Columbia	15	1	—	1	1	6	2	3	—	—	—	1	—	—
Virginia	1,628	420	149	153	111	157	159	363	73	15	15	10	3	—
West Virginia	580	30	43	115	78	108	90	21	6	17	25	19	28	—
North Carolina	1,966	147	271	502	477	308	172	37	12	7	5	19	9	—
South Carolina	941	77	110	78	292	229	71	40	8	1	12	7	16	—
Georgia	390	3	6	59	35	5	245	26	3	2	—	5	1	—
Florida	2,365	39	160	230	431	307	436	105	48	49	100	55	405	—
EAST SOUTH CENTRAL ...	8,623	839	1,531	1,266	1,743	1,819	742	230	65	74	113	64	137	—
Kentucky	3,994	368	598	767	936	760	354	84	24	42	28	7	26	—
Tennessee	1,028	80	117	193	194	240	111	61	19	2	4	2	5	—
Alabama	2,035	351	119	240	92	785	254	50	22	27	23	53	19	—
Mississippi	1,566	40	697	66	521	34	23	35	—	3	58	2	87	—
WEST SOUTH CENTRAL ..	12,937	1,233	1,934	3,269	2,475	2,082	1,059	379	101	110	139	71	85	—
Arkansas	819	4	72	276	292	62	100	9	2	1	—	1	—	—
Louisiana	1,719	92	300	501	392	252	76	50	6	3	27	4	16	—
Oklahoma	814	232	189	172	100	84	17	12	2	1	2	1	2	—
Texas	9,585	905	1,373	2,320	1,691	1,684	866	308	91	105	110	65	67	—
MOUNTAIN	3,601	183	230	579	919	599	465	164	76	34	34	209	109	—
Montana	924	35	67	185	431	153	30	2	19	2	—	—	—	—
Idaho	273	52	9	52	39	32	58	26	1	—	2	2	—	—
Wyoming	75	—	2	13	23	34	1	—	1	—	1	—	—	—
Colorado	932	23	68	195	269	169	85	15	19	4	6	4	75	—
New Mexico	364	43	46	65	49	30	47	51	10	4	9	4	6	—
Arizona	670	20	24	38	76	121	68	49	23	24	13	195	19	—
Utah	354	10	12	29	32	60	171	21	3	—	3	4	9	—
Nevada	9	—	2	2	—	—	5	—	—	—	—	—	—	—
PACIFIC	5,927	306	564	995	811	996	929	341	212	113	163	247	250	—
Washington	2,030	140	317	473	313	221	232	83	37	19	37	72	86	—
Oregon	388	21	43	31	81	105	71	25	3	2	3	3	—	—
California	2,919	140	196	471	386	551	506	168	117	69	68	103	144	—
Alaska	58	1	3	1	—	25	14	5	2	—	2	5	—	—
Hawaii	532	4	5	19	31	94	106	60	53	23	53	64	20	—
Puerto Rico	684	11	23	48	71	72	123	58	58	67	19	53	81	—

TABLE 12. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1971 — Continued
(D) MENINGOCOCCAL INFECTIONS

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	2,262	272	249	348	315	210	148	119	96	94	128	112	156	15
NEW ENGLAND	108	12	16	10	13	13	7	6	7	2	9	6	7	—
Maine	8	5	—	—	1	1	1	—	—	—	—	—	—	—
New Hampshire	18	1	1	2	—	2	1	1	2	1	4	2	1	—
Vermont	2	—	—	—	—	—	1	—	—	—	—	1	—	—
Massachusetts	44	3	8	4	7	7	2	3	2	—	2	2	4	—
Rhode Island	6	1	1	—	1	—	—	1	—	1	—	—	1	—
Connecticut	30	2	6	4	4	3	2	1	3	—	3	1	1	—
MIDDLE ATLANTIC	296	21	54	31	35	35	17	20	18	18	11	16	20	—
New York City	60	2	9	3	10	15	1	1	10	4	—	—	5	—
Upstate New York	90	4	17	13	4	5	8	9	6	9	4	4	7	—
New Jersey	67	5	9	9	5	6	6	4	—	3	4	4	2	—
Pennsylvania	79	10	9	6	16	9	2	6	2	2	3	8	6	—
EAST NORTH CENTRAL ..	289	42	23	49	33	24	23	16	14	11	13	17	24	—
Ohio	89	16	7	10	9	5	10	6	6	3	6	6	5	—
Indiana	27	1	3	—	5	5	1	1	1	1	2	3	4	—
Illinois	85	11	6	20	11	3	6	4	3	3	2	6	10	—
Michigan	64	4	7	14	7	9	6	2	3	2	3	2	5	—
Wisconsin	24	10	—	5	1	2	—	3	1	2	—	—	—	—
WEST NORTH CENTRAL ..	154	28	15	33	23	12	8	3	5	6	7	4	10	—
Minnesota	29	6	2	3	4	2	2	1	2	1	2	2	2	—
Iowa	15	3	—	4	1	—	1	1	—	1	2	—	2	—
Missouri	50	4	9	13	9	7	—	—	1	1	1	2	3	—
North Dakota	8	1	—	1	2	1	1	1	1	—	—	—	—	—
South Dakota	6	3	—	—	2	—	—	—	—	—	1	—	—	—
Nebraska	16	2	2	5	2	1	2	—	—	1	—	—	1	—
Kansas	30	9	2	7	3	1	2	—	1	2	1	—	2	—
SOUTH ATLANTIC	380	29	38	51	63	34	33	29	17	21	21	20	24	—
Delaware	3	—	—	—	1	—	1	—	—	—	—	—	1	—
Maryland	48	4	6	8	6	5	7	3	1	4	2	2	—	—
District of Columbia	10	1	—	4	—	1	—	1	2	1	—	—	—	—
Virginia	49	1	4	7	4	1	4	8	7	2	3	2	6	—
West Virginia	12	1	1	—	—	3	2	—	—	2	2	—	1	—
North Carolina	75	3	7	8	8	9	7	7	4	2	2	9	9	—
South Carolina	20	1	3	7	5	1	2	1	—	—	—	—	—	—
Georgia	30	7	5	1	5	2	1	2	2	—	1	2	2	—
Florida	133	11	12	16	34	12	9	7	1	10	11	5	5	—
EAST SOUTH CENTRAL ...	210	25	15	29	39	21	8	9	9	9	19	10	17	—
Kentucky	60	5	3	11	16	3	—	—	1	5	10	—	6	—
Tennessee	85	13	6	9	9	12	4	4	6	4	4	7	7	—
Alabama	36	4	5	4	8	4	2	2	—	—	2	3	2	—
Mississippi	29	3	1	5	6	2	2	3	2	—	3	—	2	—
WEST SOUTH CENTRAL ..	198	26	21	36	22	18	17	11	2	9	14	13	9	—
Arkansas	5	—	1	2	1	1	—	—	—	—	—	—	—	—
Louisiana	72	7	9	9	9	6	4	6	1	4	9	4	4	—
Oklahoma	14	2	2	4	—	—	—	1	—	1	—	3	1	—
Texas	107	17	9	21	12	11	13	4	1	4	5	6	4	—
MOUNTAIN	62	11	3	8	5	14	2	2	5	—	3	7	2	—
Montana	4	—	—	—	—	1	1	1	—	—	—	1	—	—
Idaho	8	—	—	2	1	—	1	1	2	—	1	—	—	—
Wyoming	2	—	—	—	—	2	—	—	—	—	—	—	—	—
Colorado	6	2	1	—	1	2	—	—	—	—	—	—	—	—
New Mexico	5	—	—	2	—	1	—	—	1	—	—	1	—	—
Arizona	11	5	1	—	—	4	—	—	—	—	—	1	—	—
Utah	21	3	1	3	2	4	—	—	2	—	2	3	1	—
Nevada	5	1	—	1	1	—	—	—	—	—	—	1	1	—
PACIFIC	565	78	64	101	82	39	33	23	19	18	31	19	43	15
Washington	64	3	5	7	5	4	7	5	2	1	8	5	12	—
Oregon	44	6	5	2	5	5	5	—	1	3	5	1	6	—
California	445	67	54	92	70	29	19	17	14	14	17	12	25	15
Alaska	4	—	—	—	—	1	1	1	—	—	1	—	—	—
Hawaii	8	2	—	—	2	—	1	—	2	—	—	1	—	—
Puerto Rico	14	—	—	—	3	1	1	2	3	—	2	—	2	—

**TABLE 12. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1971 — Continued
(E) MUMPS**

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	124,939	13,077	14,548	19,867	17,644	16,611	11,961	4,734	2,155	2,675	4,385	7,560	9,720	2
NEW ENGLAND	7,276	1,099	796	1,014	966	963	771	272	139	146	179	411	520	—
Maine	1,284	142	177	117	167	266	206	65	25	19	19	19	62	—
New Hampshire	709	165	43	66	231	95	37	23	5	9	2	12	21	—
Vermont	462	53	26	44	16	49	94	18	5	33	17	48	59	—
Massachusetts	1,887	263	200	307	203	236	201	59	35	33	61	125	164	—
Rhode Island	1,322	267	202	196	196	145	90	57	24	24	12	52	57	—
Connecticut	1,612	209	148	284	153	172	143	50	45	28	68	155	157	—
MIDDLE ATLANTIC	6,905	907	1,051	1,086	1,065	941	628	372	140	117	122	218	258	—
New York City	2,081	146	149	248	300	223	294	235	110	88	68	88	132	—
Upstate New York														
New Jersey	1,819	314	273	289	320	246	130	76	19	16	19	85	32	—
Pennsylvania	3,005	447	629	549	445	472	204	61	11	13	35	45	94	—
EAST NORTH CENTRAL ..	47,655	5,023	5,997	8,598	7,067	6,215	4,972	1,435	706	899	1,345	2,395	3,003	—
Ohio	8,784	1,281	1,461	1,167	1,325	1,295	743	246	82	48	252	474	410	—
Indiana	5,457	618	691	1,146	1,123	837	510	150	57	37	92	85	111	—
Illinois	5,585	278	598	942	947	765	624	154	111	90	146	355	575	—
Michigan	10,748	1,090	1,309	2,457	1,481	1,495	1,350	160	89	141	177	375	624	—
Wisconsin	17,081	1,756	1,938	2,886	2,191	1,823	1,745	725	367	583	678	1,106	1,283	—
WEST NORTH CENTRAL ..	10,369	723	701	1,220	1,733	1,112	615	291	90	350	685	1,156	1,693	—
Minnesota	1,422	111	105	261	194	259	152	13	6	21	74	98	128	—
Iowa	5,750	357	401	617	801	490	182	72	28	224	501	842	1,235	—
Missouri	1,165	64	32	53	401	68	239	167	17	14	4	38	68	—
North Dakota	406	53	52	46	58	41	12	12	19	12	18	28	55	—
South Dakota	313	44	43	42	28	30	26	10	16	8	7	13	46	—
Nebraska	239	7	9	18	26	13	1	12	4	34	17	60	38	—
Kansas	1,074	87	59	183	225	211	3	5	—	37	64	77	123	—
SOUTH ATLANTIC	8,797	946	1,104	1,234	1,343	1,070	826	436	201	193	289	554	601	—
Delaware	187	29	14	14	17	44	15	24	9	3	5	8	5	—
Maryland	830	127	142	67	76	102	103	60	18	15	27	35	58	—
District of Columbia	99	22	16	11	15	6	6	9	4	2	2	4	2	—
Virginia	1,073	100	157	136	98	168	141	108	29	25	20	37	54	—
West Virginia	2,670	217	315	463	196	291	223	76	43	88	142	299	317	—
North Carolina														
South Carolina	943	89	141	165	216	115	81	50	19	10	23	18	16	—
Georgia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Florida	2,995	362	319	378	725	344	257	109	79	50	70	153	149	—
EAST SOUTH CENTRAL ..	8,933	1,056	1,159	1,437	1,282	1,299	792	492	189	116	220	394	497	—
Kentucky	2,532	401	405	601	450	247	137	61	15	44	32	47	92	—
Tennessee	5,194	525	532	649	742	830	580	348	156	61	143	268	360	—
Alabama	1,044	110	209	154	65	217	70	51	16	5	36	75	36	—
Mississippi	163	20	13	33	25	5	5	32	2	6	9	4	9	—
WEST SOUTH CENTRAL ..	9,788	814	966	1,429	1,417	1,482	1,106	646	201	204	428	491	604	—
Arkansas	157	3	13	17	8	5	23	8	11	1	3	62	3	—
Louisiana	163	4	9	46	44	21	7	1	3	—	8	4	16	—
Oklahoma	237	23	32	63	26	28	14	6	1	1	2	7	34	—
Texas	9,231	784	912	1,303	1,339	1,428	1,062	631	186	202	415	418	551	—
MOUNTAIN	5,170	458	543	785	797	708	412	214	131	119	212	346	443	2
Montana	455	59	100	73	79	36	9	15	19	10	9	6	40	—
Idaho	203	81	2	16	9	6	18	3	5	17	7	12	27	—
Wyoming	452	6	39	41	11	172	9	—	—	—	29	83	60	2
Colorado	1,637	82	185	234	347	203	145	47	50	41	93	111	99	—
New Mexico	796	44	77	163	133	122	72	42	13	8	18	35	69	—
Arizona	1,422	157	122	228	211	163	107	98	38	42	44	83	129	—
Utah	201	29	18	30	7	6	51	9	6	—	11	16	18	—
Nevada	4	—	—	—	—	—	1	—	—	1	1	—	1	—
PACIFIC	20,046	2,051	2,231	3,064	1,974	2,821	1,839	576	358	531	905	1,595	2,101	—
Washington	9,483	1,188	1,272	1,665	926	1,376	557	76	34	193	448	825	923	—
Oregon	1,772	175	196	156	226	198	162	128	61	50	56	172	192	—
California	7,690	573	643	1,074	698	1,142	917	303	219	233	381	566	941	—
Alaska	164	18	33	20	14	13	5	5	3	7	7	7	32	—
Hawaii	937	97	87	149	110	92	198	64	41	48	13	25	13	—
Puerto Rico	1,425	81	63	191	201	121	129	83	73	93	78	98	214	—

**TABLE 12. Reported Cases of Selected Notifiable Diseases: by State, by Month, 1971 — Continued
(F) RUBELLA**

AREA	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Unk.
UNITED STATES	45,086	2,601	5,240	7,997	8,385	7,338	5,181	2,093	1,038	1,023	1,704	1,092	1,388	6
NEW ENGLAND	1,908	116	153	289	324	435	324	72	45	26	45	44	35	—
Maine	302	41	34	45	44	67	36	10	6	3	7	2	7	—
New Hampshire	54	—	4	3	16	9	11	4	—	—	—	2	5	—
Vermont	102	4	2	11	29	15	27	6	—	5	1	2	—	—
Massachusetts	862	40	80	154	137	204	159	30	17	8	11	12	10	—
Rhode Island	111	11	6	14	20	18	18	4	5	1	3	7	4	—
Connecticut	477	20	27	62	78	122	73	18	17	9	23	19	9	—
MIDDLE ATLANTIC	2,748	147	230	478	601	526	327	90	75	57	58	74	85	—
New York City	626	32	37	68	127	104	70	45	53	26	18	19	27	—
Upstate New York	446	25	64	131	61	59	31	18	8	18	15	4	12	—
New Jersey	634	22	37	72	191	126	91	11	2	5	10	38	29	—
Pennsylvania	1,042	68	92	207	222	237	135	16	12	8	15	13	17	—
EAST NORTH CENTRAL	9,512	558	1,021	1,426	1,648	1,626	1,392	383	244	324	284	273	333	—
Ohio	1,064	87	206	133	187	189	125	21	14	13	34	23	32	—
Indiana	2,305	163	224	228	315	437	520	103	51	72	40	62	90	—
Illinois	1,396	40	159	239	437	156	156	43	38	19	46	23	40	—
Michigan	2,955	156	276	470	477	638	424	95	65	78	90	85	101	—
Wisconsin	1,792	112	156	356	232	206	167	121	76	142	74	80	70	—
WEST NORTH CENTRAL	3,529	182	231	635	1,127	546	354	225	38	56	33	33	69	—
Minnesota	291	17	32	133	35	31	25	—	—	4	1	3	10	—
Iowa	751	70	50	108	192	133	99	5	5	18	20	20	31	—
Missouri	1,546	15	89	157	658	138	223	209	26	18	6	1	6	—
North Dakota	102	13	14	7	44	11	3	4	—	3	1	—	2	—
South Dakota	98	7	7	7	8	62	1	2	—	2	1	1	—	—
Nebraska	100	5	8	15	12	34	2	4	6	4	2	—	8	—
Kansas	641	55	31	208	178	137	1	1	1	7	2	8	12	—
SOUTH ATLANTIC	3,549	214	439	369	1,045	382	317	164	110	118	98	212	77	4
Delaware	62	—	3	9	18	21	—	3	—	3	4	—	1	—
Maryland	166	5	21	37	13	24	9	14	6	23	2	5	7	—
District of Columbia	7	—	1	—	1	3	—	1	—	1	—	—	—	—
Virginia	229	23	36	24	20	36	23	31	8	3	8	7	10	—
West Virginia	725	33	49	72	142	106	81	44	54	63	39	24	18	—
North Carolina	53	1	6	7	2	15	12	2	—	1	—	3	4	—
South Carolina	461	7	120	56	153	71	15	5	5	4	4	12	5	4
Georgia	28	1	4	4	4	6	1	1	3	3	1	—	—	—
Florida	1,818	144	199	160	692	100	176	63	34	17	40	161	32	—
EAST SOUTH CENTRAL	4,097	147	442	687	585	668	429	163	71	55	655	53	142	—
Kentucky	1,756	48	260	285	234	164	69	23	17	25	594	14	23	—
Tennessee	2,025	74	136	362	306	432	325	128	49	25	58	29	101	—
Alabama	233	19	11	36	32	64	32	11	2	5	3	7	11	—
Mississippi	83	6	35	4	13	8	3	1	3	—	—	3	7	—
WEST SOUTH CENTRAL	5,125	335	584	1,394	942	639	383	204	135	134	155	102	118	—
Arkansas	337	4	5	234	46	19	15	5	6	3	—	—	—	—
Louisiana	298	5	30	59	160	22	4	2	—	1	5	4	6	—
Oklahoma	76	15	13	9	5	6	9	8	3	1	5	1	1	—
Texas	4,414	311	536	1,092	731	592	355	189	126	129	145	97	111	—
MOUNTAIN	2,115	132	673	202	175	475	116	73	38	49	63	37	80	2
Montana	126	7	19	44	30	8	—	3	1	1	3	—	10	—
Idaho	45	13	2	8	7	3	6	1	—	—	1	4	—	—
Wyoming	867	3	550	4	1	297	6	—	—	—	2	—	2	2
Colorado	311	43	32	29	38	48	40	12	2	17	19	11	20	—
New Mexico	251	19	20	66	46	37	7	6	5	14	14	5	12	—
Arizona	428	39	33	43	45	74	41	48	27	10	18	16	34	—
Utah	69	7	8	7	5	5	16	3	3	7	5	1	2	—
Nevada	18	1	9	1	3	3	—	—	—	—	1	—	—	—
PACIFIC	12,503	770	1,467	2,517	1,938	2,041	1,539	719	282	204	313	264	449	—
Washington	3,057	304	522	845	457	476	182	6	16	27	77	72	73	—
Oregon	810	55	84	104	140	169	91	50	18	21	28	15	35	—
California	8,381	380	816	1,537	1,326	1,378	1,232	646	234	137	199	164	332	—
Alaska	68	4	17	14	3	8	5	10	—	4	2	—	1	—
Hawaii	187	27	28	17	12	10	29	7	14	15	7	13	8	—
Puerto Rico	69	—	1	5	7	2	8	39	5	—	—	1	1	—

Table 13. Acute Diseases *Optionally* Reported by Certain States, 1971

AREA	ANIMAL BITES	CHICKEN-POX	CON-JUNCTIVITIS (Pink Eye)	GASTROENTERIC DISORDERS			
				NON-SPECIFIC	ANCLYO-STOMIASIS (Hookworm)	FOOD POISONING	DIARRHEA OF NEWBORN
NO. CASES REPORTED ...	179,127	106,493	5,124	43,670	3,700	1,720	196
No. States Reporting	(19)	(44)	(21)	(16)	(9)	(11)	(9)
NEW ENGLAND	22,314	17,130	94	1,237	112	461	1
Maine	1,308	50	1,237
New Hampshire	294	412	75	...
Vermont	759	20
Massachusetts	22,020	6,996	1
Rhode Island	2,177
Connecticut	5,478	24	...	112	386	...
MIDDLE ATLANTIC	62,010	3,895	...	12	61	175	70
New York City	39,610	3,815	23
Upstate New York	72	47
New Jersey	8	...	12	13	175	...
Pennsylvania	22,400	48
EAST NORTH CENTRAL ..	61,949	47,005	2,285	36	...	22	39
Ohio	8,181	62	36	...	12	...
Indiana	11,373	3,767	2,073
Illinois	33,194	6,142	7	15
Michigan	17,382	11,981	143	2	24
Wisconsin	16,934	8	...
WEST NORTH CENTRAL ..	6,366	11,209	1,508	9,368	27	292	6
Minnesota	5,337	960	1	24	16	238	6
Iowa	7,171	529	8,953
Missouri	582	32	338	...	54	...
North Dakota	309	917	939
South Dakota	134	114	7	53
Nebraska	586	547
Kansas	918	11
SOUTH ATLANTIC	23,282	8,909	29	18,441	3,100	613	66
Delaware	334	3
Maryland	21,451	1,166	...	26	3
District of Columbia	205	3,100
Virginia
West Virginia	1,831	3,461	26	18,415
North Carolina
South Carolina	1,143
Georgia	6
Florida	2,594	613	63
EAST SOUTH CENTRAL ...	1,511	2,729	369	5,236	298
Kentucky	991	2,058	369	5,236
Tennessee
Alabama	520	538
Mississippi	133	298
WEST SOUTH CENTRAL ..	1,210	432	142	...
Arkansas	1,207	152	142	...
Louisiana	3
Oklahoma	280
Texas
MOUNTAIN	74	5,137	216	9,112	1
Montana	74	1,089	164	295
Idaho	141	...	404
Wyoming	432
Colorado
New Mexico	947	4	7,061
Arizona	2,135	...	1,346	1
Utah	327	...	6
Nevada	66	48
PACIFIC	411	10,047	623	228	101	15	14
Washington	7,898	568	15	...
Oregon	411	22
California	18	14
Alaska	659	...	228
Hawaii	1,468	37	...	101
Puerto Rico	622	...	2,922

Table 13. Acute Diseases *Optionally* Reported by Certain States, 1971 – Continued

AREA	ERY-SIPELAS	HISTO-PLASMOSIS	MENINGITIS (Bacterial & Unspecified)	MONO-NUCLEOSIS, INFECTIOUS	RESPIRATORY INFECTIONS	RINGWORM	STREPTOCOCCAL SORE THROAT & SCARLET FEVER
NO. CASES REPORTED ...	60	190	2,475	13,877	113,661	1,583	379,444
No. States Reporting	(11)	(17)	(41)	(34)	(18)	(17)	(46)
NEW ENGLAND	8	...	318	1,888	3,126	46	67,908
Maine	7	164	1,771	25	1,615
New Hampshire	7	11	7,681
Vermont	2	274	85	...	1,064
Massachusetts	5	...	218	7,958
Rhode Island	52	8	4,533
Connecticut	3	...	32	1,431	1,270	21	45,057
MIDDLE ATLANTIC	11	636	745	...	6	17,930
New York City	308	1,518
Upstate New York	219	12,414
New Jersey	11	4	4	...	6	8
Pennsylvania	105	741	3,990
EAST NORTH CENTRAL ..	31	60	715	3,349	5,510	228	41,123
Ohio	2	26	223	1,100	5,510	...	3,440
Indiana	6	6	56	1,034	9,536
Illinois	20	28	267	694	...	1	7,560
Michigan	3	...	145	515	...	157	11,244
Wisconsin	24	6	...	70	9,343
WEST NORTH CENTRAL ..	16	47	131	3,150	1,472	319	23,405
Minnesota	4	15	81	1,927	183	48	816
Iowa	21	3	1,083	...	171	6,758
Missouri	8	12	18	457	60	646
North Dakota	11	9	...	40	5,763
South Dakota	14	63	2,635
Nebraska	50	832	...	1,687
Kansas	1	3	21	5,100
SOUTH ATLANTIC	8	267	323	9,793	...	38,339
Delaware	22	13	147	...	1,136
Maryland	1	106	1	10,338
District of Columbia	30	257
Virginia
West Virginia	229	12,220
North Carolina
South Carolina	4	57	80	4,842
Georgia	51	...	12	...	1,176
Florida	3	1	...	9,634	...	8,370
EAST SOUTH CENTRAL ...	1	20	156	426	50,841	7	24,680
Kentucky	1	1	60	296	...	7	6,340
Tennessee	50,841
Alabama	14	46	87	5,201
Mississippi	5	50	43	13,139
WEST SOUTH CENTRAL	44	7	54	183	...	1,188
Arkansas	23	7	31	183	...	1,188
Louisiana	6	...	23
Oklahoma	15
Texas
MOUNTAIN	4	...	98	1,450	13,017	322	87,889
Montana	10	296	267	16	4,492
Idaho	10	13	498
Wyoming	2	17,194
Colorado	41	49	47,115
New Mexico	6	19	11,862	1	10,594
Arizona	4	792	...	256	6,650
Utah	16	330	865	...	1,290
Nevada	13	...	23	...	56
PACIFIC	147	2,492	29,719	655	76,982
Washington	51	627	29,973
Oregon	73	2,396	27,704	28	7,936
California	30,654
Alaska	12	...	2,015	...	2,736
Hawaii	11	96	5,683
Puerto Rico	39	3	127

TABLE 14. Other diseases *Optionally* Reported, 1971

Aspergillosis	Mo. 2; Fla. 1
Cat Scratch Fever	Ohio 4; Fla. 3
Coxsackie Infections	Me. 6; Minn. 3; Del. 1
Erythema	Roseola, Ark., Utah 1; Ore. 157; N.M. 16; Ohio 4
Fungal Infections	
Actinomycosis	Ark. 2; Conn., Ill., La., Minn. 1
Blastomycosis	La. 9; Ark. 8; Ill. 7; Miss. 5; Minn., N.J. 4; Ohio 2; Fla., Iowa, Ky., Okla., S.C. 1
Candidiasis	Me. 1
Coccidioidomycosis	Ariz. 571; Cal. 399; Minn. 4; Wash. 3; Ill., Mont. 2; Ark., Hawaii, Mo., N.M., Ore., Okla., Utah 1
Cryptococcosis	Kans. 3; Fla., La., N.J., Pa. 2; Minn., Ohio, S.C. 1
Nocardiosis	Iowa 1
Gastroenteric Disorders	
Ascariasis	Miss. 338; Minn. 41; Hawaii 39; N.J. 7; Kans. 3; S.D. 1
Intestinal Worms	
Unspecified	N.M. 1
<i>Taenia saginata</i>	Fla. 1
Tapeworm	Fla. 2
Specified Etiology	
Enteropath. <i>E. coli</i>	Ill. 379; N.J. 367; Wisc. 113; Hawaii 56; Wash. 50; Ore. 41; Alaska 39; D.C. 31; Ohio 13; Wyo. 2; Md. 1
<i>Giardia lamblia</i>	Miss. 488; Minn. 116; Kans. 92; Colo. 21; N.J. 14; Wash. 3; Ohio 1
Unspecified	Alaska 228; Ohio 9; Ore. 3
Herpes Infection	Simplex, Ohio 5; Zoster, Mo. 2; Unk., Miss. 35
Impetigo	Fla. 1,328; Alaska 609; Mo. 449; Ore. 81; Mont. 53; Ohio 9; Ark. 5
Keratoconjunctivitis	Ala. 132; Ind. 49; Minn. 1
Lead Poisoning	Conn. 66; Del. 35
Listeriosis	Ore. 2; Alaska, Idaho, Ill., Iowa, N.H., Ohio, Pa. 1
Otitis Media	Mont. 1,625; Nebr. 178; Nev. 79
Q Fever	Colo. 10; Cal. 9; Idaho 3; Kans. 2; Iowa 1
Scabies	Ore. 67; Mont. 16
Schistosomiasis	N.Y.C. 153; N.J. 2
Septicemia	Ohio 3,902; N.M. 1
Staphylococcal Infection	
<i>Staphylococcus aureus</i>	Ark. 48
Unspecified	Ore. 391; Del. 93
Tick-borne Diseases	
Colorado Tick Fever	Colo. 89; Mont. 11; Idaho 8; Ore., Utah 6; Ill., Wyo. 2
Tick Paralysis	Ore. 1
Toxoplasmosis	Ala. 16; Ill. 11; Pa. 10; Minn. 6; Ohio 5; Ark. 2; Fla., Idaho 1
Trachoma	Ariz. 465; Mont. 122; Nev. 39; Cal. 7; N.J. 3; N.M. 1
Vaccinia	Ill. 5; Ark., Fla. 2
Vincent's Angina	N.M. 10; Ohio 2; Mo. 1
Yaws	Utah 2; Ohio 1

(INFECTIONS REPORTED BY A SINGLE STATE)

Citrobacter Freundii	Mo.	1	Pediculosis Capitis	Ark.	1
Glomerulonephritis	Tenn.	24	<i>Pneumocystis carinii</i>	Mo.	1
Melioidosis	Minn.	1	Reye's syndrome	Ark.	1
Mycobacteriosis	La.	59	Rickettsialpox	Pa.	1
Ophthalmia Neonatorum	Fla.	13	Viral Infections,		
Parasitic Infestation	Minn.	112	Echo	Minn.	14
<i>Pasteurella multocida</i>	Ore.	24	Unspecified	N.M.	1

**TABLE 15. Cumulative Weekly Total Number of Deaths in 122 United States Cities
for Year 1971 (Through 52nd Week Ended January 1, 1972)**

AREA	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes	AREA	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes
	All Ages	65 years and over				All Ages	65 years and over		
NEW ENGLAND:	37,086	22,686	2,404	1,477	SOUTH ATLANTIC:	63,769	33,449	2,478	3,075
Boston, Mass.	11,404	6,306	820	562	Atlanta, Ga.	6,836	3,216	229	389
Bridgeport, Conn.	2,250	1,388	244	76	Baltimore, Md.	12,309	6,376	255	528
Cambridge, Mass.	1,428	1,003	282	24	Charlotte, N.C.	2,875	1,383	8	183
Fall River, Mass.	1,565	1,073	54	36	Jacksonville, Fla.	4,493	2,289	196	218
Hartford, Conn.	2,946	1,626	71	153	Miami, Fla.	5,963	3,142	135	214
Lowell, Mass.	1,405	897	88	50	Norfolk, Va.	2,934	1,490	239	135
Lynn, Mass.	1,041	724	51	15	Richmond, Va.	4,862	2,531	277	210
New Bedford, Mass.	1,432	1,024	69	31	Savannah, Ga.	2,097	1,063	184	124
New Haven, Conn.	2,803	1,621	47	152	St. Petersburg, Fla.	4,838	3,944	211	75
Providence, R.I.	3,122	1,856	252	149	Tampa, Fla.	3,766	2,084	281	186
Somerville, Mass.	618	422	47	5	Washington, D.C.	10,230	4,556	375	709
Springfield, Mass.	2,533	1,615	210	98	Wilmington, Del.	2,566	1,375	88	104
Waterbury, Conn.	1,620	1,120	9	42	EAST SOUTH CENTRAL:	34,882	18,893	1,497	1,741
Worcester, Mass.	2,919	2,011	160	84	Birmingham, Ala.	5,490	2,867	105	309
MIDDLE ATLANTIC:	171,776	102,175	6,935	6,101	Chattanooga, Tenn.	2,813	1,500	216	157
Albany, N.Y.	2,753	1,578	74	138	Knoxville, Tenn.	1,948	1,271	85	34
Allentown, Pa.	1,789	1,171	152	53	Louisville, Ky.	6,619	3,750	522	327
Buffalo, N.Y.	7,725	4,514	197	328	Memphis, Tenn.	7,714	4,071	163	401
Camden, N.J.	2,168	1,234	142	125	Mobile, Ala.	2,777	1,433	73	141
Elizabeth, N.J.	1,812	1,069	53	46	Montgomery, Ala.	2,160	1,144	159	108
Erie, Pa.	2,252	1,387	182	92	Nashville, Tenn.	5,361	2,857	174	264
Jersey City, N.J.	3,438	2,128	172	134	WEST SOUTH CENTRAL:	63,541	32,897	2,082	3,869
Newark, N.J.	4,158	1,836	176	354	Austin, Tex.	2,009	1,139	164	97
New York City, N.Y.	86,628	51,821	3,341	2,727	Baton Rouge, La.	2,269	1,164	93	161
Paterson, N.J.	2,314	1,396	176	107	Corpus Christi, Tex.	1,703	792	20	129
Philadelphia, Pa.	24,475	13,942	306	878	Dallas, Tex.	8,835	4,386	164	519
Pittsburgh, Pa.	9,724	5,395	528	377	El Paso, Tex.	2,515	1,259	153	328
Reading, Pa.	2,480	1,652	91	50	Fort Worth, Tex.	4,351	2,378	180	260
Rochester, N.Y.	6,349	4,180	565	254	Houston, Tex.	12,453	5,736	284	692
Schenectady, N.Y.	1,329	864	122	32	Little Rock, Ark.	3,080	1,634	98	190
Scranton, Pa.	2,088	1,416	88	52	New Orleans, La.	8,426	4,331	206	465
Syracuse, N.Y.	4,385	2,800	113	181	Oklahoma City, Okla.	4,536	2,533	95	268
Trenton, N.J.	2,481	1,428	126	105	San Antonio, Tex.	6,830	3,717	175	453
Utica, N.Y.	1,470	1,034	144	29	Shreveport, La.	3,096	1,771	181	139
Yonkers, N.Y.	1,958	1,330	187	39	Tulsa, Okla.	3,438	2,057	269	168
EAST NORTH CENTRAL:	137,240	77,791	4,170	6,628	MOUNTAIN:	25,678	14,702	1,065	1,303
Akron, Ohio	3,314	1,995	19	179	Albuquerque, N.Mex.	2,578	1,320	267	110
Canton, Ohio	1,940	1,194	112	92	Colorado Springs, Colo.	1,605	950	155	107
Chicago, Ill.	37,264	20,102	961	1,943	Denver, Colo.	6,593	3,719	185	343
Cincinnati, Ohio	8,338	4,939	264	381	Ogden, Utah	996	628	115	43
Cleveland, Ohio	10,415	5,524	201	557	Phoenix, Ariz.	6,156	3,461	53	319
Columbus, Ohio	7,306	3,996	176	400	Pueblo, Colo.	1,246	807	146	51
Dayton, Ohio	5,379	3,127	119	219	Salt Lake City, Utah	3,146	1,843	60	213
Detroit, Mich.	18,786	10,250	464	830	Tucson, Ariz.	3,358	1,974	84	117
Evansville, Ind.	2,296	1,527	121	68	PACIFIC:	85,657	52,094	2,009	3,142
Flint, Mich.	2,863	1,486	91	201	Berkeley, Calif.	1,058	760	18	5
Fort Wayne, Ind.	2,403	1,404	141	117	Fresno, Calif.	2,600	1,468	78	156
Gary, Ind.	1,946	943	167	132	Glendale, Calif.	1,703	1,244	33	26
Grand Rapids, Mich.	2,817	1,882	232	100	Honolulu, Hawaii	2,680	1,340	66	194
Indianapolis, Ind.	8,057	4,440	158	428	Long Beach, Calif.	5,487	3,399	147	118
Madison, Wis.	1,930	992	240	137	Los Angeles, Calif.	26,102	15,945	629	847
Milwaukee, Wis.	6,786	4,364	117	216	Oakland, Calif.	4,234	2,494	85	224
Peoria, Ill.	2,112	1,237	32	163	Pasadena, Calif.	1,943	1,391	48	38
Rockford, Ill.	1,992	1,214	187	86	Portland, Ore.	6,890	4,419	142	260
South Bend, Ind.	2,210	1,439	159	76	Sacramento, Calif.	3,379	1,950	59	123
Toledo, Ohio	5,712	3,610	165	223	San Diego, Calif.	5,700	3,287	68	271
Youngstown, Ohio	3,374	2,126	44	80	San Francisco, Calif.	9,196	5,234	244	287
WEST NORTH CENTRAL:	42,742	26,295	1,311	2,020	San Jose, Calif.	2,317	1,470	72	58
Des Moines, Iowa	2,917	1,861	129	121	Seattle, Wash.	7,409	4,463	187	332
Duluth, Minn.	1,450	980	67	54	Spokane, Wash.	2,815	1,858	62	127
Kansas City, Kans.	1,930	948	103	205	Tacoma, Wash.	2,144	1,372	71	76
Kansas City, Mo.	6,647	4,109	130	274	Total	662,371	380,982	23,951	29,356
Lincoln, Nebr.	1,533	1,050	74	37					
Minneapolis, Minn.	5,336	3,337	116	295					
Omaha, Nebr.	4,290	2,589	49	218					
St. Louis, Mo.	11,920	7,181	307	516					
St. Paul, Minn.	3,842	2,513	67	161					
Wichita, Kans.	2,877	1,727	269	139					
Las Vegas, Nev.*	1,028	430	38	63					

*Mortality data are being collected from Las Vegas, Nev., for possible inclusion in this table, however, for statistical reasons, these data will be listed only and not included in the total, expected number, or cumulative total, until 5 years of data are collected.

SPECIAL SUMMARIES

	<i>Page</i>
Botulism	34
Legal abortion	35-36

DISEASE PATTERNS

Anthrax	37
Botulism	37
Brucellosis	38
Diphtheria	39
Encephalitis	40-43
Hepatitis	44
Leprosy	45
Leptospirosis	46
Malaria	47
Measles (Rubeola)	48
Meningococcal Infections	49
Meningitis, Aseptic	50
Mumps	51
Pertussis	51
Plague	52
Poliomyelitis	53
Pneumonia-Influenza Deaths — 122 Cities	54
Rabies	55-56
Rocky Mountain Spotted Fever (tick-borne typhus)	57
Rubella (German Measles)	58
Salmonella	59
Shigella	60
Trichinosis	60
Tetanus	61
Tularemia	62
Tuberculosis	63
Typhoid Fever	64
Typhus Fever (flea-borne, murine)	65
Venereal Diseases	66-67

**Reported Cases of Botulism:
United States, By Geographic Division, By State, 1901-1971**

AREA	Average Annual Number of Cases							
	1901-1910	1911-1920	1921-1930	1931-1940	1941-1950	1951-1960	1961-1970	1971
UNITED STATES	3.2	26.4	30.2	40.1	31.6	16.4	16.2	25
NEW ENGLAND	—	1.0	—	.3	.4	—	—	—
Maine	—	.4	—	—	—	—	—	—
New Hampshire	—	—	—	—	—	—	—	—
Vermont	—	—	—	—	—	—	—	—
Massachusetts	—	.6	—	.2	—	—	—	—
Rhode Island	—	—	—	—	—	—	—	—
Connecticut	—	—	—	.1	.4	—	—	—
MIDDLE ATLANTIC	—	2.8	2.5	2.5	1.9	.5	1.1	7
New York	—	2.1	1.8	2.0	1.1	.1	.5	4
New Jersey	—	.3	.2	.5	.5	.1	.3	—
Pennsylvania	—	.4	.5	—	.3	.3	.3	3
EAST NORTH CENTRAL ..	—	4.3	6.3	.4	.4	1.3	1.8	—
Ohio	—	1.4	1.2	.3	—	.2	—	—
Indiana	—	.7	1.1	—	—	.2	.3	—
Illinois	—	1.2	.4	—	.2	.5	.8	—
Michigan	—	.7	3.4	—	.2	.4	.7	—
Wisconsin	—	.3	.2	.1	—	—	—	—
WEST NORTH CENTRAL ..	—	.7	.9	4.4	1.9	.2	1.1	—
Minnesota	—	—	—	.5	.3	.2	.1	—
Iowa	—	.5	—	—	—	—	—	—
Missouri	—	—	.2	—	—	—	—	—
North Dakota	—	—	.4	2.1	.5	—	—	—
South Dakota	—	—	—	.5	.2	—	—	—
Nebraska	—	.2	.3	1.3	.9	—	—	—
Kansas	—	—	—	—	—	—	1.0	—
SOUTH ATLANTIC	—	.7	—	.5	1.3	.4	.6	1
Delaware	—	—	—	—	—	—	—	—
Maryland	—	—	—	—	.4	.4	.4	1
District of Columbia	—	—	—	—	.3	—	—	—
Virginia	—	—	—	.2	.5	—	—	—
West Virginia	—	—	—	.3	—	—	.1	—
North Carolina	—	—	—	—	—	—	—	—
South Carolina	—	—	—	—	—	—	—	—
Georgia	—	—	—	—	.1	—	—	—
Florida	—	.7	—	—	—	—	.1	—
EAST SOUTH CENTRAL ...	—	—	.3	2.8	2.9	1.4	3.6	1
Kentucky	—	—	—	1.1	1.1	1.3	1.6	1
Tennessee	—	—	—	1.7	1.3	.1	1.5	—
Alabama	—	—	.3	—	.1	—	.5	—
Mississippi	—	—	—	—	.4	—	—	—
WEST SOUTH CENTRAL ..	—	.7	.6	.8	.1	.3	.3	—
Arkansas	—	—	—	.2	—	—	.1	—
Louisiana	—	.7	—	—	—	.3	.1	—
Oklahoma	—	—	—	.2	.1	—	—	—
Texas	—	—	.6	.4	—	—	.1	—
MOUNTAIN	—	3.4	6.2	9.9	7.9	4.5	2.1	2
Montana	—	.7	.5	1.7	.3	.2	—	—
Idaho	—	.4	.2	.8	—	.6	.6	2
Wyoming	—	—	2.1	.8	—	—	—	—
Colorado	—	1.7	3.4	2.8	2.3	2.4	1.1	—
New Mexico	—	—	—	3.7	3.4	.8	.4	—
Arizona	—	.6	—	—	.4	.2	—	—
Utah	—	—	—	.1	1.2	—	—	—
Nevada	—	—	—	—	.3	.3	—	—
PACIFIC	3.2	12.8	13.4	18.5	14.8	7.8	5.6	14
Washington6	2.1	3.9	5.0	2.6	1.5	1.8	2
Oregon	—	.3	1.8	2.4	.8	.3	.2	—
California	2.6	10.4	7.7	11.1	10.2	4.6	3.4	10
Alaska	—	—	—	—	1.2	1.4	.2	2
Hawaii	—	—	—	—	—	—	—	—
Puerto Rico	—	—	—	—	—	—	—	—

Source: 1901-1964 — Meyer, K. F., and Eddie, B.: Sixty-five years of human botulism in the United States and Canada. George Williams Hooper Foundation, University of California, San Francisco Medical Center, June 1965.
1965-1971 — Annual Supplements, MMWR, CDC.

**Number and Percentage of Reported Legal Induced Abortions,
By Menstrual Weeks of Gestation and State of Occurrence
Selected States* — 1971**

State	≤8		9-12		13-16		17-20		≥21		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska	271	23.7	577	50.4	214	18.7	50	4.4	7	0.6	26	2.3	1,145	100.0
Arkansas	302	47.4	224	35.2	97	15.2	11	1.7	3	0.5	0	0.0	637	100.0
Colorado	366	8.8	1,550	37.2	844	20.2	635	15.2	173	4.2	600	14.4	4,168	100.0
Georgia	467	29.6	713	45.2	162	10.3	224	14.2	12	0.8	1	0.1	1,579	100.0
Hawaii	1,335	32.3	2,026	49.0	386 ¹	9.3	259 ²	6.3	66	1.6	63	1.5	4,135	100.0
Kansas	3,284	34.7	5,109	53.9	732	7.7	257	2.7	22	0.2	68	0.7	9,472	100.0
Maryland	1,730	20.8	3,736	45.0	1,294	15.6	1,445	17.4	101	1.2	0	0.0	8,306	100.0
Oregon	1,666	23.8	3,536	50.5	871	12.4	795	11.4	129	1.8	0	0.0	6,997	100.0
South Carolina	202	27.8	300	41.3	122	16.8	64	8.8	14	1.9	25	3.4	727	100.0
Total	9,623	25.9	17,771	47.8	4,722	12.7	3,740	10.1	527	1.4	783	2.1	37,166	100.0

*All states with data available.

1. 13-15 weeks.
2. 16-20 weeks.

**Reported Legal Abortions, By Age and State of Occurrence
Selected States* — 1971**

State	<15		15-19		20-24		25-29		30-34		35-39		≥40		Un- known	Total		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		
Alaska	24	2.1	369	32.2	334	29.2	177	15.5	135	11.8	74	6.5	31	2.7	10.1	1,145	100.0	
Arkansas	20	3.1	247	38.8	193	30.3	85	13.3	35	5.5	33	5.2	24	3.8	0.0	637	100.0	
California ¹	1,276	1.1	35,372	30.3	39,992	34.3	19,458	16.7	11,572	9.9	6,498	5.6	2,498	2.1	83	0.1	116,749	100.0
Colorado	67	1.6	1,381	33.1	1,306	31.3	670	16.1	377	9.0	264	6.3	102	2.4	1.0	4,168	100.0	
Delaware	81 ²	7.2	368 ³	32.6	249 ⁴	22.1	187	16.6	113	10.0	90	8.0	41	3.6	0.0	1,129	100.0	
Georgia	64	4.1	418	26.5	429	27.2	258	16.3	201	12.7	140	8.9	69	4.4	0.0	1,579	100.0	
Hawaii	43	1.0	811	19.6	1,598	38.6	743	18.0	468	11.3	333	8.1	131	3.2	80.2	4,135	100.0	
Kansas	169	1.8	2,879	30.4	3,216	34.0	1,322	14.0	932	9.8	642	6.8	295	3.1	170.2	9,472	100.0	
Maryland	256	3.1	2,539	30.6	2,458	29.6	1,374	16.5	909	10.9	545	6.6	225	2.7	0.0	8,306	100.0	
Oregon	108	1.5	2,625	37.5	2,300	32.9	912	13.0	559	8.0	351	5.0	142	2.0	0.0	6,997	100.0	
South Carolina	54	7.4	191	26.3	174	23.9	115	15.8	79	10.9	77	10.6	31	4.3	60.8	727	100.0	
Total	2,162	1.4	47,200	30.4	52,249	33.7	25,301	16.3	15,380	9.9	9,047	5.8	3,589	2.3	116	0.1	155,044	100.0

*All states with data available.

1. Number of abortions in each age group based on age distribution of abortions reported for January-March, 1971, and total number of abortions reported for the entire year.
2. <16
3. 16-20
4. 21-24

**Reported Legal Abortions by Type of Procedure and
State of Occurrence
Selected States* — 1971**

State	Sharp D & C		Suction D & C		Amniotic Fluid Replacement		Hysterotomy		Hysterectomy		Other		Unknown		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Alaska	878	76.7	175	15.3	69	6.0	9	0.8	6	0.5	6	0.5	2	0.2	1,145	100.0
Georgia	553	35.0	400	25.3	234	14.8	33	2.1	99	6.3	4	0.3	256	16.2	1,579	100.0
Kansas	2,193	23.2	6,447	68.1	579	6.1	167	1.8	42	0.4	44	0.5	0	0.0	9,472	100.0
Maryland	549	6.6	4,785	57.6	2,292	27.6	304	3.7	256	3.1	120	1.4	0	0.0	8,306	100.0
Oregon	1,258	18.0	4,328	61.9	1,111	15.9	30	0.4	266	3.8	4	0.1	0	0.0	6,997	100.0
South Carolina	111	15.3	315	43.3	120	16.5	21	2.9	122	16.8	36	5.0	2	0.3	727	100.0
Total	5,542	19.6	16,450	58.3	4,405	15.6	564	2.0	791	2.8	214	0.8	260	0.9	28,226	100.0

*All states with data available.

Reported Legal Abortion Ratios, By State Of Occurrence
Selected States* - 1971

State	Abortions ¹	Live Births ²	Abortions/1,000 Live Births
Alabama	494 ³	66,386	7.4
Alaska	1,145	7,176	159.6
Arizona ⁴	380 ³	19,161	19.8
Arkansas	637	35,120	18.1
California	116,749	339,113	344.3
Colorado	4,168	41,373	100.7
Connecticut	724 ³	44,908	16.1
Delaware	1,129	9,904	114.0
District of Columbia	17,619 ³	25,048	703.4
Georgia	1,579	95,287	16.6
Hawaii	4,135	15,857	260.8
Kansas	9,472	34,184	277.1
Maryland	8,306	57,363	144.8
Massachusetts	1,570 ³	90,415	17.4
Mississippi ⁴	48	22,705	2.1
New Mexico	4,883 ³	22,293	219.0
New York	257,055	285,218	901.3
New York (Upstate)	(49,305)	(153,308)	321.6
New York (City)	(207,750)	(131,910)	1,574.9
North Carolina	4,322	95,972	45.0
Oregon	6,997	33,999	205.8
Pennsylvania	4,839 ³	181,134	26.7
South Carolina	727	53,131	13.7
Vermont ⁴	9	7,817	1.2
Virginia ⁴	1,919	40,126	47.8
Washington ⁴	5,519	26,009	212.2
Wisconsin	4,661 ³	71,697	65.0
TOTAL	459,086	1,721,396	266.7

*All States with data available.


1. Data from State Health Departments.

2. Live birth data for all states except Hawaii taken from *Monthly Vital Statistics Report Provisional Statistics*, Vol. 20, No. 12, February 28, 1972 and Vol. 20, No. 6, August 25, 1971. Hawaii live birth data from Hawaii State Department of Health.


3. Reports from one or more hospitals in state.

4. January-June 1971.


RATIOS OF REPORTED LEGAL ABORTIONS TO LIVE BIRTHS - By State of Residence, April-June 1971




ANTHRAX — Reported Human Cases, United States, 1950-1971




BOTULISM — Reported Cases and Deaths, United States, 1950-1971




BRUCELLOSIS — Reported Cases, United States, 1950-1971




BRUCELLOSIS — Reported Cases Per 100,000 Population, 1971






DIPHTHERIA — Geographic Distribution, United States, 1971






DIPHTHERIA — Reported Cases, United States, 1958-1971



ENCEPHALITIS - National Surveillance Program, United States, 1970




ENCEPHALITIS — National Surveillance Program, United States, 1971





ARTHROPOD-BORNE ENCEPHALITIS – Human Cases, by State, 1970


WESTERN ENCEPHALITIS



CALIFORNIA ENCEPHALITIS



ST. LOUIS ENCEPHALITIS



EASTERN ENCEPHALITIS




ARTHROPOD-BORNE ENCEPHALITIS – Human Cases, by State, 1971

WESTERN ENCEPHALITIS



CALIFORNIA ENCEPHALITIS



1-5 CASES

6-15 CASES

15+ CASES

1 CASE VEE IN FLORIDA

1 CASE VEE IN ARKANSAS

88 CASES VEE IN TEXAS

1 CASE POWASSAN IN UPSTATE NEW YORK


ST. LOUIS ENCEPHALITIS




EASTERN ENCEPHALITIS



SERUM HEPATITIS – Reported Cases Per 100,000 Population, 1971




INFECTIOUS HEPATITIS – Reported Cases Per 100,000 Population, 1971




NATIONAL CENTER FOR HUMAN GENETICS AND METABOLISM, NATIONAL INSTITUTES OF HEALTH, BETHESDA, MARYLAND 20892


VIRAL HEPATITIS — Case Rate by Four-Week Period, United States, Epidemiologic Years 1953-1971




LEPROSY — Reported Cases Per 100,000 Population, United States, 1951-1971




LEPTOSPIROSIS – Geographic Distribution, United States, 1971



LEPTOSPIROSIS – Reported Cases by Month, 1966-1971




MALARIA — Cases* by Date of Report, United States, 1933-1971




*The reported number differs from the more complete count from the case surveillance system.


MALARIA — Military and Civilian Cases, United States, 1959-1971, Surveillance Program




MEASLES — Reported Cases by Month, United States, 1963-1971




MEASLES (RUBEOLA) — Deaths, Percent Distribution by Age, United States, 1964-1968




MENINGOCOCCAL INFECTIONS — Reported Cases by Year, United States, 1920-1971




MENINGOCOCCAL INFECTIONS — Reported Cases Per 100,000 Population, 1971




ASEPTIC MENINGITIS — Reported Cases by Month, United States, 1969-1971




ASEPTIC MENINGITIS — Reported Cases Per 100,000 Population, 1971




MUMPS — Reported Cases by Month, United States, 1970-1971




PERTUSSIS — Reported Cases, United States, 1950-1971



HUMAN PLAGUE – Counties Reporting One or More Cases, 1900-1971




HUMAN PLAGUE – Reported Cases by Age and Sex, United States, 1950-1971













PARALYTIC POLIOMYELITIS — Geographic Distribution, United States, 1971




PARALYTIC POLIOMYELITIS — Reported Cases by Month, United States, 1962-1971




PNEUMONIA-INFLUENZA – Deaths in 122 United States Cities




HUMAN RABIES — Reported Cases, United States, 1950-1971




HUMAN RABIES — Deaths by Age and Sex, United States, 1950-1971




RABIES — Reported Cases in Wild and Domestic Animals, United States, 1953-1971




ANIMAL RABIES — Reported Cases by County, United States, 1971




ROCKY MOUNTAIN SPOTTED FEVER — Reported Cases, United States, 1950-1971




ROCKY MOUNTAIN SPOTTED FEVER — Geographic Distribution, United States, 1971




RUBELLA — Reported Monthly Case Rates, United States, 1969-1971 and by Division, 1970-1971




SALMONELLA — Reported Human Isolations, United States, 1966-1971, Surveillance Program



SALMONELLA — Rate of Human Isolations, by Age Group, United States, 1971, Surveillance Program




SHIGELLA — Reported Human Isolations, United States, 1966-1971, Surveillance Program




* ADJUSTED TO 4-WEEK MONTH

TRICHINOSIS — Reported Cases, United States, 1950-1971




TETANUS — Reported Cases, United States, 1950-1971




TETANUS — Geographic Distribution, United States, 1971




TETANUS – Reported Cases by Five-Year Age Group, United States, 1971




TULAREMIA – Reported Cases by Year, United States, 1950-1971



TUBERCULOSIS — Case Rates by County, United States, Average 1968-1970




TUBERCULOSIS — New Active Cases and Case Rates by Age Group, Sex, and Race, United States, 1970




TYPHOID FEVER — Reported Case Rates, United States, 1942-1971



TYPHOID FEVER — Reported Cases Per 100,000 Population, 1971




TYPHUS FEVER, FLEA-BORNE (ENDEMIC, MURINE) — Reported Cases, United States, 1949-1971




TYPHUS FEVER — Geographic Distribution, United States, 1971




PRIMARY, SECONDARY, AND CONGENITAL SYPHILIS – Reported Civilian Cases, United States, 1948-1971



GONORRHEA — Reported Civilian Cases, United States, 1954-1971



SYPHILIS — Primary and Secondary — Reported Case Rate per 100,000 Population, 1971




The Annual Supplement to the Morbidity and Mortality Weekly Report is published by the Center for Disease Control, Health Services and Mental Health Administration, DHEW, Atlanta, Georgia

David J. Sencer, M.D.
Director, Center for Disease Control

Philip S. Brachman, M.D.
Director, Epidemiology Program

W. Jere Housworth
Chief, Statistical Services Activity
Epidemiology Program

Ernestine Tomlinson, Maxine Spoon, and Helen Steele
Statistical Services Activity, Epidemiology Program



U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
HEALTH SERVICES AND MENTAL HEALTH ADMINISTRATION
CENTER FOR DISEASE CONTROL
ATLANTA, GEORGIA 30333

OFFICIAL BUSINESS



POSTAGE AND FEES PAID
U.S. DEPARTMENT OF HEALTH