

Workers' Memorial Day — April 28, 2013

Workers' Memorial Day recognizes workers who died or suffered from exposures to hazards at work. In 2011, a total of 4,069 U.S. workers died from work-related injuries (1). Most fatalities from work-related illness are not captured by national surveillance systems, but an estimate for 2007 was 53,445 deaths (2). Several national surveillance systems report new cases of nonfatal work-related injuries and illnesses, although no system captures all cases. In 2011, nearly 3 million injuries and illnesses to private industry workers and 821,000 to state and local government workers were reported by employers (3). In the same year, an estimated 2.9 million work-related injuries were treated in emergency departments, resulting in 150,000 hospitalizations (CDC, unpublished data, 2013).

Based on methods that focus on medical costs and productivity losses, the societal cost of work-related fatalities, injuries, and illnesses was estimated at \$250 billion in 2007 (2). Methods that include consideration of pain and suffering would result in a higher estimated societal cost (4). CDC is working to better describe the burden of fatalities, injuries, and illnesses suffered by workers; additional information is available at <http://www.cdc.gov/niosh/programs/econ/risks.html>.

References

1. Bureau of Labor Statistics. Economic news release: table 2: fatal occupational injuries by industry and selected event or exposure, 2011 (preliminary). Washington, DC: US Department of Labor, Bureau of Labor Statistics; 2012.
2. Leigh JP. Economic burden of occupational injury and illness in the United States. *Millbank Q* 2011;89:728–72.
3. Bureau of Labor Statistics. Economic news release: workplace injury and illness summary. Washington, DC: US Department of Labor, Bureau of Labor Statistics; 2012.
4. Haddix AC, Teutsch SM, Corso PS, eds. Prevention effectiveness: a guide to decision analysis and economic evaluation. New York, NY: Oxford University Press;2003:74.

Fatal Injuries in Offshore Oil and Gas Operations — United States, 2003–2010

During 2003–2010, the U.S. oil and gas extraction industry (onshore and offshore, combined) had a collective fatality rate seven times higher than for all U.S. workers (27.1 versus 3.8 deaths per 100,000 workers). The 11 lives lost in the 2010 Deepwater Horizon explosion provide a reminder of the hazards involved in offshore drilling. To identify risk factors to offshore oil and gas extraction workers, CDC analyzed data from the Bureau of Labor Statistics (BLS) Census of Fatal Occupational Injuries (CFOI), a comprehensive database of fatal work injuries, for the period 2003–2010. This report describes the results of that analysis, which found that 128 fatalities in activities related to offshore oil and gas operations occurred during this period. Transportation events were the leading cause (65 [51%]); the majority of these involved aircraft (49 [75%]). Nearly one fourth (31 [24%]) of the fatalities

INSIDE

- 305 Obliterative Bronchiolitis in Workers in a Coffee-Processing Facility — Texas, 2008–2012
- 308 Progress in Introduction of Pneumococcal Conjugate Vaccine — Worldwide, 2000–2012
- 312 National Shortage of Purified-Protein Derivative Tuberculin Products
- 313 Notes from the Field: Acute Pesticide-Related Illness Resulting from Occupational Exposure to Acrolein — Washington and California, 1993–2009
- 315 Notes from the Field: Exposures to Discarded Sulfur Mustard Munitions — Mid-Atlantic and New England States 2004–2012
- 317 Announcements
- 319 QuickStats

Continuing Education examination available at http://www.cdc.gov/mmwr/cme/conted_info.html#weekly.

