

Workers' Memorial Day — April 28, 2016

Workers' Memorial Day, observed annually on April 28, recognizes workers who suffered or died because of exposures to hazards at work. In 2014, 4,679 U.S. workers died from work-related injuries (1). Although deaths from work-related injuries are captured by surveillance systems, most deaths from work-related illness are not. In 2007, an estimated 53,445 deaths from work-related illness occurred (2). In 2014, employers reported approximately 3 million nonfatal injuries and illnesses to private industry workers and 722,000 to state and local government workers (3); an estimated 2.7 million work-related injuries were treated in emergency departments, resulting in 113,000 hospitalizations (National Institute for Occupational Safety and Health (CDC-NIOSH), unpublished data, 2016)*

Occupational injuries and illnesses also have economic costs. The societal cost of work-related fatalities, injuries, and illnesses was estimated at \$250 billion in 2007 on the basis of methods that focus on medical costs and productivity losses (2).

New estimates of worker hearing impairment from the CDC-NIOSH Occupational Hearing Loss Surveillance program are reported in this issue of *MMWR*. The audiometric data analyzed in this report represent one example of existing health data that CDC-NIOSH uses for occupational health surveillance.

*<http://www.cdc.gov/niosh/topics/surveillance/default.html>.

References

1. Bureau of Labor Statistics. National Census of Fatal Occupational Injuries in 2014 preliminary results [Table 2]. Washington, DC: US Department of Labor, Bureau of Labor Statistics; 2015. <http://www.bls.gov/news.release/pdf/cfoi.pdf>
2. Leigh JP. Economic burden of occupational injury and illness in the United States. *Milbank Q* 2011;89:728–72. <http://dx.doi.org/10.1111/j.1468-0009.2011.00648.x>
3. Bureau of Labor Statistics. Employer-reported workplace injuries and illnesses in 2014 [Table 2]. Washington, DC: US Department of Labor, Bureau of Labor Statistics; 2015. <http://www.bls.gov/news.release/pdf/osh.pdf>

Hearing Impairment Among Noise-Exposed Workers — United States, 2003–2012

Elizabeth A. Masterson, PhD¹; P. Timothy Bushnell, PhD²; Christa L. Themann, MA³; Thais C. Morata, PhD³

Hearing loss is the third most common chronic physical condition in the United States, and is more prevalent than diabetes or cancer (1). Occupational hearing loss, primarily caused by high noise exposure, is the most common U.S. work-related illness (2). Approximately 22 million U.S. workers are exposed to hazardous occupational noise (3). CDC compared the prevalence of hearing impairment within nine U.S. industry sectors using 1,413,789 noise-exposed worker audiograms from CDC's National Institute for Occupational Safety and Health (NIOSH) Occupational Hearing Loss Surveillance Project (4). CDC estimated the prevalence at six hearing impairment levels, measured in the better ear, and the impact on quality of life expressed as annual disability-adjusted life years (DALYs), as defined by the 2013 Global Burden of Disease (GBD) Study (5). The mining sector had the highest prevalence of workers with any hearing impairment, and with moderate or worse

INSIDE

395 Patterns in Zika Virus Testing and Infection, by Report of Symptoms and Pregnancy Status — United States, January 3–March 5, 2016

400 Notes from the Field: Respiratory Symptoms and Skin Irritation Among Hospital Workers Using a New Disinfection Product — Pennsylvania, 2015

402 Notes from the Field: Development of a Contact Tracing System for Ebola Virus Disease — Kambia District, Sierra Leone, January–February 2015

403 Announcements

405 QuickStats

Continuing Education examination available at http://www.cdc.gov/mmwr/cme/conted_info.html#weekly.



Morbidity and Mortality Weekly Report

The *Morbidity and Mortality Weekly Report (MMWR)* Series is prepared by the Centers for Disease Control and Prevention (CDC) and is available free of charge in electronic format. To receive an electronic copy each week, visit *MMWR*'s free subscription page at <http://www.cdc.gov/mmwr/mmwrsubscribe.html>. Paper copy subscriptions are available through the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402; telephone 202-512-1800.

Readers who have difficulty accessing this PDF file may access the HTML file at <http://www.cdc.gov/mmwr/index2016.html>. Address all inquiries about the *MMWR* Series, including material to be considered for publication, to Executive Editor, *MMWR* Series, Mailstop E-90, CDC, 1600 Clifton Rd., N.E., Atlanta, GA 30329-4027 or to mmwrq@cdc.gov.

All material in the *MMWR* Series is in the public domain and may be used and reprinted without permission; citation as to source, however, is appreciated. Use of trade names and commercial sources is for identification only and does not imply endorsement by the U.S. Department of Health and Human Services. References to non-CDC sites on the Internet are provided as a service to *MMWR* readers and do not constitute or imply endorsement of these organizations or their programs by CDC or the U.S. Department of Health and Human Services. CDC is not responsible for the content of these sites. URL addresses listed in *MMWR* were current as of the date of publication.

ISSN: 0149-2195 (Print)