Routledge
Taylor & Francis Group

Archives of Environmental Health: An International Journal

ISSN: 0003-9896 (Print) (Online) Journal homepage: https://www.tandfonline.com/loi/vzeh20

Sentinel Health Events (Occupational): A Basis for Physician Recognition and Public Health Surveillance

David D. Rutstein M.D. , Robert J. Mullan M.D. , Todd M. Frazier Sc.M. , William E. Halperin M.D., M.P.H. , James M. Melius M.D. & John P. Sestito M.S.

To cite this article: David D. Rutstein M.D. , Robert J. Mullan M.D. , Todd M. Frazier Sc.M. , William E. Halperin M.D., M.P.H. , James M. Melius M.D. & John P. Sestito M.S. (1984) Sentinel Health Events (Occupational): A Basis for Physician Recognition and Public Health Surveillance, Archives of Environmental Health: An International Journal, 39:3, 159-168, DOI: 10.1080/00039896.1984.9939518

To link to this article: https://doi.org/10.1080/00039896.1984.9939518

Sentinel Health Events (Occupational): A Basis for Physician Recognition and Public Health Surveillance

DAVID D. RUTSTEIN, M.D.
ROBERT J. MULLAN, M.D.
TODD M. FRAZIER, Sc.M.
WILLIAM E. HALPERIN, M.D., M.P.H.
JAMES M. MELIUS, M.D.
JOHN P. SESTITO, M.S.

ABSTRACT. A Sentinel Health Event (SHE) is a preventable disease, disability, or untimely death whose occurrence serves as a warning signal that the quality of preventive and/or therapeutic medical care may need to be improved. A SHE (Occupational) is a disease, disability, or untimely death which is occupationally related and whose occurrence may: 1) provide the impetus for epidemiologic or industrial hygiene studies; or 2) serve as a warning signal that materials substitution, engineering control, personal protection, or medical care may be required. The present SHE(O) list encompasses 50 disease conditions that are linked to the workplace. Only those conditions are included for which objective documentation of an associated agent, industry, and occupation exists in the scientific literature. The list will serve as a framework for developing a national system for occupational health surveillance that may be applied at the state and local level, and as a guide for practicing physicians caring for patients with occupational illnesses. We expect to update the list periodically to accommodate new occupational disease events which meet the criteria for inclusion. (*Am J Public Health* 1983; 73: 1054–1062).

SUCCESSFUL CONTROL of occupationally related diseases depends on two factors: recognition and diagnosis of cases by physicians, and the implementation of surveillance, prevention, and occupational control programs. Sadly, both of these factors have historically received inadequate attention.

In a letter-to-the-editor of the *New England Journal of Medicine*[1] it was indicated that among 67 physicians, "more than half of whom were board-certified pathologists" and interested enough in pulmonary pathology to take a one week intensive post-graduate course, fewer than 10% (i.e., only six of them) suspected and diagnosed asbestosis in a microscopic section selected so as to demonstrate "a straightforward example of abestosis." This was in sharp contrast to 75 to 80% successful diagnoses in "mystery" cases of non-occupational disease. A recent *Annals of Internal Medicine* editorial, "Occupational Medicine: Too Long Neglected,"[2] further documents the isolation of occupational disease.

Thus, occupational disease, despite its profound impact directly and indirectly on all of us, continues to remain outside the mainstream of American medicine and health surveillance. For example, occupational disease has always received very little time in the curricula of medical schools.[3] In the introductory course to clinical medicine where the medical student first learns to take a medical history and begins to identify key questions that alert physicians to follow logic trees that may lead to a probable diagnosis, the occupational

history is almost totally disregarded. At the present time, the practicing physician is often at a great disadvantage in the diagnosis of occupational disease due to an inadequate educational background and the consequent diminished level of suspicion regarding the occurrence of occupational disease.

Health surveillance systems have likewise failed to keep abreast of epidemiologic requirements for occupational disease surveillance. The US National Committee on Vital and Health Statistics[4] in 1977 expressed this concern:

> "A common and well standardized set of procedures for obtaining, recording, and coding occupation, industry and materials to which people are exposed can increase comparability and improve the cost-effectiveness of the collection of health data and environmental exposure data."

Indeed, in a recent survey of state vital registrars,[5] it was determined that only 12 of the 50 states routinely code the industry and/or occupation (I/O) data entered on all death certificates. Without routine and nationally comparable recording of I/O data on death certificates, characterization of states' occupational mortality patterns becomes impossible; further, any sort of uniform occupational surveillance on the national level using death certificates becomes impractical. Failure of hospital abstract services to code I/O data frustrates attempts to establish morbidity-based occupational health surveillance networks and to identify cases of high interest for follow-back.

Two remedial approaches are needed to improve the reporting of occupational disease. The first is a table of occupational diseases that may serve as a framework to assist the practicing (or nascent) physician in diagnosis and to guide him in therapy. The second approach, currently being implemented by the National Institute for Occupational Safety and Health (NIOSH), is to increase the number of states that code I/O data on records. The main purposes of this paper are to describe a method of increasing physicians' awareness of occupational disease and to make available to a broad range of users a documented table of these conditions for use in occupational medicine education and surveillance.

METHODOLOGY

In 1976, a table of disease events was developed based on the concept of the Sentinel Health Event (SHE).[6] An SHE is a preventable disease, disability, or untimely death whose occurrence serves as a warning signal that the quality of preventive and/or therapeutic medical care may need to be improved. Thus, these events serve as negative indices of the quality of medical care. For example, a case of polio is an SHE. The occurrence of this preventable disease signals a breakdown in the immunization aspect of health care. Repeated consultation with specialists from various fields produced Table A in the 1976 report which was published and last brought up to date in 1980.[7] Each condition was selected because: 1) it is relatively easily recognized by the practicing physician; 2) it appears as an unnecessary disease, an unnecessary disability, and/or an unnecessary untimely death, i.e., a condition that was either preventable and/or manageable; and 3) the recognition of a single case raises the question "Why did this happen?", and justifies a careful search for remediable underlying causes.

This approach—in effect identifying and counting the number of preventable tragedies in the health care field—has been successfully used in the past. In the 1930s, for example, every maternal death occurring in New York City was vigorously pursued: pertinent facts were collected and later evaluated by a group of obstetricians. The evolution and implementation of this process was followed by a rapid drop in maternal mortality in the city.[8] Application of these principles to infant deaths in 1967 and 1968 in Massachusetts demonstrated that about one-third of infant deaths in this state were preventable by medical means.[9]

Based on the previous experience with maternal and infant mortality, which was then successfully applied to all persons and ages by the SHE approach, we were convinced that, with appropriate modification, the SHE concept could be successfully applied to the field of occupational disease. Thus, we have defined the Sentinel Health Event (Occupational) (SHE(O)) as: an unnecessary disease, disability, or untimely death which is occupationally related and whose occurrence may: 1) provide the impetus for epidemiologic or industrial hygiene studies; or 2) serve as a warning signal that materials substitution, engineering control, personal protection, or medical care may be required.

The occupational health literature was then surveyed to assemble a list of SHE(O)s each of which would meet three criteria of scientific proof: documentation of associated agent(s), of involved industries, and of involved occupations. The disease/condition should also be codable within the framework of the Ninth Revision, International Classification of Diseases Adapted for Use in the United States, 1975 (ICD-9).[10] A list of conditions was selected and submitted to a panel of consultants for review. Table A-(O), an adaptation of Table A from the original article,[6] contains those conditions which were judged by the consultants to meet the criteria above. Some conditions that do not presently meet the criteria for inclusion have been put on a holding list for later review. It is expected, therefore, that further advances in occupational health research will require expansion and modification of the present list to keep it up to date.

In Table A-(O) there are two broad categories of SHE(O)s represented. The first group includes those diseases or conditions which, by their inherent nature, are necessarily occupationally related. Such conditions include the pneumoconioses. In other words, it is unlikely that these diseases would occur in the absence of an occupational exposure to the inciting agent. The second set of conditions includes such diseases as lung cancer, leukemia, peripheral neuropathy, and ornithosis which may or may not be occupationally related. In the case of lung cancer, for example, it is clear that some cases will be associated with occupational exposure to asbestos. However, the major etiologic agent in lung cancer is smoking. Therefore, it is necessary when

taking a medical history to consider both occupational and non-occupational factors. This distinction becomes more difficult when death certificates are used for surveillance purposes since no history is available. However, the occupation or industry of the decedent as recorded on the death certificate may indicate a possible association between the cause of death and the decedent's employment history. For this reason we have listed these occupations and industries in Table A-(O).

The Table

Table A-(O) lists occupational disease sentinel health events. It is arranged in order of ascending ICD code number and encompasses 50 ICD rubrics. In addition to ICD rubrics, etiologic agents or processes, and I/O information, the Table also indicates whether or not the manifested unnecessary disease, unnecessary disability, and/or unnecessary untimely death can be controlled by prevention and/or treatment. As an example, ICD 011, pulmonary tuberculosis, is a preventable disease (denoted "P" in the appropriate column), whereas unnecessary disability and untimely death from pulmonary tuberculosis can be avoided through both prevention ("P") and treatment (denoted "T" in the appropriate column). In the Table, an "O" has been affixed behind the condition's name when further I/O information is needed to establish the relationship of disease to occupation.

The Table may be entered via multiple routes contingent upon the parameter of interest. For example, a physician interested in the health effects of benzene may quickly scan the agent column for all entries pertaining to benzene. Similarly, a physician concerned with health effects seen among coke oven workers may rapidly note these effects by focusing on the I/O column. (See note on page 168.)

Utility

There are three facets to the utility of the SHE(O) list. The first relates to its application as a surveillance tool, the second to its value for the practicing physician, and the third to its value as a periodically updated compendium of occupationally related diseases.

As a routine surveillance tool, the list's practical attraction lies in the fact that all sentinel events are linked to an ICD code. Since almost all the available medical data sets (e.g., State Vital Registries, Social Security disability awards, hospital discharge records) are coded by ICD, rapid data processing of these data sets is possible with the appropriate software. As mentioned, one current drawback to the use of these data sets is the general lack of I/O information. While this fact has little impact on the use of those SHE(O)s which are inherently occupational (e.g., coalworkers' pneumoconiosis), it has important implications for those SHE(O)s where this further I/O information is necessary to establish the sentinel nature of the event. For those states which do code I/O information on death certificates, software is easily developed to run cross tabulations of ICD code



Fig. 1. Computer Sorting for Sentinel Health Events (Occupational).

by I/O (Figure 1). Even in the absence of such I/O coding, the SHE(O) nonetheless has immediate applicability since the inherently occupational SHE(O)s may be readily surveyed and tracked.

As an episodic surveillance tool, the SHE(O) list may serve as a screening device for occupationally related diseases. When an SHE(O) occurs, the death certificate should be forwarded to state occupational safety and health officials or the epidemiologist where appropriate. A study of these selected events may indicate where follow-up is desirable and every effort should be made to be sure that this is done. In the absence of mandatory occupational disease reporting in states, cooperation may be arranged between hospital administration and staff to attempt to obtain similar information from hospital discharge records.

The Table may also be of value to the practicing physician. By scanning the Table he/she can easily identify the pertinent industries/occupations of his/her patients. Table A-(O) should be helpful in recognizing occupational disease in patients and in identifying the kinds of such illness that are likely to be present in his/her practice.

It must be acknowledged that this approach has some limitations. In the case of death certificates, where exposure data are usually impossible to obtain, we must impute exposure from the information given about the decedent's "last" or "usual" occupation. The issue of latency is also difficult to overcome: e.g., if a case of mesothelioma is discovered, it may not be valuable as an index case since the environment in which the exposure took place may now be completely changed. Nevertheless, an accurate recording of occupational experience on death certificates and on hospital and

Table A-(O)—Occupationally Related Unnecessary Disease, Disability, and Untimely Death

ICD-9	Condition	A	B	C	Industry/Occupation@	Agent
011	Pulmonary Tuberculosis (O)*	P*	P,T*	P,T	Physicians,[21] medical personnel,[143] med lab workers.[89]	*Mycobacterium tuberculosis.*[21,89,143]
011, 502	Silicotuberculosis	P	P,T	P,T	Quarrymen, sandblasters, silica processors, mining, metal foundries, ceramic industry.[33]	SiO_2 + *Mycobacterium tuberculosis.*[33,82,158]
020	Plague (O)	P	—	P,T	Shepherds, farmers, ranchers, hunters, field geologists.[17]	*Yersinia pestis.*[17]
021	Tularemia (O)	P	—	P,T	Hunters, fur handlers, sheep industry workers,[89] cooks, vets, ranchers, vet pathologists.[169]	*Francisella tularensis.*[89,169]
022	Anthrax (O)	P	—	P,T	Shepherds, farmers, butchers, handlers of imported hides or fibers,[39] veterinarians, veterinarian pathologists, weavers.[118]	*Bacillus anthracis.*[30,118,170]
023	Brucellosis (O)	P	P	P,T	Farmers, shepherds, veterinarians, lab workers,[132] slaughterhouse workers.[118,170]	*Brucella abortus suis.*[118,132,170]
037	Tetanus (O)	P	—	P,T	Farmers, ranchers.[169]	*Clostridium tetani.*[169]
056	Rubella (O)	P	P	P	Medical personnel,[61,113,142] intensive care personnel.[143]	Rubella virus.[61,113,142]
070.0.1	Hepatitis A (O)	P	P	P	Day care center staff,[65,171] orphanage staff,[37] mental retardation institution staff,[71,164] medical personnel.[62]	Hepatitis A virus.[37,62,65,71,164,171]
070.2.3	Hepatitis B (O)	P	P	P	Nurses and aides,[54,67,96] anesthesiologists,[38] orphanage and mental institution staff,[54] med lab personnel,[96,102,106] general dentists[124] and oral surgeons,[55] physicians.[67,96,102]	Hepatitis B virus.[38,54,55,67,96,102,106]
070.4	Non-A, Non-B Hepatitis (O)	P	P	P	As above for hepatitis A and B	Unknown
071	Rabies (O)	P	—	P	Veterinarians, animal and game wardens, lab researchers, farmers, ranchers, trappers.[169]	Rabies virus.[169]
073	Ornithosis (O)	P	—	P	Psittacine bird breeders, pet shop staff, poultry producers, veterinarians, zoo employees.[119]	*Chlamydia psittaci.*[119]
155M#	Hemangiosarcoma of the Liver	P	P	P	Vinyl chloride polymerization industry.[42] Vintners.[53]	Vinyl chloride monomer.[42,86,87,166,184] Arsenical pesticides.[53,88]
160.0	Malignant Neoplasm of Nasal Cavities (O)	P	P,T	P,T	Woodworkers, cabinet, furniture makers.[12,14,34,107,151] Boot and shoe industry.[11,12] Radium chemists and processors,[52] dial painters.[141] Chromium producers, processors, users.[86] Nickel smelting and refining.[48,85,176]	Hardwood dusts.[12,14,34,107,151] Unknown.[11,12] Radium.[52,141] Chromates.[86] Nickel.[48,85,86,176]
161	Malignant Neoplasm of Larynx (O)	P	P,T	P,T	Asbestos industries and utilizers.[149]	Asbestos.[88,149]
162	Malignant Neoplasm of Trachea, Bronchus, and Lung (O)	P	P	P	Asbestos industry and utilizers.[24,49,99] Topside coke oven workers.[104,145,146] Uranium and fluorspar miners.[45] Chromium producers and processors,[51] users.[108,172] Nickel smelters, processors, users.[48,85] Smelters.[175] Mustard gas formulators.[182] Ion exchange resin makers, chemists.[57,185]	Asbestos.[24,49,86,99,159] Coke oven emissions.[104,145,146] Radon daughters.[45] Chromates.[51,86,108,172] Nickel.[48,85,86] Arsenic.[86,175] Mustard gas.[182] Bis(chloromethyl) ether, chloromethyl methyl ether.[57,86,185]
158, 163	Mesothelioma (MN of Peritoneum) (MN of Pleura)	P	—	P	Asbestos industries and utilizers.[24,99]	Asbestos.[24,82,88,99,159,160]
170	Malignant Neoplasm of Bone (O)	P	—	P	Dial painters,[109] radium chemists and processors.[52]	Radium.[52,109]
187.7	Malignant Neoplasm of Scrotum	P	—	P,T	Automatic lathe operators,[72,91] metalworkers.[150] Coke oven workers, petroleum refiners, tar distillers.[72]	Mineral/cutting oils.[72,86,91] Soots and tars, tar distillates.[72,86]
188	Malignant Neoplasm of Bladder (O)	P	—	P	Rubber and dye workers.[39,40,189]	Benzidine,[150,189] alpha and beta naphthylamine,[39,86] auramine[40,86] magenta[40,86] 4-aminobiphenyl,[116] 4-nitrophenyl.[86,176]
189	Malignant Neoplasm of Kidney, Other, and Unspecified Urinary Organs (O)	P	P	P	Coke oven workers.[145,146]	Coke oven emissions.[145,146]
204	Lymphoid Leukemia, Acute (O)	P	—	P	Rubber industry.[114,115] Radiologists.[110,111]	Unknown.[114,115] Ionizing radiation.[41,110,111]
205	Myeloid Leukemia, Acute (O)	P	—	P	Occupations with exposure to benzene. Radiologists.[110,111]	Benzene.[16,83,84,86,180,181] Ionizing radiation.[41,110,111]
207.0	Erythroleukemia (O)	P	—	P	Occupations with exposure to benzene.	Benzene.[16,83,84,86,180,181]
283.1	Hemolytic anemia, Non-autoimmune (O)	P	—	P,T	Whitewashing and leather industry.[44] Electrolytic processes, arsenical ore smelting.[78] Plastics industry.[15] Dye, celluloid, resin industry.[59]	Copper sulfate.[44] Arsine.[78,92,134,139] Trimellitic anhydride.[15] Naphthalene.[59]
284.8	Aplastic Anemia (O)	P	—	P	Explosives manufacture.[81,182] Occupations with exposure to benzene. Radiologists,[111] radium chemists and dial painters.[163]	TNT.[70,81,182] Benzene.[16,180,181] Ionizing radiation.[41,111,163]

Table A-(O)—Continued

ICD-9	Condition	A	B	C	Industry/Occupation@	Agent
288.0	Agranulocytosis or Neutropenia (O)	P	—	P	Occupations with exposure to benzene. Explosives and pesticide industries.[32] Pesticides, pigments, pharmaceuticals.[93]	Benzene.[16,180,181] Phosphorus.[32] Inorganic arsenic.[93]
289.7	Methemoglobinemia (O)	P	—	P,T	Explosives and dye industries.[66,70,125,188]	Aromatic amino and nitro compounds (e.g. aniline, TNT, nitroglycerin).[66,70,81,125,188]
323.7	Toxic Encephalitis (O)	P	P	P	Battery, smelter, and foundry workers.[19,31] Electrolytic chlorine production, battery makers, fungicide formulators.[22,31]	Lead.[19,31] Inorganic and organic mercury.[22,31,56]
332.1	Parkinson's Disease (Secondary) (O)	P	P	—	Manganese processing, battery makers, welders.[154] Internal combustion engine industries.[60]	Manganese.[154,167] Carbon monoxide.[60]
334.3	Cerebellar Ataxia (O)	P	P	—	Chemical industry using toluene.[28] Electrolytic chlorine production, battery makers, fungicide formulators.[31,43]	Toluene.[28] Organic mercury.[31,43]
357.7	Inflammatory and Toxic Neuropathy (O)	P	P,T	P,T	Pesticides,[75] pigments, pharmaceuticals.[46] Furniture refinishers, degreasing operations.[74] Plastic-coated-fabric workers.[26] Explosives industry.[70] Rayon manufacturing.[56,179] Plastics, hydraulics, coke industries.[121] Battery, smelter, and foundry workers.[19,31] Dentists,[88,161] chloralkali workers.[186] Chloralkali plants, fungicide makers, battery makers.[43] Plastics industry,[127] paper manufacturing.[100]	Arsenic and arsenic compounds.[46,75] Hexane.[74,155] Methyl n-butyl ketone.[26] TNT.[70] CS_2.[56,155,177,179] Tri-o-cresyl phosphate.[121,155] Inorganic lead.[19,31,56,155] Inorganic mercury.[88,161,186] Organic mercury.[43,56] Acrylamide.[100,127,155]
366.4	Cataract (O)	P	P,T	—	Microwave and radar technicians.[90] Explosives industries.[70] Radiologists.[120] Blacksmiths, glass blowers, bakers.[120] Moth repellant formulators, fumigators.[59] Explosives, dye, herbicide and pesticide industries.[130]	Microwaves.[90] TNT.[63,70] Ionizing radiation.[63,120] Infrared radiation.[63,120] Naphthalene.[59,63,120] Dinitrophenol,[120] dinitro-o-cresol.[130]
388.1	Noise Effects on Inner Ear (O)	P	P	—	Exposure.[131]	Excessive noise.[131]
443.0	Raynaud's Phenomenon (Secondary) (O)	P	—	—	Lumberjacks,[97,144] chain sawyers, grinders, chippers.[173] Vinyl chloride polymerization industry.[47,98,103]	Whole body or segmental vibration.[97,144,173] Vinyl chloride monomer.[47,87,98,103]
495.0 to 495.6, .8	Extrinsic Allergic Alveolitis	P	P	P,T	Farmer's lung, baggassosis, bird fancier's lung, suberosis, malt worker's lung, mushroom worker's lung, maple bark disease, cheese washer's lung, coffee worker's lung, fish-meal worker's lung, furrier's lung, sequoiosis, wood worker's lung, miller's lung.[147,187]	Various agents.[147,187]
493.0, 507.8	Extrinsic Asthma (O)	P	P,T	P,T	Jewelry, alloy and catalyst makers.[35,135] Polyurethane, adhesive, paint workers.[35,138] Alloy, catalyst, refinery workers.[35] Solderers.[35] Plastic, dye, insecticide makers.[35] Foam workers, latex makers, biologists.[35] Printing industry.[35] Nickel platers.[35] Bakers.[35,174] Plastics industry.[35,138] Woodworkers, furniture makers.[35] Detergent formulators.[35]	Platinum.[35,135,137] Isocyanates.[35,137,138] Chromium and cobalt.[35] Aluminum soldering flux.[35] Phthalic anhydride.[35,137] Formaldehyde.[35] Gum arabic.[35] $NiSO_4$.[35] Flour.[35,174] Trimellitic anhydride.[35,138,137] Red cedar and other wood dusts.[35] *Bacillus*-derived exoenzymes.[35]
500	Coalworkers' Pneumoconiosis	P	P	P	Coal miners.[76,122]	Coal dust.[76,82,122]
501	Asbestosis	P	P	P	Asbestos industries and utilizers.[24,99,126]	Asbestos.[24,82,99,120,159]
502M	Silicosis	P	P	P	Quarrymen, sandlbasters, silica processors,[20] mining, metal, and ceramic industries.[129,190]	Silica.[20,82,129,156,190]
	Talcosis				Talc processors.[95]	Talc.[95]
503M	Chronic Beryllium Disease of the Lung	P	P	P	Beryllium alloy workers, ceramic and cathode ray tube makers, nuclear reactor workers.[68,183]	Beryllium.[68,183]
504	Byssinosis	P	P	P	Cotton industry workers.[29,117,128]	Cotton, flax, hemp, and cotton-synthetic dusts.[29,117,128]
506.0, 506.1	Acute Bronchitis, Pneumonitis, and Pulmonary Edema Due to Fumes and Vapors (O)	P,T	P,T	P	Refrigeration, fertilizer,[101] oil refining industries.[123] Alkali and bleach industries.[123] Silo fillers, arc welders, nitric acid industry.[58] Paper and refrigeration industries, oil refining.[123] Cadmium smelters, processors.[123] Plastics industry.[73]	Ammonia.[101,123] Chlorine.[123] Nitrogen oxides.[58,123] Sulfur dioxide.[123] Cadmium.[123] Trimellitic anhydride.[73]
570, 573.3	Toxic Hepatitis (O)	P	P	P	Solvent utilizers, dry cleaners,[23] plastics industry.[105] Explosives and dye industries.[32,70] Fire and waterproofing additive formulators.[79,94] Plastics formulators.[112] Fumigators, gasoline, fire extinguisher formulators.[133] Disinfectant, fumigant, synthetic resin formulators.[80]	Carbon tetrachloride,[140] chloroform,[27] tetrachloroethane,[105] trichloroethylene.[18,23] Phosphorus,[32] TNT.[70,182] Chloronaphthalenes.[79,94] Methylenedianiline.[112] Ethylene dibromide.[133] Cresol.[80]

Table A-(O)—Continued

ICD-9	Condition	A	B	C	Industry/Occupation@	Agent
584, 585	Acute or Chronic Renal Failure (O)	P	P,T	P,T	Battery makers, plumbers, solderers.[157] Electrolytic processes, arsenical ore smelting.[78,139] Battery makers, jewelers, dentists.[157] Fluorocarbon formulators, fire extinguisher makers.[157] Antifreeze manufacture.[25]	Inorganic lead.[157] Arsine.[78,134,139,157] Inorganic mercury.[157] Carbon tetrachloride.[64,157] Ethylene glycol.[25]
606	Infertility, Male (O)	P	P	—	Formulators.[36] DBCP producers, formulators, and applicators.[50,152,186]	*Kepone*.[36] Dibromochloropropane.[50,152,186]
692	Contact and Allergic Dermatitis (O)	P,T	P,T	—	Leather tanning, poultry dressing plants, fish packing, adhesives and sealants industry, boat building and repair.[13]	Irritants (e.g., cutting oils, solvents, phenol, acids, alkalis, detergents); allergens (e.g., nickel, chromates, formaldehyde, dyes, rubber products).[148]

External causes or injury and poisoning (occupational) include accidents and are classified in the ICD-9 under the E codes.

A = Unnecessary disease
B = Unnecessary disability
C = Unnecessary untimely death
@ = Industry/Occupation listings are examples only
*(O) = Only where an occupational exposure can be established
*P = prevention, T = treatment
#M = Modified ICD rubic

other medical records is necessary if the prevention, treatment, and management of occupational disease is to be effective. This concept is included in the studies by NIOSH, in collaboration with selected states, of the utility and validity of the SHE(O) method.

Effective control of occupational disease cannot be successful without the active collaboration of those practicing physicians who are responsible for suspecting and diagnosing occupational disease in their patients. Such collaboration could be accomplished if, in the near future, medical education in the medical schools and in the hospitals brings occupational medicine into the mainstream of American medicine.

Finally, the list provides a powerful heuristic framework upon which to build. As a tool for researchers, Table A-(O) can provide insight into priority setting and decision making in occupational safety and health research. Periodic review and updating of this table is anticipated as our knowledge of occupational disease expands.

* * * * * * * * * *

From the Working Group on Preventable and Manageable Diseases (D. D. Rutstein, M.D., W. Berenberg, M.D., T. C. Chalmers, M.D., A. P. Fishman, M.D., E. B. Perrin, Ph.D, G. D. Zuidema, M.D.); the Department of Preventive Medicine and Clinical Epidemiology, Harvard Medical School; and the National Institute for Occupational Safety and Health (NIOSH). This project was supported under NIOSH Purchase Order No. 80-3612.

We are deeply indebted to many colleagues too numerous to list here who provided information, advice, and recommendations concerning the inclusion or exclusion of conditions in Table A-(O). We do wish to acknowledge the extremely valuable assistance provided to us by Philip J. Landrigan, M.D., Division of Surveillance, Hazard Evaluations, and Field Studies, NIOSH; David H. Wegman, M.D., Occupational Health Program, Harvard School of Public Health; Professor Malcolm Harrington, Institute of Occupational Health, University of Birmingham Medical School, England; Professor Christer Hogstedt, Board of Occupational Health and Safety and Department of Occupational Health, Karolinska Institute, Sweden; William N. Rom, M.D., Rocky Mountain Center for Occupational and Environmental Health, University of Utah; and Edward L. Baker, Jr., M.D., Occupational Health Program, Harvard School of Public Health.

An earlier version of this paper was presented at the 110th Annual Meeting of the American Public Health Association, Montreal, 1982.

This paper, submitted to the Journal December 17, 1982, was revised and accepted for publication March 21, 1983, in the *American Journal of Public Health*, 1983. Vol 73, No. 9, pp. 1054-62.

Reprints can be obtained from Robert J. Mullan, M.D., Surveillance Branch, DSHEFS, NIOSH, Robert A. Taft Labs, 4676 Columbia Parkway, Cincinnati, OH 45226; Clearinghouse on Health Indexes, National Center for Health Statistics, 3700 East-West Highway, Hyattsville, MD 20782; or David D. Rutstein, M.D., Countway Library, Harvard Medical School, 10 Shattuck Street, Boston, MA 02115.

* * * * * * * * * *

REFERENCES

1. Abraham, J. L. 1980. Underdiagnosis of pulmonary asbestosis (Letter to the Editor). *N Engl J Med* 302: 464.
2. Rosenstock, L. 1981. Occupational medicine: Too long neglected. *Ann Intern Med* 95: 774-76.
3. Levy, B. S. 1980. The teaching of occupational health in American medical schools. *J Med Educ* 55: 18-22.
4. USDHEW: Statistics Needed for Determining the Effects of the Environment on Health. Vital and Health Statistics. Series 4, No. 20. DHEW Pub. No. (HRA) 77-1457. Washington, DC: Govt Printing Office, July 1977.
5. Kaminski, R.; Brockert, J.; Sestito, J.; and Frazier, T. 1981. Occupational information on death certificates: A survey of state practices. *Am J Public Health* 71: 525-26.
6. Rutstein, D. D.; Berenberg, W.; Chalmers, T. C.; Child, C. G.; Fishman, A. P.; and Perrin, E. B. 1976. Measuring the quality of medical Care: A clinical method. *N Engl J Med* 294: 582-88.
7. Rutstein, D. D.; Berenberg, W.; Chalmers, T. C.; Fishman, A. P.; Perrin, E. B.; and Zuidema, G. D. 1980. Measuring the quality of medical care: Second revision of tables and indexes (letter to the editor). *N Engl J Med* 302: 1146.
8. New York Academy of Medicine, Committee on Public Health Relations. 1933. Maternal Mortality in New York City: A study of all puerperal deaths 1930-1932. New York: The Commonwealth Fund.
9. Massachusetts Medical Society, Perinatal Welfare Committee. 1971. Report on Perinatal and Infant Mortality in Massachusetts, 1967 and 1968. Boston: Massachusetts Medical Society.

10. World Health Organization. 1977. Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1. Geneva: WHO.
11. Acheson, E. D.; Cowdell, R. H.; and Jolles, B. 1970. Nasal cancer in the Northamptonshire boot and shoe industry. *Br Med J* 1: 385–93.
12. Acheson, E. D.; Cowdell, R. H.; and Rang, E. 1972. Adenocarcinoma of the nasal cavity and sinuses in England and Wales. *Br J Ind Med* 29: 21–30.
13. Adams, R. M. 1981. High-risk dermatoses. *JOM* 23: 829–34.
14. Adenis, L.; Vankemmel, B.; Egret, G.; and Demaille, A. 1973. Ethmoid adenocarcinomas in workers exposed to sawdust (French). *Archives des Maladies et de Securite Sociale* 34: 644–46.
15. Ahmad, D.; Morgan, W. K. C.; Patterson, R.; Williams, T.; and Zeiss, C. R. 1979. Pulmonary hemorrhage and hemolytic anemia due to trimellitic anhydride. *Lancet* 2: 328–30.
16. Aksoy, M.; Erdem, S.; and DinCol, G. 1974. Leukemia in shoe workers exposed chronically to benzene. *Blood* 44: 837–41.
17. Anderson, E. T. 1978. Plague in the continental United States. 1900–76. *Public Health Rep* 93: 297–301.
18. Baerg, R. D., and Kimberg, D. V. 1970. Centrilobular hepatic necrosis and acute renal failure in "solvent sniffers." *Ann Intern Med* 73: 713–20.
19. Baker, E. L.; Landrigan, P. J.; Barbour, A. G.; Cox, D. H.; Folland, D. S.; Ligo, R. N.; and Throckmorton, J. 1979. Occupational lead poisoning in the United States: Clinical and biochemical findings related to blood lead levels. *Br J Ind Med* 36: 314–22.
20. Banks, D. E.; Morring, K. L.; Boehlecke, B. A.; Althouse, R. B.; and Merchant, J. A. 1981. Silicosis in silica flour workers. *Am Rev Respir Dis* 124: 445–50.
21. Barrett-Connor, E. 1979. The epidemiology of tuberculosis in physicians. *JAMA* 241: 33–38.
22. Battigelli, M. C. 1960. Mercury toxicity from industrial exposure. *JOM* 2: 337–44, 394–99.
23. Bauer, M., and Rabens, S. F. 1977. Trichloroethylene toxicity. *Int J Dermatol* 16: 113–16.
24. Becklake, M. R. 1976. Asbestos-related diseases of the lung and other organs: Their epidemiology and implications for clinical practice. *Am Rev Respir Dis* 114: 187–227.
25. Berman, L. B.; Schreiner, G. E.; and Feys, J. 1957. The nephrotoxic lesion of ethylene glycol. *Ann Intern Med* 46: 611–19.
26. Billmaier, D.; Yee, H. T.; Allen, N.; Craft, B.; Williams, N.; Epstein, S.; and Fontaine, R. 1974. Peripheral neuropathy in a coated fabrics plant. *JOM* 16: 665–71.
27. Bomski, H.; Sobolewska, A.; and Strakowski, A. 1967. Toxic damage of the liver by chloroform in chemical industry workers (German). *Int Arch Gewerbep und Gewerbeh* 24: 127–34.
28. Boor, J. W., and Hurtig, H. I. 1977. Persistent cerebellar ataxia after exposure to toluene. *Ann Neurol* 2: 440–42.
29. Bouhuys, A.; Heaphy, L. J.; Schilling, R. S. F.; and Welborn, J. W. 1967. Byssinosis in the United States. *N Engl J Med* 277: 170–75.
30. Brachman, P. S.; Plotkin, S. A.; Bumford, F. H.; and Atchison, M. M. 1960. An epidemic of inhalation anthrax: The first in the twentieth century. II. Epidemiology. *Am J Hyg* 72: 6–23.
31. Brieger, H., and Rieders, F. 1959. Chronic lead and mercury poisoning: Contemporary view on ancient occupational diseases. *J Chronic Dis* 9: 177–84.
32. Briganti, A. 1938. Occupational phosphorism. *Folia Med (Napoli)* 24: 487–506.
33. Brink, G. C.; Grzybowski, S.; and Lane, G. B. 1960. Silicotuberculosis. *Can Med Assoc J* 82: 959–64.
34. Brinton, L. A.; Blot, W. J.; Stone, B. J.; and Fraumeni, J. F. 1977. A death certificate analysis of nasal cancer among furniture workers in North Carolina. *Cancer Res* 37: 3473–74.
35. Brooks, S. M. 1977. Bronchial asthma of occupational origin: A review. *Scand J Work Environ Health* 3: 53–72.
36. Cannon, S. B.; Veazey, J. M.; Jackson, R. S.; Burse, V. W.; Hayes, C.; Straub, W. E.; Landrigan, P. J.; and Liddle, J. A. 1978. Epidemic Kepone poisoning in chemical workers. *Am J Epidemiol* 107: 529–37.
37. Capps, R. B.; Bennett, A. M.; and Stokes, J. 1952. Endemic infectious hepatitis in an infants' orphanage. I. Epidemiologic studies in student nurses. *Arch Intern Med* 89: 6–23.
38. Carstens, J.; McNab, G. M.; and Kew, M. C. 1977. Hepatitis-B virus infection in anaesthetists. *Br J Anaesth* 49: 887–89.
39. Case, R. A. M.; Hosker, M. E.; McDonald, D. B.; and Pearson, J. T. 1954. Tumours of the urinary bladder in workmen engaged in the manufacture and use of certain dyestuff intermediates in the British chemical industry. Part I. The role of aniline, benzidine, alpha-naphthylamine and beta-naphthylamine. *Br J Ind Med* 11: 75–104.
40. Case, R. A. M.; Hosker, M. E.; McDonald, D. B.; and Pearson, J. T. 1954. Tumours of the urinary bladder in workmen engaged in the manufacture and use of certain dyestuff intermediates in the British chemical industry. Part II. Further considerations of the role of aniline and of the manufacture of auramine and magenta (fuchsine) as possible causative agents. *Br J Ind Med* 11: 213–16.
41. Court Brown, W. M., and Doll, R. 1965. Mortality from cancer and other causes after radiotherapy for ankylosing spondylitis. *Br Med J* 2: 1327–32.
42. Creech, J. L., and Johnson, M. N. 1974. Angiosarcoma of liver in the manufacture of polyvinyl chloride. *JOM* 16: 150–51.
43. Dales, L. G. 1972. The neurotoxicity of alkyl mercury compounds. *Am J Med* 53: 219–32.
44. Deodhar, L. P., and Deshpande, C. K. 1968. Acute copper sulphate poisoning. *J Postgrad Med* 14: 38–41.
45. de Villiers, A. J., and Windish, J. P. 1964. Lung cancer in a fluorspar mining community. I. Radiation, dust, and mortality experience. *Br J Ind Med* 21: 94–109.
46. Dinman, B. D. 1960. Arsenic: Chronic human intoxication. *JOM* 2: 137–41.
47. Dinman, B. D.; Cook, W. A.; Whitehouse, W. M.; Magnuson, H. J.; and Ditcheck, T. 1971. Occupational acroosteolysis. I. An epidemiological study. *Arch Environ Health* 22: 61–73.
48. Doll, R. 1958. Cancer of the lung and nose in nickel workers. *Br J Ind Med* 15: 217–23.
49. Doll, R. 1955. Mortality from lung cancer in asbestos workers. *Br J Ind Med* 12: 81–86.
50. Egnatz, D. G.; Ott, M. G.; Townsend, J. C.; Olson, R. D.; and Johns, D. B. 1980. DBCP and testicular effect in chemical workers: An epidemiological survey in Midland, Michigan. *JOM* 22: 727–32.
51. Enterline, P. E. 1974. Respiratory cancer among chromate workers. *JOM* 16: 523–26.
52. Evans, R. D. 1974. Radium in man. *Health Phys* 27: 497–510.
53. Falk, H.; Caldwell, G. G.; Ishak, K. G.; Thomas, L. B.; and Popper, H. 1981. Arsenic-related hepatic angiosarcoma. *Am J Ind Med* 2: 43–50.
54. Faoagali, J. L., and Young, S. A. 1977. Hb_sAg and anti-Hb_s in staff and patients of a psychopaedic hospital. *NZ Med J* 85: 416–20.
55. Feldman, R. E., and Schiff, E. R. 1975. Hepatitis in dental professionals. *JAMA* 232: 1228–30.
56. Feldman, R. G.; Ricks, N. L.; and Baker, E. L. 1980. Neuropsychological effects of industrial toxins: A review. *Am J Ind Med* 1: 211–27.
57. Figueroa, W. G.; Raszkowski, R.; and Weiss, W. 1973. Lung cancer in chloromethyl methyl ether workers. *N Engl J Med* 288: 1096–97.
58. Fleming, G. M.; Chester, E. H.; and Montenegro, H. D. 1979. Dysfunction of small airways following pulmonary injury due to nitrogen dioxide. *Chest* 75: 720–21.
59. Gidron, E., and Leurer, J. 1956. Naphthalene poisoning. *Lancet* 1: 228–30.
60. Gilbert, G. J., and Glaser, G. H. 1959. Neurologic manifestations of chronic carbon monoxide poisoning. *N Engl J Med* 261: 1217–220.
61. Gladstone, J. L., and Millian, S. J. 1981. Rubella exposure in an obstetric clinic. *Obstet Gynecol* 57: 182–86.
62. Goodman, R. A.; Carder, C. C.; Allen, J. R.; Orenstein, W. A.; and Finton, R. J. 1982. Nosocomial hepatitis A transmission by an adult patient with diarrhea. *Am J Med* 73: 220–26.
63. Grant, W. M. 1974. Toxicology of the eye. 2nd Ed. Springfield, IL: Charles C. Thomas.
64. Guild, W. R.; Young, J. V.; and Merrill, J. P. 1958. Anuria due to carbon tetrachloride intoxication. *Ann Intern Med* 48: 1221–27.
65. Hadler, S. C.; Webster, H. M.; Erben, J. J.; Swanson, J. E.; and Maynard, J. E. 1980. Hepatitis A in day-care centers. *N Engl J*

Med 302: 1222–27.
66. Halsted, H. C. 1960. Industrial methemoglobinemia. *JOM* 2: 591–96.
67. Hansen, J. P.; Falconer, J. A.; Hamilton, J. D.; and Herpok, F. J. 1981. Hepatitis B in a medical center. *JOM* 23: 338–42.
68. Hardy, H. L. 1980. Beryllium disease: A clinical perspective. *Environ Res* 21: 1–9.
69. Harrington, J. M., and Shannon, H. S. 1976. Incidence of tuberculosis, hepatitis, brucellosis, and shigellosis in British medical laboratory workers. *Br Med J* 1: 759–62.
70. Hathaway, J. A. 1977. Trinitrotoluene: A review of reported dose-related effects providing documentation for a workplace standard. *JOM* 19: 341–45.
71. Helmsing, P. J.; Duermeyer, W.; and van Hattare, G. 1980. An outbreak of hepatitis A in an institution for the mentally retarded. *J Med Virol* 5: 143–50.
72. Henry, S. A. 1946. Cancer of the scrotum in relation to occupation. London: Oxford University Press.
73. Herbert, F. A., and Orford, R. 1979. Pulmonary hemorrhage and edema due to inhalation of resins containing trimellitic anhydride. *Chest* 76: 546–51.
74. Herskowitz, A.; Ishii, N.; and Schaumburg, H. 1971. N-hexane neuropathy: A syndrome occurring as a result of industrial exposure. *N Engl J Med* 285: 82–85.
75. Heyman, A.; Pfeiffer, J. B.; Willett, R. W.; and Taylor, H. M. 1956. Peripheral neuropathy caused by arsenical intoxication. *N Engl J Med* 254: 401–09.
76. Higgins, I. T. T.; Oh, M. S.; and Whittaker, D. E. 1981. Chronic respiratory disease in coal miners. (NIOSH Pub. #81-109.) Rockville, MD: National Institute for Occupational Safety and Health.
77. Hine, C. H. 1969. Methyl bromide poisoning. *JOM* 11: 1–10.
78. Hocken, A. G., and Bradshaw, G. 1970. Arsine poisoning. *Br J Ind Med* 27: 56–60.
79. Hygienic Guides Committee of the American Industrial Hygiene Association. 1966. Chloronaphthalenes. *Am Ind Hyg Assoc J* 27: 89–91.
80. Hygienic Guides Committee of the American Industral Hygiene Association: 1958. Cresol. *Am Ind Hyg Assoc J* 19: 441–43.
81. Hygienic Guides Committee of the American Industrial Hygiene Association. 1964. 2,4,6-Trinitrotoluene (TNT). *Am Ind Hyg Assoc J* 25: 516–519.
82. Industrial Hygiene Foundation of America, Inc. 1967. The pneumoconioses. Medical Series, Bulletin #12. Pittsburgh: The Foundation.
83. Infante, P. F.; Rinsky, R. A.; Wagoner, J. K.; and Young, R. J. 1977. Leukemia in benzene workers. *Lancet* 2: 76–78.
84. Infante, P. F.; Rinsky, R. A.; Wagoner, J. K.; and Young, R. J. 1977. Benzene and leukemia (response to letter). *Lancet* 2: 868–69.
85. International Agency for Research on Cancer. 1976. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans: Nickel and Nickel Compounds. Geneva: WHO. 11: 75–112.
86. International Agency for Research on Cancer. 1979. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Supplement 1. Geneva: WHO, September.
87. International Agency for Research on Cancer. 1979. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans: Vinyl Chloride, Polyvinyl Chloride, and Vinyl Chloride-vinyl Acetate Copolymers. Geneva: WHO, 19: 377–438.
88. Iyer, K.; Goodgold, J.; Eberstein, A.; and Berg, P. 1976. Mercury poisoning in a dentist. *Arch Neurol* 33: 788–90.
89. Jellison, W. L., and Kohl, G. M. 1955. Tularemia in sheep and in sheep industry workers. (Public Health Service Monograph #28.) Washington, DC: US Department of Health, Education, and Welfare.
90. Kalant, H. 1959. Physiological hazards of microwave radiation: A survey of published literature. *Can Med Assoc J* 81: 575–82.
91. Kipling, M. D. 1971. Oil cancer in the Savoy Alps and the Birmingham region: A comparison. *Trans Soc Occup Med* 21: 73–78.
92. Kipling, M. D., and Fothergill, R. 1964. Arsine poisoning in a slag-washing plant. *Br J Ind Med* 21: 74–77.
93. Kyle, R. A., and Pease, G. L. 1965. Hematologic aspects of arsenic intoxication. *N Engl J Med* 273: 18–23.
94. Kleinfeld, M.; Messite, J; and Swencicki, R. 1972. Clinical effects of chlorinated naphthalene exposure. *JOM* 14: 377–99.
95. Kleinfeld, M.; Messite, J.; and Zaki, M. H. 1974. Mortality experiences among talc workers: A follow-up study. *JOM* 16: 345–49.
96. Kuh, C., and Ward, W. E. 1950. Occupational viral hepatitis: An apparent hazard for medical personnel. *JAMA* 143: 631–35.
97. Laitinen, J.; Puranen, J.; and Vuorinen, P. 1974. Vibration syndrome in lumbermen (working with chain saws). *JOM* 16: 552–56.
98. Lange, C. E.; Juhe, S.; Stein, G.; and Veltman, G. 1974. So-called vinyl chloride disease—is it an occupational systemic sclerosis? *Int Arch Occup Health* 32: 1–32.
99. Lemen, R. A.; Dement, J. M.; and Wagoner, J. K. 1980. Epidemiology of asbestos-related diseases. *Environ Health Perspect* 34: 1–11.
100. Leswing, R. J., and Ribelin, W. E. 1969. Physiologic and pathologic changes in acrylamide neuropathy. *Arch Environ Health* 18: 22–29.
101. Levy, D. M.; Divertie, M. B.; Litzow, T. J.; and Henderson, J. W. 1964. Ammonia burns of the face and respiratory tract. *JAMA* 190: 873–76.
102. Lewis, T. L.; Alter, H. J.; Chalmers, T. C.; Holland, P. V.; Purcell, R. H.; Alling, D. W.; and Young, D. 1973. A comparison of the frequency of hepatitis B antigen and antibody in hospital and nonhospital personnel. *N Engl J Med* 289: 647–51.
103. Lilis, R.; Anderson, N.; Nicholson, W. J.; Daum, S.; Fischbein, A. S.; and Selikoff, I. J. 1975. Prevalence of disease among vinyl chloride and polyvinyl chloride workers. *Ann NY Acad Sci* 246: 22–41.
104. Lloyd, J. W. 1971. Long-term mortality study of steelworkers. V. Respiratory cancer in coke plant workers. *JOM* 13: 53–68.
105. Lobo-Mendonca, R. 1963. Tetrachloroethane—a survey. *Br J Ind Med* 20: 50–56.
106. LoGrippo, G. A., and Hayashi, H. 1973. Incidence of hepatitis and Australia antigenemia among laboratory workers. *Health Lab Sci* 10: 157–62.
107. Luboinski, B., and Marandas, P. 1975. Cancer of the ethmoid: Occupational etiology (French). *Archives des Maladies et de Securite Sociale* 36: 477–87.
108. Mancuso, T. F. 1951. Occupational cancer and other health hazards in a chromate plant: A medical appraisal. II. Clinical and toxicologic aspects. *Ind Med Surg* 20: 393–407.
109. Martland, H. S. 1929. Occupational poisoning in manufacture of luminous watch dials. *JAMA* 92: 466–73, 552–59.
110. Matanoski, G.; Seltser, R.; Sartwell, P. E.; Diamond, E. L.; and Elliot, E. A. 1975. The current mortality rates of radiologists and other physician specialists: Deaths from all causes and from cancer. *Am J Epidemiol* 101: 188–98.
111. Matanoski, G.; Seltser, R.; Sartwell, P. E.; Diamond, E. L.; and Elliot, E. A. 1975. The current mortality rates of radiologists and other physician specialities: Specific causes of death. *Am J Epidemiol* 101: 199–210.
112. McGill, D. B., and Motto, J. D. 1974. An industrial outbreak of toxic hepatitis due to methylenedianiline. *N Engl J Med* 291: 278–82.
113. McLaughlin, M. C., and Gold, L. H. 1979. The New York rubella incident: A case for changing hospital policy regarding rubella testing and immunization. *Am J Public Health* 69: 287–89.
114. McMichael, A. J.; Andjelkovic, D. A.; and Tyroler, H. A. 1976. Cancer mortality among rubber workers: An epidemiologic study. *Ann NY Acad Sci* 271: 125–37.
115. McMichael, A. J.; Spirtas, R.; Kupper, L. L.; and Gamble, J. F. 1975. Solvent exposure and leukemia among rubber workers: An epidemiologic study. *JOM* 17: 234–39.
116. Melick, W. F.; Naryka, J. J.; and Kelly, R. E. 1971. Bladder cancer due to exposure to para-aminobiphenyl: A 17-year followup. *J Urol* 106: 220–26.
117. Merchant, J. A.; Kilburn, K. H.; O'Fallon, W. M.; Hamilton, J. D.; and Lumsden, J. C. 1972. Byssinosis and chronic bronchitis among cotton textile workers. *Ann Intern Med* 76: 423–33.
118. Meyer, K. F. 1964. Evolution of the problems of occupational diseases acquired from animals. *Ind Med Surg* 33: 286–95.
119. Meyer, K. F. 1969. The present status of psittacosis-ornithosis. *Arch Environ Health* 19: 461–66.
120. Meyer, R. J. 1955. The medical significance of lenticular

opacities (cataract) before the age of fifty. *N Engl J Med* 252: 622–28.
121. Morgan, J. P., and Tulloss, T. C. 1976. The Jake walk blues. *Ann Intern Med* 85: 804–08.
122. Morgan, W. K. C., and Lapp, N. L. 1976. Respiratory disease in coal miners. *Am Rev Respir Dis* 113: 531–59.
123. Morgan, W. K. C., and Seaton, A. 1975. Occupational Lung Diseases, pp. 328–37. Philadelphia, PA: W. B. Saunders Co.
124. Mosley, J. W.; Edwards, V. M.; Casey, G.; Redeker, A. G.; and White, E. 1975. Hepatitis B virus infection in dentists. *N Engl J Med* 293: 729–34.
125. Munch, J. C.; Friedland, B.; and Shepard, M. 1965. Glyceryl trinitrate. II. Chronic Toxicity. *Ind Med Surg* 34: 940–43.
126. Murphy, R. L. H.; Ferris, B. G.; Burgess, W. A.; Worcester, J.; and Gaensler, E. A. 1971. Effects of low concentrations of asbestos: Clinical, environmental, radiologic and epidemiologic observations in shipyard pipe coverers and controls. *N Engl J Med* 285: 1271–78.
127. National Institute for Occupational Safety and Health. 1976. Criteria for a recommended standard . . . occupational exposure to acrylamide, NIOSH Pub. #77-112. Rockville, MD: National Institute for Occupational Safety and Health.
128. National Institute for Occupational Safety and Health. 1974. Criteria for a recommended standard . . . occupational exposure to cotton dust, NIOSH Pub. #75-118. Rockville, MD: National Institute for Occupational Safety and Health.
129. National Institute for Occupational Safety and Health. 1974. Criteria for a recommended standard . . . occupational exposure to crystalline silica, NIOSH Pub. #75-120. Rockville, MD: National Institute for Occupational Safety and Health.
130. National Institute for Occupational Safety and Health. 1978. Criteria for a recommended standard . . . occupational exposure to dinitro-orthocresol, NIOSH Pub. #78-131. Rockville, MD: National Institute for Occupational Safety and Health.
131. National Institute for Occupational Safety and Health. 1972. Criteria for a recommended standard . . . occupational exposure to noise, NIOSH Pub. #73-11001. Rockville, MD: National Institute for Occupational Safety and Health.
132. Nelson, C. E.; Ruben, F. L.; and Anderson, B. 1975. An unusual outbreak of brucellosis. *Arch Intern Med* 135: 691–95.
133. Olmstead, E. V. 1960. Pathological changes in ethylene dibromide poisoning. *Arch Ind Health* 21: 525–29.
134. Parish, G. G.; Glass R.; and Kimbrough, R. 1979. Acute arsine poisoning in two workers cleaning a clogged drain. *Arch Environ Health* 34: 224–27.
135. Parrot, J. L.; Hebert, R.; Saindelle, A.; and Ruff, F. 1969. Platinum and platinosis. *Arch Environ Health* 19: 685–91.
136. Patterson, R.; Addington, W.; Banner, A. S.; Byron, G. E.; Franco, M.; Herbert, F. A.; and Nicotra, M. B. 1979. Antihapten antibodies in workers exposed to trimellitic anhydride fumes: A potential immunopathogenetic mechanism for the trimellitic anhydride pulmonary disease-anemia syndrome. *Am Rev Respir Dis* 120: 1259–67.
137. Pepys, J. 1980. Occupational asthma: Review of present clinical and immunologic status. *J Allergy Clin Immunol* 66: 179–85.
138. Peters, J. M., and Murphy, R. L. H. 1970. Pulmonary toxicity of isocyanates. *Ann Intern Med* 73: 654–55.
139. Pinto, S. S. 1976. Arsine poisoning: Evaluation of the acute phase. *JOM* 18: 633–35.
140. Plaa, G. L., and Larson, R. E. 1964. CCl_4-induced liver damage: Current concepts regarding mechanisms of action. *Arch Environ Health* 9: 536–43.
141. Polednak, A. P.; Stehney, A. F.; and Rowland, R. E. 1978. Mortality among women first employed before 1930 in the US radium dial-painting industry. *Am J Epidemiol* 107: 179–95.
142. Polk, B. F.; White, J. A.; DeGirolami, P. C.; and Modlin, J. F. 1980. An outbreak of rubella among hospital personnel. *N Engl J Med* 303: 541–45.
143. Powner, D. J. 1979. Infection precautions for pregnant ICU personnel. *Crit Care Med* 7: 225–26.
144. Pyykko, I. 1974. The prevalence and symptoms of traumatic vasospastic disease among lumberjacks in Finland: A field study. *Scand J Work Environ Helth* 11: 118–31.
145. Redmond, C. K.; Ciocco, R. A.; Lloyd, J. W.; and Rush, H. W. 1972. Long-term mortality study of steelworkers. VI. Mortality from malignant neoplasms among coke oven workers. *JOM* 14: 621–29.
146. Redmond, C. K.; Strobino, B. R.; and Cypess, R. H. 1976. Cancer experience among coke by-product workers. *Ann NY Acad Sci* 271: 102–15.
147. Richerson, H. B. 1980. Hypersensitivity pneumonitis (extrinsic allergic alveolitis). *In Pulmonary Diseases and Disorders*, Fishman, A. P., ed., pp. 691–98. New York: McGraw-Hill, 691–98.
148. Rook, A.; Wilkinson, D. S.; and Ebling, F. J. G., eds. 1972. *Textbook of Dermatology*. 2nd Ed. London: Oxford Scientific Publications.
149. Rothman, K. J.; Cann, C. I.; Flanders, D.; Fried, M. P. 1980. Epidemiology of laryngeal cancer. *Epidemiol Rev* 2: 195–209.
150. Roush, G. C.; Kelly, J. A.; Meigs, J. W.; and Flannery, J. T. 1982. Scrotal carcinoma in Connecticut metalworkers: Sequel to a study of sinonasal cancer. *Am J Epidemiol* 116: 76–85.
151. Roush, G. C.; Meigs, J. W.; Kelly, J.; Flannery, J. T.; Burdo, H. 1980. Sinonasal cancer and occupation: A case-control study. *Am J Epidemiol* 111: 183–93.
152. Sandifer, S. H.; Watkins, R. I.; Loadholt, C. B.; Lane, L. G.; and Eldridge, J. C. 1979. Spermatogenesis in agricultural workers exposed to dibromochloropropane (DBCP). *Bull Environ Contam Toxicol* 23: 703–10.
153. Sanford, J. P. 1979. Plague. *In Cecil Textbook of Medicine*, P. Beeson, W. McDermott, J. B. Wyngarden, eds., pp. 463–65. Philadelphia PA: WB Saunders, 463–65.
154. Saric, M.; Markicevic, A.; and Hrustic, O. 1977. Occupational exposure to manganese. *Br J Ind Med* 34: 114–18.
155. Schaumburg, H. H., and Spencer, P. S. 1976. The neurology and neuropathology of the occupational neuropathies. *JOM* 18: 739–42.
156. Schepers, G. W. H. 1964. Silicosis and tuberculosis. *Ind Med Surg* 33: 381–99.
157. Schreiner, G. E., and Maher, J. F. 1965. Toxic nephropathy. *Am J Med* 38: 409–49.
158. Scott, T. S. 1952. The incidence of bladder tumours in a dyestuffs factor. *Br J Ind Med* 9: 127–32.
159. Selikoff, I. J.; Churg, J.; and Hammond, E. C. 1964. Asbestos exposure and neoplasia. *JAMA* 188: 22–26.
160. Selikoff, I. J.; Churg, J.; and Hammond, E. C. 1965. Relation between exposure to asbestos and mesothelioma. *N Engl J Med* 272: 560–65.
161. Shapiro, I. M.; Cornblath, D. R.; Sumner, A. J.; Uzzell, B.; Spitz, L. K.; Ship, I. I.; and Bloch, P. 1982. Neurophysiological and neuropsychological function in mercury-exposed dentists. *Lancet* 1: 1147–50.
162. Sievers, R. F.; Stump, R. L.; and Monaco, A. R. 1946. Aplastic anemia following exposure to trinitrotoluene. *Occup Med* 1: 351–362.
163. Silberstein, H. E. 1949. Radium poisoning: A survey of the literature dealing with the toxicity and metabolism of absorbed radium. (Pub. #AECD-2122.) Washington, DC: US Atomic Energy Commission.
164. Sinha, S. K.; Touissiant, J. B.; and Preizler, J. 1967. An epidemiologic study on viral hepatitis in an institution for the mentally retarded. *Am J Ment Defic* 72: 114–21.
165. Smith, G. F. 1966. Trichloroethylene: A review. *Br J Ind Med* 23: 249–62.
166. Smith, R. G.; Vorwald, A. J.; Patil, L. S.; and Mooney, T. F. 1970. Effects of exposure to mercury in the manufacture of chlorine. *Am Ind Hyg Assoc J* 31: 687–700.
167. Smyth, L. T.; Ruhf, R. C.; Whitman, N. E.; and Dugan, T. 1973. Clinical manganism and exposure to manganese in the production and processing of ferromangenase alloy. *JOM* 15: 101–09.
168. Spirtas, R., and Kaminski, R. 1978. Angiosarcoma of the liver in vinyl chloride/polyvinyl chloride workers: 1977 update of the NIOSH register. *JOM* 20: 427–29.
169. Steele, J. H. 1968. Occupational health in agriculture. *Arch Environ Health* 17: 267–85.
170. Steele, J. H. 1976. Zoonoses as occupational diseases. Occupational Safety and Health Symposia, NIOSH Pub #76-136, pp. 115–30. Rockville, MD: National Institute for Occupational Safety and Health.
171. Storch, G.; McFarland, L. M.; Kelso, K.; Heilman, C. J.; and Caraway, C. T. 1979. Viral hepatitis associated with day-care centers. *JAMA* 242: 1514–18.

172. Taylor, F. H. 1966. The relationship of mortality and duration of employment as reflected by a cohort of chromate workers. *Am J Public Health* 56: 218–29.
173. Taylor, W., and Pelmear, P. L. 1976. Raynaud's phenomenon of occupational origin: An epidemiological survey. *Acta Chir Scand* Supplement #465: 27–32.
174. Thiel, H., and Ulmer, W. T. 1980. Baker's asthma: Development and possibility for treatment. *Chest* (supplement), 78: 400–05.
175. Tokudome, S., and Kuratsune, M. 1976. A cohort study on mortality from cancer and other causes among workers at a metal refinery. *Int J Cancer* 17: 310–17.
176. Torjussen, W.; Solberg, L. A.; and Hogetveit, A. C. 1979. Histopathological changes of the nasal mucosa in active and retired nickel workers. *Br J Cancer* 40: 568–80.
177. Vasilescu, C., and Florescu, A. 1980. Clinical and electrophysiological studies of carbon disulphide polyneuropathy. *J Neurol* 224: 59–70.
178. Veys, C. A. 1974. Bladder tumours and occupation: A coroner's notification scheme. *Br J Ind Med* 31: 65–71.
179. Vigliani, E. C. 1954. Carbon disulphide poisoning in viscose rayon factories. *Br J Ind Med* 11: 235–44.
180. Vigliani, E. C., and Forni, A. 1976. Benzene and leukemia. *Environ Res* 11: 122–27.
181. Vigliani, E. C., and Saita, G. 1964. Benzene and leukemia. *N Engl J Med* 271: 872–76.
182. Wada, S.; Miyanishi, M.; Nishimoto, Y.; Kambe, S.; and Miller, R. W. 1968. Mustard gas as a cause of respiratory neoplasia in man. *Lancet* 1: 1161–63.
183. Wagoner, J. K.; Infante, P. F.; and Bayliss, D. L. 1980. Beryllium: An etiologic agent in the induction of lung cancer, nonneoplastic respiratory disease, and heart disease among industrially exposed workers. *Environ Res* 21: 15–34.
184. Waxweiler, R.; Stringer, W.; Wagoner, J.; Jones, J.; Falk, H.; and Carter, C. 1976. Neoplastic risk among workers exposed to vinyl chloride. *Ann NY Acad Sci* 271: 40–48.
185. Weiss, W., and Figueroa, W. G. 1976. The characteristics of lung cancer due to chloromethyl ethers. *JOM* 18: 623–27.
186. Whorton, M. D.; Milby, T. H.; Krauss, R. M.; and Stubbs, H. A. 1979. Testicular function in DBCP exposed pesticide workers. *JOM* 21: 161–65.
187. Wolf, A. F. 1975. Occupational diseases of the lungs. *Ann Allergy* 35: 1–6.
188. Wuertz, R. L.; Frazee, W. M.; Hume, W. G.; Linoi, M. S.; and Wetherhold, J. M. 1964. Chemical cyanosis-anemmia syndrome. *Arch Environ Health* 9: 478–91.
189. Zavon, M. R.; Hvegg, U.; and Bingham, E. 1973. Benzidine exposure as a cause of bladder tumors. *Arch Environ Health* 27: 1–7.
190. Ziskind, M.; Jones, R. N.; and Weill, H. 1976. Silicosis. *Am Rev Respir Dis* 113: 643–65.

It should be noted that the so-called "E-codes" (those ICD rubrics which address the classification of accident-associated events ascribable to external causes) are not included in this Table. Most accidental injuries and deaths occurring in an occupational setting will be classified within these codes. Exclusion of these codes from this Table was for brevity's sake and due to the self-evident occupational relatedness of their occurrence. A compilation of these codes is available, however, and will be provided to interested individuals upon request.